

Hackathon 4 - Picture the Planet

Film: "Silent Tides" · SDG 13 · 7 video shots + voiceover

How to regenerate

- **Running the workflows:** We ran ComfyUI (Desktop) locally on a friend's PC with an AMD Radeon RX 6950 XT (16 GB), because the laptop used to build the workflow (GTX 1650, 4 GB) is too weak for video models. We first tried the LTX-2.5 text-to-video template, but its int8 model files crash on this AMD card, so we switched to the Wan 2.2 5B text-to-video template, which runs on it. Every video frame in the film comes out of this workflow; no stock footage, photos or other image generators were used.
- **Video shots 1–7:** workflow Silent_Tides_SDG13.json (Wan 2.2 5B T12V used as text-to-video; the Load Image group stays off). Settings for every shot: portrait 9:16, 480 × 832, 24 fps, 97 frames (~4 s), 20 steps, cfg 5.0, sampler uni_pc, scheduler simple, shift 8.0, denoise 1.0. The prompt goes in the CLIP Text Encode (Positive Prompt) node, size and length in the Wan22ImageToVideoLatent node, the seed in the KSampler (control after generate = fixed) and the output name in the Save Video node (filename_prefix SilentTides_Shot_01 ... _07).
- **Negative prompt (all shots):** the template's default negative prompt (Chinese, the standard one for Wan) plus: text, watermark, logo, human faces, cartoon, 3d render, plastic look, flicker, morphing geometry.
- **Same look:** every video prompt ends with the same style line: *photoreal underwater cinematography, natural colour grade, cinematic*.
- **Seeds:** one fixed seed per shot (112233 to 112239), so every shot can be regenerated. Results can still differ slightly on another GPU or ComfyUI version.
- **Voiceover:** generated in ComfyUI with the Kokoro TTS custom node (voice af_sarah, English), one line per shot (vo_01 ... vo_07), in a separate workflow Silent_Tides_Voiceover.json. No third-party voice service was used.
- **Duration:** every clip is about 4 s (97 frames at 24 fps), so the film is about 28 s. The Frame column shows one frame taken from each generated clip.

#	Duration	Frame	Our description	Prompt	Seed
1	~4 s		The film opens on a healthy, colourful reef, so the viewer first sees what is at stake. Fish move through clear, bright water while the camera drifts slowly forward.	hyper-realistic underwater wide shot, thriving coral reef, iridescent anthias and clownfish, sea anemones, sunlight caustics through clear water, shallow depth of field, slow forward dolly, coral swaying, photoreal underwater cinematography, natural colour grade, cinematic	Seed: 112233

#	Duration	Frame	Our description	Prompt	Seed
2	~4 s		The camera drifts along a reef wall full of life and light. It shows the scale of the reef: not one coral, but a whole city of animals.	medium underwater tracking shot along vibrant coral wall, schooling fish parting, volumetric god rays, turquoise clarity, lateral track left to right, photoreal underwater cinematography, natural colour grade, cinematic	Seed: 112234
3	~4 s		The turn. The water starts to shimmer with heat and the colour begins to drain from the coral. This is the first sign of stress.	close-up coral colony, thermal shimmer distortion in water, colour desaturating, warm sickly cast, first signs of stress, macro, slow push-in, photoreal underwater cinematography, natural colour grade, cinematic	Seed: 112235
4	~4 s		We move in on the coral as its colour drains and the branches turn pale and bone-white. This is what bleaching looks like up close: the coral pushes out the algae that give it colour and food.	extreme macro of coral polyp, zooxanthellae expelled as fine particles, tissue turning translucent then bone-white calcium carbonate skeleton, micro push-in, drifting particles, photoreal underwater cinematography, natural colour grade, cinematic	Seed: 112236

#	Duration	Frame	Our description	Prompt	Seed
5	~4 s		The consequence. A wide view of a bleached reef: pale, silent and almost empty of fish. The cut from close-up to wide shows how far the damage reaches.	wide underwater shot, vast bleached white coral reef, skeletal structures, grey-blue water, near-total absence of fish, desaturated, bleak, slow lateral crawl, photoreal underwater cinematography, natural colour grade, cinematic	Seed: 112237
6	~4 s		A fragile sign of recovery: some colour returns to the coral in cooler, clearer water. We show recovery as partial and conditional (only if the heat stops), not as a full return.	medium shot, bleached coral with faint returning pigment, thin new tissue growth, clearer cooler water, hopeful but fragile, gentle rise, light returning, photoreal underwater cinematography, natural colour grade, cinematic	Seed: 112238
7	~4 s		The camera rises toward the sunlit surface over a partly recovered reef. It ends on light and the call to action, without pretending the reef is fully restored.	wide underwater shot rising toward the sunlit surface, partially recovered reef, returning fish life, golden surface light, crane lift to the surface, photoreal underwater cinematography, natural colour grade, cinematic	Seed: 112239

Edit notes

- Shots 1–7: hard cuts, about 4 s each, vertical 9:16 (film about 28 s).
- Voiceover: one Kokoro line per shot, starting with the shot (vo_01 ... vo_07).
- Captions: burned in, covering every spoken word.
- Shot 5: stat card “84% of reef area · 2023–2025 · NOAA / ICRI”.
- AI disclosure: small “AI-generated video & voice” label for the whole film, plus an end card “AI-generated imagery & voice · Data: ICRI 2025”.
- Sound: only the voiceover generated by Kokoro TTS in ComfyUI.