PANCAR WAHYU SETIABI

H1D024018

SHIFT D

1. Insert data into table

   MariaDB [penjualan_barang]> insert into barang values
      -> ('12345', 'PS 5', '2000', '5');
   Query OK, 1 row affected (0.007 sec)

```
MariaDB [penjualan_barang]> select * from barang;
+-----------+------+-------+------+
| id_barang | nama | harga | stok |
+-----------+------+-------+------+
| 12345     | PS 5 | 2000  | 5    |
+-----------+------+-------+------+
1 row in set (0.001 sec)
```

2. Delete data dari table

   MariaDB [penjualan_barang]> select * from barang;
   +-----------+------+-------+------+
   | id_barang | nama | harga | stok |
   +-----------+------+-------+------+
   | 12345 | PS 5 | 2000 | 5 |
   | 56789 | PS 6 | 3000 | 6 |
   +-----------+------+-------+------+
   2 rows in set (0.001 sec)

```
MariaDB [penjualan_barang]> select * from barang;
+-----------+------+-------+------+
| id_barang | nama | harga | stok |
+-----------+------+-------+------+
| 12345     | PS 5 | 2000  | 5    |
| 56789     | PS 6 | 3000  | 6    |
+-----------+------+-------+------+
2 rows in set (0.001 sec)
```

   MariaDB [penjualan_barang]> delete from barang where id_barang='56789';
   Query OK, 1 row affected (0.003 sec)

```
MariaDB [penjualan_barang]> delete from barang where id_barang='56789';
Query OK, 1 row affected (0.003 sec)

MariaDB [penjualan_barang]> select * from barang;
+-----------+------+-------+------+
| id_barang | nama | harga | stok |
+-----------+------+-------+------+
| 12345     | PS 5 | 2000  | 5    |
+-----------+------+-------+------+
1 row in set (0.000 sec)
```