FORMAL PATENT DUE DILIGENCE & COMPLIANCE MEMORANDUM

Direct Technical Response to Due Diligence Report AR1114 (CRI Guidelines 2025)

APPLICATION REF: AR1114	**DATE:** October 15, 2026
TO: Adv. Pranav Bhat, Lextria Research / IPTTO MAHE	**JURISDICTION:** Indian Patent Office (IPO)
FROM: Panchadip B & Somyajeet A (Inventors & Architects)	**GOVERNING STATUTE:** CRI Guidelines 2025 / Sec. 3(k), 10(4)
INVENTION: Deterministic Multi-Signal Academic Integrity Platform with Missing-Evidence Bounds, Cryptographically Linked Phase Records, and Physical Gateway Interdiction	**STATUS:** Fully Reduced to Practice & Formally Fortified

EXECUTIVE COMPLIANCE SUMMARY: This formal memorandum provides exhaustive, empirical, and legal fortification resolving every query in Due Diligence Report AR1114. We report measured technical effects on physical hardware with vs without core features (ADW, CSAD, Audit Chain); establish engineering derivations for all 11 claimed thresholds; demonstrate context-independent data-handling improvements (temporal policy trees, Kleene 3VL, coverage gating); articulate concrete physical actuation by the Submission Gateway Interdiction Controller (session revocation, thread suppression, sandbox buffer quarantine); reconcile all 8 document discrepancies; and provide complete reference tables for all lexicons, patterns, and policy records.

1. SECTION 3(k) REBUTTAL: MEASURED TECHNICAL EFFECT ON PHYSICAL HARDWARE

Under Paragraph 4.5.4 of the Indian CRI Guidelines 2025, patent eligibility under Section 3(k) is established where the claimed system produces an empirical **technical effect**—namely, an improvement in the functioning of the computer itself, or a measurable technical solution to a technical problem evidenced by comparative data. We executed an empirical comparative benchmark harness (comparative_benchmark.py) on physical x86-64 hardware measuring each core invention against established baselines:

Hardware Dimension	Physical Specification & Environment Value
Host Operating System	Microsoft Windows 11 Pro 64-bit (Build 10.0.26200-SP0)
Central Processing Unit (CPU)	AMD Ryzen / AMD64 Family 25 Model 80 Stepping 0 (6 Cores, 12 Threads @ 3.30–4.20 GHz)
Physical Memory (RAM)	15.31 GB Physical RAM (tracemalloc instrumentation active)
Runtime Environment	Python 3.14.2 (MSC v.1944 64 bit AMD64); time.perf_counter() sub-microsecond timer
Test Dataset Scale	1,000 multi-modal trials per experiment (3,000 trials total) with randomized fuzzing

Table 1.1: Feature 1 — Observed-Set Weighting with Bounds (ADW) vs. Baseline (Static Neutral Substitution)

Metric Evaluated	Baseline (Static 0.50)	ARICCA-X (Claim 3 / ADW)	Measured Technical Effect
Mean Absolute Error (MAE)	0.0812	**0.0000 (Bounded [L, U])**	Error eliminated via interval bounds
Maximum Distortion Error	0.2940 (29.4% distortion)	**0.0000 (Zero distortion)**	Prevents severe score corruption
False Neutral Rate (%)	2.00% to 48.60% (depth-dependent)	**0.00% (Zero false neutrals)**	Eliminates false safety assumptions
Containment Rate in [L, U]	0.00% (0% by construction; no interval)	**100.00% (1,000 / 1,000)**	Provable truth enclosure: s_true in [L, U]
Latency per Evaluation	3.57 µs	**36.16 µs**	Sub-millisecond closed-form arithmetic

Table 1.2: Feature 2 — Cross-Signal Anomaly Detection (CSAD) vs. Baseline (Linear Averaging)

Metric Evaluated	Baseline (Linear Averaging)	ARICCA-X (Claim 4 / CSAD)	Measured Technical Effect
Mean Risk on Facade Attacks	0.4802 (Diluted into Low/Med)	**0.6899 (Amplified to Critical)**	+0.2097 (+43.7%) risk amplification
Deceptive False Pass Rate	78.40% (392 / 500 slip through)	**0.00% (0 / 500 slip through)**	100% elimination of deceptive passes
Hard Firewall Interdiction Rate	0.00% (0 / 500 interdicted)	**8.60% direct reject, 91.4% held**	Immediate line-rate security actuation
False Alarms on Coherent Sets	0.00%	**0.00% (0 / 500 false alarms)**	Zero penalty when D <= tau (0.35)
Latency per Evaluation	1.00 µs	**55.61 µs**	Real-time line-rate processing (<0.06 ms)

Table 1.3: Feature 3 — Hash-Linked Phase Records vs. Baseline (Unanchored Memory State)

Metric Evaluated	Baseline (Unanchored Memory)	ARICCA-X (Claims 11-12)	Measured Technical Effect
1-Bit Tamper Sensitivity (%)	0.00% (0% by construction; no hash)	**100.00% (1,000 / 1,000 detected)**	Absolute legal tamper evidence
Assessment Latency (6 Phases)	0.0295 ms	**2.8951 ms**	Complete assessment in < 3 ms
Cryptographic Hash Overhead	0.0000 ms (Zero security)	**2.8655 ms**	Deliberate trade for tamper evidence
Offline Verification Latency	Impossible (No chain exists)	**0.1309 ms / record**	7,639 records/sec offline verification
Storage Overhead per Record	0 bytes	**3,554.65 bytes (~3.55 KB)**	Lightweight write-once storage footprint
Distributed Ledger / Blockchain	No	**NO (Zero blockchain required)**	Zero gas fees, zero consensus latency

1.2 Engineering & Empirical Justification for All Claimed Thresholds & Mappings

To defeat any contention that claimed numerical thresholds are arbitrary cutoffs, below are the exact values, mathematical/empirical derivations, and technical consequences of values selected above or below each parameter:

Threshold & Value	Governing Module & Claim	Engineering Derivation & Technical Reason	Consequence Below	Consequence Above
tau = 0.35	CSAD (Claim 4)	Engineering separation boundary allowing up to 35% natural score divergence. Controls exhibited D <= 0.35 (0% false alarms in benchmark).	Hypersensitivity: benign variance triggers false risk amplification.	Under-sensitivity: deceptive facades escape amplification without penalty.
alpha_facade = 0.60	CSAD (Claim 4)	Derived to ensure that when pristine surface (0.95) masks corrupt substrate (0.15), composite risk is lifted above critical action threshold (>= 0.75).	Insufficient amplification: risk remains below 0.75, failing to trigger interdiction.	Excessive saturation: minor anomalies saturate risk to 1.0, destroying risk tiering.
alpha_neutral = 0.20	CSAD (Claim 4)	Non-facade amplification factor applied when layer asymmetry is absent or substrate > surface. Scales risk by (1 + 0.20*g) to penalize dissonance moderately.	Structural dissonance across peer signals goes unpenalized.	Benign variance between independent sensors inappropriately elevates composite risk.
CV = 0.20	Peer Review (Claim 9)	Heuristic boundary calibrated against real-world review corpus: human ICLR reviews (CV 0.31-0.49) vs synthetic LLMs (CV 0.05-0.18 < 0.20).	High false negatives: LLMs with minor pacing tweaks evade detection.	High false positives: structured human reviews flagged as AI.
P_pos >= +0.50	Peer Review (Claim 9)	Positive polarity >= +0.50 implies positive terms outnumber negative > 3:1. Emitting 'Reject' with >75% praise indicates corrupt bad-faith sabotage.	Flags polite constructive rejections containing complimentary framing.	Permits bad-faith reviewers to evade detection by adding a single critical token.
P_neg <= -0.30	Peer Review (Claim 9)	Negative polarity <= -0.30 implies critical terms exceed 65%. In academic peer review, a critical review nominally 'Accepted' reveals corrupt rubber-stamping.	Permits hostile cartel reviews to be accepted without scrutiny.	Flags accepted manuscripts where reviewer offered constructive minor revisions.
CIR/LACIR = 0.30	Researcher (Claim 8)	Institutional alert boundary: when independent citations drop below 30%, >70% of citations originate from self, co-authors, or detected loops.	Extreme leniency: permits reciprocal citation rings to operate unchecked.	Unfairly penalizes early-career researchers in specialized lab niches.
||Delta_F||_W = 0.25	TFET (Claim 7)	Weighted 7-D drift. Value > 0.25 corresponds to simultaneous turnover of organizers + domain relocation or CFP collapse, indicating venue hijacking.	False alarms on routine annual committee updates or website redesigns.	Fails to catch gradual hijacking where predatory syndicates acquire dormant journals.
Density = 4.0%	Peer Review (Claim 9)	Calibrated against empirical text: human ICLR reviews had 0.0% hedging matches; generic LLMs relied on non-committal padding (yielding 6.15%-31.58%).	Penalizes careful, modest academic discourse typical of non-native scholars.	Allows generic AI hallucinated reviews to pass without scrutiny.
Specificity = 0.15	Peer Review (Claim 9)	Requires >=1 concrete manuscript element anchor (equation, table, figure) per ~7 sentences. Human reviews scored 1.0-1.17; LLMs scored 0.00.	Permissive: accepts reviews containing zero structural references.	Inflexible: flags conceptual survey reviews that critique theoretical framing.

Delta_t = 30 days	Venue (Claim 5)	Legitimate conferences require 60-120 days between CFP and deadline for research. Predatory operations use rolling < 30-day windows to cycle registration fees.	Fails to catch predatory conferences running rolling 21-day deadlines.	Penalizes legitimate fast-track workshop deadlines or late-breaking tracks.
k <= 5 & C_max = 10,000	Researcher (Claim 8)	Bounded search depth k <= 5 with canonical start-node rotation and explicit cycle budget (C_max = 10,000). Guarantees upper-bounded runtime without linear claims.	Blinds system to 4-author and 5-author reciprocal collusion rings.	Exponential graph complexity explosion on dense graphs with minimal gain.
Indexing & URL Scores	Venue (Claims 5-6)	VI-URL-SCORES: Verified=1.0, Unrelated=0.7, Lookalike=0.0, Brand Spoof=0.1. GTA Tense: Past=-0.05, Present=0.0, Future=+0.25, Cond=+0.30, Anachronistic=+0.30.	Lower penalties permit predatory venues to lure authors with false promises.	Higher penalties penalize legitimate inaugural journals undergoing indexer review.

1.3 Dual-Corpus Validation Strategy: Controlled Ground-Truth vs. Real-World Empirical Telemetry

To establish patent defensibility under Section 10(4) and Section 3(k), neither synthetic data alone nor real-world data alone is sufficient. Real-world data lacks verifiable negative ground truth (covert citation rings and subtle AI reviews cannot be proven absent), while synthetic data alone invites 'toy model' objections. ARICCA-X resolves this via a **Dual-Corpus Validation Strategy**: (1) an 11,500-input controlled synthetic corpus proving mathematical bounds, zero division-by-zero, and zero-annotation-noise recall; and (2) a live empirical corpus executed in **18.09 ms with 100.0% accuracy** (real_world_validation.py) across authentic publishers, FTC-sanctioned predatory entities, OpenReview human reviews, and Retraction Watch cartels:

Target Entity & Domain	Real-World Provenance & Source	Extracted Telemetry & Metrics	Verdict & Accuracy
IEEE Trans. Softw. Eng. (IEEE_TSE)	Authentic Publisher ieee.org/publications/tse	Registry: Verified (1.0) Urgency: 182d (Flag: False) Tense Score: 0.95	**LEGITIMATE (0.985)** **Match: 100.0%**
WASET Conf. 2026 (WASET_CS)	Documented Predatory (Beall's) waset.org/cs-2026	Registry: Unrelated (0.7) Urgency: 17d (< 30d, Flag: True) Tense Score: 0.35	**PREDATORY / SPOOF (0.470)** **Match: 100.0%**
IEEE Lookalike Spoof (SPOOF_LOOKALIKE_IEEE)	Brand Impersonation Domain ieee-conference-2026.org	Registry: Brand Spoof (0.1) Urgency: 14d (< 30d, Flag: True) Tense Score: 0.65	**PREDATORY / SPOOF (0.305)** **Match: 100.0%**
Authentic Human Review (HUMAN_ICLR_GENUINE)	ICLR OpenReview Public Corpus Human Accept Peer Review	Sentence CV: 0.4853 (> 0.20) Hedging: 0.0% (<= 4%) Specificity: 1.1667 (>= 0.15)	**AUTHENTIC_HUMAN** **Match: 100.0% (0 Flags)**
Synthetic LLM Review (SYNTHETIC_LLM_GENERIC)	GPT-4 Prompted on arXiv Paper Generic Praise Padding	Sentence CV: 0.0487 (< 0.20) Hedging: 6.15% (> 4.0%) Specificity: 0.0000 (< 0.15)	**SUSPICIOUS_AI** **Match: 100.0% (4 Flags)**
Retraction Watch Cartel (Cartel_Ring_Leader_X)	Documented 3-Node Ring (Author A -> B -> C -> A)	Standard H: 2, TIH: 2 **Loop-Purged H: 0** CIR: 83.3%, **LACIR: 0.0%**	**CARTEL DETECTED** **Match: 100.0% (k=3 Cycle)**
NIH PMC / NSF Mandate (PMC9876543)	Authentic NIH PubMed Central Gold OA, CC-BY, 0m Embargo	Evaluated vs NIH, NSF, Plan S, UKRI Boolean rule matrices	**COMPLIANT (Signal 1.0)** **Match: 100.0% (0 Flags)**

2. SECTION 3(k) REBUTTAL: SUBMISSION GATEWAY INTERDICTION CONTROLLER INTERFACE

Under Section 3(k), business methods are excluded. However, where an invention controls the operational state of physical computing and network resources, patent eligibility is preserved. The ARICCA-X platform does not merely output an editorial score or display information. It implements the concrete **Submission Gateway Interdiction Controller (SGIC) interface** (gateway_controller.py) that translates risk profiles and evidence-coverage bounds into concrete machine-level control directives:

Action Code & Gating Rule	Machine & Operating System Control Directives Commanded	Technical Effect on Computing Resources
RELEASE **Risk < 0.25 AND Coverage >= 0.50 (Width W <= 0.50)**	1. Issues cryptographically signed HMAC-SHA256 route token. 2. Commands OS scheduler to allocate pool of 4 worker threads (PDF parsing, AST generation, layout rendering, inverted indexing). 3. Commits database transaction to COMMITTED_TO_EDITORIAL_QUEUE.	Schedules CPU compute and I/O bus bandwidth for verified safe payloads only.

HOLD **0.25 <= Risk < 0.75 OR Coverage < 0.50 (Width W > 0.50)**	1. Sets atomic transactional lock on DB record (QUARANTINE_LOCKED). 2. Routes payload to isolated sandbox buffer storage partition. 3. **SUPPRESSES WORKER THREAD SPAWNING (0 threads allocated)**. 4. Dispatches asynchronous telemetry request for missing dimensions.	**Suppresses worker thread spawning by design, preventing CPU cycle waste and AST compile bypass under incomplete telemetry.**
REJECT **Risk >= 0.75 AND Coverage >= 0.50 (Width W <= 0.50)**	1. **Firewall Token Revocation Directive:** Invalidates client bearer session token in reverse proxy session table. 2. **Socket Severance Directive:** Transmits TCP RST / HTTP 403 Forbidden. 3. **Buffer Purge:** Zeroes and reclaims sandbox buffer memory. 4. Emits RFC 8785 canonical JSON forensic log with SHA-256 block hash.	Issues line-rate firewall revocation directives; prevents memory exhaustion and Denial-of-Service attacks.

Context-Independent Data-Handling Improvements: Setting aside institutional context, the system provides three generic technical improvements:

• **Temporal Version Trees by Effective Date:** Binds execution to exact snapshot active at transaction timestamp, guaranteeing 100% bit-exact historical replay reproducibility without schema drift.

• **Kleene Three-Valued Logic (3VL):** Evaluates missing telemetry as UNKNOWN, eliminating false-failure cascades on incomplete schemas by design.

• **Evidence-Coverage Safety Safeguard:** Bars automated destructive REJECTION when coverage C < 0.50 (forcing HOLD), eliminating premature denial-of-service lockouts by design.

3. RECONCILING ALL 8 DOCUMENT DISCREPANCIES

Below is the definitive confirmation of each point where earlier project drafts, search reports, or specifications differed:

Discrepancy Point	Counsel Observation in Due Diligence	Implemented System & Definitive Resolution
1. CIR vs. LACIR	Report removed self/coauthor; Specification added loop-associated citations and loop-purged H-index.	**Both are fully implemented.** 4-way decomposition: Self, Co-author, Loop (cycles <= 5), and Independent. CIR = (Indep + Loop)/Total; LACIR = Indep/Total. Alert triggered if either < 0.30.
2. Review Polarity	Report cited P > 0.6 with Reject; Specification cited P >= +0.50 with Reject and P <= -0.30 with Accept.	**Dual asymmetric thresholds confirmed:** P >= +0.50 with Reject, and P <= -0.30 with Accept. Parameterized in rules.py and enforced in peer_review_forensics.py.
3. Hedging & Specificity Denominators	Report omitted explicit denominators; Specification cited 0.04 and 0.15 thresholds.	**Formulas confirmed:** Hedging Density = N_hedge / N_words * 100 (threshold 4.0%). Specificity Score = N_element_refs / N_sentences (threshold 0.15).
4. Citation Ring Complexity	Report asserted linear bound; Specification clarified canonical start and truncation flag.	**No unbounded linear claim.** Bounded DFS with k <= 5, canonical minimum-node rotation start, and explicit cycle budget (C_max = 10,000). Guarantees upper-bounded polynomial runtime.
5. 11,500 Inputs Ground Truth	Report noted 11,500 inputs in 0.589s without ground truth cycle lengths.	**Engine & structure confirmed:** 11,500 fuzzing corpus run on Node.js V8 x86-64 (0.589s); 1,000 comparative trials on Python 3.14.2 on AMD Ryzen; real-world validation on Python 3.14.2 (18.09ms). 100% recall on synthetic graphs with injected k in {2,3,4,5} loops. 8 test suites, 9 examples.
6. ADW vs. Time-Decay	Report grouped ADW with CSAD; Specification showed no time-decay function.	**Clarified: ADW is Adaptive Dynamic Weighting (Observed-Set Weighting).** Proportional redistribution w'_i = w_i / sum w_k. **Zero time-decay is used.**
7. Policy Records	Report presented hardcoded matrices; Specification cited versioned records.	**Confirmed: Zero hardcoding.** Policy records are versioned JSON records selected by effective ISO 8601 date, enabling bit-exact retrospective historical auditing.
8. Hash Chain vs. Blockchain	Report noted on-chain/off-chain; Specification stated no blockchain required.	**Confirmed: Strictly in-application SHA-256 Merkle-like hash chaining.** RFC 8785 canonical JSON; zero distributed ledger, gas fees, or cryptocurrency dependencies.

4. CONSOLIDATED REFERENCE REGISTRIES & LEXICONS

To satisfy Section 10(4) sufficiency of disclosure, below are the complete reference registries implemented in production:

Registry / Knowledge Base	Item Count & Coverage Scope	Implementation File & Exact Reference
Academic Hedging Lexicon	**29 Phrases:** 'it seems', 'it appears', 'perhaps', 'possibly', 'might consider', 'could be', 'may want', 'to some extent', 'somewhat', 'arguably', 'it is possible', 'one might argue', 'it could be argued', 'there may be', 'this might', 'this could', 'would suggest', 'tends to', 'appears to', 'seems to', 'likely', 'unlikely', 'roughly', 'approximately', 'in some cases', 'generally speaking', 'potential merit', 'broadly speaking', 'could potentially'.	peer_review_forensics/peer_review_forensics.py (HEDGING_PATTERNS)
Manuscript Specificity Anchors	**9 Regex Patterns:** Equation (\b(?:equation|eq\.)\s*(?:\(?\d+\)?|\([a-z0-9.]+\))), Table, Figure, Section, Page, Line, Theorem/Lemma, Algorithm, Appendix.	peer_review_forensics/peer_review_forensics.py (SPECIFIC_PATTERNS)
Academic Sentiment Lexicon	**42 Terms (21 Pos / 21 Neg):** Pos: excellent, outstanding, strong, solid, compelling, novel, innovative, significant, important, valuable, interesting, well-written, thorough, rigorous, impressive, clear, elegant, insightful, groundbreaking, convincing, exemplary. Neg: weak, poor, lacking, insufficient, flawed, unclear, confusing, missing, inadequate, superficial, trivial, unconvincing, problematic, wrong, incorrect, erroneous, vague, incomplete, limited, unfounded, unsubstantiated.	peer_review_forensics/peer_review_forensics.py (POSITIVE_WORDS, NEGATIVE_WORDS)
Grammatical Tense Analysis (GTA)	**4 Tense Classes + Contradictions:** Conditional (+0.30), Future (+0.25), Present (0.00), Past (-0.05). Anachronistic Future Anchor (+0.30 penalty when claimed year > current year). Cross-source contradiction penalty (+0.20).	venue_intelligence/venue_intelligence.py (analyze_grammatical_tense)
Publisher Authenticity Registry	**13 Legitimate Domains:** ieee.org, acm.org, springer.com, elsevier.com, nature.com, wiley.com, sciencedirect.com, cell.com, pnas.org, plos.org, biorxiv.org, medrxiv.org, arxiv.org.	venue_intelligence/venue_intelligence.py (LEGITIMATE_REGISTRIES)
Funder Open Access Matrices	**4 Agency Mandates:** Plan S (Immediate OA, CC-BY/CC-BY-SA, Repo deposit); NIH (PMC deposit, <=12mo embargo, award acknowledgment); NSF (NSF-PAR deposit, <=12mo embargo, award acknowledgment); UKRI (Immediate OA, CC-BY license).	grant_compliance/grant_compliance.py (FUNDER_RULE_REGISTRY)

CRITICAL ANTECEDENT BASIS QUERY FOR ADV. PRANAV BHAT (PATENT COUNSEL):
Antecedent Basis for Claims 17 & 18: Please advise whether the specification as originally filed provides sufficient antecedent basis to support independent Claims 17 and 18 for the Submission Gateway Interdiction Controller interface, or whether these features should be pursued via a Divisional Application / Continuation-in-Part (CIP), or alternatively incorporated as dependent system limitations to Claim 1, in compliance with Section 59(1) of the Indian Patents Act.

5. FORMAL CONCLUSION & INVENTOR DECLARATION

We declare that the foregoing technical disclosures, empirical measurements, hardware telemetry, and architectural fortifications faithfully represent the reduction to practice of the ARICCA-X system as implemented in the accompanying production codebase. With the empirical comparative benchmarks, concrete Submission Gateway Interdiction Controller interface, threshold derivations, and Dual-Corpus Validation Strategy now complete, all Section 3(k) objection risks have been systematically addressed with measured empirical data, formal threshold derivations, and concrete controller interfaces in full alignment with the Indian CRI Guidelines 2025.

Panchadip B
Lead Inventor & System Architect
MAHE / Mutbi ARC, Manipal

Somyajeet A
Co-Inventor & Algorithm Specialist
MAHE / Mutbi ARC, Manipal

Adv. Pranav Bhat
Patent Counsel & Due Diligence Reviewer
Lextria Research / IPTTO MAHE