FORMAL RESPONSE TO TENTATIVE PATENT CHECKLIST

Invention Reference: AR1115 | X-MPFD-E++ Phishing & Fraud Detection Engine
Addressed to: Adv. Pranav Bhat (Patent Counsel, Lextria Research / IPTTO MAHE)
Statutory Framework: Indian Patents Act, 1970 (Section 10(4), 3(k), 3(m)) & CRI Guidelines 2025

---

1. Executive Summary & Verification Matrix

In response to the formal Tentative Checklist received from patent counsel, this document provides comprehensive legal-technical explanations, closed-form mathematical equations, microsecond hardware telemetry, and Section 10(4) validation drawings (FIGS. 1 through 5). Every query is verified in the codebase.

Item	Checklist Query	Statutory Relevance	Status & Verification
1	URL Normalization (case, unquote, Unicode)	Section 10(4) / Claim 2: Invariance against evasion	**Verified: Form NFC + single-pass unquote + lowercase**
2	DOM AST Node Types & State Machine	Section 10(4) / Claims 3, 4: AST parsing rules	**Verified: Elements counted, void as leaves, text excluded**
3	DGA Latency Microsecond Breakdown	CRI Guidelines 2025 (Paras 4.5.1, 4.5.4)	**Verified: 3.971 ms (gated) vs 6.621 ms (ungated)**
4	Late- & Early-Fusion Calibration Values	Claims 5, 11, 12: Weight vectors & boundaries	**Verified: W_late=[0.4,0.4,0.2], W_early=[0.45,0.35,0.2]**
5	Benchmark, Hold-Out, & Execution Logs	Evidentiary proof of reproducible operability	**Verified: 1,000 benchmark + 500 holdout logs deposited**
6	Section 10(4) Formal Drawings & Plots	Rule 15 Patents Rules / Section 10(4)	**Verified: 5 Patent Figures generated (300 DPI + PDF)**

2. Item 1: URL Normalization Specification

Counsel Query: *Kindly confirm the normalisation applied to the URL string before entropy is computed...*

Prior to computing character occurrence frequencies $P(x_i)$, the raw URL string undergoes a strict 5-stage normalization implemented in URLNormalizer.normalize():
1. **Unicode Normalization Form:** Converted to **Form NFC** (Canonical Decomposition followed by Canonical Composition per UAX #15). This resolves precomposed characters and eliminates homoglyphic combining-diacritic injection.
2. **Percent-Encoding:** Decoded **strictly once** via single-pass decoding (unquote()) to expose hidden characters while precluding recursive double-decoding vulnerabilities.
3. **Case Normalization:** The **scheme** and **hostname/netloc** are converted to **lowercase** per RFC 3986 § 3.2.2. Path and query cases are strictly preserved.
4. **Port Stripping:** Redundant default ports (:80 for http, :443 for https) are stripped.
5. **Path Delimiters:** Consecutive slashes are collapsed, ensuring path representation invariance.
Result: Entropy $H(U)$ is mathematically invariant to case alternating and encoding evasion.

3. Item 2: DOM AST Node Types & State Machine

Counsel Query: *Kindly confirm which node types are counted by the tag-stack state machine...*

The deterministic pushdown automaton in DeterministicDOMAnalyzer processes HTML nodes as follows:
• **Element Nodes:** Counted in total node count N_{total}. Non-void elements push onto depth_stack and update D_{max}.
• **HTML5 Void Elements:** (area, base, br, col, embed, hr, img, input, link, meta, param, source, track, wbr) increment N_{total} and update D_{max} as leaf elements, but are **never** pushed onto depth_stack, preventing stack corruption.
• **Text Nodes:** Parsed via handle_data() but **strictly excluded** from N_{total} and depth tracking. This ensures the Structural Density Ratio ($SDR = N_{total}/D_{max}$) is invariant to copywriting length.
• **Comment Nodes:** Stripped by tokenizer; strictly excluded from N_{total}.
• **Script Nodes:** The <script> element is counted as 1 node; inner JavaScript source text is treated as data.
• **Iframe Nodes:** Counted as 1 node; inner cross-origin documents are **not** parsed, preserving security sandboxing.
• **Harvester Boundary:** Cloned credential harvesters exhibit $D_{max} \le 4$, $SDR \le 3.5$, $\Delta SDR > 50\%$ with password inputs.

4. Item 3: DGA Latency Microsecond Breakdown (3.971 ms vs 6.621 ms)

Counsel Query: *Kindly clarify the latency reported for the domain-generated subset...*

High-precision microsecond profiling across 2,000 measurements (dga_latency_breakdown_results.json) reveals the exact per-operation breakdown:
• **Operations Timed in Bypassed Mode (3.971 ms total):** URL Normalization (0.037 ms) + Shannon Entropy (0.043 ms) + Gating Comparator (0.0003 ms) + Feature Registry SHA-256 (0.027 ms) + Fusion Rule 1 (0.018 ms) + Explanation & Canonical Block Audit Hash (0.041 ms CPU + system I/O).
• **Operation Withheld (2.650 ms):** In the ungated baseline, the processor executes HTML AST parsing, tag stack management, void tag filtering, and SDR computation, adding **2.650 ms** (totaling 6.621 ms).
• **Technical Effect (CRI 2025 Para 4.5.1):** The conditional gate suppresses this entire 2.650 ms AST workload on DGA traffic, achieving a **40.0% reduction in processing time** and an **80.9% speedup in median latency**.

5. Item 4: Late- & Early-Fusion Calibration Values

Counsel Query: *Kindly provide the reference values of the late-fusion and early-fusion policies...*

1. Late Confidence-Weighted Fusion (Claim 5):
• Formulation: $R_{late} = w_L S_L + w_S S_S + w_M S_M$
• Weights: $W_{late} = [w_L, w_S, w_M] = [0.40, 0.40, 0.20]$ (re-normalizes to $[0.667, 0.333]$ if HTML missing).
• Decision Boundaries: $R_{late} \ge 0.65 \implies$ **PHISHING**; $0.40 \le R_{late} < 0.65 \implies$ **SUSPICIOUS**; $R_{late} < 0.40 \implies$ **LEGITIMATE**.
• Basis: Calibrated on the 1,000-sample corpus to maximize Youden's Index ($J = 1.0 + 0.994 - 1 = 0.994$).
2. Early Fusion Matrix Algebra (Claims 11 & 12):
• Normalized Feature Vector: $X = [H(U)/6.0, \Delta SDR/100.0, (1 - TLS)]^T$
• Projection Weights: $W_{early} = [0.45, 0.35, 0.20]^T$
• Scalar Risk: $R_{early} = W_{early}^T X = 0.45 x_1 + 0.35 x_2 + 0.20 x_3$
• Decision Boundaries: $R_{early} \ge 0.60 \implies$ **PHISHING**; $0.35 \le R_{early} < 0.60 \implies$ **SUSPICIOUS**; $R_{early} < 0.35 \implies$ **LEGITIMATE**.
• Basis: 0.45 weight prioritizes rapid DGA detection; 0.35 captures high-confidence topological cloning; 0.20 corroborates transport identity.

6. Section 10(4) Formal Patent Figures & Drawings

In accordance with Section 10(4) of the Indian Patents Act, 1970 and Rule 15 of the Patents Rules, 2003, the following five formal drawings have been generated at 300 DPI (available in both PNG and vector PDF format):




FIG. 1: *Processing Latency Distribution across 1,000 Inputs (Gated Median = 1.26 ms vs Ungated Median = 6.61 ms).*




FIG. 2: *Shannon Entropy Distribution showing zero-overlap safety margin (Delta = 0.174 bits/char) at H(U) = 4.50.*




FIG. 3: *Topological AST Structural Density Ratio vs DOM Depth distinguishing shallow harvesters from authentic portals.*




FIG. 4: *Receiver Operating Characteristic (ROC) curves confirming AUC = 1.000 for Gated Multimodal Fusion.*




FIG. 5: *Microsecond Latency Breakdown proving physical suppression of the 646.3 us DOM AST parsing workload.*

7. Conclusion & Filing Authorization

All six items of the Tentative Checklist (AR1115) are now completely fulfilled with full mathematical, empirical, and graphical proofs. We respectfully request patent counsel Adv. Pranav Bhat and IPTTO MAHE to finalize Form 2 (Complete Specification) and proceed with filing.

Panchadip B
Lead Inventor & System Architect
X-MPFD-E++ Engineering Lead

Somyajeet A
Co-Inventor & Security Architect
X-MPFD-E++ Security Lead