

E-Commerce 360° — Real-Time Operations (CLK · ...

One dashboard over four streaming systems: Website Clickstream, Order Management, Payment Management an...

Events Ingested (all systems)

BASE. Every message the analytics consumer read from all 14 Kafka topics across CLK, OMS, PMS ...

7,383

Shopper Sessions

BASE. Distinct sessions seen by the clickstream system. Top of the funnel – the denominator for co...

1,110

Orders Created

BASE. Orders the OMS created from checkout intent. One document per order in journey_orders.

251

Checkout Conversion (%)

DERIVED = sessions that reached checkout ÷ all sessions × 100. Built from the two KPIs to the left.

22.6

Revenue Retained (₹)

BASE. Order value of orders that were actually delivered and kept.

2,129,632

Revenue Lost (₹)

BASE. Order value lost to payment failure, stock-out cancellation or post-delivery return. Attributio...

267,389

Order Loss Rate (%)

DERIVED = orders with any lost revenue ÷ all orders × 100.

14.4

Open Alerts (all systems)

BASE. Unresolved alerts from every system in one stream. Breakdown in 7.1.

231


1.1 Stream Throughput — Events per Minute by System

BASE. Each cell = messages one system produced in that minute (IST). Proves all four systems are li...




1.2 Message Volume by Kafka Topic

BASE. Total messages carried by each of the 14 topics. A topic with zero traffic means a producer i...




1.3 Orders and Retained Revenue per Minute

BASE → DERIVED. Bars = orders created per minute. Line = revenue retained per minute. When the ...



2.1 Session Funnel — Furthest Stage Reached

BASE. Each session counted once, at the deepest stage it reached. The drop between adjacent ba...




2.2 Conversion by Device (%)

DERIVED from 2.1 = share of that device's sessions reaching each stage × 100. Absolute counts hide...

Device	Sessions	Reached click %	Reached cart %	Ch
Mobile	664	74.8	33.0	
Desktop	338	78.4	36.1	
Tablet	108	72.2	39.8	

2.3 Checkout Conversion by Acquisition Channel (%)

DERIVED = sessions from that channel reaching checkout ÷ sessions from that channel × 100. Spen...




2.4 Cart Outcomes

BASE. Every cart ends in one of four states. 'Abandoned' is assigned by the consumer's backgroun...




2.5 Abandoned Cart Value by Category (₹)

DERIVED from 2.4 = cart value of abandoned carts only. This is live recoverable revenue – the list a...




2.6 Demand With No Catalog Cover

BASE. Search terms that returned zero results, counted. Each one is a customer who wanted to spe...




3.1 Where Every Order Ends Up

BASE. Outcome of each order, from the journey_orders collection that joins all four systems. An ord...



3.2 Lost Revenue by Root Cause — Which System Is Responsible

DERIVED from 3.1 = lost revenue grouped by the cause recorded at cancellation. This is the chart t...




3.3 Category Scorecard — Volume, Value and Leakage

BASE → DERIVED. Orders and order value per category (base), then revenue retained, revenue lost ...

Category	Orders	Order value ₹	Retained ₹
Electronics	105	1,950,695	1,745,616
Fashion	58	186,310	139,172
Home & Kitchen	29	201,176	176,626
Sports	15	38,684	34,010
-	--	----	----


3.4 Order Loss Rate by Fulfilment Warehouse (%)

DERIVED = orders with lost revenue ÷ orders routed to that warehouse × 100. Normalises for wareho...




4.1 Payment Attempts by Method and Outcome

BASE. Every gateway attempt, split by result. An order that fails twice and succeeds contributes th...




4.2 Failure Rate by Gateway (%)

DERIVED from 4.1 = failed or declined attempts ÷ all attempts for that gateway × 100. One gateway...



4.3 Why Payments Fail

BASE. Declared failure reason on every failed or declined attempt. Explains the rates in 4.2 and se...



4.4 Fraud Detection Quality — Rules vs Ground Truth

DERIVED. The producer tags every synthetic fraud transaction with its true type; the consumer's rul...

Fraud type	Orders	Caught by rul...	Value a
Not fraud (normal)	232	0.4	2,2
METHOD_CYCLING	5	100.0	
REPEATED_FAILURE	3	100.0	
FAILED_THEN_SUCCESS	3	100.0	
	-	-	-


5.1 Stock Ledger by SKU

BASE → DERIVED. Units issued and received per SKU (base), then current on-hand and the LOWEST...

SKU	Units out	Units in	On hand n
SKU-3003-BLK-42	26	115	1
SKU-2003-BLK-STD	62	97	
SKU-2001-WHT-STD	44	98	
SKU-4002-WHT-STD	15	0	1


5.2 Stock-Out Exposure by SKU (%)

DERIVED from 5.1 = share of a SKU's warehouse positions that reached zero available stock. 100% ...



5.3 Capital Tied Up in Stock by Category (₹)

BASE. On-hand units × unit cost, summed. Read against 3.3: a category holding heavy stock while l...



5.4 Supplier Reliability

BASE → DERIVED. Purchase orders per supplier and units ordered (base), then average fill rate and ...

Supplier	POs	Units ordered	Avg fill rate %
Apex Distributors	8	240	80.0
Sunrise Wholesale	4	120	95.0


6.1 Order Latency Decomposed by Warehouse (seconds)

DERIVED from timestamps in four different systems: Browse→Checkout (CLK), Checkout→Paid (OM...

Warehouse	Orders	Browse→Che...	Checkout→Paid
WH-MUM-01	63	5.0	0.6
WH-DEL-01	92	5.0	0.6
WH-KOL-01	19	5.0	0.5
WH-BLR-01	77	5.1	0.6


6.2 Average Order-to-Delivery Time by City (seconds)

DERIVED = mean of the end-to-end duration in 6.1, grouped by destination city. Read with 3.4: a cit...



7.1 Alerts by Type and Severity

BASE. Every rule that fired in any system, in one stream. These are the items a manager acts on no...



7.2 Alert Pressure per Minute by System

DERIVED from 7.1 and 1.1 = alerts per minute per system. A burst in one row while the others stay qui...

