#TASK 1(MY SQL)

```
Microsoft Windows [Version 10.0.26200.8037]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Chintu Behera>cd C:\Program Files\MYSQL\MYSQL Server 8.0\bin

C:\Program Files\MySQL\MySQL Server 8.0\bin>mysql -u root -p
Enter password: ***********
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 18
Server version: 8.0.43 MySQL Community Server - GPL

Copyright (c) 2000, 2025, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> create database GIET;
Query OK, 1 row affected (0.01 sec)

mysql> USE GIET;
Database changed
mysql> CREATE TABLE giet (
    ->    roll INT PRIMARY KEY,
    ->    name VARCHAR(50),
    ->    address VARCHAR(50),
    ->    desig VARCHAR(50),
    ->    salary INT,
```

```
    ->     gender CHAR(1)
    -> );
Query OK, 0 rows affected (0.05 sec)

mysql> INSERT INTO giet (roll, name, address, desig, salary, gender)
    -> VALUES
    -> (1, 'Amit Kumar', 'Bhubaneswar', 'Professor', 75000, 'M'),
    -> (2, 'Priya Das', 'Cuttack', 'Lecturer', 55000, 'F'),
    -> (3, 'Rajesh Nayak', 'Berhampur', 'HOD', 90000, 'M');
Query OK, 3 rows affected (0.03 sec)
Records: 3  Duplicates: 0  Warnings: 0

mysql> SELECT * FROM giet;
+------+--------------+-------------+-----------+--------+--------+
| roll | name         | address     | desig     | salary | gender |
+------+--------------+-------------+-----------+--------+--------+
|    1 | Amit Kumar   | Bhubaneswar | Professor |  75000 | M      |
|    2 | Priya Das    | Cuttack     | Lecturer  |  55000 | F      |
|    3 | Rajesh Nayak | Berhampur   | HOD       |  90000 | M      |
+------+--------------+-------------+-----------+--------+--------+
3 rows in set (0.00 sec)

mysql> SELECT * FROM giet;
+------+--------------+-------------+-----------+--------+--------+
| roll | name         | address     | desig     | salary | gender |
+------+--------------+-------------+-----------+--------+--------+
|    1 | Amit Kumar   | Bhubaneswar | Professor |  75000 | M      |
|    2 | Priya Das    | Cuttack     | Lecturer  |  55000 | F      |
|    3 | Rajesh Nayak | Berhampur   | HOD       |  90000 | M      |
+------+--------------+-------------+-----------+--------+--------+
3 rows in set (0.00 sec)
```

```
mysql> SELECT name FROM giet;
+--------------+
| name         |
+--------------+
| Amit Kumar   |
| Priya Das    |
| Rajesh Nayak |
+--------------+
3 rows in set (0.00 sec)

mysql> SELECT name, address FROM giet;
+--------------+-------------+
| name         | address     |
+--------------+-------------+
| Amit Kumar   | Bhubaneswar |
| Priya Das    | Cuttack     |
| Rajesh Nayak | Berhampur   |
+--------------+-------------+
3 rows in set (0.00 sec)

mysql> SELECT roll, salary FROM giet;
+------+--------+
| roll | salary |
+------+--------+
|    1 |  75000 |
|    2 |  55000 |
|    3 |  90000 |
+------+--------+
3 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM giet WHERE name = 'aman';
Empty set (0.00 sec)

mysql> SELECT * FROM giet WHERE address = 'delhi';
Empty set (0.00 sec)

mysql> SELECT * FROM giet WHERE gender = 'M';
+------+--------------+-------------+-----------+--------+--------+
| roll | name         | address     | desig     | salary | gender |
+------+--------------+-------------+-----------+--------+--------+
|    1 | Amit Kumar   | Bhubaneswar | Professor |  75000 | M      |
|    3 | Rajesh Nayak | Berhampur   | HOD       |  90000 | M      |
+------+--------------+-------------+-----------+--------+--------+
2 rows in set (0.00 sec)

mysql> SELECT * FROM giet WHERE desig = 'doctor';
Empty set (0.00 sec)

mysql> SELECT * FROM giet WHERE salary = 15000;
Empty set (0.00 sec)

mysql> SELECT * FROM giet WHERE salary > 20000;
+------+--------------+-------------+-----------+--------+--------+
| roll | name         | address     | desig     | salary | gender |
+------+--------------+-------------+-----------+--------+--------+
|    1 | Amit Kumar   | Bhubaneswar | Professor |  75000 | M      |
|    2 | Priya Das    | Cuttack     | Lecturer  |  55000 | F      |
|    3 | Rajesh Nayak | Berhampur   | HOD       |  90000 | M      |
+------+--------------+-------------+-----------+--------+--------+
3 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM giet WHERE salary < 30000;
Empty set (0.00 sec)

mysql> SELECT * FROM giet WHERE gender = 'M' AND salary > 20000;
+------+--------------+-------------+-----------+--------+--------+
| roll | name         | address     | desig     | salary | gender |
+------+--------------+-------------+-----------+--------+--------+
|    1 | Amit Kumar   | Bhubaneswar | Professor |  75000 | M      |
|    3 | Rajesh Nayak | Berhampur   | HOD       |  90000 | M      |
+------+--------------+-------------+-----------+--------+--------+
2 rows in set (0.00 sec)

mysql> SELECT * FROM giet WHERE gender = 'F' OR address = 'raipur';
+------+-----------+---------+----------+--------+--------+
| roll | name      | address | desig    | salary | gender |
+------+-----------+---------+----------+--------+--------+
|    2 | Priya Das | Cuttack | Lecturer |  55000 | F      |
+------+-----------+---------+----------+--------+--------+
1 row in set (0.00 sec)

mysql> SELECT * FROM giet WHERE name LIKE 'a%';
+------+------------+-------------+-----------+--------+--------+
| roll | name       | address     | desig     | salary | gender |
+------+------------+-------------+-----------+--------+--------+
|    1 | Amit Kumar | Bhubaneswar | Professor |  75000 | M      |
+------+------------+-------------+-----------+--------+--------+
1 row in set (0.01 sec)

mysql> SELECT * FROM giet WHERE name LIKE '%h';
Empty set (0.00 sec)
```

```
mysql> SELECT * FROM giet WHERE address LIKE '%pur%';
+------+--------------+-----------+-------+--------+--------+
| roll | name         | address   | desig | salary | gender |
+------+--------------+-----------+-------+--------+--------+
|    3 | Rajesh Nayak | Berhampur | HOD   |  90000 | M      |
+------+--------------+-----------+-------+--------+--------+
1 row in set (0.00 sec)

mysql> SELECT * FROM giet ORDER BY name ASC;
+------+--------------+-------------+-----------+--------+--------+
| roll | name         | address     | desig     | salary | gender |
+------+--------------+-------------+-----------+--------+--------+
|    1 | Amit Kumar   | Bhubaneswar | Professor |  75000 | M      |
|    2 | Priya Das    | Cuttack     | Lecturer  |  55000 | F      |
|    3 | Rajesh Nayak | Berhampur   | HOD       |  90000 | M      |
+------+--------------+-------------+-----------+--------+--------+
3 rows in set (0.00 sec)

mysql> SELECT * FROM giet ORDER BY salary DESC;
+------+--------------+-------------+-----------+--------+--------+
| roll | name         | address     | desig     | salary | gender |
+------+--------------+-------------+-----------+--------+--------+
|    3 | Rajesh Nayak | Berhampur   | HOD       |  90000 | M      |
|    1 | Amit Kumar   | Bhubaneswar | Professor |  75000 | M      |
|    2 | Priya Das    | Cuttack     | Lecturer  |  55000 | F      |
+------+--------------+-------------+-----------+--------+--------+
3 rows in set (0.00 sec)

mysql> SELECT COUNT(*) AS total_employees FROM giet;
+-----------------+
| total_employees |
```

```
+-----------------+
|               3 |
+-----------------+
1 row in set (0.01 sec)

mysql> SELECT COUNT(*) AS male_employees FROM giet WHERE gender = 'M';
+----------------+
| male_employees |
+----------------+
|              2 |
+----------------+
1 row in set (0.00 sec)
```