


	B	C	D	E	F	G	H	I	J
1	P1 - Mesh Element Size	P2 - Mesh Elements	P7 - report-pressure-inlet-op	P8 - report-pressure-outlet-op	P10 - report-cd-op	P11 - report-cl-op	P13 - report-equation-pressure-drop-op	P14 - report-lift-op	P15 - report-drag-op
2	mm		Pa	Pa			Pa	N	N
3	1500	3.546E+05	170.48	170.22	3.5349	45.06	0.25832	27.599	2.1652
4	1153.8	4.7564E+05	170.48	170.22	3.8676	48.165	0.25967	29.501	2.3689
5	887.57	6.5447E+05	170.48	170.22	3.6981	48.202	0.25542	29.524	2.2651
6	682.75	1.0217E+06	170.48	170.23	3.3201	46.477	0.25648	28.467	2.0335
7	525.19	1.6082E+06	170.48	170.23	3.3864	48.013	0.25635	29.408	2.0741











0 deg – 60 kph


Pressure contour




Velocity Streamlines



Turbulence Kinetic Energy




Wake Profile




0 deg – 80 kph


Pressure contour




Velocity Streamlines



Turbulent Kinetic Energy




Wake Profile




0 deg – 100 kph


Pressure contour




Velocity Streamlines



Turbulent Kinetic Energy




Wake Profile




5 deg – 60kph


Pressure contour




Velocity Streamlines



Turbulent Kinetic Energy




Wake Profile




5 deg – 80 kph


Pressure contour




Velocity Streamlines



Turbulent Kinetic Energy




Wake Profile




5 deg – 100 kph


Pressure contour




Velocity Streamlines



Turbulent Kinetic Energy




Wake Profile




10 deg – 60kph


Pressure contour




Velocity Streamlines



Turbulent Kinetic Energy




Wake Profile




10 deg – 80 kph


Pressure contour




Velocity Streamlines



Turbulent Kinetic Energy




Wake Profile




10 deg – 100 kph


Pressure contour




Velocity Streamlines



Turbulent Kinetic Energy




Wake Profile




15 deg – 60 kph


Pressure contour




Velocity Streamlines



Turbulent Kinetic Energy




Wake Profile




15 deg – 80 kph


Pressure contour




Velocity Streamlines



Turbulent Kinetic Energy




Wake Profile




15 deg – 100 kph


Pressure contour



Velocity Streamlines



Turbulent Kinetic Energy



Wake Profile

