



ASHOK IT

Learn Here.. Lead Anywhere..!!

LINUX OS

By Mr. Ashok



Phone: +91 9985 39 66 77

**Location: H.No - 7-1-413/2, Beside Sonabhai
Temple, Ameerpet, Hyderabad - 500016**

What is Operating System?

- > Operating System is a software which is used to interact with computer
- > Operating System is acting as mediator between users and computer hardware components
- > Operating System is mandatory to use any computer
- > OS provides environment to run other applications

(Browser, Notepad, Paint, Calc)



- > The OS came into market in 1950
- > Microsoft released its first OS in 1981 (MS DOS)

Windows OS

- > Developed by Microsoft Company
- > It is having GUI (Graphical user interface)
- > It is single user based Operating System (only one person can use this at a time)
- > It is commercial (paid)
- > Less Security
- > It is recommended for personal use
 - Watch Movies
 - Using Internet
 - Playing Games
 - Attending Online classes

Linux OS

- > Linux is Community Based OS
- > Linux is Free & Open-Source OS
- > Linux is Multi User Based OS
- > Linux provides High Security
- > Linux is recommended to use for Applications, Servers, Databases etc..

Note: In real-time, we will use Linux OS only to setup infrastructure required to run our application

- > Linux OS is not only for Administrators, even developers and testers also will use Linux OS in real-time to monitor our application and application servers and application logs.

History of Linux

- > In 1991, a student 'Linus Torvalds' developed this Linux OS
- > Linux Torvalds identified some challenges in UNIX OS and he suggested some changes for Unix OS but UNIX OS Team rejected 'Linux Torvalds 'suggestions
- > Linus Torvalds used Minux OS to develop Linux

Linus + Minux


- > First Two letters from his name and last 3 letters from Minux OS

LI + NUX => LINUX

- > Linus Torvalds released LINUX OS with source code into market so that anybody can modify LINUX OS that's why it is called as Open-Source Operating System.

- > As Linux OS is open source, so many people and companies taken that Linux OS and modified according to their requirements and released into market with different names those are called as Linux Distributions.

- RED HAT
- Ubuntu OS
- Cent OS
- Fedora
- Open SUSE
- Kali Linux
- Debian
- Amazon Linux



Note: 200+ Linux Distributions are available in the market.



Environment Setup

We can setup Linux machine in multiple ways

- 1) We can install Linux OS directly in computer
- 2) We can setup Linux OS in windows machine using Virtual Box
- 3) We can setup Linux Virtual Machine Cloud Platform like AWS and Azure

Note: In this note we will see how to setup Linux VM in AWS Cloud

Create Linux VM using AWS EC2 service



Launch instance

Launch instance which is a virtual server in the cloud.

Launch instance from template

Launch instance ▲ **Migrate a server** ↗

Name and tags [Info](#)

Name

Linux-VM

[Add additional tags](#)

▼ Application and OS Images (Amazon Machine Image) [Info](#)

An AMI is a template that contains the software configuration (operating system, application server, and applications) required to launch your instance. Search or Browse for AMIs if you don't see what you are looking for below

🔍 Search our full catalog including 1000s of application and OS images

Recents

My AMIs

Quick Start

Amazon
Linux



Amazon Machine Image (AMI)

macOS



Ubuntu

ubuntu®

Windows



Red Hat



SUSE



[Browse more AMIs](#)

Including AMIs from
AWS, Marketplace and
the Community

▼ Instance type [Info](#)

Instance type

t2.micro

Free tier eligible

Family: t2 1 vCPU 1 GiB Memory

On-Demand Linux pricing: 0.0124 USD per Hour

On-Demand Windows pricing: 0.017 USD per Hour

[Compare instance types](#)

▼ Key pair (login) [Info](#)

You can use a key pair to securely connect to your instance. Ensure that you have access to the selected key pair before you launch the instance.

Key pair name - *required*

linux ▼

 [Create new key pair](#)

▼ Network settings [Info](#)

[Edit](#)

Network [Info](#)

vpc-0ba4de135353a387d | Default_VPC

Subnet [Info](#)

No preference (Default subnet in any availability zone)

Auto-assign public IP [Info](#)

Enable

Firewall (security groups) [Info](#)

A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.

☒ Create security group

☐ Select existing security group

We'll create a new security group called 'launch-wizard-1' with the following rules:

☒ Allow SSH traffic from
Helps you connect to your instance

Anywhere
0.0.0.0/0 ▼

☐ Allow HTTPs traffic from the internet
To set up an endpoint, for example when creating a web server

▼ Configure storage [Info](#)

[Advanced](#)

1x GiB ▼ Root volume

 Free tier eligible customers can get up to 30 GB of EBS General Purpose (SSD) or Magnetic storage

✕

[Add new volume](#)

0 x File systems

[Edit](#)

▼ Summary

Number of instances [Info](#)

1

Software Image (AMI)

Amazon Linux 2 Kernel 5.10 AMI...[read more](#)

ami-06489866022e12a14

Virtual server type (instance type)

t2.micro

Firewall (security group)

New security group

Storage (volumes)

Cancel

Launch instance

EC2 > Instances > Launch an instance



Success

Successfully initiated launch of instance (i-0924df3bbf6e17425)

► Launch log

Instances (1/1) [Info](#)



Connect

Instance state ▼

Actions ▼

Launch instances



Search

Instance ID = i-0924df3bbf6e17425



Clear filters

<input checked="" type="checkbox"/>	Name	Instance ID	Instance state	Instance type	Status check	Alarm stat
<input checked="" type="checkbox"/>	Linux-VM	i-0924df3bbf6e17425	Pending	t2.micro	-	No alarms

Instance: i-0924df3bbf6e17425 (Linux-VM)

Details

Security

Networking

Storage

Status checks

Monitoring

Tags

▼ Instance summary [Info](#)

Instance ID
i-0924df3bbf6e17425 (Linux-VM)

IPv6 address
-


Public IPv4 address
13.235.17.204 | [open address](#)

Instance state
Pending

Private IPv4 addresses
172.31.32.161

Public IPv4 DNS
ec2-13-235-17-204.ap-south-

Download MobaXterm software to connect with Linux VM




Connect with Linux VM using Public IP and pem file


Note: Once work is completed then stop your Linux VM in EC2 to avoid billing



➔ **Open Mobaxterm software and connect with Linux VM**



➔ Once we connect with EC2 instance using Mobaxterm we can see screen like below



Linux Commands

\$ whoami : It will display currently logged in username

\$ pwd : present working directory

\$ date : To display current date

\$ cal : To display calendar

Linux File System

-> In Linux everything will be represented as a file

-> We have 3 types of files in Linux

- 1) Ordinary File / Normal File (it will start with -)
- 2) Directory File (it will start with d)
- 3) Link File (it will start with l)

-> The file which contains data is called as ordinary file

-> Directory file is equal to folder (it can contain files and folders)

-> The file which is having linking is called as Link File

-> touch : it is used to create empty file

```
$ touch f1.txt
```

```
$ touch f2.txt
```

```
$ touch f3.txt f4.txt
```

-> To display files, we will use 'ls' command

```
$ ls
```

-> To create a file with data we will use 'cat' command

```
$ cat > hello.txt
```

```
//write data
```

press CTRL + d (to save and exit)

```
$ cat hello.txt (To display file data)
```

```
$ cat >> hello.txt (To append data in the file)
```

```
//write data
```

press CTRL + d (to save and exit)

-> To create directory we will use 'mkdir' command

```
$ mkdir dirname
```

-> To remove the file we will use 'rm' command

```
$ rm filename
```

-> To remove empty directory we will use 'rmdir' command

```
$ rmdir dirname
```

-> 'ls' is used to list out all files & directories available in the given directory

Note: we can pass several options for 'ls' commands

- ls : It will display all files in alphabetical order (a to z)
- ls -r : It will display all files in reverse of alphabetical order (z to a)
- ls -l : It will display long listing of files
- ls -t : It will display all files based on last modified date and time. Most recent file will be display at top and old files will display at bottom.
- ls -rt : It will display all files based on reverse of last modified date and time. Old files will display at top and recent files will display bottom.
- ls -a : It will display all files including hidden files (hidden files will start with .)
- ls -li : It will display files with inode numbers.
- ls -LR : It will display all files and directories along with sub directories content

Note: -R represents recursive

Note: We can use several options for ls command at a time. When we are using multiple options order of the options is not important

```
$ ls -ltr
```

```
$ ls -tlr
```

```
$ ls -l -t -r
```

```
$ ls -trl
```

Note: All the above commands will give same output

-> To display content of given directory we can execute like below

```
$ ls -l <dirname>
```

-> To delete a file we will use 'rm' command

```
$ rm <filename>
```

-> To delete empty directory we will use 'rmdir' command

```
$ rmdir <dirname>
```

-> To delete non-empty directory we will use 'rm' command like below

```
$ rm -r dirname
```

-> To display file content we will use 'cat' command

```
$ cat filename
```

-> To display file content with line numbers we will use '-n' option

```
$ cat -n filename
```

-> To display multiple files content at a time, execute command like below

```
$ cat file1 file2 file3
```

-> Copy one file data into another file using 'cat' command

```
$ cat f1.txt > f8.txt
```

-> Copy more than one file data into another file

```
$ cat f1.txt f2.txt > f9.txt
```

-> 'tac' command is used to reverse file content

```
$ tac filename
```

-> 'rev' command is used to reverse each line content of the file

```
$ rev filename
```

-> head command is used to display file data from top (default 10 lines)

```
$ head filename
```

```
$ head -n 5 data.log (first 5 lines data)
```

```
$ head -n 20 data.log (first 20 lines data)
```

-> tail command is used to display file data from bottom (default 10 lines)

```
$ tail filename (last 10 lines data)
```

```
$ tail -n 100 filename (last 100 lines data)
```

```
$ tail +25 filename (it will display data from 25th line to bottom)
```

Note: To see on-growing logs we can use '-f' option

```
$ tail -f data.log (Live log message we can see)
```

-> It is used to count no.of lines, no.of words and no.of characters in the file

```
$ wc f1.txt
```

-> To copy the data from one file to another file

```
$ cp one.txt two.txt ( or ) $ cat one.txt > two.txt
```

```
$ cp f1.txt f2.txt f3.txt (invalid syntax)
```

-> We can't copy more than one file data using 'cp' command. To copy multiple files data we should go for 'cat' command

```
$ cat f1.txt f2.txt > f3.txt
```

-> To rename files we will use 'mv' command

```
$ mv f1.txt f1111.txt
```

```
$ mv dirname dirnewname
```

Note: We can use 'mv' command for renaming and moving files

-> To compare files we can use below commands

```
$ cmp f1.txt f2.txt
```

```
$ diff f1.txt f2.txt
```

-> cmp command will display only first difference in given 2 two files

-> diff command will display all the differences in the content

Grep Command

-> 'grep' stands for global regular expression print.

-> 'grep' command will process the text line by line and prints any lines which matches given pattern.

Ex: I want to print all lines which contains 'NullPointerException'

```
$ grep -i 'NullPointerException' *
```

Note: We can install grep using below command

```
$ sudo yum install grep
```

//search for the lines which contains given word in the given filename

```
$ grep 'word' filename
```

//search for the lines which are having exception keyword in server.log file

```
$ grep -i 'exception' server.log
```

//search for the given text in present directory and in sub-directories also

```
$ grep -R 'exception'
```

// Invert match (print files which are not matching given pattern)

```
$ grep -v "pattern" file.txt
```

=> We can pass several options for 'grep' command

-c : This prints only the count of files that matches give pattern

-i : ignore case-sensitivity

-n : Display the matched lines and their line numbers

-l : Displays only file names that matches the pattern

-h : Displays matched lines without file names

Awk command

=> The awk command is a versatile text processing tool available in Unix-like operating systems, including Linux.

=> It allows you to manipulate and extract data from structured text files, usually in a columnar format.

=> awk takes input, processes it line by line, and performs actions based on specified patterns and rules.

Syntax : awk 'pattern { action }' file

```
$ cat > employee.txt
```

Ashok manager account 45000

John clerk account 25000

Smith manager sales 50000

Charles manager account 47000

Ganesh peon sales 15000

Mahesh clerk sales 23000

Ram peon sales 13000

Cathy director purchase 80000

```
$ awk '{print}' employee.txt
```

```
$ awk '/manager/ {print}' employee.txt
```

```
$ awk '{print $1,$4}' employee.txt
```

```
$ awk '{print NR,$0}' employee.txt
```

```
$ awk '{print NR " - " $1 }' employye.txt
```

Working with Text Editors in Linux

-> The default editor that comes with the LNIX operating system is called vi (visual editor).

-> Using vi editor, we can edit an existing file or we create a new file from scratch

-> We can also use this vi editor to just read a text file.

Modes of Operation in vi editor

There are three modes of operations in vi:

1) command mode

2) insert mode

3) escape mode

Command Mode:

- When vi starts up, it is in Command Mode. This mode is where vi interprets any characters we type as commands and thus does not display them in the window
- This mode allows us to move through a file, and to delete, copy, or paste a piece of text.
- To enter into Command Mode from any other mode, it requires pressing the [Esc] key. If we press [Esc] when we are already in Command Mode, then vi will beep or flash the screen.

Insert mode:

- This mode enables you to insert text into the file.
- Everything that's typed in this mode is interpreted as input and finally, it is put in the file.
- The vi always starts in command mode. To enter text, you must be in insert mode.
- To come in insert mode you simply type i.
- To get out of insert mode, press the Esc key, which will put you back into command mode.

Last Line Mode (Escape Mode):

- Line Mode is invoked by typing a colon [:], while vi is in Command Mode.
- The cursor will jump to the last line of the screen and vi will wait for a command.
- This mode enables you to perform tasks such as saving files, executing commands.

There are following way you can start using vi editor :

- **vi filename:** Creates a new file if it already not exist, otherwise opens existing file.
- **vi -R filename :** Opens an existing file in read only mode.
- **view filename :** Opens an existing file in read only mode.

Learn Here.. Lead Anywhere..!!

=> After making changes if we want to save those changes then execute :wq

=> After making changes if we don't want to save those changes then execute: q!

SED command:

- SED command in LINUX stands for stream editor and it can perform lots of functions on file like searching, find and replace, insertion or deletion.
- Though most common use of SED command in LINUX is for substitution or for find and replace.
- By using SED you can edit files even without opening them, which is much quicker way to find and replace something in file, than first opening that file in VI Editor and then changing it.
- SED is a powerful text stream editor. Can do insertion, deletion, search and replace (substitution).
- SED command in Linux supports regular expression which allows it perform complex pattern matching.

Example:

```
$ cat > myfile.txt
```

unix is great os. unix is opensource. unix is free os.

learn operating system.

unix linux which one you choose.

unix is easy to learn.unix is a multiuser os. Learn unix. unix is a powerful.

Replacing or substituting string :

Sed command is mostly used to replace the text in a file. The below simple sed command replaces the word “unix” with “linux” in the file

```
$ sed 's/unix/linux/' myfile.txt
```

Deleting lines from a particular file

SED command can also be used for deleting lines from a particular file. SED command is used for performing deletion operation without even opening the file

To Delete a particular line say n in this example

```
$ sed '5d' myfile.txt
```

-> To Delete a last line :

```
$ sed '$d' myfile.txt
```

-> To Delete from nth to last line :

```
$ sed '12,$d' myfile.txt
```

Note: By default, SED command changes will not store in file.

=> To make SED command changes to file permanently we will use '-i' option.

```
$ sed -i 's/unix/linux/g' myfile.txt
```

Note: With above command 'unix' keyword will be replaced with 'linux' keyword in the file permanently.

Linux File permissions:

=> In Linux everything will be represented as a file

=> To protect our data, we need to manage file permissions


=> We have 3 types of permissions for the files in linux

r ==> read

w ==> write

x ==> execute


=> Linux file permissions are divided into 3 sections



=> File Permissions contains total 9 characters

- first 3 characters will represent owner permissions (rwx)
- 4,5,6 characters will represent group permissions(rwx)
- last 3 characters will represent others permissions (rwx)

Note: If any permission is not available then it will be represented with hyphen (-)



rw-r---x f3.txt	-w--w-rwx f4.txt	-rw---xr-- f5.txt
user : read + write	user : write	user : read + write
group : read	group : write	group : execute
others : execute	others : read + write + execute	others : read

=> To change file permissions, we will use 'chmod' command

adding execute permission for user

\$ chmod u+x f1.txt

removing write permission for group

\$ chmod g-w f2.txt

remove write & execute for user

\$ chmod u-wx f3.txt

add write & execute for others


\$ chmod o+wx f4.txt

We can use Symbolic Mode to modify permissions like the following:

drwxrwxrwx

d = Directory
r = Read
w = Write
x = Execute

chmod 777



rwx | rwx | rwx

Owner | Group | Others

7	rwX	111
6	rw-	110
5	r-X	101
4	r--	100
3	-wX	011
2	-w-	010
1	--X	001
0	---	000

For example, let's give every permission for all with:

```
$ chmod 777 section.txt
```

Then the permissions will be: -rwxrwxrwx.

Let's remove the execute from the group and the write from other by:

```
$ chmod 765 section.txt
```

Then the permission will be : -rwxrw-r-x

Working with User Accounts

-> Linux is multi user based operating systems

-> Within one Linux machine we can create multiple user accounts

-> Multiple users can access single linux machine and can perform multi-tasking

Note: In every Linux machine by default one 'root' account will be available (super account)

-> When we launch EC2 instance with Amazon Linux OS, we got by default 'ec2-user' user account

To get user account info we will use below command

```
$ id <username>
```

Note: For every user one home directory will be available in Linux

```
ec2-user : /home/ec2-user
```

```
ashok : /home/ashok
```

```
john : /home/john
```

```
smith : /home/smith
```

```
root : /root
```

Switch to root user account

```
$ sudo su (it will switch to root account)
```

```
$ sudo su - (it will switch to root account & will point to root user home directory)
```

```
$ exit (to exit from user account)
```

Working with Users and Groups

Switch to root user

```
$ sudo su -
```

Add new user

```
$ sudo useradd <username>
```

Set password for user

```
$ sudo passwd <username>
```

Display users created

```
$ cat /etc/passwd
```

Switch User account

```
$ su <username>
```

Delete user

```
$ sudo userdel <username>
```

Delete user along with user home directory

```
$ sudo userdel <username> --remove
```

Display all groups available

```
$ cat /etc/group
```

Note: When we create new user then user + user group will be created.

Create new Group

```
$ sudo groupadd <groupName>
```

Adding user to group

```
$ sudo usermod -aG <group-name> <user-name>
```

Remove user from the group

```
$ sudo gpasswd -d <username> <group-name>
```

Display users belongs to group

```
$ sudo lid -g <group-name>
```

display user belongs to how many groups

```
$ id <username>
```

Delete Group

```
$ sudo groupdel <group-name>
```

How to change username

```
$ usermod -l <login-name> <old-name>
```

(or)

```
$ usermod -u UID <username>
```

How to change user pwd

```
$ passwd <username>
```

Change group name

```
$ groupmod -n <new-name> <old-name>
```

Chown command:

-> The chown command changes user ownership of a file & directory in Linux

-> Every file is associated with an owning user or group

-> We can check the ownership of a file using 'ls -l'

Changing owner of a file

```
$ chown NewUser FILE
```

Note: we can change owner using userid also

```
$ chown 1001 filename
```

changing group of a file

```
$ chown :NewGroup FILE
```

We can change group using group id also

```
$ chown :1003 sample
```

Change Owner and the Group

```
$ chown NewUser:NewGroup FILE
```

Working with 'find' and 'locate' commands

-> find and locate commands are used to search files in Linux machines

locate command:

The locate Command find will search for data in local db

```
$ sudo yum install mlocate
```

```
$ locate apache
```

```
$ locate -c apache
```

```
$ locate -c *.txt
```

```
$ locate -S (to see locate database)
```

Note: when we create new files it will take some time to update those files in mlocate db

find command:

-> find command will search for the files in entire linux file system.

-> find command providing advanced searching technique

-> Using find command, we can search for the files based on name and type also.

-> Find Files Under Home Directory

```
$ find /home -name f1.txt
```

-> Find Files With 777 Permissions

```
$ find . -type f -perm 0777 -print
```

-> Find all Empty Files inside home directory

```
$ find /home -type f -empty
```

-> Find all Empty Directories inside home directory

```
$ find /home -type d -empty
```

Display 30 days old files in linux

```
$ sudo find . -mtime 30 -print
```

Delete 30 days old files in linux inside home directory

```
$ sudo find /home -mtime 30 -delete
```

Delete 1 hour old files in linux

```
$ sudo find /home -mmin +60 -delete
```


Note: As find command is scanning entire file system, it will take more time to give search results.

-> 'man' command is like a help command. It is used to understand command syntax and options.

```
$ man cat
```

-> To see ip address we will use 'ifconfig' command

```
$ ifconfig
```

-> 'ping' command is used to check connectivity

```
$ ping <ip>
```

-> 'curl' command is used to get response from the server

```
$ curl <url>
```

-> 'wget' command is used to download resources from internet

```
$ wget <url>
```

Working with Zip files in Linux

Learn Here.. Lead Anywhere..!!

check zip is installed or not

```
$ zip --version
```

Note: If not installed then install it

Create Files for Achieve as zip

```
$ touch file{1..5}.txt
```

Create zip file

```
$ zip files *.txt
```

List Zip File Content

```
$ zip -sf files.zip
```

Add directory to zip file

```
$ zip -r files <directory>
```

Delete particular file from zip

```
$ zip -d files f5.txt
```

Create zip file with encryption

```
$ zip -e <zipfilename> *.txt
```

unzip archived file

```
$ unzip <zipfilename>
```

Memory Related Commands

free: The free command displays information about the amount of physical and swap memory that is available on the system. It also shows how much memory is being used by processes and the kernel.

```
$ free
```

vmstat: The vmstat command displays information about virtual memory usage, including the amount of memory that is being used by processes, the kernel, and the file system cache.

```
$ vmstat
```

top: The top command displays a list of all processes running on the system, along with information about their memory usage.

```
$ top
```

htop: The htop command is a graphical version of the top command. It provides a more detailed view of memory usage and other system resources.

```
$ htop
```

Package Managers in Linux

In Linux, package managers are tools that help users install, update, and manage software packages on their system.

They handle dependency resolution, ensuring that all required libraries and components are installed correctly. Here are some commonly used package managers in Linux:

Advanced Package Tool (APT):

- APT is the package manager used in Debian-based distributions such as Ubuntu.
- Commands: apt-get, apt, apt-cache

dpkg:

- dpkg is the underlying package management system used by APT.
- Commands: dpkg, dpkg-query, dpkg-deb

YUM:

- YUM (Yellowdog Updater, Modified) is the default package manager for Red Hat-based distributions such as CentOS and Fedora.
- Commands: yum

DNF:

- DNF (Dandified YUM) is the next-generation package manager, replacing YUM in recent versions of Fedora and CentOS 8+.
- Commands: dnf

How to install Software in Linux Machine:

-> In Linux we have package manager to install a software

Note: Amazon Linux / CentOS / Red Hat: yum is the package manager

Note: Ubuntu: apt-get is the package manager

Update existing packages in Linux

```
$ sudo yum update -y
```

Install git client

```
$ sudo yum install git
```

check git version

```
$ git --version
```

Install maven

```
$ sudo yum install maven
```

check maven version

```
$ mvn -version
```

install java software

```
$ sudo yum install java
```

install Java 1.8 version

```
$ sudo yum install java-1.8.0-openjdk
```

Static Website Hosting in Linux VM (Amazon Linux):

1) Connect to EC2 instance

2) Execute below commands to install Apache server (httpd)

```
$ sudo yum update -y
```

```
$ sudo yum install httpd
```

```
$ service httpd start
```

Note: Check accessing Apache server from browser using EC2 VM public IP

-> If server is not accessible then, enable HTTP port : 80 in Security Group of our EC-2 VM

-> After adding security group try accessing EC2 instance using IP

Ex: <http://52.66.101.3/>

-> We can modify html page content

```
$ cd /var/www/html
```

```
$ sudo vi index.html
```

```
<h1> Welcome to Ashok IT - Website</h1>
```


-> Save the content and close the file (press Esc then :wq)

-> Now access public IP in browser

Shell Scripting

What is shell?

- > Shell is responsible for reading commands given by user
- > Shell will verify command and will give instructions to kernel to process that command
- > If command is invalid shell will give error
- > Kernel will execute our command with System Hard Components
- > Shell acts as mediator between User and Kernel



What is Scripting?

- > Scripting means set of commands mentioned in a file for execution
- > Scripting is used to automate our routine work
- > For example i want to execute below commands every day as a linux user

\$ date

\$ cal

\$ whoami

\$ pwd

\$ ls -l

- > Instead of executing all these commands manually we can keep them in a file and we can execute that file.

- > The file which contains set of commands for execution is called as 'Script file'

What is Shell Scripting?

- > Shell Scripting is used to execute set of commands using a script file
- > When we execute script file then shell will read those commands and will verify commands syntax
- > Shell will give instructions to 'Kernel'
- > Kernel will give instructions to hardware components to perform actual operation

Types of Shells

- > There are several shells available in linux OS

- 1) Bourne Shell
- 2) Bash Shell
- 3) Korn Shell
- 4) CShell
- 5) TShell
- 6) ZShell

Display all the shells of our Linux machines

```
$ cat /etc/shells
```

Display the default shell of our Linux machine

```
$ echo $SHELL
```

Note: The most commonly used shell in Linux is 'BASH SHELL'.

Note: Shell Script files will have .sh extension

Working with First Shell Script Program

Create a script file

```
$ vi task.sh
```

```
whoami
```

```
pwd
```

```
date
```

-> Save the file and close it (ESC + :wq)

Run the shell script (Option-1)

```
$ sh task.sh
```

Note: If we get permission denied then we should provide 'execute' permission using 'chmod' command

Run the shell script (Option-2)

```
$ ./task
```

What is sha-bang in shell script?

-> Sha-bang is used to specify which shell should be used to process our script

Syntax :

```
#!/bin/bash
```

Shell Script – 1

```
#!/bin/bash  
  
whoami  
pwd  
date
```

Shell Script - 2

```
#!/bin/bash  
  
echo "Welcome to Scripting"  
echo "Scripting is used to automate regular work"  
echo "Scripting is easy"
```

Shell Script - 3

```
#!/bin/bash  
  
echo 'Enter Your Name'  
read name  
  
echo "Good Evening $name"
```

Shell Script - 4

```
#!/bin/bash

echo "Enter First Number"

read a

echo "Enter Second Number"

read b

c=$(( $a+$b ))

echo "Result : $c"
```

Variables

- > Variables are place-holders to store the value
- > Variables are key-value pairs
- > In Shell Scripting there is no concept of Data Type.
- > Every value will be treated as text/string

Ex:

name=ashok

age=30

email=ashokitschool@gmail.com

phno=1234

- > Variables are divided into 2 types

1) Environment Variables or System variables

2) User Defined Variables

- > The variables which are already defined and using by our system are called as Environment/System variables

Ex:

\$ echo \$USER

\$ echo \$SHELL

-> Based on our requirement we can define our own variables those are called as user defined variables

Ex:

name=ashok

age=30

\$echo \$name \$ age

Variable Rules

-> We should not use special symbols like -, @, # etc....

-> Variable name should not start with digit

Note: It is recommended to use uppercase characters for variable name

-> we can use 'read only' for variable so that variable value modification will not be allowed

Command Line Arguments

-> The arguments which will pass to script file at the time of execution

-> Cmd args are used to supply the values dynamically to the script file

Ex:

\$ sh demo.sh ashokit 30

-> We can access cmd args in script file like below

\$# - no.of args

\$0 - script file name

\$1 - First Cmd Arg

\$2 - Second Cmd Arg

\$3 - Third Cmd Arg

\$* - All Cmd Args

-> To comment any single line we can use '#'

echo 'hi'

#echo 'hello'

-> We can comment multiple lines also in script file like below

<<COMMENT

.....

COMMENT

-> We can hold script execution for some time using 'sleep' command

```
#!/bin/bash

echo $#
echo $0
echo $1
sleep 30s
echo $2
#echo $*
```

Conditional Statements

-> Conditional statements are used to execute commands based on condition

Syntax:

```
if [ condition ]
then
|   stmts
else
|   stmts
fi
```

-> If given condition satisfied then if statements will be executed otherwise else statements will be executed

➔ To check more than one condition we can use 'if – elif – if'

If – elif - else

```
2 Syntax::|
3
4 if [ condition ]
5  ✓ then
6   |   stmts
7 elif [ condition ]
8  ✓ then
9   |   stmts
10 ✓ else
11  |   stmts
12 fi
13
```

Ex - 1:

```
4  #!/bin/sh
5
6  a=10
7  b=20
8
9  if [ $a == $b ]
10 then
11   |   echo "a is equal to b"
12 elif [ $a -gt $b ]
13 then
14   |   echo "a is greater than b"
15 elif [ $a -lt $b ]
16 then
17   |   echo "a is less than b"
18 else
19   |   echo "None of the condition met"
20 fi
```

Ex – 2:

```
3  #!/bin/bash
4
5  echo "Enter Your Favorite Color"
6  read COLOR
7  if [ $COLOR == 'red' ]
8  then
9      echo "Your are cheerful"
10 elif [ $COLOR == 'blue' ]
11 then
12     echo "You are joyful"
13 else
14     echo "You are lucky"
15 fi
16
```

Working with loops

-> Loops are used to execute statements multiple times

-> We can use 2 types of loops

1) Range based loop (ex: for loop)

2) Conditional based loop (ex: while loop)

Learn Here.. Lead Anywhere..!!

For Loop Example

```
3  #! /bin/bash
4  for ((i=1; i<=10; i++))
5  do
6  echo "$i"
7  done
```

While loop Example

```
4  #!/bin/bash
5  i=10
6  while [ $i -ge 0 ]
7  do
8  echo "$i"
9  let i--;
10 done
```

Infinite Loop

```
3  #!/bin/bash
4  while true
5  do
6  echo "This is my loop stmt"
7  done
8
```

Note: To stop infinite loop we will use 'ctrl + c'

Functions

- > The big task can be divided into smaller tasks using functions
- > Function is used to perform an action / task
- > Using functions, we can divide our tasks logically
- > Functions are re-usable

Syntax:

```
function functionName( ) {
    // commands to execute
}
```



Writing welcome function

```
#!/bin/bash

function welcome () {
    echo "Welcome to functions...";
    echo "I am learning Shell Scripting";
    echo "Shell Scripting is used to automate our regular work";
}

# call the function
welcome
```

Function with Parameters

```
#!/bin/bash

function welcome ( ) {
    echo "$1";
}

# call function
welcome Linux
welcome AWS
welcome DevOps
```

Requirement: Write a function which will take filename as input and print content of that file.

```
#!/bin/bash/

function readFileData(){
    echo "Enter File Name"
    read filename
    cat $filename
}

# Calling Function
readFileData
```

Requirement: Check File Exists or not

```
#!/bin/bash
filename=$1
if [ -f "$filename" ]; then
echo "File exists"
else
echo "File does not exist hence creating file"
touch $filename
echo "File Created"
fi
```

Requirement: Check Directory Exists or not

```
#!/bin/bash
dirname=$1
if [ -d "$dirname" ]; then
echo "Directory exist"
else
echo "Directory not exist hence creating directory"
mkdir $dirname
fi
```

Shell Scripting Practice Programs

- 1) Take a number from user and check given number is prime number or not.
- 2) Take a number from user and check given number is even or odd number.
- 3) Take a year from user and check given year is leap year or not.
- 4) Take a number from user and print table of that number like below
$$2 * 1 = 2$$
$$2 * 2 = 4$$
$$....$$
$$2 * 10 = 20;$$
- 5) Write a shell script to read user to address, mail subject and mail body then send email with given details.

What is CRON?

Cron is the most useful utility in a Linux or UNIX-like operating system that allows running commands or scripts on a given schedule without any user intervention.

It is mostly used for automating recurring jobs like running scheduled backups, cleaning temporary files, system maintenance, and various other recurring jobs. It is similar to the Task Scheduler in Windows OS.

What is Crond?

Crond is the daemon in the Linux system that runs in the background and checks every minute to see if there is any job scheduled at that time. If there is, it performs that job, else it remains inactive.

Cron Job Syntax

The syntax for cron job is as follows:

```
* * * * * command/script
```

From the left:

- The first * corresponds to Minutes (0-59)
- The second * corresponds to Hours (0-23)
- The third * corresponds to Day of the month (1-31)
- The fourth * corresponds to the Month of year (1-12)
- The fifth * corresponds to Day of the week (0-6, Sunday to Saturday)

To specify multiple values in a field, use the following operator symbols:

- Asterisk (*): To specify all possible values for a field
- Dash (-): To specify a range of values
- The comma (,): To specify a list of values
- Separator (/): To specify a step value

Editing Crontab File

Crontab is a file that contains the scheduled jobs in a specific syntax. There are two types of crontab files; one for system-specific cron jobs and the other for user-specific cron jobs.

System cron jobs

The system-wide cron jobs are located in the /etc/crontab file and /etc/cron.d directory, and they are run through /etc/cron.hourly, /etc/cron.daily, /etc/cron.weekly and /etc/cron.monthly. Only a system administrator can access these files.

A system administrator can define a cron job using the following command:

```
$ nano /etc/crontab
```

Here is the syntax of the job in the /etc/crontab file:

```
# min hr dayofmonth month dayofweek username command
```

```
* * * * * user1 ifconfig
```

User-specific cron jobs

The user-specific cron jobs are located in the /var/spool/cron/crontabs directory. Although you can edit these jobs manually, it is recommended to edit these jobs using the crontab -e command.

A standard user can define a cron job using the following command:

```
$ crontab -e
```

For instance, if you are logged in as a “test” user, running the crontab -e command will edit the crontab file for the “test” user. Similarly, if you are logged in as a root user, the crontab -e command will edit the crontab file for the root user.

Crontab Commands

The crontab command is used to edit, list, and remove the cron jobs:

- crontab -e: To edit current user’s crontab file
- crontab -l: To display contents of the crontab file
- crontab -u [username]: To edit any other user’s crontab file
- crontab -r: To remove the crontab file of the current user’s
- crontab -i: To display a prompt before removing the current user’s crontab file

Run a cron job every 15 minutes

To schedule a cron job to run every 15 minutes, add the below line in the crontab file:

```
*/15 * * * * command/script
```

Run a cron job at 5 am every day

To schedule a cron job to run at 5 am every day, add the below line in the crontab file:

```
0 5 * * * command/script
```

Run a cron job at 5 pm every day

To schedule a cron job to run at 5 pm every day, add the below line in the crontab file:

```
0 17 * * * command/script
```

Run a cron job at 9 am on the first day of every month

To schedule a cron job to run at 9 am on the first day of every month, add the below line in the crontab file:

```
0 9 1 * * command/script
```

=== Learn Here.. Lead Anywhere..!! ===

ASHOK IT

Learn Here.. Lead Anywhere..!!