

TM Forum Specification

CustomerBill

TMF678

Maturity Level: General availability	Team Approved Date: 29-09-2023
Release Status: Production	Approval Status: Team Approved
Version 5.0.0	IPR Mode: RAND

NOTICE

Copyright © TM Forum 2023. All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to TM FORUM, except as needed for the purpose of developing any document or deliverable produced by a TM FORUM Collaboration Project Team (in which case the rules applicable to copyrights, as set forth in the [TM FORUM IPR Policy](#), must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by TM FORUM or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and TM FORUM DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Direct inquiries to the TM Forum office:

181 New Road, Suite 304
Parsippany, NJ 07054, USA
Tel No. +1 862 227 1648
TM Forum Web Page: www.tmforum.org

Table of Contents

NOTICE	i
Introduction	1
Sample Use Cases	2
Use case 1: Retrieval of a Customer_Bill	2
Use case 2: Request of an “off cycle” bill	2
Use case 3: Patch of an customer bill	2
Support of polymorphism and extension patterns	3
RESOURCE MODEL	4
Managed Entity and Task Resource Models	4
BillCycle resource	4
CustomerBill resource	6
CustomerBillOnDemand resource	15
AppliedCustomerBillingRate resource	19
Notification Resource Models	28
Customer Bill Create Event	29
Customer Bill State Change Event	31
Customer Bill On Demand Create Event	32
Customer Bill On Demand State Change Event	33
API OPERATIONS	35
Operations on BillCycle	35
Retrieves a BillCycle by ID	35
List or find BillCycle objects	36
Operations on CustomerBill	38
List or find CustomerBill objects	38
Retrieves a CustomerBill by ID	39
Updates partially a CustomerBill	40
Operations on CustomerBillOnDemand	48
List or find CustomerBillOnDemand objects	48
Retrieves a CustomerBillOnDemand by ID	49
Creates a CustomerBillOnDemand	50
Operations on AppliedCustomerBillingRate	51
Retrieves a AppliedCustomerBillingRate by ID	51
List or find AppliedCustomerBillingRate objects	53
API NOTIFICATIONS	56
Register listener	56
Unregister listener	57
Publish Event to listener	57
Acknowledgements	59
Release History	59
Contributors to Document	59

Introduction

The following document is the specification of the REST API for customer bill management. It includes the model definition as well as all available operations.

Products subscribed by a customer are rated at different prices depending on product offering prices and prices rules and additional terms and conditions determined by the customer. The rating process takes product usages and applies rates to them. The billing process applies additional charges (recurring charges, one time charges), discounts and taxes to products then aggregate applied rates into bills sent to customers.

The bill, ultimate goal of a billing process, can be created as a result of a cycle run (done by batch in general) or by the result of others events such as a customer request or an account termination (done in real-time).

This API allows to find and retrieve one or several customer bills (also called invoices) produced for a customer. A customer bill is an electronic or paper document produced at the end of the billing process. The customer bill gathers and displays different items (applied customer billing rates generated during the rating and billing processes) to be charged to a customer. It represents a total amount due for all the products during the billing period and all significant information like dates, bill reference. The API model support the needs for the three basic billing types : postpaid periodical bill, postpaid real-time bill and prepaid real-time bill.

This API provides also operations to find and retrieve the details of applied customer billing rates presented on a customer bill.

Finally, this API allows to request in real-time a customer bill creation and to manage this request.

Note : Customer Billing covers business entities utilized by rating and billing processes. These entities form the Customer Bill ABE, the Applied Customer Billing Rate ABE and the Customer Bill Collection ABE. They are specified in the GB922 Customer document of the Framework SID Suite R16.5.0.

Sample Use Cases

To illustrate JSON representation of resources concerned by these APIs, we use the 3 use cases detailed below.

Use case 1: Retrieval of a Customer_Bill

This UC is simply the request to fetch one or more bills upon a customer request (self service with a web site or on a call to a call center).

The bill itself is produced in a regular backoffice (batch) process which runs according to the bill cycle definitions.

The bill document should be an attachment to the customer bill resource (realized as reference to the bill document e.g. in PDF format)

The state of the bill is proposed as a set of possible values (enumeration) on the base type "string". The user is free to redefine this state according to his specific business needs.

Use case 2: Request of an "off cycle" bill

This UC illustrates the idea of the Customer_Bill_On_Demand resource. This resource is a task type resource which triggers the generation of a bill outside the regular bill cycle.

A POST to create this resource implements the request to produce such an extra bill. The resource represents the status of this off cycle bill production.

Use case 3: Patch of an customer bill

This UC illustrates the need for a change in a customer bill. In general a patch of a bill is not allowed in order to support the traceability of a bill (e.g. for tax reasons). But there exist some situations resulting in exceptions. This could be a misspelled name or a state change in case of disputes on the bill. This are only examples, there might be other reasons. The operator* of this API has to decide to which extend a PATCH of a bill is meaningful and valid.

Remark on "misspelled name": The bill is issued to the person/organization named in the billing account. It should be corrected there. This doesn't necessarily regenerate the bill – the name of the addressee on the bill has to be changed (if specific conditions/constellations are met, the API operator* has to decide).

*operator: The communication service provider using this API to offer the resources internal or external.

Support of polymorphism and extension patterns

Support of polymorphic collections and types and schema based extension is provided by means of a list of generic meta-attributes that we describe below. Polymorphism in collections occurs when entities inherit from base entities, for instance an ACustomerBill and BCustomerBill inheriting properties from the CustomerBill entity.

Generic support of polymorphism and pattern extensions is described in the TMF API Guidelines v3.0 Part 2 document.

The @type attribute provides a way to represent the actual class type of an entity. For example, within a list of CustomerBill instances some may be instances of ACustomerBill where other could be instances of BCustomerBill. The @type gives this information. All resources and sub-resources of this API have a @type attributes that can be provided when this is useful.

The @referredType can be used within reference entities (like for instance an CustomerBillRef object) to explicitly denote the actual entity type of the referred class. Notice that in reference entities the @type, when used, denotes the class type of the reference itself, such as ACustomerBillRef or BCustomerBillRef, and not the class type of the referred object. However since reference classes are rarely sub-classed, @type is generally not useful in reference objects.

The @schemaLocation property can be used in resources to allow specifying user-defined properties of an Entity or to specify the expected *characteristics* of an entity.

The @baseType attribute gives a way to provide explicitly the base of class of a given resource that has been extended.

RESOURCE MODEL

Managed Entity and Task Resource Models

BillCycle resource

A detailed description of a billing cycle and the various sub steps of a billing cycle.

Resource model




Figure 1 - BillCycle

Field descriptions

BillCycle fields

BillCycleSpecification	A BillCycleSpecificationRef. Refers an BillCycleSpecification.
billingDate	A DateTime. The billing/settlement date.
billingPeriod	A String. A billing time period. It is e.g. the concrete expressed month. Example: 'March'.
chargeDate	A DateTime. Date through when a payment method (e.g. credit card,...) will be activated.
creditDate	A DateTime. Date through which credits previously received by the billing system are displayed on the bill.
description	A String. An explanation regarding this billing cycle. If necessary.
href	A String. Hyperlink reference.
id	A String. Unique identifier.
mailingDate	A DateTime. Customer bill mailing date.
name	A String. A short descriptive name of the actual billing cycle.
paymentDueDate	A DateTime. Date, when the payment is due.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

BillCycleSpecificationRef sub-resource fields

description	A String. An explanatory text regarding the BillCycleSpecification.
href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

Json representation sample(s)

We provide below a JSON representation as example of the 'BillCycle' resource object.


```
{
  "id": "BC-1234",
  "href": "http://server:port/tmf-api/Customer_Bill_Management/v5/billcycle/BC-1234",
  "name": "december regular bill run",
  "description": "regular bill run",
  "billingDate": "2020-01-22T12:00:56.982Z",
  "billingPeriod": "2019-12",
  "chargeDate": "2020-01-27T00:00:00.000Z",
  "creditDate": "2020-01-31T23:59:59.999Z",
  "mailingDate": "2020-01-23T00:00:00.000Z",
  "paymentDueDate": "2020-02-03T23:59:59.999Z",
  "billCycleSpecification": {
    "id": "BCSPEC-M",
    "href": "http://server:port/tmf-api/Customer_Bill_Management/v5/billCycleSpecification/BCSPEC-M",
    "name": "Regular Bill Cycle",
    "@referredType": "BillCycleSpecification",
    "@type": "BillCycleSpecificationRef"
  },
  "validFor": {
    "endTime": "2020-01-00T00:00:00.000Z",
    "startTime": "2020-12-31T23:59:59.999Z"
  },
  "@type": "BillCycle"
}
```

CustomerBill resource

The customer bill. Can be a regular recurring bill or an extra bill on demand by the customer or the csp.

Resource model




Figure 2 - CustomerBill

Field descriptions

CustomerBill fields

amountDue	A Money. A base / value business entity used to represent money.
appliedPayment	An AppliedPayment. Applied payment is a payment associated with the bill. There may be a partial payment, then there should be several applied payments available. On the other hand, more than one bill could be payed by one payment. In general there is an n:m relation between payment and bill.
billCycle	A BillCycleRef.
billDate	A DateTime. Bill date, external customer view (in consequence: different to the production date of the bill).
billDocument	An AttachmentRefOrValue. The polymorphic attributes @type, @schemaLocation & @referredType are related to the Attachment entity and not the AttachmentRefOrValue class itself.
billNo	A String. Bill reference known by the customer or the party and displayed on the bill. Could be different from the id.
billingAccount	A BillingAccountRef. BillingAccount reference. A BillingAccount is a detailed description of a bill structure.
billingPeriod	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
category	A String. Category of the bill produced : normal, duplicate, interim, last, trial customer or credit note for example.
financialAccount	A FinancialAccountRef. AccountReceivable reference. An account of money owed by a party to another entity in exchange for goods or services that have been delivered or used. An account receivable aggregates the amounts of one or more party accounts (billing or settlement) owned by a given party.
href	A String. Hyperlink reference.
id	A String. Unique identifier.
lastUpdate	A DateTime. Date of bill last update.
nextBillDate	A DateTime.). Approximate date of the next bill production given for information (only used/meaningful for on cycle / regular bills).
paymentDueDate	A DateTime. Date at which the amount due should have been paid.
paymentMethod	A PaymentMethodRef. PaymentMethod reference. A payment method defines a specific mean of payment (e.g direct debit).
relatedParty	A RelatedPartyRefOrPartyRoleRef. RelatedParty reference. A related party defines party or party role or its reference, linked to a specific entity.
remainingAmount	A Money. A base / value business entity used to represent money.
runType	A CustomerBillRunType. Recommended Enumeration Type (not formal forced in standard): Valid values for the runType of a bill. The bill could be produced in a regular bill cycle 'onCycle'. Otherwise the bill is produced on a request (e.g. customer request). This could be indicated by 'offCycle'.

state	A CustomerBillStateType. Recommended Enumeration Type (not formal forced in standard): Valid values for the lifecycle state of the bill: new = 'bill is ready to validate or to sent', validated = 'bill is checked (manual / automatic)', sent = 'bill is sent with the channel defined in the billingaccount', settled = 'bill is payed', partiallySettled = 'bill is partially payed', onHold = 'bill will not be in further processing until open issues connected to the bill are solved'.
taxExcludedAmount	A Money. A base / value business entity used to represent money.
taxIncludedAmount	A Money. A base / value business entity used to represent money.
taxItem	A TaxItem. A tax item is created for each tax rate and tax type used in the bill.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

AppliedPayment sub-resource fields

appliedAmount	A Money. A base / value business entity used to represent money.
payment	A PaymentRef. If an immediate payment has been done at the product order submission, the payment information are captured and stored (as a reference) in the order.

Attachment sub-resource fields

attachmentType	A String. A business characterization of the purpose of the attachment, for example logo, instructionManual, contractCopy.
content	A Base64. The actual contents of the attachment object, if embedded, encoded as base64.
description	A String. A narrative text describing the content of the attachment.
href	A String. Hyperlink reference.
id	A String. Unique identifier.
contentType	A String. A technical characterization of the attachment content format using IETF Mime Types.
name	A String. The name of the attachment.
size	A Quantity. An amount in a given unit.
url	A String. Uniform Resource Locator, is a web page address (a subset of URI).

validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

AttachmentRef sub-resource fields

description	A String. A narrative text describing the content of the attachment.
href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
url	A String. Link to the attachment media/content.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

BillCycleRef sub-resource fields

href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

BillingAccountRef sub-resource fields

href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.

ratingType	A String. Indicates whether the account follows a specific payment option such as prepaid or postpaid.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

FinancialAccountRef sub-resource fields

href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

PartyRef sub-resource fields

href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

PartyRoleRef sub-resource fields

href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.

partyId	A String. The identifier of the engaged party that is linked to the PartyRole object.
partyName	A String. The name of the engaged party that is linked to the PartyRole object.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

PaymentMethodRef sub-resource fields

href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

PaymentRef sub-resource fields

href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

RelatedPartyRefOrPartyRoleRef sub-resource fields

partyOrPartyRole	A PartyRefOrPartyRoleRef.
------------------	---------------------------

role	A String. Role played by the related party or party role in the context of the specific entity it is linked to. Such as 'initiator', 'customer', 'salesAgent', 'user'.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

TaxItem sub-resource fields

taxAmount	A Money. A base / value business entity used to represent money.
taxCategory	A String. Tax category.
taxRate	A Float. Applied rate of the tax.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

Json representation sample(s)

We provide below a JSON representation as example of the 'CustomerBill' resource object.

```
{
  "id": "CB-123",
  "href": "https://server:port/tmf-
api/Customer_Bill_Management/v5/customerBill/CB-123",
  "billNo": "780123456",
  "amountDue": {
    "unit": "EUR",
    "value": 0.00
  },
  "appliedPayment": [
    {
      "appliedAmount": {
        "unit": "EUR",
        "value": 50.00
      },
      "payment": {
        "id": "PAY-9876",
        "href": "https://server:port/tmf-
api/Payment_Management/v5/payment/PAY-9876",
        "name": "csp-bill",
        "@referredtype": "Payment",
        "@type": "PaymentRef"
      },
      "@type": "AppliedPayment"
    }
  ],
  "billCycle": {
```



```

    "id": "BC-1234",
    "href": "http://server:port/tmf-
api/Customer_Bill_Management/v5/billcycle/BC-1234",
    "@referredType": "BillCycle",
    "@type": "BillCycleRef"
  },
  "billDate": "2020-01-05T12:00:56.982Z",
  "billDocument": [
    {
      "id": "DOC_1234",
      "href": "http://server:port/tmf-
api/Document_Management/v5/document/DOC_1234",
      "attachmentType": "application/pdf",
      "content": "bill",
      "description": "regular monthly bill",
      "mimeType": "application/pdf",
      "size": 172851,
      "uri": "http://server:port/tmf-api/documentrepository/DOC_1234.pdf",
      "validfor": {
        "startDateTime": "2020-01-05T12:00:56.982Z"
      },
      "@type": "Attachment"
    }
  ],
  "billingAccount": {
    "id": "A0815",
    "href": "http://host:port/tmf-
api/Account_Management/v5/billingAccount/A0815",
    "name": "BA Peter Retep",
    "@referredType": "BillingAccount",
    "@type": "BillingAccountRef"
  },
  "financialAccount": {
    "id": "FA12345",
    "href": "http://host:port/tmf-
api/Account_Management/v5/financialAccount/FA12345",
    "name": "FA Peter Retep",
    "@referredType": "FinancialAccount",
    "@type": "FinancialAccountRef"
  },
  "category": "normal",
  "lastUpdate": "2020-01-05T12:00:56.982Z",
  "nextBillDate": "2020-02-05T12:00:00.000Z",
  "paymentDueDate": "2020-01-15T00:00:00.000Z",
  "remainingAmount": {
    "unit": "EUR",
    "value": 0.00
  },
  "runType": "onCycle",
  "status": "settled",
  "taxExcludedAmount": {
    "unit": "EUR",
    "value": 40.00
  },
  "taxIncludedAmount": {
    "unit": "EUR",
    "value": 50.00
  },
  "taxItem": [
    {
      "taxAmount": {
        "unit": "EUR",
        "value": 10.00
      }
    }
  ]

```

```
    },  
    "taxCategory": "VAT",  
    "taxRate": 0.25,  
    "@type": "TaxItem"  
  },  
  ],  
  "@type": "CustomerBill"  
}
```

CustomerBillOnDemand resource

This resource is used to manage the creation request of a customer bill in real-time (on demand).

Resource model




Figure 3 - CustomerBillOnDemand

Field descriptions

CustomerBillOnDemand fields

billingAccount	A BillingAccountRef. BillingAccount reference. A BillingAccount is a detailed description of a bill structure.
customerBill	A CustomerBillRef. Bill reference.
description	A String. Additional data describing the customer bill on demand request.
href	A String. Hyperlink reference.
id	A String. Unique identifier.
lastUpdate	A String. The last date time when the customer bill on demand has been updated.
name	A String. Friendly name to identify the customer bill on demand request.
relatedParty	A RelatedPartyRefOrPartyRoleRef. RelatedParty reference. A related party defines party or party role or its reference, linked to a specific entity.
state	A CustomerBillOnDemandStateType. Recommended Enumeration Type (not formal forced in standard): Valid values for 'CustomerBillOnDemand': 'inProgress', 'rejected', 'done', 'terminatedWithError'.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

BillingAccountRef sub-resource fields

href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
ratingType	A String. Indicates whether the account follows a specific payment option such as prepaid or postpaid.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

CustomerBillRef sub-resource fields

href	A String. Hyperlink reference.
id	A String. Unique identifier.

name	A String. Name of the referred entity.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

PartyRef sub-resource fields

href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

PartyRoleRef sub-resource fields

href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
partyId	A String. The identifier of the engaged party that is linked to the PartyRole object.
partyName	A String. The name of the engaged party that is linked to the PartyRole object.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

RelatedPartyRefOrPartyRoleRef sub-resource fields

partyOrPartyRole	A PartyRefOrPartyRoleRef.
------------------	---------------------------

role	A String. Role played by the related party or party role in the context of the specific entity it is linked to. Such as 'initiator', 'customer', 'salesAgent', 'user'.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

Json representation sample(s)

We provide below a JSON representation as example of the 'CustomerBillOnDemand' resource object.

```
{
  "id": "D123",
  "href": "http://server:port/tmf-api/Customer_Bill_Management/v5/customerBillOnDemand/D123",
  "description": "Customer bill on demand",
  "lastUpdate": "2020-01-19T12:34:56.123Z",
  "name": "BillOnCustomerDemand",
  "billingAccount": {
    "id": "A0815",
    "href": "http://server:port/tmf-api/Account_Management/v5/billingAccount/A0815",
    "name": "BA Peter Retep",
    "@referredType": "BillingAccount",
    "@type": "BillingAccountRef"
  },
  "relatedParty": {
    "role": "requester",
    "@type": "RelatedPartyRefOrRelatedPartyRoleRef",
    "partyOrPartyRole": {
      "id": "RP0815",
      "href": "http://server:port/tmf-api/Party_Management/v5/party/RP0815",
      "name": "Peter Retep",
      "@referredType": "Individual",
      "@type": "PartyRef"
    }
  },
  "state": "InProgress",
  "@type": "CustomerBillOnDemand"
}
```

AppliedCustomerBillingRate resource

A customer bill displays applied billing rates created before or during the billing process.

Resource model




Figure 4 - AppliedCustomerBillingRate




Figure 5 - Characteristic

Field descriptions

AppliedCustomerBillingRate fields

appliedBillingRateType	A String. Type of the applied billing rate : appliedBillingCharge (any kind of charge except taxation charges : recurringCharge, oneTimeCharge, usageCharge), appliedBillingCredit (any kind of credit : rebate or productAlteration) or appliedPenaltyCharge (penalty charges such as late fees, payment rejection fees,...).
appliedTax	An AppliedBillingTaxRate. The applied billing tax rate represents taxes applied billing rate it refers to. It is calculated during the billing process.
bill	A CustomerBillRef. Bill reference.
billingAccount	A BillingAccountRef. BillingAccount reference. A BillingAccount is a detailed description of a bill structure.
characteristic	A Characteristic. Describes a given characteristic of an object or entity through a name/value pair.
date	A DateTime. Creation date of the applied billing rate.
description	A String. Additional data to be displayed on the bill for this customer applied billing rate.
href	A String. Hyperlink reference.
id	A String. Unique identifier.
isBilled	A Boolean. Indicates if this applied billing rate has been presented on a bill or not. If isBilled = true then bill should be provided, if false then billingAccount should be provided.

name	A String. Name of the customer applied billing rate.
periodCoverage	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
product	A ProductRef. A Product reference.
taxExcludedAmount	A Money. A base / value business entity used to represent money.
taxIncludedAmount	A Money. A base / value business entity used to represent money.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

AppliedBillingTaxRate sub-resource fields

href	A String. Hyperlink reference.
id	A String. Unique identifier.
taxAmount	A Money. A base / value business entity used to represent money.
taxCategory	A String. A categorization of the tax rate.
taxRate	A Float. Applied rate.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

BillingAccountRef sub-resource fields

href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
ratingType	A String. Indicates whether the account follows a specific payment option such as prepaid or postpaid.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

BooleanCharacteristic sub-resource fields

characteristicRelationship	A CharacteristicRelationship. Another Characteristic that is related to the current Characteristic;.
id	A String. Unique identifier of the characteristic.
name	A String. Name of the characteristic.
value	A Boolean. Value of the characteristic.
valueType	A String. Data type of the value of the characteristic.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

Characteristic sub-resource fields

characteristicRelationship	A CharacteristicRelationship. Another Characteristic that is related to the current Characteristic;.
id	A String. Unique identifier of the characteristic.
name	A String. Name of the characteristic.
valueType	A String. Data type of the value of the characteristic.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

CharacteristicRelationship sub-resource fields

id	A String. Unique identifier of the characteristic.
relationshipType	A String. The type of relationship.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

CustomerBillRef sub-resource fields

href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.

@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

FloatCharacteristic sub-resource fields

characteristicRelationship	A CharacteristicRelationship. Another Characteristic that is related to the current Characteristic;.
id	A String. Unique identifier of the characteristic.
name	A String. Name of the characteristic.
value	A Float. Value of the characteristic.
valueType	A String. Data type of the value of the characteristic.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

IntegerArrayCharacteristic sub-resource fields

characteristicRelationship	A CharacteristicRelationship. Another Characteristic that is related to the current Characteristic;.
id	A String. Unique identifier of the characteristic.
name	A String. Name of the characteristic.
value	An Integer.
valueType	A String. Data type of the value of the characteristic.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

IntegerCharacteristic sub-resource fields

characteristicRelationship	A CharacteristicRelationship. Another Characteristic that is related to the current Characteristic;.
id	A String. Unique identifier of the characteristic.
name	A String. Name of the characteristic.

value	An Integer. Value of the characteristic.
valueType	A String. Data type of the value of the characteristic.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

NumberArrayCharacteristic sub-resource fields

characteristicRelationship	A CharacteristicRelationship. Another Characteristic that is related to the current Characteristic;.
id	A String. Unique identifier of the characteristic.
name	A String. Name of the characteristic.
value	A Number.
valueType	A String. Data type of the value of the characteristic.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

NumberCharacteristic sub-resource fields

characteristicRelationship	A CharacteristicRelationship. Another Characteristic that is related to the current Characteristic;.
id	A String. Unique identifier of the characteristic.
name	A String. Name of the characteristic.
value	A Number. Value of the characteristic.
valueType	A String. Data type of the value of the characteristic.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

ObjectArrayCharacteristic sub-resource fields

characteristicRelationship	A CharacteristicRelationship. Another Characteristic that is related to the current Characteristic;.
id	A String. Unique identifier of the characteristic.

name	A String. Name of the characteristic.
value	An object.
valueType	A String. Data type of the value of the characteristic.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

ObjectCharacteristic sub-resource fields

characteristicRelationship	A CharacteristicRelationship. Another Characteristic that is related to the current Characteristic;.
id	A String. Unique identifier of the characteristic.
name	A String. Name of the characteristic.
value	An object. Value of the characteristic.
valueType	A String. Data type of the value of the characteristic.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

ProductRef sub-resource fields

href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

StringArrayCharacteristic sub-resource fields

characteristicRelationship	A CharacteristicRelationship. Another Characteristic that is related to the current Characteristic;.
id	A String. Unique identifier of the characteristic.

name	A String. Name of the characteristic.
value	A String.
valueType	A String. Data type of the value of the characteristic.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

StringCharacteristic sub-resource fields

characteristicRelationship	A CharacteristicRelationship. Another Characteristic that is related to the current Characteristic;.
id	A String. Unique identifier of the characteristic.
name	A String. Name of the characteristic.
value	A String. Value of the characteristic.
valueType	A String. Data type of the value of the characteristic.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

Json representation sample(s)

We provide below a JSON representation as example of the 'AppliedCustomerBillingRate' resource object.

```
{
  "id": "ABR123",
  "href": "http://server:port/api/appliedCustomerBillingRate/v5/ABR123",
  "appliedBillingRateType": "monthly",
  "date": "2020-01-19T13:38:18.938Z",
  "isBilled": true,
  "name": "Rental Fee",
  "appliedTax": [
    {
      "taxCategory": "VAT",
      "taxRate": 20,
      "taxAmount": {
        "unit": "EUR",
        "value": 100
      },
      "@type": "AppliedBillingTaxRate"
    }
  ],
  "bill": {
    "id": "B123",
    "href": "http://server:port/api/bill/v5/B123",
```

```

    "name": "customer bill",
    "@referredType": "CustomerBill",
    "@type": "CustomerBillRef"
  },
  "billingAccount": {
    "id": "A0815",
    "href": "http://server:port/api/billingAccount/v5/A0815",
    "name": "BA Peter Retep",
    "@referredType": "BillingAccount",
    "@type": "BillingAccountRef"
  },
  "characteristic": [
    {
      "name": "message",
      "valueType": "string",
      "@type": "StringCharacteristic",
      "value": "Special discount this[ month only"
    }
  ],
  "periodCoverage": {
    "endDateTime": "2019-12-31T23:59:59.999Z",
    "startDateTime": "2019-12-01T00:00:00.000Z"
  },
  "product": {
    "id": "P-wfs-123",
    "href": "http://server:port/api/product/v5/P-wfs-123",
    "name": "CSPs wonderful fiber service",
    "@referredType": "Product",
    "@type": "ProductRef"
  },
  "taxExcludedAmount": {
    "unit": "EUR",
    "value": 40.00
  },
  "taxIncludedAmount": {
    "unit": "EUR",
    "value": 50.00
  },
  "@type": "AppliedCustomerBillingRate"
}

```

Notification Resource Models

4 notifications are defined for this API.

Notifications related to CustomerBill:

- Customer Bill Create Event
- Customer Bill State Change Event

Notifications related to CustomerBillOnDemand:

- Customer Bill On Demand Create Event
- Customer Bill On Demand State Change Event

The notification structure for all notifications in this API follow the pattern depicted by the figure below. A notification event resource (depicted by "SpecificEvent" placeholder) is a sub

class of a generic Event structure containing at least an id of the event occurrence (eventId), an event timestamp (eventTime), and the name of the resource (eventType). This notification structure owns an event payload structure ("SpecificEventPayload" placeholder) linked to the resource concerned by the notification using the resource name as access field ("resourceName" placeholder).




Figure 6 Notification Pattern

Customer Bill Create Event

Message example for CustomerBillCreateEvent

```

Content-Type: application/json

{
  "correlationId": "3a8fff52-9b84",
  "description": "CustomerBillCreateEvent illustration",
  "domain": "Commercial",
  "eventId": "453e-9a35-2e5cac56045d",
  "eventTime": "2023-03-05T12:41:39.884Z",
  "eventType": "CustomerBillCreateEvent",
  "priority": "1",
  "timeOccurred": "2023-03-05T12:41:34.667Z",
  "title": "CustomerBillCreateEvent",
  "event": {
    "customerBill": {

```



```

    "id": "CB-123",
    "href": "https://server:port/tmf-
api/Customer_Bill_Management/v5/customerBill/CB-123",
    "billNo": "780123456",
    "amountDue": {
      "unit": "EUR",
      "value": 0.00
    },
    "appliedPayment": [
      {
        "appliedAmount": {
          "unit": "EUR",
          "value": 50.00
        },
        "payment": {
          "id": "PAY-9876",
          "href": "https://server:port/tmf-
api/Payment_Management/v5/payment/PAY-9876",
          "name": "csp-bill",
          "@referredType": "Payment",
          "@type": "PaymentRef"
        },
        "@type": "AppliedPayment"
      }
    ],
    "billCycle": {
      "id": "BC-1234",
      "href": "http://server:port/tmf-
api/Customer_Bill_Management/v5/billcycle/BC-1234",
      "@referredType": "BillCycle",
      "@type": "BillCycleRef"
    },
    "billDate": "2020-01-05T12:00:56.982Z",
    "billDocument": [
      {
        "id": "DOC_1234",
        "href": "http://server:port/tmf-
api/Document_Management/v5/document/DOC_1234",
        "attachmentType": "application/pdf",
        "content": "bill",
        "description": "regular monthly bill",
        "mimeType": "application/pdf",
        "size": 172851,
        "uri": "",
        "validfor": {
          "startDateTime": "2020-01-05T12:00:56.982Z",
          "endDateTime": "9999-12-31T23:59:59.999Z"
        },
        "@type": "Attachment"
      }
    ],
    "billingAccount": {
      "id": "A0815",
      "href": "http://host:port/tmf-
api/Account_Management/v5/billingAccount/A0815",
      "name": "BA Peter Retep",
      "@referredType": "BillingAccount",
      "@type": "BillingAccountRef"
    },
    "financialAccount": {
      "id": "FA12345",
      "href": "http://host:port/tmf-
api/Account_Management/v5/financialAccount/FA12345",

```

```

        "name": "FA Peter Retep",
        "@referredType": "FinancialAccount",
        "@type": "FinancialAccountRef"
      },
      "category": "normal",
      "lastUpdate": "2020-01-05T12:00:56.982Z",
      "nextBillDate": "2020-02-05T12:00:00.000Z",
      "paymentDueDate": "2020-01-15T00:00:00.000Z",
      "remainingAmount": {
        "unit": "EUR",
        "value": 0.00
      },
      "runType": "onCycle",
      "status": "new",
      "taxExcludedAmount": {
        "unit": "EUR",
        "value": 40.00
      },
      "taxIncludedAmount": {
        "unit": "EUR",
        "value": 50.00
      },
      "taxItem": [
        {
          "taxAmount": {
            "unit": "EUR",
            "value": 10.00
          },
          "taxCategory": "VAT",
          "taxRate": 0.25,
          "@type": "TaxItem"
        }
      ],
      "@type": "CustomerBill"
    },
    "reportingSystem": {
      "id": "222",
      "name": "APP-756",
      "@type": "ReportingResource",
      "@referredType": "LogicalResource"
    },
    "source": {
      "id": "233",
      "name": "APP-628",
      "@type": "ReportingResource",
      "@referredType": "LogicalResource"
    },
    "@baseType": "Event",
    "@type": "CustomerBillCreateEvent"
  }

```

Customer Bill State Change Event

Message example for CustomerBillStateChangeEvent event

```

Content-Type: application/json

{
  "correlationId": "10ca43d6-e2a2",

```

```

    "description": "CustomerBillStateChangeEvent illustration",
    "domain": "Commercial",
    "eventId": "4992-97e5-25fa266295e3",
    "eventTime": "2023-03-05T12:41:39.885Z",
    "eventType": "CustomerBillStateChangeEvent",
    "priority": "3",
    "timeOccurred": "2023-03-05T12:41:31.945Z",
    "title": "CustomerBillStateChangeEvent",
    "event": {
      "customerBill": {
        "id": "CB-123",
        "href": "https://server:port/tmf-
api/Customer_Bill_Management/v5/customerBill/CB-123",
        "status": "settled",
        "@type": "CustomerBill"
      }
    },
    "reportingSystem": {
      "id": "222",
      "name": "APP-756",
      "@type": "ReportingResource",
      "@referredType": "LogicalResource"
    },
    "source": {
      "id": "233",
      "name": "APP-628",
      "@type": "ReportingResource",
      "@referredType": "LogicalResource"
    },
    "@baseType": "Event",
    "@type": "CustomerBillStateChangeEvent"
  }

```

Customer Bill On Demand Create Event

Message example for CustomerBillOnDemandCreateEvent

```

Content-Type: application/json

{
  "correlationId": "3a8fff52-9b84",
  "description": "CustomerBillOnDemandCreateEvent illustration",
  "domain": "Commercial",
  "eventId": "453e-9a35-2e5cac56045d",
  "eventTime": "2023-03-05T12:41:39.884Z",
  "eventType": "CustomerBillOnDemandCreateEvent",
  "priority": "1",
  "timeOccurred": "2023-03-05T12:41:34.667Z",
  "title": "CustomerBillOnDemandCreateEvent",
  "event": {
    "customerBillOnDemand": {
      "id": "D123",
      "href": "http://server:port/tmf-
api/Customer_Bill_Management/v5/customerBillOnDemand/D123",
      "description": "Customer bill on demand",
      "lastUpdate": "2020-01-19T12:34:56.123Z",
      "name": "BillOnCustomerDemand",
      "billingAccount": {
        "id": "A0815",
        "href": "http://server:port/tmf-

```

```

api/Account_Management/v5/billingAccount/A0815",
    "name": "BA Peter Retep",
    "@referredType": "BillingAccount",
    "@type": "BillingAccountRef"
  },
  "relatedParty": {
    "role": "requester",
    "@type": "RelatedPartyRefOrRelatedPartyRoleRef",
    "partyOrPartyRole": {
      "id": "RP0815",
      "href": "http://server:port/tmf-
api/Party_Management/v5/party/RP0815",
      "name": "Peter Retep",
      "@referredType": "Individual",
      "@type": "PartyRef"
    }
  },
  "state": "InProgress",
  "@type": "CustomerBillOnDemand"
},
"reportingSystem": {
  "id": "222",
  "name": "APP-756",
  "@type": "ReportingResource",
  "@referredType": "LogicalResource"
},
"source": {
  "id": "233",
  "name": "APP-628",
  "@type": "ReportingResource",
  "@referredType": "LogicalResource"
},
"@baseType": "Event",
"@type": "CustomerBillOnDemandCreateEvent"
}

```

Customer Bill On Demand State Change Event

Message example for CustomerBillOnDemandStateChangeEvent event

```

Content-Type: application/json

{
  "correlationId": "10ca43d6-e2a2",
  "description": "CustomerBillOnDemandStateChangeEvent illustration",
  "domain": "Commercial",
  "eventId": "4992-97e5-25fa266295e3",
  "eventTime": "2023-03-05T12:41:39.885Z",
  "eventType": "CustomerBillOnDemandStateChangeEvent",
  "priority": "3",
  "timeOccurred": "2023-03-05T12:41:31.945Z",
  "title": "CustomerBillOnDemandStateChangeEvent",
  "event": {
    "customerBillOnDemand": {
      "id": "D123",
      "href": "http://server:port/tmf-
api/Customer_Bill_Management/v5/customerBillOnDemand/D123",
      "state": "done",
      "@type": "CustomerBillOnDemand"
    }
  }
}

```

```
    },  
    },  
    "reportingSystem": {  
      "id": "222",  
      "name": "APP-756",  
      "@type": "ReportingResource",  
      "@referredType": "LogicalResource"  
    },  
    "source": {  
      "id": "233",  
      "name": "APP-628",  
      "@type": "ReportingResource",  
      "@referredType": "LogicalResource"  
    },  
    },  
    "@baseType": "Event",  
    "@type": "CustomerBillOnDemandStateChangeEvent"  
  }  
}
```

API OPERATIONS

Remember the following Uniform Contract:

Operation on Entities	Uniform API Operation	Description
Query Entities	GET Resource	GET must be used to retrieve a representation of a resource.
Create Entity	POST Resource	POST must be used to create a new resource
Partial Update of an Entity	PATCH Resource	PATCH must be used to partially update a resource
Remove an Entity	DELETE Resource	DELETE must be used to remove a resource
Execute an Action on an Entity	POST on TASK Resource	POST must be used to execute Task Resources
Other Request Methods	POST on TASK Resource	GET and POST must not be used to tunnel other request methods.

Filtering and attribute selection rules are described in the TMF REST Design Guidelines.

Notifications are also described in a subsequent section.

Operations on BillCycle

Retrieves a BillCycle by ID

GET /billCycle/{id}?fields=...

Description

This operation retrieves a BillCycle entity. Attribute selection is enabled for all first level attributes. Filtering may be available depending on the compliance level supported by an implementation.

Usage samples

Here is an example of a request for retrieving a single BillCycle.

Request

```
GET /billCycle/BC-1234
Content-Type: application/json
```

Response

```
200
```

```
{
  "id": "BC-1234",
  "href": "http://server:port/tmf-api/Customer_Bill_Management/v5/billcycle/BC-1234",
  "name": "december regular bill run",
  "description": "regular bill run",
  "billingDate": "2020-01-22T12:00:56.982Z",
  "billingPeriod": "2019-12",
  "chargeDate": "2020-01-27T00:00:00.000Z",
  "creditDate": "2020-01-31T23:59:59.999Z",
  "mailingDate": "2020-01-23T00:00:00.000Z",
  "paymentDueDate": "2020-02-03T23:59:59.999Z",
  "billCycleSpecification": {
    "id": "BCSPEC-M",
    "href": "http://server:port/tmf-api/Customer_Bill_Management/v5/billCycleSpecification/BCSPEC-M",
    "name": "Regular Bill Cycle",
    "@referredType": "BillCycleSpecification",
    "@type": "BillCycleSpecificationRef"
  },
  "validFor": {
    "endTime": "2020-01-00T00:00:00.000Z",
    "startTime": "2020-12-31T23:59:59.999Z"
  },
  "@type": "BillCycle"
}
```

List or find BillCycle objects

GET /billCycle?fields=...

Description

This operation list BillCycle entities. Attribute selection is enabled for all first level attributes. Filtering may be available depending on the compliance level supported by an implementation.

Usage samples

Here is an example of a request for retrieving a list of BillCycles. Fields limited to id and billing date.

Request

```
GET /billCycle?fields=id, billingDate
Content-Type: application/json
```

Response

```
200

[
  {
    "id": "BC-12345",
    "href": "http://server:port/tmf-
```

```

api/Customer_Bill_Management/v5/billcycle/BC-12345",
  "billingDate": "2020-01-22T12:00:00.000Z",
  "@type": "BillCycle"
},
{
  "id": "BC-12346",
  "href": "http://server:port/tmf-
api/Customer_Bill_Management/v5/billcycle/BC-12346",
  "billingDate": "2020-02-22T12:00:00.000Z",
  "@type": "BillCycle"
},
{
  "id": "BC-12347",
  "href": "http://server:port/tmf-
api/Customer_Bill_Management/v5/billcycle/BC-12347",
  "billingDate": "2020-03-22T12:00:00.000Z",
  "@type": "BillCycle"
},
{
  "id": "BC-12348",
  "href": "http://server:port/tmf-
api/Customer_Bill_Management/v5/billcycle/BC-12348",
  "billingDate": "2020-04-22T12:00:00.000Z",
  "@type": "BillCycle"
},
{
  "id": "BC-12349",
  "href": "http://server:port/tmf-
api/Customer_Bill_Management/v5/billcycle/BC-12349",
  "billingDate": "2020-05-22T12:00:00.000Z",
  "@type": "BillCycle"
},
{
  "id": "BC-1234a",
  "href": "http://server:port/tmf-
api/Customer_Bill_Management/v5/billcycle/BC-1234a",
  "billingDate": "2020-06-22T12:00:00.000Z",
  "@type": "BillCycle"
},
{
  "id": "BC-1234b",
  "href": "http://server:port/tmf-
api/Customer_Bill_Management/v5/billcycle/BC-1234b",
  "billingDate": "2020-07-22T12:00:00.000Z",
  "@type": "BillCycle"
},
{
  "id": "BC-1234c",
  "href": "http://server:port/tmf-
api/Customer_Bill_Management/v5/billcycle/BC-1234c",
  "billingDate": "2020-08-22T12:00:00.000Z",
  "@type": "BillCycle"
},
{
  "id": "BC-1234d",
  "href": "http://server:port/tmf-
api/Customer_Bill_Management/v5/billcycle/BC-1234d",
  "billingDate": "2020-09-22T12:00:00.000Z",
  "@type": "BillCycle"
},
{
  "id": "BC-1234e",
  "href": "http://server:port/tmf-

```



```

api/Customer_Bill_Management/v5/billcycle/BC-1234e",
  "billingDate": "2020-10-22T12:00:00.000Z",
  "@type": "BillCycle"
},
{
  "id": "BC-1234f",
  "href": "http://server:port/tmf-
api/Customer_Bill_Management/v5/billcycle/BC-1234f",
  "billingDate": "2020-11-22T12:00:00.000Z",
  "@type": "BillCycle"
},
{
  "id": "BC-12340",
  "href": "http://server:port/tmf-
api/Customer_Bill_Management/v5/billcycle/BC-12340",
  "billingDate": "2020-12-22T12:00:00.000Z",
  "@type": "BillCycle"
}
}]

```

Operations on CustomerBill

List or find CustomerBill objects

GET /customerBill?fields=...

Description

This operation list CustomerBill entities. Attribute selection is enabled for all first level attributes. Filtering may be available depending on the compliance level supported by an implementation.

Usage samples

Here is an example of a request for retrieving a list of CustomerBills (Use Case 1). Fields limited to id, href, billing account.

Request

```

GET /customerBill?fields=id, href, billingAccount
Content-Type: application/json

```

Response

```

200

[
  {
    "id": "CB-123",
    "href": "https://server:port/tmf-
api/Customer_Bill_Management/v5/customerBill/CB-123",
    "@type": "CustomerBill",
    "billingAccount": {
      "id": "A0815",
      "href": "http://host:port/tmf-

```

```

api/Account_Management/v5/billingAccount/A0815",
    "name": "BA Peter Retep",
    "@referredType": "BillingAccount",
    "@type": "BillingAccountRef"
  }
},
{
  "id": "CB-456",
  "href": "https://server:port/tmf-
api/Customer_Bill_Management/v5/customerBill/CB-456",
  "@type": "CustomerBill",
  "billingAccount": {
    "id": "A4712",
    "href": "http://host:port/tmf-
api/Account_Management/v5/billingAccount/A4712",
    "name": "BA Claire Erialc",
    "@referredType": "BillingAccount",
    "@type": "BillingAccountRef"
  }
}
]

```

Retrieves a CustomerBill by ID

GET /customerBill/{id}?fields=...

Description

This operation retrieves a CustomerBill entity. Attribute selection is enabled for all first level attributes. Filtering may be available depending on the compliance level supported by an implementation.

Usage samples

Here is an example of a request for retrieving a single customer bill (See Use Case 1). The customer bill id is set to CB-123. Fields limited to id, href, billing account, and tax included amount.

Request

```

GET /customerBill/CB-123?fields=id, href, billingAccount, taxIncludedAmount
Content-Type: application/json

```

Response

```

200

{
  "id": "CB-123",
  "href": "https://server:port/tmf-
api/Customer_Bill_Management/v5/customerBill/CB-123",
  "billingAccount": {
    "id": "A0815",
    "href": "http://host:port/tmf-
api/Account_Management/v5/billingAccount/A0815",

```

```

    "name": "BA Peter Retep",
    "@referredType": "BillingAccount",
    "@type": "BillingAccountRef"
  },
  "taxIncludedAmount": {
    "unit": "EUR",
    "value": 50.00
  },
  "@type": "CustomerBill"
}

```

Updates partially a CustomerBill

PATCH /customerBill/{id}?fields=...

Description

This operation allows partial updates of a CustomerBill entity. Support of json/merge (<https://tools.ietf.org/html/rfc7386>) is mandatory, support of json/patch (<http://tools.ietf.org/html/rfc5789>) is optional. Note: If the update operation yields to the creation of sub-resources or relationships, the same rules concerning mandatory sub-resource attributes and default value settings in the POST operation applies to the PATCH operation. Hence these tables are not repeated here.

Patchable and Non Patchable Attributes

Non Patchable Attributes	Rule
amountDue	
appliedPayment	
billDate	
billDocument	
billNo	
billingAccount	
billingPeriod	
category	
financialAccount	
href	
id	
lastUpdate	
nextBillDate	
paymentDueDate	
paymentMethod	
relatedParty	
remainingAmount	

Non Patchable Attributes	Rule
runType	
taxExcludedAmount	
taxIncludedAmount	
taxItem	
@baseType	@baseType is immutable
@schemaLocation	@schemaLocation is immutable
@type	@type is immutable

Patchable Attributes	Rule
billCycle	
state	

Usage samples

Update a Customer Bill using json-patch

Request

```
PATCH /customerBill/{id}
Content-Type: application/json-patch+json

[
  {
    "op": "replace",
    "path": "/state",
    "value": "onHold"
  }
]
```

Response

```
200

{
  "id": "CB-123",
  "href": "https://server:port/tmf-
api/Customer_Bill_Management/v5/customerBill/CB-123",
  "billNo": "780123456",
  "amountDue": {
    "unit": "EUR",
    "value": 0.0
  },
  "billCycle": {
    "id": "BC-1234",
    "href": "http://server:port/tmf-
api/Customer_Bill_Management/v5/billcycle/BC-1234",
    "@referredType": "BillCycle",
    "@type": "BillCycleRef"
  }
}
```

```

    },
    "billDate": "2020-01-05T12:00:56.982Z",
    "billDocument": [
      {
        "id": "DOC_1234",
        "href": "http://server:port/tmf-
api/Document_Management/v5/document/DOC_1234",
        "attachmentType": "application/pdf",
        "content": "bill",
        "description": "regular monthly bill",
        "mimeType": "application/pdf",
        "size": 172851,
        "validfor": {
          "startDateTime": "2020-01-05T12:00:56.982Z",
          "endDateTime": "9999-12-31T23:59:59.999Z"
        },
        "@type": "Attachment"
      }
    ],
    "billingAccount": {
      "id": "A0815",
      "href": "http://host:port/tmf-
api/Account_Management/v5/billingAccount/A0815",
      "name": "BA Peter Retep",
      "@referredType": "BillingAccount",
      "@type": "BillingAccountRef"
    },
    "financialAccount": {
      "id": "FA12345",
      "href": "http://host:port/tmf-
api/Account_Management/v5/financialAccount/FA12345",
      "name": "FA Peter Retep",
      "@referredType": "FinancialAccount",
      "@type": "FinancialAccountRef"
    },
    "category": "normal",
    "lastUpdate": "2020-01-05T12:00:56.982Z",
    "nextBillDate": "2020-02-05T12:00:00.000Z",
    "paymentDueDate": "2020-01-15T00:00:00.000Z",
    "remainingAmount": {
      "unit": "EUR",
      "value": 50.0
    },
    "runType": "onCycle",
    "status": "onHold",
    "taxExcludedAmount": {
      "unit": "EUR",
      "value": 40.0
    },
    "taxIncludedAmount": {
      "unit": "EUR",
      "value": 50.0
    },
    "taxItem": [
      {
        "taxAmount": {
          "unit": "EUR",
          "value": 10.0
        },
        "taxCategory": "VAT",
        "taxRate": 0.25,
        "@type": "TaxItem"
      }
    ]
  }

```

```
    ],  
    "@type": "CustomerBill"  
  }  
}
```

Update a Customer Bill using json-patch-query

Request

```
PATCH /customerBill/{id}  
Content-Type: application/json-patch-query+json  
  
{  
  "op": "replace",  
  "path": "/state?state=new",  
  "value": "onHold"  
}
```

Response

```
200  
  
{  
  "id": "CB-123",  
  "href": "https://server:port/tmf-  
api/Customer_Bill_Management/v5/customerBill/CB-123",  
  "billNo": "780123456",  
  "amountDue": {  
    "unit": "EUR",  
    "value": 0.0  
  },  
  "billCycle": {  
    "id": "BC-1234",  
    "href": "http://server:port/tmf-  
api/Customer_Bill_Management/v5/billcycle/BC-1234",  
    "@REFERREDType": "BillCycle",  
    "@type": "BillCycleRef"  
  },  
  "billDate": "2020-01-05T12:00:56.982Z",  
  "billDocument": [  
    {  
      "id": "DOC_1234",  
      "href": "http://server:port/tmf-  
api/Document_Management/v5/document/DOC_1234",  
      "attachmentType": "application/pdf",  
      "content": "bill",  
      "description": "regular monthly bill",  
      "mimeType": "application/pdf",  
      "size": 172851,  
      "validfor": {  
        "startDateTime": "2020-01-05T12:00:56.982Z",  
        "endDateTime": "9999-12-31T23:59:59.999Z"  
      },  
      "@type": "Attachment"  
    }  
  ],  
  "billingAccount": {  
    "id": "A0815",  
  }  
}
```

```

    "href": "http://host:port/tmf-
api/Account_Management/v5/billingAccount/A0815",
    "name": "BA Peter Retepe",
    "@referredType": "BillingAccount",
    "@type": "BillingAccountRef"
  },
  "financialAccount": {
    "id": "FA12345",
    "href": "http://host:port/tmf-
api/Account_Management/v5/financialAccount/FA12345",
    "name": "FA Peter Retepe",
    "@referredType": "FinancialAccount",
    "@type": "FinancialAccountRef"
  },
  "category": "normal",
  "lastUpdate": "2020-01-05T12:00:56.982Z",
  "nextBillDate": "2020-02-05T12:00:00.000Z",
  "paymentDueDate": "2020-01-15T00:00:00.000Z",
  "remainingAmount": {
    "unit": "EUR",
    "value": 50.0
  },
  "runType": "onCycle",
  "status": "onHold",
  "taxExcludedAmount": {
    "unit": "EUR",
    "value": 40.0
  },
  "taxIncludedAmount": {
    "unit": "EUR",
    "value": 50.0
  },
  "taxItem": [
    {
      "taxAmount": {
        "unit": "EUR",
        "value": 10.0
      },
      "taxCategory": "VAT",
      "taxRate": 0.25,
      "@type": "TaxItem"
    }
  ],
  "@type": "CustomerBill"
}

```

Update a Customer Bill using patch merge

Request

```

PATCH /customerBill/{id}
Content-Type: application/merge-patch+json

{
  "@type": "CustomerBill",
  "state": "onHold"
}

```

Response

200

```

{
  "id": "CB-123",
  "href": "https://server:port/tmf-
api/Customer_Bill_Management/v5/customerBill/CB-123",
  "billNo": "780123456",
  "amountDue": {
    "unit": "EUR",
    "value": 0.0
  },
  "billCycle": {
    "id": "BC-1234",
    "href": "http://server:port/tmf-
api/Customer_Bill_Management/v5/billcycle/BC-1234",
    "@referredType": "BillCycle",
    "@type": "BillCycleRef"
  },
  "billDate": "2020-01-05T12:00:56.982Z",
  "billDocument": [
    {
      "id": "DOC_1234",
      "href": "http://server:port/tmf-
api/Document_Management/v5/document/DOC_1234",
      "attachmentType": "application/pdf",
      "content": "bill",
      "description": "regular monthly bill",
      "mimeType": "application/pdf",
      "size": 172851,
      "validfor": {
        "startDateTime": "2020-01-05T12:00:56.982Z",
        "endDateTime": "9999-12-31T23:59:59.999Z"
      },
      "@type": "Attachment"
    }
  ],
  "billingAccount": {
    "id": "A0815",
    "href": "http://host:port/tmf-
api/Account_Management/v5/billingAccount/A0815",
    "name": "BA Peter Retep",
    "@referredType": "BillingAccount",
    "@type": "BillingAccountRef"
  },
  "financialAccount": {
    "id": "FA12345",
    "href": "http://host:port/tmf-
api/Account_Management/v5/financialAccount/FA12345",
    "name": "FA Peter Retep",
    "@referredType": "FinancialAccount",
    "@type": "FinancialAccountRef"
  },
  "category": "normal",
  "lastUpdate": "2020-01-05T12:00:56.982Z",
  "nextBillDate": "2020-02-05T12:00:00.000Z",
  "paymentDueDate": "2020-01-15T00:00:00.000Z",
  "remainingAmount": {
    "unit": "EUR",
    "value": 50.0
  },
  "runType": "onCycle",
  "status": "onHold",

```



```
{
  "taxExcludedAmount": {
    "unit": "EUR",
    "value": 40.0
  },
  "taxIncludedAmount": {
    "unit": "EUR",
    "value": 50.0
  },
  "taxItem": [
    {
      "taxAmount": {
        "unit": "EUR",
        "value": 10.0
      },
      "taxCategory": "VAT",
      "taxRate": 0.25,
      "@type": "TaxItem"
    }
  ],
  "@type": "CustomerBill"
}
```

Update a Customer Bill using implied merge

Request

```
PATCH /customerBill/{id}
Content-Type: application/json

{
  "@type": "CustomerBill",
  "state": "onHold"
}
```

Response

```
200

{
  "id": "CB-123",
  "href": "https://server:port/tmf-api/Customer_Bill_Management/v5/customerBill/CB-123",
  "billNo": "780123456",
  "amountDue": {
    "unit": "EUR",
    "value": 0.0
  },
  "billCycle": {
    "id": "BC-1234",
    "href": "http://server:port/tmf-api/Customer_Bill_Management/v5/billcycle/BC-1234",
    "@referredType": "BillCycle",
    "@type": "BillCycleRef"
  },
  "billDate": "2020-01-05T12:00:56.982Z",
  "billDocument": [
    {

```

```

        "id": "DOC_1234",
        "href": "http://server:port/tmf-
api/Document_Management/v5/document/DOC_1234",
        "attachmentType": "application/pdf",
        "content": "bill",
        "description": "regular monthly bill",
        "mimeType": "application/pdf",
        "size": 172851,
        "validfor": {
            "startDateTime": "2020-01-05T12:00:56.982Z",
            "endDateTime": "9999-12-31T23:59:59.999Z"
        },
        "@type": "Attachment"
    },
    ],
    "billingAccount": {
        "id": "A0815",
        "href": "http://host:port/tmf-
api/Account_Management/v5/billingAccount/A0815",
        "name": "BA Peter Retep",
        "@REFERREDType": "BillingAccount",
        "@type": "BillingAccountRef"
    },
    "financialAccount": {
        "id": "FA12345",
        "href": "http://host:port/tmf-
api/Account_Management/v5/financialAccount/FA12345",
        "name": "FA Peter Retep",
        "@REFERREDType": "FinancialAccount",
        "@type": "FinancialAccountRef"
    },
    "category": "normal",
    "lastUpdate": "2020-01-05T12:00:56.982Z",
    "nextBillDate": "2020-02-05T12:00:00.000Z",
    "paymentDueDate": "2020-01-15T00:00:00.000Z",
    "remainingAmount": {
        "unit": "EUR",
        "value": 50.0
    },
    "runType": "onCycle",
    "status": "onHold",
    "taxExcludedAmount": {
        "unit": "EUR",
        "value": 40.0
    },
    "taxIncludedAmount": {
        "unit": "EUR",
        "value": 50.0
    },
    "taxItem": [
        {
            "taxAmount": {
                "unit": "EUR",
                "value": 10.0
            },
            "taxCategory": "VAT",
            "taxRate": 0.25,
            "@type": "TaxItem"
        }
    ],
    "@type": "CustomerBill"
}

```

Operations on CustomerBillOnDemand

List or find CustomerBillOnDemand objects

GET /customerBillOnDemand?fields=...

Description

This operation list CustomerBillOnDemand entities. Attribute selection is enabled for all first level attributes. Filtering may be available depending on the compliance level supported by an implementation.

Usage samples

Here is an example of a request for retrieving a list of CustomerBillOnDemand requests. Fields limited to id, href, billing account.

Request

```
GET /customerBillOnDemand?fields=id,href,billingAccount
Content-Type: application/json
```

Response

```
200

[
  {
    "id": "D123",
    "href": "http://server:port/tmf-
api/Customer_Bill_Management/v5/customerBillOnDemand/D123",
    "billingAccount": {
      "id": "A0815",
      "href": "http://server:port/tmf-
api/Account_Management/v5/billingAccount/A0815",
      "name": "BA Peter Retep",
      "@REFERREDType": "BillingAccount",
      "@type": "BillingAccountRef"
    },
    "@type": "CustomerBillOnDemand"
  },
  {
    "id": "D12345",
    "href": "http://server:port/tmf-
api/Customer_Bill_Management/v5/customerBillOnDemand/D12345",
    "billingAccount": {
      "id": "A4712",
      "href": "http://server:port/tmf-
api/Account_Management/v5/billingAccount/A4712",
      "name": "BA Claire Erialc",
      "@REFERREDType": "BillingAccount",
      "@type": "BillingAccountRef"
    },
    "@type": "CustomerBillOnDemand"
  }
]
```

```
]
```

Retrieves a CustomerBillOnDemand by ID

GET /customerBillOnDemand/{id}?fields=...

Description

This operation retrieves a CustomerBillOnDemand entity. Attribute selection is enabled for all first level attributes. Filtering may be available depending on the compliance level supported by an implementation.

Usage samples

Here is an example of a request for retrieving a single CustomerBillOnDemand request.

Request

```
GET /customerBillOnDemand/D123
Content-Type: application/json
```

Response

```
200

{
  "id": "D123",
  "href": "http://server:port/tmf-api/Customer_Bill_Management/v5/customerBillOnDemand/D123",
  "description": "Customer bill on demand",
  "lastUpdate": "2020-01-19T12:34:56.123Z",
  "name": "BillOnCustomerDemand",
  "billingAccount": {
    "id": "A0815",
    "href": "http://server:port/tmf-api/Account_Management/v5/billingAccount/A0815",
    "name": "BA Peter Retep",
    "@referredType": "BillingAccount",
    "@type": "BillingAccountRef"
  },
  "relatedParty": {
    "role": "requester",
    "@type": "RelatedPartyRefOrRelatedPartyRoleRef",
    "partyOrPartyRole": {
      "id": "RP0815",
      "href": "http://server:port/tmf-api/Party_Management/v5/party/RP0815",
      "name": "Peter Retep",
      "@referredType": "Individual",
      "@type": "PartyRef"
    }
  },
  "state": "InProgress",
  "@type": "CustomerBillOnDemand"
}
```

Creates a CustomerBillOnDemand

POST /customerBillOnDemand?fields=...

Description

This operation creates a CustomerBillOnDemand entity.

Mandatory Attributes

Mandatory Attributes	Rule
billingAccount	
billingAccount.@type	
billingAccount.id	
@type	

Usage samples

Here is an example of a request for a CustomerBillOnDemand.

Request

```
POST /customerBillOnDemand
Content-Type: application/json

{
  "description": "Customer bill on demand",
  "lastUpdate": "2020-01-19T12:34:56.123Z",
  "name": "BillOnCustomerDemand",
  "billingAccount": {
    "id": "A0815",
    "@type": "BillingAccountRef",
    "@referredType": "BillingAccount"
  },
  "relatedParty": {
    "role": "requester",
    "@type": "RelatedPartyRefOrRelatedPartyRoleRef",
    "partyOrPartyRole": {
      "id": "RP0815",
      "@referredType": "Individual",
      "@type": "PartyRef"
    }
  },
  "@type": "CustomerBillOnDemand"
}
```

Response

```
201

{
  "id": "D123",
}
```

```

    "href": "http://server:port/tmf-
api/Customer_Bill_Management/v5/customerBillOnDemand/D123",
    "description": "Customer bill on demand",
    "lastUpdate": "2020-01-19T12:34:56.123Z",
    "name": "BillOnCustomerDemand",
    "state": "InProgress",
    "billingAccount": {
      "id": "A0815",
      "href": "http://server:port/tmf-
api/Account_Management/v5/billingAccount/A0815",
      "name": "BA Peter Retep",
      "@referredType": "BillingAccount",
      "@type": "BillingAccountRef"
    },
    "relatedParty": {
      "role": "requester",
      "@type": "RelatedPartyRefOrRelatedPartyRoleRef",
      "partyOrPartyRole": {
        "id": "RP0815",
        "href": "http://server:port/tmf-api/Party_Management/v5/party/RP0815",
        "name": "Peter Retep",
        "@referredType": "Individual",
        "@type": "PartyRef"
      }
    },
    "@type": "CustomerBillOnDemand"
  }
}

```

Operations on AppliedCustomerBillingRate

Retrieves a AppliedCustomerBillingRate by ID

GET /appliedCustomerBillingRate/{id}?fields=...

Description

This operation retrieves an AppliedCustomerBillingRate entity. Attribute selection is enabled for all first level attributes. Filtering may be available depending on the compliance level supported by an implementation.

Usage samples

Here is an example of a request for retrieving a single AppliedCustomerBillingRate. The customer bill id is set to ACR-123.

Request

```

GET /appliedCustomerBillingRate/ACBR-123
Content-Type: application/json

```

Response

```

200

```

```

{
  "id": "ACBR-123",
  "href": "https://host:port/tmf-
api/Customer_Bill_Management/v5/appliedCustomerBillingRate/ACBR-123",
  "appliedBillingRateType": "monthly",
  "date": "2020-01-19T13:38:18.938Z",
  "isBilled": true,
  "name": "Rental Fee",
  "appliedTax": [
    {
      "taxCategory": "VAT",
      "taxRate": 20,
      "taxAmount": {
        "unit": "EUR",
        "value": 100
      },
      "@type": "AppliedBillingTaxRate"
    }
  ],
  "bill": {
    "id": "B123",
    "href": "http://server:port/api/bill/v5/B123",
    "name": "customer bill",
    "@referredType": "CustomerBill",
    "@type": "CustomerBillRef"
  },
  "billingAccount": {
    "id": "A0815",
    "href": "http://server:port/api/billingAccount/v5/A0815",
    "name": "BA Peter Retep",
    "@referredType": "BillingAccount",
    "@type": "BillingAccountRef"
  },
  "characteristic": [
    {
      "name": "message",
      "valueType": "string",
      "@type": "StringCharacteristic",
      "value": "Special discount this[ month only]"
    }
  ],
  "periodCoverage": {
    "endTime": "2019-12-31T23:59:59.999Z",
    "startTime": "2019-12-01T00:00:00.000Z"
  },
  "product": {
    "id": "P-wfs-123",
    "href": "http://server:port/api/product/v5/P-wfs-123",
    "name": "CSPs wonderful fiber service",
    "@referredType": "Product",
    "@type": "ProductRef"
  },
  "taxExcludedAmount": {
    "unit": "EUR",
    "value": 40.00
  },
  "taxIncludedAmount": {
    "unit": "EUR",
    "value": 50.00
  },
  "@type": "AppliedCustomerBillingRate"
}

```

List or find AppliedCustomerBillingRate objects

GET /appliedCustomerBillingRate?fields=...

Description

This operation list AppliedCustomerBillingRate entities. Attribute selection is enabled for all first level attributes. Filtering may be available depending on the compliance level supported by an implementation.

Usage samples

Here is an example of a request for retrieving a list of AppliedCustomerBillingRates.

Request

```
GET /appliedCustomerBillingRate
Content-Type: application/json
```

Response

```
200


[
  {
    "id": "ACBR-123",
    "href": "https://host:port/tmf-
api/Customer_Bill_Management/v5/appliedCustomerBillingRate/ACBR-123",
    "@type": "AppliedCustomerBillingRate",
    "name": "voice usage",
    "type": "appliedCustomerBillingRate",
    "isBilled": false,
    "billingAccount": {
      "id": "A0815",
      "href": "http://host:port/tmf-
api/Account_Management/v5/billingAccount/A0815",
      "name": "BA Peter Retep",
      "@referredType": "BillingAccount",
      "@type": "BillingAccountRef"
    },
    "date": "2019-12-07T13:02:34.123Z",
    "description": "voice usage.",
    "product": {
      "id": "PROD-123",
      "href": "http://host:port/tmf-api/product_Inventory/v5/product/PROD-
123",
      "name": "Voice service",
      "@referredType": "Product",
      "@type": "ProductRef"
    },
    "taxExcludedAmount": {
      "unit": "EUR",
      "value": 0.04
    },
    "taxIncludedAmount": {
      "unit": "EUR",
      "value": 0.05
    }
  }
]
```



```

    },
    "appliedTax": [
      {
        "taxCategory": "VAT",
        "taxRate": 0.2,
        "taxAmount": {
          "unit": "EUR",
          "value": 0.01
        },
        "@type": "AppliedTaxRate"
      }
    ]
  },
  {
    "id": "ACBR-124",
    "href": "https://host:port/tmf-
api/Customer_Bill_Management/v5/appliedCustomerBillingRate/ACBR-124",
    "@type": "AppliedCustomerBillingRate",
    "name": "voice usage",
    "type": "appliedCustomerBillingRate",
    "isBilled": true,
    "billingAccount": {
      "id": "A0815",
      "href": "http://host:port/tmf-
api/Account_Management/v5/billingAccount/A0815",
      "name": "BA Peter Retep",
      "@referredType": "BillingAccount",
      "@type": "BillingAccountRef"
    },
    "customerBill": {
      "id": "CB-123",
      "href": "https://server:port/tmf-
api/Customer_Bill_Management/v5/customerBill/CB-123",
      "@referredType": "CustomerBill",
      "@type": "CustomerBillRef"
    },
    "date": "2019-11-29T17:02:34.123Z",
    "description": "voice usage.",
    "product": {
      "id": "PROD-123",
      "href": "http://host:port/tmf-api/product_Inventory/v5/product/PROD-
123",
      "name": "Voice service",
      "@referredType": "Product",
      "@type": "ProductRef"
    },
    "taxExcludedAmount": {
      "unit": "EUR",
      "value": 0.4
    },
    "taxIncludedAmount": {
      "unit": "EUR",
      "value": 0.5
    },
    "appliedTax": [
      {
        "taxCategory": "VAT",
        "taxRate": 0.2,
        "taxAmount": {
          "unit": "EUR",
          "value": 0.1
        },
        "@type": "AppliedTaxRate"
      }
    ]
  }
]

```



API NOTIFICATIONS

For every single of operation on the entities use the following templates and provide sample REST notification POST calls.

It is assumed that the Pub/Sub uses the Register and UnRegister mechanisms described in the REST Guidelines reproduced below.

Register listener

POST /hub

Description

Sets the communication endpoint address the service instance must use to deliver information about its health state, execution state, failures and metrics. Subsequent POST calls will be rejected by the service if it does not support multiple listeners. In this case DELETE /api/hub/{id} must be called before an endpoint can be created again.

Behavior

Returns HTTP/1.1 status code 204 if the request was successful.

Returns HTTP/1.1 status code 409 if request is not successful.

Usage Samples

Here's an example of a request for registering a listener.

Request

```
POST /api/hub

Accept: application/json

{
  "callback": "http://in.listener.com"
}
```

Response

```
201

Content-Type: application/json

Location: /api/hub/42

{
  "id": "42",
  "callback": "http://in.listener.com",
  "query": ""
}
```

Unregister listener

DELETE /hub/{id}

Description

Clears the communication endpoint address that was set by creating the Hub..

Behavior

Returns HTTP/1.1 status code 204 if the request was successful.

Returns HTTP/1.1 status code 404 if the resource is not found.

Usage Samples

Here's an example of a request for un-registering a listener.

Request

```
DELETE /api/hub/42  
  
Accept: application/json
```

Response

```
204
```

Publish Event to listener

POST /client/listener

Description

Clears the communication endpoint address that was set by creating the Hub.

Provides to a registered listener the description of the event that was raised. The /client/listener url is the callback url passed when registering the listener.

Behavior

Returns HTTP/1.1 status code 201 if the service is able to set the configuration.

Usage Samples

Here's an example of a notification received by the listener. In this example "EVENT TYPE" should be replaced by one of the notification types supported by this API (see Notification resources Models section) and EVENT BODY refers to the data structure of the given notification type.

Request

```
POST /client/listener

Accept: application/json

{
  "event": {
    EVENT BODY
  },
  "eventType": "EVENT_TYPE"
}
```

Response

```
201
```

For detailed examples on the general TM Forum notification mechanism, see the TMF REST Design Guidelines.

Acknowledgements

Release History

Release Number	Date	Release led by:	Description
Version 1.0.0	15-Apr-2016	Pierre Gauthier TM Forum pgauthier@tmforum.org Sophie Bouleau Orange sophie.bouleau@orange.com	Initial Document. Generated from API Data Model.
Version 2.0.0	03-Mar-2017	Pierre Gauthier TM Forum pgauthier@tmforum.org Sophie Bouleau Orange sophie.bouleau@orange.com	New version taking into account various remarks from tmforum members. Generated from API Data Model and completed with use cases and samples.
Version 2.0.1	18-Sep-2017	Pierre Gauthier TM Forum pgauthier@tmforum.org Sophie Bouleau Orange sophie.bouleau@orange.com Jia Jiangtao Huawei jjjiangtao@huawei.com	New version introducing the CustomerBillOnDemand resource and operations In CustomerBill resource, PaymentItem is renamed in AppliedPayment and Document in Attachment (to be conform with Document Management API)
Release 17.5.0	22-Jan-2018	Adrienne Walcott	• Formatting/style edits prior to publishing
Version 2.0.2			
Version 4.0	22-Jan-2020	Lucius Gruber (Deutsche Telekom IT GmbH) l.gruber@telekom.de	Refactoring according to schemafication. Introducing refactored resources for BillCycle & BillCycleSpec
Version 5.0.0	March 2023	Jonathan Goldberg Amdocs Jonathan.Goldberg@amdocs.com	Upgrade to V5 design patterns and OAS3, and removed BillCycleSpec in favor of existing BillCycleSpecification

Contributors to Document

* Sophie Bouleau	Orange
• Jia Jiangtao	Huawei
• Mariano Belaunde	Orange

* Sophie Bouleau	Orange
• Pierre Gauthier	TM Forum
• Lucius Gruber	Deutsche Telekom
• Pierre Gauthier	TM Forum
• Jonathan Goldberg	Amdocs