

MODULE - 2


Power BI Assignment - 1 Data Transformation & Data Modeling

Dataset Description:


I will work with the following three datasets:

- List of orders, order details, Sales Target

1) Data Import & Transformation:



This way same type of import and Transformation three datasets.



2) Row Limiting & Data Types:

Restrict the list of orders table to the first 500 rows.

The screenshot shows the Power Query Editor interface. A dialog box titled "Keep Top Rows" is open, prompting the user to "Specify how many rows to keep." The "Number of rows" input field contains the value "500". The background table has the following columns: Order ID, Order Date, CustomerName, State, and City. The status bar at the bottom indicates "5 COLUMNS, 560 ROWS".

There are 500 rows and 5 columns.

Set the order date columns to the date data type.

The screenshot shows the Power Query Editor interface after applying data types. The "Promoted Headers" table is visible, with columns: Order ID, Order Date, CustomerName, State, and City. The "Order Date" column is highlighted, and its data type is set to "Date". The status bar at the bottom indicates "5 COLUMNS, 500 ROWS".

Change amount and target columns to fixed decimal numbers.

3) Text Formatting:

Format the Customer name columns to proper case to ensure consistent capitalization.

Untitled - Power Query Editor

File Home Transform Add Column View Tools Help

Close & Apply New Source Recent Sources Enter Data Data source settings Data Sources Parameters Export query results Output Data Refresh Preview Advanced Editor Properties Manage Query Choose Columns Remove Columns Keep Rows Remove Rows Sort Split Column Group By Data Type: Whole Number Merge Queries Append Queries Combine Files Combine

Queries [3] List of Orders Order Details Sales target

fx = Table.Distinct(#"Removed Errors", {"Order ID"})

Order ID	Amount	Profit	Quantity	Category	
B-25601	-1148	7	Furniture		
B-25602	-111	2	Electronics		
B-25603	-60	5	Clothing		
B-25604	17	2	Clothing		
B-25605	0	7	Clothing		
B-25606	4	2	Clothing		
B-25607	15	4	Clothing		
B-25608	-1864	5	Furniture		
B-25609	29	4	Electronics		
B-25610	-38	4	Electronics		
B-25611	-59	2	Clothing		
B-25612	259	-55	2	Furniture	
B-25613	1603	0	9	Clothing	
B-25614	494	54	4	Furniture	
B-25615	68	20	5	Clothing	
B-25616	42	12	5	Clothing	
B-25617	305	-270	5	Electronics	
B-25618	362	127	1	Furniture	

6 COLUMNS, 500 ROWS Column profiling based on top 1000 rows

PREVIEW DOWNLOADED AT 12:19

Untitled - Power Query Editor

File Home Transform Add Column View Tools Help

Close & Apply New Source Recent Sources Enter Data Data source settings Data Sources Parameters Export query results Output Data Refresh Preview Advanced Editor Properties Manage Query Choose Columns Remove Columns Keep Rows Remove Rows Sort Split Column Group By Data Type: Whole Number Merge Queries Append Queries Combine Files Combine

Queries [3] List of Orders Order Details Sales target

fx = Table.TransformColumnTypes(#"Promoted Headers",{"Month of Order Date", type date}, {"Category",

Month of Order Date	Category	Target
01-04-2018	Furniture	
01-05-2018	Furniture	
01-06-2018	Furniture	
01-07-2018	Furniture	
01-08-2018	Furniture	
01-09-2018	Furniture	
01-10-2018	Furniture	
01-11-2018	Furniture	
01-12-2018	Furniture	
01-01-2019	Furniture	
01-02-2019	Furniture	
01-03-2019	Furniture	11800
01-04-2018	Clothing	12000
01-05-2018	Clothing	12000
01-06-2018	Clothing	12000
01-07-2018	Clothing	14000
01-08-2018	Clothing	14000
01-09-2018	Clothing	14000

3 COLUMNS, 500 ROWS Column profiling based on top 1000 rows

PREVIEW DOWNLOADED AT 11:04

Untitled - Power Query Editor

File Home Transform Add Column View Tools Help

Close & Apply New Source Recent Sources Enter Data Data source settings Data Sources Parameters Export query results Output Data Refresh Preview Advanced Editor Properties Manage Query Choose Columns Remove Columns Keep Rows Remove Rows Sort Split Column Group By Data Type: Text Replace Values Unpivot Columns Move Split Column Format Merge Columns Extract Parse Statistics Standard Scientific Rounding Information Date Time Duration Run R script Run Python script

Queries [3] List of Orders Order Details Sales target

fx = Table.TransformColumnTypes(#"Kept First R

Order ID	Order Date	City
B-25601	01-04-2018	Bharat
B-25602	01-04-2018	Pearl
B-25603	03-04-2018	Jahan
B-25604	03-04-2018	Divsha
B-25605	05-04-2018	Kasheen
B-25606	06-04-2018	Hazel
B-25607	06-04-2018	Sonakshi
B-25608	08-04-2018	Aarushi
B-25609	09-04-2018	Jitesh
B-25610	09-04-2018	Yogesh
B-25611	11-04-2018	Anita
B-25612	12-04-2018	Shrichand
B-25613	12-04-2018	Mukesh
B-25614	13-04-2018	Vandana
B-25615	15-04-2018	Bhavna
B-25616	15-04-2018	Kanak
B-25617	17-04-2018	Sagar
B-25618	18-04-2018	Maniu

5 COLUMNS, 500 ROWS Column profiling based on top 1000 rows

PREVIEW DOWNLOADED AT 12:25

4) Column Creation:

Power Query Editor - Merge Columns dialog

Choose how to merge the selected columns.

Separator: --Custom--

New column name (optional): Location

OK Cancel

Order ID	Order Date	CustomerName	State	City	
1	5601				
2	5602				
3	5603				
4	5604				
5	5605				
6	5606				
7	5607				
8	5608				
9	5609				
10	5610				
11	5611				
12	5612				
13	5613	12-04-2018	Mukesh	Haryana	Chandigarh
14	5614	13-04-2018	Vandana	Himachal Pradesh	Simla
15	5615	15-04-2018	Bhavna	Sikkim	Gangtok
16	5616	15-04-2018	Kanak	Goa	Goa
17	5617	17-04-2018	Sagar	Nagaland	Kohima
18	5618	18-04-2018	Manju	Andhra Pradesh	Hyderabad

5 COLUMNS, 500 ROWS Column profiling based on top 1000 rows

PREVIEW DOWNLOADED AT 12:31

Power Query Editor - Table.CombineColumns formula

Formula: = Table.CombineColumns(#"Capitalized Each Word",{"City", "State"},Combiner.CombineTextByDelimiter(", ",JoiningBehavior.Replace))

Order ID	Order Date	CustomerName	Location
1	B-25601	Bharat	Ahmedabad, Gujarat
2	B-25602	Pearl	Pune, Maharashtra
3	B-25603	Jahan	Bhopal, Madhya Pradesh
4	B-25604	Divsha	Jaipur, Rajasthan
5	B-25605	Kasheen	Kolkata, West Bengal
6	B-25606	Hazel	Bangalore, Karnataka
7	B-25607	Sonakshi	Kashmir, Jammu and Kashmir
8	B-25608	Aarushi	Chennai, Tamil Nadu
9	B-25609	Jitesh	Lucknow, Uttar Pradesh
10	B-25610	Yogesh	Patna, Bihar
11	B-25611	Anita	Thiruvananthapuram, Kerala
12	B-25612	Shrichand	Chandigarh, Punjab
13	B-25613	Mukesh	Chandigarh, Haryana
14	B-25614	Vandana	Simla, Himachal Pradesh
15	B-25615	Bhavna	Gangtok, Sikkim
16	B-25616	Kanak	Goa, Goa
17	B-25617	Sagar	Kohima, Nagaland
18	B-25618	Manju	Hyderabad, Andhra Pradesh

4 COLUMNS, 500 ROWS Column profiling based on top 1000 rows

PREVIEW DOWNLOADED AT 12:40

Power Query Editor - Custom Column dialog

Add a column that is computed from the other columns.

New column name: Profit Margin

Custom column formula: = [Profit] / [Amount]

Available columns: Order ID, Amount, Profit, Quantity, Category, Sub-Category

OK Cancel

Order ID	Amount	Profit	Quantity	Category	Sub-Category
1	B-25601				
2	B-25602				
3	B-25603				
4	B-25604				
5	B-25605				
6	B-25606				
7	B-25607				
8	B-25608				
9	B-25609				
10	B-25610				
11	B-25611				
12	B-25612				
13	B-25613				
14	B-25614				
15	B-25615	68.00	20	S	Clothing
16	B-25616				
17	B-25617				
18	B-25618				

6 COLUMNS, 500 ROWS Column profiling based on top 1000 rows

PREVIEW DOWNLOADED AT 12:28

Untitled - Power Query Editor

File Home Transform Add Column View Tools Help

Column From Custom Examples Column Function General

Conditional Column Index Column Duplicate Column

Format Extract Parse From Text

Statistics Standard Scientific Rounding Information

From Number

Date Time Duration

From Date & Time

Queries [3]

List of Orders

Order Details

Sales target

fx = Table.TransformColumnTypes(#"Added Custom",{"Profit Margin", Percentage.Type}))

	Profit	Quantity	Category	Sub-Category	% Profit Margin
	Valid Error Empty	100% 0% 0%	Valid Error Empty	100% 0% 0%	Valid Error Empty
1	-1148	7	Furniture	Bookcases	-90.04%
2	-111	2	Electronics	Phones	-66.07%
3	-60	5	Clothing	Trousers	-4.43%
4	17	2	Clothing	T-shirt	26.15%
5	0	7	Clothing	Saree	0.00%
6	4	2	Clothing	Shirt	4.60%
7	15	4	Clothing	Leggings	30.00%
8	-1864	5	Furniture	Tables	-136.66%
9	29	4	Electronics	Electronic Games	5.98%
10	-38	4	Electronics	Printers	-3.53%
11	-59	2	Clothing	Saree	-36.88%
12	-55	2	Furniture	Chairs	-21.24%
13	0	9	Clothing	Saree	0.00%
14	54	4	Furniture	Bookcases	10.93%
15	20	5	Clothing	Hankerchief	29.41%
16	12	5	Clothing	Hankerchief	28.57%
17	-270	5	Electronics	Electronic Games	-88.52%
18	127	1	Furniture	Bookcases	35.08%

7 COLUMNS, 500 ROWS Column profiling based on top 1000 rows

PREVIEW DOWNLOADED AT 12:47

Query Settings

PROPERTIES

Name

Order Details

APPLIED STEPS

Source

Promoted Headers

Changed Type

Removed Duplicates

Removed Blank Rows

Removed Errors

Removed Duplicates1

Changed Type1

Added Custom

Changed Type2

5) Conditional Column:

Untitled - Power Query Editor

File Home Transform Add Column View Tools Help

Column From Custom Examples Column Function General

Conditional Column Index Column Duplicate Column

Format Extract Parse From Text

Statistics Standard Scientific Rounding Information

From Number

Date Time Duration

From Date & Time

Queries [3]

List of Orders

Order Details

Sales target

fx = Table.TransformColumnTypes(#"Added Custom",{"Profit Margin", Percentage.Type}))

Add Conditional Column

Add a conditional column that is computed from the other columns or values.

New column name

Profit Status

Column Name Operator Value Output

If Profit is less than 0 Then Loss

Else If Profit equals 0 Then Break-Even

Else If Profit is greater than 0 Then Profit

Add Clause

Else

OK Cancel

7 COLUMNS, 500 ROWS Column profiling based on top 1000 rows

PREVIEW DOWNLOADED AT 12:47

Untitled - Power Query Editor

File Home Transform Add Column View Tools Help

Column From Custom Examples Column Function General

Conditional Column Index Column Duplicate Column

Format Extract Parse From Text

Statistics Standard Scientific Rounding Information

From Number

Date Time Duration

From Date & Time

Queries [3]

List of Orders

Order Details

Sales target

fx = Table.AddColumn(#"Changed Type2", "Profit Status", each if [Profit] < 0 then "Loss" else if [Profit] > 0 then "Profit" else "Break-Even")

	Quantity	Category	Sub-Category	% Profit Margin	Profit Status
	Valid Error Empty	100% 0% 0%	Valid Error Empty	100% 0% 0%	Valid Error Empty
2	7	Electronics	Phones	-66.07%	Loss
3	5	Clothing	Trousers	-4.43%	Loss
4	2	Clothing	T-shirt	26.15%	Profit
5	7	Clothing	Saree	0.00%	Break-Even
6	2	Clothing	Shirt	4.60%	Profit
7	4	Clothing	Leggings	30.00%	Profit
8	5	Furniture	Tables	-136.66%	Loss
9	4	Electronics	Electronic Games	5.98%	Profit
10	4	Electronics	Printers	-3.53%	Loss
11	2	Clothing	Saree	-36.88%	Loss
12	2	Furniture	Chairs	-21.24%	Loss
13	9	Clothing	Saree	0.00%	Break-Even
14	4	Furniture	Bookcases	10.93%	Profit
15	5	Clothing	Hankerchief	29.41%	Profit
16	5	Clothing	Hankerchief	28.57%	Profit
17	5	Electronics	Electronic Games	-88.52%	Loss
18	1	Furniture	Bookcases	35.08%	Profit
19	8	Clothing	Saree	25.50%	Profit

8 COLUMNS, 500 ROWS Column profiling based on top 1000 rows

PREVIEW DOWNLOADED AT 13:04

Query Settings

PROPERTIES

Name

Order Details

APPLIED STEPS

Source

Promoted Headers

Changed Type

Removed Duplicates

Removed Blank Rows

Removed Errors

Removed Duplicates1

Changed Type1

Added Custom

Changed Type2

Added Conditional Column

6) Merging data:

Merge

Select a table and matching columns to create a merged table.

List of Orders

Order ID	Order Date	CustomerName	Location
B-25601	01-04-2018	Bharat	Ahmedabad, Gujarat
B-25602	01-04-2018	Pearl	Pune, Maharashtra
B-25603	03-04-2018	Jahan	Bhopal, Madhya Pradesh
B-25604	03-04-2018	Divsha	Jaipur, Rajasthan
B-25605	05-04-2018	Kasheen	Kolkata, West Bengal

Order Details

Order ID	Amount	Profit	Quantity	Category	Sub-Category	Profit Margin	Profit Status
B-25601	1,275.00	-1148	7	Furniture	Bookcases	-90.04%	Loss
B-25602	168.00	-111	2	Electronics	Phones	-66.07%	Loss
B-25603	1,355.00	-60	5	Clothing	Trousers	-4.43%	Loss
B-25604	65.00	17	2	Clothing	T-shirt	26.15%	Profit
B-25605	75.00	0	7	Clothing	Saree	0.00%	Break-Even

Join Kind

Left Outer (all from first, matching from second)

☐ Use fuzzy matching to perform the merge

☒ Ignore case

☒ Match by combining text parts

Maximum number of matches (optional)

Query Settings

PROPERTIES

Name: List of Orders

APPLIED STEPS

- Source
- Promoted Headers
- Kept First Rows
- Changed Type
- Capitalized Each Word
- Merged Columns

7) Handling missing Data & Duplicate Data:

Remove Empty

Text Filters

Blank

☒ (Select All Search Results)

Query Settings

PROPERTIES

Name: List of Orders

APPLIED STEPS

- Source
- Promoted Headers
- Kept First Rows
- Changed Type
- Capitalized Each Word
- Merged Columns
- Merged Queries
- Removed Columns

This Dataset was Cleaning no missing values and blank or no Duplicate perfect set.

8) Sorting and Filtering:

Power Query Editor - Power QE Ass 3

Queries [3]: List of Orders, Order Details, Sales target

Sort Ascending dialog: Order ID (100% Valid, 0% Error, 0% Empty)

Order ID	CustomerName	Location	Orders Data
B-25601	Bharat	Ahmedabad, Gujarat	B-25601
B-25602	Pearl	Pune, Maharashtra	B-25602
B-25603	Jahan	Bhopal, Madhya Pradesh	B-25603
B-25604	Divsha	Jaipur, Rajasthan	B-25604
B-25605	Kasheen	Kolkata, West Bengal	B-25605
B-25606	Hazel	Bangalore, Karnataka	B-25606
B-25607	Sonakshi	Kashmir, Jammu and Kashmir	B-25607
B-25608	Aarushi	Chennai, Tamil Nadu	B-25608
B-25609	Jitesh	Lucknow, Uttar Pradesh	B-25609
B-25610	Yogesh	Patna, Bihar	B-25610
B-25611	Anita	Thiruvananthapuram, Kerala	B-25611
B-25612	Shrichand	Chandigarh, Punjab	B-25612
B-25613	Mukesh	Chandigarh, Haryana	B-25613
B-25614	Vandana	Simla, Himachal Pradesh	B-25614
B-25615	Bhavna	Gangtok, Sikkim	B-25615
B-25616	Kanak	Goa, Goa	B-25616
B-25617	Sagar	Kohima, Nagaland	B-25617
B-25618	Maniu	Hyderabad, Andhra Pradesh	B-25618

Query Settings: Name: List of Orders, All Properties, APPLIED STEPS: Source, Promoted Headers, Kept First Rows, Changed Type, Capitalized Each Word, Merged Columns, Merged Queries, Renamed Columns, Expanded Orders Data, Removed Blank Rows, Removed Duplicates.

Power Query Editor - Power QE Ass 3

Queries [3]: List of Orders, Order Details, Sales target

Table.Sort dialog: Order ID (100% Valid, 0% Error, 0% Empty)

Order ID	Order Date	CustomerName	Location	Orders Data
B-26100	31-03-2019			B-26100
B-26099	30-03-2019			B-26099
B-26098	29-03-2019			B-26098
B-26097	28-03-2019			B-26097
B-26096	28-03-2019			B-26096
B-26095	28-03-2019			B-26095
B-26094	27-03-2019			B-26094
B-26091	27-03-2019			B-26091
B-26092	27-03-2019			B-26092
B-26093	27-03-2019			B-26093
B-26090	27-03-2019			B-26090
B-26088	26-03-2019			B-26088
B-26086	26-03-2019			B-26086
B-26087	26-03-2019			B-26087
B-26085	26-03-2019			B-26085
B-26089	26-03-2019			B-26089
B-26084	25-03-2019			B-26084
B-26083	24-03-2019			B-26083

Query Settings: Name: List of Orders, All Properties, APPLIED STEPS: Source, Promoted Headers, Kept First Rows, Changed Type, Capitalized Each Word, Merged Columns, Merged Queries, Renamed Columns, Expanded Orders Data, Removed Blank Rows, Removed Duplicates, Sorted Rows.

Power Query Editor - Power QE Ass 3

Queries [3]: List of Orders, Order Details, Sales target

Table.SelectRows dialog: Location (100% Valid, 0% Error, 0% Empty)

Order ID	Order Date	CustomerName	Location	Orders Data
B-26081	22-03-2019	Aarushi	Chennai, Tamil Nadu	B-26081
B-26018	14-02-2019	Aarushi	Chennai, Tamil Nadu	B-26018
B-26008	09-02-2019	Kalyani	Chennai, Tamil Nadu	B-26008
B-25860	15-11-2018	Akhay	Chennai, Tamil Nadu	B-25860
B-25788	21-09-2018	Dinesh	Chennai, Tamil Nadu	B-25788
B-25716	11-07-2018	Surabhi	Chennai, Tamil Nadu	B-25716
B-25698	23-06-2018	Amisha	Chennai, Tamil Nadu	B-25698
B-25608	08-04-2018	Aarushi	Chennai, Tamil Nadu	B-25608

Query Settings: Name: List of Orders, All Properties, APPLIED STEPS: Source, Promoted Headers, Kept First Rows, Changed Type, Capitalized Each Word, Merged Columns, Merged Queries, Renamed Columns, Expanded Orders Data, Removed Blank Rows, Removed Duplicates, Sorted Rows, Filtered Rows.

9) Grouping and Aggregating Data:

Create a new duplicate order details add more grouping columns Order ID, Category, Sub-Category and sales target table aggregate the total target by month of Order Date.

Power Query Editor interface showing a table with columns: Order ID, Amount, Profit, Quantity, and Category. The table contains 18 rows of data. A context menu is open over the 'Order ID' column, showing options like 'Duplicate', 'Move To Group', and 'Advanced Editor'. The 'Advanced Editor' option is selected. The table data is as follows:

Order ID	Amount	Profit	Quantity	Category
5601	1,275.00	-1148	7	Furniture
5602	168.00	-111	2	Electronics
5603	1,355.00	-60	5	Clothing
5604	65.00	17	2	Clothing
5605	75.00	0	7	Clothing
5606	87.00	4	2	Clothing
5607	50.00	15	4	Clothing
5608	1,364.00	-1864	5	Furniture
5609	485.00	29	4	Electronics
5610	1,076.00	-38	4	Electronics
5611	160.00	-59	2	Clothing
5612	259.00	-55	2	Furniture
5613	1,603.00	0	9	Clothing
5614	494.00	54	4	Furniture
B-25615	68.00	20	5	Clothing
B-25616	42.00	12	5	Clothing
B-25617	305.00	-270	5	Electronics
B-25618	362.00	127	1	Furniture

Power Query Editor interface showing the 'Group By' dialog box. The dialog is set to 'Basic' mode. The 'Group by' column is 'Order ID' and the 'Operation' is 'Count Rows'. The 'New column name' is 'Order Count'. The background table is the same as in the previous screenshot.

Group By

Specify the column to group by and the desired output.

☒ Basic ☐ Advanced

Group by: Order ID

Operation: Count Rows

New column name: Order Count

OK Cancel

Power QE Ass 3

File Home Transform Add Column View Tools Help

Group By Transpose Data Type: Text Replace Values Unpivot Columns Merge Columns Split Column Format Parse Statistics Standard Scientific Trigonometry

Use First Row as Headers Count Rows Detect Data Type Fill Pivot Column Move Convert to List Extract Information Date Time Duration Run R Run Python script Scripts

Queries [6]

List of Orders
Order Details
Sales target
Count of order ID
Average Category
Total Sub-Category

Table

Sub-Category 1.2 Total Amount

Sub-Category	Total Amount
1 Bookcases	25800
2 Phones	11691
3 Trousers	7109
4 T-shirt	3205
5 Saree	17831
6 Shirt	2535
7 Leggings	851
8 Tables	3967
9 Electronic Games	11942
10 Printers	16822
11 Chairs	5724
12 Handkerchief	4362
13 Stole	7583
14 Skirt	822
15 Furnishings	4295
16 Accessories	9472
17 Kurti	1154

2 COLUMNS, 17 ROWS Column profiling based on top 1000 rows

Query Settings

PROPERTIES

Name
Total Sub-Category

APPLIED STEPS

Source
Promoted Headers
Changed Type
Removed Duplicates
Removed Blank Rows
Removed Errors
Removed Duplicates1
Changed Type1
Added Custom
Changed Type2
Added Conditional Column
Filtered Rows
Grouped Rows

OneDrive - Personal
Not signed in

PREVIEW DOWNLOADED AT 13:11

Power QE Ass 3

File Home Transform Add Column View Tools Help

Group By Transpose Data Type: Decimal Number Replace Values Unpivot Columns Merge Columns Split Column Format Parse Statistics Standard Scientific Trigonometry

Use First Row as Headers Count Rows Detect Data Type Fill Pivot Column Move Convert to List Extract Information Date Time Duration Run R Run Python script Scripts

Queries [7]

List of Orders
Order Details
Sales target
Count of order ID
Average Category
Total Sub-Category
Total Sales month target

Table

Month of Order Date 1.2 Total monthly target

Month of Order Date	Total monthly target
01-04-2018	31400
01-05-2018	31500
01-06-2018	31600
01-07-2018	33800
01-08-2018	33900
01-09-2018	34000
01-10-2018	36100
01-11-2018	36300
01-12-2018	36400
01-01-2019	43500
01-02-2019	43600
01-03-2019	43800

2 COLUMNS, 12 ROWS Column profiling based on top 1000 rows

Query Settings

PROPERTIES

Name
Total Sales month target

APPLIED STEPS

Source
Promoted Headers
Changed Type
Removed Errors
Removed Blank Rows
Grouped Rows

PREVIEW DOWNLOADED AT 13:16

10) Data Modeling:

Power QE Ass 3 • Last saved: Yesterday

File Home Help

Clipboard Get data from Excel workbook OneLake catalog SQL Server Data

Sub-Category
Total Amount

Sub-Category
Total Amount

Relationships

Order ID

Order Count

Order Count	Order ID
1	B-25601
1	B-25602
1	B-25603

To table
List of Orders

CustomerName	Location	Order Date	Order ID	Orders Data...	Orders Data...	Orders Data...
Divsha	Jaipur, Rajast...	03 April 2018	B-25604	Clothing	B-25604	17
Hazel	Bangalore, Ka...	06 April 2018	B-25606	Clothing	B-25606	4
Sonakshi	Kashmir, Jam...	06 April 2018	B-25607	Clothing	B-25607	15

Cardinality
One to one (1:1)

Cross-filter direction
Both

☒ Make this relationship active

☐ Assume referential integrity

Save Cancel

Sign in

Q&A Language Linguistic setup Q&A Sensitivity Public

Sales target

Category
Month of Order Date
Target

100%

Using Manage relationships:

The screenshot displays the 'Manage relationships' window in Power BI. The window lists the following relationships:

From: table (column) ↑	Relationship	To: table (column)	Status
List of Orders (Orders Data.Su...)	*	Order Details (Order ID)	Active
Order Details (Category)	*	Category (Category)	Active
Order Details (Sub-Category)	*	Sub-Category (Sub-Category)	Active
Order ID (Order ID)	1	List of Orders (Order ID)	Active
Sales target (Category)	*	Category (Category)	Active

The background shows a table named 'Total Sales month target' with columns for 'Month of Order Date' and 'Total Sales'. The table contains data for various months from April 2018 to March 2019.

Established relationships between list of orders and order details using order ID, and between order details and sales target using category. Verified active relationships in manage relationships.