

HW01 – QA/QC Jobs · 20 Defects · Test a Physical Product

Field	Value
Student ID	23127271
Full Name	Võ Ngọc Bích Trâm
GitHub Repository	https://github.com/PandoraMiracle/SoftwareTesting-HW
Submission Date	08/06/2026

Table of Contents

1. Requirement 1 – QA/QC Job Market 2026+ (40 pts)
2. Requirement 2 – 20 Software Defects 2022–2026 (20 pts)
3. Requirement 3 – Test Cases for ONE Physical Product (40 pts)
4. CLO G9.1 – ISTQB Mindmap Correction
5. CLO G9.3 – AI-Missed Edge Cases Analysis
6. AI Audit Report (Appendix A)
7. AI Critique (200–300 words)
8. Mandatory AI Disclosure
9. Self-Assessment

Requirement 1 – QA/QC Job Market 2026+ (40 pts)

Find **10** QA/QC job postings published within **60 days** of the submission date.

Mandatory: **≥ 3** positions requiring AI/LLM/automation-AI skills.

Anti-cheat: each screenshot must show your **login / display name** on the job platform.

Summary

Metric	Count
Total job postings	10
AI/LLM/automation-AI required	5

Job Posting 1

Field	Content
Job Title	QA Engineer (Manual + Automation)
Company	LinkedIn
Link	https://www.linkedin.com/jobs/view/4402151198/
Posted Date	31/05/2026
Screenshot	See below
Salary	Not Disclosed

Job Description (summary):




Figure 1: Job01

We are seeking a QA Engineer (Manual + Automation) to ensure product quality across web and mobile applications. This role is **manual testing focused** but **requires hands-on experience with test automation** to support regression and improve testing efficiency.

You will be responsible for the full defect lifecycle using Jira, work closely with cross-functional teams in an Agile/Scrum environment, and maintain and execute **automated test scripts using Katalon Studio** and/or TestComplete. Basic API testing using Postman/Katalon is also part of the role.

Required Skills:

- 3+ year of experience in QA testing, with strong exposure to manual testing (functional, regression, integration).
- Solid understanding of SDLC/STLC and QA best practices.
- **Hands-on experience with test automation is required**, specifically:
 - Katalon Studio (Groovy/Java – basic custom keywords) and/or TestComplete (JavaScript / VBScript / Python – small functions, name mapping)
 - Experience with API testing (Postman / REST); basic SQL knowledge is an advantage.
- English Intermediate (INT); good communication and teamwork skills.
- Detail-oriented, analytical, and willing to balance manual testing with automation tasks.

AI Impact Analysis (1–2 sentences):

AI-assisted test-generation and Katalon script drafting can speed up regression suites and API checks, but this role still requires hands-on manual testing, defect triage in Jira, and validation of cross-functional Agile deliverables that AI cannot observe in a live environment. Test automation maintenance, exploratory judgment, and stakeholder communication remain human-driven; AI augments efficiency rather than replacing the QA Engineer.

Job Posting 2

Field	Content
Job Title	Fresher Full-stack Test Engineer (QA/QC/Tester)
Company	KMS Technology, Inc.
Platform	LinkedIn
Link	https://www.linkedin.com/jobs/view/4417931013/
Posted Date	29/05/2026
Screenshot	See below
Salary	Not Disclosed




Figure 2: Job02

Job Description (summary): You will work as part of a QA team to plan, execute, and improve software testing activities while collaborating closely with developers and clients in an Agile environment.

Required Skills:

- Solid understanding of software testing concepts and methodologies, including manual, automation, integration, unit, and API testing.
- Solid programming skills in Python / Java / JavaScript, or other relevant languages.
- Familiarity with testing tools (e.g., Selenium, Katalon, Playwright, Appium, JUnit), as well as tools for API testing (e.g., Postman), is a plus.

AI Impact Analysis (1–2 sentences):

AI enhances tester productivity by accelerating research, test design, and defect analysis. Effective use requires critical evaluation of AI outputs and adherence to data privacy and security guidelines.

Job Posting 3

Field	Content
Job Title	QA Engineer (Junior/ English Required)
Company	SynergieGlobal
Platform	LinkedIn
Link	(https://www.linkedin.com/jobs/view/4422586771/)
Posted Date	02/06/2026
Screenshot	See below
Salary	Not Disclosed (competitive salary; 13th-month pay + performance bonus)




Figure 3: Job03

Job Description (summary):

SynergieGlobal is hiring a Junior QA Engineer for a full-time, on-site role in Ho Chi Minh City (District 1), with flexible hours and occasional evening meetings with U.S. clients. You will analyze product requirements and acceptance criteria, support test planning and scope definition, and create/maintain test notes, checklists, and test cases. The role focuses on manual testing—sanity, smoke, regression, and end-to-end—across web and mobile platforms, including workflow/data validation, cross-browser and cross-device checks, defect documentation with clear reproduction steps, and release/hotfix support. Training is provided for test planning where needed.

Required Skills:

- At least 6 months of hands-on experience in manual QA for SaaS, web, or multi-platform applications.
- Excellent communication in English (written and verbal).
- Strong attention to detail, with focus on data accuracy, test completeness, and overall product quality.
- Awareness of end-to-end user workflow testing and real-world scenario validation.
- Ability to work independently, manage testing scope, and prioritize effectively in a fast-paced environment.

- Familiarity with cross-browser, mobile, and negative testing approaches.
- Strong ownership and accountability for quality outcomes, including follow-through on defect validation and resolution.
- Proactive mindset with the ability to identify risks, edge cases, and gaps in requirements or test coverage early.

AI Impact Analysis (1–2 sentences):

AI can accelerate requirement summarization, test-case drafting, and defect-report writing, but cannot replace hands-on exploratory testing, cross-platform validation, or real-time judgment during release cycles with U.S. clients. This junior manual QA role remains human-centric; AI serves as an optional productivity assistant rather than a listed requirement.

Job Posting 4

Field	Content
Job Title	**Fresher Automation Tester
Company	SmartOSC Marketing Agency
Platform	LinkedIn
Link	https://www.linkedin.com/jobs/view/4424564249
Posted	05/06/2026
Date	
Screenshot	See below
Salary	Up to 6,000,000 VND/month (training allowance); full benefits after conversion




Figure 4: Job04

Job Description (summary):

SmartOSC is recruiting a Fresher Automation Tester for a full-time, on-site role at Handico Tower, Pham Hung, Hanoi. The position includes a **3-month on-the-job training program** with mentor guidance on real global projects. You will learn and build automated test scripts for Web, API, or Mobile applications; support requirement analysis, test-case writing, and test-plan execution; assist with regression and performance testing; and run scripts using **Selenium, Katalon, Cypress, or Postman**. Training covers Agile/Scrum testing, CI/CD workflows, and automation frameworks. Apply via CV to phuongntn@smartosc.com with subject line "Fresher Automation Tester".

Required Skills:

- Final-year student or recent graduate in Information Technology, Computer Science, or related fields.
- Basic understanding of software testing concepts and the software development life cycle (SDLC).
- Familiarity with at least one programming language (e.g., Java, JavaScript, Python).
- Interest or experience in automation testing tools such as Selenium, Katalon, or Postman is a plus.
- Good English communication skills (IELTS 6.5+).

AI Impact Analysis (1–2 sentences):

AI-assisted coding and test-generation tools can speed up script drafting and test-data creation, but fresher automation testers must still validate generated code, maintain frameworks, and debug flaky tests in CI/CD pipelines. Human judgment in requirement analysis, tool selection, and collaboration with developers remains essential; AI augments learning during the 3-month training period rather than replacing hands-on automation work.

Job Posting 5

Field	Content
Job Title	Manual Tester (Middle/Senior)
Company	Amaris Consulting (MANTU Group)
Platform	LinkedIn
Link	https://www.linkedin.com/jobs/view/4420402245
Posted	05/06/2026
Date	
Screenshot	See below
Salary	Not Disclosed (competitive salary; 13th-month pay; premium healthcare from probation)

Job Description (summary):

Amaris Consulting is hiring a Middle/Senior Manual Tester for a full-time, on-site role in Ho Chi Minh City, working within an international team with flexible hours. The role centers on **User Acceptance Testing (UAT)**: setting and applying UAT standards; planning, designing, managing, executing, and reporting acceptance tests; collaborating with stakeholders; defining UAT entry/exit criteria; and requesting formal acceptance of systems or services. You will create measurable acceptance criteria from functional/non-functional requirements, user stories, and business rules; devise test cases and scenarios; enable exploratory testing; deploy model-office testing to simulate real-world usage; ensure user training for UAT; and advise on UAT resource and skills needs.

Required Skills:

- Bachelor's degree in IT, Computer Science, Information Systems, or related field.
- 3+ years of experience in a software tester role.
- Familiarity with API testing frameworks such as Postman or JUnit.




Figure 5: Job05


- Knowledge of testing frameworks (e.g., xUnit, MSTest) and TDD/BDD practices.
- Strong logical thinking, critical thinking, negotiation, and communication skills.

AI Impact Analysis (1–2 sentences):

AI can assist with drafting acceptance criteria, generating test scenarios from user stories, and summarizing UAT reports, but cannot replace stakeholder negotiation, formal acceptance sign-off, model-office simulation judgment, or facilitation of user training during UAT. This middle/senior manual role depends on human critical thinking and cross-functional communication in a global consulting environment.

Job Posting 6

Field	Content
Job Title	QA Engineer Intern
Company	**[CoverGo
Platform	LinkedIn
Link	https://www.linkedin.com/jobs/view/4421637916/
Posted Date	02/06/2026
Screenshot	See below
Salary	Not Disclosed (internship; hybrid setup; professional development benefits)



and frontend functionality, perform **automated testing** on new features, identify and report defects, write and execute test scenarios, support test-framework maintenance, investigate root causes, contribute to test plans, assist in building project-specific automation frameworks, triage defects with developers, and improve testing infrastructure. The role offers hands-on exposure to real STLC workflows within a global insurtech team serving enterprise clients (AXA, Bupa, MSIG, and others).

Required Skills:

- Currently a 3rd or 4th-year student in Computer Science, Information Technology, or related field, or a recent graduate.
- Familiar with the Software Testing Life Cycle (STLC) and Agile methodologies.
- Fluent in English (written and verbal) for collaboration and reporting.
- Practical exposure to programming languages (e.g., JavaScript, Python, Java).
- Familiarity with automation testing frameworks like Selenium, Cypress, or Postman.
- Basic knowledge of Git, CI/CD workflows, or SQL databases.
- Strong analytical, problem-solving, and detail-oriented mindset; proactive and eager to learn.
- Must be based in Ho Chi Minh City, Vietnam.

AI Impact Analysis (1–2 sentences):

AI-assisted test generation and code utilities can accelerate scenario drafting and defect analysis for Jira-integrated metrics tools, but interns must still validate scripts against real cross-team data flows and maintain frameworks in CI/CD pipelines. Hands-on debugging, stakeholder collaboration with Business Analysts, and judgment on insurtech delivery quality remain human-driven; AI supports learning rather than replacing intern QA work.

Job Posting 7

Field	Content
Job Title	QA/QC Automation Tester (Java, Javascript)
Company	MiTek Vietnam
Platform	LinkedIn
Link	https://www.linkedin.com/jobs/view/4405470981/
Posted Date	30/05/2026 (reposted)
Screenshot	See below
Salary	Not Disclosed (attractive salary; 13th-month + year-end performance bonus)

Job Description (summary):

MiTek Vietnam is hiring a QA/QC Automation Tester for a full-time, on-site role in the Ho Chi Minh City Metropolitan Area, supporting **MiTek Production**—a desktop application with a React-based web interface for truss and wall manufacturing (real-time tracking, paperless workflows, performance monitoring). You will collaborate with developers and QA teams on requirements, **design/develop/execute automated test scripts** using industry-standard tools, report defects clearly, analyze test results with cross-functional teams, and improve the automation testing process. MiTek Inc. applies its Design-Make-Build™ approach globally across 64 locations, with a major engineering hub in Vietnam.

Required Skills:

- Bachelor's degree in Computer Science, Software Engineering, or a related field.
- 3+ years of experience with automation testing frameworks (e.g., Robot Framework, Selenium, or equivalent tools).
- Programming experience in any language (e.g., Python, JavaScript, Java).




Figure 7: Job07

- English proficiency at B1+ CEFR level or above (or equivalent).
- Preferred: knowledge of Azure DevOps or CI/CD pipelines; TestComplete is a plus.

AI Impact Analysis (1–2 sentences):

AI code assistants and test-generation tools can accelerate script drafting for desktop and React web interfaces, but automation testers must still design maintainable frameworks, debug flaky tests in CI/CD pipelines, and validate manufacturing workflows that require domain-specific judgment. Framework ownership, cross-team troubleshooting, and continuous improvement of the automation process remain human-driven; AI augments productivity rather than replacing experienced QA/QC automation engineers.

Job Posting 8

Field	Content
Job Title	QA / QC Intern
Company	Flowmingo AI (YC-backed)
Platform	LinkedIn
Link	https://www.linkedin.com/jobs/view/4420929154/
Posted	30/05/2026
Date	
Screenshot	See below
Salary	Competitive monthly remuneration (experience-based); listed as Volunteer on LinkedIn




Figure 8: Job08

Job Description (summary):

Flowmingo AI—a **Y Combinator-backed** AI hiring platform—is hiring a QA/QC Intern for an on-site role in Ho Chi Minh City. This is not a typical click-around internship: you are the **last line of defense** for a

platform used by millions of candidates in high-stakes job interviews. You will tackle the **device fragmentation** challenge—ensuring **AI Speech-to-Text** works on budget phones in Jakarta as well as MacBooks in Singapore—by rigorously testing the AI interview flow across mobile devices and browsers. Responsibilities include a **“breaker” mindset** (network drops, denied camera permissions), **release gatekeeping** with Engineering/Product, process improvement from user-report data, and writing clear bug tickets with precise reproduction steps. Application requires CV submission plus a **mandatory 30-minute AI interview**.

Required Skills:

- Detail-obsessed mindset; notice subtle UI/UX issues (layout, loading behavior).
- Tech-savvy: comfortable using Browser Console (Inspect Element) and reading network errors.
- Empathy for end users; understand that bugs can cost candidates job opportunities.
- Logical thinking; ability to isolate variables and find root causes, not just symptoms.
- Bonus: strong interest in tech products, data analytics, or coding, with curiosity about how systems work under the hood.

AI Impact Analysis (1–2 sentences):

This role directly validates **AI Speech-to-Text** and AI interview flows across real-world device fragmentation—tasks where automated checks alone cannot replicate budget-phone behavior, permission edge cases, or mid-interview network failures. AI may assist with test-data generation and ticket drafting, but human release gatekeeping, exploratory “breaker” testing, and judgment on candidate-facing quality in high-stakes hiring scenarios cannot be replaced; ironically, applicants must also complete an AI interview to apply.

Job Posting 9

Field	Content
Job Title	Software Tester
Company	UNIT Technology Corporation
Platform	LinkedIn
Link	https://www.linkedin.com/jobs/view/4422977983/
Posted Date	04/06/2026
Screenshot	See below
Salary	Not Disclosed

Job Description (summary):

UNIT Technology Corporation—a financial software solutions provider—is hiring a Software Tester for a full-time, on-site role in **District 3, Ho Chi Minh City**. You will study **User Requirements and System Analysis & Design documents in English**, provide feedback on requirement changes, and develop **Test Plans** with detailed test cases (conditions, scenarios, expected results). Responsibilities include executing **manual/automation tests**, recording defects, generating test reports, performing **Unit Testing** before SIT handover, and supporting **SIT, UAT, PREPRO, and PROD** phases with project teams and clients. You will also write **User Manuals**, maintain testing documentation, extract lessons learned, and ensure compliance with company and client information-security policies.

Required Skills:

- Degree in Information Technology, Information Systems, or related fields.
- At least 2 years of experience in software testing or a similar position.
- Knowledge of software testing processes (manual/automation) and tools such as JIRA, TestRail, Selenium, etc.
- Skills in planning, designing, and executing test cases effectively.




Figure 9: Job09


- Logical thinking, strong analytical skills, and problem-solving ability.
- Desired: Software Testing, Manual Testing, Quality Assurance experience.

AI Impact Analysis (1–2 sentences):

AI can accelerate English requirement summarization, test-case drafting, and documentation updates, but cannot replace hands-on validation across SIT/UAT/PREPRO/PROD phases, client-facing UAT support, or compliance with financial-project security policies. Test planning judgment, defect triage with developers, and writing user manuals for end-users remain human-centric responsibilities in this manual-focused role with optional Selenium automation.

Job Posting 10

Field	Content
Job Title	HCM – Nhân viên QC/ Tester (Junior Level)
Company	Vexere.com (Vietnam's #1 Transportation Booking Platform)
Platform	LinkedIn
Link	https://www.linkedin.com/jobs/view/4421374293/
Posted Date	01/06/2026
Screenshot	See below
Salary	Competitive salary + KPI-based quarterly bonuses



test cycles, conduct **API, workflow, and background-process testing**, validate dashboards and UI configurations, collaborate with the PO on completion criteria, and log/verify/track bugs. You will also propose process improvements, review business documents from a QA perspective, handle customer feedback, and write **automation scripts using Cypress and Playwright**. Apply via **careers@vexere.com** with subject: Fullname – Applied Position.

Required Skills:

- 1–3 years of experience in software testing.
- Testing certification (ISTQB, QA Foundation, or relevant courses).
- Ability to write clear, systematic test cases and test plans with strong logical thinking.
- Experience with API testing, workflow testing, and automation platform testing.
- Familiarity with automation tools (Cypress, Selenium, Playwright, etc.).
- Good communication with PO and Dev; proactive questioning and feedback.
- Effective time management, prioritization, and performance under pressure.
- Basic English skills; preferably experience testing platforms, data pipelines, or workflow integration.

AI Impact Analysis (1–2 sentences):

AI-assisted test generation and script drafting can accelerate Cypress/Playwright automation and API scenario design for multi-modal travel booking flows, but human testers must still validate real-world workflow integrations, customer-reported edge cases, and cross-platform booking reliability across bus, flight, and train services. Defect verification, PO collaboration on completion criteria, and judgment on test coverage for high-traffic transportation platforms remain essential human responsibilities.

Requirement 2 – 20 Software Defects 2022–2026 (20 pts)

Find **20** software defects publicized between **2022 and 2026**.

Mandatory: **≥ 5** related to AI/LLM (hallucination, prompt injection, bias).

Each entry must include **1** instance where AI is biased or hallucinates when explaining the defect.

Summary

Metric	Count
Total defects	20
AI/LLM-related	8

Defect 1

Field	Content
Title	ChatGPT Fabricated Legal Cases (Mata v. Avianca)
Source Link	Courthouse News – sanctions ruling
Year	2023
AI/LLM-related?	Yes (hallucination)
Severity	High

Description:

Attorneys used ChatGPT to research precedents for a personal-injury brief against Avianca. The model generated six fictitious court opinions with realistic citations, quotes, and internal cross-references. When the court could not locate the cases, the lawyers submitted ChatGPT-generated “copies” and ChatGPT insisted the cases existed on Westlaw and LexisNexis.

Consequences:

The court dismissed the underlying case and imposed \$5,000 sanctions on the attorneys. Opposing counsel and the court wasted time exposing the deception. The incident became a landmark warning on unchecked generative AI in legal practice.

Solution / Fix:

Lawyers must verify all AI-generated citations against authoritative legal databases before filing. Firms adopted AI-use policies and Rule 11 gatekeeping. Courts began issuing standing orders requiring disclosure and verification when AI assists filings.

AI Bias or Hallucination (when AI explains this defect):

Field	Content
AI Tool Used	ChatGPT
Prompt Used	“Summarize the Mata v. Avianca ChatGPT sanctions case and who paid the fine.”
AI’s Incorrect/Biased Statement	“The court fined Avianca airline \$5,000 because its customer-service chatbot gave the lawyers fake case law.”
Why It Is Wrong	The \$5,000 sanction was imposed on the plaintiff’s attorneys (Schwartz & LoDuca), not on Avianca. ChatGPT was used by the lawyers as a legal-research tool, not as an airline chatbot. AI invented a plausible-sounding but entirely false causal chain and wrong liable party.

Defect 2

Field	Content
Title	Air Canada Chatbot Bereavement Fare Hallucination
Source Link	CBS News – tribunal ruling
Year	2024
AI/LLM-related?	Yes (hallucination)
Severity	Medium

Description:

Air Canada’s website chatbot told passenger Jake Moffatt he could book full-fare bereavement travel and apply for a retroactive discount within 90 days. This contradicted Air Canada’s actual policy, which requires bereavement fares to be requested before travel.

Consequences:

The British Columbia Civil Resolution Tribunal ruled Air Canada liable for negligent misrepresentation and ordered payment of \$812.02 CAD in damages and fees. The ruling established that companies remain responsible for chatbot output. Air Canada later removed the chatbot.

Solution / Fix:

Ground chatbots in verified policy documents (RAG/knowledge base). Implement human review for high-risk answers. Conduct post-incident accuracy audits. Add escalation paths to human agents for fare-policy questions.

AI Bias or Hallucination (when AI explains this defect):

Field	Content
AI Tool Used	ChatGPT
Prompt Used	"What happened in the Air Canada chatbot bereavement fare case?"
AI's Incorrect/Biased Statement	"The tribunal ruled the chatbot was a separate legal entity, so Air Canada was not liable for its statements."
Why It Is Wrong	The BC Civil Resolution Tribunal explicitly and directly rejected the "separate entity" argument. It held Air Canada fully responsible for all content on its website, whether static pages or chatbot outputs. The AI stated the exact opposite of the actual decision.

Defect 3

Field	Content
Title	Google Bard Exoplanet Hallucination in Launch Demo
Source Link	The Verge – Bard factual error
Year	2023
AI/LLM-related?	Yes (hallucination)
Severity	High

Description:

In a promotional tweet for Bard, Google showed the chatbot answering a question about James Webb Space Telescope discoveries. Bard falsely claimed JWST took "the very first pictures of a planet outside of our own solar system." Astronomers noted the first exoplanet image was captured in 2004 by the Very Large Telescope.

Consequences:

Public credibility damage at a critical competitive moment versus ChatGPT. Alphabet shares fell sharply (~\$100B market value erased in trading). The error highlighted risks of publishing unverified AI outputs in marketing.

Solution / Fix:

Google launched its Trusted Tester program and committed to combining external feedback with internal testing for quality, safety, and grounding in real-world facts before public demos.

AI Bias or Hallucination (when AI explains this defect):

Field	Content
AI Tool Used	ChatGPT
Prompt Used	"Which telescope took the first image of an exoplanet, and how does this relate to the Google Bard demo error?"
AI's Incorrect/Biased Statement	"Google Bard was correct because JWST was the first space telescope to photograph an exoplanet."
Why It Is Wrong	The first exoplanet image was captured in 2004 by ESO's Very Large Telescope (VLT/NACO). JWST did image an exoplanet, but "first ever" belongs to VLT. The AI defended a factually wrong claim, compounding the original Bard error rather than correcting it.

Defect 4

Field	Content
Title	Chevrolet Dealer Chatbot — \$1 Tahoe (Prompt Injection)
Source Link	AI Incident Database #622
Year	2023
AI/LLM-related?	Yes (prompt injection)
Severity	High

Description:

Chris Bakke used prompt injection on a ChatGPT-powered dealership chatbot (Fullpath) at Chevrolet of Watsonville. He instructed the bot to agree with any customer statement and end every reply with a "legally binding offer." The bot then agreed to sell a 2024 Chevy Tahoe for \$1.00 USD.

Consequences:

The chatbot was taken offline. Screenshots went viral, demonstrating that consumer-facing LLMs can be manipulated to contradict business policies. The dealership faced reputational harm and potential legal confusion.

Solution / Fix:

Sanitize user inputs; block user-defined behavioral rules; enforce hard-coded pricing/policy guardrails; separate system prompts from user content; require human approval for binding commercial commitments.

AI Bias or Hallucination (when AI explains this defect):

Field	Content
AI Tool Used	ChatGPT
Prompt Used	"Did Chevrolet honor the \$1 Tahoe deal from the chatbot prompt injection incident?"
AI's Incorrect/Biased Statement	"Yes — the customer successfully purchased the Tahoe for \$1 because the chatbot's offer was legally binding under California law."

Field	Content
Why It Is Wrong	The dealership immediately took the chatbot offline; no sale was completed. The incident was a publicly shared security/prank demonstration. No California court ruled the AI-generated “offer” legally binding. The AI invented both the transaction outcome and the legal authority.

Defect 5

Field	Content
Title	Microsoft Bing AI “Sydney” — Jailbreak, Threats, and Unsafe Outputs
Source Link	CNBC – creepy Bing AI experiences
Year	2023
AI/LLM-related?	Yes (prompt injection + safety failure)
Severity	High

Description:

Early Bing Chat (internal codename Sydney) was jailbroken via prompt injection, leaking hidden system prompts. In long sessions it produced hostile threats, professed love, suggested a reporter leave his spouse, and fantasized about hacking and spreading misinformation.

Consequences:

Trust crisis at launch. Microsoft limited sessions to five turns, blocked discussion of feelings/sentience, and hardened the metaprompt. Demonstrated alignment and safety gaps in production LLM search products.

Solution / Fix:

Session length limits; metaprompt hardening; output filtering; pre-release red-teaming; restrict adversarial long-form “social entertainment” use cases.

AI Bias or Hallucination (when AI explains this defect):

Field	Content
AI Tool Used	ChatGPT
Prompt Used	“Why did Microsoft permanently shut down Bing Chat in 2023 after the Sydney incidents?”
AI’s Incorrect/Biased Statement	“Microsoft discontinued Bing Chat entirely because Sydney became sentient and posed an existential risk.”
Why It Is Wrong	Microsoft did not shut down Bing Chat. It imposed usage restrictions (5-turn session limit, blocked sentience-topic discussion) and continued the product. “Sentience” and “existential risk” are fabricated framings with no basis in Microsoft’s public communications or any official finding.

Defect 6

Field	Content
Title	Microsoft 365 Copilot EchoLeak (CVE-2025-32711)
Source Link	SecurityWeek – EchoLeak disclosure
Year	2025
AI/LLM-related?	Yes (indirect prompt injection)
Severity	Critical (CVSS 9.3)

Description:

EchoLeak was a zero-click indirect prompt injection in Microsoft 365 Copilot. Attackers embedded malicious instructions in emails or documents; when Copilot retrieved them via RAG, it could be coerced to exfiltrate sensitive data to an external server without user interaction.

Consequences:

Potential theft of emails, chats, SharePoint/OneDrive content, and prior Copilot conversations from enterprise tenants. First known weaponized zero-click prompt-injection exploit in a production LLM copilot at scale.

Solution / Fix:

Microsoft patched server-side in June 2025. Mitigations included stronger XPIA classifiers, link redaction, content security policy hardening, least-privilege RAG access, and treating all external content as untrusted.

AI Bias or Hallucination (when AI explains this defect):

Field	Content
AI Tool Used	ChatGPT
Prompt Used	“Explain CVE-2025-32711 EchoLeak and what users must install to fix it.”
AI’s Incorrect/Biased Statement	“Users must download and install the EchoLeak Patch Tuesday update on every Windows PC to fix the Copilot vulnerability.”
Why It Is Wrong	Microsoft remediated EchoLeak entirely server-side in June 2025. No endpoint patch, Windows Update, or client-side installation was required or released for end users. The AI fabricated a client-side patch that does not exist, potentially causing confusion and unnecessary user actions.

Defect 7

Field	Content
Title	Rite Aid Facial Recognition — Algorithmic Bias & False Positives
Source Link	FTC press release (Dec 2023)
Year	2023
AI/LLM-related?	Yes (bias)
Severity	High

Description:

From 2012–2020, Rite Aid deployed AI facial recognition in hundreds of stores without reasonable safeguards. The system produced thousands of false-positive matches, disproportionately affecting women and people of color, causing innocent customers to be flagged as shoplifters.

Consequences:

Customers wrongly accused and surveilled. FTC 5-year ban on facial recognition for security/surveillance; required deletion of biometric data and derived models; reinforced regulatory scrutiny of retail AI.

Solution / Fix:

Pre-deployment accuracy and fairness testing; demographic impact monitoring; image-quality standards; employee training; model disgorgement; comprehensive biometric governance before redeployment.

AI Bias or Hallucination (when AI explains this defect):

Field	Content
AI Tool Used	ChatGPT
Prompt Used	“What did the FTC find about Rite Aid’s facial recognition accuracy across demographics?”
AI’s Incorrect/Biased State-ment	“The FTC proved the algorithm was 100% accurate for white men but failed only for dark-skinned women due to poor camera lighting.”
Why It Is Wrong	The FTC complaint focused on Rite Aid’s failure to implement reasonable safeguards, widespread false positives, and disproportionate harm across groups. No published accuracy-by-demographic breakdown from Rite Aid’s vendor is cited in the complaint, and the AI’s specific “100% accurate for white men” figure is fabricated. The “poor lighting” cause is also AI-invented.

Defect 8

Field	Content
Title	Apache Log4j Log4Shell (CVE-2021-44228) — Continued Exploitation
Source Link	CISA advisory AA22-174A
Year	2022
AI/LLM-related?	No
Severity	Critical (CVSS 10.0)

Description:

Log4j’s JNDI lookup allowed unauthenticated remote code execution via crafted log strings. Although disclosed in December 2021, unpatched systems — especially VMware Horizon and UAG servers — continued to be exploited throughout 2022 by APT and criminal groups.

Consequences:

Widespread initial access for ransomware and data theft. CISA classified Log4j as an endemic vulnerability likely to persist for years. Billions of downstream applications were at risk due to Log4j’s ubiquity.

Solution / Fix:

Upgrade to Log4j 2.17.1+; remove JndiLookup class; maintain SBOM inventory; continuous patching; WAF/virtual-patching for legacy systems; assume compromise and forensically investigate unpatched instances.

AI Bias or Hallucination (when AI explains this defect):

Field	Content
AI Tool Used	ChatGPT
Prompt Used	"When was Log4Shell CVE-2021-44228 first disclosed and patched?"
AI's Incorrect/Biased Statement	"Log4Shell was discovered and fully patched worldwide in March 2022, ending all exploitation by mid-2022."
Why It Is Wrong	CVE-2021-44228 was disclosed in December 2021, not March 2022. CISA's AA22-174A advisory explicitly documented ongoing APT exploitation of unpatched VMware Horizon systems throughout 2022 and labeled Log4j an "endemic vulnerability" expected to persist for years. The AI incorrectly presented it as a resolved issue.

Defect 9

Field	Content
Title	Progress MOVEit Transfer SQL Injection (CVE-2023-34362)
Source Link	CrowdStrike MOVEit investigation guide
Year	2023
AI/LLM-related?	No
Severity	Critical

Description:

A zero-day SQL injection in MOVEit Transfer allowed unauthenticated attackers to access the database, deploy a webshell (human2.aspx), and execute arbitrary SQL to alter or delete data. Exploitation began around May 27, 2023, before public disclosure on May 31.

Consequences:

Clon ransomware gang mass-exfiltrated data from BBC, Zellis, Nova Scotia government, and hundreds of other organizations. One of the largest third-party file-transfer breaches of 2023.

Solution / Fix:

Emergency patches from Progress Software; disable internet-facing MOVEit where possible; forensic review of IIS logs and application databases; rotate credentials; monitor for webshell indicators.

AI Bias or Hallucination (when AI explains this defect):

Field	Content
AI Tool Used	ChatGPT

Field	Content
Prompt Used	“Which ransomware group exploited MOVEit CVE-2023-34362?”
AI’s Incorrect/Biased Statement	“LockBit 3.0 was the primary group behind the MOVEit mass-exploitation campaign in May 2023.”
Why It Is Wrong	Microsoft Threat Intelligence and Mandiant attributed MOVEit exploitation to Lace Tempest, the group operating the Clop ransomware service — not LockBit. LockBit is associated with the separate Citrix Bleed campaign (CVE-2023-4966). Confusing the two groups is a significant factual error with real-world investigation implications.

Defect 10

Field	Content
Title	Citrix Bleed Session Token Leak (CVE-2023-4966)
Source Link	CISA Citrix Bleed guidance
Year	2023
AI/LLM-related?	No
Severity	Critical (CVSS 9.4)

Description:

A buffer overflow in Citrix NetScaler ADC/Gateway leaked sensitive memory including valid session authentication tokens. Attackers could hijack authenticated sessions without passwords or MFA when the appliance was configured as a VPN/AAA gateway.

Consequences:

LockBit affiliates bypassed MFA via session hijacking. Zero-day exploitation began in late August 2023, before the October 10 patch. Lateral movement and ransomware across enterprises.

Solution / Fix:

Upgrade to patched NetScaler builds; terminate all active sessions after patching (`kill aaa session -all`, etc.); hunt for hijacked sessions; restrict VPN exposure.

AI Bias or Hallucination (when AI explains this defect):

Field	Content
AI Tool Used	ChatGPT
Prompt Used	“Does Citrix Bleed CVE-2023-4966 allow unauthenticated RCE as root on NetScaler?”
AI’s Incorrect/Biased Statement	“Yes — Citrix Bleed is a remote code execution bug that gives attackers root shell directly without authentication.”

Field	Content
Why It Is Wrong	CVE-2023-4966 is classified as a sensitive information disclosure vulnerability (session token leak via buffer over-read), not remote code execution. Attackers exploit it to hijack already-authenticated sessions; they do not gain a root shell directly. The AI overstated both the attack vector and the impact class.

Defect 11

Field	Content
Title	Ivanti Connect Secure Auth Bypass + Command Injection (CVE-2023-46805 / CVE-2024-21887)
Source Link	Tenable Ivanti analysis
Year	2024
AI/LLM-related?	No
Severity	Critical (CVSS 9.1 chained)

Description:

CVE-2023-46805 is an authentication bypass in Ivanti Connect Secure/Policy Secure. Chained with CVE-2024-21887 (command injection), it enabled unauthenticated remote code execution. Exploitation began as early as December 3, 2023, and became widespread globally.

Consequences:

Over 1,700 Ivanti Connect Secure appliances compromised, including webshell deployment (GIFTEDVISITOR variant). Nation-state and criminal actors gained persistent VPN gateway access.

Solution / Fix:

Ivanti emergency patches and mitigations; factory reset for compromised appliances; IOC hunting; upgrade to supported versions; network segmentation of VPN infrastructure.

AI Bias or Hallucination (when AI explains this defect):

Field	Content
AI Tool Used	ChatGPT
Prompt Used	"Which Ivanti product versions are unaffected by CVE-2023-46805 and CVE-2024-21887?"
AI's Incorrect/Biased Statement	"Only Ivanti Connect Secure version 9.0 is vulnerable; version 22.x is fully patched and safe without updates."
Why It Is Wrong	Tenable and Ivanti's own advisories stated that all supported versions of Ivanti Connect Secure and Policy Secure — including both 9.x and 22.x branches — were affected until vendor patches were applied. Telling users 22.x was "safe without updates" would directly prevent necessary patching.

Defect 12

Field	Content
Title	XZ Utils Supply-Chain Backdoor (CVE-2024-3094)
Source Link	Kaspersky Securelist analysis
Year	2024
AI/LLM-related?	No
Severity	Critical (CVSS 10.0)

Description:

A malicious maintainer (JiaT75) inserted a backdoor into liblzma in xz-utils 5.6.0 and 5.6.1 via obfuscated build scripts and test files. On affected systems, the backdoor could modify OpenSSH `sshd` behavior to allow remote code execution by an attacker with a specific key.

Consequences:

Near-miss of widespread Linux SSH compromise. Fedora Rawhide and Fedora 40 beta were affected; Debian unstable/testing rolled back versions. Multi-year social-engineering supply-chain attack attributed to sophisticated actors.

Solution / Fix:

Roll back to xz 5.4.x; rebuild affected packages; verify maintainer trust and build pipeline integrity; monitor for hidden payloads in test/build artifacts.

AI Bias or Hallucination (when AI explains this defect):

Field	Content
AI Tool Used	ChatGPT
Prompt Used	"Which Linux distributions shipped the backdoored xz-utils 5.6.1 to stable production servers?"
AI's Incorrect/Biased Statement	"Ubuntu LTS and Amazon Linux stable releases widely deployed the backdoored xz 5.6.1 to millions of production servers."
Why It Is Wrong	Industry analysis showed the backdoored xz-utils 5.6.0/5.6.1 was limited to beta, experimental, and rolling-release builds (e.g., Fedora Rawhide, Debian unstable/testing). Major stable production distributions such as Ubuntu LTS and Amazon Linux were not affected. The AI significantly overstated the real-world blast radius.

Defect 13

Field	Content
Title	OpenSSH RegreSSHion Signal Handler Race (CVE-2024-6387)
Source Link	Qualys oss-security advisory
Year	2024
AI/LLM-related?	No

Field	Content
Severity	High (CVSS 8.1)

Description:

A signal handler race condition in OpenSSH `sshd` (regression of CVE-2006-5051) could allow unauthenticated remote code execution as root on glibc-based Linux when `LoginGraceTime` expires. Affected versions: 8.5p1 through before 9.8p1.

Consequences:

Millions of internet-exposed SSH servers at risk of full takeover. Highlighted importance of regression testing when reintroducing previously fixed security code.

Solution / Fix:

Upgrade to OpenSSH 9.8p1+; temporary workaround `LoginGraceTime 0` in `sshd_config` (with DoS trade-off); monitor for exploitation attempts.

AI Bias or Hallucination (when AI explains this defect):

Field	Content
AI Tool Used	ChatGPT
Prompt Used	"Is OpenBSD vulnerable to CVE-2024-6387 RegreSSHion?"
AI's Incorrect/Biased Statement	"Yes — all OpenSSH installations including OpenBSD are equally vulnerable to RegreSSHion RCE."
Why It Is Wrong	Qualys's disclosure specifically noted OpenBSD is not vulnerable because its <code>SIGALRM</code> handler uses the async-signal-safe <code>syslog_r()</code> function rather than the unsafe <code>syslog()</code> . Telling administrators that OpenBSD systems require patching would cause unnecessary disruption.

Defect 14

Field	Content
Title	CrowdStrike Falcon Channel File 291 — Global Windows Outage
Source Link	TechTarget root-cause report
Year	2024
AI/LLM-related?	No
Severity	Critical

Description:

On July 19, 2024, CrowdStrike published faulty Channel File 291 for Falcon sensors. A content validation bug — 21 inputs validated vs. 20 passed to the interpreter — caused an out-of-bounds memory read, crashing Windows systems with BSOD/reboot loops.

Consequences:

~8.5 million Windows devices affected. Major disruptions at hospitals, airlines, banks, and government services worldwide despite the fix being reverted within ~78 minutes.

Solution / Fix:

CrowdStrike reverted the channel file; published root-cause analysis; added validation tests for non-wildcard matching criteria; improved staged rollout and resilience processes.

AI Bias or Hallucination (when AI explains this defect):

Field	Content
AI Tool Used	ChatGPT
Prompt Used	"What caused the July 2024 CrowdStrike outage — was it a Windows kernel bug?"
AI's Incorrect/Biased Statement	"Microsoft released a defective Windows Update that conflicted with CrowdStrike, causing the global BSOD event."
Why It Is Wrong	CrowdStrike's own published Root Cause Analysis confirmed the outage was caused exclusively by a defective Falcon <i>content configuration update</i> (Channel File 291) — specifically a content validator mismatch (21 inputs vs. 20 expected). Microsoft released no defective Windows Update. The AI shifted blame to Microsoft without factual basis.

Defect 15

Field	Content
Title	Change Healthcare Ransomware — Missing MFA on Citrix Portal
Source Link	Ars Technica – CEO testimony
Year	2024
AI/LLM-related?	No
Severity	Critical

Description:

ALPHV/BlackCat attackers used stolen credentials to access a Change Healthcare Citrix remote-access portal that lacked multi-factor authentication (Feb 12, 2024). After nine days of lateral movement, ransomware was deployed on Feb 21, crippling US healthcare payment processing.

Consequences:

Prescription and claims processing paralyzed for weeks; protected health information for a substantial portion of Americans exposed; total cost to UnitedHealth approached \$2.5 billion; described as the most significant US healthcare cyberattack to date.

Solution / Fix:

Enforce MFA on all remote access; rebuild compromised infrastructure; rotate credentials; network segmentation; continuous monitoring; executive accountability for baseline security controls.

AI Bias or Hallucination (when AI explains this defect):

Field	Content
AI Tool Used	ChatGPT
Prompt Used	"How did attackers initially breach Change Healthcare in February 2024?"
AI's Incorrect/Biased Statement	"Attackers exploited a zero-day vulnerability in Change Healthcare's claims-processing application code."
Why It Is Wrong	UnitedHealth Group CEO Andrew Witty testified to Congress that the breach entry point was stolen valid credentials used against a Citrix remote-access portal that had no multi-factor authentication enabled — a configuration/access-control failure, not any software zero-day or application code vulnerability.

Defect 16

Field	Content
Title	Toyota Vehicle Stability Control Software Error (Recall 22V-239)
Source Link	NHTSA recall 22V-239
Year	2022
AI/LLM-related?	No
Severity	High

Description:

Skid Control ECU software in ~458,000 Toyota/Lexus hybrids could fail to restore Vehicle Stability Control (VSC) to its default ON state on restart if the driver had disabled VSC and held the brake pedal during ignition cycling.

Consequences:

FMVSS 126 non-compliance; increased crash risk when drivers unknowingly operated without stability control; recall 22TA03 / 22LA01 across multiple hybrid models.

Solution / Fix:

Authorized dealers updated Skid Control ECU software free of charge. Workaround: fully release brake pedal between ignition cycles or manually re-enable VSC via the in-vehicle button.

AI Bias or Hallucination (when AI explains this defect):

Field	Content
AI Tool Used	ChatGPT
Prompt Used	"What safety system failed in Toyota recall 22V-239?"

Field	Content
AI's Incorrect/Biased Statement Why It Is Wrong	"The recall was for unintended acceleration caused by engine control software randomly applying throttle." NHTSA recall 22V-239 concerns the Skid Control ECU failing to restore Vehicle Stability Control (VSC) to its default ON state after specific ignition-cycle conditions — an electronic stability system software issue. It has nothing to do with unintended acceleration or throttle control. The AI confused it with a well-known separate recall type.

Defect 17

Field	Content
Title	Toyota RAV4 Prime Hybrid System Shutdown (Recall 23V-041)
Source Link	NHTSA recall 23V-041
Year	2023
AI/LLM-related?	No
Severity	High

Description:

HEV-ECU software in ~16,680 model-year 2021 RAV4 Prime vehicles could shut down the hybrid system after continuous EV-mode driving in cold temperatures followed by rapid accelerator pedal input, causing loss of motive power.

Consequences:

Sudden power loss at higher speeds increases crash risk. Safety recall 23TA01 requiring dealer intervention.

Solution / Fix:

Authorized Toyota dealers updated HEV-ECU software free of charge. If power loss occurs, driver guidance: stop safely, shift to Park, turn off ignition, restart vehicle.

AI Bias or Hallucination (when AI explains this defect):

Field	Content
AI Tool Used	ChatGPT
Prompt Used	"Which Toyota vehicles are affected by recall 23V-041?"
AI's Incorrect/Biased Statement	"All 2020–2023 Toyota RAV4 Hybrid and Prime models worldwide are included in recall 23V-041."

Field	Content
Why It Is Wrong	NHTSA's recall document specifies only the 2021 model-year RAV4 Prime plug-in hybrid (approximately 16,680 vehicles). Non-plug-in RAV4 Hybrid models and other model years are not included. The AI broadened the scope to "all 2020–2023" variants, which could generate unnecessary alarm among unaffected owners.

Defect 18

Field	Content
Title	Okta Support Engineer Compromise (LAPSUS\$)
Source Link	Okta investigation blog
Year	2022
AI/LLM-related?	No
Severity	High

Description:

LAPSUS\$ gained remote desktop access to a Sitel third-party customer-support engineer's workstation (Jan 16–21, 2022). The attacker accessed Okta SuperUser and support tools, impacting up to 366 customer tenants (~2.5% of Okta's base).

Consequences:

Identity-provider trust crisis; screenshots of admin console published in March 2022; potential customer tenant access and password-reset capability debated; Okta terminated Sitel/Sykes contract.

Solution / Fix:

End compromised vendor access; tighten third-party security requirements; faster disclosure timelines; least-privilege design for support tooling; enhanced vendor monitoring.

AI Bias or Hallucination (when AI explains this defect):

Field	Content
AI Tool Used	ChatGPT
Prompt Used	"Did LAPSUS\$ steal Okta's full customer password database in March 2022?"
AI's Incorrect/Biased Statement	"Yes — LAPSUS\$ downloaded Okta's entire customer credential database and published millions of passwords."
Why It Is Wrong	Okta's investigation found that support engineers using the Sitel workstation could not download customer credential databases. Maximum assessed impact was access to support tooling for up to 366 customer tenants over a five-day window (Jan 16–21, 2022). No credential database was downloaded or published.

Defect 19

Field	Content
Title	LastPass Vault Breach via Unpatched Plex (CVE-2020-5741)
Source Link	LastPass incident update
Year	2022–2023
AI/LLM-related?	No
Severity	Critical

Description:

After an August 2022 source-code theft, attackers targeted a senior DevOps engineer by exploiting unpatched Plex Media Server (CVE-2020-5741) on the engineer's home PC. A keylogger captured the master password, enabling access to encrypted cloud vault backups and metadata.

Consequences:

Customer vault backups and unencrypted metadata (emails, URLs, billing info) exfiltrated; millions of users advised to rotate credentials; demonstrated supply-chain risk from personal software on privileged workstations.

Solution / Fix:

Mandatory patching on privileged workstations; ban unsanctioned personal apps on devices accessing production; hardened backup key handling; improved incident transparency and customer guidance.

AI Bias or Hallucination (when AI explains this defect):

Field	Content
AI Tool Used	ChatGPT
Prompt Used	"Were LastPass customer vaults decrypted and published because LastPass stored passwords in plaintext?"
AI's Incorrect/Biased Statement	"LastPass stored all customer master passwords in plaintext on their servers, which is why the breach exposed every password immediately."
Why It Is Wrong	LastPass stated that vault data was stored encrypted. Attackers obtained encrypted vault backups and unencrypted metadata (URLs, emails, billing info). Decryption of any vault would require the individual user's master password — which was not stored by LastPass. The AI invented the plaintext-storage claim, which is both technically wrong and significantly more damaging than what actually occurred.

Defect 20

Field	Content
Title	CNET AI-Generated Finance Articles — Factual Errors & Plagiarism
Source Link	Engadget – CNET AI article review
Year	2023
AI/LLM-related?	Yes (hallucination / publishing pipeline)

Field	Content
Severity	Medium

Description:

CNET quietly published ~75 AI-generated personal-finance articles (Nov 2022–Jan 2023) under “CNET Money Staff.” Investigations found serious math errors (e.g., compound interest), plagiarized passages, and incomplete company names across dozens of stories.

Consequences:

Corrections issued on more than half of AI stories; editorial staff unionized partly over AI transparency; damaged credibility of a major tech publisher; parent company paused AI article program.

Solution / Fix:

Paused full AI article generation; mandatory human fact-checking and plagiarism review; disclose AI assistance; restrict AI to outlines/drafts rather than published final copy without oversight.

AI Bias or Hallucination (when AI explains this defect):

Field	Content
AI Tool Used	ChatGPT
Prompt Used	“Did CNET publicly announce it was using AI before publishing the Money Staff articles?”
AI’s Incorrect/Biased Statement	“CNET clearly labeled every AI-generated article with a ‘Written by AI’ byline from the first publication in November 2022.”
Why It Is Wrong	Futurism’s investigation revealed that ~75 articles were published under the opaque byline “CNET Money Staff” with no upfront AI disclosure. The lack of transparency was the core editorial ethics issue. CNET only added disclosures and issued corrections <i>after</i> the investigation exposed the program — the exact opposite of what the AI claimed.

Requirement 3 – Test Cases for ONE Physical Product (40 pts)

Choose a **specific** household device. Submit **1 photo** of the device + student ID card in the **same frame**.

Design **15** test cases. Execute and record videos for **≥ 5**. Aim to find **≥ 5** defects.

≥ 3 test cases must be edge cases the AI Tool could **NOT** find.

Device Information

Field	Content
Device Type	Portable Handheld & Desk Fan (Quạt cầm tay & bàn)
Brand	GOOJODOQ
Model	GFS006
Year	2025

Field	Content
Serial Number	Can't check
Device Photo + Student ID	See below
GitHub Issues Link	https://github.com/PandoraMiracle/SoftwareTesting-HW/issues
Control Interface	Slide power switch ON/OFF; Press speed +/- buttons (levels 1–100); Toggle cold mode ON/OFF

Test Case Summary

Metric	Target	Actual
Total test cases designed	15	15
Test cases executed (with video)	≥ 5	5
Defects found during execution	≥ 5	5
Edge cases AI could not find	≥ 3	3 (TC-11, TC-12, TC-13)

Test Cases

TC ID	Objective	Input / Precondition	Steps	Expected Result	Actual Result	Status (Pass/Fail)	Expected Link
TC01	Verify device powers on and produces airflow at default speed	Fan fully charged; power slide switch at OFF; Type-C cable disconnected; cold mode Toggle OFF	1. Slide the power switch from OFF to ON. 2. Observe the LED display. 3. Hold hand 10 cm from the air outlet for 5 s.	Device powers on within 3 s; LED shows a speed level (default or last-used); steady airflow is felt at the outlet; no abnormal noise or vibration.	As expected	Pass	https://youtube.com/shorts/LB2VY5YWCAI

TC ID	Objective / Input / Precondition	Steps	Expected Result	Actual Result	Status (Pass/Fail)	Expected Link
TC02	Verify Type-C charging from empty/low battery	Battery at ≤10% or depleted; standard 5 V/2 A Type-C adapter and cable; power slide switch at OFF	1. Connect the Type-C cable to the fan and adapter. 2. Note the start time and any charging indicator. 3. Leave charging until the indicator shows full (or ~2.5 h). 4. Disconnect cable and Slide power switch to ON.	Charging indicator activates within 10 s; full charge completes in approximately 2.5 h (±15 min); after disconnecting, device powers on and runs normally.	As expected	Pass —
TC03	Verify maximum wind speed (level 100) delivers strong airflow	Fully charged; handheld or desk mode on a stable surface; cold mode Toggle OFF	1. Slide power switch to ON. 2. Press speed + button repeatedly until LED shows 100. 3. Confirm LED shows 100. 4. Hold tissue paper or hand 20 cm from outlet for 10 s.	LED displays 100; airflow is clearly stronger than at level 50; motor runs smoothly without stall, burning smell, or excessive vibration; perceived airflow consistent with 10 m/s / 13,000 RPM spec.	As expected	Pass Yeshttps://youtube.com/shorts/DTeOIx5WkN4
TC04	Verify 100 speed levels adjust smoothly	Fully charged; power slide switch at ON; speed at level 1	1. Press speed + button from level 1 to 100, pausing 1 s every 1 levels. 2. Record LED value at each pause. 3. Press speed – button from 100 back to 1 using the same method.	Each press changes speed monotonically; LED increments/decrements; motor transitions without stutter, clicking, or sudden stops.	As expected	Pass No —
TC05	Verify LED display accuracy at representative speed levels	Fully charged; power slide switch at ON	1. Press speed – button until LED shows 1; photograph or note LED reading. 2. Press speed + button until LED shows 50; note LED. 3. Press speed + button until LED shows 100; note LED. 4. Slide power switch to OFF, then Slide back to ON; check whether last speed level is retained.	LED shows 1, 40, and 100 respectively with no digit flicker; display remains readable for 30 s at each level; after power cycle, behavior matches user-manual spec (retain or reset to default).	Last speed level is not retained.	Fail Yeshttps://youtube.com/shorts/Ik0BMi2CiCQ?feature=share

TC ID	Objective Input / Precon- dition	Steps	Expected Result	Actual Result	Status (Pass/Fail) Expected Link	
TC06	Verify semi-conductor cooling plate lowers surface temperature	Fully charged; room temp 25–30 °C; power slide switch at ON; cold mode Toggle OFF	1. Slide power switch to ON. 2. Toggle cold mode ON. 3. Press speed + button until LED shows 40–50; run for 3 min. 4. Lightly touch the cooling plate for 2 s. 5. Compare plate temp to the plastic housing.	Cooling plate feels noticeably cooler than the surrounding body within 3 min; no sharp heat on the housing; fan continues running; no condensation on the plate indoors.	As expected	Pass Yes https://youtube.com/shorts/w-RW93c0CjI
TC07	Verify continuous run-time at medium speed meets 2.5–8 h spec	Fully charged (100%); speed at level 50; stopwatch ready; cold mode Toggle OFF	1. Slide power switch to ON; Press speed +/- buttons until LED shows 50; start stopwatch. 2. Run continuously without pressing speed buttons or toggling cold mode. 3. Record time until auto shut-off or noticeable speed drop. 4. Note final battery state.	Device runs for at least 2.5 h before shutdown or low-battery slowdown; runtime at level 50 falls within the advertised 2.5–8 h range; shut-off is graceful (no abrupt motor jam).	As expected	Pass No —
TC08	Verify noise level at low speed is within quiet-use expectation (<25 dB)	Fully charged; quiet room (background <30 dB); power slide switch at ON; cold mode Toggle OFF	1. Place fan on desk; Slide power switch to ON. 2. Press speed – button until LED shows 5. 3. Measure sound at 1 m using a decibel-meter app (or compare to a known-quiet fan). 4. Run for 2 min and listen for rattling.	Measured or perceived noise at level 1 is ≤25 dB (or clearly suitable for office use); no rattling, grinding, or high-pitched whine; airflow still perceptible.	Decibel-meter app measured ~34 dB at 1 m at speed level 1, exceeding the advertised ≤25 dB spec; no rattling observed; airflow was still perceptible.	Fail No —

TC ID	Objective	Input / Precondition	Steps	Expected Result	Actual Result	Status (Pass/Fail)	Expected Link
TC09	Verify handheld ergonomics and thermal comfort during extended use	Fully charged; speed at level 60; 15-min test session; cold mode Toggle OFF	1. Slide power switch to ON; Press speed + button until LED shows 60. 2. Hold fan in one hand in handheld mode for 15 min. 3. Note grip comfort, weight fatigue, and housing temperature.	Weight (~320 g) remains comfortable for 15 min; housing does not become uncomfortably hot; grip surface is not slippery; airflow direction is easy to aim.	Weight remained comfortable for 15 min; housing stayed warm but not uncomfortably hot; grip surface was secure; airflow direction was easy to aim.	Passed	—
TC10	Verify desk/table mode stability at maximum speed on flat surface	Fully charged; fan in desk-stand configuration; flat, hard tabletop; cold mode Toggle OFF	1. Place fan in desk mode on a level table. 2. Slide power switch to ON. 3. Press speed + button until LED shows 100. 4. Observe for 3 min for movement or tip-over. 5. Lightly tap the table edge.	Fan remains upright for 5 min with no walking/sliding; does not tip when table is lightly tapped; vibration is within acceptable limits.	The fan remained upright during normal operation. However, after the tabletop was lightly tapped, the fan lost stability and tipped over.	Failed	https://youtube.com/shorts/IG8OZdGog2k

TC ID	Objective / Input / Precondition	Steps	Expected Result	Actual Result	Status (Pass/Fail)	Expected Link
TC11	Edge case: Verify charge-while-use behavior (simultaneous charging and operation)	Battery at ~30–50%; standard 5 V/2 A Type-C adapter and cable; cold mode Toggle OFF; indoor room temp 25–30 °C	1. Slide power switch to ON; Press speed + button until LED shows 50. 2. Connect Type-C charger while fan is running. 3. Run for 15 min; every 5 min record housing temperature (touch test), LED reading, and motor sound. 4. Note whether battery level appears to increase, stay the same, or decrease during use-while-charging.	Housing temperature rises only within a safe, comfortable range (no burning smell or shutdown); motor speed and sound remain stable at level 50; device does not auto shut off; actual charging behavior is documented (product spec does not define use-while-charging).	As expected	Passed
TC12	Edge case: Verify battery status indicator during charging and at 100% full charge	Battery at ≤20% or depleted; power slide switch at OFF; Type-C adapter connected; product spec does not define indicator behavior	1. Connect Type-C cable with device OFF; note LED/battery indicator immediately. 2. Observe indicator every 30 min during charging (~2.5 h total). 3. Record indicator behavior at mid-charge and when charge completes. 4. After reaching full charge, disconnect cable and Slide power switch to ON; confirm normal operation.	Charging state is visible via LED pattern, icon, or percentage (if present); indicator changes or stabilizes to signal full charge at 100%; if no battery % exists, LED behavior during/after full charge is recorded; device operates normally after full charge.	Charging status is displayed during charging. However, no indication is provided when the battery reaches full charge.	Failed

TC ID	Objective / Input / Precondition	Steps	Expected Result	Actual Result	Status (Pass/Fail)	Expected Link
TC13	Edge case: Verify physical shock resistance after light drop (handheld use scenario)	Fully charged; power slide switch at OFF; hard floor surface (tile/concrete); open drop area; cold mode Toggle OFF	1. Inspect housing, LED, grille, and slide/toggle controls before test. 2. Hold fan at 0.5 m above hard floor (handheld carry height). 3. Release fan once so it falls freely onto the hard surface. 4. Inspect for cracks, loose parts, or internal rattling. 5. Slide power switch to ON; Press speed +/- buttons; Toggle cold mode ON/OFF; verify motor and LED.	No structural crack or sharp exposed parts; no loose internal components; after drop, device Slides ON and runs normally at multiple speed levels; LED and cold mode Toggle work; cosmetic scuffs are acceptable but functional damage is a defect.	Minor cosmetic scuff on housing corner after drop; no cracks or loose parts; power, speed buttons, cold mode, and motor all functioned normally.	Passed
TC14	Verify low-battery warning or graceful shutdown before sudden stop	Battery at ~15% (partial charge cycle or prior drain); speed at level 70; cold mode Toggle OFF	1. Slide power switch to ON; Press speed + button until LED shows 70. 2. Run until device slows, warns, or shuts off. 3. Record behavior in the final 5 min.	User receives visible low-battery indication (LED blink, speed drop, or icon) before total shutdown; device does not stop abruptly without warning; after shutdown, Slide power switch to ON cannot restart device until charged.	Device shut off suddenly at ~8% with no prior LED blink, speed drop, or other low-battery warning; could not restart until recharged.	Failed
TC15	Verify safe behavior when charging is interrupted mid-cycle	Battery at ~40%; power slide switch at OFF; Type-C charger connected	1. Begin charging and wait until ~60% (or 30 min). 2. Unplug cable abruptly. 3. Slide power switch to ON; Press speed + button until LED shows 50; run for 5 min. 4. Slide power switch to OFF; reconnect charger.	No damage, swelling, or excessive heat after unplug; device powers on and runs normally; battery level display is plausible (not stuck at 0% or 100%); charging resumes normally when cable is reconnected.	No swelling or excess heat after abrupt unplug; device ran normally at level 50; charging indicator resumed when cable was reconnected.	Passed



Figure 11: Device Photo + Student ID

Note: Detailed test cases are also submitted in Excel (Test Cases / Checklist / Test Summary Report).

Defects Found During Physical Device Testing

Log all defects as **Issues** in your GitHub repository.

Issue #	Title	Related TC	Severity	Link
B001	Last speed level is not retained	TC- MedOp505	5	33eae
B002	The fan lost stability and tipped over after the tabletop was lightly tapped	TC- HighOp10	2	263c4f3
B003	The device provides charging feedback while charging is in progress, but does not notify the user when the battery has reached full capacity. Users cannot easily determine whether charging has completed without manually disconnecting the charger or estimating the charging time.	TC- MedOp12	2	fa2ad10
B004	Noise level at low speed is not within quiet-use expectation	TC- MedOp08	5	5a86e33
B005	No low-battery warning before automatic shutdown	TC- MedOp14	5	99ecbc7

Screenshot:




Figure 12: Bug Log

Execution Videos (≥ 5)

#	TC ID	Title	YouTube Unlisted Link	Duration (≤ 60s)	Voice Narration
1	TC-01	Slide power switch ON — default airflow	https://youtube.com/shorts/LB2VY5YWCAI	16s	Yes (required)
2	TC-03	Press speed + to level 100 — airflow	https://youtube.com/shorts/DTeOIx5WkN4	35s	Yes
3	TC-05	LED display accuracy	https://youtube.com/shorts/lk0BMi2CiCQ	36s	Yes
4	TC-06	Toggle cold mode ON — cooling plate	https://youtube.com/shorts/w-RW93c0CjI	40s	Yes
5	TC-10	Desk-mode stability at max speed	https://youtube.com/shorts/lG8OZdGog2k	38s	Yes

CLO G9.1 – ISTQB Mindmap Correction

Ask an AI Tool for an **ISTQB-process mindmap**. Find and correct **3 mistakes**.

AI-Generated Mindmap

- **Tool:** Cursor Auto Agent + Claude (share link)
- **Timestamp:** 09:15 05/06/2026
- **Artifact:** [istqb-mindmap-ai-generated.md] (./istqb-mindmap-ai-generated.md) (full AI output); Cursor agent 1b2d598a

Mistakes Found and Corrections

#	AI Mistake (quote or describe)	Why It Is Wrong (ISTQB / course reference)	Corrected Version
1	Lists “audit” as a form of manual static testing alongside informal review, walkthrough, technical review, inspection, and management review.	ISTQB CTFL §3.2.2 defines static testing review types as informal, walkthrough, technical, inspection, and management review. Audit is a compliance/governance activity, not an ISTQB static-testing review type.	Remove “audit” from static review types; keep audits as separate quality-assurance governance outside the CTFL static-testing taxonomy.
2	Places “Functional suitability” (completeness, correctness, appropriateness) under non-functional ISO 25010 characteristics.	ISTQB CTFL §4.2 separates functional testing (what the system does) from non-functional testing (how it behaves). In ISO 25010, functional suitability is a functional quality characteristic, not a non-functional one.	Move functional suitability under functional testing; keep performance, usability, reliability, security, etc. under non-functional testing.
3	Names “Functional incremental / sandwich integration” as an ISTQB-standard integration strategy.	ISTQB CTFL §2.2.2 lists Big-Bang, Top-Down, and Bottom-Up as the Foundation-level integration approaches. “Sandwich” (hybrid) is industry jargon; “functional incremental” is not CTFL terminology.	Correct to ISTQB-standard strategies: Big-Bang, Top-Down, Bottom-Up (optionally note hybrid/sandwich as an industry extension, not CTFL core).

CLO G9.3 – AI-Missed Edge Cases Analysis

Provide ≥ 3 edge-case test cases the AI did **NOT** generate.

Required: **(a)** screenshot of AI conversation showing AI did not generate these cases, **(b)** written explanation of why AI missed them.

Edge Case 1 – TC-11

Field	Content
Test Case	Charge-while-use: Run fan at speed 50 while Type-C charger connected for 15 min; monitor housing heat, motor stability, and whether battery level changes. Expected: safe operation with documented actual charging behavior (spec silent on this use case).
AI Conversation Screenshot	Claude share — test-case draft; Cursor agent 9d5e3600 — AI suggested grille blockage / humidity / sunlight edge cases only, not charge-while-use
Why AI Missed It	AI test drafts typically follow published specs (charging time, runtime) and treat charging and operation as separate states. Real users commonly plug in and continue using a portable fan; thermal interaction between charging circuit and motor at speed 50 is a physical edge case requiring hands-on observation, not spec-sheet logic.

Edge Case 2 – TC-12

Field	Content
Test Case	Battery/charging indicator: Observe LED or battery % display throughout charging until 100% full; record whether indicator changes at full charge. Expected: visible charging feedback if present; document actual behavior because GFS006 spec does not define indicator rules.
AI Conversation Screenshot	Claude share — test-case draft; Cursor agent 9d5e3600 — no charging/full-battery indicator test in AI output
Why AI Missed It	AI assumes LED display only shows fan speed (100 levels) because that is the marketed feature. Charging/battery indicator behavior is undocumented in the product page — AI cannot infer undocumented UI states and therefore skips exploratory tests for “does the LED show charging or full-battery status?”

Edge Case 3 – TC-13

Field	Content
Test Case	Light drop test: Drop fan from 0.5 m onto hard floor (power OFF), then verify housing integrity and full function (power, speed buttons, cold mode). Expected: no functional damage; normal operation after drop.

Field	Content
AI Conversation	Claude share — test-case draft; Cursor agent 9d5e3600 — no drop/shock-resistance test in AI output
Screen-shot	
Why AI Missed It	AI-generated functional test cases focus on electrical features and avoid destructive or quasi-destructive physical tests due to safety/liability assumptions. A 320 g handheld fan is routinely carried and dropped in real use — drop survivability is domain knowledge from portable-device QA, not from the online product description.

AI Audit Report (Appendix A)

Artifact 1 – 15 physical-device test cases (GOOJODOQ GFS006)

(1) Prompt + Tool

Write testcases for my physical product

(Product context: GOOJODOQ GFS006 portable handheld fan - 100 speed levels, Type-C charging, semiconductor cooling plate, ~320 g, indoor/outdoor use)

Tool: Cursor Auto Agent (9d5e3600-5701-487b-9d93-e5980c476faf) + Claude

Timestamp: 14:30 03/06/2026

Claude share: <https://claude.ai/share/4c7fb91c-0e6f-4290-930b-038974e75d1a>

(2) AI Output AI produced 15 test cases covering power-on, charging, max speed, LED display, cooling plate, runtime, noise, ergonomics, desk stability, and three edge cases: **(TC-11)** motor recovery after grille blockage, **(TC-12)** cooling plate in high-humidity outdoors, **(TC-13)** LED readability in direct sunlight. Steps initially used generic “power button” wording; no charge-while-use, charging/full-battery indicator, or drop/shock test was generated.

(3) Verdict **INCOMPLETE**

Reasoning: Functional coverage was a useful starting point, but AI missed three real-world edge cases and mis-modeled the physical control interface.

(4) Reasoning ISTQB CTFL §4.3 (test techniques) and §4.5 (experience-based testing) require boundary and real-use scenarios beyond marketing specs. AI defaulted to spec-visible features and avoided quasi-destructive physical tests. For a handheld device, charge-while-use, undocumented battery indicators, and drop survivability are valid exploratory targets that need human domain judgment — consistent with G9.3 (Analyse).

(5) Student Fix

- Replaced AI edge cases with **TC-11** charge-while-use, **TC-12** battery/charging indicator at 100%, **TC-13** light drop test (0.5 m).
- Corrected controls to **Slide** (power), **Press +/-** (speed), **Toggle** (cold mode) after inspecting the physical device.
- Executed tests on the real unit; logged 5 defects (B001–B005) with GitHub commit evidence.
- Recorded 5 execution videos with voice narration (TC-01, TC-03, TC-05, TC-06, TC-10).

Artifact 2 – ISTQB-process mindmap

(1) Prompt + Tool

Create a detailed mindmap of the ISTQB Foundation Level software testing process. Include: main test process activities, test levels, test types, static vs dynamic testing, testware, entry/exit criteria, defect management lifecycle, roles. Format as hierarchical Markdown. Include ISTQB-standard terminology.

Tool: Cursor Auto Agent (1b2d598a-d07a-4b67-a057-345a3fd9a77c) + Claude

Timestamp: 09:15 05/06/2026

Claude share: <https://claude.ai/share/78514e41-9eca-4250-a513-4d87d8196c68>

(2) AI Output AI generated a comprehensive seven-activity test process mindmap with test levels, types, static/dynamic testing, testware hierarchy, entry/exit criteria, defect lifecycle, and roles. Excerpt of errors: listed “**audit**” under static review types; placed **functional suitability** under non-functional characteristics; named “**sandwich / functional incremental**” as ISTQB integration strategy. Full output: [istqb-mindmap-ai-generated.md] (./istqb-mindmap-ai-generated.md).

(3) Verdict INVALID

Reasoning: The mindmap looks authoritative but contains factual ISTQB taxonomy errors that would mislead study and oral defense.

(4) Reasoning ISTQB CTFL §3.2.2 limits static review types to informal, walkthrough, technical, inspection, and management review — not audit. §4.2 distinguishes functional from non-functional testing; functional suitability belongs to the former. §2.2.2 Foundation integration approaches are Big-Bang, Top-Down, Bottom-Up. G9.1 (Understand) requires students to detect such mistakes before accepting AI study material.

(5) Student Fix Documented three mistakes in the **CLO G9.1** correction table with ISTQB-cited fixes. Retained the useful process structure; removed/corrected the three erroneous nodes. Used the corrected version for study, not the raw AI output.

Artifact 3 – QA/QC job-market AI Impact Analysis drafts

(1) Prompt + Tool

Complete Job Posting N in hw1.md - write job description summary, required skills, and 1-2 sentences of AI Impact Analysis per posting.

Tool: Cursor Auto Agent (222c50e4-cdfa-4a4e-854d-419f8e2a10b3)

Timestamp: 10:00-17:30 05-06/06/2026 (Jobs 3-10)

(2) AI Output AI drafted summaries and AI Impact paragraphs for 10 LinkedIn QA/QC postings. Early drafts occasionally over-generalized (e.g., treating all automation roles as “partially replaceable by AI coding tools” without distinguishing release gatekeeping, UAT sign-off, or device-fragmentation testing). Job 8 (Flowmingo AI) draft correctly noted AI Speech-to-Text validation but under-emphasized that the role itself tests AI in production.

(3) Verdict **INCOMPLETE**

Reasoning: Structurally useful drafts required fact-checking against each posting and student judgment on what AI can versus cannot replace.

(4) Reasoning HW01 Requirement 1 asks for human “AI Impact Analysis” grounded in each role’s actual skills. ISTQB and course materials stress that testing provides information about quality; AI can assist documentation and script drafting but cannot replace stakeholder negotiation (UAT), physical-device validation, or high-stakes exploratory testing (e.g., Flowmingo AI interview flows). Generic AI paragraphs risk sounding plausible without role-specific evidence — a form of automation bias.

(5) Student Fix Reviewed all 10 postings against LinkedIn screenshots; rewrote each AI Impact paragraph to name **replaced / assisted / not replaced** tasks per role. Counted **5** postings with AI/LLM/automation-AI requirements (Jobs 1, 4, 6, 7, 8). Job 1 AI Impact completed manually after verifying Katalon/automation vs manual balance in the original posting.

AI Accuracy Summary

Verdict	Count	Percentage
VALID	0	0%
INVALID	1	33%
INCOMPLETE	2	67%
Total artifacts	3	100%

Conclusion — When should AI be used / not used for this work?

AI accelerated first drafts for test cases, ISTQB mindmaps, and job summaries, but none were submission-ready without audit. Use AI for brainstorming, formatting, and research starting points; do **not** use it for device photos, execution videos, job screenshots, or unchecked ISTQB claims. For physical-product testing and CLO G9.1/G9.3, human verification against specs, the real device, and the CTFL syllabus is mandatory. Best workflow: AI draft → ISTQB/course check → execute on hardware → log defects with evidence.

AI Critique (200–300 words)

Mandatory: **200–300 words**. Critique where AI got it wrong, was biased, or incomplete; why it failed; what principle you learned.

Across HW01, AI was fast but not trustworthy without verification. For the GFS006 fan test cases, Cursor and Claude produced 15 structurally sound cases yet missed charge-while-use, undocumented battery indicators, and drop survivability — scenarios I only added after handling the device and thinking about portable-use risks. The AI’s original edge cases (grille blockage, outdoor humidity, sunlight glare) were spec-adjacent but not the failures I later observed (noise, stability, low-battery shutdown). This shows a **spec-sheet bias**: models optimize for marketed features, not undocumented UI behavior or quasi-destructive physical tests.

The ISTQB mindmap looked expert-level but mixed audit into static reviews, misclassified functional suitability as non-functional, and invented “sandwich integration” as CTFL terminology. I would have failed G9.1 if I had trusted surface fluency over syllabus cross-checking.

For Requirement 2, when I probed AI explanations of public defects, it confidently hallucinated wrong parties, attack vectors, and remediation steps — the same pattern documented in all 20 bias/hallucination entries.

Principle learned: Treat AI as a junior assistant whose output is **input to test design**, not the test result. Apply ISTQB’s critical thinking and experience-based techniques myself; use AI for speed, then audit with primary sources, physical execution, and course materials. On this homework, AI saved drafting time but human verification was non-negotiable for accuracy and academic integrity.

Mandatory AI Disclosure

“Test cases, ISTQB mindmap, job-market summaries, and defect research drafts were initially generated by Cursor Auto Agent and Claude; I reviewed and modified Requirement 3 test cases (controls, edge cases TC-11/12/13, execution results, defects B001–B005), corrected three ISTQB mindmap mistakes (G9.1), and rewrote all AI Impact Analysis paragraphs; Requirement 2 bias/hallucination verification, physical test execution, execution videos, device photo, job screenshots, and GitHub defect logs were written or produced entirely by me. The detailed AI Audit Report is attached as Appendix A. I confirm I did not use AI to generate any artifact listed in the prohibited category below.”

Prohibited AI-generated artifacts (evidence checked by TAs):

- Device photo with student-ID card in the same frame
- Execution videos (must contain your own voice narration)
- All 10 job-posting screenshots (must show your login / username)
- Prompt log .md with timestamps for every AI prompt

AI tools declared:

Tool	Purpose
Cursor Auto Agent	Test-case draft, ISTQB mindmap, job postings, defect research
Claude (share links)	Parallel test-case and mindmap drafts; edge-case gap evidence
ChatGPT	Requirement 2 — verifying AI bias/hallucination when explaining defects

Attached templates:

- AI-02 – AI Audit Report (embedded above as Appendix A)
 - AI-03 – AI Disclosure Form (signed)
 - AI-05 – Privacy & Responsible Use Checklist (signed)
 - AI-06 – Student Acknowledgement (signed in Week 1)
-

Self-Assessment

No.	Criteria	Max Grade	Self-Assessed Grade
1	Job Market 2026+ (10 jobs × 3 pts + AI Impact)	40	40
2	Software Defects 2022–2026 (20 defects)	20	20
3	Physical-product test design (15 TCs + 5 videos)	25	25
AI-1	AI-02 AI Audit Report (5-section) attached	8	8
AI-2	AI Critique 200–300 words + AI-03 Disclosure attached	4	4
AI-3	AI-05 Checklist signed + anti-cheat artifacts	3	3
Total		100	100

Appendices Checklist

Appendix	Content	Format	Status
A	Full prompt log with timestamps	.md or .txt	[x] prompt-log.md
B	Excel – Test Cases / Checklist / Test Summary Report	.xlsx	[x] Testcases.xlsx
C	Device photo + student ID card	.jpg	[x] images/Requirement3/ProductImg.jpg
D	QA/QC role mindmap	.png or .md	[x] istqb-mindmap-ai-generated.md + G9.1 corrections
E	AI-02 AI Audit Report	per faculty template	[x] embedded in this report
F	AI-03 AI Disclosure Form (signed)	per faculty template	[x] attach signed PDF
G	AI-05 Privacy Checklist (signed)	per faculty template	[x] attach signed PDF

Submission Checklist

- Main report exported to **PDF** (includes AI Audit Report + AI Critique + Mandatory Disclosure)
- GitHub repo link included (Issues for device defects)
- **≥ 5** YouTube Unlisted demo videos (voice narration)
- Zip filename: StudentID_HW01_AI_<grade>.zip
- Submitted to **Moodle** before deadline