

4.6 ZHMS_R06 — Prescription Register • Implemented as ALV Hierarchical-Sequential list (header ZHMS_PRES_HEAD / item ZHMS_PRES_ITEM) using CL_SALV_HIERSEQ_TABLE, or two ALVs linked via double-click drill-down.

```
*&-----*
*& Report ZHMS_R06
*&-----*
*&
*&-----*
REPORT zhms_r06.
```

TABLES : zhms_pres_head, zhms_pres_item.

TYPE-POOLS : slis. "*<<< MUST ADD THIS*

```
TYPES : BEGIN OF str_head,
    pres_id   TYPE zhms_pres_head-pres_id,
    patient_id TYPE zhms_pres_head-patient_id,
    doctor_id  TYPE zhms_pres_head-doctor_id,
    pres_date  TYPE zhms_pres_head-pres_date,
    expand     TYPE c, "<<< expand/collapse field
END OF str_head.
```

```
TYPES : BEGIN OF str_item,
    pres_id   TYPE zhms_pres_item-pres_id,
    item_no    TYPE zhms_pres_item-item_no,
    medicine_name TYPE zhms_pres_item-medicine_name,
    med_quantity TYPE zhms_pres_item-med_quantity,
    dosage     TYPE zhms_pres_item-dosage,
    dosage_days TYPE zhms_pres_item-dosage_days,
END OF str_item.
```

DATA : it_head TYPE TABLE OF str_head.

DATA : wa_head TYPE str_head.

DATA : it_item TYPE TABLE OF str_item.

DATA : wa_item TYPE str_item.

**--- ONE combined field catalog for both HEAD + ITEM*

DATA : it_fcat TYPE slis_t_fieldcat_alv.

DATA : wa_fcat TYPE slis_fieldcat_alv.

DATA : wa_layout TYPE slis_layout_alv.

DATA : wa_keyinfo TYPE slis_keyinfo_alv.

SELECTION-SCREEN : BEGIN OF BLOCK b1 WITH FRAME TITLE TEXT-000.

SELECT-OPTIONS : s_pat FOR zhms_pres_head-patient_id NO-EXTENSION.

SELECT-OPTIONS : s_doc FOR zhms_pres_head-doctor_id NO-EXTENSION.

SELECT-OPTIONS : s_date FOR zhms_pres_head-pres_date NO-EXTENSION.

SELECTION-SCREEN : END OF BLOCK b1.

START-OF-SELECTION.

PERFORM fetch_data.

PERFORM build_fcat.

PERFORM display_alv.

&-----

*& FORM FETCH_DATA

&-----

FORM fetch_data.

SELECT pres_id,

patient_id,

doctor_id,

pres_date

INTO TABLE @it_head

FROM zhms_pres_head

WHERE patient_id IN @s_pat

AND doctor_id IN @s_doc

AND pres_date IN @s_date.

IF it_head IS INITIAL.

MESSAGE 'No data found' TYPE 'I'.

```
LEAVE LIST-PROCESSING.  
ENDIF.
```

```
SELECT pres_id,  
       item_no,  
       medicine_name,  
       med_quantity,  
       dosage,  
       dosage_days  
INTO TABLE @it_item  
FROM zhms_pres_item  
FOR ALL ENTRIES IN @it_head  
WHERE pres_id = @it_head-pres_id.
```

```
SORT it_item BY pres_id ASCENDING  
            item_no ASCENDING.
```

```
ENDFORM.
```

```
*&-----*  
*& FORM BUILD_FCAT  
*& ONE field catalog — tablename distinguishes HEAD vs ITEM columns  
*&-----*  
FORM build_fcat.
```

```
*--- HEAD columns (tablename = 'IT_HEAD')  
CLEAR wa_fcat.  
wa_fcat-col_pos = 1.  
wa_fcat-tabname = 'IT_HEAD'.    "<<< HEAD table name  
wa_fcat-fieldname = 'PRES_ID'.  
wa_fcat-seltext_m = 'Pres ID'.  
APPEND wa_fcat TO it_fcat.
```

```
CLEAR wa_fcat.  
wa_fcat-col_pos = 2.  
wa_fcat-tabname = 'IT_HEAD'.  
wa_fcat-fieldname = 'PATIENT_ID'.
```

```
wa_fcat-seltext_m = 'Patient ID'.  
APPEND wa_fcat TO it_fcat.
```

```
CLEAR wa_fcat.  
wa_fcat-col_pos = 3.  
wa_fcat-tabname = 'IT_HEAD'.  
wa_fcat-fieldname = 'DOCTOR_ID'.  
wa_fcat-seltext_m = 'Doctor ID'.  
APPEND wa_fcat TO it_fcat.
```

```
CLEAR wa_fcat.  
wa_fcat-col_pos = 4.  
wa_fcat-tabname = 'IT_HEAD'.  
wa_fcat-fieldname = 'PRES_DATE'.  
wa_fcat-seltext_m = 'Pres Date'.  
APPEND wa_fcat TO it_fcat.
```

**--- ITEM columns (tablename = 'IT_ITEM')*

```
CLEAR wa_fcat.  
wa_fcat-col_pos = 1.  
wa_fcat-tabname = 'IT_ITEM'.    "<<< ITEM table name  
wa_fcat-fieldname = 'ITEM_NO'.  
wa_fcat-seltext_m = 'Item No'.  
APPEND wa_fcat TO it_fcat.
```

```
CLEAR wa_fcat.  
wa_fcat-col_pos = 2.  
wa_fcat-tabname = 'IT_ITEM'.  
wa_fcat-fieldname = 'MEDICINE_NAME'.  
wa_fcat-seltext_m = 'Medicine Name'.  
APPEND wa_fcat TO it_fcat.
```

```
CLEAR wa_fcat.  
wa_fcat-col_pos = 3.  
wa_fcat-tabname = 'IT_ITEM'.  
wa_fcat-fieldname = 'MED_QUANTITY'.  
wa_fcat-seltext_m = 'Quantity'.  
APPEND wa_fcat TO it_fcat.
```

```

CLEAR wa_fcat.
wa_fcat-col_pos = 4.
wa_fcat-tabname = 'IT_ITEM'.
wa_fcat-fieldname = 'DOSAGE'.
wa_fcat-seltext_m = 'Dosage'.
APPEND wa_fcat TO it_fcat.

```

```

CLEAR wa_fcat.
wa_fcat-col_pos = 5.
wa_fcat-tabname = 'IT_ITEM'.
wa_fcat-fieldname = 'DOSAGE_DAYS'.
wa_fcat-seltext_m = 'Days'.
APPEND wa_fcat TO it_fcat.

```

ENDFORM.

```

*&-----*
*& FORM DISPLAY_ALV
*&-----*
FORM display_alv.

```

```

* Layout
wa_layout-expand_fieldname = 'EXPAND'. "<<< expand field
wa_layout-colwidth_optimize = 'X'.

```

```

* Key — links IT_HEAD-PRES_ID to IT_ITEM-PRES_ID
wa_keyinfo-header01 = 'PRES_ID'. "<<< HEAD key
wa_keyinfo-item01 = 'PRES_ID'. "<<< ITEM key

```

```

CALL FUNCTION 'REUSE_ALV_HIERSEQ_LIST_DISPLAY'
EXPORTING
  i_callback_program = sy-repid
  is_layout          = wa_layout
  it_fieldcat        = it_fcat "<<< ONE combined fcat
  i_tabname_header   = 'IT_HEAD' "<<< HEAD table name
  i_tabname_item      = 'IT_ITEM' "<<< ITEM table name

```

is_keyinfo = wa_keyinfo "<<< link key

TABLES

t_outtab_header = it_head "<<< HEAD data

t_outtab_item = it_item "<<< ITEM data

EXCEPTIONS

program_error = 1


OTHERS = 2.

IF sy-subrc <> 0.

MESSAGE 'ALV Display Error' TYPE 'E'.

ENDIF.

ENDFORM.



Pres ID	Patient ID	Doctor ID	Pres Date	Item No	Medicine Name	Quantity	Dosage	Days
61	1	21	15.06.2026	71	PARACETAMOL	10.00	001	5 DAYS
62	2	22	13.07.2026	72	CIPLADYN	12.00	002	6 DAYS