

4.1 ZHMS_R01 — Patient Master List • Selection: S_PATID (PATIENT_ID), S_NAME (PATIENT_NAME), S_GENDER, S_BLOOD (BLOOD_GROUP), S_CDATE (CREATED_DATE). • Main SELECT: SELECT * FROM zhms_patient INTO TABLE gt_patient WHERE patient_id IN s_patid AND ... • Field Catalog Key Columns: PATIENT_ID, PATIENT_NAME, DOB, GENDER, BLOOD_GROUP, MOBILE_NO, EMAIL, CREATED_DATE. Hotspot on PATIENT_ID → CALL TRANSACTION 'ZHMS_P01' AND SKIP FIRST SCREEN.

```
*&-----*
*& Report ZHMS_PATIENT_REP_01
*&-----*
*&
*&-----*
REPORT zhms_patient_rep_01.
```

TABLES : zhms_patient.

```
TYPES : BEGIN OF str_patient,
    patient_id TYPE zhms_patient-patient_id,
    patient_name TYPE zhms_patient-patient_name,
    dob        TYPE zhms_patient-dob,
    gender     TYPE zhms_patient-gender,
    blood_group TYPE zhms_patient-blood_group,
    mobile_no  TYPE zhms_patient-mobile_no,
    email      TYPE zhms_patient-email,
    address    TYPE zhms_patient-address,
    created_date TYPE zhms_patient-created_date,
    created_by TYPE zhms_patient-created_by,

    END OF str_patient.
```

DATA : it_patient TYPE TABLE OF str_patient.

DATA : wa_patient TYPE str_patient.

DATA : it_fcat TYPE lvc_t_fcat.

DATA : wa_fcat TYPE lvc_s_fcat.

SELECTION-SCREEN : BEGIN OF BLOCK b1 WITH FRAME TITLE TEXT-000.

SELECT-OPTIONS : s_ID FOR zhms_patient-patient_id OBLIGATORY NO-EXTENSION.

SELECT-OPTIONS : s_name FOR zhms_patient-PATIENT_name NO INTERVALS NO-EXTENSION.

SELECT-OPTIONS : s_gen FOR zhms_patient-gender NO INTERVALS NO-EXTENSION.
SELECT-OPTIONS : s_blood FOR zhms_patient-blood_group NO INTERVALS NO-EXTENSION.
SELECT-OPTIONS : s_date FOR zhms_patient-created_date.

SELECTION-SCREEN : END OF BLOCK b1.

START-OF-SELECTION.

```
SELECT patient_id,  
       patient_name,  
       dob,  
       gender,  
       blood_group,  
       mobile_no,  
       email,  
       address,  
       created_date,  
       created_by
```

```
FROM zhms_patient  
INTO TABLE @it_patient  
WHERE patient_id IN @s_ID  
AND patient_name IN @s_name  
AND gender IN @s_gen  
AND blood_group IN @s_blood  
AND created_date IN @s_date.
```

```
IF it_patient IS INITIAL.  
  MESSAGE'data not found' TYPE 'e'.  
ENDIF.
```

```
wa_fcat-col_pos = 1.  
wa_fcat-fieldname = 'patient_id'.  
wa_fcat-coltext = 'ID'.  
wa_fcat-emphasize = 'C300'.  
APPEND wa_fcat TO it_fcat.  
CLEAR wa_fcat.
```

```
wa_fcat-col_pos = 2.  
wa_fcat-fieldname = 'patient_name'.  
wa_fcat-coltext = 'NAME'.
```

```
wa_fcat-emphasize = 'C400'.  
APPEND wa_fcat TO it_fcat.  
CLEAR wa_fcat.
```

```
wa_fcat-col_pos = 3.  
wa_fcat-fieldname = 'DOB'.  
wa_fcat-coltext = 'DOB'.  
wa_fcat-emphasize = 'C300'.  
APPEND wa_fcat TO it_fcat.  
CLEAR wa_fcat.
```

```
wa_fcat-col_pos = 4.  
wa_fcat-fieldname = 'gender'.  
wa_fcat-coltext = 'GENDER'.  
wa_fcat-emphasize = 'C400'.  
APPEND wa_fcat TO it_fcat.  
CLEAR wa_fcat.
```

```
wa_fcat-col_pos = 5.  
wa_fcat-fieldname = 'BLOOD_GROUP'.  
wa_fcat-coltext = 'BLOOD GROUP'.  
wa_fcat-emphasize = 'C300'.  
APPEND wa_fcat TO it_fcat.  
CLEAR wa_fcat.
```

```
wa_fcat-col_pos = 6.  
wa_fcat-fieldname = 'MOBILE_NO'.  
wa_fcat-coltext = 'MOBILE NO'.  
wa_fcat-emphasize = 'C400'.  
APPEND wa_fcat TO it_fcat.  
CLEAR wa_fcat.
```

```
wa_fcat-col_pos = 7.  
wa_fcat-fieldname = 'EMAIL'.  
wa_fcat-coltext = 'EMAIL'.  
wa_fcat-emphasize = 'C300'.  
APPEND wa_fcat TO it_fcat.  
CLEAR wa_fcat.
```

```
wa_fcat-col_pos = 8.  
wa_fcat-fieldname = 'ADDRESS'.  
wa_fcat-coltext = 'ADDRESS'.
```

```
wa_fcat-emphasize = 'C400'.  
APPEND wa_fcat TO it_fcat.  
CLEAR wa_fcat.
```

```
wa_fcat-col_pos = 9.  
wa_fcat-fieldname = 'CREATED_DATE'.  
wa_fcat-coltext = 'CREATED DATE'.  
wa_fcat-emphasize = 'C300'.  
APPEND wa_fcat TO it_fcat.  
CLEAR wa_fcat.
```

```
wa_fcat-col_pos = 10.  
wa_fcat-fieldname = 'CREATED_by'.  
wa_fcat-coltext = 'CREATED BY'.  
wa_fcat-emphasize = 'C400'.  
APPEND wa_fcat TO it_fcat.  
CLEAR wa_fcat.
```

```
CALL FUNCTION 'REUSE_ALV_GRID_DISPLAY_LVC'  
  EXPORTING  
    i_callback_program = 'ZHMS_PATIENT_REP_01'  
    it_fieldcat_lvc    = it_fcat  
  TABLES  
    t_outtab          = it_patient  
  EXCEPTIONS  
    program_error     = 1  
    OTHERS            = 2.
```

