

4.2 ZHMS_R02 — Department-wise Doctor List • Main SELECT: INNER JOIN zhms_doctor AS d
ON d~department_id = dept~department_id, sub-totalled by DEPARTMENT_NAME (ALV SORT
with SUBTOTAL = 'X'). • Field Catalog: DEPARTMENT_NAME, DOCTOR_ID, DOCTOR_NAME,
SPECIALIZATION, EXPERIENCE, MOBILE_NO.

```
*&-----*
*& Report ZPRG_DEPT_DOC
*&-----*
*&
*&-----*
```

REPORT zprg_dept_doc.

TABLES : zhms_doctor, zhms_department.

TYPES : BEGIN OF str_dept,

 dept_id TYPE zhms_department-dept_id,

 dept_name TYPE zhms_department-dept_name,

 doctor_id TYPE zhms_doctor-doctor_id,

 doctor_name TYPE zhms_doctor-doctor_name,

 specialization TYPE zhms_doctor-specialization,

 experience TYPE zhms_doctor-experience,

 mobile_no TYPE zhms_doctor-mobile_no,

 doc_count TYPE i,

END OF str_dept.

DATA : it_doc TYPE TABLE OF str_dept.

DATA : wa_doc TYPE str_dept.

DATA : it_fcat TYPE lvc_t_fcat.

DATA : wa_fcat TYPE lvc_s_fcat.

SELECTION-SCREEN : BEGIN OF BLOCK b1 WITH FRAME TITLE TEXT-000.

 SELECT-OPTIONS : s_id FOR zhms_department-dept_id NO INTERVALS NO-EXTENSION.

 SELECT-OPTIONS : s_sep FOR zhms_doctor-specialization NO INTERVALS NO-EXTENSION.

SELECTION-SCREEN : END OF BLOCK b1.

START-OF-SELECTION.

```
SELECT a~dept_id,  
       a~dept_name,  
       b~doctor_id,  
       b~doctor_name,  
       b~specialization,  
       b~experience,  
       b~mobile_no
```

```
INTO TABLE @it_doc  
FROM zhms_department AS a  
INNER JOIN zhms_doctor AS b  
ON a~dept_id = b~dept_id  
WHERE a~dept_id IN @s_id  
AND b~specialization IN @s_sep.
```

```
LOOP AT it_doc INTO wa_doc.  
  wa_doc-doc_count = 1.  
  MODIFY it_doc FROM wa_doc.  
ENDLOOP.
```

```
wa_fcat-col_pos = 1.  
wa_fcat-fieldname = 'dept_name'.  
wa_fcat-coltext = 'DEPARTMENT NAME'.  
wa_fcat-emphasize = 'C300'.  
APPEND wa_fcat TO it_fcat.  
CLEAR wa_fcat.
```

```
wa_fcat-col_pos = 2.  
wa_fcat-fieldname = 'doctor_id'.  
wa_fcat-coltext = 'DOCTOR ID'.  
wa_fcat-emphasize = 'C400'.  
APPEND wa_fcat TO it_fcat.  
CLEAR wa_fcat.
```

```
wa_fcat-col_pos = 3.  
wa_fcat-fieldname = 'doctor_NAME '.  
wa_fcat-coltext = 'DOCTOR NAME'.  
wa_fcat-emphasize = 'C300'.  
APPEND wa_fcat TO it_fcat.  
CLEAR wa_fcat.
```

```
wa_fcat-col_pos = 4.  
wa_fcat-fieldname = 'specialization'.  
wa_fcat-coltext = 'SPECIALIZATION'.  
wa_fcat-emphasize = 'C400'.  
APPEND wa_fcat TO it_fcat.  
CLEAR wa_fcat.
```

```
wa_fcat-col_pos = 5.  
wa_fcat-fieldname = 'experience '.  
wa_fcat-coltext = 'EXPERIENCE'.  
wa_fcat-emphasize = 'C300'.  
APPEND wa_fcat TO it_fcat.  
CLEAR wa_fcat.
```

```
wa_fcat-col_pos = 6.  
wa_fcat-fieldname = 'mobile_no'.  
wa_fcat-coltext = 'MOBILE NO'.  
wa_fcat-emphasize = 'C400'.  
APPEND wa_fcat TO it_fcat.  
CLEAR wa_fcat.
```

```
wa_fcat-col_pos = 7.  
wa_fcat-fieldname = 'DOC_COUNT'.  
wa_fcat-coltext = 'Doctors Count'.  
wa_fcat-do_sum = 'X'.  
APPEND wa_fcat TO it_fcat.  
CLEAR wa_fcat.
```

CALL FUNCTION 'REUSE_ALV_GRID_DISPLAY_LVC'

EXPORTING

i_callback_program = 'ZPRG_DEPT_DOC'

it_fieldcat_lvc = it_fcat


TABLES

t_outtab = it_doc

EXCEPTIONS

program_error = 1

OTHERS = 2.



The screenshot shows the SAP 'DEPARTMENT WISE DOCTOR LIST' interface. It features a menu bar at the top with options like List, Edit, Goto, Views, Settings, System, and Help. Below the menu is a toolbar with various icons. The main area contains a table with the following data:

DEPARTMENT NAME	DOCTOR ID	DOCTOR NAME	SPECIALIZAT	EXPERIENCE	MOBILE NO	#Doctors Cou
NEUROLOGY	21	DR.THORAT	C	10 YEARS	9048474747	1
NEUROLOGY	23	MISS.BHOSALE	N	10 YEARS	9086545666	1
NEUROLOGY	24	MISS.DESAI	N	20 YEARS	9089767889	1
NEUROLOGY	25	MISS.GURAV	N	20 YEARS	9089767889	1
						4

The bottom of the screenshot shows the Windows taskbar with the date and time as 06:01 PM on 7/14/2026.