

**SAFE WORK METHOD STATEMENT**

|                                                                                                                                                                                         |                                                |                                                                                                          |                                   |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|----------------------------------------------------------------------------------------------------------|-----------------------------------|
| <b>Persons responsible for supervising, inspecting work, work methods, plant &amp; equipment and tools</b>                                                                              | <b>Supervisor/Foreman</b>                      | <b>Date:</b>                                                                                             |                                   |
| <b>High Risk Construction Work:</b>                                                                                                                                                     | <b>SAFE WORKING IN A CONFINED SPACE</b>        | <b>Project:</b>                                                                                          |                                   |
| SWMS prepared by Patrick Monaghan - Paneltec Group -Operations Manager and in consultation with management and workers – 2025.<br>SWMS Review Date: August 2026 unless required earlier |                                                | <b>Location:</b>                                                                                         |                                   |
| <b>Approval to use this SWMS:</b> "I certify that the attached SWMS has been reviewed by me, is endorsed for compliance with WorkSafe guidelines and is approved for use"               |                                                |                                                                                                          |                                   |
| <u>John Guy</u><br>Name                                                                                                                                                                 | <u>Director - Paneltec Pty Ltd</u><br>Position | <u>0408 449 023</u><br> | <u>31/08/2025 – V12.0</u><br>Date |

**RISK MATRIX**

| Level                           | Description of Consequence or Impact                                                                                                                                                              | Consequence       | Likelihood / Probability |               |               |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|--------------------------|---------------|---------------|
|                                 |                                                                                                                                                                                                   |                   | L<br>Likely              | M<br>Moderate | U<br>Unlikely |
| H (1)<br>(High level of harm)   | Potential death, permanent disability or major structural failure/damage. Off-site environmental discharge/release not contained and significant long-term environmental harm.                    | H (1)<br>(High)   | 1                        | 1             | 2             |
| M (2)<br>(Medium level of harm) | Potential temporary disability or minor structural failure/damage. On-site environmental discharge/release contained, minor remediation required, short-term environmental harm.                  | M (2)<br>(Medium) | 1                        | 2             | 3             |
| L (3)<br>(Low level of harm)    | Incident that has the potential to cause persons to require first aid. On-site environmental discharge/release immediately contained, minor level clean up with no short-term environmental harm. | L (3)<br>(Low)    | 2                        | 3             | 3             |
| Level                           | Likelihood / Probability                                                                                                                                                                          |                   |                          |               |               |
| Likely                          | Could happen frequently                                                                                                                                                                           |                   |                          |               |               |
| Moderate                        | Could happen occasionally                                                                                                                                                                         |                   |                          |               |               |
| Unlikely                        | May occur only in exceptional circumstances                                                                                                                                                       |                   |                          |               |               |

**HIERARCHY OF RISK CONTROL**

The hierarchy of controls must be applied in the order below for all identified hazards.

|                                                                                                                                                                  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Level 1</b><br>Eliminate the hazard                                                                                                                           |
| <b>Level 2</b><br>Substitute the hazard with something safer.                                                                                                    |
| <b>Level 3</b><br>Isolate the hazard from people.<br>Reduce the risks through engineering controls.                                                              |
| <b>Level 4</b><br>Reduce exposure to the hazard using administrative actions.                                                                                    |
| <b>Level 5</b><br>Use personal protective equipment<br>The control measures that you put in place should be reviewed regularly to make sure they work as planned |

**ACTIVITY ANALYSIS**

| Steps in Activity             | Potential Hazards                                                                                                             | Risk Class | Risk Control Measure                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Responsible Person/s | Risk Class After Controls In Place |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|------------------------------------|
| <b>Licensing requirements</b> | Potential for personal injury and injuries to other persons.                                                                  | <b>1</b>   | 1. All persons entering the confined space, the standby person, and persons designing work in the CSE must have completed a confined space entry course.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Manager              | <b>2</b>                           |
| <b>Planning the work.</b>     | Confined spaces include pits and degreasers, pipes, sewers, sewer pump stations including wet and dry wells, shafts and ducts | <b>1</b>   | <ol style="list-style-type: none"> <li>All work is to be planned and supervised.</li> <li>Any worker who enters or may be required to enter a confined space must be trained in working in a confined space and must never enter a confined space prior to obtaining written authority and a confined space entry permit is completed.</li> <li><b>As per AS/NZS 2865 Safe working in a confined space Confined Space Permit to include.</b> <ul style="list-style-type: none"> <li>location of work</li> <li>hazards that may be encountered</li> <li>isolation checklist</li> <li>atmospheric test results as appropriate</li> <li>need for atmospheric monitoring and ventilation</li> <li>working procedures conditions</li> <li>clothing and equipment</li> <li>personnel</li> <li>other precautions</li> <li>emergency procedures</li> <li>the period of the validity of the permit must be stated.</li> </ul> </li> <li>Direct reading gas detectors are used to test the atmosphere of a confined space. They must be operated by a competent person and calibrated and maintained.</li> <li>No person is to work in a confined space on their own and a record of their presence is to be maintained.</li> <li>The written authority (confined space permit) should be displayed in a prominent place, preferably adjacent to the confined space entrance, to facilitate signing and clearance.</li> <li>Appropriate emergency response and first aid procedures and provisions shall be planned, established and rehearsed.</li> </ol> | Supervisor<br>Worker | <b>2</b>                           |

| Steps in Activity               | Potential Hazards                                                                                                                        | Risk Class | Risk Control Measure                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Responsible Person/s | Risk Class After Controls In Place |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|------------------------------------|
| <b>Prior to commencing work</b> | Have all hazards been identified, thoroughly assessed and documented?<br>Injury from contaminated atmospheres and/or slips, trips, falls | <b>1</b>   | <p>Have control measures been implemented?<br/> <b>AS/NZS 2865</b><br/> <i>Has the confined space been isolated — withdrawn from service. Has atmospheric testing been conducted?</i><br/> <i>If found necessary, has the confined space been purged with fresh air and/or cleaned?</i><br/> <i>Has the area been signposted and/or barricaded to prevent unauthorized entry?</i></p> <ol style="list-style-type: none"> <li>Ensure personnel and equipment are available to execute a rescue where control measures cannot otherwise ensure that:</li> <li>Oxygen levels remain within the safe oxygen range: <ul style="list-style-type: none"> <li>atmospheric contaminants are not present in quantities above the exposure limits</li> <li>there is no risk of fire or explosion</li> <li>there is no risk of entrapment or engulfment</li> <li>the work performed doesn't generate a risk to health and safety,</li> </ul> </li> <li>Equipment required is to include: <ul style="list-style-type: none"> <li>personnel protective equipment, and rescue equipment (fitted to the individual)</li> <li>first aid, and fire suppression.</li> </ul> <p>The equipment shall be appropriate to the work being conducted and the specific confined space. All workers, inside and outside of the confined space, will be trained in the use of all the safety equipment.</p> <p>Where safety harnesses and lines are required they must comply with AS/NZS 1891.1 Respiratory protection devices must comply with AS/NZS 1716 and/or 1715.</p> </li> <li>A record of each person within a confined space and each person required for stand-by purposes should be maintained.</li> </ol> <p>Atmosphere testing should include testing for:</p> <ul style="list-style-type: none"> <li>oxygen content</li> <li>airborne concentration of combustible contaminants</li> <li>airborne concentration of potentially harmful contaminants.</li> </ul> | Supervisor<br>Worker | <b>2</b>                           |

| Steps in Activity           | Potential Hazards                                                  | Risk Class | Risk Control Measure                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Responsible Person/s | Risk Class After Controls In Place |
|-----------------------------|--------------------------------------------------------------------|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|------------------------------------|
| <b>Commencement of work</b> | Death or serious injury from asphyxiation or flammable atmospheres | <b>1</b>   | <ol style="list-style-type: none"> <li>1. Atmospheric testing and monitoring shall be carried out consistent with the hazards identified and the findings of the risk assessment.</li> <li>2. If found necessary, ventilation will be provided to the confined space prior to entry and during occupancy. Ventilation should be by natural, forced or mechanical means to establish and maintain a safe atmosphere.</li> <li>3. Any contaminants removed from the confined space should only be exhausted to the atmosphere at a location where they do not represent a risk.</li> <li>4. Where flammable atmospheres exist eliminate all sources of ignition. Hot work is not permitted to commence in a confined space until a hot work permit has been issued and until the atmosphere has been purged and no longer presents a hazard to personnel. Fans used to exhaust flammable contaminants should be intrinsically safe.</li> </ol>                                                            | Supervisor<br>Worker | <b>2</b>                           |
|                             | Injury from electrical equipment                                   | <b>1</b>   | <ol style="list-style-type: none"> <li>1. Where necessary, reference should be made to AS/NZS 1020 to guard against static electricity discharge. Ensure that the confined space has been isolated and locked out/tagged out.</li> <li>2. Communication and where possible, observation should be maintained between those in the confined space and the stand-by person. This can be achieved by voice, radio, hand signals, hard wired communications or other appropriate means.</li> <li>3. In confined spaces where flammable conditions could exist, radios should be intrinsically safe.</li> <li>4. Electrical equipment where used in a confined space and connected to an external supply should comply with</li> <li>5. AS/NZS 3100 and where required, installed in accordance with AS/NZS 3000.</li> <li>6. Portable electrical equipment should be connected to an earth-free, protected extra-low voltage supply from an isolating transformer (AS/NZS 3108) which is located</li> </ol> | Supervisor<br>Worker | <b>2</b>                           |

| Steps in Activity         | Potential Hazards                                       | Risk Class | Risk Control Measure                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Responsible Person/s | Risk Class After Controls In Place |
|---------------------------|---------------------------------------------------------|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|------------------------------------|
|                           |                                                         |            | <p>outside the confined space.</p> <p>7. Protected through an RCD (AS 3190) located external to the confined space.</p> <p>8. Must be intrinsically safe where there is a potential for combustion.</p> <p>9. Use low voltage lighting in the confined space.</p>                                                                                                                                                                                                        |                      |                                    |
|                           | Injury from excessive noise                             | <b>1</b>   | 1. To maintain effective communication, in the confined space where noise is a concern, and reduce the effect of the noise active hearing ear muffs can be used, or the time personnel spend in the environment should be reduced.                                                                                                                                                                                                                                       | Supervisor<br>Worker | <b>2</b>                           |
|                           | Injury from hazardous substances                        | <b>1</b>   | 1. The use of hazardous substances in a confined space should be avoided wherever possible. If the substance must be used, the area must be well ventilated at all times and conform to advice contained in the product SDS, and PPE worn in accordance to that specified on the SDS. Personnel must be familiar with the product prior to using it in a confined space and a copy of the SDS for the product must be readily available when and where it is being used. | Supervisor<br>Worker | <b>2</b>                           |
|                           | Injury from biological hazards                          | <b>1</b>   | 1. Infectious diseases may also be present in the contents of confined spaces. PPE appropriate to the hazard identified must be used. All immunisations must be up to date.                                                                                                                                                                                                                                                                                              | Supervisor<br>Worker | <b>2</b>                           |
|                           | Injury from fatigue                                     | <b>1</b>   | 1. Dependant on the work being undertaken in the confined space and the conditions within the confined space, the workers should be monitored to prevent over exertion and/or collapse from fatigue. This can also be achieved by job rotation.                                                                                                                                                                                                                          | Supervisor<br>Worker | <b>2</b>                           |
|                           | Injury associated with re-entry into the confined space | <b>1</b>   | 1. Entry and re-entry to any confined space must only be allowed after the completion of all required documentation. Re-entry to the confined space is to be treated in the same manner as the initial entry.                                                                                                                                                                                                                                                            | Supervisor<br>Worker | <b>2</b>                           |
| <b>Completion of work</b> |                                                         | <b>1</b>   | 1. It is to be acknowledged in writing that work in the confined space has been completed and that all persons involved in the work have left the space before authorization for the return to service of the confined space is made.                                                                                                                                                                                                                                    | Supervisor<br>Worker | <b>2</b>                           |

| Steps in Activity | Potential Hazards | Risk Class | Risk Control Measure                                                                                                                                                                                                                                                                                                                                                         | Responsible Person/s | Risk Class After Controls In Place |
|-------------------|-------------------|------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|------------------------------------|
|                   |                   |            | 2. Closure of entry to confined space as appropriate.<br>3. Removal of means of isolation.<br>4. Documentation shall be kept and maintained for: <ul style="list-style-type: none"> <li>• written authorities, one month</li> <li>• current recorded risk assessment reports for five years</li> <li>• training records, for the term of the worker's employment.</li> </ul> |                      |                                    |

| <b>ENVIRONMENTAL RISK ASSESSMENT &amp; CONTROL MEASURES THAT MAY BE REQUIRED ON SITE DEPENDING ON THE ACTIVITY</b> |                                                                                                                                                                                                               |                   |                                                                                                                                                                                                                                                                                                                                                                                        |                             |                                           |
|--------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-------------------------------------------|
| <b>Work Activity Risk</b>                                                                                          | <b>Hazard</b>                                                                                                                                                                                                 | <b>Risk Class</b> | <b>Risk Control Measure</b>                                                                                                                                                                                                                                                                                                                                                            | <b>Responsible Person/s</b> | <b>Risk Class after Controls in place</b> |
| <b>Emergencies</b>                                                                                                 | Accident/ Incident<br>Fire<br>Spill                                                                                                                                                                           | <b>1</b>          | <ol style="list-style-type: none"> <li>1. Personnel have been advised at toolbox meeting and are prepared in the event of an incident occurring.</li> <li>2. Emergency numbers available on site.</li> <li>3. Fire Extinguishers/First Aid Kits/Spill Kits on site.</li> </ol>                                                                                                         | Supervisor<br>All           | <b>2</b>                                  |
| <b>Air Quality</b>                                                                                                 | Exhaust Fumes<br>Dust                                                                                                                                                                                         | <b>2</b>          | <ol style="list-style-type: none"> <li>1. Control exhaust emissions eg. Regular maintenance, replace old machinery, fit appropriate emission control measures.</li> <li>2. Dampen milled surface with water cart.</li> <li>3. Use water cart where required.</li> </ol>                                                                                                                | Supervisor<br>All           | <b>3</b>                                  |
| <b>Bitumen/Prime</b>                                                                                               | During heavy rain, recently placed prime or bitumen could emulsify and wash into surrounding waterways.                                                                                                       | <b>1</b>          | <ol style="list-style-type: none"> <li>1. Plan prime or bitumen operation so that it is conducted during fine weather.</li> <li>2. Have material available to clean up a spill if it occurs and dispose of contaminated material accordingly.</li> <li>3. Protect storm drains during and after application to prevent pollution - have spill clean-up materials available.</li> </ol> | Supervisor<br>All           | <b>2</b>                                  |
| <b>Community Relations</b>                                                                                         | Inconvenience as a result of works/traffic management                                                                                                                                                         | <b>2</b>          | <ol style="list-style-type: none"> <li>1. Identify from the list of potentially impacted parties who may be impacted by the work being undertaken.</li> <li>2. Letter drops could be considered (unless specifically required) to notify residents/businesses etc. about works to be undertaken and if it has an effect on them.</li> </ol>                                            | Supervisor<br>All           | <b>3</b>                                  |
| <b>Flora &amp; Fauna</b>                                                                                           | Some works may require the removal of vegetation. Native fauna may be at risk from excavation works                                                                                                           | <b>2</b>          | <ol style="list-style-type: none"> <li>1. Assess work area for significant vegetation: size of trees, faunal habitat - define work and exclusion areas using fencing and signage.</li> <li>2. Machinery is to be thoroughly washed down prior to leaving site where noxious weeds are present.</li> </ol>                                                                              | Supervisor<br>All           | <b>3</b>                                  |
| <b>Heritage &amp; Archaeology</b>                                                                                  | Unmonitored excavation at significant sites can lead to loss or destruction of valuable artifacts/relics, and disturbance of historical sites. including cultural heritage and/or archaeological significance | <b>1</b>          | <ol style="list-style-type: none"> <li>1. Undertake a survey of the site to identify any areas of significance. The client's representative may undertake this. Government bodies may be able to assist.</li> <li>2. Develop a project specific procedure based on the findings and recommendations.</li> <li>3. Installation of exclusion fencing and signage if required.</li> </ol> | Supervisor<br>All           | <b>2</b>                                  |

| Work Activity Risk                                          | Hazard                                                                                                                                                                                                                                                                                                                 | Risk Class | Risk Control Measure                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Responsible Person/s | Risk Class after Controls in place |
|-------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|------------------------------------|
| <b>Noise Pollution, Community Relations &amp; Vibration</b> | Sensitivity to noise - to public & fauna                                                                                                                                                                                                                                                                               | <b>1</b>   | <ol style="list-style-type: none"> <li>1. Work undertaken during “normal” hours where possible.</li> <li>2. Affected residents notified in person or in writing.</li> <li>3. Plant and equipment regularly serviced &amp; fitted with efficient mufflers.</li> <li>4. Magnitude of vibration reduced by using smaller plant etc.</li> </ol>                                                                                                                                                                                                                                                                                     | Supervisor<br>All    | <b>2</b>                           |
| <b>Soil Management &amp; Water Quality</b>                  | Soil needs to be managed to ensure that; there are no off-site impacts.<br>Damage to stockpile areas (not prepared properly).<br>Mud deposited onto roadways.                                                                                                                                                          | <b>2</b>   | <ol style="list-style-type: none"> <li>1. Wash down machinery in only nominated areas.</li> <li>2. Not within 20 metres of water courses.</li> <li>3. Use only approved and nominated stockpile areas.</li> <li>4. Build bund wall out of material available on site.</li> <li>5. Drivers to check vehicle tyres/bodies for build up of mud when leaving stockpile sites and remove if necessary.</li> </ol>                                                                                                                                                                                                                    | Supervisor<br>All    | <b>3</b>                           |
| <b>Fuels and Chemicals</b>                                  | Contamination of waterways due to spillages of oil, degreasers, diesel, etc.                                                                                                                                                                                                                                           | <b>1</b>   | <ol style="list-style-type: none"> <li>1. Store fuel and chemicals in accordance with relevant standards/guidelines.</li> <li>2. Minimise storage on site and locate storage facilities away from drains and waterways.</li> <li>3. All containers clearly labelled and Safety Data Sheets are available on site.</li> <li>4. All drums stored securely and in a bunded area.</li> <li>5. Spill kits or alternative spill containment materials available on site.</li> <li>6. Regular maintenance of plant hoses.</li> <li>7. Use correct refuelling equipment.</li> </ol>                                                     | Supervisor<br>All    | <b>2</b>                           |
| <b>Visual Impact Litter and Amenities Waste Management</b>  | Litter such as paper, plastic, and other refuse as well as being a possible safety risk may be carried off-site or washed into waterways resulting in pollution and danger to native fauna. Litter is also visually obtrusive.<br>Production generated lighting, litter, mud, dirt and dust may also impact residents. | <b>2</b>   | <ol style="list-style-type: none"> <li>1. Use site induction to communicate the requirement for a tidy site. Also stress consideration for local residents.</li> <li>2. If as a result of our works, dirt, mud, or litter affects a resident, then we will rectify this problem immediately.</li> <li>3. Inspect the site frequently and insist on tidiness. Ensure public roads are free of dirt/mud from the work site.</li> <li>4. Broken-out paved surfaces shall be repaired as soon as possible.</li> <li>5. Remove all rubbish from site each day.</li> <li>6. Waste asphalt will be recycled where possible.</li> </ol> | Supervisor<br>All    | <b>3</b>                           |



### Personal Protective Equipment

All site personnel must wear the required PPE specified in the controls above, such as:

|                               |                |                                      |                          |            |                                      |                                 |
|-------------------------------|----------------|--------------------------------------|--------------------------|------------|--------------------------------------|---------------------------------|
| Safety Hi-vis<br>Vests/Shirts | Safety Boots   | Sunscreen                            | Broad Brimmed<br>Sun Hat | Sunglasses | Gloves specific to the task          | White reflective overalls/night |
| Hard Hat where<br>required    | Safety Glasses | Hearing protection<br>where required | Long clothing            | Dust masks | Respiratory equipment if<br>required |                                 |

### Workers may require Task Specific Training depending on activity each worker will be required to fulfill.

|                                                                                                                                    |                                                                                                                                        |                                                                                                                     |                                                                                                 |  |  |  |
|------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|--|--|--|
| <ul style="list-style-type: none"> <li>All workers shall hold a current Construction Induction Card</li> </ul>                     |                                                                                                                                        |                                                                                                                     |                                                                                                 |  |  |  |
| <ul style="list-style-type: none"> <li>If required Client Site Induction</li> <li>Activity Induction (SWMS &amp; SWP's)</li> </ul> | <ul style="list-style-type: none"> <li>Vehicle Licences (Car or Truck depending on class of vehicle or mobile plant driven)</li> </ul> | <ul style="list-style-type: none"> <li>Plant Operators licences or competency assessments where required</li> </ul> | <ul style="list-style-type: none"> <li>Competencies for Work Zone Traffic Management</li> </ul> |  |  |  |
| <ul style="list-style-type: none"> <li>First Aid certificate training</li> </ul>                                                   | <ul style="list-style-type: none"> <li>Manual Handling training</li> </ul>                                                             | <ul style="list-style-type: none"> <li>Fire Extinguisher training</li> </ul>                                        | <ul style="list-style-type: none"> <li>Fatigue Management Training</li> </ul>                   |  |  |  |

### A Site Specific Induction & Toolbox Meeting will be held each day prior to the start of each job.

### Legislation & Codes of Practice (refer to company Legislation register for applicable Australian Standards applicable to works)

Work Health & Safety Act 2012 and Work Health & Safety Regulations 2022

### Codes of Practice

|                          |                                      |                                                       |                                                      |
|--------------------------|--------------------------------------|-------------------------------------------------------|------------------------------------------------------|
| Confined Spaces - 2020   | Hazardous Manual Tasks - 2020        | Managing Noise & Preventing Hearing Loss at Work-2020 | Managing Risks of Plant in the Workplace - 2018      |
| Construction Work - 2020 | How to Manage WH&S Risks - 2018      | Managing Risk of Falls at Workplaces - 2020           | Managing Electrical Risks in the Workplace -2019     |
| Excavation Work - 2020   | First Aid in the Workplace - 2018    | Managing Work Environment & Facilities - 2020         | WHS Consultation Co-operation & Co-ordination - 2018 |
| Welding Processes - 2021 | How to Safely Remove Asbestos - 2020 | Managing Risk of Hazardous Chemicals - 2018           | Safe Design of Structures - 2018                     |

### Plant & Equipment for this activity

- All plant is inspected prior to sending out to site
- Daily maintenance & service checks.
- Daily pre-start checks are conducted on all plant and trucks by the operators and daily checklist filled out.
- Regular servicing at 250hr intervals or as per manufactures specifications. Service History available on request to the office.

### List of plant for this Activity

Engineering details/certificates/regulatory approvals/permits/electrical isolation (if applicable):

**Implementation, Monitoring and Review of SWMS**

The Supervisor on site has the responsibility to:

- Brief each team member on this SWMS before commencing work.
- Ensure control measures have been implemented prior to the start of works.
- Observe work being carried out.
- If controls documented in SWMS are not adequate, stop the work, review the SWMS, adjust as required and re-brief the team.
- Ensure team knows that work is to immediately stop if the SWMS is not being followed.
- Retain this SWMS on site for the duration of the high-risk construction work.
- All persons involved in these particular tasks on site must sign this document as read and understood.

**SWMS attendance sheet — I have been given the opportunity to provide input into the development and review of this SWMS**

| Name (please print clearly) | Signature | Company | Date |
|-----------------------------|-----------|---------|------|
|                             |           |         |      |
|                             |           |         |      |
|                             |           |         |      |
|                             |           |         |      |
|                             |           |         |      |
|                             |           |         |      |
|                             |           |         |      |
|                             |           |         |      |
|                             |           |         |      |

**Daily pre-start meetings will be held to ensure all workers are informed of control measures and additional safety hazards & controls to be noted on toolbox form.**