

Submission Worksheet

Submission Data

Course: IT202-008-S2026

Assignment: IT202 - Milestone 3

Student: Ashton T. (ast56)

Status: Submitted | **Worksheet Progress:** 100%

Potential Grade: 10.00/10.00 (100.00%)

Received Grade: 0.00/10.00 (0.00%)

Started: 5/7/2026 5:11:55 AM

Updated: 5/7/2026 5:11:55 AM

Grading Link: <https://learn.ethereallab.app/assignment/v3/IT202-008-S2026/it202-milestone-3/grading/ast56>

View Link: <https://learn.ethereallab.app/assignment/v3/IT202-008-S2026/it202-milestone-3/view/ast56>

Instructions

1. Refer to Milestone3 of this doc:
<https://docs.google.com/document/d/1XE96a8DQ52Vp49XACBDTNCq0xYDt3kF29cO88EWWwfo/view>
2. Ensure you read all instructions and objectives before starting.
3. Ensure you've gone through each lesson related to this Milestone
4. Switch to the Milestone3 branch
 1. `git checkout Milestone3` (ensure proper starting branch)
 2. `git pull origin Milestone3` (ensure history is up to date)
5. Fill out the worksheet below
 - Ensure there's a comment with your UCID, date, and brief summary of the snippet in each screenshot
 - Ensure proper styling is applied to each page
 - Ensure there are no visible technical errors; only user-friendly messages are allowed
6. Once finished, click "Submit and Export"
7. Locally add the generated PDF to a folder of your choosing inside your repository folder and move it to GitHub
 1. `git add .`
 2. `git commit -m "adding PDF"`
 3. `git push origin Milestone3`
 4. On GitHub merge the pull request from Milestone3 to qa
 5. On GitHub create a pull request from qa to prod and immediately merge. (This will trigger the prod deploy to make the Render.com prod links work)
8. Upload the same PDF to Canvas
9. Sync Local
10. `git checkout qa`
11. `git pull origin qa`

Section #1: (3 pts.) Api Data

Progress: 100%

⇒ Task #1 (1 pt.) - Concept of Data Association

Progress: 100%

Details:

- What is the concept of your data association to users? (examples: favorites, wish list, purchases, assignment, etc)
- Describe with a few sentences

Your Response:

My project uses a favorites system as the data association between users and manga entities. Logged-in users can browse the manga collection and save manga to their personal favorites list. This association is stored in a separate UserFavorites table that connects a user ID with a manga ID, creating a many-to-many relationship between users and manga.

Users can also remove manga from their favorites page, view detailed information about each manga, and filter/search through their saved favorites. This allows each user to maintain their own personalized manga collection independently from other users.



Saved: 5/6/2026 8:13:13 PM

⇒ Task #2 (1 pt.) - Data Updates

Progress: 100%

Details:

- When an associated entity is updated (manually or via API), how is the association affected?
 - Does the user see the old version of the data?
 - Does the user see the new version of the data?
 - Does the user need to have data re-associated or remapped?
- Explain why.

Your Response:

When a manga is updated, either manually or through the API, the association is usually unaffected because the favorites system stores the manga database ID rather than storing duplicate manga data. So users automatically see the newest version of the manga information whenever they access their favorites or the details page. If an admin deletes a manga, the association is also removed. This happens because the UserFavorites table uses a foreign key, so when the manga record is deleted from the manga table, any favorite associations connected to that manga are also deleted. Therefore, the manga disappears from the user's favorites list.



Saved: 5/6/2026 8:19:10 PM

☰ Task #3 (1 pt.) - Handling Association


Progress: 100%

📁 Part 1:

Progress: 100%

Details:

- Show an example page of where a user can get data associated with them
- Ensure the Render.com qa URL is visible
- Caption if this is a user-facing page or admin page
- Include screenshots of code related to this logic including the database query



User Facing Favorites Page

```
$query = "
SELECT m.*
FROM `IT202-S26-UserFavorites` uf
JOIN `IT202-S26-Manga` m
  ON uf.manga_id = m.id
WHERE uf.user_id = :uid
AND uf.is_active = 1
";
```

Code Snippet

📄 Saved: 5/6/2026 8:45:50 PM

🔗 Part 2:

Progress: 100%

Details:

- Include the pull request link for this feature
- Include the Render.com prod link to this page that triggers and handles this logic

URL #1

<https://github.com/PanicGeneral/ast56-IT202-S26>



URL

<https://github.com/PanicGeneral/>



URL #2

<https://ast56-it202-008.onrender.com/project/favorites.php>



URL

<https://ast56-it202-008.onrender.com>



Saved: 5/6/2026 8:45:50 PM

≡ Part 3:

Progress: 100%

Details:

- Describe the process of associating data with the user.
- Can it be toggled, or is it applied once?

Your Response:

The process of associating data with a user is handled through the favorites system. When a logged-in user clicks the Favorite button on a manga card, the application stores the user's ID and the manga's ID inside the IT202-S26-UserFavorites table. This creates a relationship between the user and that manga entity without duplicating the manga data itself. The association can be toggled because users are also able to remove manga from their favorites list. When the Remove button is pressed, the corresponding relationship entry is deleted from the favorites table. This allows users to add or remove manga from their favorites collection at any time.



Saved: 5/6/2026 8:45:50 PM

Section #2: (6 pts.) Associations

Progress: 100%

≡ Task #1 (1.50 pts.) - Logged-in User's Associated Entities

Progress: 100%





Details:

- Each line item should have a logical summary
- Each line item should have a link/button to a single view page of the entity
- Each line item should have a link/button to a delete action of the relationship (doesn't delete the entity or user, just the relationship)
- The page should have a link/button to remove all associations for the particular user
- The page should have a section for stats (number of results and total number possible based on the query filters)
- The page should have logical options for filtering/sorting
 - A limit should be applied between 1 and 100 and controlled by the user (server-side enforces rules)
 - A filter with no matching records should show "no results available" or equivalent

🖼 Part 1:

Details:

- Show a few examples of this page from Render.com qa with various filters applied
- Ensure the Render.com qa URL is visible
- Ensure each requirement is visible
- Include the code screenshots related to this page

**Favorites Page****favorites Page with 2 Entity Filter****No results search**

All favorites removed with button

```
$query = "
SELECT m.*
FROM `IT202-S26-UserFavorites` uf
JOIN `IT202-S26-Manga` m
    ON uf.manga_id = m.id
WHERE uf.user_id = :uid
AND uf.is_active = 1
";
```

Query used to retrieve associated manga

```
if (empty($text)) {
    $query .= " AND m.title LIKE :text";
    $params[":text"] = "%$text%";
}

if (empty($type) || $type != "All") {
    $query .= " AND m.type = :type";
    $params[":type"] = $type;
}

if ($nsfw != "" || ($nsfw == "0" || $nsfw == "1")) {
    $query .= " AND m.nsfw = :nsfw";
    $params[":nsfw"] = $nsfw;
}
```

Filtering Logic

```
$limit = (int)se($_GET, "limit", 10, false);

if ($limit < 1 || $limit > 100) {
    $limit = 10;
}

$params = [
    ":uid" => $user_id
];
```

Limit

```
<form
    method="POST"
    action="<?php echo get_url('remove_all_favorites.php', true); ?>"
    class="mb-3">

    <button
        type="submit"
        class="btn btn-danger">
        Remove All Favorites
    </button>
```

Remove All Favorites Code

 Saved: 5/6/2026 9:40:11 PM

Part 2:

Progress: 100%

Details:

- Include the pull request link for this feature
- Include the Render.com prod link to this page

URL #1

<https://github.com/PanicGeneral/ast56-it202-008>



URL

<https://github.com/PanicGeneral/>

**URL #2**

<https://ast56-it202-008.onrender.com/project/favorites.php>



URL

<https://ast56-it202-008.onrender.c>



Saved: 5/6/2026 9:40:11 PM

⇒ Part 3:

Progress: 100%

Details:

- Describe how you implemented the association output
- Describe how you solved the various items required for this page (i.e., line item requirements, stats, filter/sort, etc)

Your Response:

The association output was implemented using a favorites system that connects users and manga through the IT202-S26-UserFavorites table. When a user favorites a manga, the user ID and manga ID are stored in the table.

Each manga is displayed as a Bootstrap card with an image, title, short summary, and buttons for viewing details or removing the favorite relationship. A "Remove All Favorites" button was also added to clear the favorites for the user.

The page also includes filtering by title, type, and NSFW status, along with a user-controlled limit field. Server-side validation ensures the limit stays between 1 and 100. A stats section shows how many results are currently displayed, and if no records match the filters, a no-results message is shown instead.



Saved: 5/6/2026 9:40:11 PM

≡ Task #2 (1.50 pts.) - All Users Association Page

Progress: 100%

Details:

- Each line item should have a logical summary
- Each line item should include the username this entity is associated with

- Clicking the username should redirect to that user's public profile

- Each line item should include a column that shows the total number of users the entity is associated with
- Each line item should have a link/button to a single view page of the entity
- Each line item should have a link/button to a delete action of the relationship (doesn't delete the entity or user, just the relationship)
- The page should have a section for stats (number of results and total number possible based on the query filters)
- The page should have logical options for filtering/sorting
 - Include a filter for partial username match to show only matching users' associated entities
 - A limit should be applied between 1 and 100 and controlled by the user (server-side enforces rules)
 - A filter with no matching records should show "no results available" or equivalent
- When a filter is applied, the page should have a link/button to remove all associations for the matching user(s)

Part 1:

Progress: 100%

Details:


- Show a few examples of this page from Render.com qa with various filters applied
- Ensure the Render.com qa URL is visible
- Ensure each requirement is visible
- Include screenshots of code related to this logic including the database query

Manga	Type	NSFW	Total Users	Summary	Actions
Solo Farming In The Tower	korea	No	1	One day, a mysterious tower suddenly appeared in the city. The people decided to call it a dungeon...	View Users
Real World Mobile	korea	Yes	1	Gang-u Choi is an ordinary high school student who likes video games. One day, he hears that his fa...	View Users
ReZero kara Hajimeru Isekai Seikatsu - Daijishou - Truth of Zero	japan	No	1	Suddenly a high-school student Subaru Natsuki has been summoned to another world on the way back fro...	View Users
ReZero Kara Hajimeru Isekai Seikatsu - Daijishou - Yaburi no Shukan Hen	japan	No	1	Suddenly a high school student Subaru Natsuki has been summoned to another world on the way back fro...	View Users
I Became A Part Time Employee For Gods	korea	No	1	Devoid of professional skills, unemployed Ye Damsok, was forced to take a part-time job. Frustrated...	View Users
A World-Class Walkthrough	korea	No	1	The main character, Kim Kyung-Sam, is an orphan preparing for the civil service exam while working p...	View Users

Admin User Favorites Table

Manga	Type	NSFW	Total Users	Summary	Actions
Real World Mobile	korea	Yes	1	Gang-u Choi is an ordinary high school student who likes video games. One day, he hears that his fa...	View Users
ReZero kara Hajimeru Isekai Seikatsu - Daijishou - Truth of Zero	japan	No	1	Suddenly a high-school student Subaru Natsuki has been summoned to another world on the way back fro...	View Users
ReZero Kara Hajimeru Isekai Seikatsu - Daijishou - Yaburi no Shukan Hen	japan	No	1	Suddenly a high school student Subaru Natsuki has been summoned to another world on the way back fro...	View Users


Username and Number Filter




Individual Manga Users with button to view profile as well as remove association button




Public Profile




Remove Association Code



Admin Table Code Snippet



Filter and Limit Code Snippet



No results

```
<?php if (empty($results)) : ?>

    <div class="alert alert-info">

        No results available.

    </div>

</div>
```

No results code snippet

 Saved: 5/7/2026 3:20:15 AM

Part 2:

Progress: 100%

Details:

- Include the pull request link for this feature
- Include the Render.com prod link to this page

URL #1

<https://github.com/PanicGeneral/ast56-IT202-008>



URL

<https://github.com/PanicGeneral/>



URL #2

https://ast56-it202-008.onrender.com/project/admin/all_favorites.php



URL

[https://ast56-it202-008.onrender.c](https://ast56-it202-008.onrender.com/)



 Saved: 5/7/2026 3:20:15 AM

Part 3:

Progress: 100%

Details:

- Describe how you implemented the association output
- Describe how you solved the various items required for this page (i.e., line item requirements, stats, filter/sort, etc)

Your Response:

I implemented the association output using SQL JOIN queries between the manga, favorites, and users tables. The admin page displays manga that users have favorited along with summaries, total user counts, and management actions. A separate page was created to display all users associated with a specific manga, including links to public profiles and remove association buttons.

I added filters for manga title, type, and NSFW status along with a user-controlled limit field. Server-side validation ensures the limit always stays between 1 and 100. A stats section displays the number of returned unassociated manga, and the page shows a "No results available" message when filters have no match.

 Saved: 5/7/2026 3:20:15 AM

≡ Task #3 (1.50 pts.) - Unassociated Page

Progress: 100%

Details:


- Each line item should have a logical summary
- Each line item should have a link/button to a single view page of the entity
- The page should have a section for stats (number of results and total number possible based on the query filters)
- The page should have logical options for filtering/sorting
 - A limit should be applied between 1 and 100 and controlled by the user (server-side enforces rules)
 - A filter with no matching records should show "no results available" or equivalent

Part 1:

Progress: 100%

Details:

- Show a few examples of this page from Render.com qa with various filters applied
- Ensure the Render.com qa URL is visible
- Ensure each requirement is visible
- Include screenshots of code related to this logic including the database query



Database Query Code

Filter Code

Table and View Button Cde

🔗 Part 2:

Details:

- URL #1   https://ast56-it202-008.onrender.com/project/admin/unassociated_manga.php

URL #2   <https://github.com/PanicGeneral/ast56-IT202-008>

⇒ Part 3:

Progress: 100%

Details:

- Describe how you implemented the association output
- Describe how you solved the various items required for this page (i.e., line item requirements, stats, filter/sort, etc)

Your Response:

I did the unassociated output by using a SQL LEFT JOIN between the manga table and favorites table. Manga with no active favorite associations are returned using WHERE uf.user_id IS NULL. The page shows each manga with a summary and a view button that links to the detailed page.

I added filters for manga title, type, and NSFW status along with a user-controlled limit field. Server-side validation ensures the limit always stays between 1 and 100. A stats section displays the number of returned unassociated manga, and the page shows a "No results available" message when filters have no match.

≡ Task #4 (1.50 pts.) - Admin Association Page (Like User Roles)

Progress: 100%

Details:

- The page should have a form with two fields
 - Partial match for username
 - Partial match for entity reference (name or something user-friendly)
- Submitting the form should give up to 25 matches of each
 - Likely best to show as two separate columns
- Each entity and user will have a checkbox next to them
- Submitting the checked associations should apply the association if it doesn't exist; otherwise it should remove the association
 - A filter with no matching records should show "no results available" or equivalent


Part 1:

Progress: 100%


Details:

- Show a few examples of this page from Render.com qa with various selections having been submitted
- Ensure the Render.com qa URL is visible

- Ensure the Render.com link QR is visible
- Include screenshots of code related to this logic including the database query




Partial Username and Manga Match



User Profile before Admin Management



User After Admin Management




Admin Removing Association







User Profile Back to Original



No Entries



Partial Match and 25 Limit Column Code



Checkbox and Empty Error Code



Saved: 5/7/2026 5:11:55 AM

Part 2:

Progress: 100%

Details:

- Include the pull request link for this feature
- Include the Render.com prod link to this page

URL #1

<https://github.com/PanicGeneral/ast56-it202-008>


URL

<https://github.com/PanicGeneral/>


URL #2

https://ast56-it202-008.onrender.com/project/admin/manage_associations.php


URL

[https://ast56-it202-008.onrender.c](https://ast56-it202-008.onrender.com)


Saved: 5/7/2026 5:11:55 AM

⇒ Part 3:

Progress: 100%

Details:

- Describe how your code solves the requirements; be clear

Your Response:

The page uses two search fields that allows the admin to search users by partial username and manga match. Both queries use SQL and are limited to 25 results. The matching users and manga are displayed in two separate columns with checkboxes next to each item. When the admin submits the form, the selected users and manga are checked to see whether an association already exists in the favorites table. If the relationship already exists, it removes it; but if it doesn't, it creates a new association. The page also displays "No users available" or "No manga available" messages whenever searches return no matching records.



Saved: 5/7/2026 5:11:55 AM

Section #3: (1 pt.) Misc

Progress: 100%

≡ Task #1 (0.33 pts.) - GitHub Details


Progress: 100%

📁 Part 1:

Progress: 100%

Details:

From the Commits tab of the Pull Request screenshot the commit history



➡ Part 2:

Progress: 100%

Details:
Include the link to the pull request for Milestone3 to qa (should end in /pull/#)

URL #1 <https://github.com/PanicGeneral/as156-IT202-10870>  URL <https://github.com/PanicGeneral/>

 Saved: 5/7/2026 5:06:24 AM

Progress: 100%

- Visit the [WakaTime.com](https://wakatime.com) Dashboard
- Click **Projects** and find your repository
- Capture the overall time at the top that includes the repository name
- Capture the individual time at the bottom that includes the file time
- Note: The duration isn't relevant for the grade and the visual graphs aren't necessary

[illegible]

Individual

Projects • ast56-IT202-008

Overall



Saved: 5/7/2026 5:08:55 AM

≡ Task #3 (0.33 pts.) - Reflection

Progress: 100%

⇒ Task #1 (0.33 pts.) - What did you learn?

Progress: 100%

Details:

Briefly answer the question (at least a few decent sentences)

Your Response:

I learned how to implement association between different users on my app. It takes a lot of working parts for it to move smoothly and it was a bit of a learning experience to see all the work that goes into something as simple as this.



Saved: 5/7/2026 5:10:12 AM

⇒ Task #2 (0.33 pts.) - What was the easiest part of the assignment?

Progress: 100%

Details:

Briefly answer the question (at least a few decent sentences)

Your Response:

The easiest part was just making the app look nice. The bootstrap styling. It was also easy to have the limits for the filters.



Saved: 5/7/2026 5:10:48 AM

⇒ Task #3 (0.33 pts.) - What was the hardest part of the assignment?

Progress: 100%

Details:

Briefly answer the question (at least a few decent sentences)

Your Response:

The hardest part of this was ahving to make so many different files for the associations adn then having them work in tandem.



Saved: 5/7/2026 5:11:22 AM