

Submission Worksheet

Submission Data

Course: IT202-008-S2026

Assignment: IT202 Milestone 2

Student: Ashton T. (ast56)

Status: Submitted | **Worksheet Progress:** 100%

Potential Grade: 10.00/10.00 (100.00%)

Received Grade: 0.00/10.00 (0.00%)

Started: 5/5/2026 5:08:27 PM

Updated: 5/5/2026 10:40:04 PM

Grading Link: <https://learn.ethereallab.app/assignment/v3/IT202-008-S2026/it202-milestone-2/grading/ast56>

View Link: <https://learn.ethereallab.app/assignment/v3/IT202-008-S2026/it202-milestone-2/view/ast56>

Instructions

- Overview Link: https://youtu.be/t6X8dzZt_a0
- 1. Refer to Milestone2 of this doc:
<https://docs.google.com/document/d/1XE96a8DQ52Vp49XACBDTNCq0xYDt3kF29cO88EWVwfo/view>
- 2. Ensure you read all instructions and objectives before starting.
- 3. Ensure you've gone through each lesson related to this Milestone
- 4. Switch to the Milestone2 branch
 - 1. `git checkout Milestone2` (ensure proper starting branch)
 - 2. `git pull origin Milestone2` (ensure history is up to date)
- 5. Fill out the below worksheet
 - Ensure there's a comment with your UCID, date, and brief summary of the snippet in each screenshot
 - Ensure proper styling is applied to each page
 - Ensure there are no visible technical errors; only user-friendly messages are allowed
- 6. Once finished, click "Submit and Export"
- 7. Locally add the generated PDF to a folder of your choosing inside your repository folder and move it to Github
 - 1. `git add .`
 - 2. `git commit -m "adding PDF"`
 - 3. `git push origin Milestone2`
 - 4. On Github merge the pull request from Milestone2 to qa
 - 5. On Github create a pull request from qa to prod and immediately merge. (This will trigger the prod deploy to make the Render.com prod links work)
- 8. Upload the same PDF to Canvas
- 9. Sync Local
 - 1. `git checkout qa`
 - 2. `git pull origin qa`

Section #1: (2 pts.) Data

Progress: 100%

Task #1 (0.50 pts) API Data Table

Part 1:

Progress: 100%

Details:

- Show the table(s) structure of the table made to hold your API
- There should be at least 3 properties/fields beyond id, created, modified, and respective is_api or api_id columns
- Logical types and constraints should be set
- Show at least a few records from each API table (samples should include both API fetched data and custom entries noted by an api_id or is_api column)

```
public: hzsd > project > sql > 006.create_table_manga.sql --
You, yesterday | author (Nou) | Dillon | Select | Active | db:thehellab.app | 0 out/56
1 CREATE TABLE `IT202-S26-Manga` (
2   `id` int NOT NULL AUTO INCREMENT PRIMARY KEY,
3   `api_id` varchar(50) UNIQUE,
4   `title` varchar(255) NOT NULL,
5   `sub_title` varchar(255),
6   `status` varchar(50),
7   `type` varchar(50),
8   `summary` text,
9   `thumb` varchar(500),
10  `genres` text,
11  `nsfw` tinyint(1) DEFAULT '0',
12  `created` timestamp NOT NULL DEFAULT CURRENT_TIMESTAMP,
13  `modified` timestamp NOT NULL DEFAULT CURRENT_TIMESTAMP ON UPDATE CURRENT_TIMESTAMP,
14  `is_api` tinyint(1) DEFAULT '1'
15 );
You, yesterday - Added Admin: apges admin
```

Table Structure

Example records



Saved: 5/5/2026 5:13:25 PM

Part 2:

Progress: 100%

Details:

- Add a direct link to your sql file from Github (should end in .sql)

URL #1

https://github.com/PanicGeneral/ast56-IT2021/blob/master/prod/public_html/project/sql/0



UHL

<https://github.com/PanicGeneral/>



Saved: 5/5/2026 5:13:25 PM

Part 3:

Progress: 100%

Details:

- Briefly note what each field/property represents

Your Response:

id – Unique identifier for each manga record (auto-incremented primary key). api_id – Stores the unique ID provided by the API for fetched manga title – The main title of the manga sub_title – Secondary title of the manga status – Indicates whether the manga is ongoing, completed, or unknown. type – The origin of the manga (e.g., Japan, Korea, China). summary – A description of the manga. thumb – URL of the manga's thumbnail image genres – A list of genres associated with the manga, stored as a comma-separated string. nsfw – Boolean flag (0 or 1) indicating whether the manga contains NSFW content. created – Timestamp showing when the record was first created. modified – Timestamp showing the last time the record was updated. is_api – Boolean flag indicating whether the record was fetched from the API (1) or created manually (0).



Saved: 5/5/2026 5:13:25 PM

Task #2 (0.50 pts.) - Data Transformation

Progress: 100%

Part 1:

Progress: 100%

Details:

- Show the code that handles the data transformation/conversion (from the API)
- Show a Render.com qa example of API getting fetched and loaded into the DB

```

function fetchMangaDetails(apiId) {
  const url = `https://api.mangadex.org/manga/${apiId}`;
  const response = fetch(url).then(res => res.json());
  return response;
}

function formatMangaDetails(data) {
  const { title, subtitle, status, type, summary, thumb, genres, nsfw, created, modified, is_api } = data;
  return {
    id: 1,
    api_id: apiId,
    title: title,
    sub_title: subtitle,
    status: status,
    type: type,
    summary: summary,
    thumb: thumb,
    genres: genres,
    nsfw: nsfw,
    created: created,
    modified: modified,
    is_api: is_api
  };
}

// Example usage
const apiId = '123456789';
const data = fetchMangaDetails(apiId);
const formattedData = formatMangaDetails(data);
console.log(formattedData);

```

One Entry

```

// Example usage
const apiId = '123456789';
const data = fetchMangaDetails(apiId);
const formattedData = formatMangaDetails(data);
console.log(formattedData);

```


Your Response:

Only a subset of the API data is used, the manga's id, title, sub_title, status, type, summary, genres, thumbnail, and NSFW flag. es, some data needs to be converted and reshaped:

Some data needed conversion. The main one is the genre field because the API returns it as an array, but the database stores it as text. I converted it into a comma-separated string using implode. I also use default values when fields are missing, such as "Unknown" for status, "N/A" for genres, false for nsfw.

The transformation logic takes the API response and extracts the manga records from the data. It then keeps only the fields I need and converts the arrays into strings. Then returns the result as an array that can be inserted into my manga table or displayed.



Saved: 5/5/2026 6:13:40 PM

⇒ Task #3 (0.50 pts.) - API Duplicates

Progress: 100%

Details:

- Consider how duplicate entries are handled
 - What happens if you get the same result from the API for an entity that exists but has been unmodified?
 - What happens if you get the same result from the API for an entity that exists but has been modified?

Your Response:

Duplicate API entries are handled using the api_id column, which stores the manga ID returned by the API and has a UNIQUE constraint. When API data is fetched, the API's id is moved into api_id. If the same API result already exists and has not changed, no duplicate row is created.

If the same API result already exists but has changed, such as a different status, summary, thumb, or genres, the existing row is updated instead of inserting a second copy.



Saved: 5/5/2026 6:27:34 PM

⇒ Task #4 (0.50 pts.) - API Fetching

Progress: 100%

Details:


- Consider how your application will trigger this data fetch
 - (i.e., periodic via cron job, poor man's cron job, on app start/awake, etc)

PHP Validation Code 1 (Create_Manga)


```

1  <?php
2  // Create_Manga.php
3  // This script handles the creation of a new manga entry.
4  // It checks for required fields, sanitizes input, and inserts the data into the database.
5  // Only Admins have access to this page.
6
7  // Check if the user is an Admin
8  if (!isset($_SESSION['user_id']) || $_SESSION['role'] != 'Admin') {
9      header('Location: /login.php');
10     exit();
11 }
12
13 // Sanitize input
14 $fetch = htmlspecialchars($_POST['fetch'], ENT_QUOTES, 'UTF-8');
15 $title = htmlspecialchars($_POST['title'], ENT_QUOTES, 'UTF-8');
16 $nsfw = htmlspecialchars($_POST['nsfw'], ENT_QUOTES, 'UTF-8');
17
18 // Check for required fields
19 if (empty($fetch) || empty($title) || empty($nsfw)) {
20     echo "Please fill in all required fields.";
21     exit();
22 }
23
24 // Convert nsfw to integer
25 $nsfw = (int)$nsfw;
26
27 // Check if title is blank
28 if (trim($title) === '') {
29     echo "Title cannot be blank.";
30     exit();
31 }
32
33 // Insert data into database
34 $sql = "INSERT INTO manga (fetch, title, nsfw) VALUES ('$fetch', '$title', '$nsfw')";
35 $result = $conn->query($sql);
36
37 if ($result->insert_id) {
38     echo "Manga created successfully.";
39 } else {
40     echo "Error: " . $conn->error;
41 }
42
43 // Close connection
44 $conn->close();
45
46 // Redirect to the manga list page
47 header('Location: /manga.php');
48 exit();
49
50 // Error handling
51 if ($conn->connect_error) {
52     die("Connection failed: " . $conn->connect_error);
53 }
54
55 // Database connection
56 $conn = new mysqli("localhost", "root", "", "manga_db");
57
58 // Check connection
59 if ($conn->connect_error) {
60     die("Connection failed: " . $conn->connect_error);
61 }
62
63 // Session check
64 if (!isset($_SESSION['user_id'])) {
65     header('Location: /login.php');
66     exit();
67 }
68
69 // Role check
70 if ($_SESSION['role'] != 'Admin') {
71     header('Location: /login.php');
72     exit();
73 }
74
75 // Sanitize input
76 $fetch = htmlspecialchars($_POST['fetch'], ENT_QUOTES, 'UTF-8');
77 $title = htmlspecialchars($_POST['title'], ENT_QUOTES, 'UTF-8');
78 $nsfw = htmlspecialchars($_POST['nsfw'], ENT_QUOTES, 'UTF-8');
79
80 // Check for required fields
81 if (empty($fetch) || empty($title) || empty($nsfw)) {
82     echo "Please fill in all required fields.";
83     exit();
84 }
85
86 // Convert nsfw to integer
87 $nsfw = (int)$nsfw;
88
89 // Check if title is blank
90 if (trim($title) === '') {
91     echo "Title cannot be blank.";
92     exit();
93 }
94
95 // Insert data into database
96 $sql = "INSERT INTO manga (fetch, title, nsfw) VALUES ('$fetch', '$title', '$nsfw')";
97 $result = $conn->query($sql);
98
99 if ($result->insert_id) {
100    echo "Manga created successfully.";
101 } else {
102    echo "Error: " . $conn->error;
103 }
104
105 // Close connection
106 $conn->close();
107
108 // Redirect to the manga list page
109 header('Location: /manga.php');
110 exit();
111
112 // Error handling
113 if ($conn->connect_error) {
114     die("Connection failed: " . $conn->connect_error);
115 }
116
117 // Database connection
118 $conn = new mysqli("localhost", "root", "", "manga_db");
119
120 // Check connection
121 if ($conn->connect_error) {
122     die("Connection failed: " . $conn->connect_error);
123 }
124
125 // Session check
126 if (!isset($_SESSION['user_id'])) {
127     header('Location: /login.php');
128     exit();
129 }
130
131 // Role check
132 if ($_SESSION['role'] != 'Admin') {
133     header('Location: /login.php');
134     exit();
135 }
136
137 // Sanitize input
138 $fetch = htmlspecialchars($_POST['fetch'], ENT_QUOTES, 'UTF-8');
139 $title = htmlspecialchars($_POST['title'], ENT_QUOTES, 'UTF-8');
140 $nsfw = htmlspecialchars($_POST['nsfw'], ENT_QUOTES, 'UTF-8');
141
142 // Check for required fields
143 if (empty($fetch) || empty($title) || empty($nsfw)) {
144     echo "Please fill in all required fields.";
145     exit();
146 }
147
148 // Convert nsfw to integer
149 $nsfw = (int)$nsfw;
150
151 // Check if title is blank
152 if (trim($title) === '') {
153     echo "Title cannot be blank.";
154     exit();
155 }
156
157 // Insert data into database
158 $sql = "INSERT INTO manga (fetch, title, nsfw) VALUES ('$fetch', '$title', '$nsfw')";
159 $result = $conn->query($sql);
160
161 if ($result->insert_id) {
162     echo "Manga created successfully.";
163 } else {
164     echo "Error: " . $conn->error;
165 }
166
167 // Close connection
168 $conn->close();
169
170 // Redirect to the manga list page
171 header('Location: /manga.php');
172 exit();
173
174 // Error handling
175 if ($conn->connect_error) {
176     die("Connection failed: " . $conn->connect_error);
177 }
178
179 // Database connection
180 $conn = new mysqli("localhost", "root", "", "manga_db");
181
182 // Check connection
183 if ($conn->connect_error) {
184     die("Connection failed: " . $conn->connect_error);
185 }
186
187 // Session check
188 if (!isset($_SESSION['user_id'])) {
189     header('Location: /login.php');
190     exit();
191 }
192
193 // Role check
194 if ($_SESSION['role'] != 'Admin') {
195     header('Location: /login.php');
196     exit();
197 }
198
199 // Sanitize input
200 $fetch = htmlspecialchars($_POST['fetch'], ENT_QUOTES, 'UTF-8');
201 $title = htmlspecialchars($_POST['title'], ENT_QUOTES, 'UTF-8');
202 $nsfw = htmlspecialchars($_POST['nsfw'], ENT_QUOTES, 'UTF-8');
203
204 // Check for required fields
205 if (empty($fetch) || empty($title) || empty($nsfw)) {
206     echo "Please fill in all required fields.";
207     exit();
208 }
209
210 // Convert nsfw to integer
211 $nsfw = (int)$nsfw;
212
213 // Check if title is blank
214 if (trim($title) === '') {
215     echo "Title cannot be blank.";
216     exit();
217 }
218
219 // Insert data into database
220 $sql = "INSERT INTO manga (fetch, title, nsfw) VALUES ('$fetch', '$title', '$nsfw')";
221 $result = $conn->query($sql);
222
223 if ($result->insert_id) {
224     echo "Manga created successfully.";
225 } else {
226     echo "Error: " . $conn->error;
227 }
228
229 // Close connection
230 $conn->close();
231
232 // Redirect to the manga list page
233 header('Location: /manga.php');
234 exit();
235
236 // Error handling
237 if ($conn->connect_error) {
238     die("Connection failed: " . $conn->connect_error);
239 }
240
241 // Database connection
242 $conn = new mysqli("localhost", "root", "", "manga_db");
243
244 // Check connection
245 if ($conn->connect_error) {
246     die("Connection failed: " . $conn->connect_error);
247 }
248
249 // Session check
250 if (!isset($_SESSION['user_id'])) {
251     header('Location: /login.php');
252     exit();
253 }
254
255 // Role check
256 if ($_SESSION['role'] != 'Admin') {
257     header('Location: /login.php');
258     exit();
259 }
260
261 // Sanitize input
262 $fetch = htmlspecialchars($_POST['fetch'], ENT_QUOTES, 'UTF-8');
263 $title = htmlspecialchars($_POST['title'], ENT_QUOTES, 'UTF-8');
264 $nsfw = htmlspecialchars($_POST['nsfw'], ENT_QUOTES, 'UTF-8');
265
266 // Check for required fields
267 if (empty($fetch) || empty($title) || empty($nsfw)) {
268     echo "Please fill in all required fields.";
269     exit();
270 }
271
272 // Convert nsfw to integer
273 $nsfw = (int)$nsfw;
274
275 // Check if title is blank
276 if (trim($title) === '') {
277     echo "Title cannot be blank.";
278     exit();
279 }
280
281 // Insert data into database
282 $sql = "INSERT INTO manga (fetch, title, nsfw) VALUES ('$fetch', '$title', '$nsfw')";
283 $result = $conn->query($sql);
284
285 if ($result->insert_id) {
286     echo "Manga created successfully.";
287 } else {
288     echo "Error: " . $conn->error;
289 }
290
291 // Close connection
292 $conn->close();
293
294 // Redirect to the manga list page
295 header('Location: /manga.php');
296 exit();
297
298 // Error handling
299 if ($conn->connect_error) {
300     die("Connection failed: " . $conn->connect_error);
301 }
302
303 // Database connection
304 $conn = new mysqli("localhost", "root", "", "manga_db");
305
306 // Check connection
307 if ($conn->connect_error) {
308     die("Connection failed: " . $conn->connect_error);
309 }
310
311 // Session check
312 if (!isset($_SESSION['user_id'])) {
313     header('Location: /login.php');
314     exit();
315 }
316
317 // Role check
318 if ($_SESSION['role'] != 'Admin') {
319     header('Location: /login.php');
320     exit();
321 }
322
323 // Sanitize input
324 $fetch = htmlspecialchars($_POST['fetch'], ENT_QUOTES, 'UTF-8');
325 $title = htmlspecialchars($_POST['title'], ENT_QUOTES, 'UTF-8');
326 $nsfw = htmlspecialchars($_POST['nsfw'], ENT_QUOTES, 'UTF-8');
327
328 // Check for required fields
329 if (empty($fetch) || empty($title) || empty($nsfw)) {
330     echo "Please fill in all required fields.";
331     exit();
332 }
333
334 // Convert nsfw to integer
335 $nsfw = (int)$nsfw;
336
337 // Check if title is blank
338 if (trim($title) === '') {
339     echo "Title cannot be blank.";
340     exit();
341 }
342
343 // Insert data into database
344 $sql = "INSERT INTO manga (fetch, title, nsfw) VALUES ('$fetch', '$title', '$nsfw')";
345 $result = $conn->query($sql);
346
347 if ($result->insert_id) {
348     echo "Manga created successfully.";
349 } else {
350     echo "Error: " . $conn->error;
351 }
352
353 // Close connection
354 $conn->close();
355
356 // Redirect to the manga list page
357 header('Location: /manga.php');
358 exit();
359
360 // Error handling
361 if ($conn->connect_error) {
362     die("Connection failed: " . $conn->connect_error);
363 }
364
365 // Database connection
366 $conn = new mysqli("localhost", "root", "", "manga_db");
367
368 // Check connection
369 if ($conn->connect_error) {
370     die("Connection failed: " . $conn->connect_error);
371 }
372
373 // Session check
374 if (!isset($_SESSION['user_id'])) {
375     header('Location: /login.php');
376     exit();
377 }
378
379 // Role check
380 if ($_SESSION['role'] != 'Admin') {
381     header('Location: /login.php');
382     exit();
383 }
384
385 // Sanitize input
386 $fetch = htmlspecialchars($_POST['fetch'], ENT_QUOTES, 'UTF-8');
387 $title = htmlspecialchars($_POST['title'], ENT_QUOTES, 'UTF-8');
388 $nsfw = htmlspecialchars($_POST['nsfw'], ENT_QUOTES, 'UTF-8');
389
390 // Check for required fields
391 if (empty($fetch) || empty($title) || empty($nsfw)) {
392     echo "Please fill in all required fields.";
393     exit();
394 }
395
396 // Convert nsfw to integer
397 $nsfw = (int)$nsfw;
398
399 // Check if title is blank
400 if (trim($title) === '') {
401     echo "Title cannot be blank.";
402     exit();
403 }
404
405 // Insert data into database
406 $sql = "INSERT INTO manga (fetch, title, nsfw) VALUES ('$fetch', '$title', '$nsfw')";
407 $result = $conn->query($sql);
408
409 if ($result->insert_id) {
410     echo "Manga created successfully.";
411 } else {
412     echo "Error: " . $conn->error;
413 }
414
415 // Close connection
416 $conn->close();
417
418 // Redirect to the manga list page
419 header('Location: /manga.php');
420 exit();
421
422 // Error handling
423 if ($conn->connect_error) {
424     die("Connection failed: " . $conn->connect_error);
425 }
426
427 // Database connection
428 $conn = new mysqli("localhost", "root", "", "manga_db");
429
430 // Check connection
431 if ($conn->connect_error) {
432     die("Connection failed: " . $conn->connect_error);
433 }
434
435 // Session check
436 if (!isset($_SESSION['user_id'])) {
437     header('Location: /login.php');
438     exit();
439 }
440
441 // Role check
442 if ($_SESSION['role'] != 'Admin') {
443     header('Location: /login.php');
444     exit();
445 }
446
447 // Sanitize input
448 $fetch = htmlspecialchars($_POST['fetch'], ENT_QUOTES, 'UTF-8');
449 $title = htmlspecialchars($_POST['title'], ENT_QUOTES, 'UTF-8');
450 $nsfw = htmlspecialchars($_POST['nsfw'], ENT_QUOTES, 'UTF-8');
451
452 // Check for required fields
453 if (empty($fetch) || empty($title) || empty($nsfw)) {
454     echo "Please fill in all required fields.";
455     exit();
456 }
457
458 // Convert nsfw to integer
459 $nsfw = (int)$nsfw;
460
461 // Check if title is blank
462 if (trim($title) === '') {
463     echo "Title cannot be blank.";
464     exit();
465 }
466
467 // Insert data into database
468 $sql = "INSERT INTO manga (fetch, title, nsfw) VALUES ('$fetch', '$title', '$nsfw')";
469 $result = $conn->query($sql);
470
471 if ($result->insert_id) {
472     echo "Manga created successfully.";
473 } else {
474     echo "Error: " . $conn->error;
475 }
476
477 // Close connection
478 $conn->close();
479
480 // Redirect to the manga list page
481 header('Location: /manga.php');
482 exit();
483
484 // Error handling
485 if ($conn->connect_error) {
486     die("Connection failed: " . $conn->connect_error);
487 }
488
489 // Database connection
490 $conn = new mysqli("localhost", "root", "", "manga_db");
491
492 // Check connection
493 if ($conn->connect_error) {
494     die("Connection failed: " . $conn->connect_error);
495 }
496
497 // Session check
498 if (!isset($_SESSION['user_id'])) {
499     header('Location: /login.php');
500     exit();
501 }
502
503 // Role check
504 if ($_SESSION['role'] != 'Admin') {
505     header('Location: /login.php');
506     exit();
507 }
508
509 // Sanitize input
510 $fetch = htmlspecialchars($_POST['fetch'], ENT_QUOTES, 'UTF-8');
511 $title = htmlspecialchars($_POST['title'], ENT_QUOTES, 'UTF-8');
512 $nsfw = htmlspecialchars($_POST['nsfw'], ENT_QUOTES, 'UTF-8');
513
514 // Check for required fields
515 if (empty($fetch) || empty($title) || empty($nsfw)) {
516     echo "Please fill in all required fields.";
517     exit();
518 }
519
520 // Convert nsfw to integer
521 $nsfw = (int)$nsfw;
522
523 // Check if title is blank
524 if (trim($title) === '') {
525     echo "Title cannot be blank.";
526     exit();
527 }
528
529 // Insert data into database
530 $sql = "INSERT INTO manga (fetch, title, nsfw) VALUES ('$fetch', '$title', '$nsfw')";
531 $result = $conn->query($sql);
532
533 if ($result->insert_id) {
534     echo "Manga created successfully.";
535 } else {
536     echo "Error: " . $conn->error;
537 }
538
539 // Close connection
540 $conn->close();
541
542 // Redirect to the manga list page
543 header('Location: /manga.php');
544 exit();
545
546 // Error handling
547 if ($conn->connect_error) {
548     die("Connection failed: " . $conn->connect_error);
549 }
550
551 // Database connection
552 $conn = new mysqli("localhost", "root", "", "manga_db");
553
554 // Check connection
555 if ($conn->connect_error) {
556     die("Connection failed: " . $conn->connect_error);
557 }
558
559 // Session check
560 if (!isset($_SESSION['user_id'])) {
561     header('Location: /login.php');
562     exit();
563 }
564
565 // Role check
566 if ($_SESSION['role'] != 'Admin') {
567     header('Location: /login.php');
568     exit();
569 }
570
571 // Sanitize input
572 $fetch = htmlspecialchars($_POST['fetch'], ENT_QUOTES, 'UTF-8');
573 $title = htmlspecialchars($_POST['title'], ENT_QUOTES, 'UTF-8');
574 $nsfw = htmlspecialchars($_POST['nsfw'], ENT_QUOTES, 'UTF-8');
575
576 // Check for required fields
577 if (empty($fetch) || empty($title) || empty($nsfw)) {
578     echo "Please fill in all required fields.";
579     exit();
580 }
581
582 // Convert nsfw to integer
583 $nsfw = (int)$nsfw;
584
585 // Check if title is blank
586 if (trim($title) === '') {
587     echo "Title cannot be blank.";
588     exit();
589 }
590
591 // Insert data into database
592 $sql = "INSERT INTO manga (fetch, title, nsfw) VALUES ('$fetch', '$title', '$nsfw')";
593 $result = $conn->query($sql);
594
595 if ($result->insert_id) {
596     echo "Manga created successfully.";
597 } else {
598     echo "Error: " . $conn->error;
599 }
600
601 // Close connection
602 $conn->close();
603
604 // Redirect to the manga list page
605 header('Location: /manga.php');
606 exit();
607
608 // Error handling
609 if ($conn->connect_error) {
610     die("Connection failed: " . $conn->connect_error);
611 }
612
613 // Database connection
614 $conn = new mysqli("localhost", "root", "", "manga_db");
615
616 // Check connection
617 if ($conn->connect_error) {
618     die("Connection failed: " . $conn->connect_error);
619 }
620
621 // Session check
622 if (!isset($_SESSION['user_id'])) {
623     header('Location: /login.php');
624     exit();
625 }
626
627 // Role check
628 if ($_SESSION['role'] != 'Admin') {
629     header('Location: /login.php');
630     exit();
631 }
632
633 // Sanitize input
634 $fetch = htmlspecialchars($_POST['fetch'], ENT_QUOTES, 'UTF-8');
635 $title = htmlspecialchars($_POST['title'], ENT_QUOTES, 'UTF-8');
636 $nsfw = htmlspecialchars($_POST['nsfw'], ENT_QUOTES, 'UTF-8');
637
638 // Check for required fields
639 if (empty($fetch) || empty($title) || empty($nsfw)) {
640     echo "Please fill in all required fields.";
641     exit();
642 }
643
644 // Convert nsfw to integer
645 $nsfw = (int)$nsfw;
646
647 // Check if title is blank
648 if (trim($title) === '') {
649     echo "Title cannot be blank.";
650     exit();
651 }
648
649 // Insert data into database
650 $sql = "INSERT INTO manga (fetch, title, nsfw) VALUES ('$fetch', '$title', '$nsfw')";
651 $result = $conn->query($sql);
652
653 if ($result->insert_id) {
654     echo "Manga created successfully.";
655 } else {
656     echo "Error: " . $conn->error;
657 }
658
659 // Close connection
660 $conn->close();
661
662 // Redirect to the manga list page
663 header('Location: /manga.php');
664 exit();
665
666 // Error handling
667 if ($conn->connect_error) {
668     die("Connection failed: " . $conn->connect_error);
669 }
670
671 // Database connection
672 $conn = new mysqli("localhost", "root", "", "manga_db");
673
674 // Check connection
675 if ($conn->connect_error) {
676     die("Connection failed: " . $conn->connect_error);
677 }
678
679 // Session check
680 if (!isset($_SESSION['user_id'])) {
681     header('Location: /login.php');
682     exit();
683 }
684
685 // Role check
686 if ($_SESSION['role'] != 'Admin') {
687     header('Location: /login.php');
688     exit();
689 }
690
691 // Sanitize input
692 $fetch = htmlspecialchars($_POST['fetch'], ENT_QUOTES, 'UTF-8');
693 $title = htmlspecialchars($_POST['title'], ENT_QUOTES, 'UTF-8');
694 $nsfw = htmlspecialchars($_POST['nsfw'], ENT_QUOTES, 'UTF-8');
695
696 // Check for required fields
697 if (empty($fetch) || empty($title) || empty($nsfw)) {
698     echo "Please fill in all required fields.";
699     exit();
700 }
701
702 // Convert nsfw to integer
703 $nsfw = (int)$nsfw;
704
705 // Check if title is blank
706 if (trim($title) === '') {
707     echo "Title cannot be blank.";
708     exit();
709 }
710
711 // Insert data into database
712 $sql = "INSERT INTO manga (fetch, title, nsfw) VALUES ('$fetch', '$title', '$nsfw')";
713 $result = $conn->query($sql);
714
715 if ($result->insert_id) {
716     echo "Manga created successfully.";
717 } else {
718     echo "Error: " . $conn->error;
719 }
720
721 // Close connection
722 $conn->close();
723
724 // Redirect to the manga list page
725 header('Location: /manga.php');
726 exit();
727
728 // Error handling
729 if ($conn->connect_error) {
730     die("Connection failed: " . $conn->connect_error);
731 }
732
733 // Database connection
734 $conn = new mysqli("localhost", "root", "", "manga_db");
735
736 // Check connection
737 if ($conn->connect_error) {
738     die("Connection failed: " . $conn->connect_error);
739 }
740
741 // Session check
742 if (!isset($_SESSION['user_id'])) {
743     header('Location: /login.php');
744     exit();
745 }
746
747 // Role check
748 if ($_SESSION['role'] != 'Admin') {
749     header('Location: /login.php');
750     exit();
751 }
752
753 // Sanitize input
754 $fetch = htmlspecialchars($_POST['fetch'], ENT_QUOTES, 'UTF-8');
755 $title = htmlspecialchars($_POST['title'], ENT_QUOTES, 'UTF-8');
756 $nsfw = htmlspecialchars($_POST['nsfw'], ENT_QUOTES, 'UTF-8');
757
758 // Check for required fields
759 if (empty($fetch) || empty($title) || empty($nsfw)) {
760     echo "Please fill in all required fields.";
761     exit();
762 }
763
764 // Convert nsfw to integer
765 $nsfw = (int)$nsfw;
766
767 // Check if title is blank
768 if (trim($title) === '') {
769     echo "Title cannot be blank.";
770     exit();
771 }
772
773 // Insert data into database
774 $sql = "INSERT INTO manga (fetch, title, nsfw) VALUES ('$fetch', '$title', '$nsfw')";
775 $result = $conn->query($sql);
776
777 if ($result->insert_id) {
778     echo "Manga created successfully.";
779 } else {
780     echo "Error: " . $conn->error;
781 }
782
783 // Close connection
784 $conn->close();
785
786 // Redirect to the manga list page
787 header('Location: /manga.php');
788 exit();
789
790 // Error handling
791 if ($conn->connect_error) {
792     die("Connection failed: " . $conn->connect_error);
793 }
794
795 // Database connection
796 $conn = new mysqli("localhost", "root", "", "manga_db");
797
798 // Check connection
799 if ($conn->connect_error) {
800     die("Connection failed: " . $conn->connect_error);
801 }
802
803 // Session check
804 if (!isset($_SESSION['user_id'])) {
805     header('Location: /login.php');
806     exit();
807 }
808
809 // Role check
810 if ($_SESSION['role'] != 'Admin') {
811     header('Location: /login.php');
812     exit();
813 }
814
815 // Sanitize input
816 $fetch = htmlspecialchars($_POST['fetch'], ENT_QUOTES, 'UTF-8');
817 $title = htmlspecialchars($_POST['title'], ENT_QUOTES, 'UTF-8');
818 $nsfw = htmlspecialchars($_POST['nsfw'], ENT_QUOTES, 'UTF-8');
819
820 // Check for required fields
821 if (empty($fetch) || empty($title) || empty($nsfw)) {
822     echo "Please fill in all required fields.";
823     exit();
824 }
825
826 // Convert nsfw to integer
827 $nsfw = (int)$nsfw;
828
829 // Check if title is blank
830 if (trim($title) === '') {
831     echo "Title cannot be blank.";
832     exit();
833 }
834
835 // Insert data into database
836 $sql = "INSERT INTO manga (fetch, title, nsfw) VALUES ('$fetch', '$title', '$nsfw')";
837 $result = $conn->query($sql);
838
839 if ($result->insert_id) {
840     echo "Manga created successfully.";
841 } else {
842     echo "Error: " . $conn->error;
843 }
844
845 // Close connection
846 $conn->close();
847
848 // Redirect to the manga list page
849 header('Location: /manga.php');
850 exit();
851
852 // Error handling
853 if ($conn->connect_error) {
854     die("Connection failed: " . $conn->connect_error);
855 }
856
857 // Database connection
858 $conn = new mysqli("localhost", "root", "", "manga_db");
859
860 // Check connection
861 if ($conn->connect_error) {
862     die("Connection failed: " . $conn->connect_error);
863 }
864
865 // Session check
866 if (!isset($_SESSION['user_id'])) {
867     header('Location: /login.php');
868     exit();
869 }
870
871 // Role check
872 if ($_SESSION['role'] != 'Admin') {
873     header('Location: /login.php');
874     exit();
875 }
876
877 // Sanitize input
878 $fetch = htmlspecialchars($_POST['fetch'], ENT_QUOTES, 'UTF-8');
879 $title = htmlspecialchars($_POST['title'], ENT_QUOTES, 'UTF-8');
880 $nsfw = htmlspecialchars($_POST['nsfw'], ENT_QUOTES, 'UTF-8');
881
882 // Check for required fields
883 if (empty($fetch) || empty($title) || empty($nsfw)) {
884     echo "Please fill in all required fields.";
885     exit();
886 }
887
888 // Convert nsfw to integer
889 $nsfw = (int)$nsfw;
890
891 // Check if title is blank
892 if (trim($title) === '') {
893     echo "Title cannot be blank.";
894     exit();
895 }
896
897 // Insert data into database
898 $sql = "INSERT INTO manga (fetch, title, nsfw) VALUES ('$fetch', '$title', '$nsfw')";
899 $result = $conn->query($sql);
900
901 if ($result->insert_id) {
902     echo "Manga created successfully.";
903 } else {
904     echo "Error: " . $conn->error;
905 }
906
907 // Close connection
908 $conn->close();
909
910 // Redirect to the manga list page
911 header('Location: /manga.php');
912 exit();
913
914 // Error handling
915 if ($conn->connect_error) {
916     die("Connection failed: " . $conn->connect_error);
917 }
918
919 // Database connection
920 $conn = new mysqli("localhost", "root", "", "manga_db");
921
922 // Check connection
923 if ($conn->connect_error) {
924     die("Connection failed: " . $conn->connect_error);
925 }
926
927 // Session check
928 if (!isset($_SESSION['user_id'])) {
929     header('Location: /login.php');
930     exit();
931 }
932
933 // Role check
934 if ($_SESSION['role'] != 'Admin') {
935     header('Location: /login.php');
936     exit();
937 }
938
939 // Sanitize input
940 $fetch = htmlspecialchars($_POST['fetch'], ENT_QUOTES, 'UTF-8');
941 $title = htmlspecialchars($_POST['title'], ENT_QUOTES, 'UTF-8');
942 $nsfw = htmlspecialchars($_POST['nsfw'], ENT_QUOTES, 'UTF-8');
943
944 // Check for required fields
945 if (empty($fetch) || empty($title) || empty($nsfw)) {
946     echo "Please fill in all required fields.";
947     exit();
948 }
949
950 // Convert nsfw to integer
951 $nsfw = (int)$nsfw;
952
953 // Check if title is blank
954 if (trim($title) === '') {
955     echo "Title cannot be blank.";
956     exit();
957 }
958
959 // Insert data into database
960 $sql = "INSERT INTO manga (fetch, title, nsfw) VALUES ('$fetch', '$title', '$nsfw')";
961 $result = $conn->query($sql);
962
963 if ($result->insert_id) {
964     echo "Manga created successfully.";
965 } else {
966     echo "Error: " . $conn->error;
967 }
968
969 // Close connection
970 $conn->close();
971
972 // Redirect to the manga list page
973 header('Location: /manga.php');
974 exit();
975
976 // Error handling
977 if ($conn->connect_error) {
978     die("Connection failed: " . $conn->connect_error);
979 }
980
981 // Database connection
982 $conn = new mysqli("localhost", "root", "", "manga_db");
983
984 // Check connection
985 if ($conn->connect_error) {
986     die("Connection failed: " . $conn->connect_error);
987 }
988
989 // Session check
990 if (!isset($_SESSION['user_id'])) {
991     header('Location: /login.php');
992     exit();
993 }
994
995 // Role check
996 if ($_SESSION['role'] != 'Admin') {
997     header('Location: /login.php');
998     exit();
999 }
1000
1001 // Sanitize input
1002 $fetch = htmlspecialchars($_POST['fetch'], ENT_QUOTES, 'UTF-8');
1003 $title = htmlspecialchars($_POST['title'], ENT_QUOTES, 'UTF-8');
1004 $nsfw = htmlspecialchars($_POST['nsfw'], ENT_QUOTES, 'UTF-8');
1005
1006 // Check for required fields
1007 if (empty($fetch) || empty($title) || empty($nsfw)) {
1008     echo "Please fill in all required fields.";
1009     exit();
1010 }
1011
1012 // Convert nsfw to integer
1013 $nsfw = (int)$nsfw;
1014
1015 // Check if title is blank
1016 if (trim($title) === '') {
1017     echo "Title cannot be blank.";
1018     exit();
1019 }
1020
1021 // Insert data into database
1022 $sql = "INSERT INTO manga (fetch, title, nsfw) VALUES ('$fetch', '$title', '$nsfw')";
1023 $result = $conn->query($sql);
1024
1025 if ($result->insert_id) {
1026     echo "Manga created successfully.";
1027 } else {
1028     echo "Error: " . $conn->error;
1029 }
1030
1031 // Close connection
1032 $conn->close();
1033
1034 // Redirect to the manga list page
1035 header('Location: /manga.php');
1036 exit();
1037
1038 // Error handling
1039 if ($conn->connect_error) {
1040     die("Connection failed: " . $conn->connect_error);
1041 }
1042
1043 // Database connection
1044 $conn = new mysqli("localhost", "root", "", "manga_db");
1045
1046 // Check connection
1047 if ($conn->connect_error) {
1048     die("Connection failed: " . $conn->connect_error);
1049 }
1050
1051 // Session check
1052 if (!isset($_SESSION['user_id'])) {
1053     header('Location: /login.php');
1054     exit();
1055 }
1056
1057 // Role check
1058 if ($_SESSION['role'] != 'Admin') {
1059     header('Location: /login.php');
1060     exit();
1061 }
1062
1063 // Sanitize input
1064 $fetch = htmlspecialchars($_POST['fetch'], ENT_QUOTES, 'UTF-8');
1065 $title = htmlspecialchars($_POST['title'], ENT_QUOTES, 'UTF-8');
1066 $nsfw = htmlspecialchars($_POST['nsfw'], ENT_QUOTES, 'UTF-8');
1067
1068 // Check for required fields
1069 if (empty($fetch) || empty($title) || empty($nsfw)) {
1070     echo "Please fill in all required fields.";
1071     exit();
1072 }
1073
1074 // Convert nsfw to integer
1075 $nsfw = (int)$nsfw;
1076
1077 // Check if title is blank
1078 if (trim($title) === '') {
1079     echo "Title cannot be blank.";
1080     exit();
1081 }
1082
1083 // Insert data into database
1084 $sql = "INSERT INTO manga (fetch, title, nsfw) VALUES ('$fetch', '$title', '$nsfw')";
1085 $result = $conn->query($sql);
1086
1087 if ($result->insert_id) {
1088     echo "Manga created successfully.";
1089 } else {
1090     echo "Error: " . $conn->error;
1091 }
1092
1093 // Close connection
1094 $conn->close();
1095
1096 // Redirect to the manga list page
1097 header('Location: /manga.php');
1098 exit();
1099
1100 // Error handling
1101 if ($conn->connect_error) {
1102     die("Connection failed: " . $conn->connect_error);
1103 }
1104
1105 // Database connection
1106 $conn = new mysqli("localhost", "root", "", "manga_db");
1107
1108 // Check connection
1109 if ($conn->connect_error) {
1110     die("Connection failed: " . $conn->connect_error);
1111 }
1112
1113 // Session check
1114 if (!isset($_SESSION['user_id'])) {
1115     header('Location: /login.php');
1116     exit();
1117 }
1118
1119 // Role check
1120 if ($_SESSION['role'] != 'Admin') {
1121     header('Location: /login.php');
1122     exit();
1123 }
1124
1125 // Sanitize input
1126 $fetch = htmlspecialchars($_POST['fetch'], ENT_QUOTES, 'UTF-8');
1127 $title = htmlspecialchars($_POST['title'], ENT_QUOTES, 'UTF-8');
1128 $nsfw = htmlspecialchars($_POST['nsfw'], ENT_QUOTES, 'UTF-8');
1129
1130 // Check for required fields
1131 if (empty($fetch) || empty($title) || empty($nsfw)) {
1132     echo "Please fill in all required fields.";
1133     exit();
1134 }
1135
1136 // Convert nsfw to integer
1137 $nsfw = (int)$nsfw;
1138
1139 // Check if title is blank
1140 if (trim($title) === '') {
1141     echo "Title cannot be blank.";
1142     exit();
1143 }
1144
1145 // Insert data into database
1146 $sql = "INSERT INTO manga (fetch, title, nsfw) VALUES ('$fetch', '$title', '$nsfw')";
1147 $result = $conn->query($sql);
1148
1149 if ($result->insert_id) {
1150     echo "Manga created successfully.";
1151 } else {
1152     echo "Error: " . $conn->error;
1153 }
1154
1155 // Close connection
1156 $conn->close();
1157
1158 // Redirect to the manga list page
1159 header('Location: /manga.php');
1160 exit();
1161
1162 // Error handling
1163 if ($conn->connect_error) {
1164     die("Connection failed: " . $conn->connect_error);
1165 }
1166
1167 // Database connection
1168 $conn = new mysqli("localhost", "root", "", "manga_db");
1169
1170 // Check connection
1171 if ($conn->connect_error) {
1172     die("Connection failed: " . $conn->connect_error);
1173 }
1174
1175 // Session check
1176 if (!isset($_SESSION['user_id'])) {
1177     header('Location: /login.php');
1178     exit();
1179 }
1180
1181 // Role check
1182 if ($_SESSION['role'] != 'Admin') {
1183     header('Location: /login.php');
1184     exit();
1185 }
1186
1187 // Sanitize input
1188 $fetch = htmlspecialchars($_POST['fetch'], ENT_QUOTES, 'UTF-8');
1189 $title = htmlspecialchars($_POST['title'], ENT_QUOTES, 'UTF-8');
1190 $nsfw = htmlspecialchars($_POST['nsfw'], ENT_QUOTES, 'UTF-8');
1191
1192 // Check for required fields
1193 if (empty($fetch) || empty($title) || empty($nsfw)) {
1194     echo "Please fill in all required fields.";
11
```


- occurs)
- Demonstrate various validation errors
- Ensure Render.com qa url is visible




Fetch Manga Success



Error (Please fill out this field)



Error No Manga Found



Error (You must provide a search tet)



- Include the Render.com prod link to this page

List/Styling

```
$limit = (int)se($_GET, "limit", 10, false);  
if ($limit < 1 || $limit > 100) {  
    $limit = 10;  
}
```

Limit



Saved: 5/5/2026 8:32:55 PM

Part 2:

Progress: 100%

Details:

- Briefly explain how the filter/sort logic works and formulates the results
- Briefly explain how the limit is validated and applied server-side
- Briefly explain how the list/grid output is generated
- Briefly note the styling choices

Your Response:

The filter logic reads values from the URL using `$_GET`. It builds the SQL query dynamically by adding WHERE conditions only when a filter is provided.

The limit is handled server-side by reading `limit` from the URL, converting it to an integer, and checking that it is between 1 and 100. If it is outside that range, it defaults to 10.

The list/grid output is generated by looping through `$results`. Each manga record is passed into `render_manga_card($manga)`, and each card is placed inside a Bootstrap grid column.

Styling uses Bootstrap classes like `container-fluid`, `row`, `col`, `col-md-4`, `mb-3`, and `btn btn-secondary` to create a responsive grid layout with spacing and styled buttons.



Saved: 5/5/2026 8:32:55 PM

Task #2 (0.60 pts.) - Examples

Progress: 100%

Details:

- Show a few variations of filter/sort applied (including no records - should display a "no results" message)

-

[illegible]

[ASTSB](#) [Contact](#) [Profile](#) [News](#) [Manga](#) [Login](#)

List Manga

Title	Sub Title	Summary	Status	Type	Genre	MFWP	Source	Thumbnail	Action
Real World Mobile	Real World [Japanese Shounen] • Real World • リアルワールド：夢路になったオタク • 現實篇と・現實篇と・現實篇と • 現實篇と・現實篇と • 現實篇と・現實篇と	Gang-u Choi is an ordinary high school student who likes video games. One day, he hears that his favorite game store is ...	Ongoing	Korea	Action, Fantasy, Thriller, Drama, Mystery	Yes	ADT		Details Update Delete
Testing	Misery	andendende	Ongoing	Japan	Isekai	No	Manual		Details Update Delete


[illegible]

Step 1: Download the application and install it on your device.	chrome	idm	APK	apk
Step 2: Open the application and log in with your credentials.	chrome	idm	APK	apk

5 Limit Filter



Details Page



Edit Page



Saved: 5/5/2026 9:43:10 PM

Task #3 (0.30 pts.) - Links

Progress: 100%

Details:

- Include the Render.com prod link to this page
- Include pull request link for this feature

URL #1

https://ast56-it202-008.onrender.com/project/admin/list_manga.php



URL

https://ast56-it202-008.onrender.com/project/admin/list_manga.php



URL #2

<https://github.com/PanicGeneral/ast56-IT202-008/pull/54>



URL

<https://github.com/PanicGeneral/ast56-IT202-008/pull/54>



Saved: 5/5/2026 9:43:35 PM

Section #4: (1.5 pts.) View Details Page

Section #4: (1.5 pts.) View Details Page (Single Item)

Progress: 100%

Task #1 (0.60 pts.) - Code

Progress: 100%

Part 1:

Progress: 100%

Details:

- Show the code that handles loading of the record (and how the id retrieved for usage)
 - Include the code that handles invalid/missing ids (should redirect back to the previous page with an appropriate message)
- Show the code that generates the entity output
- Styling must be applied

```
$id = se($_GET, "id", -1, false);
```

ID retrieval

```
if ($id < 1) {  
  
    flash("Invalid manga id", "danger");  
  
    header("Location: " . get_url("admin/list_manga.php"));  
    exit();  
}
```

Invalid Id

```
$manga = get_manga($id);  
$manga = json_encode($manga);  
$manga = json_decode($manga, true);  
if ($manga === null) {  
    flash("Manga not found", "warning");  
    header("Location: " . get_url("admin/list_manga.php"));  
    exit();  
}  
catch (PDOException $e) {  
    flash("Database error: " . $e->getMessage(), "danger");  
    header("Location: " . get_url("admin/list_manga.php"));  
    exit();  
}
```

Load Record

```

<style>
    You, 4 minutes ago | 1 author (You)
    .manga-card {
        max-width: 900px;
        margin: auto;
        border-radius: 12px;
    }

    You, 4 minutes ago | 1 author (You)
    .manga-img {
        border-radius: 10px;
        max-width: 100%;
    }
</style>

```

Styling

 Saved: 5/5/2026 9:56:08 PM

≡ Part 2:

Progress: 100%

Details:

- Briefly explain how the loading logic works
- Briefly explain how the entity output is generated
- Briefly note the styling choices

Your Response:

The loading logic first retrieves the manga id from the URL using `$_GET`. The code checks that the id exists and is greater than 0. An SQL statement is then used to query the database for the specific manga record matching that id.

The entity output is generated by checking if a valid manga record was returned from the database. If the record exists, the page shows the manga information such as title, subtitle, status, type, genres, summary, and thumbnail image using PHP echo/helper functions. The data is inserted into Bootstrap card and container components to style it.

The styling uses Bootstrap components such as container, card, shadow, and button classes to improve layout and readability. Custom CSS was also added to control the maximum width of the manga card, center the content, round the image corners, and improve spacing.

 Saved: 5/5/2026 9:56:08 PM

Task #2 (0.60 pts.) - Examples

Progress: 100%

Details:

- Show a few examples of different entities
- Each entity item should have more details than the summary view (if possible)
- Each entity should have the following links

- A link to edit the single entity (this may be an admin-only thing, but it should be present for the respective role)
- A link to delete the single entity (this may be an admin-only thing, but it should be present for the respective role)



Entity Details (API)

Id	Sub Title	Summary	Status	Type	Genres	NSFW	Source	Thumbnail	Actions
Real World Mobile	Real World (Takeone Studio) • Real World • 177477-177477 • 最強になったオタク • 리얼월드 • 리얼월드, 엘리스본고대 • 리얼월드, 엘리스본고대	Gang-u Choi is an ordinary high school student who likes video games. One day, he hears that his favorite game store is...	Ongoing	Korea	Action, Fantasy, Shounen, Drama, Mecha	Yes	API		Details Edit Delete

Delete and Edit button is on list view



Entity Details (Manual)



Saved: 5/5/2026 10:01:32 PM

Task #3 (0.30 pts.) - Links

Progress: 100%

Details:

- Include the Render.com prod link to this page
- Include pull request link for this feature

URL #1

https://ast56-it202-008.onrender.com/project/admin/list_manga.php



URL

<https://ast56-it202-008.onrender.com>



URL #2

<https://github.com/PanicGeneral/ast56-IT202-008/pull/55>



URL

<https://github.com/PanicGen>



Saved: 5/5/2026 10:01:50 PM

Section #5: (1.5 pts.) Edit Page

Progress: 100%

Task #1 (0.60 pts.) - Code

Progress: 100%

Part 1:

Progress: 100%

Details:

- Show the code that handles loading of the record (and how the id retrieved for usage)
 - Include the code that handles invalid/missing ids
- Show the code that generates the form with the correct data types and populates it
- Show the html, javascript, and php validation (should be similar to create)
- Styling must be applied

```
$id = $_GET["id"] ?? -1;
```

ID Retrieval

```
if ($id > -1) {  
    $db = getDB();  
    $query = "SELECT * FROM IT202-526-Manga WHERE id = :id";  
    try {  
        $stmt = $db->prepare($query);  
        $stmt->execute(["id" => $id]);  
        $r = $stmt->fetch(PDO::FETCH_ASSOC);  
        if ($r) {  
            $manga = $r;  
        }  
    } catch (PDOException $e) {  
        flash("Error fetching manga", "danger");  
    }  
} else {  
    flash("Invalid id", "danger");  
    die(header("Location:" . get_url("admin/list_manga.php")));  
}
```

Invalid ID

The form is built using HTML inputs, textareas, and a dropdown. The current manga data is automatically filled into the form using the \$manga array. When the form is submitted, PHP checks the submitted data, filters allowed fields, and updates the database using the update() helper. HTML validation is also used with things like the required attribute.

Styling was done using Bootstrap classes like container-fluid and btn btn-primary, along with a manga image preview to make the page look cleaner and easier to use.

The editable fields are things like title, subtitle, summary, genres, type, thumbnail URL, and NSFW status since admins may need to update that information.

 Saved: 5/5/2026 10:14:54 PM

Task #2 (0.60 pts.) - Examples

Progress: 100%

Details:

- Show a before and after of updating an entity (clearly caption)
- Successful update should have an appropriate message shown
- The updated data should be shown in the form
- Any errors should have user-friendly messages shown
- Show some examples of validation errors (html, javascript, php)

Testing	Wazry	asdeakdsda	Ongoing	Japan	seki	No	Manual	       
---------	-------	------------	---------	-------	------	----	--------	--

Before Edit

Testing Edit	Wazry	4113ee	Ongoing	Japan	seki	No	Manual	       
--------------	-------	--------	---------	-------	------	----	--------	--

After Edit

Successful Update Message

HTML Edit

Saved: 5/5/2026 10:18:36 PM

Task #3 (0.30 pts.) - Links

Progress: 100%

Details:

- Include the Render.com prod link to this page
- Include pull request link for this feature

URL #1

<https://github.com/PanicGeneral/ast56-it202-008/pull/55>



URL

<https://github.com/PanicGen>



URL #2

https://ast56-it202-008.onrender.com/project/admin/edit_manga.php?id=14



URL

https://ast56-it202-008.onrender.com/project/admin/edit_manga.php?id=14



Saved: 5/5/2026 10:20:07 PM

Section #6: (1.5 pts.) Delete Logic

Progress: 100%

Task #1 (0.60 pts.) - Code

Progress: 100%

Details:

- Show the code that handles deletion of the record (and how the id retrieved for usage)
 - Include the code that handles invalid/missing ids (should redirect to the list page with an appropriate message)
- Handle any necessary roles/permissions (i.e., it's not likely that anyone can delete any entity they choose)
- Show the redirect logic that goes back to the previous page (where the route came from), if it was a list page, it should maintain the filter/sort criteria

```
$id = se($_GET, "id", -1, false);
```

ID retrieve

```
if ($id > 0) {
    $db = getDB();
    $stmt = $db->prepare("DELETE FROM list_manga WHERE id = :id");
    try {
        $stmt->execute([
            ":id" => $id
        ]);
        flash("Deleted manga", "success");
    } catch (PDOException $e) {
        error_log(var_export($e, true));
        flash("Error deleting manga", "danger");
    }
    header("Location: " . get_url("admin/list_manga.php"));
    exit();
}
```

Invalid ID

```
if (!has_role("Admin")) {
    flash("No permission", "danger");
    die(header("Location: " . get_url("landing.php")));
}
```

Permissions/Roles

```
header("Location: " . get_url("admin/list_manga.php"));
exit();
```

Redirect Logic



Saved: 5/5/2026 10:33:29 PM

⇒ Part 2:

Progress: 100%

Details:

- Briefly explain how the deletion logic works
- Is it a soft or hard delete?
- Note any permissions/rules applied.
- Briefly explain how the redirect maintains the previous route and any filter/sort data

Your Response:

The deletion logic first retrieves the manga id from the URL and validates it before running a prepared SQL DELETE statement against the database. If the delete succeeds, a success flash message is shown; otherwise, an error message is displayed.

This is a hard delete because the record is completely removed from the database rather than being marked inactive or hidden. Admin permissions are required before deletion can occur. The code checks `has_role("Admin")` to prevent normal users from deleting records they should not have access to.

After deletion, the page redirects the user back to the manga list page using a standard PHP header redirect. Any success or error flash messages are displayed on the list page after the redirect occurs.



Saved: 5/5/2026 10:33:29 PM

🖼️ Task #2 (0.60 pts.) - Examples


Progress: 100%

Details:


- Show a successful delete message
- Show a before and after database view of the record being deleted (clearly caption)
- Any errors should have user-friendly messages shown

My test Newest 10 Apply										
Title	Sub Title	Summary	Status	Type	Genre	NSFW	Source	Thumbnail	Actions	
My Test Manga	testing	This is only a test	Ongoing	China	Fantasy/Romance	No	Manual		Details Edit Delete	

Database Before Deletion



Successful Deletion



Database After Deletion

 Saved: 5/5/2026 10:29:19 PM

Task #3 (0.30 pts.) - Links

Progress: 100%

Details:

- Include the Render.com prod link to this page (even though it's not a full page, it's more like how logout works)
- Include pull request link for this feature

URL #1

https://ast56-it202-008.onrender.com/project/admin/list_manga.php



URL

https://ast56-it202-008.onrender.com/project/admin/list_manga.php



URL #2

<https://github.com/PanicGeneral/ast56-it202-008/pull/55>



URL

<https://github.com/PanicGeneral/ast56-it202-008/pull/55>





Saved: 5/5/2026 10:29:42 PM

Section #7: (0.5 pts.) Misc

Progress: 100%

Task #1 (0.17 pts.) - Github Details


Progress: 100%

Part 1:

Progress: 100%

Details:

From the Commits tab of the Pull Request screenshot the commit history (it may not be possible to capture all, just grab a reasonable chunk)



Pull Requests



Saved: 5/5/2026 10:37:28 PM

Part 2:

Progress: 100%

Details:

Include the link to the Pull Request (should end in /pull/#) (Milestone2 into qa)

URL #1

<https://github.com/PanicGeneral/ast56-IT202-008/pull/3>



URL

<https://github.com/PanicGeneral/>



Saved: 5/5/2026 10:37:28 PM



Task #2 (0.17 pts.) - WakaTime - Activity

Progress: 100%

- Visit the [WakaTime.com](https://wakatime.com) Dashboard
- Click **Projects** and find your repository
- Capture the overall time at the top that includes the repository name
- Capture the individual time at the bottom that includes the file time
- Note: The duration isn't relevant for the grade and the visual graphs aren't necessary

14 hrs 42 mins over the **Last 7 Days** in ast56-IT202-008 under **all** branches. 🌲

[illegible]

 Saved: 5/5/2026 10:38:20 PM

Progress: 100%

Progress: 100%

Briefly answer the question (at least a few decent sentences)

I learned how to implement an API into my webpage , how to do styling with Bootstrap and also how to implement different pages to view and delete entities from the DB.



Saved: 5/5/2026 10:39:21 PM

⇒ Task #2 (0.33 pts.) - What was the easiest part of the assignment?

Progress: 100%

Details:

Briefly answer the question (at least a few decent sentences)

Your Response:

The easiest part of the assignment was the bootstrap styling



Saved: 5/5/2026 10:39:34 PM

⇒ Task #3 (0.33 pts.) - What was the hardest part of the assignment?

Progress: 100%

Details:

Briefly answer the question (at least a few decent sentences)

Your Response:

The hardest part of the assignment was trying to get the delete and detail pages to work correctly without fatal errors.



Saved: 5/5/2026 10:40:04 PM