Name: Pankaj Parihar

**Roll No.: 74** 

Batch: T21

# Assignment – 8

**Aim**: To install Nmap and use it with different options to scan open ports, perform OS fingerprinting, ping scan, TCP port scan, UDP port scan, etc.

# Theory:

### Nmap:

Nmap (Network Mapper) is a widely used open-source network scanning tool designed to discover hosts and services on a computer network. Its primary functions include mapping network infrastructure, identifying active devices, and detecting vulnerabilities. It operates by sending specially crafted packets to target hosts and analyzing their responses.

# **Key Features**

# 1. Port Scanning:

onmap identifies open ports on a target machine. By probing various ports, it determines which are accessible and responsive, which can help in assessing the exposure of services.

### 2. Service Detection:

 Beyond detecting open ports, nmap can probe those ports to identify the services running on them. This includes determining the version of the service, which helps in identifying potential vulnerabilities specific to that version.

## 3. Operating System Detection:

 Using techniques like TCP/IP stack fingerprinting, nmap estimates the operating system of the target device. It analyzes responses to certain packets to deduce characteristics of the OS.

## 4. Network Mapping:

o nmap can map out a network by discovering which hosts are active and how they

are interconnected. This can be useful for understanding network architecture and detecting unauthorized devices.

# 5. Vulnerability Scanning:

 Through the use of the Nmap Scripting Engine (NSE), nmap can run scripts to check for specific vulnerabilities or security issues on the target systems.

# **Common Scanning Techniques**

# 1. TCP SYN Scan (Stealth Scan):

Sends SYN packets to target ports. If a SYN-ACK is received, the port is open. This
method is less likely to be logged by the target's firewall or intrusion detection
system.

### 2. TCP Connect Scan:

 Completes the TCP handshake to determine open ports. This scan is more intrusive and detectable compared to the SYN scan but can be more accurate.

### 3. UDP Scan:

 Sends UDP packets to ports and waits for responses. Since UDP is connectionless, it can be less reliable and slower to scan compared to TCP.

## 4. Aggressive Scan:

 Combines several scans and techniques (OS detection, version detection, script scanning) into a single scan, providing a comprehensive overview but potentially more detectable.

# **Practical Applications**

## Security Assessment:

 Used by security professionals to find vulnerabilities, misconfigurations, and security holes in a network.

## Network Inventory:


 Helps network administrators maintain an inventory of devices and their services, ensuring network hygiene.


## Troubleshooting:


 Assists in diagnosing network issues by revealing misconfigured or malfunctioning services.


# **Output:**


### **Nmap Installation:**

















#### **Commands:**

## 1. Scan Open Ports

```
C:\Program Files (x86)\Nmap>nmap 162.241.70.62
Starting Nmap 7.95 ( https://nmap.org ) at 2024-08-19 09:56 India Standard Time
Nmap scan report for 162-241-70-62.webhostbox.net (162.241.70.62)
Host is up (0.26s latency).
Not shown: 915 filtered tcp ports (no-response), 15 filtered tcp ports (host-prohibited), 59 closed tcp ports (res
et)
PORT
           STATE SERVICE
22/tcp
          open ssh
53/tcp
          open domain
80/tcp open
110/tcp open
          open http
                 pop3
143/tcp open
                  imap
443/tcp
          open https
465/tcp
          open
                 smtps
587/tcp
          open submission
993/tcp open imaps
995/tcp open pop3s
3306/tcp open mysql
Nmap done: 1 IP address (1 host up) scanned in 10.32 seconds
```

# 2. OS Fingerprinting

```
C:\Program Files (x86)\Nmap>nmap -0 162.241.70.62
Starting Nmap 7.95 ( https://nmap.org ) at 2024-08-19 09:56 India Standard Time
Nmap scan report for 162-241-70-62.webhostbox.net (162.241.70.62)
Host is up (0.26s latency).
Not shown: 915 filtered tcp ports (no-response), 15 filtered tcp ports (host-prohibited), 59 closed tcp ports (res
et)
PORT
22/tcp
            STATE SERVICE
            open ssh
53/tcp
            open domain
            open http
80/tcp
110/tcp open
                    pop3
143/tcp open
                    imap
443/tcp open https
465/tcp open smtps
587/tcp open submission
993/tcp open imaps
995/tcp open pop3s
3306/tcp open mysql
Aggressive OS guesses: Linux 4.19 - 5.15 (92%), Linux 3.4 (91%), Linux 4.15 (90%), Linux 3.11 - 4.9 (88%), Linux 3.2 - 3.8 (88%), Android TV OS 11 (Linux 4.19) (86%), Linux 2.6.32 (86%), Linux 2.6.32 or 3.10 (86%), Linux 2.6.39 (86%), Linux 3.10 - 3.12 (86%)
No exact OS matches for host (test conditions non-ideal).
OS detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 15.87 seconds
```

## 3. Ping Scan

```
gram Files (x86)\Mmap=nmap -sn 162.241.70.62/24
ng Nmap 7.95 ( https://nmap.org ) at 282-88-19 10:01 India Standard Time
can report for 162-241-70-1.unified[ayer.com (162.241.70.1)
                                                 for 103-24-79-1 unifiedityer.com (162-241-79-1) Latency).
for 162-241-79-6 unifiedityer.com (162-241-79-1) Latency).
for 162-241-79-6 unifiedityer.com (162-241-79-6) Latency).
foliation:
for 162-241-79-1 unifiedityer.com (162-241-79-1)
foliation:
for 162-241-79-19-9-9-bhostbox.net (162-241-79-19-1)
Latency).
for server-discounterpare.com (162-241-79-22)
for server-discounterpare.com (162-241-79-22)
                                                   for server-dacessorlespace.com (162:201.79.22)
for 180-281-70-20.nebhostbox.net (162:201.79.22)
latency)
latency)
latency)
for 180-281-70-25.nebhostbox.net (182:201.79.25)
latency)
for 180-281-70-28.nebhostbox.net (182:201.79.25)
for 180-281-70-28.nebhostbox.net (182:201.79.26)
for 180-281-70-28.nebhostbox.net (182:201.79.26)
latency).
```

#### 4. TCP Port Scan

```
C:\Program Files (x86)\Nmap>nmap -sT 162.241.70.62
Starting Nmap 7.95 (https://nmap.org) at 2024-08-19 10:05 India Standard Time
Nmap scan report for 162-241-70-62.webhostbox.net (162.241.70.62)
Host is up (0.26s latency).
Not shown: 989 filtered tcp ports (no-response)
PORT
         STATE SERVICE
22/tcp
         open ssh
        open domain
53/tcp
80/tcp
         open http
110/tcp
        open pop3
143/tcp
              imap
         open
        open https
443/tcp
465/tcp
        open smtps
587/tcp open submission
993/tcp open imaps
995/tcp open pop3s
3306/tcp open mysql
Nmap done: 1 IP address (1 host up) scanned in 14.82 seconds
```

### 5. UDP Port Scan

```
C:\Program Files (x86)\Nmap>nmap -sU 142.250.217.68

Starting Nmap 7.95 ( https://nmap.org ) at 2024-08-19 10:24 India Standard Time Stats: 0:03:35 elapsed; 0 hosts completed (1 up), 1 undergoing UDP Scan UDP Scan Timing: About 75.40% done; ETC: 10:29 (0:01:10 remaining)

Stats: 0:03:35 elapsed; 0 hosts completed (1 up), 1 undergoing UDP Scan UDP Scan Timing: About 75.55% done; ETC: 10:29 (0:01:09 remaining)

Nmap scan report for sea09s29-in-f4.1e100.net (142.250.217.68)

Host is up (0.26s latency).

Not shown: 999 open|filtered udp ports (no-response)

PORT STATE SERVICE

33459/udp closed unknown

Nmap done: 1 IP address (1 host up) scanned in 222.04 seconds
```

**Conclusion:** Used tools like sniffers, port scanners and other related tools for analyzing packets in a network (LO4 is achieved).