

Git

www.msftconnecttest.com

Direct IP access not allowed


Create a New Repository

Generating a new SSH key

+

github.com/new

Gmaildevnagri lipialll conceptMySQL CommandsplacementcourseCampus CredentialsLeetcodetreasureNPTEL :: Computer...NumPy Exercises, P...


Search or jump to...Pull requestsIssuesMarketplaceExplore

# Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere? [Import a repository.](#)

Owner \*

Repository name \*


 PankajMore-09

/


WAD\_Assignment

Great repository names are short and memorable. Need inspiration? How about [fluffy-happiness?](#)

Description (optional)

☒  **Public**

Anyone on the internet can see this repository. You choose who can commit.


☐  **Private**

You choose who can see and commit to this repository.

Initialize this repository with:

Skip this step if you're importing an existing repository.

35°C  
Mostly cloudy



ENG7:00 PM  
4/29/2022

Git

www.msftconnecttest.com

Direct IP access not allowed


Create a New Repository

Generating a new SSH key

+

github.com/new

Gmaildevnagri lipiall conceptMySQL CommandsplacementcourseCampus CredentialsLeetcodetreasureNPTEL :: Computer...NumPy Exercises, P...


Search or jump to...Pull requestsIssuesMarketplaceExplore

# Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere? [Import a repository.](#)


Owner \*

Repository name \*


 PankajMore-09 / WAD\_Assignment ✓

Great repository names are short and memorable. Need inspiration? How about [fluffy-happiness?](#)

Description (optional)

☒  **Public**

Anyone on the internet can see this repository. You choose who can commit.


☐  **Private**

You choose who can see and commit to this repository.

Initialize this repository with:

Skip this step if you're importing an existing repository.

35°C  
Mostly cloudy



ENG7:00 PM  
4/29/2022

MINGW64:/c/Users/Pankaj/OneDrive/Desktop/PICT/Third\_year/6'th Sem/WAD/WAD\_Exercise

Pankaj@Pankaj MINGW64 ~/OneDrive/Desktop/PICT/Third\_year/6'th Sem/WAD/WAD\_Exerci  
se (master)  
\$

```
MINGW64:/c/Users/Pankaj/OneDrive/Desktop/PICT/Third_year/6'th Sem/WAD/WAD_Exercise

Pankaj@Pankaj MINGW64 ~/OneDrive/Desktop/PICT/Third_year/6'th Sem/WAD/WAD_Exercise (master)
$ git config --global user.name Pankaj

Pankaj@Pankaj MINGW64 ~/OneDrive/Desktop/PICT/Third_year/6'th Sem/WAD/WAD_Exercise (master)
$ git config --global user.email "pankumore101@gmail.com"

Pankaj@Pankaj MINGW64 ~/OneDrive/Desktop/PICT/Third_year/6'th Sem/WAD/WAD_Exercise (master)
$ touch .gitignore

Pankaj@Pankaj MINGW64 ~/OneDrive/Desktop/PICT/Third_year/6'th Sem/WAD/WAD_Exercise (master)
$ touch .gitignore

Pankaj@Pankaj MINGW64 ~/OneDrive/Desktop/PICT/Third_year/6'th Sem/WAD/WAD_Exercise (master)
$ git init
Initialized empty Git repository in C:/Users/Pankaj/OneDrive/Desktop/PICT/Third_year/6'th Sem/WAD/WAD_Exercise/.git/

Pankaj@Pankaj MINGW64 ~/OneDrive/Desktop/PICT/Third_year/6'th Sem/WAD/WAD_Exercise (master)
$ git init
Reinitialized existing Git repository in C:/Users/Pankaj/OneDrive/Desktop/PICT/Third_year/6'th Sem/WAD/WAD_Exercise/.git/

Pankaj@Pankaj MINGW64 ~/OneDrive/Desktop/PICT/Third_year/6'th Sem/WAD/WAD_Exercise (master)
$ git add .

Pankaj@Pankaj MINGW64 ~/OneDrive/Desktop/PICT/Third_year/6'th Sem/WAD/WAD_Exercise (master)
$ git commit -m "initial Commit"
[master (root-commit) 8ba7ba9] initial Commit
100 files changed, 3560 insertions(+)
create mode 100644 .gitignore
create mode 100644 Exercise1/1.html
create mode 100644 Exercise1/10.html
create mode 100644 Exercise1/11.html
create mode 100644 Exercise1/12.html
create mode 100644 Exercise1/13.html
create mode 100644 Exercise1/14.html
create mode 100644 Exercise1/15.html
create mode 100644 Exercise1/16.html
create mode 100644 Exercise1/17.html
create mode 100644 Exercise1/18.html
create mode 100644 Exercise1/19.html
create mode 100644 Exercise1/20.html
create mode 100644 Exercise1/21.html
create mode 100644 Exercise1/22.html
create mode 100644 Exercise1/23_26.html
create mode 100644 Exercise1/27.html
create mode 100644 Exercise1/28.html
```

```

MINGW64:/c/Users/Pankaj/OneDrive/Desktop/PICT/Third_year/6'th Sem/WAD/WAD_Exercise
Pankaj@Pankaj MINGW64 ~/OneDrive/Desktop/PICT/Third_year/6'th Sem/WAD/WAD_Exercise (master)
$ git status
On branch master
nothing to commit, working tree clean

Pankaj@Pankaj MINGW64 ~/OneDrive/Desktop/PICT/Third_year/6'th Sem/WAD/WAD_Exercise (master)
$ git remote add origin git@github.com:PankajMore-09/WAD_Assignments.git

Pankaj@Pankaj MINGW64 ~/OneDrive/Desktop/PICT/Third_year/6'th Sem/WAD/WAD_Exercise (master)
$ git push origin master
git@github.com: Permission denied (publickey).
fatal: Could not read from remote repository.

Please make sure you have the correct access rights
and the repository exists.

Pankaj@Pankaj MINGW64 ~/OneDrive/Desktop/PICT/Third_year/6'th Sem/WAD/WAD_Exercise (master)
$ $ ssh-keygen -t ed25519 -C "pankumore101@gmail.com"
bash: $: command not found

Pankaj@Pankaj MINGW64 ~/OneDrive/Desktop/PICT/Third_year/6'th Sem/WAD/WAD_Exercise (master)
$ ssh-keygen -t rsa -b 4096 -C "pankajmore101@gmail.com"
Generating public/private rsa key pair.
Enter file in which to save the key (/c/Users/Pankaj/.ssh/id_rsa):
Enter passphrase (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in /c/Users/Pankaj/.ssh/id_rsa
Your public key has been saved in /c/Users/Pankaj/.ssh/id_rsa.pub
The key fingerprint is:
SHA256:LWejToeL25tVcWpmpziXGnEmtz1BaRKSmPdopfsTeLs pankajmore101@gmail.com
The key's randomart image is:
+---[RSA 4096]-----+
|      o...      |
|    o O... .    |
|      . =0 =     |
|    .+ .B       |
|    S.BOX o     |
|    *o&o* .     |
|    + *o=oo     |
|    = =+ .      |
|    o.*.. Eo    |
+---[SHA256]-----+

Pankaj@Pankaj MINGW64 ~/OneDrive/Desktop/PICT/Third_year/6'th Sem/WAD/WAD_Exercise (master)
$ AC

Pankaj@Pankaj MINGW64 ~/OneDrive/Desktop/PICT/Third_year/6'th Sem/WAD/WAD_Exercise (master)
$ cat /c/Users/Pankaj/.ssh/id_rsa.pub
ssh-rsa AAAAB3NzaC1yc2EAAAADAQABAAQDC8FGU5DmM08qhP142rpxsBFe5rX7AhohVM1Boy1JL9o5KrLiEpc62Yt

```

35°C  
Mostly cloudy



ENG 6:52 PM  
4/29/2022



MINGW64:/c/Users/Pankaj/OneDrive/Desktop/PICT/Third\_year/6'th Sem/WAD/WAD\_Exercise

```
Generating public/private rsa key pair.
Enter file in which to save the key (/c/Users/Pankaj/.ssh/id_rsa):
Enter passphrase (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in /c/Users/Pankaj/.ssh/id_rsa
Your public key has been saved in /c/Users/Pankaj/.ssh/id_rsa.pub
The key fingerprint is:
SHA256:LWejToeL25tVcWpmpziXGnEmtz1BaRKSmPdopfsTeLS pankajmore101@gmail.com
The key's randomart image is:
```

```
+----[RSA 4096]-----+
|      o...      |
|      o o... .  |
|      . =0 =    |
|      .+ .B     |
|      S.Box o   |
|      *o&o* .   |
|      + *o=oo   |
|      = = =+ .  |
|      o.*.. Eo  |
+----[SHA256]-----+
```

Pankaj@Pankaj MINGW64 ~/OneDrive/Desktop/PICT/Third\_year/6'th Sem/WAD/WAD\_Exercise (master)  
\$ ^C

Pankaj@Pankaj MINGW64 ~/OneDrive/Desktop/PICT/Third\_year/6'th Sem/WAD/WAD\_Exercise (master)  
\$ cat /c/Users/Pankaj/.ssh/id\_rsa.pub  
ssh-rsa AAAAB3NzaC1yc2EAAAADAQABAAQDC8FGU5DmM08qhP142rpxsBFe5rX7AhohVMlBoy1JL9o5KrLiEpc62Yt5dYAxJtAJEw9i6iDgSznzKDwBGPWYIELS6fufeYcSazSkwIzo3P48+1rTlRUKVsFMvtE1GZRgwePPb4y7iZL5eSpYyJCoebspYiFyiU7lQIt+RMwEIuvWmxdagFPZB1kTrj9v5swkG0SCTZEob3NV3qAg+rgu8tNyBMO64RG3u5gkbMi1XoA6v+ZeSrbVHIohru+y8xtcRkeFe18hapaJTUmzu6kEX6TGkwBMXyrvdv+Wv7v5mc9qUNPTXP1cq//PcgNiLe1Bg3Uu6l98Ja4LFmWVh6GwWZZDqNw2d2Kfgnn0sAtbyQ80jXqXVd6frPI21V9nGN/LbCJS09d4D7jQT5AXXZ0GwWLSd4LKVH2F0d9PP/8vmiMTC+F53sTzoh6CHM9pkYQCKXoQ7NPdxz3WKng7h5Dwt+H3rn7fTg/RyWRkpNl0LofZLXgNWiNZNMHQqP93Ieo/gh5JbYrBo681AYwRyhJB+AHawEO2vYvhtUXUXrMXTjArhj9Khm8Hwt9wEG010wvOsEQhTIzm05NLxWj9H4gHx1BbOPT0f16KTnXLB3FYQzbXKo+54T0KEb/NXpEUSBZrQbBb4ijkdTR17+aXEG1VhpfDwKNLi4aDWq+miHFsQ== pankajmore101@gmail.com

Pankaj@Pankaj MINGW64 ~/OneDrive/Desktop/PICT/Third\_year/6'th Sem/WAD/WAD\_Exercise (master)  
\$ git push origin master  
Enumerating objects: 126, done.  
Counting objects: 100% (126/126), done.  
Delta compression using up to 8 threads  
Compressing objects: 100% (118/118), done.  
Writing objects: 100% (126/126), 5.11 MiB | 1.20 MiB/s, done.  
Total 126 (delta 8), reused 0 (delta 0), pack-reused 0  
remote: Resolving deltas: 100% (8/8), done.  
To github.com:PankajMore-09/WAD\_Assignments.git  
\* [new branch] master -> master

Pankaj@Pankaj MINGW64 ~/OneDrive/Desktop/PICT/Third\_year/6'th Sem/WAD/WAD\_Exercise (master)  
\$ |

35°C  
Mostly cloudy



6:53 PM  
4/29/2022

Git

www.msftconnecttest.com

Direct IP access not allowed

PankajMore-09/WAD\_Assig

Generating a new SSH key

github.com/PankajMore-09/WAD\_Assignments

Gmaildevnagri lipiall conceptMySQL CommandsplacementcourseCampus CredentialsLeetcodetreasureNPTEL :: Computer...NumPy Exercises, P...


PankajMore-09 / WAD\_AssignmentsPublic

PinUnwatch0Fork0Star0

CodeIssuesPull requestsActionsProjectsWikiSecurityInsightsSettings

master1 branch0 tags

Go to fileAdd fileCode



PankajMore-09 initial Commit

8ba7ba919 minutes ago1 commit

Exercise1

initial Commit

19 minutes ago

Exercise2

initial Commit

19 minutes ago

Exercise3

initial Commit

19 minutes ago

Exercise4

initial Commit

19 minutes ago

.gitignore

initial Commit

19 minutes ago

Help people interested in this repository understand your project by adding a README.

Add a README

About

This is the WAD Assignments

0 stars0 watching0 forks


Releases

No releases published  
Create a new release

Packages

No packages published  
Publish your first package

35°C  
Mostly cloudy



6:53 PM  
4/29/2022