

```
analyst@6bb76fb007b1:~$
```

```
analyst@6bb76fb007b1:~$ pwd
```

```
analyst@6bb76fb007b1:~$ pwd  
/home/analyst  
analyst@6bb76fb007b1:~$
```

```
analyst@6bb76fb007b1:~$ pwd  
/home/analyst  
analyst@6bb76fb007b1:~$ mkdir logs
```

```
analyst@6bb76fb007b1:~$ pwd  
/home/analyst  
analyst@6bb76fb007b1:~$ mkdir logs  
analyst@6bb76fb007b1:~$
```

```
analyst@6bb76fb007b1:~$ pwd  
/home/analyst  
analyst@6bb76fb007b1:~$ mkdir logs  
analyst@6bb76fb007b1:~$ ls
```

```
analyst@6bb76fb007b1:~$ pwd
/home/analyst
analyst@6bb76fb007b1:~$ mkdir logs
analyst@6bb76fb007b1:~$ ls
logs  notes  reports  temp
analyst@6bb76fb007b1:~$
```

```
analyst@6bb76fb007b1:~$ pwd
/home/analyst
analyst@6bb76fb007b1:~$ mkdir logs
analyst@6bb76fb007b1:~$ ls
logs  notes  reports  temp
analyst@6bb76fb007b1:~$ rmdir temp
```

```
analyst@6bb76fb007b1:~$ pwd
/home/analyst
analyst@6bb76fb007b1:~$ mkdir logs
analyst@6bb76fb007b1:~$ ls
logs  notes  reports  temp
analyst@6bb76fb007b1:~$ rmdir temp
analyst@6bb76fb007b1:~$
```

```
analyst@6bb76fb007b1:~$ pwd
/home/analyst
analyst@6bb76fb007b1:~$ mkdir logs
analyst@6bb76fb007b1:~$ ls
logs  notes  reports  temp
analyst@6bb76fb007b1:~$ rmdir temp
analyst@6bb76fb007b1:~$ ls
```

```
analyst@6bb76fb007b1:~$ pwd
/home/analyst
analyst@6bb76fb007b1:~$ mkdir logs
analyst@6bb76fb007b1:~$ ls
logs  notes  reports  temp
analyst@6bb76fb007b1:~$ rmdir temp
analyst@6bb76fb007b1:~$ ls
logs  notes  reports
analyst@6bb76fb007b1:~$ █
```

```
analyst@6bb76fb007b1:~$ pwd
/home/analyst
analyst@6bb76fb007b1:~$ mkdir logs
analyst@6bb76fb007b1:~$ ls
logs  notes  reports  temp
analyst@6bb76fb007b1:~$ rmdir temp
analyst@6bb76fb007b1:~$ ls
logs  notes  reports
analyst@6bb76fb007b1:~$ cd notes
```

```
analyst@6bb76fb007b1:~$ pwd
/home/analyst
analyst@6bb76fb007b1:~$ mkdir logs
analyst@6bb76fb007b1:~$ ls
logs  notes  reports  temp
analyst@6bb76fb007b1:~$ rmdir temp
analyst@6bb76fb007b1:~$ ls
logs  notes  reports
analyst@6bb76fb007b1:~$ cd notes
analyst@6bb76fb007b1:~/notes$ █
```

```
analyst@6bb76fb007b1:~$ pwd
/home/analyst
analyst@6bb76fb007b1:~$ mkdir logs
analyst@6bb76fb007b1:~$ ls
logs  notes  reports  temp
analyst@6bb76fb007b1:~$ rmdir temp
analyst@6bb76fb007b1:~$ ls
logs  notes  reports
analyst@6bb76fb007b1:~$ cd notes
analyst@6bb76fb007b1:~/notes$ ls
```

```
analyst@6bb76fb007b1:~$ pwd
/home/analyst
analyst@6bb76fb007b1:~$ mkdir logs
analyst@6bb76fb007b1:~$ ls
logs  notes  reports  temp
analyst@6bb76fb007b1:~$ rmdir temp
analyst@6bb76fb007b1:~$ ls
logs  notes  reports
analyst@6bb76fb007b1:~$ cd notes
analyst@6bb76fb007b1:~/notes$ ls
Q3patches.txt  tempnotes.txt
analyst@6bb76fb007b1:~/notes$
```

```
analyst@6bb76fb007b1:~$ pwd
/home/analyst
analyst@6bb76fb007b1:~$ mkdir logs
analyst@6bb76fb007b1:~$ ls
logs  notes  reports  temp
analyst@6bb76fb007b1:~$ rmdir temp
analyst@6bb76fb007b1:~$ ls
logs  notes  reports
analyst@6bb76fb007b1:~$ cd notes
analyst@6bb76fb007b1:~/notes$ ls
Q3patches.txt  tempnotes.txt
analyst@6bb76fb007b1:~/notes$ mv Q3patches.txt /home/analyst/reports/
```

```
analyst@6bb76fb007b1:~$ pwd
/home/analyst
analyst@6bb76fb007b1:~$ mkdir logs
analyst@6bb76fb007b1:~$ ls
logs  notes  reports  temp
analyst@6bb76fb007b1:~$ rmdir temp
analyst@6bb76fb007b1:~$ ls
logs  notes  reports
analyst@6bb76fb007b1:~$ cd notes
analyst@6bb76fb007b1:~/notes$ ls
Q3patches.txt  tempnotes.txt
analyst@6bb76fb007b1:~/notes$ mv Q3patches.txt /home/analyst/reports/
analyst@6bb76fb007b1:~/notes$
```

```
analyst@6bb76fb007b1:~$ pwd
/home/analyst
analyst@6bb76fb007b1:~$ mkdir logs
analyst@6bb76fb007b1:~$ ls
logs  notes  reports  temp
analyst@6bb76fb007b1:~$ rmdir temp
analyst@6bb76fb007b1:~$ ls
logs  notes  reports
analyst@6bb76fb007b1:~$ cd notes
analyst@6bb76fb007b1:~/notes$ ls
Q3patches.txt  tempnotes.txt
analyst@6bb76fb007b1:~/notes$ mv Q3patches.txt /home/analyst/reports/
analyst@6bb76fb007b1:~/notes$ ls /home/analyst/reports
```

```
analyst@6bb76fb007b1:~$ pwd
/home/analyst
analyst@6bb76fb007b1:~$ mkdir logs
analyst@6bb76fb007b1:~$ ls
logs  notes  reports  temp
analyst@6bb76fb007b1:~$ rmdir temp
analyst@6bb76fb007b1:~$ ls
logs  notes  reports
analyst@6bb76fb007b1:~$ cd notes
analyst@6bb76fb007b1:~/notes$ ls
Q3patches.txt  tempnotes.txt
analyst@6bb76fb007b1:~/notes$ mv Q3patches.txt /home/analyst/reports/
analyst@6bb76fb007b1:~/notes$ ls /home/analyst/reports
Q1patches.txt  Q2patches.txt  Q3patches.txt
analyst@6bb76fb007b1:~/notes$
```

```
analyst@6bb76fb007b1:~$ pwd
/home/analyst
analyst@6bb76fb007b1:~$ mkdir logs
analyst@6bb76fb007b1:~$ ls
logs  notes  reports  temp
analyst@6bb76fb007b1:~$ rmdir temp
analyst@6bb76fb007b1:~$ ls
logs  notes  reports
analyst@6bb76fb007b1:~$ cd notes
analyst@6bb76fb007b1:~/notes$ ls
Q3patches.txt  tempnotes.txt
analyst@6bb76fb007b1:~/notes$ mv Q3patches.txt /home/analyst/reports/
analyst@6bb76fb007b1:~/notes$ ls /home/analyst/reports
Q1patches.txt  Q2patches.txt  Q3patches.txt
analyst@6bb76fb007b1:~/notes$ rm tempnotes.txt
```

```
analyst@6bb76fb007b1:~$ pwd
/home/analyst
analyst@6bb76fb007b1:~$ mkdir logs
analyst@6bb76fb007b1:~$ ls
logs  notes  reports  temp
analyst@6bb76fb007b1:~$ rmdir temp
analyst@6bb76fb007b1:~$ ls
logs  notes  reports
analyst@6bb76fb007b1:~$ cd notes
analyst@6bb76fb007b1:~/notes$ ls
Q3patches.txt  tempnotes.txt
analyst@6bb76fb007b1:~/notes$ mv Q3patches.txt /home/analyst/reports/
analyst@6bb76fb007b1:~/notes$ ls /home/analyst/reports
Q1patches.txt  Q2patches.txt  Q3patches.txt
analyst@6bb76fb007b1:~/notes$ rm tempnotes.txt
analyst@6bb76fb007b1:~/notes$
```

```
analyst@6bb76fb007b1:~$ pwd
/home/analyst
analyst@6bb76fb007b1:~$ mkdir logs
analyst@6bb76fb007b1:~$ ls
logs  notes  reports  temp
analyst@6bb76fb007b1:~$ rmdir temp
analyst@6bb76fb007b1:~$ ls
logs  notes  reports
analyst@6bb76fb007b1:~$ cd notes
analyst@6bb76fb007b1:~/notes$ ls
Q3patches.txt  tempnotes.txt
analyst@6bb76fb007b1:~/notes$ mv Q3patches.txt /home/analyst/reports/
analyst@6bb76fb007b1:~/notes$ ls /home/analyst/reports
Q1patches.txt  Q2patches.txt  Q3patches.txt
analyst@6bb76fb007b1:~/notes$ rm tempnotes.txt
analyst@6bb76fb007b1:~/notes$ ls
```

```
analyst@6bb76fb007b1:~$ pwd
/home/analyst
analyst@6bb76fb007b1:~$ mkdir logs
analyst@6bb76fb007b1:~$ ls
logs  notes  reports  temp
analyst@6bb76fb007b1:~$ rmdir temp
analyst@6bb76fb007b1:~$ ls
logs  notes  reports
analyst@6bb76fb007b1:~$ cd notes
analyst@6bb76fb007b1:~/notes$ ls
Q3patches.txt  tempnotes.txt
analyst@6bb76fb007b1:~/notes$ mv Q3patches.txt /home/analyst/reports/
analyst@6bb76fb007b1:~/notes$ ls /home/analyst/reports
Q1patches.txt  Q2patches.txt  Q3patches.txt
analyst@6bb76fb007b1:~/notes$ rm tempnotes.txt
analyst@6bb76fb007b1:~/notes$ ls
analyst@6bb76fb007b1:~/notes$
```



```
analyst@6bb76fb007b1:~$ pwd
/home/analyst
analyst@6bb76fb007b1:~$ mkdir logs
analyst@6bb76fb007b1:~$ ls
logs  notes  reports  temp
analyst@6bb76fb007b1:~$ rmdir temp
analyst@6bb76fb007b1:~$ ls
logs  notes  reports
analyst@6bb76fb007b1:~$ cd notes
analyst@6bb76fb007b1:~/notes$ ls
Q3patches.txt  tempnotes.txt
analyst@6bb76fb007b1:~/notes$ mv Q3patches.txt /home/analyst/reports/
analyst@6bb76fb007b1:~/notes$ ls /home/analyst/reports
Q1patches.txt  Q2patches.txt  Q3patches.txt
analyst@6bb76fb007b1:~/notes$ rm tempnotes.txt
analyst@6bb76fb007b1:~/notes$ ls
analyst@6bb76fb007b1:~/notes$ touch tasks.txt
```

```
analyst@6bb76fb007b1:~$ pwd
/home/analyst
analyst@6bb76fb007b1:~$ mkdir logs
analyst@6bb76fb007b1:~$ ls
logs  notes  reports  temp
analyst@6bb76fb007b1:~$ rmdir temp
analyst@6bb76fb007b1:~$ ls
logs  notes  reports
analyst@6bb76fb007b1:~$ cd notes
analyst@6bb76fb007b1:~/notes$ ls
Q3patches.txt  tempnotes.txt
analyst@6bb76fb007b1:~/notes$ mv Q3patches.txt /home/analyst/reports/
analyst@6bb76fb007b1:~/notes$ ls /home/analyst/reports
Q1patches.txt  Q2patches.txt  Q3patches.txt
analyst@6bb76fb007b1:~/notes$ rm tempnotes.txt
analyst@6bb76fb007b1:~/notes$ ls
analyst@6bb76fb007b1:~/notes$ touch tasks.txt
analyst@6bb76fb007b1:~/notes$ ls
```



```
analyst@6bb76fb007b1:~$ pwd
/home/analyst
analyst@6bb76fb007b1:~$ mkdir logs
analyst@6bb76fb007b1:~$ ls
logs  notes  reports  temp
analyst@6bb76fb007b1:~$ rmdir temp
analyst@6bb76fb007b1:~$ ls
logs  notes  reports
analyst@6bb76fb007b1:~$ cd notes
analyst@6bb76fb007b1:~/notes$ ls
Q3patches.txt  tempnotes.txt
analyst@6bb76fb007b1:~/notes$ mv Q3patches.txt /home/analyst/reports/
analyst@6bb76fb007b1:~/notes$ ls /home/analyst/reports
Q1patches.txt  Q2patches.txt  Q3patches.txt
analyst@6bb76fb007b1:~/notes$ rm tempnotes.txt
analyst@6bb76fb007b1:~/notes$ ls
analyst@6bb76fb007b1:~/notes$ touch tasks.txt
analyst@6bb76fb007b1:~/notes$ ls
tasks.txt
analyst@6bb76fb007b1:~/notes$
```

```
analyst@6bb76fb007b1:~$ pwd
/home/analyst
analyst@6bb76fb007b1:~$ mkdir logs
analyst@6bb76fb007b1:~$ ls
logs  notes  reports  temp
analyst@6bb76fb007b1:~$ rmdir temp
analyst@6bb76fb007b1:~$ ls
logs  notes  reports
analyst@6bb76fb007b1:~$ cd notes
analyst@6bb76fb007b1:~/notes$ ls
Q3patches.txt  tempnotes.txt
analyst@6bb76fb007b1:~/notes$ mv Q3patches.txt /home/analyst/reports/
analyst@6bb76fb007b1:~/notes$ ls /home/analyst/reports
Q1patches.txt  Q2patches.txt  Q3patches.txt
analyst@6bb76fb007b1:~/notes$ rm tempnotes.txt
analyst@6bb76fb007b1:~/notes$ ls
analyst@6bb76fb007b1:~/notes$ touch tasks.txt
analyst@6bb76fb007b1:~/notes$ ls
tasks.txt
analyst@6bb76fb007b1:~/notes$ nano tasks.txt
```

```
GNU nano 5.4 tasks.txt

[ Read 0 lines ]

^G Help      ^O Write Out  ^W Where Is   ^X Cut        ^E Execute    ^G Location   ^U Undo       ^- Set Mark   ^_ To Bracket  ^P Previous
^X Exit      ^R Read File  ^N Replace    ^C Paste      ^J Justify    ^L Go To Line ^-E Redo      ^-G Copy       ^K Where Was   ^-N Next
```

```
GNU nano 5.4 tasks.txt *
Completed tasks

1. Managed file structure in /home/analyst
```

```
GNU nano 5.4 tasks.txt *
Completed tasks

1. Managed file structure in /home/analyst

Save modified buffer?
Y Yes
N No      ^C Cancel
```

```
GNU nano 5.4                                tasks.txt *
Completed tasks

1. Managed file structure in /home/analyst

File Name to Write: tasks.txt
^G Help                                     M-U DOS Format          M-A Append              M-B Backup File
^O Cancel                                 M-W Mac Format          M-P Prepend             ^H Browse
```

```
GNU nano 5.4                                tasks.txt
Completed tasks

1. Managed file structure in /home/analyst

analyst@6bb76fb007b1:~/notes$
```

```
GNU nano 5.4                                tasks.txt
Completed tasks

1. Managed file structure in /home/analyst

analyst@6bb76fb007b1:~/notes$ clear
```

```
analyst@6bb76fb007b1:~/notes$
```

```
analyst@6bb76fb007b1:~/notes$ cat tasks.txt
```

```
analyst@6bb76fb007b1:~/notes$ cat tasks.txt
Completed tasks

1. Managed file structure in /home/analyst
analyst@6bb76fb007b1:~/notes$
```