

```
analyst@7f9acca9c417:~$
```

```
analyst@7f9acca9c417:~$ ls
```

```
analyst@7f9acca9c417:~$ ls
Q1.encrypted  README.txt  caesar
analyst@7f9acca9c417:~$
```

```
analyst@7f9acca9c417:~$ ls
Q1.encrypted  README.txt  caesar
analyst@7f9acca9c417:~$ cat README.txt
```

```
analyst@7f9acca9c417:~$ ls
Q1.encrypted  README.txt  caesar
analyst@7f9acca9c417:~$ cat README.txt
Hello,
All of your data has been encrypted. To recover your data, you will need to solve a cipher. To get started look for a hidden file in the caesar subdirectory.
analyst@7f9acca9c417:~$
```

```
analyst@7f9acca9c417:~$ ls
Q1.encrypted  README.txt  caesar
analyst@7f9acca9c417:~$ cat README.txt
Hello,
All of your data has been encrypted. To recover your data, you will need to solve a cipher. To get started look for a hidden file in the caesar subdirectory.
analyst@7f9acca9c417:~$ cd caesar
```

```
analyst@7f9acca9c417:~$ ls
Q1.encrypted  README.txt  caesar
analyst@7f9acca9c417:~$ cat README.txt
Hello,
All of your data has been encrypted. To recover your data, you will need to solve a cipher. To get started look for a hidden file in the caesar subdirectory.
analyst@7f9acca9c417:~$ cd caesar
analyst@7f9acca9c417:~/caesar$
```

```
analyst@7f9acca9c417:~$ ls
Q1.encrypted  README.txt  caesar
analyst@7f9acca9c417:~$ cat README.txt
Hello,
All of your data has been encrypted. To recover your data, you will need to solve a cipher. To get started look for a hidden file in the caesar subdirectory.
analyst@7f9acca9c417:~$ cd caesar
analyst@7f9acca9c417:~/caesar$ ls -a
```

```
analyst@7f9acca9c417:~$ ls
Q1.encrypted  README.txt  caesar
analyst@7f9acca9c417:~$ cat README.txt
Hello,
All of your data has been encrypted. To recover your data, you will need to solve a cipher. To get started look for a hidden file in the caesar subdirectory.
analyst@7f9acca9c417:~$ cd caesar
analyst@7f9acca9c417:~/caesar$ ls -a
.  ..  .leftShift3
analyst@7f9acca9c417:~/caesar$
```

```
analyst@7f9acca9c417:~$ ls
Q1.encrypted  README.txt  caesar
analyst@7f9acca9c417:~$ cat README.txt
Hello,
All of your data has been encrypted. To recover your data, you will need to solve a cipher. To get started look for a hidden file in the caesar subdirectory.
analyst@7f9acca9c417:~$ cd caesar
analyst@7f9acca9c417:~/caesar$ ls -a
.  ..  .leftShift3
analyst@7f9acca9c417:~/caesar$ cat .leftShift3
```

```
analyst@7f9acca9c417:~$ ls
Q1.encrypted README.txt caesar
analyst@7f9acca9c417:~$ cat README.txt
Hello,
All of your data has been encrypted. To recover your data, you will need to solve a cipher. To get started look for a hidden file in the caesar subdirectory.
analyst@7f9acca9c417:~$ cd caesar
analyst@7f9acca9c417:~/caesar$ ls -la
. . . .leftShift3
analyst@7f9acca9c417:~/caesar$ cat .leftShift3
lq rughu wr uhfryhu brxu ilohv brx zloo qhng wr hqwhu wkh iroorzlqj frppdgg:

rshqvvo dhv-256-fef -sengi2 -d -g -lq Tl.hgfubswghg -rxw Tl.uhfryhuhg -n hwwxeuxwh
analyst@7f9acca9c417:~/caesar$
```

```
analyst@7f9acca9c417:~$ ls
Q1.encrypted README.txt caesar
analyst@7f9acca9c417:~$ cat README.txt
Hello,
All of your data has been encrypted. To recover your data, you will need to solve a cipher. To get started look for a hidden file in the caesar subdirectory.
analyst@7f9acca9c417:~$ cd caesar
analyst@7f9acca9c417:~/caesar$ ls -la
. . . .leftShift3
analyst@7f9acca9c417:~/caesar$ cat .leftShift3
lq rughu wr uhfryhu brxu ilohv brx zloo qhng wr hqwhu wkh iroorzlqj frppdgg:

rshqvvo dhv-256-fef -sengi2 -d -g -lq Tl.hgfubswghg -rxw Tl.uhfryhuhg -n hwwxeuxwh
analyst@7f9acca9c417:~/caesar$ cat .leftShift3 | tr "d-za-cD-ZA-C" "a-zA-Z"
```

```
analyst@7f9acca9c417:~$ ls
Q1.encrypted README.txt caesar
analyst@7f9acca9c417:~$ cat README.txt
Hello,
All of your data has been encrypted. To recover your data, you will need to solve a cipher. To get started look for a hidden file in the caesar subdirectory.
analyst@7f9acca9c417:~$ cd caesar
analyst@7f9acca9c417:~/caesar$ ls -la
. . . .leftShift3
analyst@7f9acca9c417:~/caesar$ cat .leftShift3
lq rughu wr uhfryhu brxu ilohv brx zloo qhng wr hqwhu wkh iroorzlqj frppdgg:

rshqvvo dhv-256-fef -sengi2 -d -g -lq Tl.hgfubswghg -rxw Tl.uhfryhuhg -n hwwxeuxwh
analyst@7f9acca9c417:~/caesar$ cat .leftShift3 | tr "d-za-cD-ZA-C" "a-zA-Z"
In order to recover your files you will need to enter the following command:

openssl aes-256-cbc -pbkdf2 -a -d -in Q1.encrypted -out Q1.recovered -k ettubruite
analyst@7f9acca9c417:~/caesar$
```

```
analyst@7f9acca9c417:~$ ls
Q1.encrypted README.txt caesar
analyst@7f9acca9c417:~$ cat README.txt
Hello,
All of your data has been encrypted. To recover your data, you will need to solve a cipher. To get started look for a hidden file in the caesar subdirectory.
analyst@7f9acca9c417:~$ cd caesar
analyst@7f9acca9c417:~/caesar$ ls -la
. . . .leftShift3
analyst@7f9acca9c417:~/caesar$ cat .leftShift3
lq rughu wr uhfryhu brxu ilohv brx zloo qhng wr hqwhu wkh iroorzlqj frppdgg:

rshqvvo dhv-256-fef -sengi2 -d -g -lq Tl.hgfubswghg -rxw Tl.uhfryhuhg -n hwwxeuxwh
analyst@7f9acca9c417:~/caesar$ cat .leftShift3 | tr "d-za-cD-ZA-C" "a-zA-Z"
In order to recover your files you will need to enter the following command:

openssl aes-256-cbc -pbkdf2 -a -d -in Q1.encrypted -out Q1.recovered -k ettubruite
analyst@7f9acca9c417:~/caesar$ cd -
```

```
analyst@7f9acca9c417:~$ ls
Q1.encrypted README.txt caesar
analyst@7f9acca9c417:~$ cat README.txt
Hello,
All of your data has been encrypted. To recover your data, you will need to solve a cipher. To get started look for a hidden file in the caesar subdirectory.
analyst@7f9acca9c417:~$ cd caesar
analyst@7f9acca9c417:~/caesar$ ls -la
. . . .leftShift3
analyst@7f9acca9c417:~/caesar$ cat .leftShift3
lq rughu wr uhfryhu brxu ilohv brx zloo qhng wr hqwhu wkh iroorzlqj frppdgg:

rshqvvo dhv-256-fef -sengi2 -d -g -lq Tl.hgfubswghg -rxw Tl.uhfryhuhg -n hwwxeuxwh
analyst@7f9acca9c417:~/caesar$ cat .leftShift3 | tr "d-za-cD-ZA-C" "a-zA-Z"
In order to recover your files you will need to enter the following command:

openssl aes-256-cbc -pbkdf2 -a -d -in Q1.encrypted -out Q1.recovered -k ettubruite
analyst@7f9acca9c417:~/caesar$ cd -
analyst@7f9acca9c417:~$ openssl aes-256-cbc -pbkdf2 -a -d -in Q1.encrypted -out Q1.recovered -k ettubruite
```

```
analyst@7f9acca9c417:~$ ls
Q1.encrypted README.txt caesar
analyst@7f9acca9c417:~$ cat README.txt
Hello,
All of your data has been encrypted. To recover your data, you will need to solve a cipher. To get started look for a hidden file in the caesar subdirectory.
analyst@7f9acca9c417:~$ cd caesar
analyst@7f9acca9c417:~/caesar$ ls -la
. . . .leftShift3
analyst@7f9acca9c417:~/caesar$ cat .leftShift3
lq rughu wr uhfryhu brxu ilohv brx zloo qhng wr hqwhu wkh iroorzlqj frppdgg:

rshqvvo dhv-256-fef -sengi2 -d -g -lq Tl.hgfubswghg -rxw Tl.uhfryhuhg -n hwwxeuxwh
analyst@7f9acca9c417:~/caesar$ cat .leftShift3 | tr "d-za-cD-ZA-C" "a-zA-Z"
In order to recover your files you will need to enter the following command:

openssl aes-256-cbc -pbkdf2 -a -d -in Q1.encrypted -out Q1.recovered -k ettubruite
analyst@7f9acca9c417:~/caesar$ cd -
analyst@7f9acca9c417:~$ openssl aes-256-cbc -pbkdf2 -a -d -in Q1.encrypted -out Q1.recovered -k ettubruite
analyst@7f9acca9c417:~$ ls
```

```
analyst@7f9acca9c417:~$ ls
Q1.encrypted README.txt caesar
analyst@7f9acca9c417:~$ cat README.txt
Hello,
All of your data has been encrypted. To recover your data, you will need to solve a cipher. To get started look for a hidden file in the caesar subdirectory.
analyst@7f9acca9c417:~$ cd caesar
analyst@7f9acca9c417:~/caesar$ ls -la
. . . .leftShift3
analyst@7f9acca9c417:~/caesar$ cat .leftShift3
lq rughu wr uhfryhu brxu ilohv brx zloo qhgh wr hqwhu wkh iroorzlqj frppdgg:

rshqvvo dhv-256-fef -sengi2 -d -g -lq T1.hgfubswgh -rxw T1.uhfryhuhg -n hwwxeuxwh
analyst@7f9acca9c417:~/caesar$ cat .leftShift3 | tr "d-za-cD-ZA-C" "a-zA-Z"
In order to recover your files you will need to enter the following command:

openssl aes-256-cbc -pbkdf2 -a -d -in Q1.encrypted -out Q1.recovered -k ettubrute
analyst@7f9acca9c417:~/caesar$ cd ~
analyst@7f9acca9c417:~$ openssl aes-256-cbc -pbkdf2 -a -d -in Q1.encrypted -out Q1.recovered -k ettubrute
analyst@7f9acca9c417:~$ ls
Q1.encrypted Q1.recovered README.txt caesar
analyst@7f9acca9c417:~$
```

```
analyst@7f9acca9c417:~$ ls
Q1.encrypted README.txt caesar
analyst@7f9acca9c417:~$ cat README.txt
Hello,
All of your data has been encrypted. To recover your data, you will need to solve a cipher. To get started look for a hidden file in the caesar subdirectory.
analyst@7f9acca9c417:~$ cd caesar
analyst@7f9acca9c417:~/caesar$ ls -la
. . . .leftShift3
analyst@7f9acca9c417:~/caesar$ cat .leftShift3
lq rughu wr uhfryhu brxu ilohv brx zloo qhgh wr hqwhu wkh iroorzlqj frppdgg:

rshqvvo dhv-256-fef -sengi2 -d -g -lq T1.hgfubswgh -rxw T1.uhfryhuhg -n hwwxeuxwh
analyst@7f9acca9c417:~/caesar$ cat .leftShift3 | tr "d-za-cD-ZA-C" "a-zA-Z"
In order to recover your files you will need to enter the following command:

openssl aes-256-cbc -pbkdf2 -a -d -in Q1.encrypted -out Q1.recovered -k ettubrute
analyst@7f9acca9c417:~/caesar$ cd ~
analyst@7f9acca9c417:~$ openssl aes-256-cbc -pbkdf2 -a -d -in Q1.encrypted -out Q1.recovered -k ettubrute
analyst@7f9acca9c417:~$ ls
Q1.encrypted Q1.recovered README.txt caesar
analyst@7f9acca9c417:~$ cat Q1.recovered
```

```
analyst@7f9acca9c417:~$ ls
Q1.encrypted README.txt caesar
analyst@7f9acca9c417:~$ cat README.txt
Hello,
All of your data has been encrypted. To recover your data, you will need to solve a cipher. To get started look for a hidden file in the caesar subdirectory.
analyst@7f9acca9c417:~$ cd caesar
analyst@7f9acca9c417:~/caesar$ ls -la
. . . .leftShift3
analyst@7f9acca9c417:~/caesar$ cat .leftShift3
lq rughu wr uhfryhu brxu ilohv brx zloo qhgh wr hqwhu wkh iroorzlqj frppdgg:

rshqvvo dhv-256-fef -sengi2 -d -g -lq T1.hgfubswgh -rxw T1.uhfryhuhg -n hwwxeuxwh
analyst@7f9acca9c417:~/caesar$ cat .leftShift3 | tr "d-za-cD-ZA-C" "a-zA-Z"
In order to recover your files you will need to enter the following command:

openssl aes-256-cbc -pbkdf2 -a -d -in Q1.encrypted -out Q1.recovered -k ettubrute
analyst@7f9acca9c417:~/caesar$ cd ~
analyst@7f9acca9c417:~$ openssl aes-256-cbc -pbkdf2 -a -d -in Q1.encrypted -out Q1.recovered -k ettubrute
analyst@7f9acca9c417:~$ ls
Q1.encrypted Q1.recovered README.txt caesar
analyst@7f9acca9c417:~$ cat Q1.recovered
If you are able to read this, then you have successfully decrypted the classic cipher text. You recovered the encryption key that was used to encrypt this file. Great work!
analyst@7f9acca9c417:~$
```