



Recycle Bin



Google
Cloud S...



NVDA




Wireshark



sample





*** sample.pcap

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

ip.addr == 142.250.1.139

No.	Time	Source	Destination	Protocol	Length	Info
10	8.637625	172.21.224.2	169.254.169.254	DNS	81	Standard query 0xd638 AAAA opensource.google.com
11	8.641838	169.254.169.254	172.21.224.2	DNS	193	Standard query response 0xd638 AAAA opensource.google.com AAAA 2607:f8b0:4001:c24::8a AAAA 2607:f8b0:4001:c24::64 AAAA 2607:f8b0:4001:c24::8a AAAA 2607:f8b0:4001:c24::64
12	8.641978	169.254.169.254	172.21.224.2	DNS	177	Standard query response 0xb026 A opensource.google.com A 142.250.1.139 A 142.250.1.138 A 142.250.1.102 A 142.250.1.113 A 142.250.1.111 A 142.250.1.110 A 142.250.1.109 A 142.250.1.108 A 142.250.1.107 A 142.250.1.106 A 142.250.1.105 A 142.250.1.104 A 142.250.1.103 A 142.250.1.102 A 142.250.1.101 A 142.250.1.100 A 142.250.1.99 A 142.250.1.98 A 142.250.1.97 A 142.250.1.96 A 142.250.1.95 A 142.250.1.94 A 142.250.1.93 A 142.250.1.92 A 142.250.1.91 A 142.250.1.90 A 142.250.1.89 A 142.250.1.88 A 142.250.1.87 A 142.250.1.86 A 142.250.1.85 A 142.250.1.84 A 142.250.1.83 A 142.250.1.82 A 142.250.1.81 A 142.250.1.80 A 142.250.1.79 A 142.250.1.78 A 142.250.1.77 A 142.250.1.76 A 142.250.1.75 A 142.250.1.74 A 142.250.1.73 A 142.250.1.72 A 142.250.1.71 A 142.250.1.70 A 142.250.1.69 A 142.250.1.68 A 142.250.1.67 A 142.250.1.66 A 142.250.1.65 A 142.250.1.64 A 142.250.1.63 A 142.250.1.62 A 142.250.1.61 A 142.250.1.60 A 142.250.1.59 A 142.250.1.58 A 142.250.1.57 A 142.250.1.56 A 142.250.1.55 A 142.250.1.54 A 142.250.1.53 A 142.250.1.52 A 142.250.1.51 A 142.250.1.50 A 142.250.1.49 A 142.250.1.48 A 142.250.1.47 A 142.250.1.46 A 142.250.1.45 A 142.250.1.44 A 142.250.1.43 A 142.250.1.42 A 142.250.1.41 A 142.250.1.40 A 142.250.1.39 A 142.250.1.38 A 142.250.1.37 A 142.250.1.36 A 142.250.1.35 A 142.250.1.34 A 142.250.1.33 A 142.250.1.32 A 142.250.1.31 A 142.250.1.30 A 142.250.1.29 A 142.250.1.28 A 142.250.1.27 A 142.250.1.26 A 142.250.1.25 A 142.250.1.24 A 142.250.1.23 A 142.250.1.22 A 142.250.1.21 A 142.250.1.20 A 142.250.1.19 A 142.250.1.18 A 142.250.1.17 A 142.250.1.16 A 142.250.1.15 A 142.250.1.14 A 142.250.1.13 A 142.250.1.12 A 142.250.1.11 A 142.250.1.10 A 142.250.1.9 A 142.250.1.8 A 142.250.1.7 A 142.250.1.6 A 142.250.1.5 A 142.250.1.4 A 142.250.1.3 A 142.250.1.2 A 142.250.1.1 A 142.250.1.0
13	8.642416	172.21.224.2	35.235.244.34	SSH	194	Server: Encrypted packet (len=128)
14	8.642508	172.21.224.2	35.235.244.34	SSH	130	Server: Encrypted packet (len=64)
15	8.642596	35.235.244.34	172.21.224.2	TCP	66	35193 -> 22 [ACK] Seq=161 Ack=497 Win=1850 Len=0 TSval=3147827819 TSecr=1526939789
16	8.642690	172.21.224.2	142.250.1.139	ICMP	98	Echo (ping) request id=0x6831, seq=1/256, ttl=64 (reply in 18)
17	8.642755	35.235.244.34	172.21.224.2	TCP	66	35193 -> 22 [ACK] Seq=161 Ack=561 Win=1850 Len=0 TSval=3147827819 TSecr=1526939789
18	8.643923	142.250.1.139	172.21.224.2	ICMP	98	Echo (ping) reply id=0x6831, seq=1/256, ttl=115 (request in 16)
19	8.644093	172.21.224.2	169.254.169.254	DNS	86	Standard query PTR 139.1.250.142.in-addr.arpa
20	8.647339	169.254.169.254	172.21.224.2	DNS	120	Standard query response 0xb549 PTR 139.1.250.142.in-addr.arpa PTR jw-in-f139.1e100.net
21	8.647514	172.21.224.2	35.235.244.34	SSH	210	Server: Encrypted packet (len=144)
22	8.647587	172.21.224.2	35.235.244.34	SSH	130	Server: Encrypted packet (len=64)

> Frame 1: Packet, 210 bytes on wire (1680 bits), 210 bytes captured (1680 bits) on 0

> Ethernet II, Src: 42:01:ac:15:e0:02 (42:01:ac:15:e0:02), Dst: 42:01:ac:15:e0:01 (42:01:ac:15:e0:01)

> Internet Protocol Version 4, Src: 172.21.224.2, Dst: 35.235.244.34

> Transmission Control Protocol, Src Port: 22, Dst Port: 35193, Seq: 1, Ack: 1, Len: 144

> SSH Protocol

0000 42 01 ac 15 e0 01 42 01 ac 15 e0 02 00 00 45 10 8B.....E
0010 00 c4 da 77 40 00 40 00 bb 80 ac 15 e0 02 23 eb@B.....
0020 f6 22 00 16 89 79 0c 01 7a e4 de 41 d6 de 80 18y...z-A-...
0030 01 f5 a4 dc 00 00 01 01 00 0a 5b 03 1e 7b bb 9fBn.....
0040 e7 9c 11 ed c0 7d 02 c8 cd 42 6e d4 c5 11 09 a0x.....DoE]...
0050 29 ba ac dc b7 82 2c 20 25 8c eb a6 a5 52 a5 b3+X...R...
0060 7d ff ba d4 cc a0 02 e1 e2 76 1f 69 41 a5 3c 30vLA-6
0070 e9 19 78 d9 b0 e0 1f 2a 4f 6f 45 5d ce a9 d5 9cx.....Vt...
0080 88 e5 34 78 7e 54 68 9c 8d 2f fe 0d 56 f6 7a 904x=Th.../...Vt...
0090 08 22 6e 7e 41 89 e1 8e 0e 65 ba fc 5f 2c 7c 37 h'm-A-n-e...[7
00a0 d9 02 fe 3d 30 1a 05 01 b2 07 11 b9 13 50 01 29-0.....P...
00b0 38 fd b9 6d 50 40 d1 f3 fc c3 4d fe c6 3b 04 cc8-P.....M-j...
00c0 9d 0a db 71 b2 17 ea 7b 9b db ba 87 ed 9e 30 03q.....0...
00d0 36 f66

*** sample.pcap

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

ip.addr == 142.250.1.139

No.	Time	Source	Destination	Protocol	Length	Info
16	8.642690	172.21.224.2	142.250.1.139	ICMP	98	Echo (ping) request id=0x6831, seq=1/256, ttl=64 (reply in 18)
18	8.643923	142.250.1.139	172.21.224.2	ICMP	98	Echo (ping) reply id=0x6831, seq=1/256, ttl=115 (request in 16)
25	9.644712	172.21.224.2	142.250.1.139	ICMP	98	Echo (ping) request id=0x6831, seq=2/512, ttl=64 (reply in 26)
26	9.645078	142.250.1.139	172.21.224.2	ICMP	98	Echo (ping) reply id=0x6831, seq=2/512, ttl=115 (request in 25)
31	10.646049	172.21.224.2	142.250.1.139	ICMP	98	Echo (ping) request id=0x6831, seq=3/768, ttl=64 (reply in 32)
32	10.646563	142.250.1.139	172.21.224.2	ICMP	98	Echo (ping) reply id=0x6831, seq=3/768, ttl=115 (request in 31)
64	18.032768	172.21.224.2	142.250.1.139	TCP	74	49652 -> 80 [SYN] Seq=0 Win=65530 Len=0 MSS=1420 SACK_PERM TSval=2804123005 TSecr=0 WS=128
65	18.034210	142.250.1.139	172.21.224.2	TCP	74	80 -> 49652 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1420 SACK_PERM TSval=14069674930 TSecr=2804123005 WS=256
66	18.034238	172.21.224.2	142.250.1.139	TCP	66	49652 -> 80 [ACK] Seq=1 Ack=1 Win=65408 Len=0 TSval=2804123006 TSecr=4069674930
67	18.034291	172.21.224.2	142.250.1.139	HTTP	151	GET / HTTP/1.1
68	18.034724	142.250.1.139	172.21.224.2	TCP	66	80 -> 49652 [ACK] Seq=1 Ack=86 Win=65536 Len=0 TSval=4069674931 TSecr=2804123006
69	18.036927	142.250.1.139	172.21.224.2	HTTP	648	HTTP/1.1 301 Moved Permanently (text/html)
70	18.036941	172.21.224.2	142.250.1.139	TCP	66	49652 -> 80 [ACK] Seq=86 Ack=503 Win=64896 Len=0 TSval=2804123009 TSecr=4069674934

> Frame 16: Packet, 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on 0

> Ethernet II, Src: 42:01:ac:15:e0:02 (42:01:ac:15:e0:02), Dst: 42:01:ac:15:e0:01 (42:01:ac:15:e0:01)

> Internet Protocol Version 4, Src: 172.21.224.2, Dst: 142.250.1.139

> Internet Control Message Protocol

0000 42 01 ac 15 e0 01 42 01 ac 15 e0 02 00 00 45 00 8B.....E
0010 00 54 06 22 40 00 40 01 17 ea ac 15 e0 02 9e faT...B.....
0020 01 0b 08 00 42 fe 68 31 00 02 41 14 7e 63 00 00Bn1...A-m-...
0030 00 00 cb 04 03 00 00 00 00 10 11 12 13 14 15
0040 16 17 18 19 1a 1b 1c 1d 1e 1f 20 21 22 23 24 25*.....!m\$N
0050 26 27 28 29 2a 2b 2c 2d 2e 2f 30 31 32 33 34 35 &'()*+,-./012345
0060 36 3767

*** sample.pcap

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

ip.addr == 142.250.1.139

No.	Time	Source	Destination	Protocol	Length	Info
16	8.642698	172.21.224.2	142.250.1.139	ICMP	98	Echo (ping) request id=0x6831, seq=1/256, ttl=64 (reply in 16)
18	8.643923	142.250.1.139	172.21.224.2	ICMP	98	Echo (ping) reply id=0x6831, seq=1/256, ttl=64 (request in 16)
25	9.644712	172.21.224.2	142.250.1.139	ICMP	98	Echo (ping) request id=0x6831, seq=2/512, ttl=64 (reply in 26)
26	9.645078	142.250.1.139	172.21.224.2	ICMP	98	Echo (ping) reply id=0x6831, seq=2/512, ttl=64 (request in 25)
31	10.646049	172.21.224.2	142.250.1.139	ICMP	98	Echo (ping) request id=0x6831, seq=3/768, ttl=64 (reply in 32)
32	10.646563	142.250.1.139	172.21.224.2	ICMP	98	Echo (ping) reply id=0x6831, seq=3/768, ttl=64 (request in 31)
64	18.032766	172.21.224.2	142.250.1.139	TCP	74	49652 → 80 [SYN] Seq=0 Win=65536 Len=0 MSS=1460 SACK_PERM TSval=2804123005 TSecr=0 WS=128
65	18.034210	142.250.1.139	172.21.224.2	TCP	74	80 → 49652 [ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1460 SACK_PERM TSval=4069674930 TSecr=2804123005 WS=256
66	18.034238	172.21.224.2	142.250.1.139	TCP	66	49652 → 80 [ACK] Seq=1 Ack=1 Win=65408 Len=0 TSval=2804123006 TSecr=4069674930
67	18.034291	172.21.224.2	142.250.1.139	HTTP	151	GET / HTTP/1.1
68	18.034724	142.250.1.139	172.21.224.2	TCP	66	80 → 49652 [ACK] Seq=1 Ack=86 Win=65536 Len=0 TSval=4069674931 TSecr=2804123006
69	18.036927	142.250.1.139	172.21.224.2	HTTP	648	HTTP/1.1 301 Moved Permanently (text/html)
70	18.036941	172.21.224.2	142.250.1.139	TCP	66	49652 → 80 [ACK] Seq=86 Ack=503 Win=64896 Len=0 TSval=2804123009 TSecr=4069674934

Frame 16: Packet, 98 bytes on wire (784 bits), 98 bytes captured (784 bits)

Ethernet II, Src: 42:01:ac:15:e0:02 (42:01:ac:15:e0:02), Dst: 42:01:ac:15:e0:01 (42:01:ac:15:e0:01)

Internet Protocol Version 4, Src: 172.21.224.2, Dst: 142.250.1.139

Internet Control Message Protocol

```

0000  42 01 ac 15 e0 01 42 01  ac 15 e0 02 00 00 45 00  B.....E.
0010  00 54 06 22 40 00 40 01  17 ea ac 15 e0 02 8e fa  .T..B.....
0020  01 08 00 00 42 fe 68 31  00 01 41 14 7e 63 00 00  ...B..l..A..c..
0030  00 00 cb 04 03 00 00 00  00 00 10 11 12 13 14 15  .....
0040  16 17 18 19 1a 1b 1c 1d  1e 1f 20 21 22 23 24 25  .....
0050  26 27 28 29 2a 2b 2c 2d  2e 2f 30 31 32 33 34 35  &'()*+,-./012345
0060  36 37                                     67
  
```

sample.pcap

Packets: 200 - Displayed: 16 (8.0%)

Profile: Default

8:26 AM 9/22/2005

*** sample.pcap

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

Wireshark - Packet 16: sample.pcap

ip.addr == 142.250.1.139

No.	Time	Source	Destination	Protocol	Length	Info
16	8.642698	172.21.224.2	142.250.1.139	ICMP	98	Echo (ping) request id=0x6831, seq=1/256, ttl=64 (reply in 16)
18	8.643923	142.250.1.139	172.21.224.2	ICMP	98	Echo (ping) reply id=0x6831, seq=1/256, ttl=64 (request in 16)
25	9.644712	172.21.224.2	142.250.1.139	ICMP	98	Echo (ping) request id=0x6831, seq=2/512, ttl=64 (reply in 26)
26	9.645078	142.250.1.139	172.21.224.2	ICMP	98	Echo (ping) reply id=0x6831, seq=2/512, ttl=64 (request in 25)
31	10.646049	172.21.224.2	142.250.1.139	ICMP	98	Echo (ping) request id=0x6831, seq=3/768, ttl=64 (reply in 32)
32	10.646563	142.250.1.139	172.21.224.2	ICMP	98	Echo (ping) reply id=0x6831, seq=3/768, ttl=64 (request in 31)
64	18.032766	172.21.224.2	142.250.1.139	TCP	74	49652 → 80 [SYN] Seq=0 Win=65536 Len=0 MSS=1460 SACK_PERM TSval=2804123005 TSecr=0 WS=128
65	18.034210	142.250.1.139	172.21.224.2	TCP	74	80 → 49652 [ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1460 SACK_PERM TSval=4069674930 TSecr=2804123005 WS=256
66	18.034238	172.21.224.2	142.250.1.139	TCP	66	49652 → 80 [ACK] Seq=1 Ack=1 Win=65408 Len=0 TSval=2804123006 TSecr=4069674930
67	18.034291	172.21.224.2	142.250.1.139	HTTP	151	GET / HTTP/1.1
68	18.034724	142.250.1.139	172.21.224.2	TCP	66	80 → 49652 [ACK] Seq=1 Ack=86 Win=65536 Len=0 TSval=4069674931 TSecr=2804123006
69	18.036927	142.250.1.139	172.21.224.2	HTTP	648	HTTP/1.1 301 Moved Permanently (text/html)
70	18.036941	172.21.224.2	142.250.1.139	TCP	66	49652 → 80 [ACK] Seq=86 Ack=503 Win=64896 Len=0 TSval=2804123009 TSecr=4069674934

Frame 16: Packet, 98 bytes on wire (784 bits), 98 bytes captured (784 bits)

Ethernet II, Src: 42:01:ac:15:e0:02 (42:01:ac:15:e0:02), Dst: 42:01:ac:15:e0:01 (42:01:ac:15:e0:01)

Internet Protocol Version 4, Src: 172.21.224.2, Dst: 142.250.1.139

Internet Control Message Protocol

```

0000  42 01 ac 15 e0 01 42 01  ac 15 e0 02 00 00 45 00  B.....E.
0010  00 54 06 22 40 00 40 01  17 ea ac 15 e0 02 8e fa  .T..B.....
0020  01 08 00 00 42 fe 68 31  00 01 41 14 7e 63 00 00  ...B..l..A..c..
0030  00 00 cb 04 03 00 00 00  00 00 10 11 12 13 14 15  .....
0040  16 17 18 19 1a 1b 1c 1d  1e 1f 20 21 22 23 24 25  .....
0050  26 27 28 29 2a 2b 2c 2d  2e 2f 30 31 32 33 34 35  &'()*+,-./012345
0060  36 37                                     67
  
```

No: 16 - Time: 8.642698 - Source: 172.21.224.2 - Destination: 142.250.1.139 - Protocol: ICMP - Length: 98 - Info: Echo (ping) request id=0x6831, seq=1/256, ttl=64 (reply in 16)

☒ Show packet bytes Layout: Vertical (Stacked)



Close Help



sample.pcap



Packets: 200 - Displayed: 16 (8.0%)

Profile: Default

8:27 AM 9/22/2005







***sample.pcap

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

ip.addr == 142.250.1.139

No.	Time	Source	Destination	Protocol	Length	Info
16	8.642698	172.21.224.2	142.250.1.139	ICMP	98	Echo (ping) request id=0x6831, seq=1/256, ttl=64 (reply in 18)
18	8.643923	142.250.1.139	172.21.224.2	ICMP	98	Echo (ping) reply id=0x6831, seq=1/256, ttl=115 (request in 16)
25	9.644712	172.21.224.2	142.250.1.139	ICMP	98	Echo (ping) request id=0x6831, seq=2/512, ttl=64 (reply in 26)
26	9.645878	142.250.1.139	172.21.224.2	ICMP	98	Echo (ping) reply id=0x6831, seq=2/512, ttl=115 (request in 25)
31	10.646046	172.21.224.2	142.250.1.139	ICMP	98	Echo (ping) request id=0x6831, seq=3/768, ttl=64 (reply in 32)
32	10.646563	142.250.1.139	172.21.224.2	ICMP	98	Echo (ping) reply id=0x6831, seq=3/768, ttl=115 (request in 31)
64	18.032768	172.21.224.2	142.250.1.139	TCP	74	49652 → 80 [SYN] Seq=0 Win=65536 Len=0 MSS=1420 SACK_PERM TSval=2804123005 TSecr=0 WS=128
65	18.034210	142.250.1.139	172.21.224.2	TCP	74	80 → 49652 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1420 SACK_PERM TSval=4069674930 TSecr=2804123005 WS=256
66	18.034238	172.21.224.2	142.250.1.139	TCP	66	49652 → 80 [ACK] Seq=1 Ack=1 Win=65408 Len=0 TSval=2804123006 TSecr=4069674930
67	18.034291	172.21.224.2	142.250.1.139	HTTP	151	GET / HTTP/1.1
68	18.034724	142.250.1.139	172.21.224.2	TCP	66	80 → 49652 [ACK] Seq=1 Ack=86 Win=65536 Len=0 TSval=4069674931 TSecr=2804123006
69	18.036927	142.250.1.139	172.21.224.2	HTTP	648	HTTP/1.1 301 Moved Permanently (text/html)
70	18.036941	172.21.224.2	142.250.1.139	TCP	66	49652 → 80 [ACK] Seq=86 Ack=503 Win=64896 Len=0 TSval=2804123009 TSecr=4069674934

> Frame 64: Packet, 74 bytes on wire (592 bits), 74 bytes captured (592 bits)

> Ethernet II, Src: 42:01:ac:15:e0:02 (42:01:ac:15:e0:02), Dst: 42:01:ac:15:e0:01 (42:01:ac:15:e0:01)

> Internet Protocol Version 4, Src: 172.21.224.2, Dst: 142.250.1.139

> Transmission Control Protocol, Src Port: 49652, Dst Port: 80, Seq: 0, Len: 0

0000 42 01 ac 15 e0 01 42 01 ac 15 e0 02 00 00 45 00 B.....E..

0010 00 3c e4 a0 40 00 40 06 39 70 ac 15 e0 02 8e fa <...@ 9v.....

0020 01 8b c1 f4 00 50 cb 6b 93 a0 00 00 00 a0 02P.k.....

0030 ff 28 1c cc 00 00 02 04 05 8c 04 02 00 0a a7 23 <.....#

0040 05 7d 00 00 00 00 01 03 03 07>

sample.pcap Packets: 200 - Displayed: 16 (8.0%) Profile: Default 8:41 AM 9/22/2016

***sample.pcap

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

ip.addr == 142.250.1.139

No.	Time	Source	Destination	Protocol	Length	Info
16	8.642698	172.21.224.2	142.250.1.139	ICMP	98	Echo (ping) request id=0x6831, seq=1/256, ttl=64 (reply in 18)
18	8.643923	142.250.1.139	172.21.224.2	ICMP	98	Echo (ping) reply id=0x6831, seq=1/256, ttl=115 (request in 16)
25	9.644712	172.21.224.2	142.250.1.139	ICMP	98	Echo (ping) request id=0x6831, seq=2/512, ttl=64 (reply in 26)
26	9.645878	142.250.1.139	172.21.224.2	ICMP	98	Echo (ping) reply id=0x6831, seq=2/512, ttl=115 (request in 25)
31	10.646046	172.21.224.2	142.250.1.139	ICMP	98	Echo (ping) request id=0x6831, seq=3/768, ttl=64 (reply in 32)
32	10.646563	142.250.1.139	172.21.224.2	ICMP	98	Echo (ping) reply id=0x6831, seq=3/768, ttl=115 (request in 31)
64	18.032768	172.21.224.2	142.250.1.139	TCP	74	49652 → 80 [SYN] Seq=0 Win=65536 Len=0 MSS=1420 SACK_PERM TSval=2804123005 TSecr=0 WS=128
65	18.034210	142.250.1.139	172.21.224.2	TCP	74	80 → 49652 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1420 SACK_PERM TSval=4069674930 TSecr=2804123005 WS=256
66	18.034238	172.21.224.2	142.250.1.139	TCP	66	49652 → 80 [ACK] Seq=1 Ack=1 Win=65408 Len=0 TSval=2804123006 TSecr=4069674930
67	18.034291	172.21.224.2	142.250.1.139	HTTP	151	GET / HTTP/1.1
68	18.034724	142.250.1.139	172.21.224.2	TCP	66	80 → 49652 [ACK] Seq=1 Ack=86 Win=65536 Len=0 TSval=4069674931 TSecr=2804123006
69	18.036927	142.250.1.139	172.21.224.2	HTTP	648	HTTP/1.1 301 Moved Permanently (text/html)
70	18.036941	172.21.224.2	142.250.1.139	TCP	66	49652 → 80 [ACK] Seq=86 Ack=503 Win=64896 Len=0 TSval=2804123009 TSecr=4069674934

> Frame 64: Packet, 74 bytes on wire (592 bits), 74 bytes captured (592 bits)

> Ethernet II, Src: 42:01:ac:15:e0:02 (42:01:ac:15:e0:02), Dst: 42:01:ac:15:e0:01 (42:01:ac:15:e0:01)

> Internet Protocol Version 4, Src: 172.21.224.2, Dst: 142.250.1.139

> Transmission Control Protocol, Src Port: 49652, Dst Port: 80, Seq: 0, Len: 0

0000 42 01 ac 15 e0 01 42 01 ac 15 e0 02 00 00 45 00 B.....E..

0010 00 3c e4 a0 40 00 40 06 39 70 ac 15 e0 02 8e fa <...@ 9v.....

0020 01 8b c1 f4 00 50 cb 6b 93 a0 00 00 00 a0 02P.k.....

0030 ff 28 1c cc 00 00 02 04 05 8c 04 02 00 0a a7 23 <.....#




0040 05 7d 00 00 00 00 01 03 03 07>



No: 64 - Time: 18.032768 - Source: 172.21.224.2 - Destination: 142.250.1.139 - Protocol: TCP - Length: 74 - Info: 49652 → 80 [SYN] Seq=0 Win=65536 Len=0 MSS=1420 SACK_PERM TSval=2804123005 TSecr=0 WS=128


☒ Show packet bytes Layout: Vertical (Stacked)

Close Help

sample.pcap Packets: 200 - Displayed: 16 (8.0%) Profile: Default 8:41 AM 9/22/2016







*** sample.pcap

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

ip.src == 142.250.1.139

No.	Time	Source	Destination	Protocol	Length	Info
18	8.643923	142.250.1.139	172.21.224.2	ICMP	98	Echo (ping) reply id=0x6831, seq=1/256, ttl=115 (request in 10)
26	9.645078	142.250.1.139	172.21.224.2	ICMP	98	Echo (ping) reply id=0x6831, seq=2/512, ttl=115 (request in 25)
32	10.646563	142.250.1.139	172.21.224.2	ICMP	98	Echo (ping) reply id=0x6831, seq=3/768, ttl=115 (request in 31)
65	18.034210	142.250.1.139	172.21.224.2	TCP	74	80 → 49652 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1420 SACK_PERM TSval=4069674930 TSecr=2804123006 US=256
68	18.034724	142.250.1.139	172.21.224.2	TCP	66	80 → 49652 [ACK] Seq=1 Ack=86 Win=65536 Len=0 TSval=4069674931 TSecr=2804123006
69	18.036927	142.250.1.139	172.21.224.2	HTTP	640	HTTP/1.1 301 Moved Permanently (text/html)
82	18.037927	142.250.1.139	172.21.224.2	TCP	66	80 → 49652 [FIN, ACK] Seq=583 Ack=87 Win=65536 Len=0 TSval=4069674935 TSecr=2804123009

Clear display filter

> Frame 32: Packet, 98 bytes on wire (784 bits), 98 bytes captured (784 bits)

> Ethernet II, Src: 42:01:ac:15:e0:01 (42:01:ac:15:e0:01), Dst: 42:01:ac:15:e0:02 (42:01:ac:15:e0:02)

> Internet Protocol Version 4, Src: 142.250.1.139, Dst: 172.21.224.2

> Internet Control Message Protocol

```

0000  42 01 ac 15 e0 02 42 01 ac 15 e0 01 00 00 45 00  8-----B-----E:
0010  00 54 00 00 00 00 73 01 2b 0c 0e fa 01 0b ac 15  -T---S-4-----
0020  e0 02 00 00 3a ef 68 31 00 03 43 14 7e 63 00 00  ----h1-C---
0030  00 00 d9 91 03 00 00 00 00 10 11 12 13 14 15  -----
0040  16 17 18 19 1a 1b 1c 1d 1e 1f 20 21 22 23 24 25  ----- 1*%$%
0050  26 27 28 29 2a 2b 2c 2d 2e 2f 30 31 32 33 34 35  &()*+,-./012345
0060  36 37  07

```

sample.pcap Packets: 200 - Displayed: 7 (3.5%) Profile: Default 8:52 AM 9/22/2016

*** sample.pcap

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

ip.dst == 142.250.1.139

No.	Time	Source	Destination	Protocol	Length	Info
26	9.645078	142.250.1.139	172.21.224.2	ICMP	98	Echo (ping) reply id=0x6831, seq=2/512, ttl=115 (request in 25)
27	9.645214	172.21.224.2	169.254.169.254	DNS	86	Standard query 0x3cdc PTR 139.1.250.142.in-addr.arpa
28	9.645859	169.254.169.254	172.21.224.2	DNS	120	Standard query response 0x3cdc PTR 139.1.250.142.in-addr.arpa PTR jw-in-f139.1e100.net
29	9.646069	172.21.224.2	35.235.244.34	SSH	210	Server: Encrypted packet (len=144)
30	9.646203	35.235.244.34	172.21.224.2	TCP	66	35193 → 22 [ACK] Seq=161 Ack=913 Win=1050 Len=0 TSval=3147828823 TSecr=1526940713
31	10.646049	172.21.224.2	142.250.1.139	ICMP	98	Echo (ping) request id=0x6831, seq=3/768, ttl=64 (reply in 32)
32	10.646563	142.250.1.139	172.21.224.2	ICMP	98	Echo (ping) reply id=0x6831, seq=3/768, ttl=115 (request in 31)
33	10.646715	172.21.224.2	169.254.169.254	DNS	86	Standard query 0x94d7 PTR 139.1.250.142.in-addr.arpa
34	10.647413	169.254.169.254	172.21.224.2	DNS	120	Standard query response 0x94d7 PTR 139.1.250.142.in-addr.arpa PTR jw-in-f139.1e100.net
35	10.647633	172.21.224.2	35.235.244.34	SSH	210	Server: Encrypted packet (len=144)
36	10.647821	35.235.244.34	172.21.224.2	TCP	66	35193 → 22 [ACK] Seq=161 Ack=1057 Win=1050 Len=0 TSval=3147829024 TSecr=1526941714
37	10.799238	172.21.224.2	169.254.169.254	TCP	54	56864 → 80 [ACK] Seq=1 Ack=1 Win=63814 Len=0
38	10.799265	169.254.169.254	172.21.224.2	TCP	54	80 → 56864 [ACK] Seq=1 Ack=2 Win=65535 Len=0

Apply display filter

> Frame 32: Packet, 98 bytes on wire (784 bits), 98 bytes captured (784 bits)

> Ethernet II, Src: 42:01:ac:15:e0:01 (42:01:ac:15:e0:01), Dst: 42:01:ac:15:e0:02 (42:01:ac:15:e0:02)

> Internet Protocol Version 4, Src: 142.250.1.139, Dst: 172.21.224.2

> Internet Control Message Protocol

```

0000  42 01 ac 15 e0 02 42 01 ac 15 e0 01 00 00 45 00  8-----B-----E:
0010  00 54 00 00 00 00 73 01 2b 0c 0e fa 01 0b ac 15  -T---S-4-----
0020  e0 02 00 00 3a ef 68 31 00 03 43 14 7e 63 00 00  ----h1-C---
0030  00 00 d9 91 03 00 00 00 00 10 11 12 13 14 15  -----
0040  16 17 18 19 1a 1b 1c 1d 1e 1f 20 21 22 23 24 25  ----- 1*%$%
0050  26 27 28 29 2a 2b 2c 2d 2e 2f 30 31 32 33 34 35  &()*+,-./012345
0060  36 37  07

```

sample.pcap Packets: 200 Profile: Default 8:52 AM 9/22/2016

*** sample.pcap

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

ip.addr == 142.250.1.139

No.	Time	Source	Destination	Protocol	Length	Info
16	8.642698	172.21.224.2	142.250.1.139	ICMP	98	Echo (ping) request id=0x6831, seq=1/256, ttl=64 (reply in 18)
25	9.644712	172.21.224.2	142.250.1.139	ICMP	98	Echo (ping) request id=0x6831, seq=2/512, ttl=64 (reply in 26)
31	10.646849	172.21.224.2	142.250.1.139	ICMP	98	Echo (ping) request id=0x6831, seq=3/768, ttl=64 (reply in 32)
64	18.032768	172.21.224.2	142.250.1.139	TCP	74	49652 → 80 [SYN] Seq=0 Win=65536 Len=0 MSS=1420 SACK_PERM TSval=2804123005 TSecr=0 WS=128
66	18.034238	172.21.224.2	142.250.1.139	TCP	66	49652 → 80 [ACK] Seq=1 Ack=1 Win=65488 Len=0 TSval=2804123006 TSecr=4069674930
67	18.034291	172.21.224.2	142.250.1.139	HTTP	151	GET / HTTP/1.1
70	18.036941	172.21.224.2	142.250.1.139	TCP	66	49652 → 80 [ACK] Seq=86 Ack=583 Win=64896 Len=0 TSval=2804123009 TSecr=4069674934
79	18.037390	172.21.224.2	142.250.1.139	TCP	66	49652 → 80 [FIN, ACK] Seq=86 Ack=583 Win=64896 Len=0 TSval=2804123009 TSecr=4069674934
83	18.037936	172.21.224.2	142.250.1.139	TCP	66	49652 → 80 [ACK] Seq=87 Ack=584 Win=64896 Len=0 TSval=2804123010 TSecr=4069674935

Frame 31: Packet, 98 bytes on wire (784 bits), 98 bytes captured (784 bits)

Ethernet II, Src: 42:01:ac:15:e0:02 (42:01:ac:15:e0:02), Dst: 42:01:ac:15:e0:01 (42:01:ac:15:e0:01)

Internet Protocol Version 4, Src: 172.21.224.2, Dst: 142.250.1.139

Internet Control Message Protocol

0000 42 01 ac 15 e0 01 42 01 ac 15 e0 02 00 00 45 00 08E
0010 00 54 06 c2 40 00 40 01 17 4a ac 15 e0 02 0e fa ..T..@..J.....
0020 01 0b 08 00 32 ef 68 31 00 03 43 14 7e 03 00 00 ...2.h1..C..<..
0030 00 00 d9 91 83 00 00 00 00 00 10 11 12 13 14 15
0040 16 17 18 19 1a 1b 1c 1d 1e 1f 20 21 22 23 24 25!*%\$%
0050 26 27 28 29 2a 2b 2c 2d 2e 2f 30 31 32 33 34 35 &'()*+,-./012345
0060 36 37 67

sample.pcap

Packets: 200 - Displayed: 9 (4.5%)

Profile: Default

8:54 AM 8/22/2016

*** sample.pcap

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

ip.addr == 142.250.1.139

No.	Time	Source	Destination	Protocol	Length	Info
16	8.642698	172.21.224.2	142.250.1.139	ICMP	98	Echo (ping) request id=0x6831, seq=1/256, ttl=64 (reply in 18)
25	9.644712	172.21.224.2	142.250.1.139	ICMP	98	Echo (ping) request id=0x6831, seq=2/512, ttl=64 (reply in 26)
31	10.646849	172.21.224.2	142.250.1.139	ICMP	98	Echo (ping) request id=0x6831, seq=3/768, ttl=64 (reply in 32)
64	18.032768	172.21.224.2	142.250.1.139	TCP	74	49652 → 80 [SYN] Seq=0 Win=65536 Len=0 MSS=1420 SACK_PERM TSval=2804123005 TSecr=0 WS=128
66	18.034238	172.21.224.2	142.250.1.139	TCP	66	49652 → 80 [ACK] Seq=1 Ack=1 Win=65488 Len=0 TSval=2804123006 TSecr=4069674930
67	18.034291	172.21.224.2	142.250.1.139	HTTP	151	GET / HTTP/1.1
70	18.036941	172.21.224.2	142.250.1.139	TCP	66	49652 → 80 [ACK] Seq=86 Ack=583 Win=64896 Len=0 TSval=2804123009 TSecr=4069674934
79	18.037390	172.21.224.2	142.250.1.139	TCP	66	49652 → 80 [FIN, ACK] Seq=86 Ack=583 Win=64896 Len=0 TSval=2804123009 TSecr=4069674934
83	18.037936	172.21.224.2	142.250.1.139	TCP	66	49652 → 80 [ACK] Seq=87 Ack=584 Win=64896 Len=0 TSval=2804123010 TSecr=4069674935

Frame 31: Packet, 98 bytes on wire (784 bits), 98 bytes captured (784 bits)

Ethernet II, Src: 42:01:ac:15:e0:02 (42:01:ac:15:e0:02), Dst: 42:01:ac:15:e0:01 (42:01:ac:15:e0:01)

Internet Protocol Version 4, Src: 172.21.224.2, Dst: 142.250.1.139

Internet Control Message Protocol

0000 42 01 ac 15 e0 01 42 01 ac 15 e0 02 00 00 45 00 08E
0010 00 54 06 c2 40 00 40 01 17 4a ac 15 e0 02 0e fa ..T..@..J.....
0020 01 0b 08 00 32 ef 68 31 00 03 43 14 7e 03 00 00 ...2.h1..C..<..
0030 00 00 d9 91 83 00 00 00 00 00 10 11 12 13 14 15
0040 16 17 18 19 1a 1b 1c 1d 1e 1f 20 21 22 23 24 25!*%\$%
0050 26 27 28 29 2a 2b 2c 2d 2e 2f 30 31 32 33 34 35 &'()*+,-./012345
0060 36 37 67

sample.pcap

Packets: 200 - Displayed: 9 (4.5%)

Profile: Default

8:54 AM 8/22/2016

*** sample.pcap

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

ethaddr == 42:01:ac:15:e0:02

No.	Time	Source	Destination	Protocol	Length	Info
25	9.644712	172.21.224.2	142.250.1.139	ICMP	98	Echo (ping) request id=0x6831, seq=2/512, ttl=64 (reply in 26)
26	9.645078	142.250.1.139	172.21.224.2	ICMP	98	Echo (ping) reply id=0x6831, seq=2/512, ttl=115 (request in 25)
27	9.645214	172.21.224.2	169.254.169.254	DNS	86	Standard query 0x3cdc PTR 139.1.250.142.in-addr.arpa
28	9.645859	169.254.169.254	172.21.224.2	DNS	120	Standard query response 0x3cdc PTR 139.1.250.142.in-addr.arpa PTR jw-in-f139.1e100.net
29	9.646069	172.21.224.2	35.235.244.34	SSH	210	Server: Encrypted packet (len=144)
30	9.646203	35.235.244.34	172.21.224.2	TCP	66	35193 → 22 [ACK] Seq=161 Ack=913 Win=1050 Len=0 TSval=3147828823 TSecr=1526940713
31	10.646049	172.21.224.2	142.250.1.139	ICMP	98	Echo (ping) request id=0x6831, seq=3/768, ttl=64 (reply in 32)
32	10.646563	142.250.1.139	172.21.224.2	ICMP	98	Echo (ping) reply id=0x6831, seq=3/768, ttl=115 (request in 31)
33	10.646715	172.21.224.2	169.254.169.254	DNS	86	Standard query 0x94d7 PTR 139.1.250.142.in-addr.arpa
34	10.647413	169.254.169.254	172.21.224.2	DNS	120	Standard query response 0x94d7 PTR 139.1.250.142.in-addr.arpa PTR jw-in-f139.1e100.net
35	10.647633	172.21.224.2	35.235.244.34	SSH	210	Server: Encrypted packet (len=144)
36	10.647821	35.235.244.34	172.21.224.2	TCP	66	35193 → 22 [ACK] Seq=161 Ack=1057 Win=1050 Len=0 TSval=3147829824 TSecr=1526941714
37	10.799230	172.21.224.2	169.254.169.254	TCP	54	56664 → 80 [ACK] Seq=1 Ack=1 Win=63814 Len=0

Frame 31: Packet, 98 bytes on wire (784 bits), 98 bytes captured (784 bits)

Ethernet II, Src: 42:01:ac:15:e0:02 (42:01:ac:15:e0:02), Dst: 42:01:ac:15:e0:01 (42:01:ac:15:e0:01)

Internet Protocol Version 4, Src: 172.21.224.2, Dst: 142.250.1.139

Internet Control Message Protocol

0000 42 01 ac 15 e0 01 42 01 ac 15 e0 02 00 00 45 00 B.....E
0010 00 54 06 c2 40 00 40 01 17 4a ac 15 e0 02 8e fa .T..@..J.....
0020 01 08 08 00 32 ef 68 31 00 03 43 14 7e 63 00 002.H1..C-m-
0030 00 00 d9 91 03 00 00 00 00 00 10 11 12 13 14 15
0040 16 17 18 19 1a 1b 1c 1d 1e 1f 20 21 22 23 24 25!*\$%&
0050 26 27 28 29 2a 2b 2c 2d 2e 2f 30 31 32 33 34 35 &'()*+,-./012345
0060 36 37 67

sample.pcap Packets: 200 Profile: Default 8:54 AM 9/22/2026

*** sample.pcap

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

ethaddr == 42:01:ac:15:e0:02

No.	Time	Source	Destination	Protocol	Length	Info
25	9.644712	172.21.224.2	142.250.1.139	ICMP	98	Echo (ping) request id=0x6831, seq=2/512, ttl=64 (reply in 26)
26	9.645078	142.250.1.139	172.21.224.2	ICMP	98	Echo (ping) reply id=0x6831, seq=2/512, ttl=115 (request in 25)
27	9.645214	172.21.224.2	169.254.169.254	DNS	86	Standard query 0x3cdc PTR 139.1.250.142.in-addr.arpa
28	9.645859	169.254.169.254	172.21.224.2	DNS	120	Standard query response 0x3cdc PTR 139.1.250.142.in-addr.arpa PTR jw-in-f139.1e100.net
29	9.646069	172.21.224.2	35.235.244.34	SSH	210	Server: Encrypted packet (len=144)
30	9.646203	35.235.244.34	172.21.224.2	TCP	66	35193 → 22 [ACK] Seq=161 Ack=913 Win=1050 Len=0 TSval=3147828823 TSecr=1526940713
31	10.646049	172.21.224.2	142.250.1.139	ICMP	98	Echo (ping) request id=0x6831, seq=3/768, ttl=64 (reply in 32)
32	10.646563	142.250.1.139	172.21.224.2	ICMP	98	Echo (ping) reply id=0x6831, seq=3/768, ttl=115 (request in 31)
33	10.646715	172.21.224.2	169.254.169.254	DNS	86	Standard query 0x94d7 PTR 139.1.250.142.in-addr.arpa
34	10.647413	169.254.169.254	172.21.224.2	DNS	120	Standard query response 0x94d7 PTR 139.1.250.142.in-addr.arpa PTR jw-in-f139.1e100.net
35	10.647633	172.21.224.2	35.235.244.34	SSH	210	Server: Encrypted packet (len=144)
36	10.647821	35.235.244.34	172.21.224.2	TCP	66	35193 → 22 [ACK] Seq=161 Ack=1057 Win=1050 Len=0 TSval=3147829824 TSecr=1526941714
37	10.799230	172.21.224.2	169.254.169.254	TCP	54	56664 → 80 [ACK] Seq=1 Ack=1 Win=63814 Len=0

Frame 31: Packet, 98 bytes on wire (784 bits), 98 bytes captured (784 bits)

Ethernet II, Src: 42:01:ac:15:e0:02 (42:01:ac:15:e0:02), Dst: 42:01:ac:15:e0:01 (42:01:ac:15:e0:01)

Internet Protocol Version 4, Src: 172.21.224.2, Dst: 142.250.1.139

Internet Control Message Protocol

0000 42 01 ac 15 e0 01 42 01 ac 15 e0 02 00 00 45 00 B.....E
0010 00 54 06 c2 40 00 40 01 17 4a ac 15 e0 02 8e fa .T..@..J.....
0020 01 08 08 00 32 ef 68 31 00 03 43 14 7e 63 00 002.H1..C-m-
0030 00 00 d9 91 03 00 00 00 00 00 10 11 12 13 14 15
0040 16 17 18 19 1a 1b 1c 1d 1e 1f 20 21 22 23 24 25!*\$%&
0050 26 27 28 29 2a 2b 2c 2d 2e 2f 30 31 32 33 34 35 &'()*+,-./012345
0060 36 37 67

sample.pcap Packets: 200 - Displayed: 200 (100.0%) Profile: Default 8:55 AM 9/22/2026

*** sample.pcap

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

eth.addr == 42:01:ac:15:e0:02

No.	Time	Source	Destination	Protocol	Length	Info
25	9.644712	172.21.224.2	142.250.1.139	ICMP	98	Echo (ping) request id=0x6831, seq=2/512, ttl=64 (reply in 26)
26	9.645078	142.250.1.139	172.21.224.2	ICMP	98	Echo (ping) reply id=0x6831, seq=2/512, ttl=115 (request in 25)
27	9.645214	172.21.224.2	169.254.169.254	DNS	86	Standard query 0x3cdc PTR 139.1.250.142.in-addr.arpa
28	9.645859	169.254.169.254	172.21.224.2	DNS	120	Standard query response 0x3cdc PTR 139.1.250.142.in-addr.arpa PTR jw-lin-f139.1e100.net
29	9.646069	172.21.224.2	35.235.244.34	SSH	210	Server: Encrypted packet (len=144)
30	9.646203	35.235.244.34	172.21.224.2	TCP	66	35193 → 22 [ACK] Seq=161 Ack=913 Win=1850 Len=0 TSval=3147828823 TSecr=1526940713
31	10.646049	172.21.224.2	142.250.1.139	ICMP	98	Echo (ping) request id=0x6831, seq=3/768, ttl=64 (reply in 32)
32	10.646563	142.250.1.139	172.21.224.2	ICMP	98	Echo (ping) reply id=0x6831, seq=3/768, ttl=115 (request in 31)
33	10.646715	172.21.224.2	169.254.169.254	DNS	86	Standard query 0x94d7 PTR 139.1.250.142.in-addr.arpa
34	10.647413	169.254.169.254	172.21.224.2	DNS	120	Standard query response 0x94d7 PTR 139.1.250.142.in-addr.arpa PTR jw-lin-f139.1e100.net
35	10.647633	172.21.224.2	35.235.244.34	SSH	210	Server: Encrypted packet (len=144)
36	10.647821	35.235.244.34	172.21.224.2	TCP	66	35193 → 22 [ACK] Seq=161 Ack=1057 Win=1850 Len=0 TSval=3147829824 TSecr=1526941714
37	10.799238	172.21.224.2	169.254.169.254	TCP	54	56664 → 80 [ACK] Seq=1 Ack=1 Win=63814 Len=0

Frame 25: Packet, 98 bytes on wire (784 bits), 98 bytes captured (784 bits)

Ethernet II, Src: 42:01:ac:15:e0:02 (42:01:ac:15:e0:02), Dst: 42:01:ac:15:e0:01 (42:01:ac:15:e0:01)

Internet Protocol Version 4, Src: 172.21.224.2, Dst: 142.250.1.139

Internet Control Message Protocol

```

0000  42 01 ac 15 e0 01 42 01 ac 15 e0 02 00 00 45 00  B.....E.
0010  00 54 06 7e 40 00 40 01 17 8e ac 15 e0 02 8e fa  -T..@.....
0020  01 0b 00 00 6a f5 68 31 00 02 42 14 7e 63 00 00  ....jhl..B..
0030  00 00 a2 8c 03 00 00 00 00 00 10 11 12 13 14 15  .........T...
0040  16 17 18 19 1a 1b 1c 1d 1e 1f 20 21 22 23 24 25  .........T...
0050  26 27 28 29 2a 2b 2c 2d 2e 2f 30 31 32 33 34 35  &'()*+,-./012345
0060  36 37                                           67

```

sample.pcap Packets: 200 - Displayed: 200 (100.0%) Profile: Default

*** sample.pcap

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

eth.addr == 42:01:ac:15:e0:02

No.	Time	Source	Destination	Protocol	Length	Info
25	9.644712	172.21.224.2	142.250.1.139	ICMP	98	Echo (ping) request id=0x6831, seq=2/512, ttl=64 (reply in 26)
26	9.645078	142.250.1.139	172.21.224.2	ICMP	98	Echo (ping) reply id=0x6831, seq=2/512, ttl=115 (request in 25)
27	9.645214	172.21.224.2	169.254.169.254	DNS	86	Standard query 0x3cdc PTR 139.1.250.142.in-addr.arpa
28	9.645859	169.254.169.254	172.21.224.2	DNS	120	Standard query response 0x3cdc PTR 139.1.250.142.in-addr.arpa PTR jw-lin-f139.1e100.net
29	9.646069	172.21.224.2	35.235.244.34	SSH	210	Server: Encrypted packet (len=144)
30	9.646203	35.235.244.34	172.21.224.2	TCP	66	35193 → 22 [ACK] Seq=161 Ack=913 Win=1850 Len=0 TSval=3147828823 TSecr=1526940713
31	10.646049	172.21.224.2	142.250.1.139	ICMP	98	Echo (ping) request id=0x6831, seq=3/768, ttl=64 (reply in 32)
32	10.646563	142.250.1.139	172.21.224.2	ICMP	98	Echo (ping) reply id=0x6831, seq=3/768, ttl=115 (request in 31)
33	10.646715	172.21.224.2	169.254.169.254	DNS	86	Standard query 0x94d7 PTR 139.1.250.142.in-addr.arpa
34	10.647413	169.254.169.254	172.21.224.2	DNS	120	Standard query response 0x94d7 PTR 139.1.250.142.in-addr.arpa PTR jw-lin-f139.1e100.net
35	10.647633	172.21.224.2	35.235.244.34	SSH	210	Server: Encrypted packet (len=144)
36	10.647821	35.235.244.34	172.21.224.2	TCP	66	35193 → 22 [ACK] Seq=161 Ack=1057 Win=1850 Len=0 TSval=3147829824 TSecr=1526941714
37	10.799238	172.21.224.2	169.254.169.254	TCP	54	56664 → 80 [ACK] Seq=1 Ack=1 Win=63814 Len=0

Frame 25: Packet, 98 bytes on wire (784 bits), 98 bytes captured (784 bits)

Ethernet II, Src: 42:01:ac:15:e0:02 (42:01:ac:15:e0:02), Dst: 42:01:ac:15:e0:01 (42:01:ac:15:e0:01)

Internet Protocol Version 4, Src: 172.21.224.2, Dst: 142.250.1.139



Internet Control Message Protocol


```



0000  42 01 ac 15 e0 01 42 01 ac 15 e0 02 00 00 45 00  B.....E.
0010  00 54 06 7e 40 00 40 01 17 8e ac 15 e0 02 8e fa  -T..@.....
0020  01 0b 00 00 6a f5 68 31 00 02 42 14 7e 63 00 00  ....jhl..B..
0030  00 00 a2 8c 03 00 00 00 00 00 10 11 12 13 14 15  .........T...
0040  16 17 18 19 1a 1b 1c 1d 1e 1f 20 21 22 23 24 25  .........T...
0050  26 27 28 29 2a 2b 2c 2d 2e 2f 30 31 32 33 34 35  &'()*+,-./012345
0060  36 37                                           67



```


sample.pcap Packets: 200 - Displayed: 200 (100.0%) Profile: Default



































Wireshark - Packet 12 - sample.pcap

Filter: udp.port == 53

Queries

- opensource.google.com: type A, class IN

Answers

- opensource.google.com: type A, class IN, addr 142.250.1.139
- opensource.google.com: type A, class IN, addr 142.250.1.138
- opensource.google.com: type A, class IN, addr 142.250.1.182
- opensource.google.com: type A, class IN, addr 142.250.1.113
- opensource.google.com: type A, class IN, addr 142.250.1.100
- opensource.google.com: type A, class IN, addr 142.250.1.101

[Request In: 9]

[Time: 0.004359000 seconds]

Frame 12: 177 bytes on wire (1416 bits), 177 bytes captured (1416 bits) on interface 0

Ethernet II, Src: Intel(R) Ethernet Controller (P0-P3) (82:00:14:00:00:00), Dst: Intel(R) Ethernet Controller (P0-P3) (82:00:14:00:00:00)

Internet Protocol Version 4, Src: 169.254.169.254, Dst: 172.21.224.2

User Datagram Protocol, Src Port: 53, Dst Port: 53

Domain Name System (response)

Transaction ID: 0x0c26

Flags: 0x0180 Standard query response, No error

Questions: 1

Answer RRs: 6

Authority RRs: 0

Additional RRs: 0

Queries

- opensource.google.com: type A, class IN

Answers

- opensource.google.com: type A, class IN, addr 142.250.1.139
- opensource.google.com: type A, class IN, addr 142.250.1.138
- opensource.google.com: type A, class IN, addr 142.250.1.182
- opensource.google.com: type A, class IN, addr 142.250.1.113
- opensource.google.com: type A, class IN, addr 142.250.1.100
- opensource.google.com: type A, class IN, addr 142.250.1.101

[Request In: 9]

[Time: 0.004359000 seconds]

sample.pcap

Packets: 200 · Displayed: 22 (11.0%)

Profile: Default

9:35 AM 9/22/2026

sample.pcap

Filter: udp.port == 53

Clear display filter

No. Time Source Destination Protocol Length Info

No.	Time	Source	Destination	Protocol	Length	Info
9	0.637619	172.21.224.2	169.254.169.254	DNS	81	Standard query 0x0c26 A opensource.google.com
10	0.637625	172.21.224.2	169.254.169.254	DNS	81	Standard query 0x0c26 AAAA opensource.google.com
11	0.641838	169.254.169.254	172.21.224.2	DNS	193	Standard query response 0x0c26 AAAA opensource.google.com AAAA 2607:f8b0:4001:c24::8a AAAA 2607:f8b0:4001:c24::64 AAAA 2607:f8b0:4001:c24::8b AAAA 2607:f8b0:4001:c24::8c
12	0.641978	169.254.169.254	172.21.224.2	DNS	177	Standard query response 0x0c26 A opensource.google.com A 142.250.1.139 A 142.250.1.138 A 142.250.1.182 A 142.250.1.113 A 142.250.1.100 A 142.250.1.101
19	0.644093	172.21.224.2	169.254.169.254	DNS	86	Standard query 0xb549 PTR 139.1.250.142.in-addr.arpa
20	0.647339	169.254.169.254	172.21.224.2	DNS	120	Standard query response 0xb549 PTR 139.1.250.142.in-addr.arpa PTR ju-in-f139.1e100.net
27	0.645214	172.21.224.2	169.254.169.254	DNS	86	Standard query 0x3cdc PTR 139.1.250.142.in-addr.arpa
28	0.645859	169.254.169.254	172.21.224.2	DNS	120	Standard query response 0x3cdc PTR 139.1.250.142.in-addr.arpa PTR ju-in-f139.1e100.net
33	0.646715	172.21.224.2	169.254.169.254	DNS	86	Standard query 0x94d7 PTR 139.1.250.142.in-addr.arpa
34	0.647413	169.254.169.254	172.21.224.2	DNS	120	Standard query response 0x94d7 PTR 139.1.250.142.in-addr.arpa PTR ju-in-f139.1e100.net
60	0.031311	172.21.224.2	169.254.169.254	DNS	81	Standard query 0xae2b A opensource.google.com
61	0.031318	172.21.224.2	169.254.169.254	DNS	81	Standard query 0xae2b AAAA opensource.google.com
62	0.032377	169.254.169.254	172.21.224.2	DNS	193	Standard query response 0xae2b AAAA opensource.google.com AAAA 2607:f8b0:4001:c24::8a AAAA 2607:f8b0:4001:c24::64 AAAA 2607:f8b0:4001:c24::8b AAAA 2607:f8b0:4001:c24::8c
63	0.032379	169.254.169.254	172.21.224.2	DNS	177	Standard query response 0xae2b A opensource.google.com A 142.250.1.139 A 142.250.1.138 A 142.250.1.182 A 142.250.1.113 A 142.250.1.100 A 142.250.1.101
141	42.362339	172.21.224.2	169.254.169.254	DNS	81	Standard query 0xae67 A opensource.google.com

Frame 12: 177 bytes on wire (1416 bits), 177 bytes captured (1416 bits) on interface 0

Ethernet II, Src: Intel(R) Ethernet Controller (P0-P3) (82:00:14:00:00:00), Dst: Intel(R) Ethernet Controller (P0-P3) (82:00:14:00:00:00)

Internet Protocol Version 4, Src: 169.254.169.254, Dst: 172.21.224.2

User Datagram Protocol, Src Port: 53, Dst Port: 53

Domain Name System (response)

Transaction ID: 0x0c26

Flags: 0x0180 Standard query response, No error

Questions: 1

Answer RRs: 6

Authority RRs: 0

Additional RRs: 0

Queries

- opensource.google.com: type A, class IN

Answers

- opensource.google.com: type A, class IN, addr 142.250.1.139
- opensource.google.com: type A, class IN, addr 142.250.1.138
- opensource.google.com: type A, class IN, addr 142.250.1.182
- opensource.google.com: type A, class IN, addr 142.250.1.113
- opensource.google.com: type A, class IN, addr 142.250.1.100
- opensource.google.com: type A, class IN, addr 142.250.1.101

[Request In: 9]

[Time: 0.004359000 seconds]

sample.pcap

Packets: 200 · Displayed: 22 (11.0%)

Profile: Default

9:35 AM 9/22/2026

***sample.pcap

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

Apply a display filter... <Ctrl>F

No.	Time	Source	Destination	Protocol	Length	Info
4	7.909572	172.21.224.2	35.235.244.34	SSH	162	Server: Encrypted packet (len=96)
5	7.910185	35.235.244.34	172.21.224.2	TCP	66	35193 → 22 [ACK] Seq=97 Ack=241 Win=1050 Len=0 TSval=3147827807 TSecr=1526939796
6	8.633882	35.235.244.34	172.21.224.2	SSH	130	Client: Encrypted packet (len=64)
7	8.634115	172.21.224.2	35.235.244.34	SSH	194	Server: Encrypted packet (len=128)
8	8.634316	35.235.244.34	172.21.224.2	TCP	66	35193 → 22 [ACK] Seq=161 Ack=369 Win=1050 Len=0 TSval=3147827811 TSecr=1526939791
9	8.637619	172.21.224.2	169.254.169.254	DNS	81	Standard query 0x638 AAAA opensource.google.com
10	8.637625	172.21.224.2	169.254.169.254	DNS	81	Standard query 0x638 AAAA opensource.google.com
11	8.641838	169.254.169.254	172.21.224.2	DNS	193	Standard query response 0x638 AAAA opensource.google.com AAAA 2607:f8b0:4001:c24::8a AAAA 2607:f8b0:4001:c24::64 AAAA 2607:f8b0:4001:c24::8a AAAA 2607:f8b0:4001:c24::64
12	8.641978	169.254.169.254	172.21.224.2	DNS	177	Standard query response 0x638 AAAA opensource.google.com AAAA 2607:f8b0:4001:c24::8a AAAA 2607:f8b0:4001:c24::64 AAAA 2607:f8b0:4001:c24::8a AAAA 2607:f8b0:4001:c24::64
13	8.642416	172.21.224.2	35.235.244.34	SSH	194	Server: Encrypted packet (len=128)
14	8.642568	172.21.224.2	35.235.244.34	SSH	130	Server: Encrypted packet (len=64)
15	8.642598	35.235.244.34	172.21.224.2	TCP	66	35193 → 22 [ACK] Seq=161 Ack=497 Win=1050 Len=0 TSval=3147827819 TSecr=1526939799
16	8.642698	172.21.224.2	142.250.1.139	ICMP	98	Echo (ping) request id=0x6831, seq=1/256, ttl=64 (reply in 18)
17	8.642755	35.235.244.34	172.21.224.2	TCP	66	35193 → 22 [ACK] Seq=161 Ack=561 Win=1050 Len=0 TSval=3147827819 TSecr=1526939799
18	8.643923	142.250.1.139	172.21.224.2	ICMP	98	Echo (ping) reply id=0x6831, seq=1/256, ttl=115 (request in 16)

Frame 12: 177 bytes on wire (1416 bits), 177 bytes captured (1416 bits)

Ethernet II, Src: 42:01:ac:15:e0:01 (42:01:ac:15:e0:01), Dst: 42:01:ac:15:e0:02 (42:01:ac:15:e0:02)

Internet Protocol Version 4, Src: 169.254.169.254, Dst: 172.21.224.2

User Datagram Protocol, Src Port: 53, Dst Port: 53938

Domain Name System (response)

Transaction ID: 0x638

Flags: 0x8180 Standard query response, No error

Questions: 1

Answer RRs: 6

Authority RRs: 0

Additional RRs: 0

Queries

- opensource.google.com: type A, class IN

Answers

- opensource.google.com: type A, class IN, addr 142.250.1.139
- opensource.google.com: type A, class IN, addr 142.250.1.138
- opensource.google.com: type A, class IN, addr 142.250.1.137
- opensource.google.com: type A, class IN, addr 142.250.1.136

sample.pcap

Packets: 200 - Displayed: 200 (100.0%)

Profile Default

9:35 AM 9/22/2026

***sample.pcap

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

Apply a display filter... <Ctrl>F

tcp.port == 80

No.	Time	Source	Destination	Protocol	Length	Info
4	7.909572	172.21.224.2	35.235.244.34	SSH	162	Server: Encrypted packet (len=96)
5	7.910185	35.235.244.34	172.21.224.2	TCP	66	35193 → 22 [ACK] Seq=97 Ack=241 Win=1050 Len=0 TSval=3147827807 TSecr=1526939796
6	8.633882	35.235.244.34	172.21.224.2	SSH	130	Client: Encrypted packet (len=64)
7	8.634115	172.21.224.2	35.235.244.34	SSH	194	Server: Encrypted packet (len=128)
8	8.634316	35.235.244.34	172.21.224.2	TCP	66	35193 → 22 [ACK] Seq=161 Ack=369 Win=1050 Len=0 TSval=3147827811 TSecr=1526939791
9	8.637619	172.21.224.2	169.254.169.254	DNS	81	Standard query 0x638 AAAA opensource.google.com
10	8.637625	172.21.224.2	169.254.169.254	DNS	81	Standard query 0x638 AAAA opensource.google.com
11	8.641838	169.254.169.254	172.21.224.2	DNS	193	Standard query response 0x638 AAAA opensource.google.com AAAA 2607:f8b0:4001:c24::8a AAAA 2607:f8b0:4001:c24::64 AAAA 2607:f8b0:4001:c24::8a AAAA 2607:f8b0:4001:c24::64
12	8.641978	169.254.169.254	172.21.224.2	DNS	177	Standard query response 0x638 AAAA opensource.google.com AAAA 2607:f8b0:4001:c24::8a AAAA 2607:f8b0:4001:c24::64 AAAA 2607:f8b0:4001:c24::8a AAAA 2607:f8b0:4001:c24::64
13	8.642416	172.21.224.2	35.235.244.34	SSH	194	Server: Encrypted packet (len=128)
14	8.642568	172.21.224.2	35.235.244.34	SSH	130	Server: Encrypted packet (len=64)
15	8.642598	35.235.244.34	172.21.224.2	TCP	66	35193 → 22 [ACK] Seq=161 Ack=497 Win=1050 Len=0 TSval=3147827819 TSecr=1526939799
16	8.642698	172.21.224.2	142.250.1.139	ICMP	98	Echo (ping) request id=0x6831, seq=1/256, ttl=64 (reply in 18)
17	8.642755	35.235.244.34	172.21.224.2	TCP	66	35193 → 22 [ACK] Seq=161 Ack=561 Win=1050 Len=0 TSval=3147827819 TSecr=1526939799
18	8.643923	142.250.1.139	172.21.224.2	ICMP	98	Echo (ping) reply id=0x6831, seq=1/256, ttl=115 (request in 16)

Frame 12: 177 bytes on wire (1416 bits), 177 bytes captured (1416 bits)

Ethernet II, Src: 42:01:ac:15:e0:01 (42:01:ac:15:e0:01), Dst: 42:01:ac:15:e0:02 (42:01:ac:15:e0:02)

Internet Protocol Version 4, Src: 169.254.169.254, Dst: 172.21.224.2

User Datagram Protocol, Src Port: 53, Dst Port: 53938

Domain Name System (response)

Transaction ID: 0x638

Flags: 0x8180 Standard query response, No error

Questions: 1

Answer RRs: 6

Authority RRs: 0

Additional RRs: 0

Queries

- opensource.google.com: type A, class IN

Answers



- opensource.google.com: type A, class IN, addr 142.250.1.139
- opensource.google.com: type A, class IN, addr 142.250.1.138
- opensource.google.com: type A, class IN, addr 142.250.1.137
- opensource.google.com: type A, class IN, addr 142.250.1.136



sample.pcap

Packets: 200 - Displayed: 200 (100.0%)

Profile Default

9:38 AM 9/22/2026





***sample.pcap

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

Apply a display filter: <Ctrl>/>

No.	Time	Source	Destination	Protocol	Length	Info
30	9.646293	35.235.244.34	172.21.224.2	TCP	66	35193 → 22 [ACK] Seq=161 Ack=913 Win=1050 Len=0 TSval=3147828823 TSecr=1526948713
31	10.646049	172.21.224.2	142.250.1.139	ICMP	98	Echo (ping) request id=0x6831, seq=3/768, ttl=64 (reply in 32)
32	10.646563	142.250.1.139	172.21.224.2	ICMP	98	Echo (ping) reply id=0x6831, seq=3/768, ttl=115 (request in 31)
33	10.646715	172.21.224.2	169.254.169.254	DNS	86	Standard query 0x94d PTR 139.1.250.142.in-addr.arpa
34	10.647413	169.254.169.254	172.21.224.2	DNS	120	Standard query response 0x94d PTR 139.1.250.142.in-addr.arpa PTR jw-in-f139.1e100.net
35	10.647633	172.21.224.2	35.235.244.34	SSH	210	Server: Encrypted packet (len=144)
36	10.647821	35.235.244.34	172.21.224.2	TCP	66	35193 → 22 [ACK] Seq=161 Ack=1057 Win=1050 Len=0 TSval=3147829824 TSecr=1526941714
37	10.799238	172.21.224.2	169.254.169.254	TCP	54	56664 → 80 [ACK] Seq=1 Ack=1 Win=63814 Len=0
38	10.799668	169.254.169.254	172.21.224.2	TCP	54	[TCP ACKed unseen segment] 80 → 56664 [ACK] Seq=1 Ack=2 Win=65535 Len=0
39	11.169666	35.235.244.34	172.21.224.2	SSH	130	Client: Encrypted packet (len=64)
40	11.169805	172.21.224.2	35.235.244.34	SSH	130	Server: Encrypted packet (len=64)
41	11.169846	172.21.224.2	35.235.244.34	SSH	170	Server: Encrypted packet (len=112)
42	11.170037	35.235.244.34	172.21.224.2	TCP	66	35193 → 22 [ACK] Seq=225 Ack=1121 Win=1050 Len=0 TSval=3147830347 TSecr=1526942237
43	11.170047	172.21.224.2	35.235.244.34	SSH	130	Server: Encrypted packet (len=64)
44	11.170088	172.21.224.2	35.235.244.34	SSH	242	Server: Encrypted packet (len=176)

Frame 37: 54 bytes on wire (432 bits), 54 bytes captured (432 bits)

Encapsulation type: Ethernet (1)

Arrival Time: Nov 23, 2022 12:38:27.387163000 Greenwich Standard Time

UTC Arrival Time: Nov 23, 2022 12:38:27.387163000 UTC

Epoch Arrival Time: 1669207107.387163000

[Time shift for this packet: 0.000000000 seconds]

[Time delta from previous captured frame: 0.151417000 seconds]

[Time delta from previous displayed frame: 0.151417000 seconds]

[Time since reference or first frame: 10.799238000 seconds]

Frame Number: 37

Frame Length: 54 bytes (432 bits)

Capture Length: 54 bytes (432 bits)

[Frame is marked: False]

[Frame is ignored: False]

[Protocols in frame: eth:ethertype:ip:tcp]

[Coloring Rule Name: HTTP]

[Coloring Rule String: http || tcp.nort == 80 || http2]

0000 42 01 ac 15 e0 01 42 01 ac 15 e0 02 00 00 45 00 B:.....E

0010 00 20 89 a2 40 00 40 06 d1 18 ac 15 e0 02 a9 fe {..@@.....

0020 a9 fe dd 50 00 50 24 00 9f 5f 09 a3 39 73 50 10 --X.PS'...'9sP

0030 f9 46 e0 2f 00 00 F/..

sample.pcap

Packets: 200 - Displayed: 200 (100.0%)

Profile: Default

9:46 AM 8/22/2026

***sample.pcap

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

tcp contains "curl"

No.	Time	Source	Destination	Protocol	Length	Info
30	9.646283	35.235.244.34	172.21.224.2	TCP	66	35193 → 22 [ACK] Seq=161 Ack=913 Win=1050 Len=0 TSval=3147828823 TSecr=1526940713
31	10.646049	172.21.224.2	142.250.1.139	ICMP	98	Echo (ping) request id=0x8831, seq=3/768, ttl=64 (reply in 32)
32	10.646563	142.250.1.139	172.21.224.2	ICMP	98	Echo (ping) reply id=0x8831, seq=3/768, ttl=115 (request in 31)
33	10.646715	172.21.224.2	169.254.169.254	DNS	86	Standard query 0x34d7 PTR 139.1.250.142.in-addr.arpa
34	10.647413	169.254.169.254	172.21.224.2	DNS	120	Standard query response 0x34d7 PTR 139.1.250.142.in-addr.arpa PTR jw-in-f139.1e100.net
35	10.647633	172.21.224.2	35.235.244.34	SSH	210	Server: Encrypted packet (len=144)
36	10.647821	35.235.244.34	172.21.224.2	TCP	66	35193 → 22 [ACK] Seq=161 Ack=1057 Win=1050 Len=0 TSval=3147829824 TSecr=1526941714
37	10.799238	172.21.224.2	169.254.169.254	TCP	54	56664 → 80 [ACK] Seq=1 Ack=1 Win=63814 Len=0
38	10.799668	169.254.169.254	172.21.224.2	TCP	84	[TCP ACKed unseen segment] 80 → 56664 [ACK] Seq=1 Ack=2 Win=63535 Len=0
39	11.169660	35.235.244.34	172.21.224.2	SSH	130	Client: Encrypted packet (len=64)
40	11.169805	172.21.224.2	35.235.244.34	SSH	130	Server: Encrypted packet (len=64)
41	11.169846	172.21.224.2	35.235.244.34	SSH	178	Server: Encrypted packet (len=112)
42	11.170037	35.235.244.34	172.21.224.2	TCP	66	35193 → 22 [ACK] Seq=225 Ack=1121 Win=1050 Len=0 TSval=3147830347 TSecr=1526942237
43	11.170047	172.21.224.2	35.235.244.34	SSH	130	Server: Encrypted packet (len=64)
44	11.170088	172.21.224.2	35.235.244.34	SSH	242	Server: Encrypted packet (len=176)

Frame 37: 54 bytes on wire (432 bits), 54 bytes captured (432 bits)

Encapsulation type: Ethernet (1)

Arrival Time: Nov 23, 2022 12:38:27.387163000 Greenwich Standard Time

UTC Arrival Time: Nov 23, 2022 12:38:27.387163000 UTC

Epoch Arrival Time: 1669207107.387163000

[Time shift for this packet: 0.000000000 seconds]

[Time delta from previous captured frame: 0.151417000 seconds]

[Time delta from previous displayed frame: 0.151417000 seconds]

[Time since reference or first frame: 10.799238000 seconds]

Frame Number: 37

Frame Length: 54 bytes (432 bits)

Capture Length: 54 bytes (432 bits)

[Frame is marked: False]

[Frame is ignored: False]

[Protocols in frame: ethiethertype:ip:tcp]

[Coloring Rule Name: HTTP]

[Following Rule String: http || tcp.nort == 80 || http2]

sample.pcap

Packets: 200 · Displayed: 200 (100.0%)

Profile: Default

9:46 AM 9/22/2026

***sample.pcap

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

tcp contains "curl"

No.	Time	Source	Destination	Protocol	Length	Info
67	18.034291	172.21.224.2	142.250.1.139	HTTP	151	GET / HTTP/1.1
148	42.369993	172.21.224.2	142.250.1.102	HTTP	151	GET / HTTP/1.1

Frame 67: 151 bytes on wire (1208 bits), 151 bytes captured (1208 bits)

Encapsulation type: Ethernet (1)

Arrival Time: Nov 23, 2022 12:38:34.622216000 Greenwich Standard Time

UTC Arrival Time: Nov 23, 2022 12:38:34.622216000 UTC

Epoch Arrival Time: 1669207114.622216000

[Time shift for this packet: 0.000000000 seconds]

[Time delta from previous captured frame: 0.000053000 seconds]

[Time delta from previous displayed frame: 0.000000000 seconds]

[Time since reference or first frame: 18.034291000 seconds]

Frame Number: 67

Frame Length: 151 bytes (1208 bits)

Capture Length: 151 bytes (1208 bits)

[Frame is marked: False]

[Frame is ignored: False]

[Protocols in frame: ethiethertype:ip:tcp:http]

[Coloring Rule Name: HTTP]

[Following Rule String: http || tcp.nort == 80 || http2]

sample.pcap

Packets: 200 · Displayed: 2 (1.0%)

Profile: Default

9:47 AM 9/22/2026