

```
analyst@ee77f11a7367:~$
```

```
analyst@ee77f11a7367:~$ cat custom.rules
```

```
analyst@ee77f11a7367:~$ cat custom.rules
alert http $HOME_NET any -> $EXTERNAL_NET any (msg:"GET on wire"; flow:established,to_server; content:"GET"; http_method; sid:12345; rev:3;)
analyst@ee77f11a7367:~$
```

```
analyst@ee77f11a7367:~$ cat custom.rules
alert http $HOME_NET any -> $EXTERNAL_NET any (msg:"GET on wire"; flow:established,to_server; content:"GET"; http_method; sid:12345; rev:3;)
analyst@ee77f11a7367:~$ ls -l /var/log/suricata
```

```
analyst@ee77f11a7367:~$ cat custom.rules
alert http $HOME_NET any -> $EXTERNAL_NET any (msg:"GET on wire"; flow:established,to_server; content:"GET"; http_method; sid:12345; rev:3;)
analyst@ee77f11a7367:~$ ls -l /var/log/suricata
total 0
analyst@ee77f11a7367:~$
```

```
analyst@ee77f11a7367:~$ cat custom.rules
alert http $HOME_NET any -> $EXTERNAL_NET any (msg:"GET on wire"; flow:established,to_server; content:"GET"; http_method; sid:12345; rev:3;)
analyst@ee77f11a7367:~$ ls -l /var/log/suricata
total 0
analyst@ee77f11a7367:~$ sudo suricata -r sample.pcap -S custom.rules -k none
```

```
analyst@ee77f11a7367:~$ cat custom.rules
alert http $HOME_NET any -> $EXTERNAL_NET any (msg:"GET on wire"; flow:established,to_server; content:"GET"; http_method; sid:12345; rev:3;)
analyst@ee77f11a7367:~$ ls -l /var/log/suricata
total 0
analyst@ee77f11a7367:~$ sudo suricata -r sample.pcap -S custom.rules -k none
i: suricata: This is Suricata version 7.0.10 RELEASE running in USER mode
i: threads: Threads created -> RX: 1 W: 1 FM: 1 FR: 1 Engine started.
i: suricata: Signal Received. Stopping engine.
i: pcap: read 1 file, 200 packets, 54238 bytes
analyst@ee77f11a7367:~$
```

```
analyst@ee77f11a7367:~$ cat custom.rules
alert http $HOME_NET any -> $EXTERNAL_NET any (msg:"GET on wire"; flow:established,to_server; content:"GET"; http_method; sid:12345; rev:3;)
analyst@ee77f11a7367:~$ ls -l /var/log/suricata
total 0
analyst@ee77f11a7367:~$ sudo suricata -r sample.pcap -S custom.rules -k none
i: suricata: This is Suricata version 7.0.10 RELEASE running in USER mode
i: threads: Threads created -> RX: 1 W: 1 FM: 1 FR: 1 Engine started.
i: suricata: Signal Received. Stopping engine.
i: pcap: read 1 file, 200 packets, 54238 bytes
analyst@ee77f11a7367:~$ ls -l /var/log/suricata
```

```
analyst@ee77f11a7367:~$ cat custom.rules
alert http $HOME_NET any -> $EXTERNAL_NET any (msg:"GET on wire"; flow:established,to_server; content:"GET"; http_method; sid:12345; rev:3;)
analyst@ee77f11a7367:~$ ls -l /var/log/suricata
total 0
analyst@ee77f11a7367:~$ sudo suricata -r sample.pcap -S custom.rules -k none
i: suricata: This is Suricata version 7.0.10 RELEASE running in USER mode
i: threads: Threads created -> RX: 1 W: 1 FM: 1 FR: 1 Engine started.
i: suricata: Signal Received. Stopping engine.
i: pcap: read 1 file, 200 packets, 54238 bytes
analyst@ee77f11a7367:~$ ls -l /var/log/suricata
total 16
-rw-r--r-- 1 root root 1673 Sep 30 08:34 eve.json
-rw-r--r-- 1 root root 292 Sep 30 08:34 fast.log
-rw-r--r-- 1 root root 4029 Sep 30 08:34 stats.log
-rw-r--r-- 1 root root 2008 Sep 30 08:34 suricata.log
analyst@ee77f11a7367:~$
```

```
analyst@ee77f11a7367:~$ cat custom.rules
alert http $HOME_NET any -> $EXTERNAL_NET any (msg:"GET on wire"; flow:established,to_server; content:"GET"; http_method; sid:12345; rev:3;
analyst@ee77f11a7367:~$ ls -l /var/log/suricata
total 0
analyst@ee77f11a7367:~$ sudo suricata -r sample.pcap -S custom.rules -k none
i: suricata: This is Suricata version 7.0.10 RELEASE running in USER mode
i: threads: Threads created -> RX: 1 W: 1 FM: 1 FR: 1 Engine started.
i: suricata: Signal Received. Stopping engine.
i: pcap: read 1 file, 200 packets, 54238 bytes
analyst@ee77f11a7367:~$ ls -l /var/log/suricata
total 16
-rw-r--r-- 1 root root 1673 Sep 30 08:34 eve.json
-rw-r--r-- 1 root root 292 Sep 30 08:34 fast.log
-rw-r--r-- 1 root root 4029 Sep 30 08:34 stats.log
-rw-r--r-- 1 root root 2008 Sep 30 08:34 suricata.log
analyst@ee77f11a7367:~$ cat /var/log/suricata/fast.log
```

```
analyst@eee77f11a7367:~$ cat custom.rules
alert http $HOME_NET any -> $EXTERNAL_NET any (msg:"GET on wire"; flow:established,to_server; content:"GET"; http_method; sid:12345; rev:3;)
analyst@eee77f11a7367:~$ ls -l /var/log/suricata
total 0
analyst@eee77f11a7367:~$ sudo suricata -r sample.pcap -S custom.rules -k none
A: suricata: This is Suricata version 7.0.10 RELEASE running in USER mode
A: threads: Threads created => RX: 1 W: 1 FM: 1 FR: 1 Engine started.
A: suricata: Signal Received. Stopping engine.
A: pcap: read 1 file, 200 packets, 54238 bytes
analyst@eee77f11a7367:~$ ls -l /var/log/suricata
total 16
-rw-r--r-- 1 root root 1673 Sep 30 08:34 eve.json
-rw-r--r-- 1 root root 292 Sep 30 08:34 fast.log
-rw-r--r-- 1 root root 4029 Sep 30 08:34 stats.log
-rw-r--r-- 1 root root 2008 Sep 30 08:34 suricata.log
analyst@eee77f11a7367:~$ cat /var/log/suricata/fast.log
11/23/2022-12:38:34.624866 [[*] [1:12345:3] GET on wire [[*] [Classification: (null)] [Priority: 3] [TCP] 172.21.224.2:49652 -> 142.250.1.139:80
11/23/2022-12:38:58.958203 [[*] [1:12345:3] GET on wire [[*] [Classification: (null)] [Priority: 3] [TCP] 172.21.224.2:58494 -> 142.250.1.102:80
analyst@eee77f11a7367:~$
```

```
analyst@ee77f11a7367:~$ cat custom.rules
alert http $HOME_NET any -> $EXTERNAL_NET any (msg:"GET on wire"; flow:established, to_server; content:"GET"; http_method: sid:12345; rev:3;)
analyst@ee77f11a7367:~$ ls -l /var/log/suricata
total 0
analyst@ee77f11a7367:~$ sudo suricata -r sample.pcap -S custom.rules -k none
i: suricata: This is Suricata version 7.0.10 RELEASE running in USER mode
i: threads: Threads created => RX: 1 W: 1 EM: 1 FR: 1 Engine started.
i: suricata: Signal Received. Stopping engine.
i: pcap: read 1 file, 200 packets, 54238 bytes
analyst@ee77f11a7367:~$ ls -l /var/log/suricata
total 16
-rw-r--r-- 1 root root 1673 Sep 30 08:34 eve.json
-rw-r--r-- 1 root root 292 Sep 30 08:34 fast.log
-rw-r--r-- 1 root root 4029 Sep 30 08:34 stats.log
-rw-r--r-- 1 root root 2008 Sep 30 08:34 suricata.log
analyst@ee77f11a7367:~$ cat /var/log/suricata/fast.log
11/23/2022-12:38:34.624866 11/23/2022-12:38:34.624866 [**] [1:12345:3] GET on wire [**] [Classification: (null)] [Priority: 3] (TCP) 172.21.224.2:49652 -> 142.250.1.139:80
11/23/2022-12:38:58.958203 11/23/2022-12:38:58.958203 [**] [1:12345:3] GET on wire [**] [Classification: (null)] [Priority: 3] (TCP) 172.21.224.2:58494 -> 142.250.1.102:80
analyst@ee77f11a7367:~$ cat /var/log/suricata/eve.json
```

```
analyst@7f11a7367:~$ cat custom.rules
alert http $HOME_NET any -> $EXTERNAL_NET any (msg:"GET on wire"; flow:established,to_server; content:"GET"; http_method; sid:12345; rev:3;)
analyst@7f11a7367:~$ ls -l /var/log/suricata
total 0
analyst@7f11a7367:~$ sudo suricata -r sample.pcap -S custom.rules -k none
4: suricata: This is Suricata version 7.0.10 RELEASE running in USER mode
4: threads: Threads created -> RX: 1 W: 1 FM: 1 FR: 1 Engine started.
4: suricata: Signal Received. Stopping engine.
4: pcap: read 1 file, 200 packets, 54238 bytes
analyst@7f11a7367:~$ ls -l /var/log/suricata
total 16
-rw-r--r-- 1 root root 1673 Sep 30 08:34 eve.json
-rw-r--r-- 1 root root 292 Sep 30 08:34 fast.log
-rw-r--r-- 1 root root 4029 Sep 30 08:34 stats.log
-rw-r--r-- 1 root root 2008 Sep 30 08:34 suricata.log
analyst@7f11a7367:~$ cat /var/log/suricata/fast.log
11/23/2022-12:38:34.624866 ** [1:12345:3] GET on wire ** [Classification: (null)] [Priority: 3] (TCP) 172.21.224.2:49652 -> 142.250.1.139:80
11/23/2022-12:38:58.958203 ** [1:12345:3] GET on wire ** [Classification: (null)] [Priority: 3] (TCP) 172.21.224.2:58494 -> 142.250.1.102:80
analyst@7f11a7367:~$ cat /var/log/suricata/eve.json
{"timestamp":"2022-11-23T12:38:34.624866+0000","flow_id":695531433683985,"pcap_cnt":70,"event_type":"alert","src_ip":"172.21.224.2","src_port":49652,"dest_ip":"142.250.1.139","dest_port":80,"proto":"TCP","pkt_src":"wire/pcap","tx_id":0,"alert":{"action":"allowed","gid":1,"signature_id":12345,"rev":3,"signature":"GET on wire","category":"","severity":3},"http":{"hostname":"opensource.google.com","url":"/","http_user_agent":"curl/7.74.0","http_content_type":"text/html","http_method":"GET","protocol":"HTTP/1.1"},"status":301,"redirect":"https://opensource.google.com","length":223},"app_proto":"http","direction":"to_server","flow":{"pkts_toserver":4,"pkts_toclient":3,"bytes_toserver":357,"bytes_toclient":788,"start":"2022-11-23T12:38:34.620693+0000","src_ip":"172.21.224.2","dest_ip":"142.250.1.139","src_port":49652,"dest_port":80}}
{"timestamp":"2022-11-23T12:38:58.958203+0000","flow_id":726729600415709,"pcap_cnt":151,"event_type":"alert","src_ip":"172.21.224.2","src_port":58494,"dest_ip":"142.250.1.102","dest_port":80,"proto":"TCP","pkt_src":"wire/pcap","tx_id":0,"alert":{"action":"allowed","gid":1,"signature_id":12345,"rev":3,"signature":"GET on wire","category":"","severity":3},"http":{"hostname":"opensource.google.com","url":"/","http_user_agent":"curl/7.74.0","http_content_type":"text/html","http_method":"GET","protocol":"HTTP/1.1"},"status":301,"redirect":"https://opensource.google.com","length":223},"app_proto":"http","direction":"to_server","flow":{"pkts_toserver":4,"pkts_toclient":3,"bytes_toserver":357,"bytes_toclient":797,"start":"2022-11-23T12:38:58.955636+0000","src_ip":"172.21.224.2","dest_ip":"142.250.1.102","src_port":58494,"dest_port":80}}
analyst@7f11a7367:~$
```

```
analyst@7f11a7367:~$ cat custom.rules
alert http $HOME_NET any -> $EXTERNAL_NET any (msg:"GET on wire"; flow:established,to_server; content:"GET"; http_method; sid:12345; rev:3;)
analyst@7f11a7367:~$ ls -l /var/log/suricata
total 0
analyst@7f11a7367:~$ sudo suricata -r sample.pcap -S custom.rules -k none
4: suricata: This is Suricata version 7.0.10 RELEASE running in USER mode
4: threads: Threads created -> RX: 1 W: 1 FM: 1 FR: 1 Engine started.
4: suricata: Signal Received. Stopping engine.
4: pcap: read 1 file, 200 packets, 54238 bytes
analyst@7f11a7367:~$ ls -l /var/log/suricata
total 16
-rw-r--r-- 1 root root 1673 Sep 30 08:34 eve.json
-rw-r--r-- 1 root root 292 Sep 30 08:34 fast.log
-rw-r--r-- 1 root root 4029 Sep 30 08:34 stats.log
-rw-r--r-- 1 root root 2008 Sep 30 08:34 suricata.log
analyst@7f11a7367:~$ cat /var/log/suricata/fast.log
11/23/2022-12:38:34.624866 ** [1:12345:3] GET on wire ** [Classification: (null)] [Priority: 3] (TCP) 172.21.224.2:49652 -> 142.250.1.139:80
11/23/2022-12:38:58.958203 ** [1:12345:3] GET on wire ** [Classification: (null)] [Priority: 3] (TCP) 172.21.224.2:58494 -> 142.250.1.102:80
analyst@7f11a7367:~$ cat /var/log/suricata/eve.json
{"timestamp":"2022-11-23T12:38:34.624866+0000","flow_id":695531433683985,"pcap_cnt":70,"event_type":"alert","src_ip":"172.21.224.2","src_port":49652,"dest_ip":"142.250.1.139","dest_port":80,"proto":"TCP","pkt_src":"wire/pcap","tx_id":0,"alert":{"action":"allowed","gid":1,"signature_id":12345,"rev":3,"signature":"GET on wire","category":"","severity":3},"http":{"hostname":"opensource.google.com","url":"/","http_user_agent":"curl/7.74.0","http_content_type":"text/html","http_method":"GET","protocol":"HTTP/1.1"},"status":301,"redirect":"https://opensource.google.com","length":223},"app_proto":"http","direction":"to_server","flow":{"pkts_toserver":4,"pkts_toclient":3,"bytes_toserver":357,"bytes_toclient":788,"start":"2022-11-23T12:38:34.620693+0000","src_ip":"172.21.224.2","dest_ip":"142.250.1.139","src_port":49652,"dest_port":80}}
{"timestamp":"2022-11-23T12:38:58.958203+0000","flow_id":726729600415709,"pcap_cnt":151,"event_type":"alert","src_ip":"172.21.224.2","src_port":58494,"dest_ip":"142.250.1.102","dest_port":80,"proto":"TCP","pkt_src":"wire/pcap","tx_id":0,"alert":{"action":"allowed","gid":1,"signature_id":12345,"rev":3,"signature":"GET on wire","category":"","severity":3},"http":{"hostname":"opensource.google.com","url":"/","http_user_agent":"curl/7.74.0","http_content_type":"text/html","http_method":"GET","protocol":"HTTP/1.1"},"status":301,"redirect":"https://opensource.google.com","length":223},"app_proto":"http","direction":"to_server","flow":{"pkts_toserver":4,"pkts_toclient":3,"bytes_toserver":357,"bytes_toclient":797,"start":"2022-11-23T12:38:58.955636+0000","src_ip":"172.21.224.2","dest_ip":"142.250.1.102","src_port":58494,"dest_port":80}}
analyst@7f11a7367:~$ jq . /var/log/suricata/eve.json | less
```

```
{
  "timestamp": "2022-11-23T12:38:34.624866+0000",
  "flow_id": 695531433683985,
  "pcap_cnt": 70,
  "event_type": "alert",
  "src_ip": "172.21.224.2",
  "src_port": 49652,
  "dest_ip": "142.250.1.139",
  "dest_port": 80,
  "proto": "TCP",
  "pkt_src": "wire/pcap",
  "tx_id": 0,
  "alert": {
    "action": "allowed",
    "gid": 1,
    "signature_id": 12345,
    "rev": 3,
    "signature": "GET on wire",
    "category": "",
    "severity": 3
  },
  "http": {
    "hostname": "opensource.google.com",
    "url": "/",
    "http_user_agent": "curl/7.74.0",
    "http_content_type": "text/html",
    "http_method": "GET",
    "protocol": "HTTP/1.1",
    "status": 301,
    "redirect": "https://opensource.google/",
    "length": 223
  },
  "app_proto": "http",
  "direction": "to_server",
  "flow": {
    "pkts_toserver": 4,
    "pkts_toclient": 3,
    "bytes_toserver": 357,
```

```
{
  "timestamp": "2022-11-23T12:38:34.624866+0000",
  "flow_id": 695531433683985,
  "pcap_cnt": 70,
  "event_type": "alert",
  "src_ip": "172.21.224.2",
  "src_port": 49652,
  "dest_ip": "142.250.1.139",
  "dest_port": 80,
  "proto": "TCP",
  "pkt_src": "wire/pcap",
  "tx_id": 0,
  "alert": {
    "action": "allowed",
    "gid": 1,
    "signature_id": 12345,
    "rev": 3,
    "signature": "GET on wire",
    "category": "",
    "severity": 3
  },
  "http": {
    "hostname": "opensource.google.com",
    "url": "/",
    "http_user_agent": "curl/7.74.0",
    "http_content_type": "text/html",
    "http_method": "GET",
    "protocol": "HTTP/1.1",
    "status": 301,
    "redirect": "https://opensource.google/",
    "length": 223
  },
  "app_proto": "http",
  "direction": "to_server",
  "flow": {
    "pkts_toserver": 4,
    "pkts_toclient": 3,
    "bytes_toserver": 357,
    "bytes_toclient": 0
  }
}
```

analyst@ee77f11a7367:~\$

```
{
  "timestamp": "2022-11-23T12:38:34.624866+0000",
  "flow_id": 695531433683985,
  "pcap_cnt": 70,
  "event_type": "alert",
  "src_ip": "172.21.224.2",
  "src_port": 49652,
  "dest_ip": "142.250.1.139",
  "dest_port": 80,
  "proto": "TCP",
  "pkt_src": "wire/pcap",
  "tx_id": 0,
  "alert": {
    "action": "allowed",
    "gid": 1,
    "signature_id": 12345,
    "rev": 3,
    "signature": "GET on wire",
    "category": "",
    "severity": 3
  },
  "http": {
    "hostname": "opensource.google.com",
    "url": "/",
    "http_user_agent": "curl/7.74.0",
    "http_content_type": "text/html",
    "http_method": "GET",
    "protocol": "HTTP/1.1",
    "status": 301,
    "redirect": "https://opensource.google/",
    "length": 223
  },
  "app_proto": "http",
  "direction": "to_server",
  "flow": {
    "pkts_toserver": 4,
    "pkts_toclient": 3,
    "bytes_toserver": 357,
    "bytes_toclient": 0
  }
}
```

analyst@ee77f11a7367:~\$ jq -c "[.timestamp,.flow\_id,.alert.signature,.proto,.dest\_ip]" /var/log/suricata/eve.json

```
"pcap_cnt": 70,
"event_type": "alert",
"src_ip": "172.21.224.2",
"src_port": 49652,
"dest_ip": "142.250.1.139",
"dest_port": 80,
"proto": "TCP",
"pkt_src": "wire/pcap",
"tx_id": 0,
"alert": {
  "action": "allowed",
  "gid": 1,
  "signature_id": 12345,
  "rev": 3,
  "signature": "GET on wire",
  "category": "",
  "severity": 3
},
"http": {
  "hostname": "opensource.google.com",
  "url": "/",
  "http_user_agent": "curl/7.74.0",
  "http_content_type": "text/html",
  "http_method": "GET",
  "protocol": "HTTP/1.1",
  "status": 301,
  "redirect": "https://opensource.google/",
  "length": 223
},
"app_proto": "http",
"direction": "to_server",
"flow": {
  "pkts_toserver": 4,
  "pkts_toclient": 3,
  "bytes_toserver": 357,
  "bytes_toclient": 0
}
}
analyst@ee77f11a7367:~$ jq -c "[.timestamp,.flow_id,.alert.signature,.proto,.dest_ip]" /var/log/suricata/eve.json
["2022-11-23T12:38:34.624866+0000",695531433683985,"GET on wire","TCP","142.250.1.139"]
["2022-11-23T12:38:58.958203+0000",726729600415709,"GET on wire","TCP","142.250.1.102"]
analyst@ee77f11a7367:~$
```

```

"pcap_cnt": 70,
"event_type": "alert",
"src_ip": "172.21.224.2",
"src_port": 49652,
"dest_ip": "142.250.1.139",
"dest_port": 80,
"proto": "TCP",
"pkt_src": "wire/pcap",
"tx_id": 0,
"alert": {
  "action": "allowed",
  "gid": 1,
  "signature_id": 12345,
  "rev": 3,
  "signature": "GET on wire",
  "category": "",
  "severity": 3
},
"http": {
  "hostname": "opensource.google.com",
  "url": "/",
  "http_user_agent": "curl/7.74.0",
  "http_content_type": "text/html",
  "http_method": "GET",
  "protocol": "HTTP/1.1",
  "status": 301,
  "redirect": "https://opensource.google/",
  "length": 223
},
"app_proto": "http",
"direction": "to_server",
"flow": {
  "pkts_toserver": 4,
  "pkts_toclient": 3,
  "bytes_toserver": 357,
}
analyst@ee77f11a7367:~$ jq -c "[.timestamp,.flow_id,.alert.signature,.proto,.dest_ip]" /var/log/suricata/eve.json
["2022-11-23T12:38:34.624866+0000",695531433683985,"GET on wire","TCP","142.250.1.139"]
["2022-11-23T12:38:58.958203+0000",726729600415709,"GET on wire","TCP","142.250.1.102"]
analyst@ee77f11a7367:~$ jq "select(.flow_id==X)" /var/log/suricata/eve.json

```