

```
analyst@b2fd48445a2f:~$ apt
```

```
analyst@b2fd48445a2f:~$ apt
apt 2.2.4 (amd64)
Usage: apt [options] command
```

apt is a commandline package manager and provides commands for searching and managing as well as querying information about packages. It provides the same functionality as the specialized APT tools, like apt-get and apt-cache, but enables options more suitable for interactive use by default.

Most used commands:

- list - list packages based on package names
- search - search in package descriptions
- show - show package details
- install - install packages
- reinstall - reinstall packages
- remove - remove packages
- autoremove - Remove automatically all unused packages
- update - update list of available packages
- upgrade - upgrade the system by installing/upgrading packages
- full-upgrade - upgrade the system by removing/installing/upgrading packages
- edit-sources - edit the source information file
- satisfy - satisfy dependency strings

See apt(8) for more information about the available commands.

Configuration options and syntax is detailed in apt.conf(5).

Information about how to configure sources can be found in sources.list(5).

Package and version choices can be expressed via apt_preferences(5).

Security details are available in apt-secure(8).

This APT has Super Cow Powers.

```
analyst@b2fd48445a2f:~$
```

This APT has Super Cow Powers.

```
analyst@b2fd48445a2f:~$ sudo apt install suricata
```

```
Security details are available in apt-secure(8).
This APT has Super Cow Powers.
analyst@b2fd48445a2f:~$ sudo apt install suricata
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  libbpf0 libelf1 libevent-2.1-7 libevent-core-2.1-7 libevent-pthreads-2.1-7 libhiredis0.14 libhttp2 libhyperscan5 libjansson4 liblua5.1-2 liblua5.1-common
  libmagic-mgc libmagic1 libmaxminddb0 libmnl0 libnet1 libnetfilter-log1 libnetfilter-queue1 libnfnetlink0 libnspr4 libnss3 libpcap0.8 libyaml-0-2 python3-simplejson
  python3-yaml suricata suricata-update
Suggested packages:
  file mmdns-bin libtcmalloc-minimal4
Recommended packages:
  snort-rules-default
The following NEW packages will be installed:
  libbpf0 libelf1 libevent-2.1-7 libevent-core-2.1-7 libevent-pthreads-2.1-7 libhiredis0.14 libhttp2 libhyperscan5 libjansson4 liblua5.1-2 liblua5.1-common
  libmagic-mgc libmagic1 libmaxminddb0 libmnl0 libnet1 libnetfilter-log1 libnetfilter-queue1 libnfnetlink0 libnspr4 libnss3 libpcap0.8 libyaml-0-2 python3-simplejson
  python3-yaml suricata suricata-update
0 upgraded, 27 newly installed, 0 to remove and 51 not upgraded.
Need to get 7363 kB of archives.
After this operation, 40.0 MB of additional disk space will be used.
Do you want to continue? [Y/n]
```

```
After this operation, 40.0 MB of additional disk space will be used.
Do you want to continue? [Y/n] y
```

```

Unpacking python3-yaml (5.3.1-5) ...
Selecting previously unselected package suricata-update.
Preparing to unpack .../26-suricata-update_1.2.1-1_amd64.deb ...
Unpacking suricata-update (1.2.1-1) ...
Setting up libhtp2 (1:0.5.36-1+deb11u1) ...
Setting up libmagic-mgc (1:5.39-3+deb11u1) ...
Setting up libyaml-0-2:amd64 (0.2.2-1) ...
Setting up libmaxminddb0:amd64 (1.5.2-1) ...
Setting up libmagic1:amd64 (1:5.39-3+deb11u1) ...
Setting up python3-yaml (5.3.1-5) ...
Setting up libnet1:amd64 (1.1.6+dfsg-3.1) ...
Setting up libhyperscan5 (5.4.0-2) ...
Setting up libjansson4:amd64 (2.13.1-1.1) ...
Setting up python3-simplejson (3.17.2-1) ...
Setting up libpcap0.8:amd64 (1.10.0-2) ...
Setting up libnspr4:amd64 (2:4.29-1) ...
Setting up liblua5.1-common (2.1.0~beta3+dfsg-5.3+deb11u1) ...
Setting up libmnl0:amd64 (1.0.4-3) ...
Setting up libevent-core-2.1-7:amd64 (2.1.12-stable-1) ...
Setting up libevent-2.1-7:amd64 (2.1.12-stable-1) ...
Setting up suricata-update (1.2.1-1) ...
Setting up libnfnetlink0:amd64 (1.0.1-3+b1) ...
Setting up libelf1:amd64 (0.183-1) ...
Setting up libevent-pthreads-2.1-7:amd64 (2.1.12-stable-1) ...
Setting up libhiredis0.14:amd64 (0.14.1-1) ...
Setting up libnetfilter-log1:amd64 (1.0.1-3) ...
Setting up libnss3:amd64 (2:3.61-1+deb11u5) ...
Setting up liblua5.1-2:amd64 (2.1.0~beta3+dfsg-5.3+deb11u1) ...
Setting up libnetfilter-queue1:amd64 (1.0.5-2) ...
Setting up libbpf0:amd64 (1:0.3-2+deb11u1) ...
Setting up suricata (1:6.0.1-3+deb11u1) ...
invoke-rc.d: could not determine current runlevel
invoke-rc.d: policy-rc.d denied execution of start.
Created symlink /etc/systemd/system/multi-user.target.wants/suricata.service → /lib/systemd/system/suricata.service.
Processing triggers for man-db (2.9.4-2) ...
Processing triggers for libc-bin (2.31-13+deb11u13) ...
analyst@b2fd48445a2f:~$

```

```

Processing triggers for man-db (2.9.4-2) ...
Processing triggers for libc-bin (2.31-13+deb11u13) ...
analyst@b2fd48445a2f:~$ suricata

```

```

-D : run as daemon
-k [all|none] : force checksum check (all) or disabled it (none)
-v : display Suricata version
-V : be more verbose (use multiple times to increase verbosity)
--list-app-layer-protos : list supported app layer protocols
--list-keywords[=all|csv|<keyword>] : list keywords implemented by the engine
--list-runmodes : list supported runmodes
--runmode <runmode_id> : specific runmode modification the engine should run. The argument
                        supplied should be the id for the runmode obtained by running
                        --list-runmodes
--engine-analysis : print reports on analysis of different sections in the engine and exit.
                  Please have a look at the conf parameter engine-analysis on what reports
                  can be printed
--pidfile <file> : write pid to this file
--init-errors-fatal : enable fatal failure on signature init error
--disable-detection : disable detection engine
--dump-config : show the running configuration
--dump-features : display provided features
--build-info : display build information
--pcap[=<dev>] : run in pcap mode, no value select interfaces from suricata.yaml
--pcap-file-continuous : when running in pcap mode with a directory, continue checking directory for pcaps until interrupted
--pcap-file-delete : when running in replay mode (-r with directory or file), will delete pcap files that have been processed when done
--pcap-file-recursive : will descend into subdirectories when running in replay mode (-r)
--pcap-buffer-size : size of the pcap buffer value from 0 - 2147483647
--af-packet[=<dev>] : run in af-packet mode, no value select interfaces from suricata.yaml
--simulate-ips : force engine into IPS mode. Useful for QA
--user <user> : run suricata as this user after init
--group <group> : run suricata as this group after init
--erf-in <path> : process an ERF file
--unix-socket[=<file>] : use unix socket to control suricata work
--reject-dev <dev> : send reject packets from this interface
--set name=value : set a configuration value

```

to run the engine with default configuration on interface eth0 with signature file "signatures.rules", run the command as:

```
suricata -c suricata.yaml -s signatures.rules -i eth0
```

```
analyst@b2fd48445a2f:~$
```

```
suricata -c suricata.yaml -s signatures.rules -i eth0
```

```
analyst@b2fd48445a2f:~$ sudo apt remove suricata
```

```
analyst@b2fd48445a2f:~$ sudo apt remove suricata
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following packages were automatically installed and are no longer required:
  libbpf0 libelf1 libevent-2.1-7 libevent-core-2.1-7 libevent-pthreads-2.1-7 libhiredis0.14 libhttp2 libhyperscan5 libjansson4 liblua5.1-2 liblua5.1-common
  libmagic-mgc libmagic1 libmaxminddb0 libmnl0 libnet1 libnetfilter-log1 libnetfilter-queue1 libnfnetlink0 libnspr4 libnss3 libpcap0.8 libyaml-0-2 python3-simplejson
  python3-yaml suricata-update
Use 'sudo apt autoremove' to remove them.
The following packages will be REMOVED:
  suricata
0 upgraded, 0 newly installed, 1 to remove and 51 not upgraded.
After this operation, 6634 kB disk space will be freed.
Do you want to continue? [Y/n]
```

```
After this operation, 6634 kB disk space will be freed.
Do you want to continue? [Y/n] y
```

```
Do you want to continue? [Y/n] y
(Reading database ... 23406 files and directories currently installed.)
Removing suricata (1:6.0.1-3+deb11u1) ...
invoke-rc.d: could not determine current runlevel
invoke-rc.d: policy-rc.d denied execution of stop.
Processing triggers for man-db (2.9.4-2) ...
analyst@b2fd48445a2f:~$
```

```
Processing triggers for man-db (2.9.4-2) ...
analyst@b2fd48445a2f:~$ suricata
```

```
analyst@b2fd48445a2f:~$ suricata
-bash: /usr/bin/suricata: No such file or directory
analyst@b2fd48445a2f:~$
```

```
-bash: /usr/bin/suricata: No such file or directory
analyst@b2fd48445a2f:~$ sudo apt install tcpdump
```

```
analyst@b2fd48445a2f:~$ sudo apt install tcpdump
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following packages were automatically installed and are no longer required:
  libbpf0 libelf1 libevent-2.1-7 libevent-core-2.1-7 libevent-pthreads-2.1-7 libhiredis0.14 libhttp2 libhyperscan5 libjansson4 liblua5.1-2 liblua5.1-common
  libmagic-mgc libmagic1 libmaxminddb0 libmnl0 libnet1 libnetfilter-log1 libnetfilter-queue1 libnfnetlink0 libnspr4 libnss3 libyaml-0-2 python3-simplejson python3-yaml
  suricata-update
Use 'sudo apt autoremove' to remove them.
Suggested packages:
  apparmor
The following NEW packages will be installed:
  tcpdump
0 upgraded, 1 newly installed, 0 to remove and 51 not upgraded.
Need to get 466 kB of archives.
After this operation, 1361 kB of additional disk space will be used.
Get:1 http://deb.debian.org/debian bullseye/main amd64 tcpdump amd64 4.99.0-2+deb11u1 [466 kB]
Fetched 466 kB in 0s (7062 kB/s)
debconf: delaying package configuration, since apt-utils is not installed
Selecting previously unselected package tcpdump.
(Reading database ... 23367 files and directories currently installed.)
Preparing to unpack .../tcpdump_4.99.0-2+deb11u1_amd64.deb ...
Unpacking tcpdump (4.99.0-2+deb11u1) ...
Setting up tcpdump (4.99.0-2+deb11u1) ...
Processing triggers for man-db (2.9.4-2) ...
analyst@b2fd48445a2f:~$
```

```
Processing triggers for man-db (2.9.4-2) ...
analyst@b2fd48445a2f:~$ apt list --installed
```

```
sysvinit-utils/oldoldstable,now 2.96-7+deb11u1 amd64 [installed,automatic]
tar/oldoldstable,now 1.34+dfsg-1+deb11u1 amd64 [installed,automatic]
tcpdump/oldoldstable,now 4.99.0-2+deb11u1 amd64 [installed]
tree/oldoldstable,now 1.8.0-1+b1 amd64 [installed]
tzdata/now 2025b-0+deb11u1 all [installed,upgradable to: 2026b-0+deb11u1]
ucf/oldoldstable-security,now 3.0043+deb11u2 all [installed,automatic]
util-linux/oldoldstable,oldoldstable-security,now 2.36.1-8+deb11u2 amd64 [installed,automatic]
wget/oldoldstable-security,now 1.21-1+deb11u2 amd64 [installed]
xauth/oldoldstable,now 1:1.1-1 amd64 [installed,automatic]
xz-utils/oldoldstable,oldoldstable-security,now 5.2.5-2.1~deb11u1 amd64 [installed,automatic]
zlib1g-dev/oldoldstable,oldoldstable-security,now 1:1.2.11.dfsg-2+deb11u2 amd64 [installed,automatic]
zlib1g/oldoldstable,oldoldstable-security,now 1:1.2.11.dfsg-2+deb11u2 amd64 [installed,automatic]
analyst@b2fd48445a2f:~$
```

```
zlib1g/oldoldstable,oldoldstable-security,now 1:1.2.11.dfsg-2+deb11u2 amd64 [installed,automatic]
analyst@b2fd48445a2f:~$ sudo apt install suricata
```

```
analyst@b2fd48445a2f:~$ sudo apt install suricata
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
Suggested packages:
  libtcmalloc-minimal4
Recommended packages:
  snort-rules-default
The following NEW packages will be installed:
  suricata
0 upgraded, 1 newly installed, 0 to remove and 51 not upgraded.
Need to get 1964 kB of archives.
After this operation, 6634 kB of additional disk space will be used.
Get:1 http://deb.debian.org/debian-security bullseye-security/main amd64 suricata amd64 1:6.0.1-3+deb11u1 [1964 kB]
Fetched 1964 kB in 0s (20.5 MB/s)
debconf: delaying package configuration, since apt-utils is not installed
Selecting previously unselected package suricata.
(Reading database ... 23382 files and directories currently installed.)
Preparing to unpack .../suricata_1%3a6.0.1-3+deb11u1_amd64.deb ...
Unpacking suricata (1:6.0.1-3+deb11u1) ...
Setting up suricata (1:6.0.1-3+deb11u1) ...
invoke-rc.d: could not determine current runlevel
invoke-rc.d: policy-rc.d denied execution of restart.
Processing triggers for man-db (2.9.4-2) ...
analyst@b2fd48445a2f:~$
```

```
Processing triggers for man-db (2.9.4-2) ...
analyst@b2fd48445a2f:~$ apt list --installed
```

```
sudo/nw 1.9.5p2-3+deb11u2 amd64 [installed,upgradable to: 1.9.5p2-3+deb11u4]
suricata-update/oldoldstable,nw 1.2.1-1 amd64 [installed,automatic]
suricata/oldoldstable-security,nw 1:6.0.1-3+deb11u1 amd64 [installed]
systemd-sysv/nw 247.3-7+deb11u7 amd64 [installed,upgradable to: 247.3-7+deb11u8]
systemd-timesyncd/nw 247.3-7+deb11u7 amd64 [installed,upgradable to: 247.3-7+deb11u8]
systemd/nw 247.3-7+deb11u7 amd64 [installed,upgradable to: 247.3-7+deb11u8]
sysvinit-utils/oldoldstable,nw 2.96-7+deb11u1 amd64 [installed,automatic]
tar/oldoldstable,nw 1.34+dfsg-1+deb11u1 amd64 [installed,automatic]
tcpdump/oldoldstable,nw 4.99.0-2+deb11u1 amd64 [installed]
tree/oldoldstable,nw 1.8.0-1+b1 amd64 [installed]
tzdata/nw 2025b-0+deb11u1 all [installed,upgradable to: 2026b-0+deb11u1]
ucf/oldoldstable-security,nw 3.0043+deb11u2 all [installed,automatic]
util-linux/oldoldstable,oldoldstable-security,nw 2.36.1-8+deb11u2 amd64 [installed,automatic]
wget/oldoldstable-security,nw 1.21-1+deb11u2 amd64 [installed]
xauth/oldoldstable,nw 1:1.1-1 amd64 [installed,automatic]
xz-utils/oldoldstable,oldoldstable-security,nw 5.2.5-2.1~deb11u1 amd64 [installed,automatic]
zlib1g-dev/oldoldstable,oldoldstable-security,nw 1:1.2.11.dfsg-2+deb11u2 amd64 [installed,automatic]
zlib1g/oldoldstable,oldoldstable-security,nw 1:1.2.11.dfsg-2+deb11u2 amd64 [installed,automatic]
analyst@b2fd48445a2f:~$
```