Zico MiniApp — Phase 01 Testing Guide

Version: 1.0
Date: 2026-04-29
Scope: End-to-end product testing — UI, flows, and user experience
Out of scope: AI agent on-chain execution (covered in Phase 02)

Before You Start

Requirements

- [ ] MetaMask wallet installed and set up
- [ ] Small balances ready on each chain you will test (values under $1 at all times)
- [ ] TON wallet available (Telegram Wallet or Tonkeeper) if testing TON features
- [ ] Access to the app URL

> **Important:** Always use amounts below $1 USD when executing any transaction. The goal is to verify the flow and interface, not to move meaningful funds.

How to Use This Guide

- Work through each section in order
- Check off each item as you complete it
- Use the **Notes** field at the end of each section to log what you observed
- After finishing each product, fill in the corresponding **Report**
- If something looks wrong or confusing, write it down — every observation matters

---

Section 1 — Landing Page

> Goal: Read through the landing page carefully, confirm all content makes sense, and flag anything that is confusing, missing, or could be improved.

Content Review

- [ ] Read the main headline — does it clearly explain what Zico is?
- [ ] Read every section on the page from top to bottom
- [ ] Check that all images and icons load correctly (no broken images)
- [ ] Check that all buttons are visible and the text on them is clear
- [ ] Verify the "Launch App" or main CTA button is easy to find
- [ ] Check the page on mobile screen size — does everything still look good?

Text & Messaging

- [ ] Is the value proposition easy to understand for someone new to DeFi?
- [ ] Are there any spelling or grammar mistakes?
- [ ] Is there any text that seems technical or confusing without explanation?

- ☐ Does every section have a clear purpose?

Navigation & Links

- ☐ All links in the navigation bar work
- ☐ No broken links on the page
- ☐ Social media or external links (if any) open correctly

Notes / Suggestions:

```
[Write your observations here]
```

Section 2 — Authentication (Connect Wallet)

> Goal: Confirm the wallet connection flow works smoothly and the app recognizes the connected wallet correctly.

EVM Wallet (MetaMask)

- ☐ Click "Launch App" from the landing page
- ☐ The connection screen appears and offers a wallet option
- ☐ Click to connect MetaMask — the MetaMask popup appears
- ☐ After approving, the app redirects to the main interface (chat or portfolio)
- ☐ Your connected wallet address is visible somewhere on the screen

TON Wallet (if applicable)

- ☐ TON Connect option is visible on the connection screen
- ☐ Clicking it shows the TON wallet options (Telegram Wallet, Tonkeeper, etc.)
- ☐ After connecting, the app recognizes the TON wallet

Notes:

```
[Write your observations here]
```

Section 3 — Portfolio Page

> Goal: Verify that the portfolio correctly displays asset balances and positions.

Asset Overview

- ☐ Navigate to the Portfolio page
- ☐ The page loads without errors
- ☐ A list of assets is shown (tokens with their balances)
- ☐ Compare the token balances displayed in the app with your MetaMask wallet

    - Values do not need to match exactly, but they should be close in total USD value
    - Note any tokens that appear in MetaMask but are missing from the app
    - Note any tokens that appear in the app but are not in your MetaMask

Net Worth & Summary

- ☐ A total portfolio value (Net Worth) is shown
- ☐ The value is a reasonable estimate compared to your actual holdings
- ☐ 24h PnL or change indicator is visible (if available)

Positions / Active Strategies

- ☐ A "Positions" section is visible (for lending, staking, or DCA positions)
- ☐ If you have active positions, they appear here
- ☐ Each position shows the protocol name, token, and amount
- ☐ "Manage" or action buttons on positions are visible and clickable (no need to execute)

General UX

- ☐ The page fully loads within a reasonable time (under 10 seconds)
- ☐ No error messages or blank sections
- ☐ All token icons load correctly
- ☐ Values update if you navigate away and come back

Notes:

```
[Write your observations here]
```

Section 4 — Swap

> Goal: Test token swaps across different networks. Always use amounts below $1 USD.

General Checklist (apply to every network tested)

Before each swap, verify:

- ☐ The correct network is selected
- ☐ The banner/label inside the swap card matches the selected network and protocol
    - Example: Base → should show **"Powered by Aerodrome on Base"**
    - Example: Ethereum → should show the correct DEX label for Ethereum
    - Example: Avalanche → should show the correct label for Avalanche
- ☐ Token icons load correctly for both "from" and "to" tokens
- ☐ The estimated output amount appears after entering the input
- ☐ Slippage or fee info is shown before confirming

4.1 — Base Network (Test All Tokens)

> Test every token pair available on Base. The swap engine on Base uses Aerodrome.

Available Base tokens to test: ETH, WETH, USDC, USDT, cbBTC, DAI, AERO, VIRTUAL, msETH, EURC

- ☐ Switch to Base network in the swap interface
- ☐ Confirm the card shows: **"Powered by Aerodrome on Base"**

Swap pairs to test (use amounts under $1 each time):

- ☐ ETH → USDC
- ☐ ETH → USDT
- ☐ ETH → DAI
- ☐ ETH → AERO
- ☐ USDC → ETH
- ☐ USDC → USDT
- ☐ USDC → cbBTC
- ☐ USDC → AERO
- ☐ USDC → VIRTUAL
- ☐ WETH → USDC
- ☐ ETH → VIRTUAL
- ☐ ETH → msETH
- ☐ ETH → EURC

For each pair, confirm:

- ☐ Quote loads (estimated output appears)
- ☐ Transaction submitted successfully (check that the tx hash appears)
- ☐ After confirming, the swap shows as pending or confirmed
- ☐ No unexpected error messages during the flow

Notes — Base:

```
[Write your observations here — include any pairs that failed or showed
weird behavior]
```

4.2 — Avalanche Network (Test All Tokens)

> Test every token available on Avalanche. Always under $1.

Available Avalanche tokens: AVAX, WAVAX, UNI, USDC, USDT, AAVE, BTC.b, JOE, MIM

- ☐ Switch to Avalanche network
- ☐ Confirm the network label on the swap card shows Avalanche correctly

Swap pairs to test:

- ☐ AVAX → USDC
- ☐ AVAX → USDT

- ☐ USDC → AVAX
- ☐ USDC → WAVAX
- ☐ USDC → UNI
- ☐ AVAX → AAVE
- ☐ WAVAX → USDT

For each pair, confirm:

- ☐ Quote loads correctly
- ☐ Transaction executes (or shows a clear error if it fails)
- ☐ No UI glitches or blank states

Notes — Avalanche:

```
[Write your observations here]
```

4.3 — Ethereum Network (Test All Tokens)

> Test every token available on Ethereum. Always under $1.

Available Ethereum tokens: ETH, stETH, wstETH, USDC, USDT, WBTC, AAVE, UNI, LINK, LDO, USDe

- ☐ Switch to Ethereum network
- ☐ Confirm the network label on the swap card shows Ethereum correctly

Swap pairs to test:

- ☐ ETH → USDC
- ☐ ETH → USDT
- ☐ USDC → ETH
- ☐ USDC → USDT
- ☐ ETH → WBTC
- ☐ ETH → AAVE
- ☐ ETH → LINK
- ☐ USDC → UNI
- ☐ ETH → stETH
- ☐ ETH → LDO

For each pair, confirm:

- ☐ Quote appears and is reasonable
- ☐ Transaction executes or shows a clear error

Notes — Ethereum:

```
[Write your observations here]
```

4.4 — Other Networks (Main Tokens Only)

> For these networks, testing a few main tokens is enough.

Binance Smart Chain (BNB, USDT, USDC):

- ☐ BNB → USDT
- ☐ BNB → USDC
- ☐ Network label correct on swap card

Polygon (POL, USDC, USDT, WETH):

- ☐ POL → USDC
- ☐ USDC → WETH
- ☐ Network label correct on swap card

Arbitrum (ETH, USDC, USDT, ARB):

- ☐ ETH → USDC
- ☐ ETH → ARB
- ☐ Network label correct on swap card

Optimism (ETH, USDC, OP):

- ☐ ETH → USDC
- ☐ ETH → OP
- ☐ Network label correct on swap card

Notes — Other Networks:

```
[Write your observations here]
```

Swap — End of Section Report

> Fill this in after completing all swap tests.

Overall Status: ☐ All good / ☐ Issues found

#	Issue Description	Network	Token Pair	Severity (Low/Med/High)
1				
2				
3				
4				

User Experience Notes:

- Errors that were confusing or not user-friendly:
- Suggestions to improve the flow:
- Anything that worked especially well:

Section 5 — Lending (Benqi on Avalanche)

> Goal: Test the full lending flow — supply, borrow, and repay. Always under $1 USD.

> **Note:** There is a 10% validation fee on all lending operations. For example, if you supply $1, only $0.90 goes into the protocol. The app should always show this fee breakdown clearly before you confirm.

Page & Market Overview

- ☐ Navigate to the Lending page
- ☐ The page loads without errors
- ☐ A list of available tokens/markets is shown (AVAX, USDC, USDT, etc.)
- ☐ Each token shows a **Supply APY** and a **Borrow APY**
- ☐ The numbers look realistic (not 0% or 9999%)
- ☐ Token icons load correctly

Supply Flow

- ☐ Select a token to supply (e.g., AVAX or USDC)
- ☐ Enter an amount under $1
- ☐ **Verify the fee breakdown is visible** — the app must show:
  - Total amount entered
  - 10% validation fee
  - Net amount that will be supplied (90%)
- ☐ Confirm the transaction
- ☐ A success message appears (or a clear pending/error state)
- ☐ After completion, the supplied balance appears in "Your Positions" on the Portfolio or Lending page

Withdraw Flow

- ☐ With an active supply position, navigate to the lending interface
- ☐ Find the option to withdraw the supplied amount
- ☐ Enter a small amount to withdraw (under $1)
- ☐ The 10% fee breakdown is shown again
- ☐ Confirm and verify the transaction completes
- ☐ The balance is updated in the interface

Borrow Flow

> Note: To borrow, you need an existing supply as collateral.

- ☐ With an active supply position, find the borrow option
- ☐ Select a token to borrow (use a very small amount)

- ☐ The app shows the current Borrow APY
- ☐ The 10% fee breakdown is visible before confirming
- ☐ Confirm and verify the transaction goes through
- ☐ A "Health Factor" indicator appears and shows a safe value (above 1.5)
- ☐ Borrowed amount appears in positions

Repay Flow

- ☐ With an active borrow position, find the repay option
- ☐ Enter the borrowed amount (or a portion of it)
- ☐ Fee breakdown is shown
- ☐ Confirm and verify the transaction completes
- ☐ Borrowed balance is reduced or cleared

General UX

- ☐ All error messages are clear and helpful (not generic "Transaction failed")
- ☐ Loading states are shown while transactions process
- ☐ Health factor changes are visible after borrow/repay actions

Notes:

```
[Write your observations here]
```

Lending — End of Section Report

Overall Status: ☐ All good / ☐ Issues found

#	Issue Description	Action Tested	Severity (Low/Med/High)
1			
2			
3			

User Experience Notes:

- Fee display was clear and understandable? (Yes/No and notes):
- Errors that were confusing or not user-friendly:
- Suggestions to improve the flow:

Section 6 — Liquid Staking

> Goal: Test the staking flow for both Lido (Ethereum) and Benqi (Avalanche). Always under $1.

6.1 — Lido (Ethereum)

> Lido lets you stake ETH on Ethereum and receive stETH (or wstETH) in return. There is no lock period — staking rewards are automatically added to your stETH balance.

Supported tokens: ETH → stETH / wstETH

Page Overview

- ☐ Navigate to the Liquid Staking section and select Lido / Ethereum
- ☐ The page shows the current staking APY
- ☐ ETH, stETH, and wstETH are listed with their details
- ☐ Minimum stake information is visible

Stake Flow

- ☐ Enter a small ETH amount (under $1 equivalent — e.g., 0.0003 ETH)
- ☐ The estimated stETH output is shown
- ☐ Confirm the transaction
- ☐ Transaction completes and stETH balance appears in the interface
- ☐ Staking position is visible (staked amount, stETH balance)

Unstake Flow

- ☐ With a stETH balance, find the unstake option
- ☐ Enter a small stETH amount
- ☐ Confirm and verify the transaction goes through
- ☐ Balance is updated

General UX

- ☐ APY shows correctly (realistic value, not null or 0% without explanation)
- ☐ Error messages are clear if something fails
- ☐ Loading states are shown during transactions

Notes — Lido:

```
[Write your observations here]
```

6.2 — Benqi Liquid Staking (Avalanche)

> Benqi allows you to stake AVAX and receive sAVAX in return. sAVAX automatically earns staking rewards over time.

Page Overview

- ☐ Navigate to the Liquid Staking section and select Benqi / Avalanche
- ☐ The page shows the current APY for staking AVAX
- ☐ AVAX and sAVAX are listed with their details

- ☐ Available liquidity or total staked is visible

Stake Flow

- ☐ Enter a small AVAX amount (under $1 equivalent)
- ☐ The estimated sAVAX output is shown
- ☐ Confirm the transaction
- ☐ Transaction completes and sAVAX balance appears
- ☐ Staking position is visible in the interface or portfolio

Unstake Flow

- ☐ With a sAVAX balance, find the unstake option
- ☐ Enter a small sAVAX amount
- ☐ Confirm and verify the transaction completes
- ☐ Balance is updated

General UX

- ☐ UI clearly distinguishes between Lido (Ethereum) and Benqi (Avalanche)
- ☐ APY shows correctly
- ☐ Error messages are clear and helpful

Notes — Benqi Staking:

```
[Write your observations here]
```

Liquid Staking — End of Section Report

Overall Status: ☐ All good / ☐ Issues found

#	Issue Description	Protocol	Action	Severity (Low/Med/High)
1				
2				
3				

User Experience Notes:

- Was it clear which protocol/chain each staking option uses?
- Errors that were confusing:
- Suggestions to improve:

Section 7 — DCA (Dollar Cost Averaging)

> Goal: Create a daily DCA strategy, observe it execute automatically the following day, then cancel it.

> DCA allows you to automatically buy a token at a fixed schedule (daily, weekly, monthly). The app uses a Smart Wallet to execute trades without requiring your signature every time.

Smart Wallet Setup (if not done yet)

- ☐ Navigate to the DCA page or Smart Wallets page
- ☐ If no smart wallet exists, the app shows a clear message guiding you to create one
- ☐ Create a Smart Wallet (this may require a one-time transaction to confirm)
- ☐ The smart wallet address is displayed after creation

Create a DCA Strategy

- ☐ Click "Create Strategy" or the equivalent button
- ☐ A modal/form appears with the following options:
  - ☐ Select the Smart Wallet to use
  - ☐ Select the "From" token (the token you spend)
  - ☐ Select the "To" token (the token you want to accumulate)
  - ☐ Enter the amount (use a very small value, under $1)
  - ☐ Select the interval: **Daily**
- ☐ Confirm the creation
- ☐ The strategy appears in the strategy list with status **Active**
- ☐ The "Next Execution" date/time is shown and makes sense (within 24 hours)

Verify the Strategy on Day 1

- ☐ The strategy card shows:
  - Token pair (from → to)
  - Amount per execution
  - Interval (Daily)
  - Status (Active)
  - Next execution time
- ☐ Navigate to Portfolio — the DCA position appears there
- ☐ No error in the strategy details

Check Execution on Day 2

> Come back to the app the following day to check if the strategy executed automatically.

- ☐ The strategy shows a successful execution in the **Execution History**
- ☐ The history entry shows: timestamp, transaction hash, amount, status (success)
- ☐ The "Next Execution" time has moved forward by one day
- ☐ The "To" token balance in your portfolio reflects the new amount purchased

Cancel the Strategy

- ☐ Find the delete/cancel option on the strategy card
- ☐ The app asks for confirmation before deleting (no accidental deletions)
- ☐ Confirm the deletion

- ☐ The strategy is removed from the list
- ☐ A success message is shown

General UX

- ☐ Is the DCA setup process easy to understand for a new user?
- ☐ Is the "Smart Wallet required" message clear for users who haven't created one?
- ☐ Are transaction hashes visible in the execution history?
- ☐ Are errors shown in a user-friendly way?

Notes:

```
[Write your observations here]
```

DCA — End of Section Report

Overall Status: ☐ All good / ☐ Issues found

#	Issue Description	Step	Severity (Low/Med/High)
1			
2			
3			

User Experience Notes:

- Smart wallet creation was clear and straightforward? (Yes/No):
- Was the strategy setup form easy to use?
- Did the execution history appear correctly after Day 2?
- Errors that were confusing:
- Suggestions to improve:

Section 8 — Yield (Liquidity Pools on Base)

> Goal: Test entering a liquidity pool, monitoring the position, claiming rewards, and exiting. Always use amounts under $1.

> The Yield product uses Aerodrome pools on Base. You provide liquidity to a token pair and earn AERO rewards over time.

Page & Pool Overview

- ☐ Navigate to the Yield page
- ☐ A list of available pools is shown (token pair names, APR, total liquidity)
- ☐ Each pool shows an estimated APR
- ☐ APR values look realistic (not 0 or unreasonably high without explanation)

- ☐ Pool names clearly show the two tokens involved (e.g., ETH/USDC, USDC/AERO)

Enter a Pool (Provide Liquidity)

- ☐ Select a pool to enter (e.g., ETH/USDC or USDC/AERO)
- ☐ The "Enter" flow starts — a form or panel appears
- ☐ The app explains what tokens you need to provide
- ☐ Enter small amounts for both tokens (under $1 total)
- ☐ A summary of the operation is shown before confirming
- ☐ Confirm the transaction(s) — there may be multiple steps (approve + enter)
- ☐ The transaction completes and the position appears in the interface

Monitor Position

- ☐ Your active position is visible on the Yield page or Portfolio
- ☐ The position shows:
  - Pool name
  - Amount of LP tokens staked
  - Pending rewards (AERO)
  - Token balances in the pool
- ☐ Rewards accumulate over time (even if small)

Claim Rewards

- ☐ With an active position, find the "Claim" rewards option
- ☐ Enter the claim action
- ☐ The transaction completes
- ☐ Claimed AERO or reward tokens appear in your wallet balance

Exit the Pool (Remove Liquidity)

- ☐ Find the "Exit" option on your active position
- ☐ Enter the exit flow
- ☐ Confirm the transaction(s)
- ☐ The position is removed from the list
- ☐ Token balances are returned to your wallet

General UX

- ☐ Is it clear what "entering a pool" means for a less experienced user?
- ☐ Is the multi-step transaction flow (approve + enter) clearly explained?
- ☐ Are error messages clear and helpful?

Notes:

```
[Write your observations here]
```

Yield — End of Section Report

Overall Status: ☐ All good / ☐ Issues found

#	Issue Description	Step	Severity (Low/Med/High)
1			
2			
3			

User Experience Notes:

- Was the pool selection and entry flow easy to understand?
- Was the multi-step flow (if any) clearly communicated?
- Did rewards appear and claim correctly?
- Errors that were confusing:
- Suggestions to improve:

Phase 01 — Final Summary Report

> Complete this section after finishing all products above.

Tester Name:
Testing Date:
App Version / Build:
Wallet Used:

Overall Status per Section

Section	Status	Critical Issues
Landing Page	☐ Pass / ☐ Issues	
Authentication	☐ Pass / ☐ Issues	
Portfolio	☐ Pass / ☐ Issues	
Swap	☐ Pass / ☐ Issues	
Lending	☐ Pass / ☐ Issues	
Liquid Staking — Lido	☐ Pass / ☐ Issues	
Liquid Staking — Benqi	☐ Pass / ☐ Issues	
DCA	☐ Pass / ☐ Issues	
Yield	☐ Pass / ☐ Issues	

Top Issues Found

> List the most important issues here, regardless of which section they came from.

Priority	Product	Description	Expected Behavior	Actual Behavior
High				
High				
Medium				
Medium				
Low				
Low				

General User Experience Observations

What felt smooth and worked well:

```
[Write here]
```

What was confusing or hard to understand:

```
[Write here]
```

Error messages that were not user-friendly (list them):

```
[Write here]
```

Suggestions to improve the overall experience:

```
[Write here]
```

End of Phase 01 Testing Guide