


MODULES

The system is made up of set modules which can be mixed together to achieve the desired size. Please refer to the module sizes and example composition.

INTERNAL FITTINGS


Includes interior shelf with suspended mocha tubular hanging rail as standard. Optional lighting can be fitted. Please refer to lighting technical sheet.



- A - Side panel
- B - Dividing panel
- C - Top & base frame
- D - Front plinth
- E - Shelf
- F - Supported bearers
- G - Doors
- H - Top and side infill panels

Components	Thickness
FRAME SIDE PANEL: MFC Board	25mm
FRAME DIVIDER: MFC Board	25mm
FRAME BASE & TOP: MFC Board. Base has adjustable feet for levelling and 30mm high front plinth	25mm
INTERNAL SHELF: MFC Board with 70mm bearers to all sides	25mm
DOORS: MFC Board complete with 5 soft-close hinges and rubber pads for quiet closing	22mm


INFILL PANEL DETAIL




ASSEMBLY IN RECESS

Recommended minimum recess depth of 600mm for installation. Wardrobe depth can be tailored.

MODULE SIZES



EXAMPLE CONFIGURATION



HANDLES AND FINISHES

Handles:

- Handle pricing is based on style and finish
- Handles outside our standard range can be reviewed for suitability

Finishes:

- Pricing is dependent on the finish selected and volume required. Please see colour chart enclosed.

ASSEMBLY NOTES

For system assembly the following extra opening space will be needed.

In width: min 60mm – max 140mm

In height: min 50mm

NOTES ON SAFETY




We recommend that the maximum weight on the shelf does not exceed 80kg inclusive of clothing.

MODULES

The system is made up of set modules which can be mixed together to achieve the desired size. Please refer to the module sizes and example composition.

INTERNAL FITTINGS


Includes interior shelf with suspended mocha tubular hanging rail as standard. Optional lighting can be fitted. Please refer to lighting technical sheet.



- A - Side panel
- B - Dividing panel
- C - Top & base frame
- D - Top & bottom sliding track
- E - Shelf
- F - Supported bearers
- G - Doors
- H - Top and side infill panels

Components	Thickness
FRAME SIDE PANEL: MFC Board	25mm
FRAME DIVIDER: MFC Board	25mm
FRAME BASE & TOP: MFC Board. Aluminium running track fitted to top and base. Base has adjustable feet for levelling	25mm
INTERNAL SHELF: MFC Board with 70mm bearers to all sides	25mm
DOORS: MFC Board complete with soft-opening and soft-closing mechanism	22mm


INFILL PANEL DETAIL




ASSEMBLY IN RECESS

Recommended minimum recess depth of 500mm for installation. Wardrobe depth can be tailored.

MODULE SIZES



EXAMPLE CONFIGURATION



HANDLES AND FINISHES

Handles:

- Handle pricing is based on style and finish
- Handles outside our standard range can be reviewed for suitability

Finishes:

- Pricing is dependent on the finish selected and volume required. Please see colour chart enclosed.

ASSEMBLY NOTES

For system assembly the following extra opening space will be needed.

In width: min 60mm – max 140mm

In height: min 50mm

NOTES ON SAFETY



We recommend that the maximum weight on the shelf does not exceed 80kg inclusive of clothing.



FINISHES AND COLOUR OPTIONS

URBANMOBILI 



INTERIORS

Choice of Finish	Colour
	Grey Linen
Choice of Finish	Colour
	Beige Linen



EXTERIOR DOOR OPTIONS - MATT PLAINS*

Door Options	Colour
	Plain Cashmere Grey
	Plain Mussel
	Plain Premium White
	Plain Dakar Grey
	Plain Pearl Grey
Door Options	Colour
	Plain Onyx Grey
	Plain Dust Grey
	Plain Brown Grey
	Plain Fjord Green

ESSENTIAL WOOD*

Door Options	Colour
	Truffle Brown Davos Oak
	Graphite-wood
	Truffle Brown Denver Oak
Door Options	Colour
	Black-Brown Sorano
	Truffle Brown Avola

COLOURED WOODGRAIN - High quality stylised woodgrain in matt finish*


Door Options	Colour
	Platinum White Woodgrain
	Porcelain White Woodgrain
	Cashmere Grey Woodgrain
Door Options	Colour
	Pebble Grey Woodgrain
	Mussel Woodgrain
	Dakar Grey Woodgrain


PREMIUM WOOD - Premium board with the look, and texture of wood*


Door Options	Colour
	Tobacco Gladstone Oak Wood
	White Cape Elm Wood
	Anthracite Mountain Larch Wood
	White Mountain Larch
Door Options	Colour
	White Gladstone Oak Wood
	Tobacco Halifax Oak Wood
	Premium Black Wood
	Premium White Wood

*All door options are 22mm MFC Board

Urbanmobili is available in a great range of finishes and colours for real choice when planning your interiors. Should you require options outside our standard range, please ask a member of our team. All colours are representative, please request samples to confirm your choice.



Name	Image	Finish	Colour options	Door style and orientation		
				Hinged or Sliding	Hinged	Hinged
DITO		Polished chrome Satin nickel	White Dust Grey Black Mocha			
INDUSTRIA		Satin stainless steel	White Dust Grey Black Mocha			
FETTA		Polished chrome Satin stainless steel	White Dust Grey Black Mocha			
CURVA		Titanium Satin Nickel	White Dust grey Black Mocha			
QUADRATO		Titanium Satin Nickel	White Dust grey Black Mocha			
LINEA		Matt anodized	White Dust Grey Black Mocha			

Name	Image	Finish	Colour options	Door style and orientation		
				Hinged or Sliding	Hinged	Hinged
CONTOUR SHORT 230mm		Oak	Light wood or Dark wood stain			
		Tulipwood Spray finish	Colours as Contour Long			
CONTOUR LONG 1200mm		Oak	Light wood or Dark wood stain			
		Tulipwood Spray finish	Cashmere Grey Mussel Premium White Daker Grey Pearl Grey Onyx Grey Dust Grey Brown Grey Fjord Green			
ELEGANTE SHORT 230mm		Oak	Light wood or Dark wood stain			
		Tulipwood Spray finish	Colours as Elegante Long			
ELEGANTE LONG 1200mm		Oak	Light wood or Dark wood stain			
		Tulipwood Spray finish	Cashmere Grey Mussel Premium White Daker Grey Pearl Grey Onyx Grey Dust Grey Brown Grey Fjord Green			


Should you have requirements outside our standard range, alternative handles and colours may be available. Please discuss this with a member of our team.

LIGHTING

There are two solutions to add lighting within the wardrobes. These can be fitted as concealed or recessed lighting units, with a choice of emitted light in Warm White or Cool White shades.


OPTION 1 – CONCEALED LIGHTING

By fitting an angled aluminium profile to the back side of the shelf front bearer, the light illuminates the whole cupboard.




OPTION 2 – RECESSED LIGHTING

This makes more of a feature of the lighting as it is recessed into the underneath of the shelf.



WIRING DIAGRAM



OUR SERVICE

Our project management and installation are as important as the quality of the products we offer, and we are committed to effective quality management to ensure that quality workmanship is standard.

DESIGN

- Early involvement allows us to assist on planning and arrange site surveys
- Using bespoke software and CAD, plans and specifications are turned into construction drawings ready for approval, manufacture and installation
- Electronic data management systems are used to monitor architect and service updates which affect designs as the project proceeds
- Mood boards are created to help develop and visualise the design and 3D software is used to model all new designs
- Every element is prototyped and tested to make sure it's right when it gets to site



INSTALLATION

- All project managers are SMSTS trained, all supervisors a minimum of SSSTS and all managers have First Aid training
- Our installation team are all carpenters with NVQ Level 2 Carpentry & Joinery and all site operatives have manual handling training
- Project Execution Plans are drafted at tender stage to share key dates and ensure we install to programme schedules
- Site progress is continuously monitored making sure openings are accurate and material is called off in time
- We work with delivery booking systems and our lorries are Silver FORS registered, complete with fall arrest systems
- Warehouse facilities for 'just in time' delivery. This can be arranged where space is at a premium.
- Pictorial RAMS (Risk Assessment and Method Statements) and daily activity briefings keep our operatives informed and safe on site and we operate a no blame culture when reporting near misses to highlight potential hazards
- Records of tool inspections and electrical PAT testing are issued to the client if requested
- Our management team carry out regular site Health and Safety reports
- Fieldview is used for Q&A checks before inspection by the client's site team. On satisfactory inspection, units are protected to avoid damage. Fieldview is also used to carry out Health & Safety audits along with the efficient monitoring and clearing of any defects

CUSTOMER CARE

- On completion, a full Operation and Maintenance Manual provides information about the project, product and maintenance required
- Pantera are committed to providing the best product and service, to the client and the end user
- All products come with a standard 2-year warranty from completion of our works package
- Our customer care department will deal with product queries and will return to the property to correct any defect expeditiously



Please contact us for details of our FSC® certified products