

# PRACTICAL 2

## Practical 2: Study of Data Manipulation Language Statement

A) Insert the following records in above created table

### EMP TABLE

EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO
7839	KING	PRESIDENT		17-Nov-81	5000		10
7698	BLAKE	MANAGER	7839	01-May-81	2850		30
7782	CLARK	MANAGER	7839	09-Jun-81	2450		10
7566	JONES	MANAGER	7839	02-Apr-81	2975		20
7788	SCOTT	ANALYST	7566	19-Apr-87	3000		20
7902	FORD	ANALYST	7566	03-Dec-81	3000		20
7369	SMITH	CLERK	7902	17-Dec-80	800		20
7499	ALLEN	SALESMAN	7698	20-Feb-81	1600	300	30
7521	WARD	SALESMAN	7698	22-Feb-81	1250	500	30
7654	MARTIN	SALESMAN	7698	28-Sep-81	1250	1400	30
7844	TURNER	SALESMAN	7698	08-Sep-81	1500	0	30
7876	ADAMS	CLERK	7788	23-May-87	1100		20
7900	JAMES	CLERK	7698	03-Dec-81	950		30
7934	MILLER	CLERK	7782	23-Jan-82	1300		10

### DEPT TABLE

DEPTNO	DNAME	LOC
10	ACCOUNTING	NEW YORK
20	RESEARCH	DALLAS
30	SALES	CHICAGO
40	OPERATIONS	BOSTON

```
SQL> insert into panthiv_DEPT values(10,'ACCOUNTING','NEW YORK');
```

```
1 row created.
```

```
SQL> insert into panthiv_DEPT values(20,'RESEARCH','DALLAS');
```

```
1 row created.
```

```
SQL> insert into panthiv_DEPT values(30,'SALES','CHICAGO');
```

```
1 row created.
```

```
SQL> insert into panthiv_DEPT values(40,'OPERATIONS','BOSTON');
```

```
1 row created.
```

```
SQL> select * from panthiv_DEPT;
```

DEPT_NO	DNAME	LOC
10	ACCOUNTING	NEW YORK
20	RESEARCH	DALLAS
30	SALES	CHICAGO
40	OPERATIONS	BOSTON

```
SQL>
```

EMP_NO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPT_NO
7839	KING	PRESIDENT		17-NOV-81	5000		10
7698	BLAKE	MANAGER	7839	01-MAY-81	2850		30
7782	CLARK	MANAGER	7839	09-JUN-81	2450		10
7566	JONES	MANAGER	7839	02-APR-81	2975		20
7788	SCOTT	ANALYST	7566	19-APR-87	3000		20
7902	FORD	ANALYST	7566	03-DEC-81	3000		20
7369	SMITH	CLERK	7902	17-DEC-80	800		20
7499	ALLEN	SALESMAN	7698	20-FEB-81	1600	300	30
7521	WARD	SALESMAN	7698	22-FEB-81	1250	500	30
7654	MARTIN	SALESMAN	7698	28-SEP-81	1250	1400	30
7844	TURNER	SALESMAN	7698	08-SEP-81	1500	0	30
7876	ADAMS	CLERK	7788	23-MAY-87	1100		20
7900	JAMES	CLERK	7698	03-DEC-81	950		30
7934	MILLER	CLERK	7782	23-JAN-82	1300		10

## B) Update and Delete Queries

1) Update the salary of employees working as CLERK by 500.

```
SQL> update panthiv_EMP
2  set SAL=SAL+500
3  where Job='CLERK';

4 rows updated.
```

EMP_NO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPT_NO
7839	KING	PRESIDENT		17-NOV-81	5000		10
7698	BLAKE	MANAGER	7839	01-MAY-81	2850		30
7782	CLARK	MANAGER	7839	09-JUN-81	2450		10
7566	JONES	MANAGER	7839	02-APR-81	2975		20
7788	SCOTT	ANALYST	7566	19-APR-87	3000		20
7902	FORD	ANALYST	7566	03-DEC-81	3000		20
7369	SMITH	CLERK	7902	17-DEC-80	1300		20
7499	ALLEN	SALESMAN	7698	20-FEB-81	1600	300	30
7521	WARD	SALESMAN	7698	22-FEB-81	1250	500	30
7654	MARTIN	SALESMAN	7698	28-SEP-81	1250	1400	30
7844	TURNER	SALESMAN	7698	08-SEP-81	1500	0	30
7876	ADAMS	CLERK	7788	23-MAY-87	1600		20
7900	JAMES	CLERK	7698	03-DEC-81	1450		30
7934	MILLER	CLERK	7782	23-JAN-82	1800		10

2) Update the manager of James as CLARK.

```
SQL> update panthiv_EMP
  2  set mgr=7782
  3  where Ename='JAMES';

1 row updated.
```

```
SQL> select * from panthiv_EMP;
```

EMP_NO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPT_NO
7839	KING	PRESIDENT		17-NOV-81	5000		10
7698	BLAKE	MANAGER	7839	01-MAY-81	2850		30
7782	CLARK	MANAGER	7839	09-JUN-81	2450		10
7566	JONES	MANAGER	7839	02-APR-81	2975		20
7788	SCOTT	ANALYST	7566	19-APR-87	3000		20
7902	FORD	ANALYST	7566	03-DEC-81	3000		20
7369	SMITH	CLERK	7902	17-DEC-80	1300		20
7499	ALLEN	SALESMAN	7698	20-FEB-81	1600	300	30
7521	WARD	SALESMAN	7698	22-FEB-81	1250	500	30
7654	MARTIN	SALESMAN	7698	28-SEP-81	1250	1400	30
7844	TURNER	SALESMAN	7698	08-SEP-81	1500	0	30
7876	ADAMS	CLERK	7788	23-MAY-87	1600		20
7900	JAMES	CLERK	7782	03-DEC-81	1450		30
7934	MILLER	CLERK	7782	23-JAN-82	1800		10

```
14 rows selected.
```

3) Change the role of Miller as MANAGER.

```
SQL> update panthiv_EMP
  2  set Job='MANAGER'
  3  where Ename='MILLER';

1 row updated.
```



EMP_NO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPT_NO
7839	KING	PRESIDENT		17-NOV-81	5000		10
7698	BLAKE	MANAGER	7839	01-MAY-81	2850		30
7782	CLARK	MANAGER	7839	09-JUN-81	2450		10
7566	JONES	MANAGER	7839	02-APR-81	2975		20
7788	SCOTT	ANALYST	7566	19-APR-87	3000		20
7902	FORD	ANALYST	7566	03-DEC-81	3000		20
7369	SMITH	CLERK	7902	17-DEC-80	1300		20
7499	ALLEN	SALESMAN	7698	20-FEB-81	1600	300	30
7521	WARD	SALESMAN	7698	22-FEB-81	1250	500	30
7654	MARTIN	SALESMAN	7698	28-SEP-81	1250	1400	30
7844	TURNER	SALESMAN	7698	08-SEP-81	1500	0	30
7876	ADAMS	CLERK	7788	23-MAY-87	1600		20
7900	JAMES	CLARK	7698	03-DEC-81	1450		30
7934	MILLER	MANAGER	7782	23-JAN-82	1800		10

4) Delete the records of Manager

```
SQL> delete from panthiv_EMP
2   where Job='MANAGER';

4 rows deleted.
```

EMP_NO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPT_NO
7839	KING	PRESIDENT		17-NOV-81	5000		10
7788	SCOTT	ANALYST	7566	19-APR-87	3000		20
7902	FORD	ANALYST	7566	03-DEC-81	3000		20
7369	SMITH	CLERK	7902	17-DEC-80	1300		20
7499	ALLEN	SALESMAN	7698	20-FEB-81	1600	300	30
7521	WARD	SALESMAN	7698	22-FEB-81	1250	500	30
7654	MARTIN	SALESMAN	7698	28-SEP-81	1250	1400	30
7844	TURNER	SALESMAN	7698	08-SEP-81	1500	0	30
7876	ADAMS	CLERK	7788	23-MAY-87	1600		20
7900	JAMES	CLARK	7698	03-DEC-81	1450		30

5) Delete the records when salary is greater than 1000.

```
SQL> delete from panthiv_EMP  
2  where SAL>1000;
```

10 rows deleted.

```
SQL> select * from panthiv_EMP;
```

no rows selected

```
SQL>
```