JAVA -Junit

Prompt


-Decorator

Use the Decorator pattern to write code in Java programming language and write JUnit to test the given code that have 100% statement coverage from the requirements below.

Use Decorator pattern to design automotive system development by adding features to cars, such as audio system, navigation system or security systems without changing the main structure of the car.

Diagram

Decorator



ChatGPT4o

Code:

Decorator

รอบที่1

AudioSystemDecorator

```
public class AudioSystemDecorator extends CarDecorator {

public AudioSystemDecorator(Car car) {
    super(car);
}

@Override
public String assemble() {
    return super.assemble() + ", Audio System";
}

@Override
public double cost() {
    return super.cost() + 1500.0;
}
```

BasicCar

```
public class BasicCar implements Car {
    @Override
    public String assemble() {
        return "Basic Car";
    }

    @Override
    public double cost() {
```

```
return 20000.0; // Base price of the car
}
}
```

BasicCar

```
public class BasicCar implements Car {
    @Override
    public String assemble() {
        return "Basic Car";
    }

    @Override
    public double cost() {
        return 20000.0; // Base price of the car
    }
}
```

Car

```
public interface Car {
    String assemble();
    double cost();
}
```

CarDecorator

```
public abstract class CarDecorator implements Car {
    protected Car car;
```

```
public CarDecorator(Car car) {
   this.car = car;
}
@Override
public String assemble() {
  return car.assemble();
}
@Override
public double cost() {
   return car.cost();
}
```

CarTest

```
import static org.junit.Assert.assertEquals;
import org.junit.Test;
public class CarTest {
```

```
@Test
public void testBasicCar() {
   Car basicCar = new BasicCar();
   assertEquals("Basic Car", basicCar.assemble());
   assertEquals(20000.0, basicCar.cost(), 0.01);
}
@Test
public void testCarWithAudioSystem() {
   Car audioCar = new AudioSystemDecorator(new BasicCar());
   assertEquals("Basic Car, Audio System", audioCar.assemble());
   assertEquals(21500.0, audioCar.cost(), 0.01);
}
@Test
public void testCarWithNavigationSystem() {
   Car navigationCar = new NavigationSystemDecorator(new BasicCar());
   assertEquals("Basic Car, Navigation System", navigationCar.assemble());
   assertEquals(22500.0, navigationCar.cost(), 0.01);
}
@Test
```

```
public void testCarWithSecuritySystem() {
     Car securityCar = new SecuritySystemDecorator(new BasicCar());
     assertEquals("Basic Car, Security System", securityCar.assemble());
     assertEquals(23000.0, securityCar.cost(), 0.01);
  }
  @Test
  public void testCarWithAllFeatures() {
     Car fullyLoadedCar = new SecuritySystemDecorator(
                      new NavigationSystemDecorator(
                      new AudioSystemDecorator(
                      new BasicCar())));
     assertEquals("Basic Car, Audio System, Navigation System, Security System",
fullyLoadedCar.assemble());
     assertEquals(27000.0, fullyLoadedCar.cost(), 0.01);
  }
```

NavigationSystemDecorator

```
public class NavigationSystemDecorator extends CarDecorator {

public NavigationSystemDecorator(Car car) {
```

SecuritySystemDecorator

```
public class NavigationSystemDecorator extends CarDecorator {
   public NavigationSystemDecorator(Car car) {
      super(car);
   }

   @Override
   public String assemble() {
      return super.assemble() + ", Navigation System";
   }
}
```

```
@Override
public double cost() {
    return super.cost() + 2500.0;
}
```

Diagram From Code:

