Intruduction of Hobbit System Monitoring
Presentation Subtitle

F. Author[1]   S. Another[2]

[1]Hobbitmon Community

Date / Occasion

- Use `itemize` a lot.
- Use very short sentences or short phrases.

- Use `itemize` a lot.
- Use very short sentences or short phrases.

Make Titles Informative.

You can create overlays...
- Standard hobbit tests
  - CPU load average
  - System uptime
  - System clock
  - Memory usage
  - Swap usage
  - File system usage
  - Process counts
  - Network ports
  - File attributes
  - File data
  - Directory sizes
  - Log file data
  - SAP
  - LSF
  - MySQL
  - mpstat
  - NIS server
  - NIS Clients

Make Titles Informative.

You can create overlays...

- Standard hobbit tests
    - CPU load average
    - System uptime
    - System clock
    - Memory usage
    - Swap usage
    - File system usage
    - Process counts
    - Network ports
    - File attributes
    - File data
    - Directory sizes
    - Log file data
    - SAP
    - LSF
    - MySQL
    - mpstat
    - NIS server
    - NIS Clients

Make Titles Informative.

You can create overlays...

- Standard hobbit tests
  - CPU load average
  - System uptime
  - System clock
  - Memory usage
  - Swap usage
  - File system usage
  - Process counts
  - Network ports
  - File attributes
  - File data
  - Directory sizes
  - Log file data
  - SAP
  - LSF
  - MySQL
  - mpstat
  - NIS server
  - NIS Clients

Make Titles Informative.

You can create overlays...

- Standard hobbit tests
  - CPU load average
  - System uptime
  - System clock
  - Memory usage
  - Swap usage
  - File system usage
  - Process counts
  - Network ports
  - File attributes
  - File data
  - Directory sizes
  - Log file data
  - SAP
  - LSF
  - MySQL
  - mpstat
  - NIS server
  - NIS Clients

Make Titles Informative.

You can create overlays. . .

- Standard hobbit tests
    - CPU load average
    - System uptime
    - System clock
    - Memory usage
    - Swap usage
    - File system usage
    - Process counts
    - Network ports
    - File attributes
    - File data
    - Directory sizes
    - Log file data
    - SAP
    - LSF
    - MySQL
    - mpstat
    - NIS server
    - NIS Clients

Make Titles Informative.

You can create overlays. . .

- Standard hobbit tests
  - CPU load average
  - System uptime
  - System clock
  - Memory usage
  - Swap usage
  - File system usage
  - Process counts
  - Network ports
  - File attributes
  - File data
  - Directory sizes
  - Log file data
  - SAP
  - LSF
  - MySQL
  - mpstat
  - NIS server
  - NIS Clients

- Use `itemize` a lot.
- Use very short sentences or short phrases.

You can create overlays. . .

- using the `pause` command:
    - CPU load average
- using overlay specifications:
    - First item.
    - Second item.
- using the general `uncover` command:
    - First item.
    - Second item.

Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - CPU load average
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
    - CPU load average
- using overlay specifications:
    - First item.
    - Second item.
- using the general `uncover` command:
    - First item.
    - Second item.

Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
    - CPU load average
- using overlay specifications:
    - First item.
    - Second item.
- using the general `uncover` command:
    - First item.
    - Second item.

Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
    - CPU load average
- using overlay specifications:
    - First item.
    - Second item.
- using the general `uncover` command:
    - First item.
    - Second item.

You can create overlays...

- using the `pause` command:
  - CPU load average
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

Make Titles Informative.

Make Titles Informative.

- The first main message of your talk in one or two lines.
- The second main message of your talk in one or two lines.
- Perhaps a third message, but not more than that.

- Outlook
  - Something you haven't solved.
  - Something else you haven't solved.