



VPN

Paolo Riso
Projets en une semaine

paolo.riso06@gmail.com

Installation openvpn

```
root@debian:/home/user1# apt install openvpn easy-rsa -y
Le paquet suivant a été installé automatiquement et n'est plus nécessaire :
  linux-image-6.12.63+deb13-amd64
Veuillez utiliser « apt autoremove » pour le supprimer.

Installation de :
  easy-rsa  openvpn

Installation de dépendances :
  libccid  libeac3  libpkcs11-helper1t64  opensc  opensc-pkcs11  pcscd

Paquets suggérés :
  pcmciautils  resolvconf  openvpn-dco-dkms  openvpn-systemd-resolved
```

Creation openvpn-ca

PKI

```
root@debian:/home/user1# make-cadir ~/openvpn-ca
root@debian:/home/user1# cd ~/openvpn-ca
root@debian:~/openvpn-ca# ./easyrsa init-pki
Using Easy-RSA 'vars' configuration:
* /root/openvpn-ca/vars

Notice
-----
'init-pki' complete; you may now create a CA or requests.

Your newly created PKI dir is:
* /root/openvpn-ca/pki

Using Easy-RSA configuration:
* /root/openvpn-ca/vars _
Notice
-----
Private-Key and Public-Certificate-Request files created.
Your files are:
* req: /root/openvpn-ca/pki/reqs/server.req
* key: /root/openvpn-ca/pki/private/server.key
```

build-ca

[illegible]

SERVER

[illegible]

GEN-DH

```
root@debian:~/openvpn-ca# ./easyrsa gen-dh
Using Easy-RSA 'vars' configuration:
* /root/openvpn-ca/vars
Generating DH parameters, 2048 bit long safe prime
```

```
.....+.
.....+.
.....+.
.....+.
.....+.
.....+
```

REMOVE PATH

```
root@debian:~/openvpn-ca# find / -name "openvpn" 2>/dev/null
/run/openvpn
/var/log/openvpn
/etc/init.d/openvpn
/etc/network/if-down.d/openvpn
/etc/network/if-up.d/openvpn
/etc/default/openvpn
/etc/openvpn
/usr/lib/x86_64-linux-gnu/openvpn
/usr/lib/openvpn
/usr/sbin/openvpn
/usr/include/openvpn
/usr/share/doc/openvpn
/usr/share/bash-completion/completions/openvpn
/usr/share/openvpn
root@debian:~/openvpn-ca# /usr/sbin/openvpn --version
OpenVPN 2.6.14 x86_64-pc-linux-gnu [SSL (OpenSSL)] [LZO] [LZ4] [EPOLL] [PKCS11] [MH/PKTINFO] [AEAD] [DCO]
]
library versions: OpenSSL 3.5.6 7 Apr 2026, LZ0 2.10
DCO version: N/A
Originally developed by James Yonan
Copyright (C) 2002-2024 OpenVPN Inc <sales@openvpn.net>
Compile time defines: enable_async_push=no enable_comp_stub=no enable_crypto_ofb_cfb=yes enable_dco=yes
enable_dco_arg=yes enable_debug=yes enable_dependency_tracking=no enable_dlopen=unknown enable_dlopen_se
lf=unknown enable_dlopen_self_static=unknown enable_fast_install=needless enable_fragment=yes enable_ipr
oute2=no enable_libtool_lock=yes enable_lz4=yes enable_lzo=yes enable_maintainer_mode=no enable_manageme
nt=yes enable_option_checking=no enable_pam_dlopen=no enable_pedantic=no enable_pkcs11=yes enable_plugin
root@debian:~/openvpn-ca# export PATH=$PATH:/usr/sbin
```

GEN-DH

```
root@debian:~/openvpn-ca# export PATH=$PATH:/usr/sbin
root@debian:~/openvpn-ca# /usr/sbin/openvpn --genkey tls-auth ~/openvpn-ca/pki/ta.key
root@debian:~/openvpn-ca# █
root@debian:~/openvpn-ca# █
root@debian:~/openvpn-ca# cp ~/openvpn-ca/pki/ca.crt /etc/openvpn/server/
root@debian:~/openvpn-ca# cp ~/openvpn-ca/pki/issued/server.crt /etc/openvpn/server/
root@debian:~/openvpn-ca# cp ~/openvpn-ca/pki/private/server.key /etc/openvpn/server/
root@debian:~/openvpn-ca# cp ~/openvpn-ca/pki/dh.pem /etc/openvpn/server/
root@debian:~/openvpn-ca# cp ~/openvpn-ca/pki/ta.key /etc/openvpn/server/
root@debian:~/openvpn-ca# ls /etc/openvpn/server/
ca.crt  dh.pem  server.crt  server.key  ta.key
```

client1

[illegible]

client1

```
root@debian:~/openvpn-ca# ls ~/openvpn-ca/pki/issued/client1.crt
/root/openvpn-ca/pki/issued/client1.crt
root@debian:~/openvpn-ca# ls ~/openvpn-ca/pki/private/client1.key
/root/openvpn-ca/pki/private/client1.key
root@debian:~/openvpn-ca# nano /etc/openvpn/server/server.conf
root@debian:~/openvpn-ca# mkdir -p /var/log/openvpn
root@debian:~/openvpn-ca# systemctl start openvpn-server@server
```

Start server

```
root@debian:~/openvpn-ca# systemctl start openvpn-server@server
root@debian:~/openvpn-ca# systemctl status openvpn-server@server
● openvpn-server@server.service - OpenVPN service for server
   Loaded: loaded (/usr/lib/systemd/system/openvpn-server@.service; disabled; preset: enabled)
   Active: active (running) since Fri 2026-05-29 14:49:07 CEST; 12s ago
 Invocation: 12aa4a45708446f789f1d2828ce8ac7f
    Docs: man:openvpn(8)
          https://openvpn.net/community-resources/reference-manual-for-openvpn-2-6/
          https://community.openvpn.net/openvpn/wiki/HOWTO
 Main PID: 10270 (openvpn)
   Status: "Initialization Sequence Completed"
    Tasks: 1 (limit: 2251)
  Memory: 2M (peak: 2.2M)
     CPU: 847ms
   CGroup: /system.slice/system-openvpn\x2dserver.slice/openvpn-server@server.service
           └─10270 /usr/sbin/openvpn --status /run/openvpn-server/status-server.log --status-version 3
```

**MERCI/
DES QUESTIONS ?**