

Build a talk like software

manim-presentation-pipeline · 2026-10-01

An animated talk shows what slides can't.

2



requests




cache

Every change to an animation is code and a render.


```
class B1(Beat):  
    def construct(self):  
        queue = requests(6)  
        self.click(fill(queue))  
        self.play(warm(cache))
```

The same note costs more the later it lands.



Most notes land at the expensive end.

5



Check each decision where it's cheapest to change.

6

brief

digest

outline

script

visual

design

build

rehearsal

final

Nine stages, from a brief to a release.

7

Warm caches

a talk to the systems group, made with the pipeline

brief

digest

outline

script

visual

design

build

rehearsal

final

The brief fixes what the talk is for.

brief.md	
audience	the systems group
slot	10 minutes, normal pace
one sentence	A cache that warms itself halves the slowest waits.
held back	the eviction policy

brief

digest

outline

script

visual

design

build

rehearsal

final

The author checks the audience, the slot, the one sentence.

brief.md
audience the systems group
slot 10 minutes, normal pace
one sentence A cache that warms itself halves the slowest waits.
held back the eviction policy

The author checks

- ☒ who is in the room
- ☒ the slot and the pace
- ☒ the one sentence

brief

digest

outline

script

visual

design

build

rehearsal

final

The digest lists what the talk could say, with sources.

10

digest.md

claim

source

sort

Most requests repeat within a minute.

logs/

must

The cache fills itself as it serves.

cache.py

could

The slowest waits halve once the cache is warm.

bench/

must

brief

digest

outline

script

visual

design

build

rehearsal

final

The author sorts every item and answers every gap.

11

digest.md

claim

source

sort

Most requests repeat within a minute.

logs/

must

The cache fills itself as it serves.

cache.py

could

The slowest waits halve once the cache is warm.

bench/

must

The author checks

- ☒ must, could or leave out
- ☒ every gap answered

brief

digest

outline

script

visual

design

build

rehearsal

final

The outline is the story on one page.

outline.md

ID	type	spine line	time
B1	setup	At rush hour, users wait.	0:45
B2	obstacle	A cold cache makes it worse.	0:50
B3	PEAK	The slowest waits halve once the cache is warm.	1:10
B4	payoff	The cache warms itself.	0:40

From here on, follow one sentence.

outline.md

ID	type	spine line	time
B1	setup	At rush hour, users wait.	0:45
B2	obstacle	A cold cache makes it worse.	0:50
B3	PEAK	The slowest waits halve once the cache is warm.	1:10
B4	payoff	The cache warms itself.	0:40

The author checks the picks and the page.

14

outline.md

ID	type	spine line	time
B1	setup	At rush hour, users wait.	0:45
B2	obstacle	A cold cache makes it worse.	0:50
B3	PEAK	The slowest waits halve once the cache is warm.	1:10
B4	payoff	The cache warms itself.	0:40

The author checks

- ☒ a pick per decision
- ☒ the story on one page



The script is what the speaker says, written for the ear.

15

B3. The cache warms - 1:10

The slowest waits halve once the cache is warm.

> the bars of the slow requests shrink

brief



digest



outline



script

visual

design

build

rehearsal

final

The author reads every act aloud.

16

B3. The cache warms - 1:10

The slowest waits halve once the cache is warm.

> the bars of the slow requests shrink

The author checks

- ☒ every act read aloud
- ☒ the total fits the slot

brief

digest

outline

script

visual

design

build

rehearsal

final

The storyboard splits the script into clicks.

17

B3.2

```
[[B3.frame]]
```

```
head = "The slowest waits halve once the cache is warm."
```

```
trigger = "once the cache is warm"
```

```
narration = "..."
```

brief



digest



outline



script



visual

design

build

rehearsal



final

The greybox shows every slide as rough boxes.

18


The slowest waits halve once the cache is warm.

7



The author checks the greybox, slide by slide.

19



The author checks

- ☒ a pick per beat
- ☒ one claim per slide
- ☒ each click on its word



The design system fixes the look once.

20



The author checks the specimen.

21



The author checks

☒ the specimen, once




The build renders the deck, drafts first.

22

The slowest waits halve once the cache is warm.


7



The author checks stills, then clicks through.

23

The slowest waits halve once the cache is warm. 7



The author checks

- ☒ stills of every slide
- ☒ a click-through per act



Rehearsal: a late note goes back to the earliest stage it changes.

slide 7: say halves, not 48%



Slide 7 is beat 3, frame 2 in the draft the reviewer saw.

25

slide 7: say halves, not 48%

slide 7 = B3.2, in that draft



The note is said back with its stage, and fixed there.

26

stage: script

slide 7: say halves, not 48%

slide 7 = B3.2, in that draft




Everything after it is rebuilt; only what changed is shown again.

stage: script

slide 7: say halves, not 48%

slide 7 = B3.2, in that draft



The final stage releases the talk.

28

releases/global/v1/

[talk.html](#)

the animated deck, offline

[talk.pdf](#)

one page per click

[script.pdf](#)

the script, with every click

[design.md](#), [tokens.toml](#)

the design system



The author clicks through once, end to end.

29

releases/global/v1/

[talk.html](#)

the animated deck, offline

[talk.pdf](#)

one page per click

[script.pdf](#)

the script, with every click

[design.md](#), [tokens.toml](#)

the design system

The author checks

☒ one click-through, end to end

brief

digest

outline

script

visual

design

build

rehearsal

final

Clone it, write only in talk/
point any agent at AGENTS.md.

AGENTS.md
pipeline/
engine/
talk/
 source/
 global/
 variants/
vendor/

AGENTS.md

read the principles, run mpp status,
follow the stage it names



One command checks the machine; one builds the deck, offline.

AGENTS.md
pipeline/
engine/
talk/
 source/
 global/
 variants/
vendor/

AGENTS.md

read the principles, run mpp status,
follow the stage it names


`uv run mpp doctor` checks the machine

`uv run mpp build` builds the deck, offline



This slide started as a grey box.

32



Every stage was checked before the next.

33

Build a talk the way you build software:
in stages, each checked cheaply by its author,
from one source file.



The build checks every click for text over text.

34



two labels on top of each other, found before any render

And every seam between slides for a jump.

35



they differ: the audience sees a jump