

Codice Teams:

b0000mt

The diagram shows a network topology. At the top left, a box labeled 'ES. (HW)' is connected to a box labeled 'A' (circled in red). Below 'A' is a small grid representing a switch or router. A horizontal line connects 'A' to a box labeled 'ROUTER'. Below this line is the text 'Cable Ethernet'. Another horizontal line connects the 'ROUTER' to a box labeled 'ISP'. Below this line is the text 'doppino tel. + rete telefonica'. A curved line connects the 'ISP' to a cloud labeled 'Internet'. Inside the cloud is a network diagram with several nodes and red lines. A box labeled 'Web server' is connected to the cloud. Below the web server is a box labeled 'B' (circled in red). A red arrow points from the text 'Enorme complessità di HW e SW sulle rete Internet' to the cloud. Another red arrow points from the cloud to the text 'DIVIDE ET IMPERA'.

ES. (HW)

A

ROUTER

ISP

Cable Ethernet

doppino tel. + rete telefonica

Internet

Web server


B

richieste HTTP da A a B


Enorme complessità di HW e SW sulle rete Internet

DIVIDE ET IMPERA

Suddividere in sottosistemi (e così via) il sistema complesso




A hand-drawn diagram illustrating the 3-tier architecture. It consists of three stacked rectangular boxes. The top box is labeled "UI". Above it is a stick figure with a dotted line connecting it to the UI box. The middle box is labeled "LOGICA APP." and has three small circles above it. The bottom box is labeled "GEST. DATI" and has two small circles above it. A horizontal line connects the bottom box to a cylinder icon on the right, which contains the text "> N".



Nelle reti c'è comunicazione tra due macchine a ogni strato, coi relativi protocolli. Tutte queste trasmissioni sono virtuali, salvo quella a livello fisico, che comporta dei fenomeni fisici.

(v. Tanenbaum)

CONNECTION-LESS SERVICE
(SERVIZIO SENZA CONNESSIONE)



Ogni pacchetto è gestito
individualmente


STORE-AND-FORWARD





PACKET SWITCHING

STRATO/LIVELLO DI RETE

Si occupa di veicolare pacchetti
attraverso la topologia della rete





A livello L6
il contenuto
H7M non
serve

