Ready to record

Don't Click That! | Screen demo + your voice | Target 2:20-2:40

Launch the production preview

bun run film
Open http://127.0.0.1:4173 and leave the terminal running.

Before you record

☐ Replace [YOUR NAME]. For a team, name every participant and adapt the wording.

☐ Read the script aloud once and keep your motivation in your own words.

☐ Plug in the laptop; enable Do Not Disturb; close private tabs and hide bookmarks.

☐ Use a quiet room, the right microphone, and the script outside the recording frame.

☐ Record a 10-second test. Listen back and check that the text is readable.

☐ Rehearse the clicks once. Refresh to start the real take from Home.

Mac recording setup

Press **Shift-Command-5**, choose **Record Selected Portion**, and frame the app. In **Options**, choose your microphone, a five-second timer, and the save location. Stop with **Control-Command-Escape**.

Use 100% browser zoom and a landscape capture. Target 1080p / 30 fps if your recorder offers it. Let the app and fonts finish loading. The preview terminal must stay running.

Exact demo answers

Quick Demo > Threat > Why? (Deep Dive) > Next Level > Safe > Next Level > Suspicious > Finish Training

Expected finish: 3/3, 100%, 3 correct, 0 partial, 0 missed.

Hold Home for two seconds before speaking and Results for two seconds after the closing line. Pause briefly after each click. Stop recording before choosing Play Again.

After the take

☐ Watch the whole export, check the sound, trim dead air, and keep the original take.

Use FILMING.md for the full submission checklist, public upload setting, AI-use disclosure, and deadline. Your recording folder is output/recordings/; Git ignores it.

Apple screen-recording instructions | 2026 Congressional App Challenge rules

Read-aloud script

272 words before personalization. Replace the name; speak naturally and pause for clicks.

Hi, I'm [YOUR NAME], and this is Don't Click That!

Don't Click That helps people practice spotting phishing links, scam emails, and suspicious texts before they click.

I wanted to turn scam awareness into something you can actually practice. It's designed for everyday internet users, especially families and older adults, with short challenges and clear explanations.

The full training has fifteen challenges across links, emails, and texts, moving from easier to harder examples. For this walkthrough, I'll use the three-example Quick Demo. In each challenge, you choose Safe, Suspicious, or Threat.

This link includes paypal dot com, so it looks familiar. But the actual domain is login dash verify dot example. I'll mark it as a Threat.

The app immediately explains the answer. Opening Deep Dive breaks down the address and highlights the domain. It also explains that HTTPS encrypts a connection but doesn't prove a website is trustworthy.

Next is a statement email. It tells you to open the banking app you already use and doesn't ask for passwords or payment details. That's why Safe is the best answer for this example. A sender address by itself doesn't prove authenticity.

Finally, this wrong-number text tries to keep the conversation going. I'll choose Suspicious, because it's a warning sign even though there's no direct request for money yet.

The results show my score and separate correct answers, partial credit, and missed answers. I can replay to keep practicing.


I built this browser app with Svelte, TypeScript, JavaScript, HTML, and CSS. Vite builds the app, and Bun runs the development tools. My goal is simple: help people pause and check before they click.

Say the address aloud as "paypal dot com" and "login dash verify dot example." These are simulated training examples. Keep the results on screen for the tooling sentence and closing line.

Click-by-click cue card


Actual production-build frames. Timing is a rehearsal guide, not subtitle timing.

0:00-0:45 | Home: names, purpose, audience. Show Start Training / Level 1 of 15, then Home and Quick Demo. Do not answer the random training example.




0:45-1:05 | Mark the fake URL as Threat

The real domain is login-verify.example.




1:05-1:30 | Open Why? (Deep Dive)

Point to the domain. HTTPS alone does not prove trust.




1:30-1:50 | Next Level, then Safe

The example directs you to your existing banking app.




1:50-2:10 | Next Level, then Suspicious

A wrong-number stranger tries to keep you talking.



2:10-2:40 | Finish Training; hold 3/3

Explain results and tools, then deliver the closing line.



After recording | Play Again

Home resets the take. Quick Demo repeats identically.

Full-size stills: docs/filming/stills/ | Script: docs/filming/script.txt | Setup and recovery: FILMING.md