Write your name here Surname		Other names
Pearson Edexcel International Advanced Level	Centre Number	Candidate Number
Biology Advanced Subsidiar Unit 1: Lifestyle, Tra		enes and Health
Tuesday 11 October 2016 - Time: 1 hour 30 minutes	- Morning	Paper Reference WBI01/01
You must have: Calculator, pencil, ruler.		Total Marks

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
 - there may be more space than you need.

Information

- The total mark for this paper is 80.
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.
- Questions labelled with an asterisk (*) are ones where the quality of your written communication will be assessed
 - you should take particular care with your spelling, punctuation and grammar, as well as the clarity of expression, on these questions.
- Candidates may use a calculator.

Advice

- Read each question carefully before you start to answer it.
- Keep an eye on the time.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶

PEARSON

P50701A
©2016 Pearson Education Ltd.



Answer ALL questions.

Some questions must be answered with a cross in a box \boxtimes . If you change your mind about an answer, put a line through the box \boxtimes and then mark your new answer with a cross \boxtimes .

- 1 Mammals have a heart and circulation.
 - (a) The heart pumps blood.
 - (i) Place a cross in the box that gives the position of the heart valves during ventricular diastole.

(1)

		Atrioventricular valves	Semilunar valves
X	A	closed	closed
X	В	closed	open
X	С	open	closed
\times	D	open	open

(ii) Place a cross in the box that identifies when the pressure in the left ventricle will be highest.

(1)

- A at the end of systole
- **B** at the start of systole
- **C** in the middle of diastole
- **D** in the middle of systole
- (iii) Place a cross in the box that gives the relative concentrations of carbon dioxide in the blood.

(1)

		Highest concentration	Lowest concentration
×	A	aorta	pulmonary vein
×	В	aorta	vena cava
×	C	vena cava	pulmonary artery
X	D	vena cava	pulmonary vein

2



(b) The diagram shows a cross section of an aorta.



Magnification ×3

(i) Measure the maximum and minimum diameters of the lumen.

Use these measurements to calculate a mean value.

(1)

Mean diametermm

(ii) Use the mean diameter to calculate the area of the lumen, using the formula $a=\pi r^2 \ \, \text{where} \, \pi \, \text{is 3.14}$

(2)

Area mm

DO NOT WRITE IN THIS AREA

(iii) Explain how the structure of an artery is related to its function.	(3)
(c) Explain why mammals need a blood circulation system.	(4)


BLANK PAGE



DO NOT WRITE IN THIS AREA

2 Permethrin is a chemical used to kill invertebrate animals.

The graph below shows the results of an investigation into the effect of permethrin on the heart rate of *Daphnia*.



(a) Calculate the percentage change in the heart rate of <code>Daphnia</code> when the concentration of permethrin increases from 0 to 300 μ mol dm⁻³.

(2)

%



(b) Describe how an experiment could be carried out to obtain these results.	(3)
(c) Suggest two reasons why <i>Daphnia</i> were used in this investigation.	(2)
(Total for Question 2 =	7 marks)



DO NOT WRITE IN THIS AREA

BLANK PAGE

- **3** Obesity is a risk factor in the development of cardiovascular disease (CVD).
 - (a) Pima Indians living in Arizona are genetically very similar to those living in Mexico.

 The table below shows the frequency of obesity in Pima Indians in these two locations.

Location of Pima Indians	Frequency of obesity (%)
Arizona	30
Mexico	13

(i) Suggest why there is a higher frequency of obesity in Pima Indians living in

Arizona than in Pima Indians living in Mexico.

	(2)
(ii) Scientists are studying Pima Indians to investigate the causes of CVD.	
State two risk factors, other than obesity and genetic factors, associated with developing CVD.	
	(2)



(b) Body mass index (BMI) is one way of identifying individuals that are overweight or obese.

BMI is calculated using the formula below.

$$BMI = \frac{(mass in kilograms)}{(height in metres)^2}$$


A person has a mass of 70 kg and a height of 1.65 m.

Place a cross \boxtimes in the box that gives the BMI classification for this person.

(1)

		ВМІ	Classification
\boxtimes	Α	< 18.5	underweight
\boxtimes	В	18.5 to 25.0	healthy
\times	c	25.1 – 30.0	overweight
X	D	> 30.0	obese

(c) The results of a different study on the relationship between CVD and body mass index are shown in the graph below.





DO NOT WRITE IN THIS AREA


(ii) Suggest why BMI was used in this study. (iii) Suggest why CVD is expressed as incidence per 1000.	(2)
(iii) Suggest why CVD is expressed as incidence per 1000.	
(iii) Suggest why CVD is expressed as incidence per 1000.	
(iii) Suggest why CVD is expressed as incidence per 1000.	
(iii) Suggest why CVD is expressed as incidence per 1000.	
(iii) Suggest why CVD is expressed as incidence per 1000.	,
(iii) Suggest why CVD is expressed as incidence per 1000.	
(iii) Suggest why CVD is expressed as incidence per 1000.	
(iii) Suggest why CVD is expressed as incidence per 1000.	
(iii) Suggest why CVD is expressed as incidence per 1000.	
(iii) Suggest why CVD is expressed as incidence per 1000.	
	(2)
(Total for Question 3 = 10 mark	(1)
(Total for Question 3 = 10 mark	
(Total for Question 3 = 10 mark	
(Total for Question 3 = 10 mark	
(Total for Question 3 = 10 mark	
	cs)



DO NOT WRITE IN THIS AREA

4 Polycystic kidney disease (PKD) is a rare inherited childhood condition where the development of the kidneys and liver is abnormal.

The pedigree diagram below shows the inheritance pattern for one type of PKD.



(a) Put a cross ⋈ in the box next to the correct words to complete the following statement.

If an individual inherits a single copy of a recessive allele

(1)

- A all gametes will have the same allele
- **B** all gametes will have two copies of the recessive allele
- □ the allele has no effect on the phenotype
- **D** the genotype is homozygous for the allele
- (b) Using a genetic diagram, determine the probability that individual **H** is heterozygous for PKD.

(3)

Probability



DO NOT WRITE IN THIS AREA

(c) Individual F is pregnant.
Prenatal testing can be used to determine if her fetus will develop PKD.
(i) Describe one named method of collecting cells for pre-natal testing. (4)
Method
How this method is carried out
(ii) State one ethical and one social issue associated with pre-natal testing.
Ethical issue
Contaliance
Social issue
(Total for Question 4 = 10 marks)
(Total for Question 4 = 10 marks)
(Total for Question 4 = 10 marks)
(Total for Question 4 = 10 marks)
(Total for Question 4 = 10 marks)
(Total for Question 4 = 10 marks)
(Total for Question 4 = 10 marks)



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE

5	Cell membranes control the movement of materials into and out of cells.
	(a) The fluid mosaic model can be used to explain the properties of a cell membrane.
	Explain what is meant by the term fluid mosaic .

(b)	Several different processes are used to control the movement of materials into
	and out of cells.

Facilitated diffusion and active transport are two of these processes.

Place a cross \boxtimes in the box that gives a correct feature of both facilitated diffusion and active transport.

(1)

(2)

	Feature of the transport process	Facilitated diffusion	Active transport
⋈ A	can transport molecules against a concentration gradient	no	no
В	occurs only in animal cells	no	yes
⊠ C	requires ATP	yes	no
⊠ D	requires membrane proteins	yes	yes


DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(c) In an experiment, a student decided to investigate the effect of solute concentration on water transport.

A tube made from a partially permeable membrane was filled with 15 cm³ of 0.9% sodium chloride solution and the ends tied.


This tube was weighed and then placed in a beaker containing 0.9% sodium chloride solution, as shown in the diagram below.



This was repeated with a second tube containing 15 cm³ of 20% sodium chloride solution.

Every 5 minutes the tubes were removed from the beakers, dried and reweighed.

The results are shown in the graph below.





DO NOT WRITE IN THIS AREA

	The tubes were made from a partially permeable membrane. Explain what is meant by the term partially permeable .
(ii)	Explain the change in mass of the 20% sodium chloride tube during this experiment.
	experiment.
(iii)	Suggest an explanation for the changes in the mass of the 0.9% sodium chloride
	tube during this experiment.
	(Total for Question 5 = 11 mark
	(Total for Question 3 = 11 mark



DO NOT WRITE IN THIS AREA

_	ystic fibrosis i	s a genetic cond	dition caused by mutations in the CFTR gene.	
ĉ	a) State what	is meant by the	term mutation .	(1)
	b) Cystic fibro on the CFTI		fied according to the effect of different gene m	utations
The table below shows three different mutations and their effects on the CFTR protein.				
		Mutation	Effect on the CFTR protein	
		I	no CFTR protein is made	
		III	non-functioning CFTR protein is present in the cell membrane in normal quantities	
		V	functioning CFTR protein is present in the cell membrane in reduced quantities	
		how mutation	III results in reduced gas exchange in people w	- vith
	(i) Explain cystic fi			

DO NOT WRITE IN THIS AREA

	ene is transcribed in people w the CFTR gene is transcr	ihad	
Describe 110	w the Criff gene is trailser	ibeu.	(3
Suggest how so	matic gone therapy could	he used to treat neo	nlo with cystic fibrosis
Suggest how so	omatic gene therapy could	be used to treat peo	ple with cystic fibrosis.
Suggest how so	omatic gene therapy could	be used to treat peo	
Suggest how so	omatic gene therapy could	be used to treat peo	
Suggest how so	matic gene therapy could	be used to treat peo	
Suggest how so	omatic gene therapy could	be used to treat peo	
Suggest how so	omatic gene therapy could	be used to treat peo	
Suggest how so	omatic gene therapy could	be used to treat peo	
Suggest how so	omatic gene therapy could	be used to treat peo	
Suggest how so	omatic gene therapy could	be used to treat peo	
Suggest how so	omatic gene therapy could	be used to treat peo	
Suggest how so	omatic gene therapy could	be used to treat peo	
Suggest how so	omatic gene therapy could	be used to treat peo	
Suggest how so	omatic gene therapy could	be used to treat peo	
Suggest how so	omatic gene therapy could		
Suggest how so	omatic gene therapy could		(3
Suggest how so	omatic gene therapy could		(3



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

7	Thrombophilia can be caused by major surgery. The blood of a person with thrombophilia has an increased tendency to clot.				
	*(a)	Suggest how major surgery could cause thrombophilia and why this might be a dangerous complication after surgery.			
			(5)		

20

(b) Several anticoagulants are available to reduce the risk of thrombophilia in major surgery.

One anticoagulant drug, METHRO II, developed for the treatment of thrombophilia, has been tested on patients.

Each patient was randomly placed in one of four groups receiving a different dose of METHRO II.

Some results from the trial are shown in the table below.

Dose of METHRO II	Percentage of patients (%)		
/ a.u.	With serious clotting	With excessive bleeding	
1.0	37.8	0.8	
1.5	24.1	1.2	
2.3	23.7	3.5	
3.0	15.1	5.5	

(i) Describe the effect of METHRO II on thrombophilia.

(1)

(ii) Using the information in the table, suggest why a dose of 1.5 a.u. of METHRO II should be given to patients undergoing major surgery.

(2)

(Total for Question 7 = 8 marks)

DO NOT WRITE IN THIS AREA

8 The DNA of an organism carries its genetic code.					
				part of the DNA of a gene.	
				C C A T T C	
		<i>(</i> *)	DI 57: 11 1		
		(i)	Place a cross 🗵 in the i	pox next to the mRNA produced from this DNA.	(1)
	X	A	C C A T T	С	
	X	В	G G T A A	G	
	×	c	G G T U U	С	
	X	D	G G U A A	G	
		(ii)	Place a cross ⊠ in the b	pox next to the sugar found in mRNA.	(1)
	×	Α	deoxyribose		(-)
	X	В	glucose		
	X	C	ribose		
	X	D	sucrose		
	(b)	Th	e genetic code is a triple	et code.	
		Ex	plain why a triplet code	is required for the synthesis of protein.	(3)
					(-)
•••••					
	•••••	•••••			
•••••					



DO NOT WRITE IN THIS AREA

*(c) Explain how Meselson and Stahl's experiment provides evidence for the a theory for the replication of DNA.	accepted (5)
	(0)
(Total for Question 8	3 = 10 marks)
TOTAL FOR PAPER	= 80 MARKS



BLANK PAGE