

Yashandeep Choudhary
CU24250162

Yashandeep Choudhary

Date ____/____/____

Q1) Counter :-

```
import { useState } from "react";
function Counter() {
  const [count, setCount] = useState(0);
  return (
    <div className = "component">
      <h2> Counter </h2>
      <h3> <count> </h3>
      <button onClick = <() => setCount(count + 1)>
        </button>
      <button
        onClick = <() => setCount(count - 1)>
        disabled = <count === 0>
      >
        Decrement
      </button>
      <button onClick = <() => setCount(0)>
    </div>
  );
}
```

Q2) To do List

```
import { useState } from "react";
function ToDoList() {
  const [text, setText] = useState("");
  const [todos, setTodos] = useState([]);
  const addTodo = () => {
    if (text.trim() !== "") {
      return;
    }
    setTodos([...todos, text]);
    setText("");
  };
  const deleteTodo = (index) => {
    setTodos(todos.filter((_, i) => i !== index));
  };
}
```

```

return (
  <div className = "component">
    <h2> Todo List </h2>
  </div>
)

```

Q3) Login Toggle

```

import { useState } from "react";
function LoginToggle() {
  const [loggedIn, setLoggedIn] = useState(false);
  return (
    <div className = "component">
      <loggedIn? (
        <div>
          <h2> Welcome! </h2>
          <button onClick = {() => setLoggedIn(false)}>
            Logout
          </button>
        </div>
      ) : (
        <div>
          <h2> please login </h2>
          <button onClick = {() => setLoggedIn(true)}>
            Login
          </button>
        </div>
      )
    </div>
  );
}

```

Q4) Live Search

```

import { useState } from "react";
function LiveSearch() {
  const [search, setSearch] = useState("");
  const names = [

```

"Rohul",

"Aman",

"Priya",

"Rohit",

"Pooja",

"Rishabh",

"Vikash",

"Simran",

"Karan",

"Anjun",

};

const filteredNames = names.filter((name) => name.toLowerCase().includes('research'.toLowerCase()));

};

return {

05) import { useEffect, useState } from "react";

function Stopwatch() {

const [seconds, setSeconds] = useState(0);

const [running, setRunning] = useState(false);

useEffect(() => {

let interval;

if (running) {

interval = setInterval(() => {

setSeconds((prev) => prev + 1);

}, 1000);

```
return () => {  
  classInterval (interval);  
};
```

```
{, [running]};
```

```
const reset = () => {  
  setRunning (false);  
  setRecord (0);  
};
```