

```
import java.util.*;
```

```
/**
```

```
 * Class books
```

```
 */
```

```
public class books {
```

```
    //
```

```
    // Fields
```

```
    //
```

```
    //
```

```
    // Constructors
```

```
    //
```

```
    public books () { };
```

```
    //
```

```
    // Methods
```

```
    //
```

```
    //
```

```
    // Accessor methods
```

```
    //
```

```
    //
```

```
    // Other methods
```

```
    //
```

```
}
```

```
/**
```

```
 * Class central_system
```

```
 */
```

```
public class central_system {
```

```
    //
```

```
    // Fields
```

```
    //
```

```
    private Byte product_name;
```

```
    private Float product_details;
```

```
    //
```

```
    // Constructors
```

```
    //
```

```
    public central_system () { };
```

```
    //
```

```
    // Methods
```

```
    //
```

```
    //
```

```
    // Accessor methods
```

```
    //
```

```
/**
```

```
* Set the value of product_name
* @param newVar the new value of product_name
*/
```

```
private void setProduct_name (Byte newVar) {
    product_name = newVar;
}
```

```
/**
```

```
* Get the value of product_name
* @return the value of product_name
*/
```

```
private Byte getProduct_name () {
    return product_name;
}
```

```
/**
```

```
* Set the value of product_details
* @param newVar the new value of product_details
*/
```

```
private void setProduct_details (Float newVar) {
    product_details = newVar;
}
```

```
/**
```

```
* Get the value of product_details
* @return the value of product_details
*/
```

```
private Float getProduct_details () {
    return product_details;
}
```

```
//
```

```
// Other methods
```

```
//
```

```
/**
```

```
 * @return    String
```

```
 */
```

```
public String get_the_page()
```

```
{
```

```
}
```

```
/**
```

```
 * @return    String
```

```
 */
```

```
public String get_the_details()
```

```
{
```

```
}
```

```
}
```

