









```
* Class Applicant
public class Applicant {
 // Fields
 private Applicant applicant_name;
 private Applicant applicant_details;
 public Applicant () { };
 // Accessor methods
  * @param newVar the new value of applicant_name
 private void setApplicant_name (Applicant newVar) {
   applicant_name = newVar;
  * @return the value of applicant_name
 private Applicant getApplicant_name () {
   return applicant_name;
   * @param newVar the new value of applicant_details
 private void setApplicant details (Applicant newVar) {
```

```
applicant_details = newVar;
  * @return the value of applicant_details
 private Applicant getApplicant_details () {
   return applicant_details;
 // Other methods
  * @return Applicant
 public Applicant apply_passport()
  * @return Applicant
 public Applicant submission_proof()
public class Enquiry_officer {
 private Enquiry officer verification_of_details;
```

```
public Enquiry_officer () { };
// Accessor methods
 * @param newVar the new value of verification_of_details
private void setVerification_of_details (Enquiry officer newVar) {
 verification_of_details = newVar;
 * @return the value of verification_of_details
private Enquiry officer getVerification_of_details () {
 return verification_of_details;
// Other methods
* @return Enquiry officer
public Enquiry officer issue_of_passport()
* @return Enquiry officer
public Enquiry officer new_operation()
```

```
* Class Passport_Management_system
public class Passport Management system {
 // Fields
  private String verify_details_;
  private String store_proof_;
  public Passport_Management_system () { };
  // Accessor methods
  * @param newVar the new value of verify_details_
  private void setVerify_details_ (String newVar) {
   verify_details_ = newVar;
   * @return the value of verify_details_
  private String getVerify_details_ () {
    return verify_details_;
  * Set the value of store_proof_
   * @param newVar the new value of store_proof_
  private void setStore_proof_ (String newVar) {
```

```
store_proof_ = newVar;
* Get the value of store_proof_
* @return the value of store_proof_
private String getStore_proof_ () {
 return store_proof_;
* @return Passport Management system
public Passport Management system issue_passport()
* @return Passport Management system
public Passport Management system verification()
```