ThreeSwitch

```
import { useState } from "react";
function Board({ items }) {
 return items.map((val) => (
    <div>
      {val}
      <div className="bg-black opacity-30 h-[1px] w-3/6 mx-auto"></di</pre>
    </div>
 ));
}
export function ThreeSwitch({ events, news, articles }) {
 const [sectionNum, setSectionNum] = useState(1);
 return (
    <div className="flex flex-col md:flex-row justify-around mx-auto</pre>
      <div className="flex flex-row md:flex-col md:w-1/6 mx-auto md:m</pre>
        <but.t.on
          className={
            "overflow-x-hidden transform duration-200 flex flex-row j
            (sectionNum === 1 ? "w-40" : "w-16")
          onClick={() => setSectionNum(1)}
          <img src="/Icons/calander.png" className="w-14 inline my-au</pre>
          <span
           className={"my-auto font-medium " + (sectionNum !== 1 &&
           Events
          </span>
        </button>
        <but.t.on
          className={
            "overflow-x-hidden transform duration-200 flex flex-row j
            (sectionNum === 2 ? "w-40" : "w-16")
          onClick={() => setSectionNum(2)}
          <img src="/Icons/news.png" className="w-14 inline my-auto"</pre>
            className={"my-auto font-medium " + (sectionNum !== 2 &&
           News
          </span>
        </button>
        <button
          className={
            "overflow-x-hidden transform duration-200 flex flex-row j
            (sectionNum === 3 ? "w-40" : "w-16")
          onClick={() => setSectionNum(3)}
          <img src="/Icons/articles.png" className="w-10 inline my-au</pre>
          <span
            className={"my-auto font-medium " + (sectionNum !== 3 &&
```