



In [1]:

```
# This Python 3 environment comes with many helpful analytics libraries
# installed
# It is defined by the kaggle/python Docker image: https://github.com/ka
# ggle/docker-python
# For example, here's several helpful packages to load

import numpy as np # linear algebra
import pandas as pd # data processing, CSV file I/O (e.g. pd.read_csv)

# Input data files are available in the read-only "../input/" directory
# For example, running this (by clicking run or pressing Shift+Enter) wi
# ll list all files under the input directory

import os
for dirname, _, filenames in os.walk('/kaggle/input'):
    for filename in filenames:
        print(os.path.join(dirname, filename))

# You can write up to 20GB to the current directory (/kaggle/working/) t
# hat gets preserved as output when you create a version using "Save & Run
# All"
# You can also write temporary files to /kaggle/temp/, but they won't be
# saved outside of the current session
```

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (849).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (276).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (971).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (864).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (282).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (566).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (689).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (616).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (258).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (408).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (93).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (497).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (469).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (440).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (193).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (733).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (355).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (741).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (477).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (208).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (169).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Nor

thern\_Leaf\_Blight/image (443).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (297).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (926).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (706).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (954).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (870).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (5).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (296).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (539).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (582).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (517).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (670).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (168).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (61).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (382).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (576).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (476).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (334).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (720).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (338).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (290).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (52).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Nor

thern\_Leaf\_Blight/image (281).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (794).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (564).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (601).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (742).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (611).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (934).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (894).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (533).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (678).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (976).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (480).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (246).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (279).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (646).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (718).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (286).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (244).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (903).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (649).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (749).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (846).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Nor

thern\_Leaf\_Blight/image (805).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (778).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (467).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (978).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (116).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (833).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (688).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (187).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (957).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (104).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (683).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (552).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (383).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (79).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (838).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (351).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (913).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (384).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (143).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (604).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (979).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (451).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Nor

thern\_Leaf\_Blight/image (587).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (876).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (347).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (777).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (288).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (958).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (40).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (804).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (441).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (26).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (972).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (429).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (309).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (326).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (516).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (620).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (548).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (800).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (395).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (904).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (828).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (938).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Nor

thern\_Leaf\_Blight/image (580).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (537).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (123).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (758).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (308).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (505).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (430).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (760).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (825).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (917).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (23).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (826).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (105).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (535).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (711).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (460).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (707).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (210).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (685).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (263).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (666).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (575).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Nor

thern\_Leaf\_Blight/image (714).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (701).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (256).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (636).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (144).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (791).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (106).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (34).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (746).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (608).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (873).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (39).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (75).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (515).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (787).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (220).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (184).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (407).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (77).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (725).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (31).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (927).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Nor

thern\_Leaf\_Blight/image (53).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (502).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (46).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (848).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (164).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (980).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (695).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (929).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (728).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (195).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (684).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (860).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (49).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (768).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (234).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (594).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (891).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (376).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (37).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (217).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (532).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (241).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Nor

thern\_Leaf\_Blight/image (371).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (50).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (770).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (157).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (983).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (933).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (629).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (24).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (945).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (888).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (356).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (302).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (792).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (94).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (340).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (635).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (216).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (360).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (546).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (381).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (660).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (663).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Nor

thern\_Leaf\_Blight/image (239).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (231).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (776).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (245).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (563).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (391).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (379).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (816).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (346).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (417).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (366).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (88).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (7).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (968).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (113).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (810).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (361).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (600).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (43).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (60).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (115).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (763).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Nor

thern\_Leaf\_Blight/image (955).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (897).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (650).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (222).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (585).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (403).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (727).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (542).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (615).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (543).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (416).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (699).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (981).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (571).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (233).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (158).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (328).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (596).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (64).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (588).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (406).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (192).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Nor

thern\_Leaf\_Blight/image (526).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (11).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (613).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (839).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (822).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (255).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (875).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (965).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (531).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (626).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (919).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (152).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (428).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (209).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (574).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (682).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (6).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (716).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (812).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (69).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (886).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (686).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Nor

thern\_Leaf\_Blight/image (943).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (101).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (843).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (219).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (644).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (455).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (54).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (553).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (90).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (506).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (9).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (818).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (431).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (363).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (858).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (463).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (621).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (70).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (657).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (203).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (602).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (122).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Nor

thern\_Leaf\_Blight/image (920).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (86).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (796).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (939).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (722).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (487).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (653).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (2).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (213).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (500).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (13).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (268).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (782).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (549).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (511).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (775).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (65).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (473).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (409).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (413).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (396).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (339).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Nor

thern\_Leaf\_Blight/image (690).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (541).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (547).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (941).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (658).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (572).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (786).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (272).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (845).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (425).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (630).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (715).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (321).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (737).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (910).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (637).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (527).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (270).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (857).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (647).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (518).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (603).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Nor

thern\_Leaf\_Blight/image (436).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (275).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (410).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (68).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (703).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (961).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (21).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (312).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (847).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (869).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (820).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (4).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (984).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (465).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (250).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (59).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (265).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (225).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (736).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (73).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (237).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (108).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Nor

thern\_Leaf\_Blight/image (911).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (35).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (442).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (252).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (464).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (488).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (287).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (145).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (902).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (560).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (125).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (17).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (504).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (251).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (908).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (36).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (161).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (254).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (92).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (386).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (359).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (743).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Nor

thern\_Leaf\_Blight/image (485).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (956).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (131).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (284).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (182).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (249).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (931).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (648).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (78).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (498).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (32).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (692).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (724).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (738).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (264).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (914).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (153).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (304).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (247).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (783).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (617).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (865).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Nor

thern\_Leaf\_Blight/image (402).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (789).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (612).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (162).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (586).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (349).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (155).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (444).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (599).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (102).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (215).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (959).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (141).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (129).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (375).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (803).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (591).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (130).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (400).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (221).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (966).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (176).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Nor

thern\_Leaf\_Blight/image (421).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (700).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (952).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (973).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (177).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (266).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (754).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (458).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (427).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (450).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (243).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (898).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (278).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (801).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (132).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (784).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (165).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (342).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (89).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (807).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (374).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (260).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Nor

thern\_Leaf\_Blight/image (100).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (583).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (969).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (57).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (95).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (198).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (764).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (831).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (529).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (673).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (719).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (196).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (12).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (921).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (708).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (880).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (318).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (424).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (879).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (523).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (704).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (301).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Nor

thern\_Leaf\_Blight/image (785).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (705).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (503).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (434).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (538).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (496).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (932).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (850).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (918).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (33).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (795).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (277).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (262).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (159).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (573).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (501).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (570).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (42).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (461).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (797).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (674).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (29).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Nor

thern\_Leaf\_Blight/image (868).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (138).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (625).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (412).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (397).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (170).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (889).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (793).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (373).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (761).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (752).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (622).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (874).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (530).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (419).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (325).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (605).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (735).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (924).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (315).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (72).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (556).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Nor

thern\_Leaf\_Blight/image (627).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (28).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (253).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (766).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (524).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (915).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (310).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (907).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (562).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (298).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (729).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (773).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (111).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (618).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (58).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (84).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (377).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (112).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (597).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (91).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (457).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (975).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Nor

thern\_Leaf\_Blight/image (289).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (48).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (171).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (154).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (484).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (118).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (507).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (470).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (332).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (862).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (726).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (378).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (103).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (489).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (120).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (269).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (135).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (499).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (422).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (311).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (827).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (767).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Nor

thern\_Leaf\_Blight/image (314).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (495).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (677).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (836).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (368).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (899).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (230).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (81).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (655).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (453).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (121).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (212).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (62).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (545).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (982).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (142).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (224).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (474).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (667).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (962).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (540).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (851).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (1000).JPG

thern\_Leaf\_Blight/image (74).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (974).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (462).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (632).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (584).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (567).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (242).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (734).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (916).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (762).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (513).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (188).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (568).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (232).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (669).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (291).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (327).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (799).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (732).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (236).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (293).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (365).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Nor

thern\_Leaf\_Blight/image (358).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (753).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (492).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (619).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (723).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (912).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (698).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (160).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (717).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (561).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (950).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (388).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (15).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (802).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (240).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (881).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (519).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (370).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (633).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (967).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (364).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (739).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Nor

thern\_Leaf\_Blight/image (235).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (662).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (522).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (178).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (963).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (781).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (146).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (206).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (126).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (180).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (855).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (642).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (863).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (283).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (67).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (819).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (335).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (337).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (853).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (385).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (25).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (712).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Nor

thern\_Leaf\_Blight/image (149).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (446).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (107).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (435).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (27).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (183).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (483).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (354).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (271).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (859).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (274).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (558).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (837).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (824).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (964).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (861).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (878).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (841).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (631).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (166).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (643).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (97).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Nor

thern\_Leaf\_Blight/image (640).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (14).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (66).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (96).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (664).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (623).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (577).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (702).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (709).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (744).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (790).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (550).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (482).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (590).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (294).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (948).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (593).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (806).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (197).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (730).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (300).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (808).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Nor

thern\_Leaf\_Blight/image (811).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (852).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (447).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (509).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (947).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (30).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (757).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (936).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (426).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (350).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (369).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (8).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (514).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (56).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (614).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (228).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (47).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (659).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (949).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (554).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (892).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (317).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Nor

thern\_Leaf\_Blight/image (960).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (985).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (399).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (411).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (194).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (748).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (478).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (610).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (896).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (261).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (452).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (493).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (22).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (486).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (433).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (472).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (671).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (285).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (652).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (55).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (199).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (944).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Nor

thern\_Leaf\_Blight/image (481).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (780).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (405).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (229).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (163).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (303).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (694).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (675).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (257).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (935).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (893).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (942).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (681).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (721).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (840).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (99).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (295).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (890).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (439).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (454).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (895).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (238).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Nor

thern\_Leaf\_Blight/image (306).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (525).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (18).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (877).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (200).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (280).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (85).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (756).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (127).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (534).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (181).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (414).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (680).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (798).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (595).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (832).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (329).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (420).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (814).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (809).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (134).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (367).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Nor

thern\_Leaf\_Blight/image (774).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (401).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (357).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (204).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (133).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (691).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (697).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (218).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (147).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (466).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (887).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (925).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (292).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (151).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (41).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (747).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (45).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (348).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (884).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (866).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (343).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (80).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Nor

thern\_Leaf\_Blight/image (156).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (638).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (755).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (16).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (392).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (512).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (173).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (331).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (555).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (344).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (305).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (645).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (316).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (713).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (528).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (771).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (175).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (953).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (654).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (922).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (207).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (900).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Nor

thern\_Leaf\_Blight/image (579).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (71).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (389).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (656).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (765).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (557).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (323).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (456).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (320).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (842).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (190).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (437).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (139).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (750).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (772).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (909).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (829).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (821).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (38).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (672).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (693).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (353).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Nor

thern\_Leaf\_Blight/image (114).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (83).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (906).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (109).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (641).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (387).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (211).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (475).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (299).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (651).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (751).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (117).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (867).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (882).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (815).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (901).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (788).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (205).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (404).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (418).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (459).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (136).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Nor

thern\_Leaf\_Blight/image (110).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (928).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (883).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (471).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (98).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (51).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (345).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (226).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (362).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (174).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (140).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (150).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (124).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (923).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (813).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (521).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (445).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (508).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (779).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (977).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (661).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (319).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Nor

thern\_Leaf\_Blight/image (393).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (687).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (179).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (731).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (273).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (191).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (834).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (259).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (606).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (665).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (581).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (696).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (267).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (341).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (479).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (185).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (223).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (20).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (119).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (510).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (598).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (937).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Nor

thern\_Leaf\_Blight/image (227).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (76).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (186).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (823).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (940).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (1).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (817).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (951).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (544).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (148).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (668).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (330).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (333).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (710).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (844).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (3).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (676).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (759).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (494).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (324).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (578).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (559).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Nor

thern\_Leaf\_Blight/image (167).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (628).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (87).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (745).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (201).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (885).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (19).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (82).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (438).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (679).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (871).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (415).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (905).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (380).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (592).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (856).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (740).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (313).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (307).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (854).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (189).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (352).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Nor

thern\_Leaf\_Blight/image (372).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (872).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (946).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (490).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (336).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (607).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (468).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (569).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (634).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (423).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (551).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (10).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (769).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (432).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (137).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (390).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (491).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (520).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (639).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (202).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (398).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (589).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Nor

thern\_Leaf\_Blight/image (128).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (248).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (214).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (565).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (172).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (930).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (394).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (44).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (970).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (448).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (449).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (322).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (835).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (830).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (536).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (624).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (609).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Northern\_Leaf\_Blight/image (63).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust762.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust777.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1024.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust811.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Ye

llow\_Rust/Yellow\_rust617.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust251.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust547.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1006.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust526.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1018.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1141.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust168.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust534.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust343.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust911.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust178.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust378.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust875.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust709.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust004.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust077.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust332.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust109.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust422.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust021.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust377.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust111.jpg

llow\_Rust/Yellow\_rust128.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust114.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust659.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust358.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust229.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust153.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust051.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust924.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust698.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust896.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust783.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust830.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1144.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust373.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust568.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust772.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust560.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust339.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust652.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust687.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1129.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust754.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1129.jpg

llow\_Rust/Yellow\_rust872.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust829.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust834.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust265.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust012.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust931.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust778.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust673.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust635.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust950.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1023.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust818.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust393.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust052.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust325.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust638.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1036.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust146.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust068.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust549.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust215.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust435.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Ye

llow\_Rust/Yellow\_rust1084.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust302.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1045.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust624.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust510.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust746.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust264.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust327.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust282.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust902.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1157.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust881.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust602.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust658.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust005.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust269.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust845.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust599.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust450.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1122.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust917.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust607.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1084.jpg

llow\_Rust/Yellow\_rust1109.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust276.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust832.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust785.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust579.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust844.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust892.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust097.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust187.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust557.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1153.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust104.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust195.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust471.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust351.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust397.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust481.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1102.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust032.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust799.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust470.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust663.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Ye

llow\_Rust/Yellow\_rust1080.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust649.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust062.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust387.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust283.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust319.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust981.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust791.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust947.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust644.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1054.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust959.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust410.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust279.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust520.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust513.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust727.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust213.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust459.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust107.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust517.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust755.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Ye

llow\_Rust/Yellow\_rust542.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust807.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust910.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust822.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1105.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust731.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust191.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust366.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1061.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust779.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust330.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust454.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust948.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust864.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust335.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust696.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust457.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust038.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust774.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust702.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust800.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust625.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Ye

llow\_Rust/Yellow\_rust228.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust084.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust506.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust394.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust059.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust371.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1015.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1089.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust254.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust945.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust464.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust878.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust601.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust440.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust714.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust569.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust314.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust883.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust165.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust701.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust309.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust415.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Ye

llow\_Rust/Yellow\_rust145.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust793.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1020.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust218.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust372.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust220.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1046.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust349.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust641.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust504.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust160.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust093.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust196.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust575.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust553.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust398.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust167.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust740.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1032.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust346.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust075.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust849.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Ye

llow\_Rust/Yellow\_rust1075.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust071.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust499.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1090.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust997.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust982.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust820.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust973.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust828.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust353.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust399.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust475.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust311.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust897.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust494.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust291.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust331.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust396.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust271.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust204.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1016.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1081.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Ye

llow\_Rust/Yellow\_rust333.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust200.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust853.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust221.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust775.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust808.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust011.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust284.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust518.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust156.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1148.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust338.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust587.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust143.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1010.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust294.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust606.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1158.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1114.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust986.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust175.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1065.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Ye

llow\_Rust/Yellow\_rust767.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust683.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1145.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust177.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust700.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust735.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust619.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust838.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust951.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust141.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust484.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust685.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust420.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust225.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust768.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1029.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust751.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust079.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust690.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust301.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust756.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust133.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Ye

llow\_Rust/Yellow\_rust1063.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust010.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust429.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust592.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust137.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust434.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust176.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust847.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust546.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1085.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust856.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1142.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust581.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust674.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust411.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust334.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust170.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust535.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust684.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust406.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust697.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust563.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Ye

llow\_Rust/Yellow\_rust1011.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust679.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust245.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust121.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust576.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust615.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust023.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust689.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust124.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust537.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust634.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1062.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust912.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust694.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust041.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust219.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust002.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust317.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust483.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust159.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust209.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust719.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Ye

llow\_Rust/Yellow\_rust921.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust392.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust712.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust665.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust636.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust395.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust918.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust621.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust266.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust238.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust942.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1035.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1068.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust433.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust037.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust044.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust110.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust095.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust616.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust914.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust675.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1154.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Ye

llow\_Rust/Yellow\_rust490.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust444.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust436.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust893.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust212.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust419.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust554.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust692.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1123.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1083.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust990.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust430.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust890.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust970.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust136.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust193.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust299.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust045.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust588.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust083.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1101.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust604.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Ye

llow\_Rust/Yellow\_rust416.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust991.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1056.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust455.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust296.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust326.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust708.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust446.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1124.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust307.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1146.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust966.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust458.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust257.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1091.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust126.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust140.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1160.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust691.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust794.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust026.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1136.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1136.jpg

llow\_Rust/Yellow\_rust790.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust509.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust161.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1079.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust676.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust414.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust258.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust750.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust099.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust241.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1052.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust766.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1073.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1067.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1127.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust552.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust089.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust584.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust375.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust342.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust968.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust786.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Ye

llow\_Rust/Yellow\_rust562.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust610.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust447.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust441.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust235.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1152.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust939.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust969.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust069.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust275.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust651.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust706.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust657.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust889.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust105.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust984.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust763.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust988.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust230.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust315.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust736.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust992.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Ye

llow\_Rust/Yellow\_rust953.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust758.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust401.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust345.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust885.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust076.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust074.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust278.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1151.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust609.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1118.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1104.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust972.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust201.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1004.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust290.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust590.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust252.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust135.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust815.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust704.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust232.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1000.jpg

llow\_Rust/Yellow\_rust840.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1143.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust823.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust001.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1014.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1003.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust286.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust120.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust682.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust413.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1060.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust493.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust058.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1103.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust680.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust166.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust994.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust063.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust389.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust007.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust248.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust642.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Ye

llow\_Rust/Yellow\_rust123.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust963.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust873.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust379.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust572.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1053.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust737.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust293.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust906.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust256.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust442.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust181.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust734.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust733.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust539.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust895.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust412.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust843.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust868.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust934.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust210.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust112.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Ye

llow\_Rust/Yellow\_rust478.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust666.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust819.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust859.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust956.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust846.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust908.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust782.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust759.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust841.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust267.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1106.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust243.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust456.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1112.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust867.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust016.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust268.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust149.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust654.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust532.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust479.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust479.jpg

llow\_Rust/Yellow\_rust292.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust711.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust825.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust385.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust693.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust310.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust798.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1049.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust445.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust529.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1031.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust174.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust289.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust757.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust035.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust050.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust090.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust582.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1069.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust402.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust477.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust585.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Ye

llow\_Rust/Yellow\_rust060.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1098.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1057.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust618.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust943.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1086.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust206.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust096.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust064.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust186.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1048.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust932.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust717.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust695.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust524.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1002.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust741.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust854.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust940.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust443.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust369.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust725.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust940.jpg

llow\_Rust/Yellow\_rust747.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust600.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1033.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust505.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust882.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust308.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust827.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust497.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust975.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust860.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust522.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1147.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust199.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust488.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust538.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust233.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust461.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust586.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust523.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1128.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1005.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1115.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1115.jpg

llow\_Rust/Yellow\_rust989.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust216.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust067.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust732.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust960.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust155.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust816.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust996.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust769.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1001.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust115.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust869.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1117.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust631.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust072.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust250.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust710.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust033.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust901.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust082.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust163.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust974.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Ye

llow\_Rust/Yellow\_rust274.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust303.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust528.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust240.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust589.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust424.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust884.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust086.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust561.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust324.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust530.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust234.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust467.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1130.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust603.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust355.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust512.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust814.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust405.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust009.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust300.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust495.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Ye

llow\_Rust/Yellow\_rust760.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1125.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1030.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust203.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust341.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1135.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust305.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust202.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust753.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust329.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust350.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust792.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust113.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust976.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1074.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1150.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust935.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust138.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust272.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1159.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust313.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust102.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust102.jpg

llow\_Rust/Yellow\_rust226.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust460.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust805.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust722.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust091.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust014.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1155.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust812.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1097.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust463.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust995.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust485.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust985.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust548.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust748.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust179.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust244.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust418.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust157.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust144.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust119.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust742.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Ye

llow\_Rust/Yellow\_rust855.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1026.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust865.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust595.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust871.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust356.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust761.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust801.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust627.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust131.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust061.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust142.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust656.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust249.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust806.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust686.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust958.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust211.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust803.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust453.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust833.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust672.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Ye

llow\_Rust/Yellow\_rust056.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust421.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust905.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust462.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust482.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust961.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust874.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust287.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust381.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust536.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust826.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust938.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust608.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust797.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust172.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust707.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1132.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1107.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1071.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust824.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust190.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust630.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Ye

llow\_Rust/Yellow\_rust117.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust224.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust323.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust713.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust188.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1058.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust154.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust223.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust239.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust217.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust043.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust049.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1088.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust574.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust743.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust749.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust891.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust813.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust260.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1119.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1134.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust031.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1119.jpg

llow\_Rust/Yellow\_rust100.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust368.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust521.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust285.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust465.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust681.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust501.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust880.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust716.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust337.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust605.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust933.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust705.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust862.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust964.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust967.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust980.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust941.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust322.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust907.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust354.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust726.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Ye

llow\_Rust/Yellow\_rust1077.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust916.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1039.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust861.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust877.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust669.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust821.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust661.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust496.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust020.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust042.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust677.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust848.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust492.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust923.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust111.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1126.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust570.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust637.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust612.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust197.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust730.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Ye

llow\_Rust/Yellow\_rust543.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust650.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust404.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1140.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust957.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust728.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1137.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust364.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust810.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust182.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust384.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust306.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust558.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust667.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust946.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust894.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust466.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust639.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1027.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust116.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust987.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust937.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Ye

llow\_Rust/Yellow\_rust1121.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1100.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust390.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust863.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust425.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust198.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust752.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1025.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust944.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust118.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust400.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust476.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1044.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1138.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust765.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust340.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust185.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust802.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust365.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust915.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1042.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust721.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1111.jpg

llow\_Rust/Yellow\_rust078.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust066.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust288.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust025.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust184.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust376.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust564.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust189.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust909.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust850.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust426.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust789.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1131.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust409.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust468.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust374.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust764.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust628.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust273.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust359.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust643.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust540.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Ye

llow\_Rust/Yellow\_rust173.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust837.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust320.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust598.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust403.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust318.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1149.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1111.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust336.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust998.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust688.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust919.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust550.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust703.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust134.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust108.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust262.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust388.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust428.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1021.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust055.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust671.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Ye

llow\_Rust/Yellow\_rust999.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust511.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust448.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust597.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust516.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust858.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1113.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust022.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust979.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust148.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust207.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust898.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust030.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust423.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust101.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust046.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust261.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust452.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust253.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust103.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1087.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust106.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Ye

llow\_Rust/Yellow\_rust070.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust036.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust357.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1028.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1043.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust611.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust899.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1082.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust132.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust013.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust227.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust367.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1099.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust034.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1041.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1066.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust008.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1000.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust028.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust451.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1094.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust971.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Ye

llow\_Rust/Yellow\_rust831.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust515.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust073.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust577.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust130.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust003.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust514.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust277.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust431.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust664.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust626.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust771.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust053.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust363.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust125.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust1078.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust382.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Yellow\_Rust/Yellow\_rust438.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (32).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (21).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (86).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (100).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_

Bacterial Blight/S\_BLB (81).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (38).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (7).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (40).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (23).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (35).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (82).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (76).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (25).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (88).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (26).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (60).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (67).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (36).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (91).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (30).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (43).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (52).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (61).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (6).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (71).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (92).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_

Bacterial Blight/S\_BLB (83).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (19).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (54).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (33).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (2).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (24).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (80).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (96).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (59).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (94).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (48).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (53).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (5).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (77).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (4).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (90).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (13).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (55).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (39).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (49).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (69).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (62).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_

Bacterial Blight/S\_BLB (41).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (66).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (85).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (79).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (15).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (8).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (17).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (56).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (95).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (73).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (42).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (34).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (98).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (28).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (22).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (78).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (44).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (72).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (58).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (64).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (11).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (89).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_

Bacterial Blight/S\_BLB (1).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (27).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (99).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (16).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (29).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (70).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (75).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (14).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (3).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (65).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (12).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (20).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (37).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (57).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (51).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (18).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (63).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (45).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (50).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (87).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (31).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (47).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_

Bacterial Blight/S\_BLB (9).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (68).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (84).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (46).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (74).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (97).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (93).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Bacterial Blight/S\_BLB (10).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/7948ada9-eabc-4cb7-a579-b73e938eb716\_\_RS\_HL 4185.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/f5bd2732-197b-4d8e-bb50-a4966dc416f5\_\_RS\_HL 1840.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/5a3fc4bb-a78c-4276-8934-f0b037ffb860\_\_RS\_HL 5412.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/875d6ded-5f01-495c-a945-ad2e17f87f91\_\_RS\_HL 1848.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/4ae82355-6885-40e7-9807-dabe46ed3441\_\_RS\_HL 5410.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/f30983c0-6e20-43cc-8672-4622ca34c830\_\_RS\_HL 1949.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/5df30492-0b54-474d-8883-bba9474ca88f\_\_RS\_HL 1801.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/2e0b8b4b-e900-408b-b760-730690bbd382\_\_RS\_HL 1901.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/774875d3-438a-4305-afe2-7d59e2925dc4\_\_RS\_HL 1759.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/f0036dfd-9f46-4f2f-9001-5973495f2171\_\_RS\_HL 1849.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/929107f1-4ae9-4dae-8319-ae7cf4804236\_\_RS\_HL 1932.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/52dd2fdd-6966-450c-a42b-ee14428d4271\_\_RS\_HL 1955.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/d50a580b-46bd-47f5-a0bf-8535da774104\_\_RS\_HL 5408.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/762672f4-17e6-4fd6-84f1-3bcb091b3ca5\_\_RS\_HL 5417.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_H

ealthy/0b3e5032-8ae8-49ac-8157-a1cac3df01dd\_\_RS\_HL\_1817.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/43fd6ace-3712-494a-9aba-de5482d22561\_\_RS\_HL\_1968.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/170f1f57-0fd4-421f-9c82-3b1804be63ad\_\_RS\_HL\_1771.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/14484ea5-9c34-427c-abe4-2743265aced0\_\_RS\_HL\_4204.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/b4031970-60ea-4739-9fed-6c81be1bad1c\_\_RS\_HL\_1752.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/882798ca-67c3-45a3-86cf-4aed69388145\_\_RS\_HL\_1750.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/e34e563f-7a4a-4b44-bdf2-b6f96cbcd929\_\_RS\_HL\_5370.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/a1abff90-34e5-464d-b4d3-0c09f5924900\_\_RS\_HL\_5414.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/3a1dbeee-089c-43f0-8f51-a92d3687a515\_\_RS\_HL\_1754.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/369479a9-3c28-4d77-8731-9ae54e719af3\_\_RS\_HL\_1785.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/8b2ce6b6-f00a-4f25-ac6d-4249dd7dc5f6\_\_RS\_HL\_1890.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/b8b7b98a-eb1a-4213-9b0b-aef4df427e8\_\_RS\_HL\_1858.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/ee052892-e935-4fbb-9344-4d23c57c6890\_\_RS\_HL\_5400.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/b28c43f9-5844-4e9b-86bf-36bc114cae07\_\_RS\_HL\_1736.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/b89db9d3-a413-4781-bc88-5f6c2085ab5f\_\_RS\_HL\_1909.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/af15ac00-67ff-4114-ace8-6dca48b94665\_\_RS\_HL\_1865.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/ec6e43d3-512d-4908-99f2-c9e2a0be54be\_\_RS\_HL\_4202.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/61b05f0a-14bc-4c8f-a256-57c8b8898d8c\_\_RS\_HL\_1769.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/1106c3fc-92cb-41a6-a6c6-8f08b9b45108\_\_RS\_HL\_1914.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/b0fe9fe9-52e7-40e4-b4c0-769f1a0c7fb9\_\_RS\_HL\_4175.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/c3caa84b-6078-4489-80ac-919d92d25ff7\_\_RS\_HL\_1772.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/bde33d08-678c-4f84-b80e-fcb986a9a446\_\_RS\_HL\_5415.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_H

ealthy/77c75478-e1f0-4aaa-9cbc-af1fed928a74\_\_RS\_HL\_1748.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/e693354a-053c-4093-8642-cc8f5f9eb2cc\_\_RS\_HL\_1746.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/9c620128-2872-4bbb-bc14-d5b785242cf6\_\_RS\_HL\_1751.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/00fc2ee5-729f-4757-8aeb-65c3355874f2\_\_RS\_HL\_1864.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/413bc2e9-eb2a-48fd-ba65-48b5121fd85c\_\_RS\_HL\_4200.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/f0fdde26-78b4-46f0-9eb8-7c2a743d34aa\_\_RS\_HL\_4165.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/b61b9d33-59ea-41b0-a554-c382eb6128c5\_\_RS\_HL\_1919.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/750584fd-72e0-45c8-b37c-97208bd559cc\_\_RS\_HL\_1885.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/04481ca2-f94c-457e-b785-1ac05800b7ec\_\_RS\_HL\_1930.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/144d2475-21ab-4bdc-a67c-9672a9b711e6\_\_RS\_HL\_5376.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/07dfb451-4378-49d1-b699-33a5fc49ff07\_\_RS\_HL\_5399.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/1a1184f8-c414-4ead-a4c4-41ae78e29a82\_\_RS\_HL\_1971.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/ef7005dc-1d44-412e-b858-145a2d7a6fa9\_\_RS\_HL\_1951.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/51a03694-82cd-43a5-9877-ddce42c1a5ad\_\_RS\_HL\_1779.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/7e6c8297-dfe1-4826-826e-01d696cc263b\_\_RS\_HL\_1863.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/b536ea91-c5f8-413b-87f3-a22ac3d959d1\_\_RS\_HL\_1825.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/d227e4c8-e203-4aa4-b813-25b96baa2869\_\_RS\_HL\_1831.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/d287be3d-cac6-4485-8c31-674fb8b459be\_\_RS\_HL\_1973.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/30937333-8898-4634-8c00-af57d3020ba6\_\_RS\_HL\_1922.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/5e19b1f4-fd65-4c4d-bcd2-18c8c519eddb\_\_RS\_HL\_1965.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/1b434c52-7be4-40c4-90d5-13220f1a3eba\_\_RS\_HL\_5418.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/f4be3632-42a1-415a-9f7e-1d5ecb9f49d7\_\_RS\_HL\_1783.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/

ealthy/f66af6c0-6fc6-4020-b1de-a73685d497c2\_\_RS\_HL\_4181.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/f4b5ec24-d318-4309-8294-9126450d5d7f\_\_RS\_HL\_1824.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/60e9a878-13e0-4345-964c-fd807cd20bbb\_\_RS\_HL\_1876.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/b35b9f8b-daca-4d12-a5be-defe68d0acc5\_\_RS\_HL\_1903.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/54f86311-9d76-421b-b401-0b02f6e738a5\_\_RS\_HL\_4172.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/949cafd0-098b-497f-9590-f0fb8ccafc94\_\_RS\_HL\_4168.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/046641c1-f837-49eb-b5f2-4109910a027c\_\_RS\_HL\_1878.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/03da9931-e514-4cc7-b04a-8f474a133ce5\_\_RS\_HL\_1830.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/8c1e1281-5937-4559-a02f-02817de6e122\_\_RS\_HL\_4173.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/5ea316eb-10a2-42c0-b781-40d90356ccaa\_\_RS\_HL\_1935.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/3c0d6888-c7e1-4cf8-9c25-9a0b8c62ba72\_\_RS\_HL\_1780.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/683b04ad-7941-4819-9965-ba32c725eb22\_\_RS\_HL\_1861.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/4a08efaa-28cc-4356-8769-4002f4b299ef\_\_RS\_HL\_1850.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/4bbccfb6-5720-4c80-9b37-0c3ed8999c9f\_\_RS\_HL\_1791.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/142fb983-2166-4a0f-b99b-a6c21e99987e\_\_RS\_HL\_5398.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/e1b49d1b-165b-4f4e-8a30-735e62bc39c5\_\_RS\_HL\_1839.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/8583c4ff-2d8b-4b6f-89a8-fcc98917ce9b\_\_RS\_HL\_1961.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/3edf7c3f-73e0-439c-870d-76cf7c3bc45\_\_RS\_HL\_1859.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/2dee1571-ef6b-40ef-8c46-334e89aad3f1\_\_RS\_HL\_1950.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/6f4b9acd-f34d-4771-a6bc-2001de2dd1d3\_\_RS\_HL\_1898.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/9d7d1bb9-1b10-4a8f-a961-e404b9d5acf8\_\_RS\_HL\_1960.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/bb328d40-e4e6-4b84-a92a-e7cb3922c19d\_\_RS\_HL\_1829.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy

ealthy/1f9870b3-899e-46fb-98c9-cfc2ce92895b\_\_RS\_HL\_1816.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/bf2bffbb-cd8f-4d36-bd58-847808397c75\_\_RS\_HL\_1786.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/22322780-95b4-4b45-b626-26b22965d55e\_\_RS\_HL\_1880.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/bb04f738-1848-4dda-8834-384a48b335cd\_\_RS\_HL\_1765.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/ad9b6cf4-e065-496d-91c7-5713ce14e19e\_\_RS\_HL\_1926.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/23f4d3b1-23f4-43fb-96c2-dae37224ec74\_\_RS\_HL\_1803.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/30126310-39de-4c02-b10a-23409417a4f6\_\_RS\_HL\_1826.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/7e7b6ab4-9adb-4a3b-abfb-8716b0039879\_\_RS\_HL\_1921.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/31a09d39-6791-4ecb-8f44-af2ed85dbd33\_\_RS\_HL\_1970.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/38faf81d-c83b-42ca-b4c3-e3bbfa070589\_\_RS\_HL\_1805.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/c85bacb0-e5e8-4127-a0b0-a7342f2cab5f\_\_RS\_HL\_5406.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/2ccb9ee9-faac-4d32-9af5-29497fa2e028\_\_RS\_HL\_1837.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/a4d1d8cb-26a2-413f-a229-021e2eea87ac\_\_RS\_HL\_1819.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/23f1ab77-d664-49c4-92eb-41eb66c6d101\_\_RS\_HL\_4169.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/46b2555a-c0a6-48c2-af13-0816e147e4de\_\_RS\_HL\_1943.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/c548fe0e-21c2-4241-b806-1e438a1213bd\_\_RS\_HL\_1770.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/dbe4f332-9189-4b76-b30c-f0c9a55e48d3\_\_RS\_HL\_1841.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/923d4cc3-021a-4bcd-9f5f-1d6f69e4ad33\_\_RS\_HL\_1888.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/8665efd2-fa3d-45f8-b1c0-746c99fb7d1e\_\_RS\_HL\_1924.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/de9a8669-d437-40f0-aa56-fe2d8276a1e0\_\_RS\_HL\_1910.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/e51367c1-d582-45e3-acf6-b0e652b43d3a\_\_RS\_HL\_1873.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/d325e580-5faa-4aea-927d-2700f52cc343\_\_RS\_HL\_1872.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_H

ealthy/0f4ebc5a-d646-436a-919d-961342997cde\_\_RS\_HL\_4183.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/3a00204c-5e53-4e5d-95a6-f8819031744e\_\_RS\_HL\_5420.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/1dcfeaa9-006d-470c-b3e5-d67609d07d4e\_\_RS\_HL\_1808.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/aa04db6d-645f-4e8a-88dc-c9f9396f0800\_\_RS\_HL\_1975.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/57e262fc-e0ba-44db-a967-5ba6f1826e49\_\_RS\_HL\_1897.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/5d505af8-3f73-4781-980c-a4a696a04550\_\_RS\_HL\_1934.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/b925ad3e-fc49-497d-a6eb-115f0de20800\_\_RS\_HL\_4170.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/71c06efe-089f-49b3-beed-095bd7640e32\_\_RS\_HL\_1947.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/dca8ac5c-b925-435a-a5e9-da09fa8938a1\_\_RS\_HL\_4182.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/57c2663b-5d1d-4476-b067-38b2149c3b2d\_\_RS\_HL\_1796.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/57e24d88-fd01-4422-b8b5-d688d2296184\_\_RS\_HL\_5401.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/56ae1281-5ee5-4f2a-8678-c2e4491878c6\_\_RS\_HL\_1869.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/b9ea902d-e557-4fa5-893b-39a7a57c0121\_\_RS\_HL\_1893.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/468d3107-f09a-4f0d-8b9d-f08d7c49738f\_\_RS\_HL\_1747.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/b42621c3-f751-46e1-a8d2-83ed85b90554\_\_RS\_HL\_1740.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/a5050bde-febc-4931-b31d-45c9652df318\_\_RS\_HL\_5373.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/ff700844-68ad-4e99-8427-58a39c07f817\_\_RS\_HL\_1860.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/c6204cb3-cd9f-4d7b-92a6-9773fe562cab\_\_RS\_HL\_1939.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/2d98cbc8-cbe6-423c-b2ab-3f7f8bcea5d5\_\_RS\_HL\_1945.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/d340704d-cc00-4068-bb8a-ae70840b7bfa\_\_RS\_HL\_1773.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/5cb360dd-5c17-4c57-b31d-97cd8dd8d0bd\_\_RS\_HL\_1797.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/c9ad5c9a-c9b0-4e07-9e03-9e9edfd58a19\_\_RS\_HL\_1755.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_H

ealthy/36bdc44c-96a4-40bb-86f7-63a91d706e96\_\_RS\_HL\_4203.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/c07db642-c675-4066-99b6-56bc8207fb37\_\_RS\_HL\_4164.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/61b8a692-91d8-40f5-a4a4-4d910875a638\_\_RS\_HL\_1966.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/415ac4a2-8f16-4052-880e-1e1f208965f0\_\_RS\_HL\_1884.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/fd92bd9c-02cb-4599-8673-9316159504a1\_\_RS\_HL\_1927.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/3f369e63-81eb-4194-a145-df9ed91abc5d\_\_RS\_HL\_1745.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/0be9d721-82f5-42c3-b535-7494afe01dbe\_\_RS\_HL\_1814.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/414f6249-9f78-4af5-9593-9d5a7e7d979f\_\_RS\_HL\_1918.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/c6abf1da-b06f-4cd2-8af6-d68be5eff6f9\_\_RS\_HL\_1766.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/58a98860-86d8-41e7-9f8c-cc2ca5e90012\_\_RS\_HL\_1758.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/111cd9d8-4d27-4225-be9e-d29b21cf56b9\_\_RS\_HL\_5419.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/45bc0b37-ca59-4a89-8531-705af42a6fd5\_\_RS\_HL\_1946.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/849aa978-c7b9-4344-9ca8-129219a65f8e\_\_RS\_HL\_1874.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/5fcfbe8f-52af-4963-b324-ff7f4dd6bd4c\_\_RS\_HL\_1762.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/9a6eb7c4-6b43-477a-89e0-69f62ef67991\_\_RS\_HL\_1846.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/533abd3a-3e1d-42d0-ae9c-5189282b78af\_\_RS\_HL\_5369.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/a3ec91aa-8503-4711-a912-0d1427e25686\_\_RS\_HL\_5409.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/80bb8697-bfab-449b-b870-e1ed2089df58\_\_RS\_HL\_1827.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/1ae826e2-5148-47bd-a44c-711ec9cc9c75\_\_RS\_HL\_1954.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/9b5be0c5-7d7e-493d-88ba-c721c85f73ca\_\_RS\_HL\_5405.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/907f26b7-a14f-463f-a41e-f35d6e0f1417\_\_RS\_HL\_1757.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/163ada72-4288-4f85-a3c1-feed23c8d1de\_\_RS\_HL\_1940.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/

ealthy/799b10e8-ba67-4e08-9abe-748789572ad1\_\_RS\_HL\_1881.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/a8d687be-3777-403f-bae7-5c8c19340b3f\_\_RS\_HL\_1738.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/a02b6205-b40a-4178-8b34-3494f84b9d1f\_\_RS\_HL\_1958.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/20ac28d6-5708-4e31-8676-1b1979de094f\_\_RS\_HL\_1735.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/d1752ed4-a0a7-4075-917d-205c0e785dcf\_\_RS\_HL\_1911.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Healthy/7bfda067-6e35-4af5-a9c4-4b3b5f357871\_\_RS\_HL\_1813.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec\_k\_Blast/IMG20201109165822\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec\_k\_Blast/IMG20201109182447\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec\_k\_Blast/IMG20201109211215\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec\_k\_Blast/IMG20201109211710\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec\_k\_Blast/IMG20201109211457\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec\_k\_Blast/IMG20201109212113\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec\_k\_Blast/IMG20201109165354\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec\_k\_Blast/IMG20201109204037\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec\_k\_Blast/IMG20201109182221\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec\_k\_Blast/IMG20201109164508\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec\_k\_Blast/IMG20201109203921\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec\_k\_Blast/IMG20201108163532\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec\_k\_Blast/IMG20201109165702\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec\_k\_Blast/IMG20201109164628\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec\_k\_Blast/IMG20201109203338\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec\_k\_Blast/IMG20201109181908\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec

k\_Blast/IMG20201109213458\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164937\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203409\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164637\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165102\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164950\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109184719\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165240\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203650\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203242\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109212001\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213545\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165709\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213215\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109184737\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109185112\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109204055\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109185152\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211526\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164641\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164219\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203027\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec

k\_Blast/IMG20201109203537\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109203128\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109212036\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109211529\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109184752\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109212016\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109213340\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109210441\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109210533\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109210756\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109203502\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109183031\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109210638\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109213550\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109185444\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109212405\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109210340\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109181602\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109214100\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109213557\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109212951\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109165302\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec

k\_Blast/IMG20201109203248\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109212051\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109212541\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165539\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203304\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203116\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109185146\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164818\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164053\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109182421\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165402\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210357\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164844\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203447\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109185119\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109185551\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109214323\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211757\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109184730\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109182457\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203935\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165949\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec

k\_Blast/IMG20201109214344\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109214307\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109185117\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213613\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109181947\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210405\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109182307\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109185216\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210522\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201108163601\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109185608\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164443\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164242\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210846\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164907\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211240\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210622\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109184927\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203255\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109181913\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211948\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210545\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec

k\_Blast/IMG20201109211233\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164128\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109183213\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164118\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203131\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210326\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210449\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165117\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203125\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109204017\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165732\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211741\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109182255\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109185325\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203909\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109183143\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165906\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109185240\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164955\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109184847\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109214326\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203355\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec

k\_Blast/IMG20201109182501\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109212004\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109182504\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109182213\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109184750\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109204029\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203236\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109214315\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109214202\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109184856\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213120\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109214240\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109183122\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203601\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203111\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203405\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165553\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164845\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164306\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164324\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213230\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109185413\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec

k\_Blast/IMG20201109211537\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213520\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213018\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164233\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210257\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165218\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211150\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211931\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213515\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213539\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213736\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213625\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165735\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165136\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164916\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203208\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109214111\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164440\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109182323\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165228\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203432\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109184715\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec

k\_Blast/IMG20201109211532\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164144\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109185558\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210320\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109182217\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109184724\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211048\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109214236\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164605\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109181505\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109182454\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213528\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165506\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109184638\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109212949\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213450\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211153\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109184705\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165718\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109182317\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203030\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164543\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec

k\_Blast/IMG20201109164720\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164935\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203402\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211912\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109184820\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109212044\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164208\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203056\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165017\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201108163557\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211652\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211907\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210419\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109184938\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109182206\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211744\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164031\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213102\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210916\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213637\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211729\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109181917\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec

k\_Blast/IMG20201109213605\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164239\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109212059\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109214330\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109184742\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165223\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109214252\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210857\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109212954\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203943\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109183112\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210939\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213225\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165844\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210631\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164900\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109182431\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213121\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109181408\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164506\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109214033\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164912\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec

k\_Blast/IMG20201109185442\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203154\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203439\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210336\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109212401\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211222\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109181900\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203147\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210745\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213609\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109185115\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203041\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164548\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203912\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211803\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164942\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213116\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210603\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165252\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210625\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203513\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203925\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec

k\_Blast/IMG20201109181538\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165958\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211421\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211726\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109185252\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164352\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165812\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109182002\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213357\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210525\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211406\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109204012\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211438\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211448\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109204032\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213927\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203558\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109181520\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203011\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109185403\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213446\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203517\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec

k\_Blast/IMG20201109214209\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109182159\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213056\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109214154\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164914\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203151\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203550\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203258\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165839\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109212946\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109214144\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165124\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203953\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164106\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165235\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210316\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164620\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109212358\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203014\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164918\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164321\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109184852\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec

k\_Blast/IMG20201109214339\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109182343\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109184746\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165740\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165249\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203227\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213015\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203136\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109182142\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109212031\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203457\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109185316\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109185348\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165747\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211130\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109185223\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211917\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109185202\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203553\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109182314\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211719\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109184929\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec

k\_Blast/IMG20201109211748\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109184945\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109165654\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109211732\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109204007\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109203815\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109213703\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109203429\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109165002\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109210252\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109165517\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109165146\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109165533\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109210738\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109211212\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109165232\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109213510\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109203240\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109164921\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109164504\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109210900\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109164236\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec

k\_Blast/IMG20201109185600\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109185603\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210301\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210607\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165543\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109214206\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203540\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210415\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211442\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165419\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165808\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210934\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211618\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109212526\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211641\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109204051\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109212956\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213008\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165138\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213506\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109185410\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164452\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec

k\_Blast/IMG20201109210436\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164035\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213523\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164011\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109184850\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165335\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109182210\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109185154\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211919\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165416\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203211\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164832\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109184735\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165753\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165056\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109184830\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164336\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109214224\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203505\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210906\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109182242\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203044\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec

k\_Blast/IMG20201109203455\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109184854\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109182202\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109213336\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109212942\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109203358\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109213456\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109210834\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109165230\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109212134\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109185302\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109203529\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109211941\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109204044\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109164256\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109203104\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109185256\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109184958\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109213920\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109165000\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109211134\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109183045\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec

k\_Blast/IMG20201109203459\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165902\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164609\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109181321\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164649\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109212509\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213829\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109181904\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203534\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109181857\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203507\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164251\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213112\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211738\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109181951\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210618\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210600\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109182105\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109181612\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211806\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211934\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109214447\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec

k\_Blast/IMG20201109214247\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109210851\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109211857\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109211929\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109213600\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109210310\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109210554\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109185141\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109164731\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109213049\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109203658\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109203855\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109185438\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109165831\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109165946\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109164737\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109203142\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109203246\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109210313\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109211754\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109210445\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109213352\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec

k\_Blast/IMG20201109213752\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210749\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164456\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165558\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109184827\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213740\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164502\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210349\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164404\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109185233\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109185148\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165450\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165426\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109184948\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109184838\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109182232\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164940\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165311\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165245\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109185249\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109181843\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164136\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec

k\_Blast/IMG20201109211409\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109182225\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109212040\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213001\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164957\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213108\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165120\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213646\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109185102\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211958\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164623\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109181854\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203443\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109183036\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165211\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203200\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201108163519\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203133\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164339\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164808\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164550\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213235\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec

k\_Blast/IMG20201109211243\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164830\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203707\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109185319\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165603\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213937\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203145\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213748\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203107\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213237\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164645\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165257\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164434\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165204\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109182124\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109212021\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203703\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164854\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211436\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164905\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211545\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211238\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec

k\_Blast/IMG20201109210507\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211454\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164121\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210920\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213239\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211514\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165216\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210403\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109185431\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211147\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213232\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165939\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164454\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164615\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165720\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210452\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109184649\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165431\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109212414\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203547\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164148\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211706\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec

k\_Blast/IMG20201109182250\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109210548\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109210504\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109203850\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109203157\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109213407\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109203214\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109211647\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109203222\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109203523\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109164522\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109165155\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109182958\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109164837\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109164839\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109181933\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109164607\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109213907\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109213942\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109165437\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109164448\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109165238\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec

k\_Blast/IMG20201109184931\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109203450\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109181551\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109165455\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109203542\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109183008\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109164248\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109185421\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109185313\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109165341\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109203701\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201108163458\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109213914\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109210429\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109164909\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109211601\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109211851\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109203233\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109164026\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109183107\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109213501\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109165411\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec

k\_Blast/IMG20201109185330\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109164203\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109213946\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109184812\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109165133\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109185448\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109210501\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109181419\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109185006\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109164520\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109183021\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109184903\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109182147\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109213850\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109181449\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109210540\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109185352\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109214230\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109213405\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109214150\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109214319\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109185434\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec

k\_Blast/IMG20201109203218\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109181357\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109203742\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109182236\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109165338\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109210840\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109184727\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109211445\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109211358\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109164501\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109210408\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109182348\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109185359\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109182113\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109164510\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109210410\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109164654\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109164546\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109213548\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109210353\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109164245\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109213059\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec

k\_Blast/IMG20201109165758\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211155\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164825\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165942\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203307\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109184845\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109204047\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210513\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213629\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164734\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213656\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109212513\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165854\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211451\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164302\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109184940\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213509\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165803\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164559\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164723\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109185124\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109181958\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec

k\_Blast/IMG20201109212130\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109203656\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109203033\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109213536\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109203526\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109164851\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109212138\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109210331\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109203739\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109164022\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109181940\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109214040\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109213503\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109165406\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109165423\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109182016\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109203929\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109211415\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109203610\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109185122\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109181302\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109164156\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec

k\_Blast/IMG20201109165512\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201108163604\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164945\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109214114\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210926\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203310\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211433\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165729\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109204040\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211809\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210650\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213534\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203434\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213526\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109212155\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165011\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211914\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211206\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164821\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165142\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213732\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109214158\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec

k\_Blast/IMG20201109181251\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109182416\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164842\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109181334\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211126\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211735\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164349\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164858\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109183130\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203948\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211723\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109214116\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165008\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164310\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109182451\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211235\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109214214\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213621\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164515\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109185428\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213744\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109185230\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec

k\_Blast/IMG20201109211715\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109211158\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109164816\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109184858\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109165658\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109185136\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109182507\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109211859\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109213402\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109185236\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109213542\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109164132\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109211523\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109213652\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109210904\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109214303\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109203555\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109164528\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109184708\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109183055\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109164229\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109214334\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec

k\_Blast/IMG20201109165835\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210913\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109185458\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109182229\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109184943\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164512\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164840\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164739\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211635\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164213\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109184840\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165850\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164517\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109182020\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109185505\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109185127\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213841\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210932\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164924\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213513\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211751\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109183149\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec

k\_Blast/IMG20201109165446\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109182359\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109185424\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211046\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109182258\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210527\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109212933\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109182512\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210924\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109212937\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164328\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210457\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109182310\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109182304\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165858\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211440\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109212544\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211502\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109183136\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213531\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203939\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211902\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec

k\_Blast/IMG20201109164812\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213110\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109181921\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164953\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213518\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109212203\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213932\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109184733\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109204104\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210412\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165129\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203809\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164558\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109185244\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109182130\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203230\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164139\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109182355\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109184702\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109182405\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165247\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213003\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec

k\_Blast/IMG20201109213917\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109214044\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109182008\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109182246\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109184711\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109211041\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109211535\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109185212\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109210615\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109164554\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109214122\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109182334\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109184836\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109164911\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109184911\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109213221\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109185144\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109214259\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109202431\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109165127\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109213553\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109164552\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec

k\_Blast/IMG20201109212958\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203205\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109182108\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211209\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109204025\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165005\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165243\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164357\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164437\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213331\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109214256\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213114\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109184816\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109181831\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213344\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165548\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211541\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109185219\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109181837\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203333\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210530\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164332\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec

k\_Blast/IMG20201109210422\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109211936\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109210644\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109214311\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109211800\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109182300\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109165221\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109210511\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109165159\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109164728\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201108163525\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109213012\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109203532\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109165207\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109164016\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109211403\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109164545\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109185226\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109213227\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109213453\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109181926\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109164223\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec

k\_Blast/IMG20201109185310\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210306\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109214118\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211419\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109214219\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164603\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203053\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211939\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211219\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165818\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109183155\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203712\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109214433\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109185345\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213845\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109185417\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211644\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165617\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210344\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109184936\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211143\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109184950\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec

k\_Blast/IMG20201109165110\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109184744\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210929\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213105\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164601\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164828\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213211\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211412\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109214037\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211910\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211556\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109212048\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165528\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203647\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109212117\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211355\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203251\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109182012\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164836\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164112\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164046\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210733\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec

k\_Blast/IMG20201109213617\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109185138\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109184909\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164927\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210830\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165440\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203735\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165213\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109184833\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109184843\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165500\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109182426\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164632\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109183200\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211552\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109181347\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109184901\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109214526\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109182440\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210516\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211848\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203510\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec

k\_Blast/IMG20201109210551\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109212126\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203918\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203445\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109185407\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109185150\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165613\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109185009\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203301\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109185129\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165226\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165202\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211417\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165114\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109185106\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109182153\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165727\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213006\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203604\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164834\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109213242\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203825\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec

k\_Blast/IMG20201109211854\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109184934\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203019\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165724\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109211946\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109212355\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109165209\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210752\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109181850\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203100\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109184906\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164947\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109203520\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109164827\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109184740\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109182328\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109184823\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109181955\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109181309\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210417\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109210425\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec  
k\_Blast/IMG20201109184631\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Nec

k\_Blast/IMG20201109214428\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109164902\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109185334\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109184642\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109164445\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109214440\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109182410\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109203933\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109204021\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109165825\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109203957\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109210610\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109182119\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109164459\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109203139\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Nec  
k\_Blast/IMG20201109165151\_00.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Hea  
lthy/image (849).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Hea  
lthy/image (276).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Hea  
lthy/image (971).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Hea  
lthy/image (864).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Hea  
lthy/image (1007).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Hea  
lthy/image (282).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Hea

lthy/image (1148).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (566).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (989).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (689).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1067).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (616).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1122).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (258).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1063).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (408).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (93).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (497).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1134).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (469).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1038).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (440).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (193).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (733).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (355).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1031).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (741).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (477).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

lthy/image (208).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (169).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (443).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (297).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (926).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1154).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (706).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (954).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1069).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1155).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (870).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (5).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (296).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (539).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (582).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1050).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (517).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (670).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1094).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (168).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (61).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (382).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

lthy/image (576).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (476).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (334).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (720).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (338).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (290).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1096).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (52).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (281).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (794).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (564).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1089).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (601).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (742).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (611).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (934).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (894).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1107).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (533).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (993).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (678).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1017).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

lthy/image (976).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (480).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (246).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (279).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (646).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (718).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (286).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (244).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (903).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (649).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (749).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (846).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (805).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (778).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (467).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (978).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (116).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (833).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (688).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (187).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (957).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (104).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

lthy/image (683).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (552).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (383).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1074).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (79).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (838).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (351).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (913).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (384).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (143).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (604).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (979).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (451).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (587).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1055).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (876).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1047).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (347).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (777).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (288).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1110).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (958).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

lthy/image (40).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (804).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (441).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (26).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (972).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (429).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1057).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (309).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (326).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1051).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1034).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (516).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (620).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (548).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (800).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (395).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (904).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (828).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (938).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1058).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (580).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (537).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

lthy/image (123).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (758).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (308).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (505).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1100).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (430).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (760).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (825).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (917).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (23).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (826).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (105).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (535).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (711).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (460).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (707).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (210).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (685).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (263).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (666).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (575).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (714).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

lthy/image (701).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (256).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (636).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1111).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (144).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1014).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (791).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1061).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (106).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (34).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (746).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (608).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (873).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (39).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (75).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (515).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1097).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (787).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (220).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (184).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1048).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (407).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

lthy/image (1016).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (77).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (725).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (31).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1121).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (927).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1043).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (53).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (502).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (46).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (848).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1113).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (164).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (980).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (695).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (929).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (728).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (195).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (684).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (860).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (49).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1044).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

lthy/image (1146).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (768).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (234).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1118).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (594).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (891).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (376).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (37).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (217).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1125).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (532).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (241).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (371).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (50).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (770).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (157).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (983).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (933).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (629).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (24).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (945).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1106).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

lthy/image (888).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (356).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (302).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1079).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (792).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (94).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (340).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (635).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (216).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (360).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (546).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (381).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (660).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (663).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (239).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (231).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1071).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (776).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (245).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1147).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (563).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (391).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

lthy/image (379).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (816).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (995).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (346).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1083).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (417).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (366).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (88).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (7).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (968).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (113).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (810).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1065).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (361).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (600).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (43).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1009).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (60).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (115).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (763).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (955).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (897).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

lthy/image (650).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (222).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (585).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (403).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (727).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (542).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (615).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (543).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (416).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (988).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (990).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (699).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (981).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (571).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (233).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (158).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (328).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (596).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (64).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (588).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (406).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1103).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

lthy/image (192).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (526).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (11).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (613).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (839).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (822).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1054).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1010).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1149).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (255).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (875).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (965).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (531).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (626).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (919).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (152).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1108).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (428).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (209).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (574).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1082).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (682).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

lthy/image (6).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (716).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (812).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (69).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (886).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (686).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (943).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (101).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (843).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (219).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (644).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (455).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (54).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (553).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (90).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1109).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (506).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (9).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (818).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (431).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (363).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (858).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

lthy/image (463).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (621).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (70).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (657).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (203).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (602).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (122).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (920).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (86).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1060).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (796).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (939).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (722).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1129).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (487).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1078).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (998).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (653).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (2).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (213).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (500).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (13).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

lthy/image (268).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (782).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (549).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (511).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (775).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (65).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (473).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (992).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (409).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (413).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (396).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (339).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (690).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (541).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (547).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (941).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (658).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (572).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (786).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (272).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (845).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (425).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

lthy/image (630).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (715).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (321).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (737).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (910).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (637).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (527).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (270).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (857).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (647).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (518).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (603).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (436).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (275).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (410).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (68).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (703).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1040).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (961).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (21).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (312).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (847).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

lthy/image (869).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (820).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (4).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (984).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (465).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (250).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (59).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (265).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1114).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (225).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (736).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (73).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (237).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (108).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (911).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (35).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (442).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (252).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (464).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (488).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (287).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (145).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

lthy/image (902).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (560).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (125).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1136).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (17).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (504).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (251).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (908).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (36).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (161).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (254).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (92).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (386).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (359).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (743).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (485).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (956).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (131).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (284).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (182).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (249).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (931).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

lthy/image (648).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (78).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (498).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (32).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (692).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (724).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (738).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (264).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (914).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (153).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1025).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (304).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (247).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (783).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (617).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1015).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1144).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (865).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (402).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1117).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (789).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (612).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

lthy/image (162).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (586).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (349).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (155).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (444).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1139).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1112).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1135).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (599).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (102).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (215).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (959).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (141).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (129).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (375).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (803).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (591).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1066).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (130).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1059).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (400).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (221).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

lthy/image (966).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (176).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1098).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (421).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1162).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (700).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1145).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (952).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (973).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (177).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (266).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (754).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (458).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1041).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (427).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (450).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (243).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1115).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (898).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (278).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (994).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (801).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

lthy/image (132).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (784).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (165).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (342).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (89).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (807).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (374).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (260).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (100).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1026).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (583).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (969).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (57).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (95).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (198).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (764).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (831).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (529).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (673).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (719).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (196).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (12).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

lthy/image (921).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (708).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (880).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (318).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (424).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (879).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (523).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (704).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (301).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (785).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (705).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (503).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (434).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (538).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1003).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (496).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (932).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (850).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (918).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (33).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (795).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (277).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

```
lthy/image (262).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (1161).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (1032).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (159).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (573).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (501).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (570).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (42).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (461).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (797).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (674).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (29).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (1081).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (868).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (138).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (1077).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (625).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (412).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (397).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (170).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (1033).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (889).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
```

lthy/image (793).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (373).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (761).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1153).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (752).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (622).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1124).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (874).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (530).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (419).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (325).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1018).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (605).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (735).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (924).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (315).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (72).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (556).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (627).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (28).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (253).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (766).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

lthy/image (524).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1132).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1076).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (915).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (310).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (907).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (562).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (298).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (729).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (773).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (111).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (618).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (58).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (84).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (377).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (112).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (597).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (91).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (457).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (975).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1022).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (289).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

```
lthy/image (48).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (171).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (154).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (484).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (118).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (507).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (470).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (332).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (862).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (726).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (378).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (103).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (489).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (120).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (269).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (1088).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (135).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (499).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (422).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (1086).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (311).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (1128).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
```

lthy/image (827).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (767).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (314).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (495).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (677).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (836).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (368).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1131).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (899).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (230).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (81).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (655).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (453).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (121).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (212).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (62).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (545).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (982).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (142).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (224).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1039).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (474).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

lthy/image (667).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (962).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (540).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1002).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (851).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (74).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (974).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (462).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (632).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (584).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (567).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (242).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (734).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (916).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1087).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (762).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (513).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (188).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (568).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (232).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (669).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (291).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

lthy/image (327).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (799).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (732).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (236).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1092).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (293).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (365).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1157).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (358).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (753).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (492).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (619).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (723).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (912).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1029).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1123).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (698).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (160).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (717).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (561).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (950).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (388).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

```
lthy/image (15).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (802).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (1126).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (240).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (881).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (1006).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (519).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (370).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (633).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (967).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (364).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (739).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (235).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (662).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (522).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (178).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (963).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (781).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (146).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (206).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (126).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (180).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
```

lthy/image (855).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (642).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (863).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (283).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (67).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (819).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (335).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (337).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (853).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (385).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1023).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (25).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (712).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (149).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (446).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (107).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (435).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (27).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (183).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (483).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (354).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (997).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

lthy/image (271).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (859).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (274).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (558).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (837).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (824).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (964).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1133).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (861).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (986).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (878).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (841).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (631).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (166).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (643).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (97).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (640).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (14).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (66).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (96).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (664).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (623).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

lthy/image (1024).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (577).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (702).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1042).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1008).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (709).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (744).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1151).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (790).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (550).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (482).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (590).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (294).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (948).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (593).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (806).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (197).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (730).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (300).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (808).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (811).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (852).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

lthy/image (447).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (509).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (947).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (30).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (757).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (936).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (987).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (426).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (350).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (369).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (8).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (514).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1053).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (56).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (614).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (228).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (47).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (659).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (949).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (554).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (892).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (317).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

lthy/image (960).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (985).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (399).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (411).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (194).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (748).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1068).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (478).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1084).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1052).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1093).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (610).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (896).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (261).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (452).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (493).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (22).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (486).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (433).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (472).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (671).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1099).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

lthy/image (285).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (652).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (55).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (199).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (944).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (481).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (780).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (405).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (229).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (163).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (303).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (694).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (675).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (257).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (935).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1137).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (893).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1090).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (942).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1120).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (681).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (721).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

lthy/image (840).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (99).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (295).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (890).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (439).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (454).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (895).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (238).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1011).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (306).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (525).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (18).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (877).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (200).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1101).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (280).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (85).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (756).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (127).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1001).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (534).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (181).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

```
lthy/image (414).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (1116).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (996).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (680).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (798).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (1020).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (1046).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (595).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (832).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (329).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (420).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (1158).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (1119).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (814).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (809).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (1004).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (134).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (367).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (774).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (401).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (357).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (204).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
```

lthy/image (133).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1019).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (691).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (697).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (218).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (147).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (466).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1105).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (887).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (925).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1028).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (292).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (151).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1156).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1142).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (41).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (747).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (45).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (348).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (884).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1000).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (866).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

lthy/image (343).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (80).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (156).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (638).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (755).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1152).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1027).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (16).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (392).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (512).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (173).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (331).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1080).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (555).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1085).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1130).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (344).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1159).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1160).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (305).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (645).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (316).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

lthy/image (713).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1073).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (528).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1037).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (771).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (175).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (953).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (654).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (922).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (207).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (900).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (579).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1095).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (71).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (389).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (656).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (765).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (557).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (323).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1102).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (456).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (320).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

lthy/image (842).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (190).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (437).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1049).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (139).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1062).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (750).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1091).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (772).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (909).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (829).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (821).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (38).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (672).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (693).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1141).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (353).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (114).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (999).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (83).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (906).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (109).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

lthy/image (641).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (387).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (211).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1035).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1064).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (475).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (299).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (651).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (751).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1104).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (117).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1036).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1075).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (867).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (882).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (815).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (901).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (788).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1138).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (205).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (404).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (418).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

lthy/image (459).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1045).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (136).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (110).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1072).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (928).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (883).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (471).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (98).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (51).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (345).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1056).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (226).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (362).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (174).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (140).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (150).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (124).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (923).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (813).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (521).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (445).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

lthy/image (508).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (779).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (977).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (661).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1127).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (319).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (393).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (687).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1150).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (179).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (731).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (273).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (191).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (834).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (259).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (606).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (665).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (581).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (696).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (267).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (341).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (479).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

lthy/image (185).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (223).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1030).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (20).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (119).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (510).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (598).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (937).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (227).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (76).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (186).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (823).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (940).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (817).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (951).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (544).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (148).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1021).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (668).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1005).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (330).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

lthy/image (333).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (710).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (844).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (3).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (676).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (759).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (494).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1143).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (324).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (578).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (559).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (167).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (628).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (87).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (745).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (201).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (885).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (19).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (82).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (438).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (679).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (871).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

lthy/image (415).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (905).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (380).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (991).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (592).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (856).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (740).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (313).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (307).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (854).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1012).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (189).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (352).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (372).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (872).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (946).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (490).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (336).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (607).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (468).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (569).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1140).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

lthy/image (634).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (423).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (551).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (10).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (769).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (432).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (137).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (390).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (491).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (520).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (639).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (202).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (398).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (589).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (128).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (248).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (214).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1070).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (565).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (172).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (1013).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Healthy/image (930).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Hea

```
lthy/image (394).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (44).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (970).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (448).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (449).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (322).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (835).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (830).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (536).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (624).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (609).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Hea
lthy/image (63).jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat__Br
own_Rust/Brown_rust617.jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat__Br
own_Rust/Brown_rust285.jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat__Br
own_Rust/Brown_rust176.jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat__Br
own_Rust/Brown_rust1073.jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat__Br
own_Rust/Brown_rust394.jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat__Br
own_Rust/Brown_rust341.jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat__Br
own_Rust/Brown_rust771.jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat__Br
own_Rust/Brown_rust356.jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat__Br
own_Rust/Brown_rust1076.jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat__Br
own_Rust/Brown_rust1108.jpg
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat__Br
```

own\_Rust/Brown\_rust661.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust765.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust249.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust303.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust288.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust825.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust113.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust612.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust279.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust517.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust442.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust664.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust427.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1021.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust433.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1020.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust567.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust625.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust365.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust720.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust845.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust732.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust911.jpg

own\_Rust/Brown\_rust680.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust876.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust663.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust053.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust1114.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust780.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust082.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust744.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust1080.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust1094.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust687.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust339.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust897.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust067.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust383.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust760.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust590.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust576.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust971.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust833.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust111.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust074.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust111.jpg

own\_Rust/Brown\_rust878.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust121.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust386.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust177.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust738.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust753.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust106.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust178.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust348.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust554.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust317.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust318.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust677.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust092.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust049.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust945.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust329.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust991.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust428.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust790.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust464.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust021.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Br

own\_Rust/Brown\_rust994.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust313.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1011.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust005.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust103.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust119.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1123.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust345.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust529.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust084.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust965.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust272.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust159.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust407.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust861.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust235.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust695.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust006.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust492.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust920.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust520.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust957.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust994.jpg

own\_Rust/Brown\_rust659.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust458.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust223.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust156.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust241.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust552.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust977.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust906.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1066.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust041.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust505.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust970.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust774.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust770.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust729.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust381.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust879.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust938.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust592.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust919.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust637.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust989.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust990.jpg

own\_Rust/Brown\_rust312.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust273.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust116.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust160.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust118.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust496.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust334.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust059.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust944.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust070.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust778.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust503.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust289.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust929.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust646.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust557.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust141.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust447.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust060.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust068.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust968.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust042.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust042.jpg

own\_Rust/Brown\_rust361.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust410.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust075.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust379.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust725.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust032.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1061.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust974.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust783.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust469.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust789.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust864.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust550.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust301.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust347.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust705.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust506.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust426.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust915.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust238.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust133.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust841.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust111.jpg

own\_Rust/Brown\_rust1029.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust591.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust108.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust734.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust320.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust216.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust656.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust134.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust544.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust829.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust293.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust167.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust603.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust740.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust244.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust231.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1106.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust773.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust933.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust337.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust921.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust280.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1029.jpg

own\_Rust/Brown\_rust1040.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust775.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust132.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust997.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust511.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust633.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust405.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust735.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust373.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust295.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust562.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust367.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1007.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust855.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust374.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust784.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust138.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust331.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust109.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust835.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1042.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1045.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1046.jpg

own\_Rust/Brown\_rust678.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust076.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1124.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust909.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust504.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1062.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust028.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1044.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust607.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust643.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust708.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust830.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust843.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust221.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust887.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust883.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust850.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust610.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1075.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust474.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust143.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust277.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust111.jpg

own\_Rust/Brown\_rust217.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust162.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust007.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust404.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust251.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust741.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust232.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust750.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust493.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust779.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust999.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust640.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust359.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust922.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust615.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust764.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust097.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust358.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust801.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust438.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust165.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust491.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust111.jpg

own\_Rust/Brown\_rust924.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust286.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust089.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust485.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust297.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust058.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust131.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust995.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust174.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust063.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust547.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust393.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust518.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust436.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust962.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust758.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust814.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust401.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust478.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust424.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust571.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1088.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1111.jpg

own\_Rust/Brown\_rust803.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust479.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust409.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust033.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust072.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust959.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust254.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust898.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust799.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust104.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust187.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust538.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust140.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust540.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust761.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust670.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust417.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust327.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust227.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust686.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust182.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1084.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1111.jpg

own\_Rust/Brown\_rust585.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust056.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust258.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust371.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust675.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust437.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust893.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust328.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust793.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust498.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust792.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust292.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust809.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust609.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust578.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust573.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust709.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust432.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust572.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust169.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust117.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1115.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1116.jpg

own\_Rust/Brown\_rust1024.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust859.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1100.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust038.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust204.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust900.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust972.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust105.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust473.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust253.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust840.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust476.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust052.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust563.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust936.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust271.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust355.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust338.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1122.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust684.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust324.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust055.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1122.jpg

own\_Rust/Brown\_rust848.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust330.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust976.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust635.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust456.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust988.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1028.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust537.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust137.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust716.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust524.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust048.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust565.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust723.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust019.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust450.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust278.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust483.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust269.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust163.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust905.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust958.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust111.jpg

own\_Rust/Brown\_rust454.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust490.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust533.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust008.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust311.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust875.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust787.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1068.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1110.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust296.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust560.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1049.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust589.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust468.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust240.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1027.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1052.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust926.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust029.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust577.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust363.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust755.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust011.jpg

own\_Rust/Brown\_rust986.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1065.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust195.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust942.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust429.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust568.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1105.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust001.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust759.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust382.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust527.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust701.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust669.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust586.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust721.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust877.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust443.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust928.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust172.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1016.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust219.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust354.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1016.jpg

own\_Rust/Brown\_rust873.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust509.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1093.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust364.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust685.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust654.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust788.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust451.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust305.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust495.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1070.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust817.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1054.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust066.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust534.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1095.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust648.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust939.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust581.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust699.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust805.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust353.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1093.jpg

own\_Rust/Brown\_rust575.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust679.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust631.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust013.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust881.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust952.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust882.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust858.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1035.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust899.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1077.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust412.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust649.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust370.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust234.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust762.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust776.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust548.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust623.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust321.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1098.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust183.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1000.jpg

own\_Rust/Brown\_rust123.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust558.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust306.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust683.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust951.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust015.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust246.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust566.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust064.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust446.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust940.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust144.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust747.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust846.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust931.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust071.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust895.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust441.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust874.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust579.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1046.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust025.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Br

own\_Rust/Brown\_rust672.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust731.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust173.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust644.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust040.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust737.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust107.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust796.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust665.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust314.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust969.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust091.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust960.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust168.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1085.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust362.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust198.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust151.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust385.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust009.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust494.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust916.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust111.jpg

own\_Rust/Brown\_rust1010.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust865.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust400.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust844.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust497.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust851.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1120.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust210.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust901.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust724.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust834.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust987.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust203.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1101.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust201.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1025.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust956.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust430.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust613.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust230.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust516.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust098.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1010.jpg

own\_Rust/Brown\_rust542.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust756.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust602.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust243.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust449.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1059.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust357.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust125.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust911.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust475.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1041.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust366.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust102.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust647.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust142.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust710.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust564.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust722.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust806.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1058.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust824.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust399.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust111.jpg

own\_Rust/Brown\_rust1012.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust214.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1083.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust352.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust655.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust212.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust189.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust927.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust126.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1082.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust982.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1096.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust482.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust499.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust171.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust146.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust099.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust521.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust078.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1014.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust453.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1050.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1012.jpg

own\_Rust/Brown\_rust1090.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1074.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust218.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust050.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust130.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust604.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust481.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust263.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust472.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1111.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust682.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust002.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust300.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust818.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1031.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust377.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust087.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1018.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust192.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust095.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust435.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust397.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1090.jpg

own\_Rust/Brown\_rust369.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust768.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1081.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust891.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust247.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust847.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust416.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust769.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust034.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust461.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust500.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust807.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust886.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1056.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust136.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust763.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1092.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust489.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust012.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust077.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust406.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust336.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust111.jpg

own\_Rust/Brown\_rust440.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust233.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1053.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust838.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust290.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust666.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust129.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust282.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust947.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust237.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust209.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust157.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust395.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust693.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust418.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust205.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust281.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust703.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust110.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1008.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust018.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust867.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust111.jpg

own\_Rust/Brown\_rust047.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust031.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust923.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust035.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1002.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust880.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust096.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust200.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust439.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust627.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust128.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1063.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust256.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust011.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust228.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust267.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust918.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust085.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust170.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust961.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust616.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust257.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1000.jpg

own\_Rust/Brown\_rust080.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1057.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust224.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust889.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust839.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust061.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust588.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust145.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust954.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust888.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust973.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust981.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust714.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust984.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust470.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1103.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust148.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust691.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust135.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust777.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust574.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust391.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust111.jpg

own\_Rust/Brown\_rust797.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust452.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust043.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust307.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust149.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1109.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust027.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust754.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1125.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust421.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1001.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust294.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust046.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust618.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust821.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust402.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust415.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust719.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust992.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust872.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1079.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust629.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1079.jpg

own\_Rust/Brown\_rust745.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust781.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust946.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust689.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust912.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust842.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust486.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust252.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust697.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1071.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust342.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust185.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust782.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust351.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust229.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust079.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust004.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust181.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust820.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust191.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust556.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust262.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust111.jpg

own\_Rust/Brown\_rust020.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust065.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust749.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust702.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust600.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1067.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1087.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust316.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust304.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust728.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust715.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust634.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust580.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust488.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust742.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1004.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust551.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust332.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust392.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust226.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust333.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust596.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust597.jpg

own\_Rust/Brown\_rust739.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1036.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust786.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust513.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust718.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust857.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust700.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust667.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust800.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust726.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1099.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust856.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust016.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust539.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1113.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust422.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1032.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust626.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust463.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust639.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust069.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust935.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1036.jpg

own\_Rust/Brown\_rust795.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust387.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust937.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1102.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust903.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust910.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust487.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust614.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust457.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust827.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust384.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust525.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust086.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1086.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust522.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust917.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1000.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1097.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust360.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust630.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1126.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust996.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1100.jpg

own\_Rust/Brown\_rust459.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust188.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust166.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1026.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1022.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust512.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1006.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust868.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust255.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust707.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust645.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust810.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust213.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust913.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust638.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust127.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust545.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust378.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust448.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust549.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust215.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust943.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1000.jpg

own\_Rust/Brown\_rust073.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1116.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1121.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust730.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust225.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust543.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust302.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust196.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust413.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1118.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1017.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust632.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust122.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust403.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust206.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust368.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust315.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust605.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust014.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust791.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust507.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust346.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1111.jpg

own\_Rust/Brown\_rust546.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust248.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1127.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust193.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust620.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust812.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1023.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust949.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust245.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust990.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust471.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust822.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust310.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust650.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust966.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust423.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust849.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust093.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust023.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust462.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust152.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust979.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust115.jpg

own\_Rust/Brown\_rust115.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust896.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust668.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust112.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust570.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust998.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust276.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust202.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1078.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust852.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust930.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust024.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust335.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust828.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust813.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust207.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust124.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust836.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust444.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust484.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust717.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust532.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust115.jpg

own\_Rust/Brown\_rust694.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust598.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust541.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust350.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust425.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust713.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust100.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust147.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust871.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust658.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1038.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust010.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust268.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust420.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust794.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust736.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust396.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1128.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust057.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust434.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust980.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust299.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_Brown\_Rust/Brown\_rust1128.jpg

own\_Rust/Brown\_rust1064.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust030.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust161.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust308.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust869.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust1069.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust158.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust164.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust662.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust692.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust767.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Brown\_Rust/Brown\_rust628.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Gray\_Leaf\_Spot/image (276).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Gray\_Leaf\_Spot/image (282).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Gray\_Leaf\_Spot/image (258).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Gray\_Leaf\_Spot/image (408).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Gray\_Leaf\_Spot/image (93).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Gray\_Leaf\_Spot/image (497).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Gray\_Leaf\_Spot/image (469).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Gray\_Leaf\_Spot/image (440).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Gray\_Leaf\_Spot/image (193).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Gray\_Leaf\_Spot/image (355).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Gray\_Leaf\_Spot/image (411).JPG

y\_Leaf\_Spot/image (477).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (208).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (169).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (443).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (297).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (5).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (296).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (168).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (61).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (382).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (476).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (334).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (338).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (290).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (52).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (281).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (480).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (246).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (279).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (286).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (244).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (467).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (295).JPG

y\_Leaf\_Spot/image (116).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gra  
y\_Leaf\_Spot/image (187).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gra  
y\_Leaf\_Spot/image (104).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gra  
y\_Leaf\_Spot/image (383).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gra  
y\_Leaf\_Spot/image (79).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gra  
y\_Leaf\_Spot/image (351).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gra  
y\_Leaf\_Spot/image (384).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gra  
y\_Leaf\_Spot/image (143).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gra  
y\_Leaf\_Spot/image (451).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gra  
y\_Leaf\_Spot/image (347).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gra  
y\_Leaf\_Spot/image (288).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gra  
y\_Leaf\_Spot/image (40).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gra  
y\_Leaf\_Spot/image (441).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gra  
y\_Leaf\_Spot/image (26).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gra  
y\_Leaf\_Spot/image (429).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gra  
y\_Leaf\_Spot/image (309).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gra  
y\_Leaf\_Spot/image (326).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gra  
y\_Leaf\_Spot/image (395).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gra  
y\_Leaf\_Spot/image (123).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gra  
y\_Leaf\_Spot/image (308).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gra  
y\_Leaf\_Spot/image (505).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gra  
y\_Leaf\_Spot/image (430).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gra

y\_Leaf\_Spot/image (23).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (105).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (460).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (210).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (263).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (256).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (144).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (106).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (34).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (39).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (75).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (220).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (184).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (407).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (77).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (31).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (53).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (502).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (46).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (164).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (195).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (49).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (111).JPG

y\_Leaf\_Spot/image (234).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (376).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (37).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (217).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (241).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (371).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (50).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (157).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (24).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (356).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (302).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (94).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (340).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (216).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (360).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (381).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (239).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (231).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (245).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (391).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (379).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (346).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (361).JPG

y\_Leaf\_Spot/image (417).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (366).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (88).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (7).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (113).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (361).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (43).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (60).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (115).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (222).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (403).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (416).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (233).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (158).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (328).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (64).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (406).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (192).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (11).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (255).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (152).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (428).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (111).JPG

y\_Leaf\_Spot/image (209).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (6).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (69).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (101).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (219).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (455).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (54).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (90).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (506).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (9).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (431).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (363).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (463).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (70).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (203).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (122).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (86).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (487).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (2).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (213).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (500).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (13).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (1).JPG

y\_Leaf\_Spot/image (268).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (511).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (65).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (473).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (409).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (413).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (396).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (339).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (272).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (425).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (321).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (270).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (436).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (275).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (410).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (68).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (21).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (312).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (4).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (465).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (250).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (59).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (11).JPG

y\_Leaf\_Spot/image (265).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (225).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (73).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (237).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (108).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (35).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (442).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (252).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (464).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (488).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (287).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (145).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (125).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (17).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (504).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (251).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (36).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (161).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (254).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (92).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (386).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (359).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (111).JPG

y\_Leaf\_Spot/image (485).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (131).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (284).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (182).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (249).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (78).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (498).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (32).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (264).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (153).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (304).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (247).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (402).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (162).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (349).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (155).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (444).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (102).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (215).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (141).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (129).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (375).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (111).JPG

y\_Leaf\_Spot/image (130).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (400).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (221).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (176).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (421).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (177).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (266).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (458).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (427).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (450).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (243).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (278).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (132).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (165).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (342).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (89).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (374).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (260).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (100).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (57).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (95).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (198).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (111).JPG

y\_Leaf\_Spot/image (196).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (12).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (318).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (424).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (301).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (503).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (434).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (496).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (33).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (277).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (262).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (159).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (501).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (42).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (461).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (29).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (138).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (412).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (397).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (170).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (373).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (419).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (300).JPG

y\_Leaf\_Spot/image (325).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (315).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (72).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (28).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (253).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (310).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (298).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (111).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (58).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (84).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (377).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (112).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (91).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (457).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (289).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (48).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (171).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (154).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (484).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (118).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (507).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (470).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (485).JPG

y\_Leaf\_Spot/image (332).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (378).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (103).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (489).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (120).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (269).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (135).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (499).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (422).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (311).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (314).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (495).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (368).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (230).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (81).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (453).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (121).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (212).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (62).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (142).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (224).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (474).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (111).JPG

y\_Leaf\_Spot/image (74).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (462).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (242).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (513).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (188).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (232).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (291).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (327).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (236).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (293).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (365).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (358).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (492).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (160).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (388).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (15).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (240).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (370).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (364).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (235).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (178).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (146).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (181).JPG

y\_Leaf\_Spot/image (206).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (126).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (180).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (283).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (67).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (335).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (337).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (385).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (25).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (149).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (446).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (107).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (435).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (27).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (183).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (483).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (354).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (271).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (274).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (166).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (97).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (14).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (10).JPG

y\_Leaf\_Spot/image (66).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (96).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (482).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (294).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (197).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (300).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (447).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (509).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (30).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (426).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (350).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (369).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (8).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (56).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (228).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (47).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (317).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (399).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (411).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (194).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (478).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (261).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (111).JPG

y\_Leaf\_Spot/image (452).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (493).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (22).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (486).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (433).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (472).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (285).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (55).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (199).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (481).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (405).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (229).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (163).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (303).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (257).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (99).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (295).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (439).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (454).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (238).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (306).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (18).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (19).JPG

y\_Leaf\_Spot/image (200).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (280).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (85).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (127).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (181).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (414).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (329).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (420).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (134).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (367).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (401).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (357).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (204).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (133).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (218).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (147).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (466).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (292).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (151).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (41).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (45).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (348).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (175).JPG

y\_Leaf\_Spot/image (343).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (80).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (156).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (16).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (392).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (512).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (173).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (331).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (344).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (305).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (316).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (175).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (207).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (71).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (389).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (323).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (456).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (320).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (190).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (437).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (139).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (38).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (100).JPG

y\_Leaf\_Spot/image (353).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (114).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (83).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (109).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (387).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (211).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (475).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (299).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (117).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (205).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (404).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (418).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (459).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (136).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (110).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (471).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (98).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (51).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (345).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (226).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (362).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (174).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (111).JPG

y\_Leaf\_Spot/image (140).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (150).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (124).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (445).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (508).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (319).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (393).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (179).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (273).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (191).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (259).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (267).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (341).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (479).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (185).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (223).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (20).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (119).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (510).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (227).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (76).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (186).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (111).JPG

y\_Leaf\_Spot/image (1).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (148).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (330).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (333).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (3).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (494).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (324).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (167).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (87).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (201).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (19).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (82).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (438).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (415).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (380).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (313).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (307).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (189).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (352).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (372).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (490).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (336).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (337).JPG

y\_Leaf\_Spot/image (468).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (423).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (10).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (432).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (137).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (390).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (491).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (202).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (398).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (128).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (248).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (214).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (172).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (394).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (44).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (448).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (449).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (322).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Gray\_Leaf\_Spot/image (63).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Brown\_Spot/bs\_wb\_10.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Brown\_Spot/IMG\_20190419\_103257.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Brown\_Spot/IMG\_20190420\_193445.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Bro

wn\_Spot/IMG\_20190420\_194208.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_113242.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_193850.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190424\_132317.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190421\_195708.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195412.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190424\_131804.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190424\_125939.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190255.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190421\_195527.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194812.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195525.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190424\_131058.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_185515.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_145246.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194434.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194255.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_3175.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194637.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_7.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_113228.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194618.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro

wn\_Spot/bs\_wb\_39.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190136.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_193638.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190424\_130624.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194501.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_53.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194917.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_67.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_14.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195008.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190424\_134130.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194508.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194448.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194201.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_3191.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195231.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194218.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_21.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190558.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194918.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190424\_133841.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_161758.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro

wn\_Spot/IMG\_20190420\_194553.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_5487.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194730.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194234.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195258.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_165410.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_3181.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_41.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_2992.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195111.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_193818.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_20.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190517.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195256.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194248.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_64.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195438.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_6.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_51.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190715.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_193236.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_145240.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro

wn\_Spot/bs\_wb\_26.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_193433.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190316.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195139.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_185548.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194828.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_133708.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195159.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195308.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194212.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_193547.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194826.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_113926.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_193552.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_30.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195439\_1.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_193633.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_68.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_3182.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195153.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190424\_134125.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190150.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro

wn\_Spot/bs\_wb\_35.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190308.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_4905.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194806.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_4862.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190421\_200111.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_133703.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195050.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195410.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195224.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_3227.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_193611.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190344.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194204.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_193529.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190930.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_185504.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190421\_195340.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_3073.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195052.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190421\_195703.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_3.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro

wn\_Spot/IMG\_20190420\_191008.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190424\_130026.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_193625.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_71.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195231\_1.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194444.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_3193.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_4.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_3241.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194609.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_113206.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_193917.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_3176.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194239.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190910.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_3224.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_193225.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190421\_195701.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_3048.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190424\_132316.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190421\_195443.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_185621.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro

wn\_Spot/bs\_wb\_76.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_161753.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_193744.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_193956.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194539.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_193722.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194203.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195444.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_56.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_36.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_1.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_4831.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190802.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194504.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190424\_131754.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_185541.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_3229.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190403.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_095712.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190424\_130014.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_59.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_193736.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro

wn\_Spot/bs\_wb\_45.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_34.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_52.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194856.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194537.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194915.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_17.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190414.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_191242.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_193517.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_185604.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194447.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_161510.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195229.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_3156.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_200339.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190143.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_79.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_3160.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_161513.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190421\_195220.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_80.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro

wn\_Spot/IMG\_20190420\_195105.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190416.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_89.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194430.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194829.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190208.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190424\_134124.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194237.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195044.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_191114.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_13.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194429.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_3081.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190432.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190424\_132024.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_200333.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_145243.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_3242.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194555.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_3091.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194619.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_200400.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro

wn\_Spot/IMG\_20190420\_194503.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190427.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190225.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190445.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_22.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194504\_1.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_191021.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_4832.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_25.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_85.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_185526.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_27.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190201.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190421\_195243.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190421\_195712.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_124201.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_5509.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190520.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_193952.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_8.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_191035.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_200329.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro

wn\_Spot/IMG\_20190420\_190647.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_152652.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194620.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190424\_131757.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_4906.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190709.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190424\_131059.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_191149.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_4865.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195110.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_33.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_193858.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194733.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190359.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_5488.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_185638.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190424\_130030.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194712.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_19.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195443.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_113902.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_60.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro

wn\_Spot/IMG\_2999.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190604.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194710.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195116.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194551.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_200357.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195104.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_16.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_84.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194711.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194709.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195218.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_3059.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_193619.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_38.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190421\_195158.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_3150.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_4904.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190116.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190421\_195705.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195201.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_185537.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro

wn\_Spot/bs\_wb\_87.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190421\_200117.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194607.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195223.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_48.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190526.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_4864.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_103510.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195219.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_193741.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_28.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_193854.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190424\_132023.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194538.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190421\_200147.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194716.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_113856.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_095739.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195434.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190858.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_81.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_114339.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro

wn\_Spot/IMG\_20190419\_103527.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_23.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_185518.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195108.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_193533.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190305.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190424\_131309.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195219\_1.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_145259.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194507.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190424\_131042.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194446.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195453.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190617.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195230.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195137.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_2998.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190908.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190421\_195226.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_82.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_3183.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_73.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro

wn\_Spot/IMG\_20190421\_200126.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190330.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_62.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190421\_195716.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194714.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_3226.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_135038.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194857.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194729.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194217.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190614.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190424\_132022.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190421\_200110.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_135032.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190424\_134126.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195043.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_103508.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195141\_1.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_114347.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190421\_195152.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_193831.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_185512.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro

wn\_Spot/IMG\_20190420\_190842.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190424\_133840.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195309.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_193536.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195136.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190356.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194246.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194210.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195142.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_3178.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_5510.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_11.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195051.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_103247.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_55.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194540.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_57.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194207.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190421\_195239.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190424\_131056.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_161507.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_2993.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro

wn\_Spot/IMG\_20190420\_193513.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195141.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195049.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194445.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194002.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195222.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_165401.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194506.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190424\_134128.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195106.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194553\_1.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_191412.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_3244.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195041.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_3225.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_29.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195307\_1.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_185608.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_69.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_24.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_32.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_200332.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro

wn\_Spot/bs\_wb\_86.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_200334.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_9.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194715.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_103531.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_133440.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_15.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_70.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194505.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_4863.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_100805.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_191046.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_5486.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_185728.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194450.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190227.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_200330.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_61.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_135912.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195234.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190437.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_102228.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro

wn\_Spot/IMG\_20190420\_190323.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194216.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_185553.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_191014.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_185927.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_185532.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194638.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_74.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190424\_131800.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190248.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_50.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195435\_1.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190424\_130933.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_72.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195200.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194552.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_114429.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_3161.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_113213.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_3199.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_3162.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194807.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro

wn\_Spot/IMG\_20190420\_193702.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_18.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194732\_1.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_161749.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190924.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194206.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190623.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194219.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_191137.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194808.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_12.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190421\_195150.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_185938.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194827.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_44.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190421\_195209.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_3044.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_095736.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_66.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194810.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195042.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_46.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro

wn\_Spot/IMG\_20190419\_171239.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_3057.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190157.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194236.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_47.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_77.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_3072.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_3047.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_191018.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_191213.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195107.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195439.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_191027.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_191012.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190421\_200150.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_78.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_164346.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190239.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190419.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195149.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_191216.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_54.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro

wn\_Spot/IMG\_20190420\_194916.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190411.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_5511.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190421\_195338.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190644.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_185935.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_88.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190812.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_200353.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190424\_133956.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_193914.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190421\_195254.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_3017.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190919.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_193814.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_191010.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190338.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_75.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_161748.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194235.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194202.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_3069.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro

wn\_Spot/IMG\_20190420\_185849.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190421\_195151.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190551.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_37.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_113249.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_200358.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_193910.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194433.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_0.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_185845.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190421\_195207.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194252.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195455.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_49.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194243.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_145335.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190123.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190653.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_113238.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_161024.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195257.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190421\_200148.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro

wn\_Spot/IMG\_20190420\_194221.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_191052.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_4901.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_3046.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_43.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_145305.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194554.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_191049.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_193607.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_3177.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195435.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194447\_1.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_095715.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_3165.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190424\_130627.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_191416.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_42.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194920.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_200359.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195413.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_193720.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195233.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro

wn\_Spot/IMG\_20190420\_193708.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_135910.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195220.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_3066.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194805.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190524.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_185632.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195039.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_83.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194241.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_3077.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_171056.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190217.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_124207.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190902.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_3042.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_3245.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195414.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190424\_134129.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194557.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194605.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195436.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro

wn\_Spot/IMG\_20190419\_095726.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190246.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195138.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190642.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190424\_131307.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190421\_200151.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195445.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_191145.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190334.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_4861.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_191238.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_31.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_165414.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_3239.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194449.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_200349.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190243.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190913.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_133426.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190120.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_185921.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_63.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro

wn\_Spot/IMG\_20190420\_194606.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190424\_133953.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195232.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194611.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_65.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194211.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_3068.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194159.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_191055.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_3179.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194855.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_200328.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_124212.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_193749.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_2.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190601.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195437.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_113933.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_58.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_195041\_1.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190421\_200132.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_193754.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro

wn\_Spot/IMG\_20190420\_194830.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190421\_195248.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194651.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190424\_131758.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_4866.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_3018.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_190607.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_194232.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190420\_185557.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_5.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_113311.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_113157.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190421\_195250.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/bs\_wb\_40.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190421\_200114.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Bro  
wn\_Spot/IMG\_20190419\_145250.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (31).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (71).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (68).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (38).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (29).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (81).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_

Red Rot/S\_RR (20).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (10).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (32).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (25).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (36).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (80).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (66).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (34).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (8).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (67).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (16).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (37).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (53).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (74).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (79).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (15).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (50).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (1).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (75).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (99).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (78).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (64).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_

Red Rot/S\_RR (24).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (86).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (93).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (89).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (62).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (30).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (3).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (56).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (22).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (70).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (55).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (69).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (63).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (17).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (48).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (23).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (77).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (26).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (4).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (87).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (11).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (85).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_

Red Rot/S\_RR (97).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (84).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (98).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (59).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (35).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (73).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (58).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (28).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (95).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (44).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (21).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (91).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (94).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (76).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (92).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (61).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (90).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (40).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (45).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (65).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (18).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (2).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_

Red Rot/S\_RR (82).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (57).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (83).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (43).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (51).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (100).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (13).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (54).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (52).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (42).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (60).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (6).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (72).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (7).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (46).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (12).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (88).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (33).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (39).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (27).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (41).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (9).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_

Red Rot/S\_RR (96).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (19).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (49).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (47).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (14).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Red Rot/S\_RR (5).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Healthy/S\_H (39).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Healthy/S\_H (65).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Healthy/S\_H (25).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Healthy/S\_H (86).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Healthy/S\_H (68).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Healthy/S\_H (59).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Healthy/S\_H (89).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Healthy/S\_H (32).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Healthy/S\_H (7).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Healthy/S\_H (88).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Healthy/S\_H (8).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Healthy/S\_H (63).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Healthy/S\_H (62).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Healthy/S\_H (15).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Healthy/S\_H (54).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_  
Healthy/S\_H (85).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_

Healthy/S\_H (83).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (79).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (72).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (66).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (91).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (70).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (37).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (6).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (23).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (20).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (76).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (47).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (87).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (77).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (44).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (9).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (19).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (26).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (58).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (10).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (74).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (48).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_

Healthy/S\_H (28).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (96).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (24).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (84).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (22).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (71).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (92).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (30).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (43).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (18).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (69).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (27).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (46).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (16).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (73).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (21).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (42).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (38).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (82).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (55).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (17).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (12).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_

Healthy/S\_H (31).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (64).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (99).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (93).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (33).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (13).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (50).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (52).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (100).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (75).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (1).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (35).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (53).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (49).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (81).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (29).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (97).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (95).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (90).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (34).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (80).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (11).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_

Healthy/S\_H (61).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (56).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (2).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (67).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (98).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (78).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (3).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (36).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (14).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (94).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (45).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (40).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (60).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (51).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (5).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (57).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (4).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Sugarcane\_Healthy/S\_H (41).jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1025.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy236.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy661.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy200.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy1129.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy196.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy527.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy442.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy271.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy214.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy424.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1255.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy873.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy074.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy075.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy845.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1238.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy174.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy538.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1109.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy140.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy812.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy290.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1348.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1154.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1303.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy105.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy492.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy528.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy070.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy258.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy501.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1214.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy636.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1012.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy786.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy013.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy580.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy194.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy671.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy921.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1210.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1280.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy003.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy852.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1077.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy117.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1151.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy130.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy757.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1196.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy759.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy667.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1097.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy946.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy435.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy095.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy858.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy509.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy281.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1293.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy704.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy180.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy543.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1170.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy663.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1224.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy405.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy839.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy364.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy373.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy950.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy638.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy128.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy754.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy129.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1045.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy989.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy107.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1107.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy593.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy747.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy098.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy961.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy708.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy366.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1063.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy784.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy562.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy494.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy714.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy513.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy1135.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy226.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1080.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy686.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy986.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1272.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1137.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1061.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1236.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1098.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy883.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy014.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy691.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy685.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1341.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy268.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy254.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1263.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy093.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1167.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy266.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1345.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy191.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy619.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1115.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy582.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy312.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy232.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1376.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1215.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1110.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy114.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1240.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy178.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1359.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy651.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy002.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy251.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy274.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy096.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy083.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy553.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy073.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1072.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy719.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy152.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy620.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy568.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy150.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy820.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy670.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy215.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy028.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1289.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1254.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy262.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy382.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1133.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy827.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy951.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy469.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy519.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1362.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy690.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy272.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy706.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy765.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1181.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1393.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1323.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy415.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1261.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy803.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy123.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1389.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1195.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1355.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy848.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy257.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy151.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy907.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1384.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1395.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy599.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy657.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1020.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy104.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy292.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy308.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy924.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy788.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1285.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1230.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1125.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1349.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy985.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy929.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1249.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy958.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy404.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy240.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1027.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy176.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1336.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy884.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy592.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy834.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy524.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy300.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy718.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy810.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy785.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy948.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy677.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1250.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy957.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy335.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy330.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1287.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy882.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1212.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy216.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy122.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy231.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy161.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy590.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy069.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy278.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1256.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy521.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1203.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy358.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy1004.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy399.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy059.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1117.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1023.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy736.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy165.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy493.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy143.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy970.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy310.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1330.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy664.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1320.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy495.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1237.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy412.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1052.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy084.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy720.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy956.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy066.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy1326.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1296.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy540.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy131.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy434.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1094.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1333.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1054.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy396.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy201.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy728.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy703.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1260.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy459.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1386.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1313.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy157.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy859.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy780.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy932.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1174.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1101.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy428.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy182.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1116.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1092.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy931.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy223.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy536.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy811.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1066.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy862.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy279.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1122.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy738.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy039.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1161.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy941.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1233.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy798.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1128.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1188.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy208.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy955.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy159.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1051.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy635.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1073.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy162.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy213.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1392.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy993.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1126.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy338.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy293.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy981.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy745.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy817.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy969.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy291.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy614.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1144.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy467.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy560.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy041.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1074.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy351.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy972.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1042.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1309.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy732.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy934.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy296.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy483.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy422.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy345.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1342.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy545.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1068.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy980.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1134.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy552.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy594.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1138.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1165.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy998.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy629.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy751.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy844.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy447.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1070.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy662.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1343.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy644.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy567.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy283.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1299.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy561.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy331.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy797.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy136.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy426.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy163.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy336.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy847.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy376.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1372.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1175.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy078.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1046.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy772.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy125.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy782.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1318.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy526.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy058.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1078.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy085.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy372.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy440.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1265.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy868.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy532.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy414.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy391.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy725.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy702.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy416.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy936.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy722.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy741.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy919.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy984.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy716.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy814.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy347.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy999.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy692.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1327.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1166.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy009.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy488.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy346.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1373.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1315.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy349.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy183.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1282.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy329.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy172.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1291.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1213.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy387.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy717.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy109.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy918.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy579.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1259.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1176.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1180.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1316.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy410.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy749.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy854.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1377.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1383.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy712.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy318.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1369.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1079.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy461.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy035.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1142.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1150.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1358.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy303.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy007.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy539.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1000.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1284.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy829.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy357.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1008.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1096.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1099.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy713.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy154.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy480.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1277.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy190.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1028.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1136.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy598.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy623.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy698.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1093.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy572.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy017.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy1140.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1177.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy256.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy470.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy866.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy334.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1103.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy525.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy778.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1338.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1057.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy892.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy502.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy092.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1091.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy307.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy679.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy584.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1308.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1081.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy311.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy243.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy1002.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy244.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1279.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy881.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1146.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1251.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy920.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1344.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy046.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy799.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy402.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy197.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1156.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy475.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy055.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1147.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy589.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1352.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy610.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy400.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1262.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1114.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy826.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy029.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy253.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy264.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy301.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy340.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy915.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1231.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy773.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy735.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy497.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy933.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy645.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy807.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy139.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy177.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy195.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy367.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy267.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy471.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1086.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy760.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy652.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy615.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy591.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy628.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1371.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy609.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy669.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1217.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy966.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1239.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy649.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy238.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1102.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy902.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy076.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy626.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy072.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1148.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy756.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy438.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy867.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy517.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy1200.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy832.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy755.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy996.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy411.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy359.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1082.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy522.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy496.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy170.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy511.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy899.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1159.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy106.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy008.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1300.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy694.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy605.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1064.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy355.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy045.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy021.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy042.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy576.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1149.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1387.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1304.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1209.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy608.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy118.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy299.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy388.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy044.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1274.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1182.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy988.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy499.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy809.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy482.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy564.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1029.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy242.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1374.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy487.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy547.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy369.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy430.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy983.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy783.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1157.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy269.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1310.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1032.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy295.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy604.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy047.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy481.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy284.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy413.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy648.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1208.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy298.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1095.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy997.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy676.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1197.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy228.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy556.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1011.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy012.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1041.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy625.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy361.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy337.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1111.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1258.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy856.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1024.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy871.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy544.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy987.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1158.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy126.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy777.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1243.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy134.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy206.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy119.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy529.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy137.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy836.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy289.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1252.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy779.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy895.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy617.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy607.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1143.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy005.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy145.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy917.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy672.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy624.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1049.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1298.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1354.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1192.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1227.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy727.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1247.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy1164.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy454.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy504.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy939.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy100.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy437.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy831.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy056.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1163.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy557.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1031.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy370.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1015.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy350.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy768.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy020.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1370.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy659.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy156.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy819.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy146.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1190.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy771.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy285.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy930.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy581.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy666.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy928.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy441.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy630.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy249.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1145.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1021.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy203.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy616.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy707.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1139.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy654.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy423.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1220.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy097.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy287.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy818.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy863.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy959.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy631.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy270.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy221.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy061.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy733.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy477.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy864.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy975.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy978.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1105.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy943.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1331.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy632.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy802.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1038.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy282.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy823.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy473.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1039.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy016.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy207.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy121.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy894.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy869.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy446.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy655.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy601.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1222.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy696.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy911.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy680.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1058.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy220.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy116.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy082.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy205.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1088.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy837.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy555.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1337.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy010.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy503.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy641.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy1048.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy886.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy668.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy815.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy830.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy554.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1090.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1242.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1221.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy743.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy227.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1084.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy323.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy450.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy379.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1050.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy938.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy452.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy018.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1106.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1382.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy465.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy155.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy653.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy167.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy627.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy166.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy377.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy224.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy891.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy569.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy940.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1119.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1173.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy699.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1040.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy305.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy023.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy466.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy325.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1347.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy148.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1160.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1295.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy1244.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy953.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy763.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy767.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy173.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy322.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy647.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy219.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy965.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy304.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1306.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1016.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy570.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy903.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy386.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy890.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy417.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy633.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy202.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1202.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy724.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy613.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy457.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy068.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy523.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1248.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy342.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy583.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy048.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy294.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy198.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy913.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy332.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy004.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1216.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1378.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy086.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy260.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1067.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1191.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy360.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy187.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy019.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy463.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy063.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy040.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy898.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1311.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy551.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1302.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy099.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy897.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy841.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy464.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy273.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy923.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy789.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1322.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy566.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1036.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1026.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy954.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1062.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1339.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy449.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy762.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy348.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy586.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1340.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy403.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy432.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1053.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy225.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy947.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy060.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy024.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1391.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy876.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy455.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy160.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy534.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1113.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1219.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy790.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy828.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy705.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy392.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy112.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy650.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy908.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy825.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1010.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy678.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy656.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy067.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy011.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy261.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy665.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy071.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy153.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy675.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy103.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy237.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy693.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy458.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1257.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy419.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1153.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1184.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy079.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy324.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy302.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy280.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy642.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy030.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy962.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy444.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy462.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy520.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy518.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1018.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1065.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1278.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy181.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy199.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1229.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy108.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy791.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy448.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy764.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1357.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy806.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy1394.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1132.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1365.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy880.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1334.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy587.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy385.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy049.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1301.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1204.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy389.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy297.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy124.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy378.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy805.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy937.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy229.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy186.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1245.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy994.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1329.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1127.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy673.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy319.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy356.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1292.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1017.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy397.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1286.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy530.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy034.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy916.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1356.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy451.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1360.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy990.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy646.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1198.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1363.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy255.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy489.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy808.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy851.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy689.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy906.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy443.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy842.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy682.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy816.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1390.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1351.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1281.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy321.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1168.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy571.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy535.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy276.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy111.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy510.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy427.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy597.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1194.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy888.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1005.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy801.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1141.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy887.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy408.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1294.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy022.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy064.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1314.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy563.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy558.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy701.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy974.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1234.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1325.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy639.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy184.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy185.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy054.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1076.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1317.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1288.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy445.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1001.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1083.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy1121.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1264.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy179.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy343.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy474.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy878.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1044.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1319.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1312.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy963.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy761.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1375.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy744.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy533.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1269.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1087.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1241.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy865.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy368.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy595.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy375.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy634.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy1346.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy516.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy861.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy766.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy239.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy038.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy091.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy362.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1130.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy992.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy065.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy922.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy850.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1187.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1155.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1085.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy658.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy398.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy729.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1089.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy877.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1118.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy246.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy314.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy575.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy132.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy709.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy115.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy781.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy508.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1385.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy910.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy189.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy204.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy393.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy210.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy995.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy315.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy753.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1131.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy794.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy721.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy893.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1071.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy1171.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1124.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy363.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1022.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy546.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1006.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy515.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy775.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1172.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy695.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy395.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1353.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy889.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy967.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy149.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy588.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy796.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy512.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1379.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy425.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy353.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1381.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy1367.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1183.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy643.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy960.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy212.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy309.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy133.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy209.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy746.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy053.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy577.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy313.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy578.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy977.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy585.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy050.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy158.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy602.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy031.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy750.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy739.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy849.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_He

althy/Healthy879.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy374.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy472.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1223.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy142.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy491.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy275.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1179.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy952.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy1056.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy660.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Wheat\_\_\_Healthy/Healthy259.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_194.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_3167.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_112054.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_134955.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_182.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_5506.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_3114.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_174405.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_162730.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190420\_194944.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf

f\_Blast/IMG\_4921.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_2987.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190420\_193731.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_5499.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_174013.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_141511.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_095029.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_171021.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_112900.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_4947.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_149.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_161534.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190420\_193127.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190424\_130929.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_3007.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_172017.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_127.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_4907.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_34.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_99.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_140253.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_171000.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf

f\_Blast/rb\_wb\_11.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_123720.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_89.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_113452.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_74.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_170420.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_110626.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_170537.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_114634.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_172251.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_4924.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190420\_193220.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_65.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190420\_194939.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_164230.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_124545.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_155.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_134538.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190421\_195525.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_134920.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_135045.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_172633.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf

f\_Blast/IMG\_20190419\_150409.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_125251.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_175210.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_132023.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_172708.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_112433.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_162121.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_3174.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_111117.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_123809.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_138.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_153.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_3169.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_114018.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_179.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_165110.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190420\_193139.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_112440.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_110216.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_114709.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_110220.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_140015.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea

f\_Blast/IMG\_20190419\_175314.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_115541.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_134523.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_123.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_3055.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_161351.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_114511.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_111112.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_115345.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_170958.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_174413.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_175223.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_5523.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_2986.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_135929.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_161400.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_114.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_4769.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_124816.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_134544.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_24.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_3052.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf

f\_Blast/IMG\_5515.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_140257.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_112314.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_134926.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_4773.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_112302.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_100707.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_44.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_111206.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190420\_194946.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_162724.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_132.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_145522.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_161354.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_3009.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_5504.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_172716.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190420\_193203.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_111213.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_5491.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_175.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_110629.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea

f\_Blast/IMG\_20190419\_141047.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_173157.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_134540.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_2985.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_3015.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_105830.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_115256.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_112552.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_145525.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_125436.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_37.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_172007.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_5492.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_4937.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_141228.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_69.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_103.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_124402.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_5482.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_51.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_186.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190420\_195011.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea

f\_Blast/IMG\_20190419\_105530.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_133943.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_3012.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_103923.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_132123.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_75.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_135937.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_174422.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_110303.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_135826.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_72.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_114006.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_189.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_2973.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_4856.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_71.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_174410.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_163.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190420\_195007.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_172855.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190420\_190829.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_83.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea

f\_Blast/IMG\_20190420\_193700.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190420\_193158.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_144240.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_095523.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_172847.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_93.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_173204.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_112112.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_173202.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_110203.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_52.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_112220.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_196.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_16.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_3173.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_112556.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_112824.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_39.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_2980.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_134818.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_169.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_0.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea

f\_Blast/rb\_wb\_147.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190420\_195254.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_132126.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_70.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_163358.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_4878.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_133.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190420\_191434.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_22.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_112252.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_110152.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_3008.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_145545.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_110154.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_95.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_161126.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_105609.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_105819.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_112146.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_165124.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_135749.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_103956.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf

f\_Blast/IMG\_20190419\_161953.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_121.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_174420.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_135817.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_79.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_161320.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_139.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_112540.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_112944.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_4922.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_110525.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_5490.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_181.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_172627.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_174415.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_112602.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_140348.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190420\_191446.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_128.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_116.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_62.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_173159.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf

f\_Blast/IMG\_20190419\_133945.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_134804.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190424\_131627.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190421\_195512.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_100616.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_161716.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_35.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_5518.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_135017.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_115335.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_12.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_145412.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_5505.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_161238.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_145408.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_132259.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_131.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_124810.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_135945.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_123818.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_2983.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_141135.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea

f\_Blast/rb\_wb\_78.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_4953.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_112154.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_114656.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_135841.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_55.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_3089.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_106.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_21.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_110255.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_112207.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190420\_191400.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_125.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_4942.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_195.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_170320.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_3101.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_095429.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_115401.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_20.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_122.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190420\_193725.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf

f\_Blast/IMG\_20190419\_135845.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_172238.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_176.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_174426.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_112247.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_100544.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_141516.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_5508.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_125504.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_141235.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_174005.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_170719.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_112350.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_163414.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_163934.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_167.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_159.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_174313.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_112818.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_4885.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_103851.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_123733.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea

f\_Blast/IMG\_4859.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_114753.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_125426.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190420\_194940\_1.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_162.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_113905.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_136.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_3026.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_175426.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_4939.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_23.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_161334.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_111225.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_112614.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_105702.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_2982.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_104006.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_135054.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_172619.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_148.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_175319.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_173.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf

f\_Blast/rb\_wb\_171.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_141138.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_135813.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_5503.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_134936.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_4918.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_112444.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_4837.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_111221.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_163241.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_115423.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_172710.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_110343.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_4873.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_170.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_103742.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_175312.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_4909.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_113457.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_4871.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_141248.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_3006.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf

f\_Blast/IMG\_20190419\_100730.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_4877.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_97.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_131929.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_126.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_38.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_4851.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_120.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_161520.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_111229.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_140.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_095439.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_173211.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_4847.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190420\_190737.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190420\_191454.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_110137.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_2991.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_105812.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_5493.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_118.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_112608.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea

f\_Blast/rb\_wb\_33.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_4941.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_115356.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_133929.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_5525.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_123727.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_4917.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_154.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_174310.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_3051.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_114825.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_2989.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_5519.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_187.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_112300.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_172853.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_172635.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_193.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190420\_193657.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190421\_195513.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_135808.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_135952.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_136000.jpg

f\_Blast/rb\_wb\_164.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190420\_195005.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_4772.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_111313.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_110400.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_4771.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190420\_193234.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_145515.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_165645.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_174010.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_58.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190420\_190826.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_56.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_5512.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190420\_193654.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190420\_185856.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_110.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_2984.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_107.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_111318.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_178.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190420\_193215.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf

f\_Blast/IMG\_20190420\_194957.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_112141.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_133615.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_3204.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_140334.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_4848.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_111209.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_180.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_54.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_125441.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_100547.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_163936.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_170824.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_112253.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_4852.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_100636.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_114734.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_105606.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_105.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_124542.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_112829.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_135940.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea

f\_Blast/IMG\_20190419\_095031.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_5522.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_165121.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_114016.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_3092.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190420\_190823.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_173208.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_3024.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_5500.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_5524.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_3.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_173953.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_150.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_30.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_130.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_112517.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190420\_191420.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_96.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_174023.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_161517.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_170734.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190420\_190832.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea

f\_Blast/IMG\_20190419\_135847.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_135000.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_133937.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_172656.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_5485.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_87.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_63.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_110450.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_165646.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_53.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_172906.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190420\_191121.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_4834.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_141.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_134944.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_132058.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_132301.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_3094.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_57.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_132052.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_4842.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_110347.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea

f\_Blast/IMG\_4868.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_111.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_132017.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_112036.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_144834.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_47.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_184.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_109.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_14.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_114704.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_48.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_5521.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_132134.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_111120.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_91.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_124.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_123807.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_114718.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_4923.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_3096.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_103959.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_174017.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_114704.jpg

f\_Blast/rb\_wb\_188.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_133917.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_135.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_100639.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_5494.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_161254.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_4879.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190420\_191427.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_5516.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_103954.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_4770.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_135915.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_100625.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_3105.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_112241.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_170326.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_135835.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_101.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_114002.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_146.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_7.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_141035.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf

f\_Blast/IMG\_5526.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_135823.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_4843.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_172239.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_130528.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_66.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_162839.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_114644.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_162749.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_142.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_114729.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_80.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_145535.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_132236.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_82.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_190.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_2990.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_104041.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_3004.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_110101.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190420\_191125.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_140344.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf

f\_Blast/IMG\_20190419\_131924.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190420\_195307.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190424\_131631.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_9.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_170817.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_3020.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_4952.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_135821.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_112320.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_112426.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_143.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_135855.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_117.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_170715.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_105602.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_113804.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_171028.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_165.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_131920.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_110301.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_170515.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_4944.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea

f\_Blast/rb\_wb\_29.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_172639.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_172831.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_15.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_105522.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_4870.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_165057.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_173958.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_170814.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_123526.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_114455.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_172642.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190420\_193148.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_112947.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_4768.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_132137.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_110249.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_161323.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_174020.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_110200.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_112029.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_172850.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf

f\_Blast/IMG\_20190419\_112216.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_133921.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_4948.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_4767.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_4854.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_115305.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_112104.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_2976.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_175217.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190420\_193116.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_161951.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_141051.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_61.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_102.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_141220.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_175321.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_110208.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_161249.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_67.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190420\_195006.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_108.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_114819.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea

f\_Blast/IMG\_3056.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190420\_194941.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_111123.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_112523.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_135741.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_3010.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_172254.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_112244.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_170244.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_153022.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_103845.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_115.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_165615.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_4846.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_2.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_112148.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_3084.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_170811.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_132021.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_110305.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_4926.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_3246.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf

f\_Blast/IMG\_20190419\_145413.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_125429.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_133924.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_172857.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_174432.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_110059.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_185.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_112312.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_170313.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_132234.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_64.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_156.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_110345.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_157.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190420\_193155.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_140247.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_104009.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_31.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_170550.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_4849.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_163411.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_175434.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea

f\_Blast/IMG\_20190419\_172249.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_5484.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_113447.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_5501.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_110245.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_4840.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190420\_193141.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_1.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_4951.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_105659.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_123910.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_111145.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190421\_195524.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_161349.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_111106.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_174001.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_114010.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_175429.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_111223.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_145407.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_114650.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_113948.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea

f\_Blast/IMG\_20190419\_172903.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_17.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190420\_194945.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_135836.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_110350.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_42.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_4853.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_4841.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_161331.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_3102.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_3019.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190420\_194956.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_114008.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_160.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_114843.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_100605.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_4850.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_177.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_25.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_43.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_133926.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_77.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_100.jpg

f\_Blast/IMG\_20190419\_114653.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_8.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_141230.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_132107.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_114629.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_161536.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_129.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_5483.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_110329.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_172243.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_103746.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_141102.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_100614.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_161243.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_5480.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_110637.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_3086.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_165617.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_132102.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_81.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_165612.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_165648.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf

f\_Blast/rb\_wb\_94.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_4858.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_164225.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_114701.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_110358.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_135023.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_171008.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_115250.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_28.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_173955.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_161530.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_40.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_32.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_170445.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_19.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_175430.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_4872.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190424\_130012.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_165108.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_2988.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_76.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_103744.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf

f\_Blast/IMG\_20190419\_172837.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_168.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_135918.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_100539.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_172021.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_105821.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190420\_195010.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_84.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_134948.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_110334.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_172.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_5514.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_173938.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_170527.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_164227.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_5517.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_175220.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_49.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_141521.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_144.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_153244.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_3022.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf

f\_Blast/IMG\_20190419\_111127.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_166.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_151.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190420\_194940.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190420\_185916.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_3002.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_113916.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_4857.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_161115.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_105827.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_4908.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_165117.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190420\_194942.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_141240.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_88.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_153315.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_112200.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_98.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_4764.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_170723.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_134543.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_132013.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea

f\_Blast/IMG\_20190419\_172245.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190420\_195000.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_115417.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_73.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_41.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_60.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190420\_193728.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_5496.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_134909.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_153254.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190424\_130007.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190420\_195306.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_3106.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_112847.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_90.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_170726.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_140229.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_112852.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_100649.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_111138.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_174407.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_3103.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea

f\_Blast/IMG\_20190419\_175202.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_172820.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_112814.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_110002.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_134932.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_5498.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_46.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_134949.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_172829.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_100837.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_115445.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_145350.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_173221.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_141055.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_4765.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_152.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_112347.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_145.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_123523.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_170542.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_137.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_175205.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea

f\_Blast/IMG\_20190420\_190749.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_164344.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_162746.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_172823.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_114841.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_5502.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_115421.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_45.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_131948.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_141037.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_5497.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_50.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_145528.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_114721.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_158.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_3205.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190420\_185905.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_170434.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_133600.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_170738.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_5495.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_135050.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea

f\_Blast/IMG\_3023.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_170532.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_68.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_4766.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_4860.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_5513.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_140027.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_112.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_183.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_170530.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_4839.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_26.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_5.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_110247.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_172622.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_4940.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_175420.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_3050.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_4876.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_161449.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_174416.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_10.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_170531.jpg

f\_Blast/rb\_wb\_134.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_110004.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_36.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_175212.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_100501.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_174.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_161446.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_135811.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_140030.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_3153.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_112538.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_4833.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_197.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_172023.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_5489.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_4875.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_191.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_135748.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_171022.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_171027.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_4869.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_132305.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf

f\_Blast/IMG\_20190419\_135942.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_27.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_141224.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190420\_190742.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_13.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_165100.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_115411.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_112428.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_175423.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_161240.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_161.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_145347.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190420\_194943.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_104.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_3053.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_113501.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_18.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_104049.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_112101.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_3104.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_6.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_119.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf

f\_Blast/IMG\_20190419\_131935.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_134941.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_125403.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_3083.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_125240.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_100652.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190424\_133722.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_105527.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_4919.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_192.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_112137.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_4.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_134842.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_111141.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_113445.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_3171.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_115337.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_100509.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_145530.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_140019.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_4838.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_4946.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea

f\_Blast/IMG\_20190419\_141243.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_5507.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_85.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_141519.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_163239.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_172630.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_150419.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_92.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190420\_191128.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_3014.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_4855.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_100.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_124357.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190420\_194955.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190420\_191459.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_86.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_4938.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190420\_191430.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/rb\_wb\_59.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_175215.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190419\_172826.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea  
f\_Blast/IMG\_20190420\_185946.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Lea

f\_Blast/IMG\_20190419\_114757.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_135852.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_4920.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190420\_193125.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_110210.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_112353.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_175432.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_133940.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_105611.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_4934.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_135900.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/rb\_wb\_113.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_132030.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190420\_185715.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_111102.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_112203.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_100814.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_2978.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_141513.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_20190419\_100511.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Leaf\_Blast/IMG\_2977.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_\_Late\_Blight/5f0801e0-b127-4596-9f82-eb36f8ee5c85\_\_\_RS\_LB\_3852.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_\_Late\_Blight/5f0801e0-b127-4596-9f82-eb36f8ee5c85\_\_\_RS\_LB\_3853.JPG

ate\_Blight/68decf28-de55-477f-9435-56cda245a7ca\_\_RS\_LB 3195.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/63ec8c33-368c-433d-8953-f28f30e5985f\_\_RS\_LB 2943.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/6033f0b2-48e7-411c-a39b-86297f412c19\_\_RS\_LB 4020.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/66473aff-3438-4a8c-8c05-5fed8a4255ae\_\_RS\_LB 4473.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/6cab0a2b-a2d9-4798-8043-f6ef416ed745\_\_RS\_LB 4993.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/89ad1a3c-db3c-4d75-9c92-64cea1433f89\_\_RS\_LB 2820.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/5e356292-3046-4967-b1e7-f3e5cf7d0f75\_\_RS\_LB 4459.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/de0ae213-3479-4f07-b7f8-d59607a2caa8\_\_RS\_LB 2528.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/b14b93eb-5c1b-4df8-a30f-17afd953e7fc\_\_RS\_LB 4101.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/0114b195-844c-4978-93a9-b0d5aae010f1\_\_RS\_LB 2738.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/c18a017c-262c-41ca-93f3-8fc97ffd7043\_\_RS\_LB 4770.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/1d389389-0585-433a-83c7-30b42db2ca3f\_\_RS\_LB 3322.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/84182903-22be-4563-8276-d72413958ada\_\_RS\_LB 4027.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/8f80caee-38ed-4b49-9596-6f66c3cb9c1b\_\_RS\_LB 2535.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/2b064606-e6e2-46e0-9788-d1049f0e4fed\_\_RS\_LB 4246.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/8f634ae3-010a-4a08-aae9-2aa43bc73a0a\_\_RS\_LB 4069.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/7dfb162c-0384-46b3-bbf7-f0929bd00921\_\_RS\_LB 5235.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/48f93953-2de7-4724-9c7b-69dc13a47759\_\_RS\_LB 4977.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/e9cc84b7-fc38-4e65-a129-c7a63df76780\_\_RS\_LB 2705.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/030e8945-d3ce-4ad3-8a91-a14c18285249\_\_RS\_LB 2532.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d6a4ae30-77a6-458c-99e4-c817e7234aa3\_\_RS\_LB 4706.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/5576794b-902c-4df2-ae8d-da30faa37d5d\_\_RS\_LB 4443.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/12345678-9abc-1234-5678-987654321098\_\_RS\_LB 4444.JPG

ate\_Blight/6a687e1b-15c3-4752-b428-e14cbe85feab\_\_RS\_LB 2803.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/5fa21fbf-774d-48ec-916d-c1d7b8c11c82\_\_RS\_LB 4795.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/a6b27bfe-0e60-4984-98ca-af4b2316dff\_\_RS\_LB 3881.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/2577b25b-c0ac-442b-8093-42e6490bad1e\_\_RS\_LB 4319.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/55c87fde-32cc-474c-a25a-1846d39aa6f4\_\_RS\_LB 2683.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/2f7b6898-a342-42a5-a0e5-a9f2bad7eaf1\_\_RS\_LB 2831.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/befda082-9237-4371-bd11-5d3513a365a5\_\_RS\_LB 2608.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/3f24e6f6-ff9f-4416-9fce-b8153a030de2\_\_RS\_LB 2730.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/4d56ef9d-bc69-489c-92de-d2fad01d762d\_\_RS\_LB 3890.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/e0e15d89-8c3b-43f5-8617-136b720e39cd\_\_RS\_LB 2668.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/81e4675f-5f16-4c8a-be12-acb79f46575e\_\_RS\_LB 3111.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/e439b96c-2ff6-4d53-b8f0-1ed720536b0c\_\_RS\_LB 4449.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/580e8c49-3b1c-46d2-b3f4-68f0b3de0d77\_\_RS\_LB 4063.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/f37f6160-4f5b-447f-b497-cc6eb7662e3b\_\_RS\_LB 4951.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/df60df5b-a619-4b38-926d-6372c0f6329a\_\_RS\_LB 5308.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/de282779-9d54-4b8f-8292-e06c3e020e16\_\_RS\_LB 3971.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/e231f522-dd72-4fbd-94b4-5b4d7b935269\_\_RS\_LB 4131.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/cdad6bf9-1ca8-4feb-87b6-960dd55acf2e\_\_RS\_LB 3186.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/f926e3c1-74bb-4397-85ca-725a54dfaf49\_\_RS\_LB 3053.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/782bc9dd-286b-46ee-b896-fa5520f57b0c\_\_RS\_LB 4408.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/f46c0317-fc28-4b5b-a09d-b52ef54fae67\_\_RS\_LB 3889.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/e7e39ba3-b9af-4d5f-afb1-aea45e13446a\_\_RS\_LB 2876.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/12345678-9abc-def0-4567-8901-234567890123\_\_RS\_LB 3000.JPG

ate\_Blight/2377f6d5-3660-4b5a-b5b3-eea448e7a143\_\_RS\_LB 2729.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/62d41420-8e32-47d2-9a37-698c07f7dc16\_\_RS\_LB 2543.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/fb91b663-6a03-4165-8125-afc96e41ab5c\_\_RS\_LB 5130.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/df919a28-9f11-42f6-823c-15f70bf1325e\_\_RS\_LB 4936.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/3f3bd8d4-82d4-456c-a3fc-068a63710d52\_\_RS\_LB 4971.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/891ddb02-a289-4d8e-8380-7568686b7a08\_\_RS\_LB 3193.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/3362decd-b0d5-4cc6-81f8-3c051a285875\_\_RS\_LB 4109.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/a8f16f61-a090-4b29-9569-5e7d0e17fd5\_\_RS\_LB 4460.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/3e81c41f-5b6b-4458-8aa8-6a544a8e678c\_\_RS\_LB 4963.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d7e7afff-cb91-4209-bf42-ce579f273cce\_\_RS\_LB 4468.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/dd36e5d1-434f-41ce-8f7b-6528e9adc77d\_\_RS\_LB 4060.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/36555aa6-0ca3-412c-be9f-50f12500861f\_\_RS\_LB 3907.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/0651be8e-a2d1-4b8a-97b8-1dc89d79fd26\_\_RS\_LB 3261.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/ea350085-28c1-4fc0-9fb9-386536cb971e\_\_RS\_LB 4890.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/2b7f92a9-9bd8-4461-9588-ab98abf54be0\_\_RS\_LB 2575.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/8f93f47b-2ee7-482b-9e18-20af5eb98d79\_\_RS\_LB 4889.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/6750f885-4754-4e76-91d0-a5e77c86e9fd\_\_RS\_LB 4865.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/dfa65276-0450-4a57-ba94-25384d378f22\_\_RS\_LB 4065.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d994fd7e-a338-42c5-ac37-ed01c18999e\_\_RS\_LB 5134.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/83f821e6-0924-4bbe-8977-0e11c220aed0\_\_RS\_LB 5011.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/3d4ddc33-b13b-4f7e-8689-1cf82532ef8e\_\_RS\_LB 3162.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/7514a101-a131-449a-9dcd-80ba8733f124\_\_RS\_LB 4879.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/12345678-9abc-dead-beef-000000000000\_\_RS\_LB 4879.JPG

ate\_Blight/6a72ed4a-cdb5-4a50-9a0d-efc119066fd7\_\_RS\_LB 2865.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L  
ate\_Blight/fdb4e132-c71b-413f-93c0-c863dd4582a7\_\_RS\_LB 2582.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L  
ate\_Blight/de63bbba-d8d0-4e74-95d7-6d5adfc0955\_\_RS\_LB 3222.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L  
ate\_Blight/25978f86-dca7-4052-bf6b-7d14ce0438ad\_\_RS\_LB 5016.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L  
ate\_Blight/a5a6ebef-2535-441d-acf5-33bce305fa14\_\_RS\_LB 3304.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L  
ate\_Blight/a34d3777-22c7-4723-8b85-f766e042c121\_\_RS\_LB 4375.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L  
ate\_Blight/faf67766-afc0-4f41-af0b-a3971fe325c7\_\_RS\_LB 4777.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L  
ate\_Blight/b9ad8d86-aadb-44b4-9bba-d6adb446afd7\_\_RS\_LB 5188.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L  
ate\_Blight/b367b969-aec9-4555-9ea2-0a982b38be62\_\_RS\_LB 4682.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L  
ate\_Blight/f7936082-7315-477d-9710-529a7024b32d\_\_RS\_LB 2546.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L  
ate\_Blight/cd0b4621-ecc4-434a-8bc1-d3a6d24a2f05\_\_RS\_LB 5250.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L  
ate\_Blight/6e5ae22d-5e91-4fed-b731-94f80ff63613\_\_RS\_LB 5113.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L  
ate\_Blight/fe9d57f1-8e00-4069-963a-b344cceca7b3\_\_RS\_LB 4486.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L  
ate\_Blight/f1a2b03a-d724-4f81-a8d7-d7f38f26ea29\_\_RS\_LB 3039.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L  
ate\_Blight/fff55a7e-2f86-4747-8d31-f1fde3c307aa\_\_RS\_LB 3081.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L  
ate\_Blight/4eaf1f96-f7f4-4a92-ba67-0147de20ab72\_\_RS\_LB 4830.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L  
ate\_Blight/2846161c-9ac0-4ef3-b563-aae344dac80d\_\_RS\_LB 4851.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L  
ate\_Blight/563f8e2a-0a5f-4920-aae5-ad98269c8144\_\_RS\_LB 4798.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L  
ate\_Blight/0f824e18-3821-486c-81a1-f1f64cf6e767\_\_RS\_LB 4894.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L  
ate\_Blight/5fe37f29-fe15-42ac-93b5-90aa5337bd55\_\_RS\_LB 2514.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L  
ate\_Blight/fe3eb287-4bb0-4a6f-b50e-253370bd19dd\_\_RS\_LB 4073.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L  
ate\_Blight/76ebfd7a-b3d8-4cde-b6b6-7e5132ec269b\_\_RS\_LB 4935.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L

ate\_Blight/919150bd-372b-44e0-a70e-a13e60dccbce\_\_RS\_LB 3263.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/7050bb1d-af0d-47c4-8f35-23b9561b8024\_\_RS\_LB 3313.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/f4e0bb0f-5f98-497c-a090-4e4c47f6707b\_\_RS\_LB 5153.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/b340ff00-3d44-4394-90c5-797dc39f8389\_\_RS\_LB 4953.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/00695906-210d-4a9d-822e-986a17384115\_\_RS\_LB 4026.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/2af683b8-ad55-450d-9047-630b85a2d128\_\_RS\_LB 4614.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/5c43ce7b-f04a-4d0d-9305-47f0d83125c5\_\_RS\_LB 5033.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/86323439-ca8d-4819-ae81-800e50f85770\_\_RS\_LB 2826.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/84559c6d-0589-4d8d-8fc3-a818b067f85c\_\_RS\_LB 4608.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/f9bd5093-1f62-4d00-bb66-7f65ce5c412b\_\_RS\_LB 2854.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/f9d861a9-0217-4de2-844f-fd23ccaa9def\_\_RS\_LB 3067.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/f18c34fd-e43a-4338-b3f3-6537f2f84f98\_\_RS\_LB 4111.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d879aaf6-d557-4607-b7a0-ecbb3761f152\_\_RS\_LB 4723.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/7460b5a9-4356-40b3-acf6-e61601a63b62\_\_RS\_LB 4965.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/1789b0d1-d850-4e04-8a20-bc3901d4ab0a\_\_RS\_LB 5251.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/6fc1834e-7909-4177-9480-6cd9f23109b4\_\_RS\_LB 4023.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/ba15e1af-3f3a-4eef-8be1-4f0a221444fd\_\_RS\_LB 2866.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/04bbcc55-93d3-4a19-9137-8de036a8a4db\_\_RS\_LB 2647.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/e766a563-c87a-4d14-ae00-898ce62e15d4\_\_RS\_LB 5123.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/c7853012-d4e6-4c0d-a14d-1220a0a6d3b1\_\_RS\_LB 3871.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/23ad201a-469e-4687-9321-7329bf747992\_\_RS\_LB 4990.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/6f0fffdc-876f-449f-b03e-f25081f2c44f\_\_RS\_LB 4096.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/00695906-210d-4a9d-822e-986a17384115\_\_RS\_LB 4026.JPG

ate\_Blight/71cbb155-74cd-42f9-97ac-abca4a10ad79\_\_RS\_LB 4456.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/f68e448a-c2f5-4638-a7cb-45e73083ae4a\_\_RS\_LB 3892.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/3f30c40f-105b-4ce7-a376-d2e6f4681e3b\_\_RS\_LB 4921.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/c84a1cfcc-5e19-46df-a315-c7fb6a61e60f\_\_RS\_LB 4103.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/1b8ae46e-1202-4715-8ad1-fd18046c42d3\_\_RS\_LB 3880.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/77f5fdf0-42c5-4af9-92d8-366e6a3a2017\_\_RS\_LB 4071.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/7a0b26a9-4abe-4e84-ad20-699b0c0cd27e\_\_RS\_LB 4376.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/71f6c664-3b77-45ef-a1de-e00685c78add\_\_RS\_LB 4441.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/1b7342d7-5d89-4ee3-8b4f-587d79187511\_\_RS\_LB 4416.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/716325d9-fca6-46b4-8f5a-f6729c211200\_\_RS\_LB 3958.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/98a806fd-2839-4069-b40b-08522c34ccdc\_\_RS\_LB 3032.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/e4d454e4-c1e4-4597-8e76-77a93465b41d\_\_RS\_LB 2868.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/5a2996c9-ed8f-4c8d-bab3-b68a833b7811\_\_RS\_LB 4786.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/c4c1c25f-0594-4c81-a1e0-a609ee1f0808\_\_RS\_LB 2653.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/5759c134-1965-4dd2-b71a-4eef4048f962\_\_RS\_LB 3975.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/36f84bc9-df52-44b6-b420-29c3881dea1e\_\_RS\_LB 4485.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/2565077d-44d3-4213-82c2-bf5ae9a64368\_\_RS\_LB 3295.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/0e7f0484-16eb-4183-b702-0a5b4f94d015\_\_RS\_LB 4000.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/908546cd-34b8-4502-ab09-0c5bb7c1d87b\_\_RS\_LB 4912.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/8c3c1c3f-5cf0-4daa-9267-243cf1b47927\_\_RS\_LB 5005.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/c98f32e2-c52c-4a35-bc34-c32af5a18b07\_\_RS\_LB 2807.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/420b4d84-d621-4a64-a8bd-30042f1a6609\_\_RS\_LB 2778.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/1b8ae46e-1202-4715-8ad1-fd18046c42d3\_\_RS\_LB 3880.JPG

ate\_Blight/5b3de8b6-0690-4a35-ab9d-ef6617c548ff\_\_RS\_LB 2925.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/2122118e-02ee-452b-864c-adf36ed5ce9c\_\_RS\_LB 2890.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/b9474ec5-5a67-4207-98ec-5671c19f8f59\_\_RS\_LB 2545.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/699bd8b5-3c57-48c8-be2b-c8a5e12b0764\_\_RS\_LB 4083.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/f528b00d-99a6-41db-8d96-9eed58b519c1\_\_RS\_LB 4544.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d1ae329b-19bc-40c3-afb1-404ecf3c98ee\_\_RS\_LB 2613.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/430b0d0d-c0aa-4e5b-9826-34251466f735\_\_RS\_LB 4718.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/a9d4290d-55a1-4a8d-83a8-5277a00e5fbc\_\_RS\_LB 4076.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/b334273e-833f-48fc-b6fb-7d7a31e1a541\_\_RS\_LB 4112.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/6a6315ef-b37d-4067-80cd-bb2d8adf93ca\_\_RS\_LB 2919.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/a5aabda7-209a-4e1e-966c-de2a1ccc7869\_\_RS\_LB 5046.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/38e8e3d1-7c0e-4d66-a926-79538ceadf07\_\_RS\_LB 4130.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/2572d994-464a-461e-a0c8-597dc2229c09\_\_RS\_LB 2763.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/ea356b9c-9090-4f0d-9083-d1f63c77372d\_\_RS\_LB 2800.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/b0db9fbb-ff7f-4b5c-901c-19c7797c1d4a\_\_RS\_LB 2969.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/73fb0463-c023-4749-8c37-dd11304de9b1\_\_RS\_LB 3112.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/9475f5bf-607b-4091-8a6d-8f09921478a7\_\_RS\_LB 5191.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d7fdf2fa-8a55-4ff5-86a2-ca73c5883e93\_\_RS\_LB 4665.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/bbdf98a1-9e54-4afd-bdfc-870d91627a52\_\_RS\_LB 2853.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/8e78b212-d2b4-4551-a1c1-70268ec75b0d\_\_RS\_LB 2958.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/90302aa5-644e-4857-b60f-92f6aed488fa\_\_RS\_LB 3246.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/ef49abc4-4b8e-4438-88a9-b3acfdb52014\_\_RS\_LB 2623.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/12345678-9a0b-4c1d-8e9f-5g6h7i8j9k0l\_\_RS\_LB 3456.JPG

ate\_Blight/b0137e92-ce1b-4523-95f0-7a827c206ee0\_\_RS\_LB 2913.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/c970a188-e4e6-43cd-aff7-d0ac40d378dc\_\_RS\_LB 4834.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/108aa677-2b51-4d8b-8533-40fba50a275d\_\_RS\_LB 3046.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/5e92b00d-92ed-4de5-b3f7-0d14a076cf02\_\_RS\_LB 4004.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/523537e5-5795-40f6-ad49-9394aec3f2e\_\_RS\_LB 3848.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/1f440bb7-e35d-4bc9-a807-81dac78c54b8\_\_RS\_LB 2727.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/49d18379-215d-427e-8662-9cde649d4a33\_\_RS\_LB 3163.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/317a40c6-c4d8-4b4e-9878-4f742e7f409a\_\_RS\_LB 4462.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/792d4339-f459-4ef6-aef9-431c64c95cc1\_\_RS\_LB 3251.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/319335dc-6a48-4fe4-932b-326f1455f3cd\_\_RS\_LB 4703.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/c0aeb29d-b504-47b5-aa5f-940a4f3b4e89\_\_RS\_LB 2972.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/93905331-a3b3-43dd-8596-d8f7e6b3e88f\_\_RS\_LB 3306.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/4ac84ca7-f60a-406e-938d-40f4ba5b75ce\_\_RS\_LB 2731.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/53b09253-988e-4a22-966c-b5a03ed6bc44\_\_RS\_LB 2924.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/e19d0007-3013-419d-a46a-0b1919f05cc4\_\_RS\_LB 4057.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d8ef0e69-3dfc-4d13-8d49-a44fa9cfa62e\_\_RS\_LB 4140.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/525c5249-eccb-4c23-b5b7-e9d103857432\_\_RS\_LB 4077.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/20880dc9-069c-40e5-81be-6d6e33f9519c\_\_RS\_LB 4098.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/668455c6-f7cf-4dc3-a4a8-858e7d4b55c9\_\_RS\_LB 3878.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/4bcc3ae-4246-48f8-9c07-f4a1d5856314\_\_RS\_LB 2760.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/9254f86d-5d83-4217-a7f5-84d08e1b93ee\_\_RS\_LB 4037.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/2ea232e4-2e94-426f-b86f-8bc5861f334f\_\_RS\_LB 4757.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/

ate\_Blight/6ce76067-e78f-42e3-a1d6-c04f92414038\_\_RS\_LB 5267.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/b8b4064f-208a-46f9-b13e-5096fdbdb429\_\_RS\_LB 2591.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/9f9623f9-e632-4342-b698-95a0521953f9\_\_RS\_LB 3068.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/43dde1e0-8c73-45af-8fbf-d500e450a154\_\_RS\_LB 3270.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/c073bdde-9753-4035-8758-31fdc7cae993\_\_RS\_LB 2916.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/19d8aac3-db88-4a07-84f2-40f7597c2a25\_\_RS\_LB 3867.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/00b1f292-23dd-44d4-aad3-c1ffb6a6ad5a\_\_RS\_LB 4479.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/68882ae5-79b6-4681-9e06-af8ae5999779\_\_RS\_LB 3952.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/a838f0ba-745a-4c0b-9895-f3349a6cee4a\_\_RS\_LB 4959.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/e01f9ba8-74b9-48d8-b96c-ac48463a4d29\_\_RS\_LB 2857.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/152ffbeb-7dda-4313-a792-9faf68c017bf\_\_RS\_LB 2830.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/1fa9afe6-69ab-4206-a8b5-487531391a37\_\_RS\_LB 3006.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/e4735c8f-e6da-46a1-b0fe-b1d2355a1bd4\_\_RS\_LB 2796.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/57462a7c-a8f4-4b99-b312-a8b6e6a0e6f0\_\_RS\_LB 5330.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/f3ee2886-4ada-4287-94b6-c4c93005b887\_\_RS\_LB 4352.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/fdc86644-2491-4ace-b7e3-190e1d68ebba\_\_RS\_LB 5129.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/b41284a3-27e9-4f0c-8946-4deb0b8fc238\_\_RS\_LB 2839.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/f95a6bbd-39a3-48e7-a612-8833c2b7b3ff\_\_RS\_LB 2784.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/5d1486fa-750f-47ca-a973-abc45ea5b4fe\_\_RS\_LB 4281.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/dd55ba8d-a425-4b06-9996-bbf315d71e6e\_\_RS\_LB 2737.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/6637f5da-44b1-43bc-9678-1f1188f1ed7c\_\_RS\_LB 4796.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/ebd47dca-590b-43c4-812d-32f95b776690\_\_RS\_LB 3834.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L

ate\_Blight/2c3eddb8-f475-42ce-af72-81271630ba07\_\_RS\_LB 4991.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/dc0ad08c-a096-4ad2-9a69-597c10e12f71\_\_RS\_LB 4869.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/77e2a857-e169-42f4-9886-708024781837\_\_RS\_LB 4705.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/76be1a95-8bf1-468e-bc6c-f7d8fa5b7e5b\_\_RS\_LB 4758.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/ecfc161f-11f6-449f-80c1-1b0254f5179a\_\_RS\_LB 4279.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/489107b2-13f2-401b-b931-39ca7fd4be2b\_\_RS\_LB 2665.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/29ad1bd3-9eca-4975-97b9-80d497a62811\_\_RS\_LB 2847.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/1338edcb-9e0e-458c-845e-206b869f9199\_\_RS\_LB 3205.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d7ef98cc-2d20-42ef-983a-5e45805a8ee6\_\_RS\_LB 3841.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/304b3fa0-f0cb-41b5-b835-9bd13773150a\_\_RS\_LB 4696.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/9c230647-02da-4948-9c52-dfc87bb1d34a\_\_RS\_LB 4593.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/f795a3d7-2915-447c-9e6f-df1d895f98bc\_\_RS\_LB 2792.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/c1389cbc-d327-478b-92b3-550c3210ed5a\_\_RS\_LB 4025.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/78fe147d-b9c8-460d-ba04-65fa82b39184\_\_RS\_LB 4870.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/0acdc2b2-0dde-4073-8542-6fca275ab974\_\_RS\_LB 4857.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/53367bb0-3f38-4c90-a71d-05592341e4aa\_\_RS\_LB 4149.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/b86274d3-554a-495d-8304-76484e3c4d15\_\_RS\_LB 4442.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/7c0ff85c-0a94-4ba3-9abf-010ba81a4780\_\_RS\_LB 4003.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/520c0e9a-1ba4-44fa-aa60-dcdf018a00b3\_\_RS\_LB 2850.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/a9c8a264-33be-48f1-bd1d-2cc6c9c8e247\_\_RS\_LB 4888.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/c48719ce-1230-465b-b481-177b7e0f7074\_\_RS\_LB 3835.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/16e37160-9dca-4110-a914-955304e7daf5\_\_RS\_LB 3033.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/16e37160-9dca-4110-a914-955304e7daf5\_\_RS\_LB 3033.JPG

ate\_Blight/9009c86e-1205-4694-b0bb-ef7cf78dd104\_\_RS\_LB 3995.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d94eae91-7d2e-4394-b892-8c8c7fa9cf11\_\_RS\_LB 4864.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/b5f127d1-1b1a-4baa-9158-58cf4b679990\_\_RS\_LB 4488.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d752ca70-320b-4d33-970f-8f3eed9141e\_\_RS\_LB 3166.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/37c1e3d4-e54b-431a-b370-2a506b6026a2\_\_RS\_LB 4461.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/31c96e0d-0a6a-42b4-bd7a-0faf2c8e462d\_\_RS\_LB 5298.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/f4e6847d-d381-4849-9ff1-930cfb597d08\_\_RS\_LB 5097.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/1a146bf4-5696-4e19-842e-9e0e1ac7ac6d\_\_RS\_LB 5023.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/1562e8f9-f2d1-43b3-8deb-6b1687bd20dc\_\_RS\_LB 2726.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/227f2f04-4d59-48d9-958d-5cccc70d3f2b\_\_RS\_LB 2772.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/94c50d24-cfd7-486c-a4ac-a10f552d0f8b\_\_RS\_LB 4329.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/224d9d63-c097-4142-b1a6-56f88a7bae2e\_\_RS\_LB 2630.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/be013aee-1311-4679-ae86-1c6fba5f55e5\_\_RS\_LB 2799.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/b5190917-8638-44bf-b16a-8004d2b6a58f\_\_RS\_LB 5241.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/b6b937ed-f629-4136-8d5a-38b734f7f662\_\_RS\_LB 4595.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d3e6cc68-6d84-406f-9e02-b81f8051ecb3\_\_RS\_LB 3992.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d9817cc3-ef03-41e5-8892-1fddd27b7bcc\_\_RS\_LB 4878.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/1c6ec55e-182e-4b7c-b416-07029edfc970\_\_RS\_LB 3950.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/c4aec622-2e7b-49f6-bab3-6c4dce29f155\_\_RS\_LB 3118.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/74d51dd6-7990-4d3a-95c6-5d67fac5cdad\_\_RS\_LB 2578.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/006cc01a-1888-4326-9b62-a65cb55a6377\_\_RS\_LB 5207.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/df5eb1ff-9261-45ab-ae3f-bf942cdf1a72\_\_RS\_LB 2947.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/

ate\_Blight/dbbd22b5-a565-470a-9e72-2c7d7c26dbe5\_\_RS\_LB 4932.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/2e2bc24d-9900-4b0b-a8ec-abb444350c03\_\_RS\_LB 4701.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/ab72ec63-290e-4e95-ab0a-b551ed44ab3b\_\_RS\_LB 3286.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/c63d5cca-9639-4d42-88c4-13572afa1dda\_\_RS\_LB 2747.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/53e33b6d-9fc5-441b-b638-3bf067f92a99\_\_RS\_LB 2753.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/9933b288-b5fe-4cbf-a9fa-58ef769b6f7c\_\_RS\_LB 2540.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/c268fd1d-0a6d-46f1-bbcd-81b4e79894e6\_\_RS\_LB 2808.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/6d51bd53-2556-410c-b151-547c83a06287\_\_RS\_LB 3276.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/17f8da33-18e6-454b-b9dc-a34c8dd52591\_\_RS\_LB 2945.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/9fa8f0a5-50ba-41d9-8132-077a807fcf86\_\_RS\_LB 4045.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/5ba52ca6-9cd2-4fad-914a-af2f8fea65c6\_\_RS\_LB 4740.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/889b0741-2110-47a9-a2d2-90194e5d7676\_\_RS\_LB 4787.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/96879d98-11ca-40c7-9708-9ca8f235f407\_\_RS\_LB 2739.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/5b12fde1-fe3a-49fe-8430-479775018322\_\_RS\_LB 3071.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/5318452f-222d-4abc-b39c-55fa6c26a82a\_\_RS\_LB 3063.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/b402845e-5414-423e-9f6d-29e3bdbb505b\_\_RS\_LB 2825.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/aa246de3-c183-4133-b4a9-2eba3fe3ae56\_\_RS\_LB 2951.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/1f84da28-3025-4cc0-8815-5b6b60205956\_\_RS\_LB 3326.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/8c1960cd-20e2-4a9c-a1ee-9800289b884f\_\_RS\_LB 3941.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/01a8cc9f-074a-4866-87c8-bb5a9e3895b4\_\_RS\_LB 2968.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/1e3e04cc-3778-4d78-b8f9-d60faa0534b0\_\_RS\_LB 5246.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/b294595b-8950-4e5b-8dfc-2ad9ca2c5e0a\_\_RS\_LB 4475.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/1f84da28-3025-4cc0-8815-5b6b60205956\_\_RS\_LB 3326.JPG

ate\_Blight/24482fe2-5139-4f73-909e-9ea4a3d8bf5d\_\_RS\_LB 4733.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/eb34280e-0cfb-4166-a9b8-a15892c9ff5c\_\_RS\_LB 4450.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/c77d14df-faac-47e9-97e1-fc84a7aa6e74\_\_RS\_LB 4322.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/ce5ec29b-599c-4c69-ba4d-04df7ab1c46f\_\_RS\_LB 4945.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/b167bd40-798f-4e70-a735-f191350dd057\_\_RS\_LB 4017.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/09a30eff-d386-456d-a6ce-ead7c0d6235b\_\_RS\_LB 5068.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/140cad58-de9c-44b8-afb4-af5751e2e012\_\_RS\_LB 3247.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/05c29b23-ecdf-41fc-be67-910bb74cd67c\_\_RS\_LB 4016.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/ad2396a9-306e-4ca9-88dc-56b2bde77c6b\_\_RS\_LB 2755.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/98f31440-de70-4c5f-be88-cdf2cb160d76\_\_RS\_LB 4947.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/0f1fb568-1b12-45ef-ad99-c59fa9075693\_\_RS\_LB 3242.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/b22a71a5-31a9-40c5-a3df-313e52748a61\_\_RS\_LB 4610.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/afcad9ca-9bd2-4c7b-b034-2b3d0360ac30\_\_RS\_LB 2741.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/9c6155e6-eb4b-4ef9-bcd5-812803cb16d9\_\_RS\_LB 3268.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/3221ccce-f264-4046-8252-77a8a357562b\_\_RS\_LB 4637.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/58adb74c-a1b3-4b9d-95b7-f0721c499388\_\_RS\_LB 4326.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/3c5e5bd4-e805-44b4-a030-51ee6bb1cef6\_\_RS\_LB 4139.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/eb2bd15b-a92b-4302-98a1-bbc13a0f95bb\_\_RS\_LB 2671.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d438f9b3-2952-425e-8c5f-a92a21b35f5f\_\_RS\_LB 4470.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/1dc41475-aa79-43f1-8648-0c8733d246ca\_\_RS\_LB 3319.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d385010f-53c1-4e7d-9fd3-50f0c98dc245\_\_RS\_LB 3865.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/33fa45a7-e6ff-4e75-9c6e-28570fdfedb6\_\_RS\_LB 3054.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/12345678-9abc-def0-4567-89ab-cdef09876543\_\_RS\_LB 2048.JPG

ate\_Blight/e36ccebd-29c6-466d-b46f-41fa38f6e9c0\_\_RS\_LB 5047.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/418e398c-d710-4682-af82-82f1e8822311\_\_RS\_LB 5218.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/9570095c-02e9-497b-bec1-4e526f3462e5\_\_RS\_LB 2815.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/bc91cb1b-aece-4108-92db-839a106351a5\_\_RS\_LB 3087.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/7774658c-0dcb-4b7c-a1fa-573de03373dd\_\_RS\_LB 3135.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/547d3544-5e37-484b-a853-254376c49081\_\_RS\_LB 2556.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/9c0e8576-642f-47a6-a053-c52e9025b7f6\_\_RS\_LB 4134.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/0eb24a67-a174-43db-86c7-cca8795942a2\_\_RS\_LB 4722.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/f62c0408-af09-4883-a780-7bd335e60443\_\_RS\_LB 5258.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/02c8ff21-4e0a-4326-ba8f-089e5cb45b74\_\_RS\_LB 4089.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/8aab9abd-f5e3-4653-80d9-317bef625ae2\_\_RS\_LB 5221.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/ec5974a3-4c73-4129-a372-8ddec73eb246\_\_RS\_LB 3034.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/33baf253-755d-4e3f-8d52-5caf59d0835d\_\_RS\_LB 2867.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/889d5479-9d54-49b1-9aba-3af34e377592\_\_RS\_LB 2635.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d3811753-f672-405c-afa3-8fbba2715bf4\_\_RS\_LB 2720.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/6fea732f-0819-4ba1-922a-8cbb1a94baff\_\_RS\_LB 3336.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/5a42a288-8be0-4985-9ca5-105f75c8ee01\_\_RS\_LB 3275.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/f14f54ba-3706-4f6e-8152-01226e55c86e\_\_RS\_LB 4237.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/c7c82b7c-078f-4ba9-90e3-db36a73bda22\_\_RS\_LB 5430.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/0051e5e8-d1c4-4a84-bf3a-a426cdad6285\_\_RS\_LB 4640.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/c6c8843f-6b36-472a-9a87-bf1a235e08b6\_\_RS\_LB 5136.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/6148bead-5236-461d-90ca-bc552dc95abc\_\_RS\_LB 2983.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/12345678-90ab-cdef-1234-567890abcdef\_\_RS\_LB 1234567890abcdef

ate\_Blight/9bdce182-987e-4996-8cc8-34694b4e24e9\_\_RS\_LB 2837.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/7673ac2a-707f-4575-a11d-afe44817bfd4\_\_RS\_LB 4342.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/42b19bb3-68b6-4c46-a626-f7480718360a\_\_RS\_LB 4686.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/5d85a25d-ed5a-459d-89fc-8bc9118518bc\_\_RS\_LB 4646.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/37075adc-dd51-4a5b-8a6c-0649cb98516b\_\_RS\_LB 2678.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/ee09546f-d7cd-4af9-9445-41745638c9c3\_\_RS\_LB 4471.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/7bf67e1e-57c8-4f68-bc5a-56b2a69f30ec\_\_RS\_LB 2509.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/1a18d84a-8811-4806-830f-d10e98b1800e\_\_RS\_LB 3919.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/0c2628d4-8d64-48a9-a157-19a9c902e304\_\_RS\_LB 4590.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/51a85617-5433-4a07-b822-fa1975cf76b1\_\_RS\_LB 4778.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/4afd8bf6-0e1e-4a85-a576-1e8995c88d5c\_\_RS\_LB 2505.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/37dbf454-f189-4fae-a9e7-a088e7be3f2e\_\_RS\_LB 4530.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/b6ad95ed-8f05-42a1-ac35-581696454497\_\_RS\_LB 3855.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/60463ced-752c-4af3-9082-1de380c572e4\_\_RS\_LB 2580.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/b69f17e7-b4e1-4911-91e4-01976bacba2d\_\_RS\_LB 5053.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/fe93615b-4160-4956-a65c-cdbc79af2052\_\_RS\_LB 5131.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/33938ff2-ee2c-4571-96dd-6229a0cb4e0c\_\_RS\_LB 5184.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d8e3b97f-d362-4e05-8600-a103580aace4\_\_RS\_LB 4773.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/5674826f-aeb6-4142-809e-ea9e4fd391c3\_\_RS\_LB 2940.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/f7bbae6e-df8d-4f2a-b8b8-52c94d9bf2b5\_\_RS\_LB 3212.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/6ecc23ac-9aed-47bb-8ee5-76574de85872\_\_RS\_LB 5010.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/a4534f9b-87ca-4ce0-a6f8-84f94544ef37\_\_RS\_LB 2775.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/12345678-9abc-deef-4532-1234567890ab\_\_RS\_LB 3000.JPG

ate\_Blight/3f0fd699-1ce7-437e-a899-662a51d59974\_\_RS\_LB 2904.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/72485a02-60b9-424a-ba1f-de8078b07176\_\_RS\_LB 3148.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/49e55f8e-4d44-452c-8e59-d4c4f0ae1085\_\_RS\_LB 4333.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/b4adb8c4-2cea-4027-b0fd-528406b14c86\_\_RS\_LB 4066.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/b64e4518-147a-4a75-9f9b-33db8902aa12\_\_RS\_LB 3202.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/bc53f0fd-df00-42c6-ad50-aef25d2c6f7a\_\_RS\_LB 2954.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/2d736aa6-79a6-42b0-9e92-d859bcd72824\_\_RS\_LB 5244.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/e6d7f5aa-d176-4e43-9e0c-afc2901442f6\_\_RS\_LB 3066.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/64df88c4-e308-48f3-b475-e2e6206bbd8a\_\_RS\_LB 3886.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/3e379b4f-29dd-4f14-86e6-11fa37cf3ae9\_\_RS\_LB 4789.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/c01daf14-9595-4b10-974d-3452fe133060\_\_RS\_LB 4463.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/4337f628-ff14-4603-9120-8639c78cacea\_\_RS\_LB 3183.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/05a51957-779c-4a2f-bf2a-d1fb03947793\_\_RS\_LB 4772.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/9934bde8-1c89-4ba6-95e6-015a69540873\_\_RS\_LB 4146.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/9a7d732b-12e2-400f-9206-068df63de1ba\_\_RS\_LB 2926.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/bf6ce80d-ca31-4d72-b56a-dbd6e6f2847a\_\_RS\_LB 4022.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/841a4e5a-7aa6-4b32-a2b2-436874a48fdb\_\_RS\_LB 4469.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/3cfeeaa97-88e1-42e6-b760-0fa125613e9c\_\_RS\_LB 4406.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/a84f32fc-ec8a-42e9-9f43-9efcf6493199\_\_RS\_LB 4884.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/e25e57fb-41d5-4f46-92f7-ce841bd97374\_\_RS\_LB 5448.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/2ef5c4f6-a798-40fd-8380-f444f3290987\_\_RS\_LB 4428.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/4f138229-2f00-4374-9c16-3732660bf011\_\_RS\_LB 4105.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/12345678-9a8b-0c9d-1e1f-2f3g-3h4i-4j5k-5l6m-6n7o-7p8q-8r9s-9t0u-0v1w-1x2y-2z3a-3b4c-4d5e-5f6g-6h7i-7j8k-8l9m-9n0o-0p1q-1r2s-2t3u-3b4v-4c5w-5d6x-6e7y-7f8z-8g9a-9h0b-0i1c-1r2e-2t3g-3b4h-4c5i-5d6j-6e7k-7f8l-8g9m-9h0n-0i1o-1r2p-2t3q-3b4r-4c5s-5d6t-6e7u-7f8v-8g9w-9h0x-0i1y-1r2z-2t3a-3b4b-4c5c-5d6d-6e7e-7f8f-8g9g-9h0h-0i1i-1r2j-2t3k-3b4l-4c5m-5d6n-6e7o-7f8p-8g9r-9h0s-0i1t-1r2u-2t3v-3b4w-4c5x-5d6y-6e7z-7f8a-8g9b-9h0c-0i1d-1r2f-2t3h-3b4g-4c5f-5d6e-6e7d-7f8c-8g9e-9h0f-0i1g-1r2h-2t3i-3b4f-4c5g-5d6f-6e7g-7f8d-8g9f-9h0g-0i1h-1r2i-2t3j-3b4g-4c5h-5d6g-6e7h-7f8e-8g9g-9h0h-0i1i-1r2j-2t3k-3b4h-4c5i-5d6i-6e7j-7f8f-8g9i-9h0j-0i1k-1r2l-2t3m-3b4i-4c5j-5d6i-6e7k-7f8g-8g9j-9h0k-0i1l-1r2m-2t3n-3b4j-4c5k-5d6j-6e7l-7f8h-8g9k-9h0l-0i1m-1r2n-2t3o-3b4k-4c5l-5d6k-6e7m-7f8i-8g9l-9h0m-0i1n-1r2o-2t3p-3b4l-4c5m-5d6l-6e7n-7f8j-8g9o-9h0p-0i1o-1r2p-2t3q-3b4m-4c5n-5d6m-6e7o-7f8k-8g9p-9h0o-0i1p-1r2q-2t3r-3b4n-4c5o-5d6o-6e7p-7f8l-8g9q-9h0r-0i1q-1r2r-2t3s-3b4o-4c5p-5d6o-6e7q-7f8m-8g9s-9h0s-0i1s-1r2t-2t3u-3b4o-4c5s-5d6o-6e7s-7f8n-8g9t-9h0s-0i1t-1r2u-2t3v-3b4p-4c5t-5d6o-6e7t-7f8o-8g9u-9h0t-0i1u-1r2v-2t3w-3b4t-4c5v-5d6o-6e7v-7f8p-8g9w-9h0v-0i1v-1r2w-2t3x-3b4v-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1x-1r2x-2t3y-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1y-1r2x-2t3z-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1z-1r2z-2t3a-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1a-1r2b-2t3c-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1b-1r2c-2t3d-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1c-1r2d-2t3e-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1d-1r2e-2t3f-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1e-1r2f-2t3g-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1f-1r2g-2t3h-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1g-1r2h-2t3i-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1h-1r2i-2t3j-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1i-1r2j-2t3k-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1j-1r2k-2t3l-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1k-1r2l-2t3m-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1l-1r2m-2t3n-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1m-1r2n-2t3o-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1n-1r2o-2t3p-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1o-1r2p-2t3q-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1p-1r2q-2t3r-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1q-1r2r-2t3s-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1r-1r2s-2t3t-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1s-1r2t-2t3u-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1t-1r2u-2t3v-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1u-1r2v-2t3w-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1v-1r2w-2t3x-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1x-1r2x-2t3y-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1y-1r2x-2t3z-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1z-1r2z-2t3a-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1a-1r2b-2t3c-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1b-1r2c-2t3d-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1c-1r2d-2t3e-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1d-1r2e-2t3f-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1e-1r2f-2t3g-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1f-1r2g-2t3h-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1g-1r2h-2t3i-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1h-1r2i-2t3j-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1i-1r2j-2t3k-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1j-1r2k-2t3l-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1k-1r2l-2t3m-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1l-1r2m-2t3n-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1m-1r2n-2t3o-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1n-1r2o-2t3p-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1o-1r2p-2t3q-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1p-1r2q-2t3r-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1q-1r2r-2t3s-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1r-1r2s-2t3t-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1s-1r2t-2t3u-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1t-1r2u-2t3v-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1u-1r2v-2t3w-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1v-1r2w-2t3x-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1x-1r2x-2t3y-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1y-1r2x-2t3z-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1z-1r2z-2t3a-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1a-1r2b-2t3c-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1b-1r2c-2t3d-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1c-1r2d-2t3e-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1d-1r2e-2t3f-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1e-1r2f-2t3g-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1f-1r2g-2t3h-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1g-1r2h-2t3i-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1h-1r2i-2t3j-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1i-1r2j-2t3k-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1j-1r2k-2t3l-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1k-1r2l-2t3m-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1l-1r2m-2t3n-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1m-1r2n-2t3o-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1n-1r2o-2t3p-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1o-1r2p-2t3q-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1p-1r2q-2t3r-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1q-1r2r-2t3s-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1r-1r2s-2t3t-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1s-1r2t-2t3u-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1t-1r2u-2t3v-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1u-1r2v-2t3w-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1v-1r2w-2t3x-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1x-1r2x-2t3y-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1y-1r2x-2t3z-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1z-1r2z-2t3a-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1a-1r2b-2t3c-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1b-1r2c-2t3d-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1c-1r2d-2t3e-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1d-1r2e-2t3f-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1e-1r2f-2t3g-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1f-1r2g-2t3h-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1g-1r2h-2t3i-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1h-1r2i-2t3j-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1i-1r2j-2t3k-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1j-1r2k-2t3l-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1k-1r2l-2t3m-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1l-1r2m-2t3n-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1m-1r2n-2t3o-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1n-1r2o-2t3p-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1o-1r2p-2t3q-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1p-1r2q-2t3r-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1q-1r2r-2t3s-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1r-1r2s-2t3t-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1s-1r2t-2t3u-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1t-1r2u-2t3v-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1u-1r2v-2t3w-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1v-1r2w-2t3x-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1x-1r2x-2t3y-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1y-1r2x-2t3z-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1z-1r2z-2t3a-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1a-1r2b-2t3c-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1b-1r2c-2t3d-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1c-1r2d-2t3e-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1d-1r2e-2t3f-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1e-1r2f-2t3g-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1f-1r2g-2t3h-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1g-1r2h-2t3i-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1h-1r2i-2t3j-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1i-1r2j-2t3k-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1j-1r2k-2t3l-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1k-1r2l-2t3m-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1l-1r2m-2t3n-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1m-1r2n-2t3o-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1n-1r2o-2t3p-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1o-1r2p-2t3q-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1p-1r2q-2t3r-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1q-1r2r-2t3s-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1r-1r2s-2t3t-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1s-1r2t-2t3u-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1t-1r2u-2t3v-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1u-1r2v-2t3w-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1v-1r2w-2t3x-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1x-1r2x-2t3y-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1y-1r2x-2t3z-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1z-1r2z-2t3a-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1a-1r2b-2t3c-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1b-1r2c-2t3d-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1c-1r2d-2t3e-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1d-1r2e-2t3f-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1e-1r2f-2t3g-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1f-1r2g-2t3h-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1g-1r2h-2t3i-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1h-1r2i-2t3j-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1i-1r2j-2t3k-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1j-1r2k-2t3l-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1k-1r2l-2t3m-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1l-1r2m-2t3n-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1m-1r2n-2t3o-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1n-1r2o-2t3p-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1o-1r2p-2t3q-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1p-1r2q-2t3r-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1q-1r2r-2t3s-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1r-1r2s-2t3t-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1s-1r2t-2t3u-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1t-1r2u-2t3v-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1u-1r2v-2t3w-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1v-1r2w-2t3x-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1x-1r2x-2t3y-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1y-1r2x-2t3z-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1z-1r2z-2t3a-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1a-1r2b-2t3c-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1b-1r2c-2t3d-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1c-1r2d-2t3e-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1d-1r2e-2t3f-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1e-1r2f-2t3g-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1f-1r2g-2t3h-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1g-1r2h-2t3i-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1h-1r2i-2t3j-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1i-1r2j-2t3k-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1j-1r2k-2t3l-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1k-1r2l-2t3m-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1l-1r2m-2t3n-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1m-1r2n-2t3o-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1n-1r2o-2t3p-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1o-1r2p-2t3q-3b4x-4c5x-5d6o-6e7x-7f8o-8g9x-9h0x-0i1p-1r2q-2t3r

ate\_Blight/c4263e49-60ed-4f6b-aa78-cc9f3117ce73\_\_RS\_LB 4100.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/1e69b122-3920-4c4a-bfff-a18f3d6c3f89\_\_RS\_LB 4766.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/56aa566a-41be-4109-91bc-0cc99c385b7f\_\_RS\_LB 3843.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/51eb7a7a-99b4-47c4-be2f-2de9f4e5e985\_\_RS\_LB 5182.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/55fa97d3-71b6-4487-9757-f9195f97ba5a\_\_RS\_LB 4047.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/9caba61f-ea63-4ea5-9d85-1f22b6a1a006\_\_RS\_LB 4451.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/42bc0da9-199f-428f-854c-a9b05c57aa75\_\_RS\_LB 2770.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/37ac120b-240a-42fc-839c-90c6dea13d85\_\_RS\_LB 5214.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d5a52702-2160-4f20-a1d8-49db59f83f9a\_\_RS\_LB 3213.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/2a52ba17-febc-49b9-b5ab-52a500d387de\_\_RS\_LB 2621.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/29d49eb8-84d0-402d-9f00-c1149b8b3e16\_\_RS\_LB 3031.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/1d05837e-11e4-40a4-8bd5-cfe5ad67365a\_\_RS\_LB 5428.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/f5f41985-23db-4902-96a1-db4d7f95a26a\_\_RS\_LB 3177.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/63490f84-88b0-4105-bb76-23990e98c692\_\_RS\_LB 3041.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/73d0be73-8a51-417a-ac46-67a37462efa3\_\_RS\_LB 4457.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/9001b18c-b659-4c56-9dfb-0d0bf64a7b4a\_\_RS\_LB 4987.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/9e979a65-61bf-4d07-a444-7c22ae1a58b1\_\_RS\_LB 4886.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/5239c829-457f-4e6c-b0af-ef5f58abddd0\_\_RS\_LB 5329.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/30777af4-cbb4-44bf-946b-f1c5d17704ee\_\_RS\_LB 4822.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/ae5b08fa-25b7-4006-8b1b-2415356b3847\_\_RS\_LB 5453.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/b89a9e11-b184-4b4d-bc56-5f27a2626982\_\_RS\_LB 2512.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/034a54f1-e3e9-4524-a318-9d253d9f1394\_\_RS\_LB 2893.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/12345678-9abc-deef-4567-890123456789\_\_RS\_LB 3000.JPG

ate\_Blight/2f419afc-a232-42c7-b0ff-92d928647a0f\_\_RS\_LB 4917.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/36d3502f-32cd-4ef9-b63d-575db1c18cf8\_\_RS\_LB 4908.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/a33c54fb-6b78-4235-b34e-42f85f6bc5b8\_\_RS\_LB 5060.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/5b816f46-32b8-4a67-9e73-760e3358bd06\_\_RS\_LB 3226.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/f1764cd0-d391-4214-93db-20299d62e853\_\_RS\_LB 3012.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/bb19c5f3-2937-4c87-b964-d922088f4b19\_\_RS\_LB 4950.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/4ca06863-f89b-497c-bd3a-9bca78f02942\_\_RS\_LB 3088.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/bf07f2b7-6ab3-4192-a418-ecabc32a11fe\_\_RS\_LB 2576.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/fcc8393e-18f5-48c2-bd87-a0dabc151810\_\_RS\_LB 4029.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/9a179173-fbfb-4e92-9959-58b826625c9b\_\_RS\_LB 4761.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/b86630ca-89d0-4f83-9942-c1bfcc6b06c\_\_RS\_LB 4339.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/2657bf2b-c03e-4ec6-bf6a-4afe8645acec\_\_RS\_LB 3110.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/ea2bb076-a483-4570-88ac-8ab236d4bb92\_\_RS\_LB 2503.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/468629f7-6ca2-4823-9a39-d42b4d92c4bb\_\_RS\_LB 5312.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/52c6891d-e627-4ebf-a080-3e8051531f5a\_\_RS\_LB 4092.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/794ef65d-1a4c-445a-b77c-f00d36ec82c6\_\_RS\_LB 2869.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/e47b3a9a-24ea-460a-8a8f-4fc9814a072e\_\_RS\_LB 3314.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/e1197d2d-980a-45b1-9ab1-5b7cc36660bc\_\_RS\_LB 3885.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/44112cb9-7423-4983-bb9a-cb32e3ea9ac3\_\_RS\_LB 2793.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/fd35fb86-6558-40f2-b8ac-6922e2107af5\_\_RS\_LB 4095.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/7b32b8b9-6b65-44e6-a3e5-edd7a5d62ec4\_\_RS\_LB 4142.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/50abdfa1-411f-4afe-8f78-1ffb7816792f\_\_RS\_LB 2694.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/7b32b8b9-6b65-44e6-a3e5-edd7a5d62ec4\_\_RS\_LB 4142.JPG

ate\_Blight/ab9b15fb-d4cc-4d67-a5bb-8b88f066c1db\_\_RS\_LB 4825.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/bd94e2a1-d503-417b-8552-f252a5665476\_\_RS\_LB 4006.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/437640c6-1680-4d1b-aa0b-c1dd52aa13a5\_\_RS\_LB 4926.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/749a1b32-7152-4dce-87b4-92af094f6b9b\_\_RS\_LB 3310.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/267d6db0-95db-4945-a6b0-bf05b11ef8ff\_\_RS\_LB 3231.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/a8db407c-12cb-460c-991a-8f60d20c06bc\_\_RS\_LB 5117.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/5ebe5b4f-c3e3-435d-b2d5-49fa1002dbaa\_\_RS\_LB 2955.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/ae52f85f-bce0-4fb9-a109-009e099a72e6\_\_RS\_LB 4972.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/04fe5855-ec9c-40b3-9893-ca8addc236bd\_\_RS\_LB 4913.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/cd38f533-9b7d-4afd-bbd9-9ee5ab2aa3e8\_\_RS\_LB 2680.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/acf05b32-0d7e-423c-96b2-f78b6fdf975d\_\_RS\_LB 5309.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/67001c81-d182-4bc6-b9b8-f25ddb0a2db4\_\_RS\_LB 5231.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/8e1d2020-3d04-46b1-bd71-82922e1aea6\_\_RS\_LB 5017.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/1e1fde7a-c535-49fd-9670-629f7fb9cb3d\_\_RS\_LB 3949.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/3f624c56-6bd1-4e7e-8fcf-d6b4480abe12\_\_RS\_LB 5215.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/f87fce12-78df-4a8c-92ff-8c0b83cc82b9\_\_RS\_LB 3025.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/bb1949c9-c779-4490-b1cc-d82302bc1df9\_\_RS\_LB 2901.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/718aefec-0eba-48fe-9798-f45d3d24fade\_\_RS\_LB 4119.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/cd04dd6c-fe7b-4587-ae2e-69228969d9d6\_\_RS\_LB 4824.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/42cd0719-199a-40a8-aaa0-228bb80e1832\_\_RS\_LB 4440.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/c7982d1f-7472-44ba-a39d-76085c4d90cd\_\_RS\_LB 3072.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/805f68c3-b0a9-4072-8ef6-4c48d804e888\_\_RS\_LB 5159.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/12345678-9abc-deef-4567-8901f0b12345\_\_RS\_LB 3000.JPG

ate\_Blight/410cba02-24db-487a-a30c-fc7cefa924b\_\_RS\_LB 2571.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/fb13e4c8-17e4-48a9-899b-dfc7f302196c\_\_RS\_LB 4374.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/ec53a246-df50-44c1-a87c-c8296f25f20c\_\_RS\_LB 4717.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/70b8c0ad-be72-4f3f-84ba-7439f83b089b\_\_RS\_LB 4446.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/2717d9f6-68a9-44ca-b290-0311a5356621\_\_RS\_LB 4564.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/6f88dbd4-3e54-47ae-850a-0e9c7d9d700d\_\_RS\_LB 4737.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/9e38f130-d8bb-4872-9e46-f43c7d0877c7\_\_RS\_LB 5096.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/3f2d7c62-8d58-4a40-9df4-0ab3497b13b9\_\_RS\_LB 4487.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/99064106-3789-4de4-b109-ebc83a20d94b\_\_RS\_LB 2757.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/03bab48b-962b-4c08-bc98-da95237d20ac\_\_RS\_LB 3190.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/815516f8-6fb1-4f92-bdff-63349e5ee83f\_\_RS\_LB 3237.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/dbad8fb5-90a0-4bcc-902e-7b7b632d0233\_\_RS\_LB 4036.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/764311f2-6fd3-424d-aabc-9ad013a41997\_\_RS\_LB 3136.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/b811c2af-734e-4689-aa43-4ab1d4faec32\_\_RS\_LB 4719.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/542c1489-0040-4867-acb3-82f73249e2f8\_\_RS\_LB 4592.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/84f666da-9e17-4e90-9813-0ed64da175d9\_\_RS\_LB 2536.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/1e0326a5-b208-447f-9d60-f788ec4b6e3f\_\_RS\_LB 4526.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/3456a2d1-59d1-4111-9cc8-16a6b12e973e\_\_RS\_LB 5249.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/89c3b470-f3e6-4a8c-90a0-edfc0ef73085\_\_RS\_LB 4543.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/ef48ec23-0655-43d7-9475-8e73086033a2\_\_RS\_LB 5219.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/02282fee-ba3f-460e-91e0-630204ab96c2\_\_RS\_LB 5031.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d30021ba-fbbd-451b-b257-1fc5c6ac54d4\_\_RS\_LB 4466.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/1e0326a5-b208-447f-9d60-f788ec4b6e3f\_\_RS\_LB 4526.JPG

ate\_Blight/7153262e-7692-441e-9677-056a349d62b8\_\_RS\_LB 4813.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/e9642678-b019-4ac2-a960-66fccb2ccaa\_\_RS\_LB 2948.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/1a5f4258-21df-4334-a933-2ef073c932ba\_\_RS\_LB 3089.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/7ce28b45-467c-4962-a030-f621b4bc76a8\_\_RS\_LB 2644.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/600100de-8374-4ddd-a816-318235e27948\_\_RS\_LB 2895.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/6f2f2f80-80f5-4f0b-86f6-a0d9b0fa4cbc\_\_RS\_LB 4034.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/ed2d2803-3b9b-4c3c-ab8a-9aea2bf76ffd\_\_RS\_LB 5190.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/c008d8a7-aa55-400b-ad6c-f4fd7654c516\_\_RS\_LB 5242.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/ee1e965f-2bee-4a7a-8356-1118c9e41cd3\_\_RS\_LB 4120.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/2c33381e-78d8-47fc-8cea-1459164f46d6\_\_RS\_LB 4115.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/f93b9fc8-469b-4a2f-8c0b-ca3d1a093185\_\_RS\_LB 3870.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/2269e6d9-bb15-49f1-8349-2f0126165960\_\_RS\_LB 3197.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/aaf6fed2-0c7d-47b5-99df-bb6950092fe5\_\_RS\_LB 2723.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/516099d5-5399-4d6e-916d-014a84a02a18\_\_RS\_LB 4118.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d20fef22-7016-4115-9930-a66b32c718c6\_\_RS\_LB 4417.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/6f5a4763-2865-4bdf-8c7f-49ab7a53126a\_\_RS\_LB 5237.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/ae805316-66e9-4aaf-b938-8460734b90ec\_\_RS\_LB 3004.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/aceeb511-1332-4d25-b9fe-64d53445396a\_\_RS\_LB 4837.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/a7dc8b54-5e4a-4055-ae98-eba4268cf966\_\_RS\_LB 5243.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/2b974785-090d-4dae-81a2-ce3ebc2a1c68\_\_RS\_LB 4634.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/4cd2f7ef-e3aa-4b2a-b382-6fea00bfd070\_\_RS\_LB 5006.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/fabf3179-8fba-4551-93fe-28e7f6c0efc3\_\_RS\_LB 3269.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/1a5f4258-21df-4334-a933-2ef073c932ba\_\_RS\_LB 3089.JPG

ate\_Blight/1a674846-9d13-4a7f-ba03-8931c5dd3d2c\_\_RS\_LB 2768.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/06554e38-28ce-429d-b8e9-520e61e3c58f\_\_RS\_LB 2692.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/ea620852-7590-4d82-8349-1470cb1fe3a8\_\_RS\_LB 2719.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/74ee080b-cad8-4090-9f2a-07411eb8481a\_\_RS\_LB 4956.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/ec958877-f479-4c8c-a947-3686039f8921\_\_RS\_LB 2587.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/b9939f3e-c71c-4653-acff-109a8266dddf\_\_RS\_LB 2787.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d98195f0-bdf8-4e0d-9fd5-af86cfed2a6c\_\_RS\_LB 4790.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/a904edc1-4c4d-4171-a46e-ae914010884b\_\_RS\_LB 4373.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d4486c3c-6d93-4d08-a3f5-7f4ae1f7ef3b\_\_RS\_LB 2829.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/1cd053f6-0016-4680-a924-af15aec7fb2\_\_RS\_LB 4414.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/cbb653f7-72fd-4499-9d90-efdcd8c30077\_\_RS\_LB 2764.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d42061d8-9da0-4190-8dd0-d3629f0cfa53\_\_RS\_LB 3954.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/cf979c44-abfa-4ed3-865e-ee0c204ba9f0\_\_RS\_LB 4662.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/97bab05-67f1-49d4-9821-6fb8294da5e8\_\_RS\_LB 4541.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/8f12dae8-d44b-4d16-8815-4da5f9a9ff55\_\_RS\_LB 4283.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/4f249e3b-92a0-43e5-a70d-fe3045630437\_\_RS\_LB 3913.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/93935af4-3aae-4dd6-90d9-fb28e439faf0\_\_RS\_LB 3299.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/c7adbae8-04db-489d-b9e6-c12de387d25c\_\_RS\_LB 2697.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/37c47f95-2216-4f78-87a1-504b198a4f4c\_\_RS\_LB 4327.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/4a5c555b-3f00-4553-b6a4-3be268969d7f\_\_RS\_LB 4323.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/58475c1a-a4c2-43bd-b361-60523b5c62d2\_\_RS\_LB 3912.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/e956d757-4016-4d20-96a6-6844787ddc46\_\_RS\_LB 4815.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/1a674846-9d13-4a7f-ba03-8931c5dd3d2c\_\_RS\_LB 2768.JPG

ate\_Blight/447c4811-7ed2-4576-81b4-2f67c8993db7\_\_RS\_LB 4137.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/4a34ce1c-9fde-4707-947a-58432a695741\_\_RS\_LB 3277.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/a6623827-bcdc-40ed-81e6-5cde1a1da997\_\_RS\_LB 3179.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/ae966e38-73b3-47c1-9421-20ac2f570f46\_\_RS\_LB 3240.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/0d8346e1-4624-4979-84e6-1353ca59007a\_\_RS\_LB 4079.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/6463a976-e8e1-4698-8044-c1b6db0ef5ee\_\_RS\_LB 4741.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d2d8eb78-d267-4c37-a18c-b39a0bb11d82\_\_RS\_LB 3147.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/df6898c4-f3a1-4ff2-8f44-3bc45a8d4ec5\_\_RS\_LB 3316.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/ccdf64d2-81fe-429e-8041-05b5a9ce50c9\_\_RS\_LB 5052.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/97a903b7-9b9b-4014-9052-a284f21bfd53\_\_RS\_LB 2511.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/58f100f0-490b-4868-95d1-5883fc3432d3\_\_RS\_LB 3302.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/b5442887-db0b-4b94-a6f1-18505731a599\_\_RS\_LB 4969.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d105e6d5-4268-4b21-8709-24b894196454\_\_RS\_LB 3282.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/55987838-6174-4182-be76-78ddd50890fb\_\_RS\_LB 4714.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/cb4fe901-5ca8-43e9-9a4f-3b9bf34ea364\_\_RS\_LB 3943.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/a5028ead-ac95-4a90-89cb-aaac512d502a\_\_RS\_LB 3957.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/43396f0d-f05b-4dce-a209-9edcbd62d39c\_\_RS\_LB 4407.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/0201bf8e-27e3-4c92-ae97-2fb4f665b5d3\_\_RS\_LB 4320.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/350662fe-0ebf-4e6b-9ff9-6ceaf9d22067\_\_RS\_LB 3877.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/1d4acd15-f2b9-4a2e-87da-9d5a2cc6a642\_\_RS\_LB 2752.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/6af65e0d-c1a5-4a28-9ecb-19e7e6d91a70\_\_RS\_LB 4128.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/fc748621-bd56-4012-a617-9e30df58ecfc\_\_RS\_LB 4402.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/

ate\_Blight/2a0727c6-24d9-4d20-89ed-51bbd36a4b5a\_\_RS\_LB 2987.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/08ddae0c-5328-4183-b16e-c980f197e471\_\_RS\_LB 2845.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/b469e38c-ef99-4ed1-b294-1e65727138fb\_\_RS\_LB 4056.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/954d36cb-4a20-4889-83dd-4cba7e7180f8\_\_RS\_LB 4536.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/feefc118-4434-4ffb-afbb-02fb292f72b6\_\_RS\_LB 2874.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/31b2a640-4063-41f1-97c5-03ceca0ce131\_\_RS\_LB 5439.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/351a1e47-c9b5-4b38-a5c1-b3d390bfe506\_\_RS\_LB 4429.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/8b0ef54c-6d28-47bb-a657-287afbb8a620\_\_RS\_LB 3298.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/f1b1a037-34e4-4016-a0bc-703059820f24\_\_RS\_LB 4343.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/c60533e5-8080-4c77-8ae4-7c1f2f7350cb\_\_RS\_LB 2810.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/17ed933e-629f-4db2-b4f3-865f69d43589\_\_RS\_LB 2599.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/e0a559bf-6345-4c5a-8b42-5545b52a2f1b\_\_RS\_LB 5456.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/a3bf27ee-b4ec-4f72-a25b-9d47b4cd100d\_\_RS\_LB 2889.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/09a215a1-a539-4635-a27f-232229ff11f4\_\_RS\_LB 4529.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/9996efa6-219d-4f07-aa12-dc8ca40609b9\_\_RS\_LB 2840.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/465165a0-33c0-4593-8324-03513e71079d\_\_RS\_LB 4445.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/c8bfd67e-892e-4502-982a-adba5505be5d\_\_RS\_LB 4444.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/7eeb65d4-122d-45db-b6b0-820ccb6f2dc5\_\_RS\_LB 4539.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/9d0f96e2-93c7-4202-b1d1-6f878c066be7\_\_RS\_LB 3106.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/33551627-5824-42b9-9547-4df44590fee1\_\_RS\_LB 4848.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/da16cb94-4f1d-4390-b446-19eac2110115\_\_RS\_LB 2912.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/c6ecc36c-1886-4d2d-89aa-0e9e9dc7ba32\_\_RS\_LB 4997.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/

ate\_Blight/fc759d3f-64c7-4e45-9a0c-5a2f07fd1055\_\_RS\_LB 3030.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/8ee9f477-92a7-43a0-9377-0535b218a21d\_\_RS\_LB 5266.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/8e864e28-d161-4888-bf90-fd9467bfe9c2\_\_RS\_LB 4574.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/541591d3-3560-4540-ac2c-9749936e80ae\_\_RS\_LB 2553.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/b9aecfc3-98d5-467a-8773-ee2905918c71\_\_RS\_LB 5161.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/e12ede80-8428-4424-b95d-5d3267d112a8\_\_RS\_LB 3079.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/78f43f26-36e5-43c2-9b87-a08d8a0b8a11\_\_RS\_LB 2843.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/762a9cd9-7da1-4885-b677-870da1e41768\_\_RS\_LB 2592.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/29d84246-f2a5-4c18-8ddc-2f2d38046ae2\_\_RS\_LB 2625.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/02212653-e92b-49aa-96b7-9497af51e502\_\_RS\_LB 3151.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/cf83a586-2f2a-423b-8e1c-f7c284a20ec1\_\_RS\_LB 2785.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/4664efe7-50ae-4a32-b818-2ec7f3881471\_\_RS\_LB 4478.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/dae7db93-d197-4616-a16b-5dcc59058bc2\_\_RS\_LB 3178.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/acd7a42b-15eb-40e4-823c-49eff6b4e95e\_\_RS\_LB 4636.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/146c4ea6-cf74-4607-9b8e-19c69c85ec86\_\_RS\_LB 4641.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/3d4b41e8-18f8-400a-a961-82731c6ac4d5\_\_RS\_LB 5157.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/9032d569-294e-4b8b-a70f-ecff949e43e2\_\_RS\_LB 3998.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/8542cb42-d817-4850-b42f-1fa7083e37d9\_\_RS\_LB 4780.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/4d085c80-4d57-4377-8fb3-eab3a25e5f5c\_\_RS\_LB 3060.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/85d29f87-cb27-4ffa-9ad8-9c47f9a53b33\_\_RS\_LB 4437.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/9dae6946-8d64-403b-bc51-b1b58cf8050b\_\_RS\_LB 4028.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/7e486917-7f31-4a26-b0ca-6175ebc2beee\_\_RS\_LB 4113.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/9032d569-294e-4b8b-a70f-ecff949e43e2\_\_RS\_LB 3998.JPG

ate\_Blight/5f6e341d-3a02-4bc5-ae02-c0a343a835ea\_\_RS\_LB 4882.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/5551d3fa-ed55-46df-8a35-b3c53ffcd31\_\_RS\_LB 4138.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/2c1218c8-eaea-4f5a-be4b-34e34a705063\_\_RS\_LB 2530.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/a3e80876-49cd-4856-9253-8df14fc36dcd\_\_RS\_LB 3851.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/57a137da-7424-4a9d-9e28-bce63decbdcf\_\_RS\_LB 2761.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/2425fba0-8d06-4f05-9d0c-258c39777a37\_\_RS\_LB 4915.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/76bea797-306c-4fc5-a868-69394fed05d4\_\_RS\_LB 2900.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/c5ff46d5-8f49-409f-b3c1-9a1a25418f47\_\_RS\_LB 2596.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/55ed5831-c628-4352-87a8-13077705fb9a\_\_RS\_LB 2872.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/1b8f80ae-38a2-4d08-ae92-f80ff4459a73\_\_RS\_LB 2554.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/94ebce3c-2945-44a4-aa81-1abe8e4beea2\_\_RS\_LB 3953.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/85bbcdd2-a9fe-46d1-8e0e-f4e2c5e885fe\_\_RS\_LB 3218.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/14691d2b-446b-4f0e-921b-60d3b76cbf03\_\_RS\_LB 2518.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/025f3c76-6d6c-4dad-ba22-e3e72d084ef1\_\_RS\_LB 3105.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/12ce2ab1-14c4-4960-81d4-e6ae776510e9\_\_RS\_LB 2880.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/6d22d4ab-de5f-4944-96f9-4ec495a8e4f1\_\_RS\_LB 3109.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/1a6fc494-81dd-4649-ad8d-a5a6e58a2aa7\_\_RS\_LB 2618.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/145216a1-aab7-4f40-851d-a56c436ad0e3\_\_RS\_LB 2715.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/2482a11a-46b1-4e06-9b5c-4af0089b3259\_\_RS\_LB 4087.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/2c2b39ed-75f9-49f6-a28e-36a2cb608297\_\_RS\_LB 2794.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d4d37fcb-95c0-4e20-809c-6b92e6a565f3\_\_RS\_LB 5110.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/17a07992-ebb9-4368-8cb7-4af40d8ded08\_\_RS\_LB 3064.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/17a07992-ebb9-4368-8cb7-4af40d8ded08\_\_RS\_LB 3064.JPG

ate\_Blight/af17b876-b0e7-43ce-95e8-8591066dfdc9\_\_RS\_LB 3976.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/fb9dc049-ec76-4502-9a11-13fb62a26ed4\_\_RS\_LB 3916.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/b3123a68-bf01-4d71-a561-e1e7363a6419\_\_RS\_LB 2586.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/3a0033d6-2efc-4926-a9eb-3969d815d630\_\_RS\_LB 5144.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/ea5fc080-37a7-4954-ba8c-a5d67b6a0962\_\_RS\_LB 2888.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/1c207156-339d-4ec9-9153-9edb3bc95b5f\_\_RS\_LB 4833.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/2438dfce-68a1-4026-a006-4c99a0f6259b\_\_RS\_LB 5116.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d2ff230f-99a5-4dc5-968c-246d772788af\_\_RS\_LB 3279.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/f2676f08-798e-4291-8aa2-0655ca54cb07\_\_RS\_LB 4292.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/b574ad16-1c07-4f70-bf1d-e2314d2dd81f\_\_RS\_LB 2849.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/54ed9ec4-c9db-46ff-9a9b-1ebdea084b18\_\_RS\_LB 2984.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/c3cd2ad3-174e-48b4-a7a5-ce63be745fd5\_\_RS\_LB 3243.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/e465af98-028c-4222-b300-d9688b613d89\_\_RS\_LB 5137.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/465669d7-b75c-4aab-8ccc-af3566baf2e3\_\_RS\_LB 4985.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/c6842cfb-6996-4a51-bc0a-7e2f89a903f0\_\_RS\_LB 3911.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/ea06da1e-81c9-4e2e-8266-1f3d56914ff3\_\_RS\_LB 2701.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d30d25f1-74ca-42d3-804d-c31b06720c46\_\_RS\_LB 2817.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/ec88be1e-7e05-4fa4-b456-529d7f1bf81c\_\_RS\_LB 3922.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/2d8cbe58-280e-4c93-9b06-26f4279eb4d8\_\_RS\_LB 2855.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/e9429874-1098-43af-bc38-0acc0b93f4f9\_\_RS\_LB 2682.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/23e2a413-2191-4a94-a305-c12b4ed24aa3\_\_RS\_LB 2555.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/eb5ff6de-b988-42d7-87bf-374a4b938af9\_\_RS\_LB 4234.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/

ate\_Blight/93d91b96-e024-477c-9b76-796e3f1614d4\_\_RS\_LB 3297.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/aa58c1c8-82a1-4e68-9ecb-3cd47341d09b\_\_RS\_LB 4331.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/dce12e0f-6f9d-4c29-ad7a-5e8216b690e0\_\_RS\_LB 4721.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/8829e413-5a7a-4680-b873-e71dfa9dbfe4\_\_RS\_LB 3974.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/990428a4-bfa8-450d-a755-fade1df0a214\_\_RS\_LB 4082.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d78c58b2-c9d1-43f2-8b18-4455855c0f1f\_\_RS\_LB 3288.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/38fa4c3b-0541-4d14-80e7-84a1153b9e5f\_\_RS\_LB 4713.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/f07f6548-70d6-4f8c-81e6-d8193c19061b\_\_RS\_LB 4984.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/1650365d-437c-4d36-b110-113a88c1090a\_\_RS\_LB 5459.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/a3389c1f-d888-430d-bcf7-a546247ad6d2\_\_RS\_LB 3092.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/2a3e5c22-1e37-4ba0-8686-cf7482e4e8d3\_\_RS\_LB 4126.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/971ec52d-67e9-4438-80f6-a6aa32fdc946\_\_RS\_LB 3048.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/b57c6336-3be6-4021-b240-8547da86d218\_\_RS\_LB 5007.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/ae80781d-725e-486e-9677-4149b0d751ef\_\_RS\_LB 5442.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/40285dce-33de-4a59-82f4-2eb1d6d38469\_\_RS\_LB 4929.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/977cefff-6bb2-41d4-9496-d30e03c71112\_\_RS\_LB 3287.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d1a28228-aae8-4348-b7a1-545dcf72d842\_\_RS\_LB 3875.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d66ee513-26cc-4676-8aeb-9902e0969d2b\_\_RS\_LB 3999.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/2addf5f2-acc5-448c-88a1-fe357d9aa9ac\_\_RS\_LB 4736.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/031c39d3-9a91-4e81-85ac-b36512133b0a\_\_RS\_LB 5220.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/7a4371b2-72c6-414e-b73e-6e4b4adab72f\_\_RS\_LB 3289.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d71490c0-7315-4301-b9cd-19de9357a2f7\_\_RS\_LB 3203.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/12345678-9abc-deef-1234-5678901234567890\_\_RS\_LB 3000.JPG

ate\_Blight/8bf37a1e-4535-4919-953e-69376f5be48a\_\_RS\_LB 2611.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/cf336796-9b96-4156-adc4-6fbeaebf2a6a\_\_RS\_LB 3207.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/790eb0ba-6878-4b5a-85fb-481aa37783a3\_\_RS\_LB 3872.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/76ee26db-ef55-43b9-9179-6b9ba15dc21a\_\_RS\_LB 4058.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/0f50da52-cb4a-4391-982a-d6cf9c9d9917\_\_RS\_LB 2581.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/8a70b737-9270-49ca-9fd2-e6468592c393\_\_RS\_LB 2978.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/c6d1bbe7-c1d8-4760-9bb2-a97eac1ca0a8\_\_RS\_LB 3838.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/1531198a-c611-47ee-af7d-7b124b863870\_\_RS\_LB 4793.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/4215b9d5-c554-4249-80e1-aeaf2106e966\_\_RS\_LB 2977.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/aec94baf-a0e8-43af-80af-4bab46d84ad8\_\_RS\_LB 5100.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/6a62fd77-1091-43ad-86a7-f42c56615e5f\_\_RS\_LB 4871.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/f083d357-23f8-45e6-9fac-87e5d0ab9cac\_\_RS\_LB 3317.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/324a0ba8-726a-4e6c-a15f-c32a1904f891\_\_RS\_LB 3078.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/c0e1bf8b-8b3d-4e00-bbd7-dc134dd9ca42\_\_RS\_LB 3234.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/10f41035-20e2-4037-96b6-474ce343d6c2\_\_RS\_LB 2725.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/b9cde1e2-71f8-46a2-9fa4-0bfc7d16815f\_\_RS\_LB 2610.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/551f74c9-3212-4a08-8f5e-a101b4195e1e\_\_RS\_LB 2593.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/5c1c57f6-6aff-4bba-892e-43ff02311c3f\_\_RS\_LB 4046.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/777a492f-3dfb-4bcf-8b33-a9b09fb21e6e\_\_RS\_LB 4866.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/17515ff9-075f-45a2-b8e6-1b8ba25c293d\_\_RS\_LB 4980.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/357bfc61-bb46-4e77-b9eb-eafdd3af7f6f\_\_RS\_LB 3082.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/30920583-57a6-4cc2-81d6-84879ec3af46\_\_RS\_LB 4930.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/357bfc61-bb46-4e77-b9eb-eafdd3af7f6f\_\_RS\_LB 3082.JPG

ate\_Blight/3112e625-f1d9-428b-a77e-23c6f28e44f8\_\_RS\_LB 3035.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/5ad9dba9-ed81-437e-8d5d-1d6660514462\_\_RS\_LB 4439.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/b65fddcf-cc40-4632-a0c4-70fff2f68009\_\_RS\_LB 4481.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/05817623-2c4e-4517-88a1-fe81b9a73742\_\_RS\_LB 3920.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/127521ec-3cc5-4f98-ac73-ad561ec29e73\_\_RS\_LB 3219.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/b2492a9e-c038-48a7-8524-8f0aca7dc870\_\_RS\_LB 4291.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/c89d5a2a-2c1e-496e-84b8-b7a844a97ac9\_\_RS\_LB 4920.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/baac20f4-7978-4258-8cd0-f3f8fe98bf83\_\_RS\_LB 4774.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/21d8b66f-1ea5-48ad-92e2-9f708a969b7f\_\_RS\_LB 4097.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/a1f3508d-496b-4dd5-a820-d30acaf7d9b\_\_RS\_LB 2970.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/958a4438-2ced-4d8c-af73-871376cf6ed5\_\_RS\_LB 4483.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/ad628434-32ce-4365-90b0-f394d98fbe00\_\_RS\_LB 4905.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/c87b7e98-d4ed-446a-bf9e-47bd454f279b\_\_RS\_LB 2860.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/31d61797-f3dd-4452-8db9-cdf8be9ebf2\_\_RS\_LB 4823.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/3888aab7-b07f-439b-80cc-c7f49004a67c\_\_RS\_LB 4156.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/dac53cd2-477e-4f7b-a59d-bb9018eec686\_\_RS\_LB 2879.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d2f57448-1770-46dc-97e3-40247d37094b\_\_RS\_LB 4455.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/fdb7d904-91df-4f00-85bd-0fb038723329\_\_RS\_LB 2628.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/dd08ad51-110b-4de0-bfbb-862e53a6165c\_\_RS\_LB 4542.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/2f6382f7-12fc-4309-b7db-b034b8165c67\_\_RS\_LB 4955.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/49835c13-105d-4afb-95dd-b4ee15f3d287\_\_RS\_LB 4099.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/b74d0fd1-9af7-4053-8538-ee937236a64d\_\_RS\_LB 4918.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/127521ec-3cc5-4f98-ac73-ad561ec29e73\_\_RS\_LB 3219.JPG

ate\_Blight/def9c9e1-fd12-44d9-92ae-18c5ff0f52da\_\_RS\_LB 2605.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/8f8e338a-b6ac-4ca7-b3f3-596dc15eb140\_\_RS\_LB 3970.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/8c894440-a022-41a8-9545-51ff4286d29f\_\_RS\_LB 5126.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/13b1b19c-6720-4238-b384-4c86ea119ace\_\_RS\_LB 2765.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/b0945b27-3331-4f03-b1c9-1465e12577aa\_\_RS\_LB 4355.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/f5ad9b49-ea3a-46c0-8a54-d4e0aa76eda4\_\_RS\_LB 4379.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/74fdf0aa-c85e-406e-9f2e-6403bd6b994a\_\_RS\_LB 4245.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/82eb4f72-487c-4f4e-ace6-cc44a24978ec\_\_RS\_LB 2600.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/9a726ce3-7b21-48de-b522-25d19f3c10e3\_\_RS\_LB 4765.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/573c1cb5-fb43-4b19-886d-638a87bc134b\_\_RS\_LB 4007.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/7f90c344-54de-4053-a406-3a67f9fb1108\_\_RS\_LB 3283.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/c16b698a-77b9-48f7-943a-457d475242ef\_\_RS\_LB 2918.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/a88a6388-09fa-4cfca82e-94d5fd3b4972\_\_RS\_LB 2748.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/929dd251-5fbb-406f-9313-a71e5f96b31c\_\_RS\_LB 4781.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/967a677a-712c-447f-ba27-f59818944af0\_\_RS\_LB 4353.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/ea542556-e7f6-416c-8451-149916f4574e\_\_RS\_LB 3086.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/72b12e17-d76f-4254-a4af-3ed3c3859500\_\_RS\_LB 3334.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/3b241fa8-12f2-4c80-afe2-0a4cdc8f34a1\_\_RS\_LB 5138.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/fc9b06c8-7c63-445d-9858-a5a0c7be719b\_\_RS\_LB 3273.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/cd413b65-05b0-4bbd-9896-4951d11e920d\_\_RS\_LB 4575.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/6616bc3c-e3be-440d-ac55-ae3bb665e8b4\_\_RS\_LB 5071.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/90596f7b-1efa-4595-8d57-bcbd4c48253f\_\_RS\_LB 4753.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/

ate\_Blight/0c83302d-4233-4e98-8ecf-755a970495bb\_\_RS\_LB 4904.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/4c846678-1c22-4734-b2bf-fb774bf3bb13\_\_RS\_LB 4090.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/0441138d-5f9f-4ede-ab9a-49edabc605b3\_\_RS\_LB 4235.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/2f76c068-ebba-499d-8819-2d12bde41695\_\_RS\_LB 3232.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/28cbad12-8d41-4d36-a6df-db0d35ee1ce0\_\_RS\_LB 2922.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/e2326741-ee59-4e3c-86bf-9e81ccf50b6b\_\_RS\_LB 4147.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/09fa42e4-1736-494e-8c46-50c6900586d6\_\_RS\_LB 5212.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/e25a378e-0aa3-4ac6-b0b1-281a500b9502\_\_RS\_LB 4835.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/471fd810-047d-4c87-933b-14c8b46d4b20\_\_RS\_LB 5450.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/9157168d-8377-4a75-8dc2-d7c951efeb55\_\_RS\_LB 4978.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/9fa413c2-d724-4bc6-8aed-954a472cf228\_\_RS\_LB 4754.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/9cd7c33b-e29a-4300-ba19-183fb6c82aca\_\_RS\_LB 4124.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/e8040f51-18ed-43ec-9fa3-b5eb972f4fec\_\_RS\_LB 2527.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/ced49a2c-c7b3-4c10-9475-2b004afebff1\_\_RS\_LB 4436.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/890ffd2b-7365-4a91-b0e1-f414da0a17a4\_\_RS\_LB 3216.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/33b849d5-ec92-4acb-88e6-530accf22734\_\_RS\_LB 4994.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/c58de13c-b59d-4497-ae5a-08b425919b64\_\_RS\_LB 3116.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/90c2a92c-9e38-49a3-aefe-e1805fe64537\_\_RS\_LB 3016.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/7f2933ec-8a70-453c-8e5f-4eb9d25eac6c\_\_RS\_LB 3917.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/ca14c4bc-c9a5-4294-835e-6c3b81e61496\_\_RS\_LB 3080.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/04b964fd-7033-4cdf-88ef-b1acbcd8183a\_\_RS\_LB 2783.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/fe4bbe61-ddd7-464f-8aa6-e292b8686c70\_\_RS\_LB 2902.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/04b964fd-7033-4cdf-88ef-b1acbcd8183a\_\_RS\_LB 2783.JPG

ate\_Blight/de54e40d-4c5f-48d9-9b6d-bc96bde09898\_\_RS\_LB 4086.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/6e9fc91a-e20f-4431-bc54-8492d7ec788e\_\_RS\_LB 4527.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/0f243024-b1fa-4f96-ac7e-ecaf6dc5bc37\_\_RS\_LB 4925.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/461f1af8-a71f-446d-b59c-b7f31dde1c74\_\_RS\_LB 2833.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d36e9212-7594-4e4d-9062-0a98bc689729\_\_RS\_LB 5055.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/1ed357f9-f036-4bf2-b180-1588976eb116\_\_RS\_LB 3005.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/a6f75dd1-c290-4116-be6a-e3c94e40aa2a\_\_RS\_LB 3265.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/5ec337d4-aff8-4174-bae6-72c246db3ce0\_\_RS\_LB 3175.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/e48ffe4c-d920-4559-83ab-62d9d881d787\_\_RS\_LB 4129.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/b0e6c386-35dc-4982-acc6-f393c7f58c67\_\_RS\_LB 5036.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/6be49d30-1b69-435a-a533-21b2b1a7fd41\_\_RS\_LB 3309.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/a896e0bb-67a4-4762-b74a-1c58b14622b0\_\_RS\_LB 5013.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/36c25644-54cb-405d-abef-700d24652958\_\_RS\_LB 2606.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/bd586e94-fa36-4aed-be05-7a0028d40118\_\_RS\_LB 2650.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/20e59080-5a86-4aa8-b5b1-d886a4b273b7\_\_RS\_LB 3165.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d6fd274a-f184-482f-8043-b2fff10644ee\_\_RS\_LB 3962.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d0262161-b887-4357-b707-cde01cf5726d\_\_RS\_LB 3044.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/f27d1c83-25e9-4ab8-8970-3ddfd2a4c6fc\_\_RS\_LB 3230.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/22b19227-ae7e-495e-9fe0-d286fb9412\_\_RS\_LB 3996.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/629303c0-a89e-4f67-9ac8-aa769cf3a163\_\_RS\_LB 3945.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/8797bc6a-f738-4caf-9569-797fdf28cd24\_\_RS\_LB 2903.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/4d213f48-e73a-45bf-badd-ead51dda60b4\_\_RS\_LB 2981.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/12345678-9abc-deef-1234-567890123456\_\_RS\_LB 3000.JPG

ate\_Blight/326919e6-16b9-442b-ada3-e4c37b3ab8ef\_\_RS\_LB 3187.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d80e59e3-a88d-4c32-8dd1-a23a6fed45ae\_\_RS\_LB 2846.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/9f5acd9c-13b2-4246-a938-77774ba89318\_\_RS\_LB 3153.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/3a728bc7-b08d-4a11-bb49-b25d803c3336\_\_RS\_LB 4074.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/87681326-2843-4e63-9042-602b08a98a66\_\_RS\_LB 4145.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/f5cf6151-96d1-49bb-af1b-fa6026d749e8\_\_RS\_LB 4048.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/58334b81-9aab-4b5c-b655-f7078a81135b\_\_RS\_LB 3846.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/e2d4d58b-8754-4c63-b888-8355ddbcb989\_\_RS\_LB 4863.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/77c271bd-0798-4336-8bea-f2a80e8e8906\_\_RS\_LB 3290.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/df40ffa7-8efd-4720-8786-a30b9011dcfc\_\_RS\_LB 4150.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/07fea080-7f6b-48e9-b6b5-10d7daf57610\_\_RS\_LB 3210.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/5bbebfcc-4e51-47ba-948c-46be12f1c170\_\_RS\_LB 2716.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/01270f5c-a44b-4da7-9398-289088c197ab\_\_RS\_LB 2517.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/3c20c90a-788c-4d06-acdb-107f695d901b\_\_RS\_LB 4856.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/f964b423-2146-4523-9f71-d7937c475bf0\_\_RS\_LB 3842.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/fd81a3e2-1d3e-4e52-a010-ad1b36a5220d\_\_RS\_LB 4067.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/f477f5a9-90cf-416b-8a3d-782ea2365c9f\_\_RS\_LB 3884.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/6f669c56-c863-4c71-be49-8d020d3f7d3d\_\_RS\_LB 5128.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d5bf2575-1e57-4792-81a1-5770e701be1b\_\_RS\_LB 3209.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/80bdc2a3-66b8-4d95-abe7-65c7806f7cbf\_\_RS\_LB 3073.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/6522615a-cbe1-4770-a137-25a2c081e1d9\_\_RS\_LB 2917.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d4463dcb-ae91-4329-8c6d-6da1eecbaaac\_\_RS\_LB 2788.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/12345678-9abc-deef-4321-0987f6543210\_\_RS\_LB 2500.JPG

ate\_Blight/8ecb7cf3-9be5-4c3e-9714-2d5987987ad0\_\_RS\_LB 5205.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/7220e643-be85-4361-8c34-f647ebcd5dd8\_\_RS\_LB 3027.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/7b5a2c96-f276-477a-8e7e-3325b02719a7\_\_RS\_LB 4613.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/7d885e39-d832-473f-bf81-c22855e481c3\_\_RS\_LB 3946.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/ede8e8be-6d71-466e-918e-44afa1403e30\_\_RS\_LB 5455.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/f973bbe0-ce70-4215-8d5b-9e7adc099261\_\_RS\_LB 2507.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/546fcdf5-862b-42fb-931d-a51a85dc843c\_\_RS\_LB 4403.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/0b2bdc8e-90fd-4bb4-bedb-485502fe8a96\_\_RS\_LB 4906.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/80e39105-97cd-4368-9e3a-b5498ae1c0a2\_\_RS\_LB 4474.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/73366261-64f3-4219-a43a-97cda85474a9\_\_RS\_LB 3332.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d50d5ba8-c809-431c-8cc1-e297bc2706f7\_\_RS\_LB 4467.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/25bf1e56-4039-4d92-9a66-65b62e3b0f4d\_\_RS\_LB 4949.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/9631fd8f-244c-4047-98e4-aecc907624c1\_\_RS\_LB 4573.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/af13137c-1561-4c1c-b85b-5ec8930f2b38\_\_RS\_LB 5425.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/12d72127-7880-4481-b3c6-caff04116a86\_\_RS\_LB 2632.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/27f1b297-f65a-458f-80d9-0046fa4c8c11\_\_RS\_LB 4332.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/32e6ace8-7ca9-4f95-a313-6747d321e8da\_\_RS\_LB 4698.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/e0a085c0-20e4-4e36-87db-49f0b58fa349\_\_RS\_LB 4324.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/0450570b-44d1-4290-956d-5d970164a2e2\_\_RS\_LB 5160.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/95816fab-df6d-4730-8f52-4b64aac47e3d\_\_RS\_LB 3056.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/ff7160f9-f8d7-4576-82b8-009bf1b63b3b\_\_RS\_LB 4974.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/7b38a18a-65a4-4162-b48a-658b846be5a2\_\_RS\_LB 2733.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/8ecb7cf3-9be5-4c3e-9714-2d5987987ad0\_\_RS\_LB 5205.JPG

ate\_Blight/ac35ccac-2c52-4af5-b0e3-3325f45e2c97\_\_RS\_LB 2749.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/f81452c0-aa6a-4d2e-a4ba-c761a2e7870f\_\_RS\_LB 4280.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/0525ac6e-1d1f-4866-89bd-af4b8ba9c46b\_\_RS\_LB 4814.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/e26ad557-11c8-44fd-aad1-dea51c613742\_\_RS\_LB 5115.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/ae20cc4e-fe37-48f0-9566-2d2efc5af38\_\_RS\_LB 4290.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d992e6d3-25c9-4bbb-a806-8bc1455e5c40\_\_RS\_LB 4968.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/0085ef03-aec3-431a-99a1-de286e10c0cf\_\_RS\_LB 2949.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/82e0f1d2-e996-427b-9216-6b46aedbc07f\_\_RS\_LB 4880.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/e0d0ea5a-242d-4d1c-9df1-0cc592d75e48\_\_RS\_LB 3011.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/75a1ae7b-9b93-4a9f-9eca-70b4b9e9f5ff\_\_RS\_LB 4739.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/36fc1631-634b-42d3-a865-cc858557a8a8\_\_RS\_LB 4427.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/e575421c-a9d4-4c0e-8027-b12fca1e3ac9\_\_RS\_LB 2806.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/0e068694-63b7-4edf-a93d-f2e9f28efaa6\_\_RS\_LB 3923.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/9e5a95bd-b8d0-455f-bc85-b51a2086c88b\_\_RS\_LB 5326.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/5e8203e5-b699-4d5a-acb5-08a5f06ee984\_\_RS\_LB 5291.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/b59e4b5d-4ef0-4b8f-a111-ee745e3d0334\_\_RS\_LB 4891.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/7ec28081-7b26-4519-a406-48ff4edb69ea\_\_RS\_LB 2622.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d01b2206-84b5-41f6-9a40-b238282940bd\_\_RS\_LB 2631.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/a1523281-33d2-4cc4-910a-3d614a4cd085\_\_RS\_LB 2816.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/4fbe268d-dabb-4a25-8283-7968fd91fcdb\_\_RS\_LB 4819.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/351386f8-c501-45f6-ab0d-e9c1d1584204\_\_RS\_LB 5195.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/3f6bce87-fb66-44fb-8e76-e282af4869b9\_\_RS\_LB 3013.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L

ate\_Blight/a74a91d8-1a9d-4fa8-bc4b-26a32635a84d\_\_RS\_LB 3840.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/df0f75cf-febd-4fde-84a0-7c4da9f97fd2\_\_RS\_LB 2534.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/c3134b97-50a1-4aa2-937d-1e15405b9803\_\_RS\_LB 4565.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/dcf61d08-eda8-41c1-9293-43895d68b426\_\_RS\_LB 4372.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/4358aa91-bce4-4788-a39f-1e1e4810bd51\_\_RS\_LB 3047.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/0eb28ea9-c9e4-4999-9de2-835682241e53\_\_RS\_LB 2708.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/b101bc59-5734-4c39-896f-de29d98b1dce\_\_RS\_LB 4702.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d378a0c5-d275-44a4-9f00-f7f180270f4d\_\_RS\_LB 2781.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/36d2885d-0bc7-4346-8a13-383e1533a68c\_\_RS\_LB 5098.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/19393f68-e96c-4c93-b4d1-39e1c54e53b1\_\_RS\_LB 4051.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/09287918-9f73-4707-823f-f4331f5114a3\_\_RS\_LB 2604.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/4324e62b-d7e0-4caa-a417-5eb3dd8712ee\_\_RS\_LB 5452.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/14b29609-0bde-4d56-ac07-5db1b6df6fce\_\_RS\_LB 4983.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/29dafc9e-eb0f-4f3b-99ab-a617b8163e50\_\_RS\_LB 3052.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/a10d340a-b35c-4310-be59-caa58bb0d500\_\_RS\_LB 5154.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/969aa93b-46d1-478c-a398-dcb4ed7d27bd\_\_RS\_LB 2870.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/bd70c718-5846-42a1-8b05-22792ec98738\_\_RS\_LB 4992.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/7e1cd97d-b5a3-4c92-b258-0aa90e6fb806\_\_RS\_LB 4826.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/856b9ab9-c5af-43f1-a320-097b7380d314\_\_RS\_LB 2789.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/ae9e4c46-171c-460c-a37f-ddf13c260411\_\_RS\_LB 4961.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/c101232e-6487-495c-ad3a-27cd1e5fb2b9\_\_RS\_LB 2573.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/e0c879c8-ebf3-43d0-9693-7a747fb5ba75\_\_RS\_LB 3956.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/f0f0f0f0-f0f0-f0f0-f0f0-f0f0f0f0f0f0\_\_RS\_LB 3047.JPG

ate\_Blight/613b5b7f-225d-4df8-8893-0f30111925ae\_\_RS\_LB 4243.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/08ce9666-2dda-4fa8-8d58-55bb9fa19484\_\_RS\_LB 3318.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/794fae1d-55b2-4275-8fce-174728963813\_\_RS\_LB 2841.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/440adc9e-3f21-4373-ab9a-ed003c3588f3\_\_RS\_LB 4152.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/1757f48b-435b-4c4a-9de6-47b959ed1e67\_\_RS\_LB 5295.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/734b84f8-3bcb-4abd-bf22-0896a16e8df7\_\_RS\_LB 2929.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/053c5330-129d-4515-84da-82a701710723\_\_RS\_LB 4576.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/0736dad0-be93-484b-9e89-bcb825fefda1\_\_RS\_LB 5454.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/059c9129-51b7-4d6b-9b57-f22e87568a0a\_\_RS\_LB 5118.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/dcfa79c3-b0d0-4dd0-9796-5d529948b88e\_\_RS\_LB 5437.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/073a7489-b8dd-4efc-8393-7f024fe8542a\_\_RS\_LB 2617.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/625cf166-4cb5-4e6f-ac94-1193698388f2\_\_RS\_LB 5427.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d8580222-d6c2-4519-94f2-f59c2d613d8b\_\_RS\_LB 4158.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/910139a3-cd42-4adc-a24b-3602fd4de7d3\_\_RS\_LB 4415.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/e08c2b56-3a54-4fcc-b814-85c55020278b\_\_RS\_LB 3991.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/57980690-2488-4715-ae89-84e84d17ee10\_\_RS\_LB 3978.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/e40a1e10-fca8-4831-b124-48bc07f92eb1\_\_RS\_LB 2897.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/c6d79fa2-e6fc-4c95-a805-c7ff53075b15\_\_RS\_LB 4328.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/1736a728-bae9-4133-bfca-60a7c3b6382c\_\_RS\_LB 4855.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/974344ba-438f-4190-b71c-875924190fdc\_\_RS\_LB 3866.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/44722935-fb60-4ecf-8503-f8258aa4e3e7\_\_RS\_LB 3225.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/a343cad1-3b4d-4761-b222-d0bbc0f4bdc0\_\_RS\_LB 2569.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/1736a728-bae9-4133-bfca-60a7c3b6382c\_\_RS\_LB 4855.JPG

ate\_Blight/463e8a94-a7e6-4604-a29c-2187500b2318\_\_RS\_LB 4244.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/a0622f86-c94d-4b59-9483-68c57dee81fa\_\_RS\_LB 4794.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/41e3b4c0-7aec-4d49-a84c-f37ed2637407\_\_RS\_LB 4377.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/e3d4df7f-f184-453e-8a99-3cb0de5a2488\_\_RS\_LB 3959.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/1cd0b065-e637-4307-9e0a-9c20dc44cc59\_\_RS\_LB 4784.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/22d5cf8c-308f-417d-9b05-b00a0791cef\_\_RS\_LB 4797.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/80a20af8-9759-4c07-8d0c-d48edc9925c6\_\_RS\_LB 5289.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/fe72d959-6788-4b19-9285-e0b2919dc718\_\_RS\_LB 2516.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/dc289122-aa0d-454b-b617-16824440fce4\_\_RS\_LB 2959.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/f2bfd338-f718-4794-a115-3337a0669988\_\_RS\_LB 2944.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/8cd26c99-237b-4910-98ae-3e930c760f56\_\_RS\_LB 4061.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/35621849-08fd-442a-a94e-139b2657106e\_\_RS\_LB 4055.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/a7097c51-bb53-4149-8140-4b9c3d94dbd4\_\_RS\_LB 4108.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/38c1c136-d91d-4527-aa8f-623a574a41d9\_\_RS\_LB 3042.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/c206ebe3-c06e-4eb9-a537-a719cfa1e3c0\_\_RS\_LB 5140.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/bb81b8a0-3d1e-4cef-aeb5-31ac32f1761a\_\_RS\_LB 5268.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/1ab62af3-c0a5-4fab-bb62-e06d6f7ddb59\_\_RS\_LB 2908.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/dd9b9122-fd29-4986-9dc3-330d4a48ccc3\_\_RS\_LB 5290.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/0b092cda-db8c-489d-8c46-23ac3835310d\_\_RS\_LB 4480.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/1cff6a1-6fb3-4506-846c-478148a2b678\_\_RS\_LB 4380.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d648ee66-d38a-4df0-8696-c6fe5490a15b\_\_RS\_LB 4144.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/ac42817b-71f9-4336-ad8b-bdfb4b27a64a\_\_RS\_LB 4782.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/17a2a2a0-330b-4a2a-830a-1a2a2a2a2a2a\_\_RS\_LB 4782.JPG

ate\_Blight/0f6eac3b-d674-4c4d-ab3a-88689feec07f\_\_RS\_LB 5232.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/0fe7786d-0e2f-4705-839d-898f1d9214b0\_\_RS\_LB 2836.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/e28b4ead-09f5-4e34-a162-0e0268f53763\_\_RS\_LB 2583.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/35c3e2fe-7b97-4137-adc6-aada45306425\_\_RS\_LB 4123.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/3d544e81-b7f3-4853-bb65-c78b125d1a6a\_\_RS\_LB 3238.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/e2ce6696-9f6e-445c-a6c6-c765d659447a\_\_RS\_LB 4960.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/74277267-6a9f-44d0-95fe-7f52f89630a0\_\_RS\_LB 5074.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/a221647c-0dda-468b-93f9-81f50b14ff81\_\_RS\_LB 3942.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/530d9a52-266a-49ca-b0d0-a430acac0011\_\_RS\_LB 5054.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/75fd327f-c30c-4b73-b7a1-fd11aab8206e\_\_RS\_LB 2508.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/fbe08e9f-d4a0-4a6e-9741-c34fda88b3d2\_\_RS\_LB 4540.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/296e6201-4b46-4449-9edb-c7659d36cf92\_\_RS\_LB 4052.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/5a7127de-28ef-47fb-ba00-4b68bf0d4157\_\_RS\_LB 2822.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/259a9b63-d100-43bd-b611-1c707b9e8842\_\_RS\_LB 4562.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/8acd2e1a-f965-4abb-bd16-8c0a4e918d2c\_\_RS\_LB 4644.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/b11189c8-ab6f-4d69-9ffa-e52749d2a3a5\_\_RS\_LB 4537.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/a24f3bec-3fbb-461a-81ef-ab791ceb66e2\_\_RS\_LB 4818.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/87c99be5-a930-410f-8529-e79e030cba0c\_\_RS\_LB 5294.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/fb61ea12-3f1a-4ea3-911b-d830eeb74717\_\_RS\_LB 2914.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/a30baff1-96fb-4df5-9511-e131359b5fd8\_\_RS\_LB 4464.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/a2b27b82-4459-4dcba065-92a75f3c9c4b\_\_RS\_LB 5018.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/456f2c6a-a8c8-4dac-9de1-73668e39cd01\_\_RS\_LB 3008.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/5a7127de-28ef-47fb-ba00-4b68bf0d4157\_\_RS\_LB 2822.JPG

ate\_Blight/5e0acf9e-2d13-40bb-912c-e32a844fdd78\_\_RS\_LB 5292.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/793aaaf75-3085-4bbb-bace-33a9593c3c94\_\_RS\_LB 4847.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/3f7f719f-9849-47c5-8f79-0384a64f8e8f\_\_RS\_LB 2862.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/bd632f59-ff1c-452f-b504-053fa95ab000\_\_RS\_LB 4356.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/5609c5d1-b66b-4dba-863a-5b3aab384151\_\_RS\_LB 3303.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/265e32dc-44f3-40f8-8c5d-8bc223dd0f52\_\_RS\_LB 4859.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d3cbf715-a2a3-4024-ac5d-c6ae21a77720\_\_RS\_LB 2735.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/2e18248f-e251-44c0-b9a5-a198455f43ee\_\_RS\_LB 4858.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/709bddcf-5c54-4fad-8a22-890c00e839a4\_\_RS\_LB 4732.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/be6b5fab-c3de-4d33-b7fc-87bf794d8705\_\_RS\_LB 4850.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/bb4aa884-a811-4229-bfc0-1df1e7330877\_\_RS\_LB 5049.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/07ff77ae-07b4-4a2d-9c4a-bb89bb4fb1ef\_\_RS\_LB 2985.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/b9302a2f-a369-4b05-aed6-632287f42ed7\_\_RS\_LB 4452.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/3171caea-9708-45dc-a60b-e347b3e74fb8\_\_RS\_LB 5256.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/939a9a98-cbc9-4b83-bb47-395f26d7fdde\_\_RS\_LB 4293.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/86944800-4984-44f9-9c72-53fcb7324a3b\_\_RS\_LB 4015.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/f528e881-b237-4797-ab54-0152eb901f53\_\_RS\_LB 3854.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/031672c9-bf0a-46bf-8b52-d7cdc067612e\_\_RS\_LB 5019.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/4d96b41e-8e2e-4a0d-b9a2-0ab8456e4074\_\_RS\_LB 3893.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/63dc685e-676c-4c9c-8f83-8f54bc7d6139\_\_RS\_LB 4117.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/051089cf-e083-4fdb-9256-aac12b8a55d2\_\_RS\_LB 4078.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/cdd030ec-609e-4f61-9335-6cf89a6f35d2\_\_RS\_LB 2776.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/051089cf-e083-4fdb-9256-aac12b8a55d2\_\_RS\_LB 4078.JPG

ate\_Blight/d5f14365-91a1-41e4-95a5-9ae88c3ff4d6\_\_RS\_LB 5163.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L  
ate\_Blight/d99f0d05-6ee3-440c-9dc6-48f7ba2bfc24\_\_RS\_LB 2654.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L  
ate\_Blight/7e0d53ac-3088-473e-a40e-50223af4e60\_\_RS\_LB 2568.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L  
ate\_Blight/a440233c-0ef8-408f-8ebb-1c12e8bc4464\_\_RS\_LB 4768.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L  
ate\_Blight/8692ff0d-260b-4fb9-9598-efa91456c2bd\_\_RS\_LB 5438.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L  
ate\_Blight/4ce7142d-29a5-4fa0-8559-f9a2e6a3f62d\_\_RS\_LB 3189.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L  
ate\_Blight/65bab626-51a1-4d16-ab9c-ddd25f4e2e33\_\_RS\_LB 4927.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L  
ate\_Blight/d3aa996a-f1d8-41bb-99bc-8f33ca2ea9ce\_\_RS\_LB 4404.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L  
ate\_Blight/42451eb3-fb45-4b9a-8dd3-c9b9aa3a29c8\_\_RS\_LB 4340.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L  
ate\_Blight/38f1a80d-6961-4763-ada2-7504f388cf2d\_\_RS\_LB 3217.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L  
ate\_Blight/b4e52186-de58-4c06-bbd2-2fb3dbeda13e\_\_RS\_LB 2655.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L  
ate\_Blight/e4a264b9-fbae-4f38-86ce-d0a7d70e92e1\_\_RS\_LB 5211.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L  
ate\_Blight/38d82b6e-16ec-4ac6-b42f-29ff524b4e43\_\_RS\_LB 5269.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L  
ate\_Blight/8eb5691c-0098-45f6-a782-e297ed340bc0\_\_RS\_LB 4153.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L  
ate\_Blight/29a30aec-e060-43f2-bd81-27d8ad1cebf2\_\_RS\_LB 4911.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L  
ate\_Blight/8192a596-e2e9-4451-a33d-a92a26a739ee\_\_RS\_LB 2624.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L  
ate\_Blight/8137ed93-0e40-4bcd-9da7-f69ad5a08cd5\_\_RS\_LB 3059.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L  
ate\_Blight/7260ba74-3187-4a62-8962-cbea92def2f2\_\_RS\_LB 4769.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L  
ate\_Blight/2958c571-a4f9-40b3-a091-0f37c4822932\_\_RS\_LB 3325.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L  
ate\_Blight/727dd407-7a8b-4edb-9697-726ae947bd63\_\_RS\_LB 2646.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L  
ate\_Blight/b598f9a7-b582-4fef-9c3d-cc985f2f9c03\_\_RS\_LB 3294.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L  
ate\_Blight/dac19eb9-e4e3-4ca1-8183-268b839901c4\_\_RS\_LB 5208.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_L

ate\_Blight/4885a2b1-fc77-4b1a-ad55-3fa4b3fe4e1e\_\_RS\_LB 4425.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/ff03a125-445b-40e1-a7ed-0bb9b155dfd8\_\_RS\_LB 5039.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/04ce7b2d-5e41-43c6-9e11-e1bc4f5e4cca\_\_RS\_LB 3224.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/64fd9d16-28df-4dd7-9bb5-973bbd9ac6db\_\_RS\_LB 4654.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/e749122f-0dcc-4613-87a9-5347a51a7b58\_\_RS\_LB 4409.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/c0a69909-e94c-4155-a008-20b5445c56d7\_\_RS\_LB 3909.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/6fa565d1-4fab-4331-b30d-772bab186a4\_\_RS\_LB 3887.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/e71a27b3-20d5-40e8-ad01-4c1942d46654\_\_RS\_LB 4085.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/8a2f2feb-3738-4675-9cb6-b1911a056dd1\_\_RS\_LB 2601.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/b3e1ec14-6de4-4afc-9ceb-254469c8ce15\_\_RS\_LB 3910.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/5d392db5-bf54-41f4-b76b-e3935dfe0154\_\_RS\_LB 3133.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/289cbc85-4659-4db9-95b3-06b14fa36216\_\_RS\_LB 3857.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/74d5c9b6-c99f-4ba2-8180-6c35bb5de820\_\_RS\_LB 2811.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/cba4be0b-2554-4a9e-8dd0-94cbb2467388\_\_RS\_LB 3335.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/12e2c9b5-fbfc-4bc9-898b-86ead976a615\_\_RS\_LB 2702.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/4a911e79-f9c0-4ba1-aa80-567d653df61c\_\_RS\_LB 4038.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/b03529cf-21fd-4c94-a948-461a8d17e01c\_\_RS\_LB 4828.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/9c3ad8d7-58cb-4e7d-85c0-22f5cf105906\_\_RS\_LB 4680.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/85d60a7c-4a4c-4fcf-8743-21b4c03ff12c\_\_RS\_LB 3868.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/377e9523-f375-4c0c-9d66-5abf2abfaefb\_\_RS\_LB 2504.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/7efcdebc-93be-4168-9965-2b2be46823d8\_\_RS\_LB 3249.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/c66982eb-dd83-487a-98c6-2aefdf5d7be0\_\_RS\_LB 4683.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/12345678-9abc-deef-4532-123456789012\_\_RS\_LB 3000.JPG

ate\_Blight/755c96cf-1bfa-4d35-9ad2-c04dba9f64c8\_\_RS\_LB 3262.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/cf2e3e15-2284-474a-a36a-b102aa7d50cc\_\_RS\_LB 4760.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/6c5ac624-844c-4d01-b030-38e1130e890a\_\_RS\_LB 3973.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/9ccb00a6-1542-4b0e-bd90-e7f1ff10e7f7\_\_RS\_LB 3058.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/29bfc55a-8cb2-4938-b0b5-5e2748fd1a22\_\_RS\_LB 5070.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/f9102bc2-7c64-4dd8-afe5-d31db2159899\_\_RS\_LB 4401.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/82967117-2bcc-4949-b060-738e7b66b755\_\_RS\_LB 4744.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/e95f2954-1b68-490d-9684-90b3080676b1\_\_RS\_LB 3997.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/a0c129b8-4fb3-406d-b2f6-1309fec50c70\_\_RS\_LB 5139.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/77164347-18bd-4466-aca9-0f61e6a36468\_\_RS\_LB 4155.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/bb3049f8-7377-4610-b13f-8daf6753bda7\_\_RS\_LB 4031.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/afc0f88e-8a22-44d1-8575-8945058360c7\_\_RS\_LB 4895.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/fdf53f6c-db92-48b9-9e06-0358e4114be6\_\_RS\_LB 2656.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/0396e413-e165-427a-ba72-04cbae7b8ab0\_\_RS\_LB 4751.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/4f41de6a-c118-4296-a753-963d1427323c\_\_RS\_LB 4561.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/22bd2a18-a4ba-4c9a-a4d3-2dabc295ccbc\_\_RS\_LB 4759.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/9e1dc573-9cc5-4bc1-9c95-63c7bfba54f1\_\_RS\_LB 2976.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/c746bac3-3c7a-445c-b78e-19294bd9a9cb\_\_RS\_LB 5233.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/4cc2dba7-6871-481d-8989-07ea683e58b5\_\_RS\_LB 4979.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/a7dad20a-b0c0-408b-a961-17928319e17f\_\_RS\_LB 4645.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d43fa915-e947-4316-b0f5-0f925c5d9625\_\_RS\_LB 3969.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/f8d2bf55-3044-4d09-9372-63aa960f1881\_\_RS\_LB 2538.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/12345678-90ab-cdef-4321-ba9876543210\_\_RS\_LB 1000.JPG

ate\_Blight/2ed031ef-c77f-42d2-83fa-4fbfc66d67b2\_\_RS\_LB 5254.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/59dcc102-c55f-4a13-991e-8c53db4ce76d\_\_RS\_LB 5189.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/72e10017-f8a6-4813-8036-0cde4dad6057\_\_RS\_LB 4666.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/d38d9e28-89a0-4650-8a2d-dc5e6744b3b9\_\_RS\_LB 5204.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/2f8e6ae7-f6ac-4bab-992b-82e3c51cf476\_\_RS\_LB 2743.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/1f560f09-0b70-40c9-b907-4cac9ba47b8d\_\_RS\_LB 3184.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/3f6db123-4a6e-4b8a-9b26-954ccf29cc3c\_\_RS\_LB 4695.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/19323229-6fdc-4231-bd3e-a46ddcff2111\_\_RS\_LB 3196.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/4043044d-1e8d-4861-9152-99660fdf9a9e\_\_RS\_LB 4438.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/a69b634c-1bb1-4098-9da0-8393f9b8d6e1\_\_RS\_LB 5120.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/1a68ab56-2000-4d7a-ad4a-88d300104b7d\_\_RS\_LB 2594.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/84e85005-c647-4381-8762-c487074c9571\_\_RS\_LB 5186.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/f7438ce7-c12a-40df-83a1-1ab0cde13bb0\_\_RS\_LB 3847.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/1c6412c9-45ce-4814-af8d-274f4e3c9c4e\_\_RS\_LB 2746.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/531a9b98-e034-4a76-81f0-55f597552f6a\_\_RS\_LB 5021.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/17d846d2-f2b7-4ba2-847c-7561159334a3\_\_RS\_LB 2695.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/dd730e05-5196-46f4-9e7b-0c01a9fd9aa1b\_\_RS\_LB 3321.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/b0eebb8f-c322-4b56-8897-2cc98d474440\_\_RS\_LB 5286.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/050b6d37-4056-4c6c-8359-d7823a488531\_\_RS\_LB 3944.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/6d31cafb-4cf9-455b-ac89-487444b650f7\_\_RS\_LB 4236.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/e10ce839-9da1-4f23-9b5e-c5483f6eabbd\_\_RS\_LB 5328.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/e0460bd7-100c-411f-ae0b-f69bfe360313\_\_RS\_LB 5310.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/

ate\_Blight/96a70433-9204-4a41-acad-d39932559068\_\_RS\_LB 3200.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/e986907b-6948-4c72-93d3-29cb795cc9a1\_\_RS\_LB 3837.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/bc5b403e-ecc2-4fde-bafa-9b8698e4545c\_\_RS\_LB 4448.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/db973ce3-7198-4ae8-910a-bb1a3046e353\_\_RS\_LB 5152.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/7e1b19fc-c79d-4898-9e69-9843dd8aa1b6\_\_RS\_LB 3137.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/49ffd4fb-07ef-4377-9f14-3648deaa8dd2\_\_RS\_LB 4453.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/ce38cb15-70c8-4203-adbb-db648eb87554\_\_RS\_LB 4107.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/201186ce-cec5-47ef-9f88-bd8c4abab2c8\_\_RS\_LB 2813.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Late\_Blight/01ad74ce-eb28-42c7-9204-778d17cf45c\_\_RS\_LB 2669.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Healthy/IMG\_20190419\_170344.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Healthy/IMG\_20190419\_134548.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Healthy/IMG\_20190424\_133839.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Healthy/IMG\_20190419\_164031.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Healthy/IMG\_20190419\_173858.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Healthy/IMG\_20190419\_100514.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Healthy/IMG\_20190419\_095521.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Healthy/IMG\_20190424\_132057.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Healthy/IMG\_20190419\_172435.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Healthy/IMG\_20190419\_172123.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Healthy/IMG\_20190419\_100701.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Healthy/IMG\_20190419\_175311.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Healthy/IMG\_20190419\_172311.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_Healthy

lthy/IMG\_20190424\_133836.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3030.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_140312.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144556.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165320.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132001.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_103358.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133900.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_162740.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130242.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172946.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_193357.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_131414.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_200441.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_125021.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_162028.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144424.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_153305.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3122.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134347.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131347.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_163200.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_102823.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_115453.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_100719.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_173901.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_171051.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_171208.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_171250.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132258.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_170302.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_100418.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165016.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_141456.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_141404.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133907.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_133953.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_125647.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_095003.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144406.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_173414.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_175137.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_124633.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131517.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_141153.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165115.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172406.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172446.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_141310.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190421\_195437.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_133826.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_152612.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134627.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133738.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_110649.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_110420.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_125829.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_4956.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133532.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_162657.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172111.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_162205.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131706.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164850.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_162653.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_095743.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_3123.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132228.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_113812.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_200443.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144725.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165601.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_095515.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132528.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165823.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130856.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_162134.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165309.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144440.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_174051.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_141144.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133146.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_174107.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172427.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_103330.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_2996.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133815.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_102231.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_134417.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_174133.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_145032.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172924.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172437.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_134050.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_100300.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130516.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165558.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_113408.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190421\_195756.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_175304.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165226.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134349.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_174221.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132516.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_100204.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_200433.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130729.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165603.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_194731.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_135830.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_165336.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_145011.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_125734.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_141032.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_200457.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_124613.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_133829.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_100358.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130731.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_115538.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130217.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165407.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_113546.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133224.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132129.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_140153.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133817\_1.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144430.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130408.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172332.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_162631.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172141.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_161833.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190421\_195418.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144947.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_145037.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133242.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172943.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144401.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_130154.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144445.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134816.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130136.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165323.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_163152.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172005.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131456.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144714.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131653.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172134.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_100239.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165305.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_163212.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165155.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190424\_132227.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_125938.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_163007.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_135959.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134432.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_162713.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_162734.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_173904.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_140913.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132240.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_145541.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190421\_195154.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131313.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_4957.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132527.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132546.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3126.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3187.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_173852.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165347.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133636.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_123658.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_094756.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3141.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144054.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_095745.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_125912.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134709.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130222.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144038.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_162649.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144710.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_110418.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_130531.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165303.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_094943.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131352.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_163140.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3027.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164940.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_171054.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133152.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_124032.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130047.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_3140.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_174557.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133754.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_161814.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_111944.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_162101.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_161743.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132151.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130528.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_174306.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_095611.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_100236.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_174203.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_115232.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172049.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172012.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_190927.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172927.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_123649.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_135833.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_123951.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190421\_195830.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190424\_133922.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_161450.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133534.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_162759.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133756.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_125919.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172053.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144032.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_171246.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190421\_195320.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_111307.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172034.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_134049.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130806.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_141450.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130859.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144434.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144455.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172213.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_110313.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133556.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133631.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_115211.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165046.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_174552.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_170437.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131250.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_171019.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133903.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131657.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_162139.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130552.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130850.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133835.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_130200.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_163948.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_100200.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_174240.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_171145.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_174555.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130743.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_115543.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_163329.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_163322.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190421\_195606.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133237.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131048.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_162021.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131009.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134447.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_100218.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_110314.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_123500.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_171216.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_200436.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_161732.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_123623.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_140008.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_161421.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_141322.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130111.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_193338.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_170427.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_135730.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_140004.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_161423.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_165553.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_170259.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_174211.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_194346\_1.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_163306.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_115058.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130618.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164256.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130546.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_112902.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131655.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_140341.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_113417.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_162646.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_141440.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164841.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130930.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190421\_195629.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131509.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130854.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_170253.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132441.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190424\_130525.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_113940.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_131405.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131722.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164025.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3113.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164049.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_163335.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_145015.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_110144.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172038.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_123551.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_102254.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_114438.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_125728.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134910.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_145403.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_113415.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164917.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134922.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_193259.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190421\_195735.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_103353.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_134008.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_100214.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_145418.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133905.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3235.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172413.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_194730\_1.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_141007.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_134025.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133813.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132212.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131438.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_171301.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131723.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_124953.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172121.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_123656.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134604.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_100208.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_134046.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_193349.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_162015.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_141531.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_145326.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165755.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165032.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3115.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134420.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_174109.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134413.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134526.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_102251.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3208.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165149.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172000.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_171018.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_162243.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_111926.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172258.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131249.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_133913.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131231.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_171219.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_164212.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_094820.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131008.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132259.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190421\_195730.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131020.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_123504.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_145003.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130825.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_095652.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_094939.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_160947.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144750.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133817.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_103612.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_094840.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133708.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_125827.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130811.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_113559.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164837.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132106.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_163020.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_113603.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_124635.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131702.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_110544.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172720.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132059.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_162141.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_163311.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_145358.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_171045.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_200435.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_194053.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165743.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_163144.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_123558.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_141408.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164043.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_125913.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132025.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_112903.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130734.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190424\_130410.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_161910.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_162705.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_190017.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132238.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133712.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_175125.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131417.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132123.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_175239.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_161852.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_193442.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_190942.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165545.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133111.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_103606.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_100330.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_113336.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_174054.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_140328.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131533.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_170459.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_115133.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130901.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130156.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133812.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_140243.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130352.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130804.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133557.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130646.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131731.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165333.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132034.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190421\_195404.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164146.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_194337.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134336.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_170506.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165750.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130950.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172920.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_161444.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131316.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_102920.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130640.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190421\_195755.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172211.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190421\_195324\_1.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132014.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_110427.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132503.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_095609.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_113750.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_112155.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190421\_195540.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_161843.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_130007.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_100421.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_095037.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_104141.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3136.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130433.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_111950.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165229.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133823.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_113410.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132549.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165806.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_103002.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_145400.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_141042.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172917.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_113359.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_161712.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_114851.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164955.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_173940.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_123619.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164845.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_145009.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130807.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_173412.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_133518.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_095500.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_162124.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_130125.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_102350.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190424\_133537.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_193454.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3038.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_094932.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_133849.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_100809.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131019.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_194921.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164902.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_102219.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134528.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_200508.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_125023.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_111258.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190421\_195321.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_131550.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_100054.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_133909.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130417.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_145607.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131350\_1.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_102404.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190424\_130151.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_173000.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_104135.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130938.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131531.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130934.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_095629.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132012.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130711.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_095509.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130648.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_095041.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172408.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134637.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_094935.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130256.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_102216.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132127.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144514.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_112053.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_095758.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190421\_195420.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190421\_195847.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_133957.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_114505.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132312.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133630.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130849.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_094744.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_162820.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_112937.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_152402.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133936.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131656.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164107.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130639.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130829\_1.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3237.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130105.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190421\_195344.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_112909.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_162233.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_200433\_1.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_100157.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_174546.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132245.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_135724.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_135736.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_145312.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130903.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_140941.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132442.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130706.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_124227.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131241.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_095504.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144836.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_170250.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_112106.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3203.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3233.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_173122.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134450.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_095541.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133739.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_100056.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_165326.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172451.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130855.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_161854.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_140148.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131314.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_193319.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190421\_195921.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133222.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_135828.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3232.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_4955.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_200439.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131044.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130737.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130430.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_170448.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134558.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_112003.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_141524.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_162224.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_161846.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_140928.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130829.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144708.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3190.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172339.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_170431.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165314.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132507.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_103629.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_123959.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172150.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_101031.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190421\_195348.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164329.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_110321.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133613.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_141526.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_175358.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134423.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_113735.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3133.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_171245.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_162236.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134553.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_095519.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_161849.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172322.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164053.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_171143.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144058.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165049.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_133848.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133214.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_125951.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_125837.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_125722.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_171043.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_174218.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_171253.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_163133.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132223.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_161523.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3028.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_095432.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_163930.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_174549.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_163017.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132052.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_190032.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164318.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_125914.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_103004.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133741.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_153208.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132055.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_163943.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_141452.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_194732.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_111932.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164252.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_130033.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_162117.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_141045.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_194331.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_100210.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_100035.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190424\_131246.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133645.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_174224.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134441.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_194317.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_170406.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130238.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134633.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_141402.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_125935.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_163940.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_200504.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164332.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130823.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_094750.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_194334.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_110554.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_102348.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_200345.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165752.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_100026.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_134024.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190424\_130032.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_095553.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172343.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_102311.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_145034.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_175409.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172045.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134352.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131811.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_095546.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165549.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_140906.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_114405.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_095035.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190421\_195834.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164931.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_173353.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164335.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172952.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_100536.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144432.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_140326.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_164243.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165812.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_193425.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133723.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132436.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172859.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_194318.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_175250.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172433.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3034.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_134007.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144918.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130300.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_162743.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_173914.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_194333.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_162220.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_103309.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_163928.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_130046.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130851.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190421\_195346.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_162827.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3185.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_162642.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_163344.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172109.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_162950.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130008.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_174605.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_190946.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_173126.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131552.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_115049.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_114442.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_125838.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_112033.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130604.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130522.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134426.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_153037.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_094825.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130833.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165102.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_141142.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_140317.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130924.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_111305.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_113342.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132423.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133727.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190421\_195758.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130702.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_103217.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_175230.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132018.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132347.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_194105.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_113348.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133742.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165105.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_151403.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_200458.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172236.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_102826.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165340.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190424\_132244.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3196.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144803.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_174534.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_133901.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_174135.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_190054.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134622.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_124344.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_110323.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_163015.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165809.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_163356.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_115116.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131353.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134619.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_141359.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132239.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164209.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_125836.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131454.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164339.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_171937.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130926.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132153.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_104124.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130206.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190421\_195323.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_152414.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131425.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164926.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_174214.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_171055.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_094316.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_162222.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134457.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_193343.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190421\_195303.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130904.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3216.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172002.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_115109.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_124410.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164908.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_162635.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131729.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_124738.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130058.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_170242.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_115105.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190421\_195300.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165820.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_174216.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_110647.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130044.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134332.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_124427.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132156.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144504.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_103401.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_140011.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130550.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134642.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130954.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_162237.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_095359.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190424\_130643.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131315.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190421\_195608.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_193240.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_171003.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131242.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133724.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_171050.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_171908.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144403.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_124247.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_170416.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_131600.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190421\_195322.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_152551.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_123701.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144952.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_133948.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172210.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134444.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_161516.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_162940.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_162943.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_125645.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164139.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130555.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_163130.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_110555.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_161525.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_115237.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_175405.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_124333.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134338.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_162711.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164324.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164057.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3065.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144359.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132149.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_194713.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132215.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_163157.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172416.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133821.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_171211.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3215.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_141150.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_131206.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130033.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172101.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133729.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164300.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_123631.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131700.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130107.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164143.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190421\_195904.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132002.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_110542.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131418.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_134027.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_162011.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_190003.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131014.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_161304.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130226.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_141204.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172328.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_125725.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3128.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165300.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_162230.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_163011.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_123449.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_140318.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_124311.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130937.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_174538.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132006.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172127.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_102917.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_115117.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_095006.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132554.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_135727.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_102356.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_175342.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_113350.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190424\_130949.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164132.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_171016.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_095448.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133653.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_200326.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_133856.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130049.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130057.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134645.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_135056.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_100522.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_171941.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172936.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_145538.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133151.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_112038.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172116.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130254.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133625.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132225.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144945.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_114857.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_100314.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_113759.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_134109.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131000.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_161404.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131603.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172429.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_125921.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_134012.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_174234.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165312.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_140926.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131726.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164019.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190421\_195804.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172003.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164015.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_175140.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131348.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3209.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_171048.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_164041.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_111939.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164239.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133920.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_124551.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130054.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_094953.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133647.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131705\_1.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_141315.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165828.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_134013.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_130258.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_113818.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_140321.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3206.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_161839.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_115107.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172945.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_174243.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133240.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172010.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_103453.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_102400.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172925.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130808.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_162129.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130544.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130628.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_174143.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_171954.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3112.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130717.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_134029.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144517.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3064.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133728.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131358.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144800.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_103656.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_094929.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_200327.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3210.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_173056.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190420\_200456.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131331.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_112952.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165746.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132552.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_100104.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_174457.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_174147.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3132.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_113611.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_123646.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130229.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132255.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131457.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_194712\_1.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172200.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3207.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_163209.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172257.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_125009.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130955.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_094948.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_162952.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_130155.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131429.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_174139.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133658.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_4954.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134900.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190421\_195610.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133859.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_111255.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144747.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164153.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165343.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134455.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_162143.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_133840.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_094922.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_171241.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134409.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_145027.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3035.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131441.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_115517.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164034.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_141337.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132058.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_174507.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190421\_195615.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_113401.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165256.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144428.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172958.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172146.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3186.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172948.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_163150.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_133951.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_161659.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131350.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_163405.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165338.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_094746.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_114808.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3217.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190424\_133115.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_124028.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172131.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_145430.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_194339.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_141147.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133553.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_162055.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_200431.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165359.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130414.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134559.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_173218.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_100303.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_145317.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_114407.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_174602.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_163401.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130801.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_140945.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133820.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_171229.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_165153.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_100728.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3222.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_130248.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164302.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132054.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_170413.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_132215.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_174308.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144722.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172949.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190421\_195419.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_161213.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172043.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131328.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_163228.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_141446.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190421\_195428.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_193501.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133656.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_194051.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_103238.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_144951.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190421\_195416.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132124.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134325.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130630.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_124013.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_170439.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130423.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_145234.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_145405.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_112050.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165020.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_103653.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3032.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134419.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_103631.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_134028.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_110453.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130142.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133216.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130959.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3201.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_173402.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_175402.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134802.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_114813.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_094941.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_194055.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_135815.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_194319.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_104131.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165119.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_110553.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131705.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130821.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165737.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_200434.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3219.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_125932.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_111915.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_114420.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_113722.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_103406.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_140932.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190424\_130250.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_190039.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190421\_195544.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_175330.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144844.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_133857.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190421\_195312.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_193428.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_100252.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130621.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190421\_195901.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130013.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_123704.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_130145.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_162802.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3146.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165330.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134758.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131011.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_171956.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132440.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_124040.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_152753.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144448.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172039.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3220.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_163206.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_095805.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_103342.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_162806.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_102850.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_145007.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_175326.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132550.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_112046.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130741.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_140001.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_115209.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172914.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130233.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144720.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3110.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144354.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_174237.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_162059.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131435.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3137.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130826.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165747.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_100703.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_162809.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_114848.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130835.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144243.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130715.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_194103.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_095648.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_124947.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_174302.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172317.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_194316.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144438.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_171242.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133921.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3130.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_141329.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190424\_125610.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_112935.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130220.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_141306.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130951.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_094925.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164128.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_145604.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172314.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_163159.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165740.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130455.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134915.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130831.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164022.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_171225.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_100820.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172347.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_133834.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_190025.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_161816.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132254.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190420\_200430.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133838.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131334.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144137.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164305.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131701.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_094325.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3125.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164100.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_103643.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_163014.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131045.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_124221.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_162701.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_173344.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133145.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130931.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3119.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_100517.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130425.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_115220.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_102852.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_113815.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_101011.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_140224.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_174500.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_173315.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_141325.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164304.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_171013.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190421\_195324.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_175233.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164125.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130138.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3188.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_094306.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_173408.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131433.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144828.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_162639.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_100310.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3129.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133239.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_134047.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_162238.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_130116.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172411.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144023.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_141533.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130939.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172440.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_173918.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_174512.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_200445.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134756.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_123642.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3221.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_140924.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_095044.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190421\_195304.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132426.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_170359.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_194338.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131516.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_113621.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_173908.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_094251.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_163314.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144348.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_141341.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_162938.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_193331.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132511.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132147.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3145.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_124654.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165010.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_193304.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_162133.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133655.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133554.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3041.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164833.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144921.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_174553.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_132153\_1.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130745.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_100233.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_144458.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144042.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_161146.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_140920.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133711.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165404.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_125916.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_153149.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_163022.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_141331.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_190012.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_114446.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_141410.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_123540.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130145.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133906.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_130113.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_173334.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131243.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_094843.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_115103.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_162206.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_140937.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_175243.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_171222.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172051.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164119.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_134010.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_124350.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_123709.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_095755.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131247.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_145356.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134629.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165023.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133904.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_095646.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_161709.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133218.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_163302.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131606.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_145353.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190421\_195529.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3214.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_133954.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_161806.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3108.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190421\_195307.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_100031.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_164827.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131410.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_145419.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_152639.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130800.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190421\_195515.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133616.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133624.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172117.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_100250.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_163040.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_153046.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134812.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_103013.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130619.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190421\_195605.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_163953.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190424\_131521.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133558.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_171006.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134807.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165418.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172206.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133143.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133238.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172132.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_152559.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172113.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172951.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_141157.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_095442.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_134856.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_162945.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_193317.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_144407.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131040.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_125232.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_124326.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130828.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_175247.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172336.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_115229.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_133852.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130427.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_131550.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130746.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_161244.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133725.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130350.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190421\_195617.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_094753.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_133149.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190420\_190049.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190424\_130449.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_094832.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_165555.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_171231.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_172652.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_153126.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_3234.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Healthy/IMG\_20190419\_113731.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Rice\_\_\_Hea

lthy/IMG\_20190419\_172204.jpg  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (849).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (276).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (971).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (864).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1007).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (282).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1148).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (566).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (989).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (689).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1067).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (616).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1122).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (258).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1063).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (408).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (93).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (497).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1134).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (469).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1038).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1038).JPG

mon\_Rust/image (440).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (193).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (733).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (355).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1031).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (741).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (477).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (208).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (169).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (443).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (297).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (926).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1154).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (706).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (954).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1069).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1155).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (870).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (5).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (296).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (539).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (582).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1031).JPG

```
mon_Rust/image (1050).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (517).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (670).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1094).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (168).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (61).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (382).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (576).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (476).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (334).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (720).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1175).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (338).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (290).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1096).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (52).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (281).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (794).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (564).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1089).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (601).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (742).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Com
```

mon\_Rust/image (611).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (934).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (894).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1107).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (533).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (993).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1168).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (678).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1017).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (976).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (480).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (246).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (279).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (646).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (718).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (286).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (244).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (903).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (649).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (749).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (846).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (805).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1107).JPG

mon\_Rust/image (778).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (467).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (978).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (116).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (833).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (688).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (187).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (957).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (104).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (683).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (552).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (383).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1074).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (79).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (838).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (351).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (913).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (384).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (143).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (604).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (979).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (451).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1000).JPG

mon\_Rust/image (587).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1055).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (876).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1047).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (347).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (777).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (288).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1110).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (958).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (40).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (804).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (441).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (26).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (972).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (429).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1167).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1057).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (309).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (326).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1051).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1034).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (516).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1051).JPG

mon\_Rust/image (620).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (548).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (800).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (395).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (904).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (828).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (938).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1058).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (580).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (537).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (123).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (758).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (308).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (505).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1100).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (430).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (760).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (825).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (917).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (23).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (826).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (105).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (105).JPG

```
mon_Rust/image (1178).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (535).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (711).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (460).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (707).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (210).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (685).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (263).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (666).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (575).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (714).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (701).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (256).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (636).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1111).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (144).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1014).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (791).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1061).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (106).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (34).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (746).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Com
```

```
mon_Rust/image (608).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (873).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (39).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (75).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (515).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1097).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (787).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (220).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (184).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1048).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (407).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1016).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (77).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (725).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (31).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1121).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (927).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1043).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (53).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (502).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (46).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (848).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Com
```

```
mon_Rust/image (1113).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (164).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (980).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (695).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (929).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (728).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (195).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (684).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (860).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (49).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1044).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1146).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (768).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (234).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1118).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1180).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (594).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (891).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1181).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (376).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (37).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (217).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Com
```

mon\_Rust/image (1125).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1183).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (532).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (241).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (371).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (50).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (770).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (157).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (983).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (933).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (629).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (24).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (945).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1106).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (888).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (356).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (302).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1079).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (792).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (94).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (340).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (635).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1125).JPG

mon\_Rust/image (216).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (360).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (546).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (381).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (660).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (663).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (239).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (231).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1071).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (776).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (245).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1147).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (563).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (391).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (379).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (816).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (995).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (346).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1083).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (417).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (366).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (88).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1083).JPG

```
mon_Rust/image (7).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (968).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (113).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (810).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1065).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (361).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (600).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (43).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1009).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (60).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (115).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (763).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (955).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (897).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (650).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (222).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (585).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (403).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (727).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (542).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (615).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (543).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Com
```

mon\_Rust/image (416).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (988).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (990).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (699).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (981).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (571).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (233).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (158).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (328).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (596).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (64).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (588).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (406).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1103).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (192).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1176).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (526).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (11).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (613).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (839).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (822).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1054).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1054).JPG

```
mon_Rust/image (1010).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1149).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (255).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (875).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (965).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (531).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (626).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (919).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (152).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1108).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (428).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (209).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (574).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1082).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (682).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (6).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (716).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (812).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (69).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (886).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (686).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (943).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Com
```

mon\_Rust/image (101).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (843).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (219).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (644).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (455).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (54).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (553).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (90).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1109).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (506).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (9).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (818).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (431).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (363).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (858).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (463).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (621).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (70).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (657).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (203).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (602).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (122).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (100).JPG

```
mon_Rust/image (920).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (86).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1060).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (796).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (939).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (722).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1129).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (487).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1078).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (998).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (653).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (2).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (213).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (500).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (13).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (268).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (782).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (549).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (511).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (775).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (65).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (473).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Com
```

mon\_Rust/image (992).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (409).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1179).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (413).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (396).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (339).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (690).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (541).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (547).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (941).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (658).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (572).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (786).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (272).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (845).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (425).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (630).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (715).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (321).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1163).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (737).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (910).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1163).JPG

```
mon_Rust/image (637).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (527).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (270).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (857).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (647).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (518).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (603).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (436).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (275).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (410).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (68).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (703).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1040).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (961).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (21).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (312).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (847).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (869).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (820).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (4).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (984).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (465).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1000).JPG
```

mon\_Rust/image (250).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (59).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (265).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1114).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (225).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (736).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (73).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (237).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (108).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (911).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (35).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (442).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (252).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (464).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (488).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (287).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (145).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (902).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (560).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (125).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1136).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (17).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (100).JPG

```
mon_Rust/image (504).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (251).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (908).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (36).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (161).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (254).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (92).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (386).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (359).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (743).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1174).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (485).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (956).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (131).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (284).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (182).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (249).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (931).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (648).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (78).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (498).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (32).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Com
```

mon\_Rust/image (692).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (724).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (738).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1188).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (264).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (914).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (153).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1025).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (304).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (247).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (783).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (617).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1015).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1144).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (865).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (402).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1117).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (789).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (612).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (162).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (586).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (349).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1188).JPG

mon\_Rust/image (155).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (444).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1139).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1112).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1135).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (599).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (102).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (215).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (959).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (141).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (129).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (375).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (803).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (591).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1066).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (130).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1059).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (400).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (221).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (966).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (176).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1098).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1111).JPG

mon\_Rust/image (421).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1162).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (700).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1145).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (952).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (973).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (177).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (266).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (754).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (458).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1041).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (427).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (450).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (243).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1115).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (898).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (278).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (994).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (801).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (132).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (784).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (165).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (111).JPG

mon\_Rust/image (342).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (89).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (807).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (374).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (260).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1189).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (100).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1026).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (583).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (969).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (57).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (95).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (198).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (764).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (831).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (529).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (673).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (719).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (196).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (12).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (921).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (708).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (111).JPG

```
mon_Rust/image (880).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (318).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (424).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (879).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (523).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (704).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (301).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (785).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (705).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (503).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (434).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (538).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1003).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (496).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (932).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (850).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (918).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (33).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (795).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (277).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (262).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1161).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Com
```

mon\_Rust/image (1032).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (159).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (573).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (501).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (570).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (42).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (461).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (797).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (674).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (29).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1081).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (868).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (138).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1077).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (625).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (412).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (397).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (170).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1033).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (889).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (793).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (373).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1032).JPG

```
mon_Rust/image (761).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1153).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (752).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (622).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1124).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (874).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (530).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (419).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (325).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1018).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (605).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (735).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (924).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (315).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (72).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (556).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (627).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (28).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1191).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (253).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (766).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (524).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1191).JPG
```

mon\_Rust/image (1132).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1076).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (915).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (310).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (907).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (562).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (298).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1177).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (729).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (773).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (111).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (618).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (58).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (84).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (377).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (112).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (597).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (91).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (457).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (975).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1170).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1022).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1132).JPG

```
mon_Rust/image (289).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (48).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (171).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (154).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (484).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (118).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (507).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (470).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (332).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (862).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1182).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (726).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (378).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (103).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (489).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (120).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (269).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1088).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (135).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (499).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (422).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1086).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1087).JPG
```

mon\_Rust/image (311).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Com  
mon\_Rust/image (1128).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Com  
mon\_Rust/image (827).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Com  
mon\_Rust/image (767).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Com  
mon\_Rust/image (314).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Com  
mon\_Rust/image (495).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Com  
mon\_Rust/image (677).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Com  
mon\_Rust/image (836).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Com  
mon\_Rust/image (368).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Com  
mon\_Rust/image (1131).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Com  
mon\_Rust/image (899).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Com  
mon\_Rust/image (230).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Com  
mon\_Rust/image (81).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Com  
mon\_Rust/image (655).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Com  
mon\_Rust/image (453).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Com  
mon\_Rust/image (121).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Com  
mon\_Rust/image (212).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Com  
mon\_Rust/image (62).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Com  
mon\_Rust/image (545).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Com  
mon\_Rust/image (982).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Com  
mon\_Rust/image (142).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Com  
mon\_Rust/image (224).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Com

```
mon_Rust/image (1039).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (474).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1164).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (667).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1187).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1184).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1171).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (962).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (540).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1002).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (851).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (74).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (974).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (462).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (632).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (584).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (567).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (242).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (734).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (916).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1087).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (762).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1039).JPG
```

mon\_Rust/image (513).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (188).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (568).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (232).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (669).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (291).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (327).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (799).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (732).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (236).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1092).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (293).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (365).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1157).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (358).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (753).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (492).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (619).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (723).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (912).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1029).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1123).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1123).JPG

mon\_Rust/image (698).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (160).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (717).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (561).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (950).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (388).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (15).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (802).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1126).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (240).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (881).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1006).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (519).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (370).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (633).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (967).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (364).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (739).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (235).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (662).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (522).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (178).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1000).JPG

mon\_Rust/image (963).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (781).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (146).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (206).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (126).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (180).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (855).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (642).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (863).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (283).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (67).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (819).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (335).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (337).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (853).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (385).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1023).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (25).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (712).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (149).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (446).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (107).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (107).JPG

mon\_Rust/image (435).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (27).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (183).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (483).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (354).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (997).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (271).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (859).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (274).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (558).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (837).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (824).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (964).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1133).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (861).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (986).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (878).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1172).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (841).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (631).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (166).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (643).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (117).JPG

```
mon_Rust/image (1185).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (97).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (640).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (14).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (66).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (96).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (664).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (623).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1024).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (577).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (702).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1042).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1008).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (709).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (744).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1151).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (790).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1192).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (550).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (482).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (590).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (294).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Com
```

mon\_Rust/image (948).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (593).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (806).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (197).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (730).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (300).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (808).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (811).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (852).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (447).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (509).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (947).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (30).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (757).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (936).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (987).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (426).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (350).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (369).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (8).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (514).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1053).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1053).JPG

mon\_Rust/image (56).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (614).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (228).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (47).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (659).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (949).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (554).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (892).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (317).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (960).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (985).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (399).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (411).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (194).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (748).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1068).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (478).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1084).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1052).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1093).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (610).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (896).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1000).JPG

```
mon_Rust/image (261).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (452).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (493).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (22).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (486).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (433).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (472).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (671).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1099).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (285).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (652).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (55).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (199).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (944).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (481).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (780).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (405).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (229).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (163).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (303).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (694).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (675).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Com
```

```
mon_Rust/image (257).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (935).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1137).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (893).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1090).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (942).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1120).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (681).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (721).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (840).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (99).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (295).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (890).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (439).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (454).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (895).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (238).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1011).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (306).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (525).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (18).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (877).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1000).JPG
```

```
mon_Rust/image (200).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1101).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (280).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (85).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (756).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (127).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1001).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (534).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (181).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (414).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1116).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (996).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (680).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (798).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1020).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1046).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (595).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (832).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (329).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (420).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1158).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1119).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1119).JPG
```

mon\_Rust/image (814).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Com  
mon\_Rust/image (809).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Com  
mon\_Rust/image (1004).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Com  
mon\_Rust/image (134).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Com  
mon\_Rust/image (367).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Com  
mon\_Rust/image (774).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Com  
mon\_Rust/image (401).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Com  
mon\_Rust/image (357).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Com  
mon\_Rust/image (204).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Com  
mon\_Rust/image (133).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Com  
mon\_Rust/image (1019).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Com  
mon\_Rust/image (691).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Com  
mon\_Rust/image (697).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Com  
mon\_Rust/image (218).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Com  
mon\_Rust/image (147).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Com  
mon\_Rust/image (466).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Com  
mon\_Rust/image (1105).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Com  
mon\_Rust/image (887).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Com  
mon\_Rust/image (925).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Com  
mon\_Rust/image (1028).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Com  
mon\_Rust/image (292).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Com  
mon\_Rust/image (151).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_\_Com

mon\_Rust/image (1156).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1142).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (41).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (747).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (45).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (348).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1186).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (884).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1000).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (866).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (343).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (80).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (156).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (638).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (755).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1152).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1027).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (16).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (392).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (512).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (173).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (331).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1156).JPG

mon\_Rust/image (1080).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (555).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1085).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1130).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (344).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1159).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1160).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (305).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (645).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (316).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (713).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1073).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (528).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1037).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (771).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (175).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (953).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (654).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (922).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (207).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (900).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (579).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1080).JPG

mon\_Rust/image (1095).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (71).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (389).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (656).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (765).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (557).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (323).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1102).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1190).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (456).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (320).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (842).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (190).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (437).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1049).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (139).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1062).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (750).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1091).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (772).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (909).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (829).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1095).JPG

mon\_Rust/image (821).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (38).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (672).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (693).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1141).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (353).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (114).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (999).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (83).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (906).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (109).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (641).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (387).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (211).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1035).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1064).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (475).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (299).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (651).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (751).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1104).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (117).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (118).JPG

```
mon_Rust/image (1036).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1075).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (867).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (882).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (815).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (901).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (788).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1138).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (205).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (404).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (418).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (459).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1045).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (136).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (110).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1072).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (928).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (883).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1165).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (471).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (98).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (51).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Com
```

mon\_Rust/image (345).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1056).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (226).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (362).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (174).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (140).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (150).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (124).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (923).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (813).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (521).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (445).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (508).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (779).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (977).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (661).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1127).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (319).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (393).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (687).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1150).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (179).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1150).JPG

mon\_Rust/image (731).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (273).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (191).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (834).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (259).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (606).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (665).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1173).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (581).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (696).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (267).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (341).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (479).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1166).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (185).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (223).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1030).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (20).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (119).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (510).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (598).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (937).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (111).JPG

```
mon_Rust/image (227).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (76).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (186).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (823).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (940).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (817).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (951).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (544).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (148).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1021).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (668).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1005).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (330).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (333).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (710).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (844).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (3).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (676).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (759).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (494).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Common_Rust/image (1169).JPG
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn__Com
```

mon\_Rust/image (1143).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (324).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (578).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (559).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (167).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (628).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (87).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (745).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (201).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (885).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (19).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (82).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (438).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (679).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (871).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (415).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (905).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (380).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (991).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (592).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (856).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (740).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1143).JPG

mon\_Rust/image (313).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (307).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (854).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1012).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (189).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (352).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (372).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (872).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (946).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (490).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (336).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (607).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (468).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (569).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1140).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (634).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (423).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (551).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (10).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (769).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (432).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (137).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (10).JPG

mon\_Rust/image (390).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (491).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (520).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (639).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (202).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (398).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (589).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (128).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (248).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (214).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1070).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (565).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (172).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1013).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (930).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (394).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (44).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (970).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (448).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (449).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (322).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (835).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (1000).JPG

mon\_Rust/image (830).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (536).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (624).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (609).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Corn\_\_Common\_Rust/image (63).JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/ac6c3aea-ad58-4b46-b0d2-195dba86e0f6\_\_RS\_Early.B 7926.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/8ce2ee77-109f-4a08-bee9-2877c2201056\_\_RS\_Early.B 6834.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/9fa151cd-43d7-42e1-9235-72f58c584a4b\_\_RS\_Early.B 8581.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/212c3c65-e30e-496f-ab5e-c2f4b0446d8f\_\_RS\_Early.B 8195.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/b83aea19-9485-412f-808d-c0a590d75388\_\_RS\_Early.B 6951.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/fe772b3d-351c-4d18-9dcb-26feb90afa0d\_\_RS\_Early.B 7456.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/c3bf3f15-b1ae-4e36-97a4-f341879db6ae\_\_RS\_Early.B 8263.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/907f26c5-5996-41b3-877b-7de6122699a9\_\_RS\_Early.B 7758.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/de1ff62e-87aa-420a-9eeb-cb0e3475e84d\_\_RS\_Early.B 6918.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/34f42d6e-6e09-46cb-800b-5da5fdb5e8b8\_\_RS\_Early.B 8110.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/6f8dfa1b-8c6f-4be6-93ff-e9180dde7357\_\_RS\_Early.B 6914.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/a85029ca-881b-45a8-bb64-d8c77492a49d\_\_RS\_Early.B 8833.

JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/e50e7166-a67d-4207-a49c-0240b0218d48\_\_RS\_Early.B 8907.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/9cb0c796-fde2-406b-87fe-3926b722f8f7\_\_RS\_Early.B 8300.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/12ebe6fe-c8ce-4a00-866f-8776aca75159\_\_RS\_Early.B 6873.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/1d301622-e359-49d5-b4ca-6837f254fd1b\_\_RS\_Early.B 6719.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/2cce6cd6-16c4-426f-84e6-2f3c192fac2c\_\_RS\_Early.B 8999.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/68f056c9-4989-4809-b597-3739ff66afc3\_\_RS\_Early.B 8748.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/13cfb9dc-8951-44c0-8c16-e96fd6ccc659\_\_RS\_Early.B 7070.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/d1625c19-c90f-4a5f-bfc8-cb406ad20753\_\_RS\_Early.B 8649.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/e12f2cbd-6ced-45c5-8d83-96e19b92bfdd\_\_RS\_Early.B 8367.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/9badd590-45ed-4636-9590-b12342ea8a84\_\_RS\_Early.B 6944.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/08194ca3-f0b2-4aaa-8df8-5ec5ddc6696a\_\_RS\_Early.B 8151.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/6c5385cd-d362-4810-b4e8-58ab768c706c\_\_RS\_Early.B 8323.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/904770c5-2c05-43a1-a4d7-bccb5eafe1b7\_\_RS\_Early.B 7129.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/a4cc86e3-ac4d-4b72-89a2-6cf106831908\_\_RS\_Early.B 7346.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_E

arly\_Blight/be89d35f-e382-4b1c-95e8-af88d969d306\_\_RS\_Early.B 6758.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/91721448-8786-49f6-a66d-d410fe714676\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/91721448-8786-49f6-a66d-d410fe714676__RS_Early.B) 7725.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/5ada96db-43de-4510-8c10-eaaebb106c0c\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/5ada96db-43de-4510-8c10-eaaebb106c0c__RS_Early.B) 7216.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/87c0254c-c987-4c54-adda-45c5e7346170\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/87c0254c-c987-4c54-adda-45c5e7346170__RS_Early.B) 8848.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/37d94308-8783-4657-9ca6-eaca86e1015a\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/37d94308-8783-4657-9ca6-eaca86e1015a__RS_Early.B) 7825.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/a1dd3cdf-0ff5-49f6-b66e-9b3632a07019\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/a1dd3cdf-0ff5-49f6-b66e-9b3632a07019__RS_Early.B) 7833.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/e09c5edb-1e38-44bb-bb55-260fa32d6a58\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/e09c5edb-1e38-44bb-bb55-260fa32d6a58__RS_Early.B) 7340.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/bb4e9c01-6166-424d-a379-9ef405fdd555\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/bb4e9c01-6166-424d-a379-9ef405fdd555__RS_Early.B) 6843.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/36548ca6-33b3-4a74-9b2a-52eba7aee9a3\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/36548ca6-33b3-4a74-9b2a-52eba7aee9a3__RS_Early.B) 9205.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/8784362f-5fc6-4ad9-b11d-d06b272cefb5\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/8784362f-5fc6-4ad9-b11d-d06b272cefb5__RS_Early.B) 6907.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/7a8f295d-dc08-4a25-ba7a-28995729b6b6\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/7a8f295d-dc08-4a25-ba7a-28995729b6b6__RS_Early.B) 8243.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/8f9aef15-0a7e-4b1f-883f-30b8cbc72fe4\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/8f9aef15-0a7e-4b1f-883f-30b8cbc72fe4__RS_Early.B) 7898.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/737c2343-228f-4155-b984-13ae0da44745\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/737c2343-228f-4155-b984-13ae0da44745__RS_Early.B) 6828.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/f0f41a0d-7679-4e56-85df-44934fe0cb3b\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/f0f41a0d-7679-4e56-85df-44934fe0cb3b__RS_Early.B) 7054.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/b475147c-92bc-419a-b2c3-7d5aabbb79ec\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/b475147c-92bc-419a-b2c3-7d5aabbb79ec__RS_Early.B) 7379.  
JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/c71ad6f9-6258-4602-84dc-ecf75296672c\_\_RS\_Early.B 7525.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/8d015dcf-e4da-41b7-9d81-8d160000accf\_\_RS\_Early.B 7264.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/7248171d-98a5-4bf0-9a8d-5c5a8820eba9\_\_RS\_Early.B 6680.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/4da46a9d-7709-4528-acc3-a7be6ace3714\_\_RS\_Early.B 7187.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/06ac6596-8d65-46dd-a343-a2209f3480e4\_\_RS\_Early.B 6921.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/f2a56e13-438e-4bef-a3ea-beb9f347d481\_\_RS\_Early.B 6691.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/65b66b8f-2117-4876-85bd-23941349231f\_\_RS\_Early.B 7219.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/0e6b9e09-2bcd-41e0-b001-b80a33a8a78b\_\_RS\_Early.B 8694.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/432f1b02-9493-4cf1-8ef7-a40f817e43ff\_\_RS\_Early.B 8497.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/c82e587c-a0f2-451e-9057-e3719a3d9562\_\_RS\_Early.B 6824.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/d50dde4d-fe2f-4e8c-b336-69be71e34ce8\_\_RS\_Early.B 6905.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/d1b4cb77-db0e-42db-b1c0-25d222844241\_\_RS\_Early.B 7130.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/e40b6718-52b6-46a7-970c-5f1b6bae23af\_\_RS\_Early.B 8287.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/dd1e0739-c899-4c1e-99c8-fd83a6d55694\_\_RS\_Early.B 7862.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/1a38f06b-da2a-4c57-bef1-a73254896403\_\_RS\_Early.B 9178.

JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/6dfdd5be-0999-4a5c-a35d-c760043fec23\_\_RS\_Early.B 8701.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/82cdc0bb-ac22-429d-ad70-2ec0d771dd39\_\_RS\_Early.B 7405.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/357426c8-5b7b-4d56-9cb0-13cfaccc219f\_\_RS\_Early.B 7326.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/f7a5e3e3-796e-4f4a-943c-24d26e2591d4\_\_RS\_Early.B 8679.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/1a2970b6-baf8-4812-93bc-57ff969e1045\_\_RS\_Early.B 7330.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/e4bd2479-dd2f-41ce-9544-4f1804c4ab8b\_\_RS\_Early.B 8601.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/3a8429cf-f8a7-4f64-a435-ec4f1ad692c7\_\_RS\_Early.B 8990.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/c5dc57d8-9a0d-4046-9eb4-b9db2f720a47\_\_RS\_Early.B 7047.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/bcf169b0-dea7-49eb-b976-4a2d1f36c574\_\_RS\_Early.B 7870.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/0fd22207-cb37-42a1-965f-7dfe43f9d579\_\_RS\_Early.B 6876.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/fc8f4e6c-ba09-40f5-97c2-063bb20844bc\_\_RS\_Early.B 6938.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/610d8d2d-c28d-4d99-9f37-a6a79148b529\_\_RS\_Early.B 8023.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/abb9a8c4-5d0f-443a-b7c9-780036ffe76c\_\_RS\_Early.B 7380.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/9eb646d2-e908-43d1-8dd5-0d6b8dcb21eb\_\_RS\_Early.B 7569.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_E

arly\_Blight/2cafa90e-af46-4d0a-9137-9780d816b96a\_\_RS\_Early.B 7731.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/0a8a68ee-f587-4dea-beec-79d02e7d3fa4\_\_RS\_Early.B 8461.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/1c42eae7-29c8-42fd-b05a-9b8255790f6f\_\_RS\_Early.B 7719.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/4bba904e-b4af-4a81-8252-b8d997bc5057\_\_RS\_Early.B 7695.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/900514b4-8768-4370-bc53-998e390644db\_\_RS\_Early.B 7788.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/fba7a41d-25df-4a1c-93d1-98d62e3376e0\_\_RS\_Early.B 8207.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/fdc1f5ed-66b5-4564-8957-055905b8a569\_\_RS\_Early.B 8244.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/17848019-6609-4cc9-b27b-c70b296ceb09\_\_RS\_Early.B 7049.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/00d8f10f-5038-4e0f-bb58-0b885ddc0cc5\_\_RS\_Early.B 8722.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/320be8ee-2f9a-48f2-86fa-1c1d993a2fe2\_\_RS\_Early.B 8186.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/c18f83e1-2144-440f-9603-74fe58c66073\_\_RS\_Early.B 7844.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/1767fee7-18fd-4597-8c77-d41ec2d62f4e\_\_RS\_Early.B 6932.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/096a2c48-104c-4570-9e34-8dd60aa5ebcf\_\_RS\_Early.B 6979.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/2c0e712a-fb21-44b6-bbe1-7c67cec7b965\_\_RS\_Early.B 7084.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/5f209b64-4a3c-4fd4-9151-83db4125e7fc\_\_RS\_Early.B 7284.  
JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/c30ce1e1-5f05-4cb7-a95a-f22d3621c54f\_\_RS\_Early.B 6964.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/c48693cf-14bb-48ec-96fe-240bd2269866\_\_RS\_Early.B 7609.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/7b95c3ad-d550-4cc8-96e0-549ec04c7dea\_\_RS\_Early.B 7342.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/283134dd-8b32-447e-8e82-547d3b69f4d4\_\_RS\_Early.B 7494.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/adc573cd-bbf3-4742-9bd5-1e3e6f27319a\_\_RS\_Early.B 8685.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/3fb9fd25-3f61-4983-8342-2abb34d1b010\_\_RS\_Early.B 7920.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/31d5d932-9eb3-45d1-bc85-40ef64d7a688\_\_RS\_Early.B 7255.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/6f37a2b1-e63c-4d82-aec2-9ff036473867\_\_RS\_Early.B 7585.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/e0654927-6cc0-491f-86d3-acb5ad261904\_\_RS\_Early.B 8341.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/8e05b766-d0a9-4621-9bb4-d16bef411dda\_\_RS\_Early.B 7238.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/9846eedad-9fc1-4c35-8b63-1adfbd0b118\_\_RS\_Early.B 8325.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/392c5f68-3ee5-4b61-90e9-afa16375beb8\_\_RS\_Early.B 8047.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/9ebf9d7d-0cfe-44f5-9126-89c70d38321a\_\_RS\_Early.B 8986.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/906bb6f0-e61b-42f2-83a9-22593dadcedc\_\_RS\_Early.B 8564.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/d32f991e-d1da-44a3-b3e0-2f99cc038900\_\_RS\_Early.B 6994.

JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/21d50c27-900e-4644-ab01-0cc96214d2f6\_\_RS\_Early.B 7153.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/16a6f216-6d2a-48fe-b8bc-ff385c96d0d3\_\_RS\_Early.B 7220.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/4ddd0823-ecf4-4a0b-81d5-9844705e5694\_\_RS\_Early.B 8936.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/c53d85d7-bddb-422b-955c-6842cce9a927\_\_RS\_Early.B 7253.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/66a98640-59d3-4c9b-9853-773c78ac6375\_\_RS\_Early.B 6784.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/64ced002-f0b1-42b2-b448-b7b3655e38c1\_\_RS\_Early.B 9010.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/b09e0cba-0564-4dde-a90d-3c0d90d6336e\_\_RS\_Early.B 7776.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/5720f8b8-4fd7-451f-af18-a48730691c2d\_\_RS\_Early.B 7155.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/dcdcc724-b029-4987-9d12-ccc8893ac6b4\_\_RS\_Early.B 8387.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/3de47a70-4a74-462f-8b56-2088507be4ef\_\_RS\_Early.B 8832.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/ee8df9d4-1893-49a4-b2e9-aae2b1e85ca0\_\_RS\_Early.B 6926.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/99fedd87-d173-4b2f-8bb1-26465641af4d\_\_RS\_Early.B 7372.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/08cf1add-91f8-41ea-bc13-54e7d1cb6da0\_\_RS\_Early.B 6865.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/37da60b5-9c33-4fe7-95d4-3a2db2a7702b\_\_RS\_Early.B 8359.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_E

arly\_Blight/6173dbe2-1379-4241-a43e-7cbad448b6cc\_\_RS\_Early.B 6993.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/98de061b-990e-4395-a50a-975c0fab5a4a\_\_RS\_Early.B 7394.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/d825093a-2bd7-458d-a9a1-036db6c08dec\_\_RS\_Early.B 9018.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/2767ef91-3383-4872-9804-e0bcd2bc43fc\_\_RS\_Early.B 7783.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/8f0e6484-7d27-4ee1-849a-316c6195b139\_\_RS\_Early.B 6840.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/96ab8c2b-9067-4af7-821c-b14a3c7e618f\_\_RS\_Early.B 8816.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/b472654c-a32f-4c8f-b424-da6e415feb9\_\_RS\_Early.B 8930.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/201fed44-8dde-4ece-9e76-3706b8afdf46\_\_RS\_Early.B 8259.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/2cc3eb24-b210-4827-befe-0e3a24161ac4\_\_RS\_Early.B 6829.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/9a157bfb-073a-46b2-95c6-16792e30e03f\_\_RS\_Early.B 7409.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/a3ed964c-36f1-403c-8146-b2a3b79a352d\_\_RS\_Early.B 8310.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/bb07a1b7-b9ad-4016-a013-9ff0e4636d4a\_\_RS\_Early.B 7156.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/107827b3-faa5-457c-97fd-3e34d2657f6b\_\_RS\_Early.B 7162.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/a9659799-4093-4d84-855e-2f4382729c01\_\_RS\_Early.B 8784.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/41f4502c-34aa-45a5-b593-7191f7a62f96\_\_RS\_Early.B 8774.  
JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/dcc9e3a4-04dc-46fd-9bc9-739334aa23d9\_\_RS\_Early.B 6799.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/8e99bd85-9c90-4d29-ba2c-2110f46cef07\_\_RS\_Early.B 8570.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/bc8a7fa5-1f77-4829-a1ee-0ccb6f289eb\_\_RS\_Early.B 7228.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/9541d815-f209-4f13-892e-ca4e97ae5d8e\_\_RS\_Early.B 8981.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/73d47ccd-4f15-4d93-90d1-5c35dbedd91e\_\_RS\_Early.B 7567.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/2b8cfa81-e20f-4c28-b403-2cec2e5c0f2a\_\_RS\_Early.B 8145.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/3935d2ce-2d27-45ec-ab50-a53df9d30fa2\_\_RS\_Early.B 7437.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/8f78af6a-aec1-4e63-a27b-bada4a56d636\_\_RS\_Early.B 7643.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/d03ee4f8-b77d-4f0f-8d13-d0a019a37a66\_\_RS\_Early.B 6970.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/c42e79e4-76c0-406e-9779-6168330f4ca5\_\_RS\_Early.B 9008.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/048d18ae-98b1-484d-97da-5a0e69b9ebc1\_\_RS\_Early.B 6845.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/569206bf-423e-4508-b1b4-2ca6821aceac\_\_RS\_Early.B 7554.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/3a97c74a-3d6e-4cd9-86e0-10a8e716e7b5\_\_RS\_Early.B 8422.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/089fb289-4bea-48b6-a29a-3a1d268d9dd3\_\_RS\_Early.B 8081.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/dcc46f93-d842-496d-980b-4b29a00551d5\_\_RS\_Early.B 8424.

JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/996c0f04-a33a-4620-8971-469e009abae7\_\_RS\_Early.B 8869.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/065fc68f-88c9-4fc3-b0a6-a6f5e1072eaa\_\_RS\_Early.B 7174.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/efa2f117-a774-4fcc-8445-142742aa7816\_\_RS\_Early.B 7458.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/46dc77f0-be88-4887-b1f7-82adff9aaa39\_\_RS\_Early.B 7750.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/906218cf-65e8-4713-841f-01707a9dd20c\_\_RS\_Early.B 7270.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/c0d9fcfd4-79cb-43e4-82bc-1e48e9e2a572\_\_RS\_Early.B 7279.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/3db185d7-7c05-42f9-b508-7a3883e50660\_\_RS\_Early.B 7011.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/f536e055-666e-41cc-8ee2-c1af2fbf754a\_\_RS\_Early.B 8104.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/e217c2fe-b0d5-45e6-a7fa-98f253444d54\_\_RS\_Early.B 7067.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/f5fca019-b28f-4000-9d5e-b0b5fd061304\_\_RS\_Early.B 7503.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/af3bb3a3-e022-45f3-b209-6b3b53f13a47\_\_RS\_Early.B 7333.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/ab23a940-3124-4101-b562-08ca34a8334b\_\_RS\_Early.B 7790.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/7cc0cb45-7fae-4d55-8dce-aa5e4484b7d9\_\_RS\_Early.B 7088.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/f89d5362-f38f-4acf-8fca-2ea154c07cce\_\_RS\_Early.B 7018.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_E

arly\_Blight/72013507-bfce-4b7a-b56e-f66a94cb4558\_\_RS\_Early.B 7930.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/9db872fc-f367-4dfa-b1f7-23490bb4552b\_\_RS\_Early.B 8842.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/3a314933-9e92-4c90-acc2-656a04c591e7\_\_RS\_Early.B 8906.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/4a7c680d-9c18-4065-a6e0-70cd2d0a3207\_\_RS\_Early.B 8107.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/86562214-f8b9-4105-9513-4847520aff9a\_\_RS\_Early.B 7515.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/bd4c7de8-0616-45d4-a060-54b8329a9462\_\_RS\_Early.B 6902.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/5dbb2c15-fc42-4611-b590-9d92d4ce2a85\_\_RS\_Early.B 7312.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/4722a31c-987f-4fac-afa1-37479556a056\_\_RS\_Early.B 6810.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/45ecd7ac-7db9-49bf-b34d-ccd2e83123b0\_\_RS\_Early.B 6883.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/719dcce1-73f0-42c8-9941-44eb2b237544\_\_RS\_Early.B 8059.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/1b4304a9-88c2-4c09-bfea-830fa162a35a\_\_RS\_Early.B 7188.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/b14e0de2-ab48-45b5-9d4d-e45e7c88b68f\_\_RS\_Early.B 8554.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/c5464947-d6f8-4d5e-9cad-009db19adf67\_\_RS\_Early.B 7181.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/833c373e-d3fc-4d1e-86e7-8bd11d41a33e\_\_RS\_Early.B 7509.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/d1072068-911c-4656-8bf2-e662982199e1\_\_RS\_Early.B 8141.  
JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/68662e76-300e-49f6-8467-27dd63aa18ed\_\_RS\_Early.B 7163.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/425e5f26-56b0-404d-b537-dc3353ecee09\_\_RS\_Early.B 7058.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/bc7552e4-3901-41b8-8bef-727eeca4270e\_\_RS\_Early.B 7942.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/2c5500a4-cfa4-4b46-8db4-443b995d39dd\_\_RS\_Early.B 8768.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/beb20b26-07f9-4215-8264-dca1283514ac\_\_RS\_Early.B 7644.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/f9461507-6875-43f7-800d-502ffdb8ec05\_\_RS\_Early.B 7604.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/5585ecfc-6e6e-4544-8e6d-180d958b7211\_\_RS\_Early.B 7619.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/12a7bc09-8d7f-4790-8046-6e3f12f71399\_\_RS\_Early.B 7973.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/6a74ff09-be5a-4412-a192-2370a37c0751\_\_RS\_Early.B 8584.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/09ab9573-90d5-4001-9b74-14551935deef\_\_RS\_Early.B 7603.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/91008080-0b15-41f0-ab72-5b6a3582239d\_\_RS\_Early.B 6954.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/2bc972a0-789f-4e60-9882-2f16fc363dfc\_\_RS\_Early.B 7234.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/82048f32-5a2c-491c-8771-109a1024fd5a\_\_RS\_Early.B 8199.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/1d2ec63e-acfb-4a80-ba21-853a724fff4a\_\_RS\_Early.B 8083.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/5abfa537-636f-41df-a833-311a3018aac9\_\_RS\_Early.B 8176.

JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/3ef2279b-2fda-463a-b007-e2a93ff977f0\_\_RS\_Early.B 7235.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/e6693b54-623a-4323-aa79-3e0fc3c07288\_\_RS\_Early.B 9198.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/b05850b8-bfb9-487d-b0ba-8f406eba933e\_\_RS\_Early.B 6936.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/9bef32f0-dc02-4223-a378-6a41c6bfc7a9\_\_RS\_Early.B 8444.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/c74c801d-a6e5-44dc-a7e8-f3a5f39a300e\_\_RS\_Early.B 7864.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/9e092cd4-dcd4-4f9b-a901-48ac13a6deb0\_\_RS\_Early.B 8343.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/59f90f4b-add8-4f50-af1f-052b35aa99e1\_\_RS\_Early.B 9001.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/b805f812-ef18-47ed-9756-1f5a5dd05b5d\_\_RS\_Early.B 7746.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/d84ba2ee-6ef5-45b7-a15a-b677b99cd3f6\_\_RS\_Early.B 6772.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/f8de1c8d-67a0-4825-9ad6-e15809ff909c\_\_RS\_Early.B 7348.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/c4b16bb7-f358-4010-a04c-10206bad02e9\_\_RS\_Early.B 8391.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/90efe2c3-3e9b-4c76-9ab9-b74b2b2ecf36\_\_RS\_Early.B 7582.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/495e73a1-0f61-43a6-b539-d7f74e3fbf71\_\_RS\_Early.B 8245.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/0d987d4a-26bc-4f74-8a16-12f8969dfed8\_\_RS\_Early.B 7013.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_E

arly\_Blight/41eccd84-6a67-4b04-ae69-59c1bcf17728\_\_RS\_Early.B 7964.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/d1184bb1-defe-44b3-aa71-d03fe11bf535\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/d1184bb1-defe-44b3-aa71-d03fe11bf535__RS_Early.B) 8787.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/f917c191-cca4-4a78-8238-a40b586f9058\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/f917c191-cca4-4a78-8238-a40b586f9058__RS_Early.B) 7945.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/82611670-959a-401b-8ed0-4b4fdad5679e\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/82611670-959a-401b-8ed0-4b4fdad5679e__RS_Early.B) 8003.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/094fbf4c-da00-4037-82af-03e712d8db47\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/094fbf4c-da00-4037-82af-03e712d8db47__RS_Early.B) 6908.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/54a0c5b4-7df1-46c8-95f7-85ffb6a47939\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/54a0c5b4-7df1-46c8-95f7-85ffb6a47939__RS_Early.B) 8174.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/4b484f0f-82dc-45d1-a5b6-72c8a6a96323\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/4b484f0f-82dc-45d1-a5b6-72c8a6a96323__RS_Early.B) 7262.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/37957a08-5b06-49f7-9973-29f167dd95b8\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/37957a08-5b06-49f7-9973-29f167dd95b8__RS_Early.B) 8758.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/3aea17a1-9413-4312-bcf2-e9aadb7371ab\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/3aea17a1-9413-4312-bcf2-e9aadb7371ab__RS_Early.B) 8237.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/cff1ed1b-51ec-4d44-ab1f-7a3dc1ec9ea9\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/cff1ed1b-51ec-4d44-ab1f-7a3dc1ec9ea9__RS_Early.B) 7100.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/7a7ff9ee-1d6f-4ca8-a393-9c56ca74d7bb\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/7a7ff9ee-1d6f-4ca8-a393-9c56ca74d7bb__RS_Early.B) 8158.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/9ca7d203-7b7c-4f5c-911f-fc225f3c5b77\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/9ca7d203-7b7c-4f5c-911f-fc225f3c5b77__RS_Early.B) 7557.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/f0cdbf74-8401-48d1-b1cc-94862e1a4452\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/f0cdbf74-8401-48d1-b1cc-94862e1a4452__RS_Early.B) 7447.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/4e7faad5-4f3c-432a-8a71-bbe198aece77\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/4e7faad5-4f3c-432a-8a71-bbe198aece77__RS_Early.B) 7354.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/2639ad26-c7e9-4bd6-8000-c002f676a4c6\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/2639ad26-c7e9-4bd6-8000-c002f676a4c6__RS_Early.B) 7150.  
JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/849daa7e-b5ea-4445-93f9-b21d43c1bd44\_\_RS\_Early.B 7193.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/001187a0-57ab-4329-baff-e7246a9edeb0\_\_RS\_Early.B 8178.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/37c72e1c-7981-4d84-9587-f5014b609230\_\_RS\_Early.B 7457.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/b5127f55-debe-459a-98e5-4629750f9c38\_\_RS\_Early.B 7496.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/b1b55149-b5bc-460e-87af-a745fb01855d\_\_RS\_Early.B 7477.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/c5a12e34-99ea-443e-a67e-3f2651508773\_\_RS\_Early.B 7647.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/42148e3c-34d6-484e-a4b8-8dc037667a4c\_\_RS\_Early.B 8235.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/2ec0f91e-b8a4-4aeb-9e08-8bd32b492487\_\_RS\_Early.B 7502.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/86e98583-f506-4cb7-ba11-eea466662ec7\_\_RS\_Early.B 7335.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/24a34259-1c47-4e87-ac83-5decf37b42e4\_\_RS\_Early.B 6896.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/c3356ff5-91b3-4673-b1d2-d47195b162cd\_\_RS\_Early.B 8352.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/34d7e068-10e6-4ea0-8547-c90937fccbbc\_\_RS\_Early.B 8198.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/d06681cc-3ed1-4af2-ae40-2597eaea3dd4\_\_RS\_Early.B 8691.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/757b3cbf-a694-4e76-939c-5a93d3c932ab\_\_RS\_Early.B 8169.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/4d5d6c62-61d8-45a3-aada-3ee8bc44e1d5\_\_RS\_Early.B 6685.

JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/10a3920b-dd04-406d-8bbd-f92f221e4dee\_\_RS\_Early.B 7035.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/4b925312-1973-41cf-afdf-9090d02dd539\_\_RS\_Early.B 7913.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/7456db33-766c-4a68-b924-ddf69d579981\_\_RS\_Early.B 6723.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/d036af36-99a4-4b25-aa40-2477883e73cf\_\_RS\_Early.B 8269.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/25703c4f-ec40-4099-b249-a4fd07b07752\_\_RS\_Early.B 7040.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/6a903f3e-0c90-4b97-aad7-bdb1d07cb11e\_\_RS\_Early.B 6765.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/49f13f57-6881-4caa-839b-d93215ce1b77\_\_RS\_Early.B 7009.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/0e0a1b51-f61c-4934-bc57-a820af1faacb\_\_RS\_Early.B 7147.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/c777a0ce-5d2b-4e87-8cc4-d5f8847a4553\_\_RS\_Early.B 8239.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/f3483bdf-7adf-40fe-b478-044b7c9daff2\_\_RS\_Early.B 7034.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/e0042931-92f3-4527-b292-872075f4261d\_\_RS\_Early.B 7203.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/5888d397-4e83-4fac-bcf7-0de778966d36\_\_RS\_Early.B 7418.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight(cf3169aa-b842-46ed-bb1a-3e02b6858c86\_\_RS\_Early.B 7566.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/983cf28c-872f-423a-a774-41ed2939f249\_\_RS\_Early.B 7660.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_E

arly\_Blight/8df7a062-73d6-468e-8354-baa641dd69b3\_\_RS\_Early.B 7072.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/f194debe-e829-4bfb-af09-681e50358f50\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/f194debe-e829-4bfb-af09-681e50358f50__RS_Early.B) 7739.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/acb59a95-cbe4-4602-9b8a-9adbf12899af\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/acb59a95-cbe4-4602-9b8a-9adbf12899af__RS_Early.B) 6754.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/08a892eb-19cc-45ea-babc-181b98f89238\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/08a892eb-19cc-45ea-babc-181b98f89238__RS_Early.B) 7367.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/e50bd734-03b9-479b-9ca0-48ef217a2c59\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/e50bd734-03b9-479b-9ca0-48ef217a2c59__RS_Early.B) 7976.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/a5b278e7-448e-40ae-80c2-d286f2681d10\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/a5b278e7-448e-40ae-80c2-d286f2681d10__RS_Early.B) 7900.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/232c8d25-3bfe-41ea-b24f-2b3629a0253a\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/232c8d25-3bfe-41ea-b24f-2b3629a0253a__RS_Early.B) 9200.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/8002c1e4-0066-4764-9ed5-52d8334cd5c6\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/8002c1e4-0066-4764-9ed5-52d8334cd5c6__RS_Early.B) 7855.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/1d4fc5d0-fee6-40bf-8e7b-e1598ea64161\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/1d4fc5d0-fee6-40bf-8e7b-e1598ea64161__RS_Early.B) 8912.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/8c1f94fb-d8e0-4607-a967-b71408dfd1ab\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/8c1f94fb-d8e0-4607-a967-b71408dfd1ab__RS_Early.B) 8723.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/99821810-926a-4ac4-9bc7-cbae991f7e68\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/99821810-926a-4ac4-9bc7-cbae991f7e68__RS_Early.B) 7626.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/17667077-cf29-4976-9282-359c6da25cf6\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/17667077-cf29-4976-9282-359c6da25cf6__RS_Early.B) 6971.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/d031102c-679d-4323-a5ee-4c52ed2d5740\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/d031102c-679d-4323-a5ee-4c52ed2d5740__RS_Early.B) 6947.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/6bb48ab5-6f0d-4bd8-a3c0-bf2b6d5ed936\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/6bb48ab5-6f0d-4bd8-a3c0-bf2b6d5ed936__RS_Early.B) 7281.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/6eabb348-cafa-4863-937c-3b249f71df0a\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/6eabb348-cafa-4863-937c-3b249f71df0a__RS_Early.B) 9230.  
JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/945f4d4b-5e0a-4cc0-8b7c-d82854730b9d\_\_RS\_Early.B 7836.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/7a3630ed-a43c-4957-a604-1de05e8e7f32\_\_RS\_Early.B 6795.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/cbd4ef4a-1e84-41ac-8744-b5a1c52461be\_\_RS\_Early.B 8191.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/5a152fa7-7645-42ea-9c59-13258febe52f\_\_RS\_Early.B 7175.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/29f79006-adf2-4d71-a6a8-bfc02c020b71\_\_RS\_Early.B 6833.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/992a06a6-1aeb-4876-b33e-4267aa1a0c43\_\_RS\_Early.B 7618.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/c42b5e69-2673-42ef-8e14-a785fea3aad6\_\_RS\_Early.B 9107.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/4217355a-471b-4045-9199-55003f2c9b99\_\_RS\_Early.B 7469.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/0d9dbf50-53a9-42b2-8b29-0360fb7dbd98\_\_RS\_Early.B 6692.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/89273b26-09d5-4bf7-a6a5-22c47a613b93\_\_RS\_Early.B 7383.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/1994cd3e-4000-4c56-bede-d35a1eecc287\_\_RS\_Early.B 6867.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/db79941d-3ca1-42f1-b06e-d150a49d476a\_\_RS\_Early.B 8742.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/ca1bc7af-3220-4b45-b76d-8f950128c489\_\_RS\_Early.B 7266.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/336e5156-8947-46a7-a6fb-e993255d9091\_\_RS\_Early.B 8085.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/2dc9baab-663f-4f09-a0a4-7c07edfb4c42\_\_RS\_Early.B 6866.

JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/4be99b40-e269-4c69-8c90-ac75514650af\_\_RS\_Early.B 6830.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/88c63d75-4423-4233-9097-728af8a52033\_\_RS\_Early.B 6862.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/38807f81-ce49-4978-916a-a6cd2a95bfb0\_\_RS\_Early.B 8397.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/84a61cf3-fdc2-42bd-82d8-8dcf20e9d374\_\_RS\_Early.B 8130.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/f7db505f-aabe-4b96-b719-8c930b5ff471\_\_RS\_Early.B 9224.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/33d72b8e-ae59-4fd4-8c74-eaf342682b47\_\_RS\_Early.B 7884.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/7855ccc3-28ac-4269-a8ce-618df8a27573\_\_RS\_Early.B 7834.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/a938ba0c-780a-41e0-b26c-3c6b87047ac6\_\_RS\_Early.B 6878.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/044c3abc-0bc9-45fb-8fd5-094aeb605f90\_\_RS\_Early.B 8044.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/fa61b2e4-413c-4503-a2a2-cff2d8a11351\_\_RS\_Early.B 7370.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/f3360814-9e4c-46b0-85ed-73fc77ef7810\_\_RS\_Early.B 7550.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/6fc04d72-747b-4a96-912a-db0bd967ece0\_\_RS\_Early.B 8002.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/f838c192-a78c-460c-ab90-313dd5014a47\_\_RS\_Early.B 7718.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/61da9830-ebfd-483a-88dd-a66fcff4c457\_\_RS\_Early.B 7817.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_E

arly\_Blight/c8a008b3-a81d-410c-97aa-94e92118e572\_\_RS\_Early.B 7616.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/ecf9d01d-b97f-4cf8-99e5-7036bd91b5d1\_\_RS\_Early.B 8650.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/dbe05365-9166-45f7-94cf-cefca787215a\_\_RS\_Early.B 9144.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/77c86eac-945e-4942-8eab-1269373d645a\_\_RS\_Early.B 7755.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/aaa394b2-f7d5-41a5-97eb-acc4068ef72d\_\_RS\_Early.B 9155.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/9c77f930-5d28-4b1f-8274-30c2c2dc82fb\_\_RS\_Early.B 8347.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/8994b76b-6e1e-42d3-b07c-99abca3fa35b\_\_RS\_Early.B 7762.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/81bc4d94-be1f-4127-8203-da3ae29aa3d5\_\_RS\_Early.B 7305.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/77b04047-8450-47d1-82f1-48f09f83387c\_\_RS\_Early.B 7042.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/d87f93fa-f6f8-49f1-b9e1-8f196f377df8\_\_RS\_Early.B 7244.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/c59f2dde-4805-4f63-b47a-79fe9cd9364b\_\_RS\_Early.B 7510.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/d7c9765e-4a73-4eeb-9f9e-9ed98b7e93fe\_\_RS\_Early.B 7601.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/593de3cd-1e2e-4943-b5f3-ef9d5d857894\_\_RS\_Early.B 8336.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/aa0ad1ba-f08a-4376-82a1-fec51fbf6810\_\_RS\_Early.B 7478.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/c9bd759f-bd34-4333-a7b9-23ad810bba32\_\_RS\_Early.B 8033.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/1d038d64-7f3c-4b4d-9b3d-7736f97b59a0\_\_RS\_Early.B 7994.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/52fb5725-33cf-4076-9abc-93311d027da2\_\_RS\_Early.B 8415.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/9d2f37ae-aa02-4b04-b0cb-9fe125cfdbe2\_\_RS\_Early.B 7691.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/e1710bad-79c1-4b36-bbd2-b257c50697a5\_\_RS\_Early.B 7426.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/66642302-1334-4c23-8613-f98387352360\_\_RS\_Early.B 8766.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/bf972aad-9f3f-40c8-9fc7-fdcf57a94c6f\_\_RS\_Early.B 7151.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/0a0744dc-8486-4fbb-a44b-4d63e6db6197\_\_RS\_Early.B 7575.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/ae5a9be8-5bd6-4542-8766-6c7bb8c61ded\_\_RS\_Early.B 8182.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/b8578828-0e34-4511-9739-9ef0170774b2\_\_RS\_Early.B 7416.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/7a84da2c-6c10-483f-9994-69aeedc21a57\_\_RS\_Early.B 7534.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/b3d44557-f696-4fc9-b144-dec4f4ba9452\_\_RS\_Early.B 9110.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/ec4e730c-02c1-4b4e-b9fc-9387e2f30a8a\_\_RS\_Early.B 7701.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/abfaeb8b-fe1e-48e6-ab8f-c9a72680420d\_\_RS\_Early.B 7427.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/15ab8118-01fb-4e9c-83a9-94ab224d6854\_\_RS\_Early.B 7962.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/95d42b98-1945-4cb3-ab27-0dbd56def41b\_\_RS\_Early.B 8866.

JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/477c3ef0-ab1e-44fb-852d-6b3ce74c93a2\_\_RS\_Early.B 7257.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/38a72c90-ed53-4432-b625-01c1f962f791\_\_RS\_Early.B 7302.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/f6d020f8-8578-4c96-afc2-a1e97adb1ea9\_\_RS\_Early.B 7521.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/c17c36ed-c36f-42d4-812d-3b17158063d3\_\_RS\_Early.B 8398.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/85626b40-beca-4bc0-90ed-fc6090c6b18e\_\_RS\_Early.B 8598.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/63f9b76b-c491-4ed3-923b-087967ea9268\_\_RS\_Early.B 7161.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/fdf3c33c-dad6-4f13-bd58-a31d327d9cb9\_\_RS\_Early.B 8947.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/fc1ab935-21b3-42e7-a870-02fd71c5d845\_\_RS\_Early.B 6894.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/f0a1af30-47b5-430b-b563-ef9a32a55dc7\_\_RS\_Early.B 6781.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/28f275f9-4dd9-479a-a005-ed442362840a\_\_RS\_Early.B 6790.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/e5d559da-71d8-4999-9d5a-05da9e6bf12e\_\_RS\_Early.B 7491.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/fbbe7b93-e6da-4dc8-b1ee-ba5646a5e039\_\_RS\_Early.B 8216.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/4b7b3611-d9b9-40c8-b0f5-d730fc76679\_\_RS\_Early.B 6937.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/1132bee0-fe6b-41a9-9583-7b959c2ca25f\_\_RS\_Early.B 7482.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_E

arly\_Blight/667c593c-acbf-468a-91a3-6fd8006c46c2\_\_RS\_Early.B 7830.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/98efaa2d-7587-48e8-8c19-4f7483e395cb\_\_RS\_Early.B 6982.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/85a9856f-d5ae-4740-a038-517489a25ff5\_\_RS\_Early.B 8635.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/d9eb6a0-d46e-47fe-950e-938f7ce83afb\_\_RS\_Early.B 7419.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/b328c22c-c9c6-41fd-9bac-daf2f26143b1\_\_RS\_Early.B 6854.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/f6d8c094-970c-41c5-9f5d-3ded7c8f7b15\_\_RS\_Early.B 6846.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/43ddad18-d70a-49d3-97d6-9a5f82ddeecd\_\_RS\_Early.B 9069.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/8e8ec280-1469-4286-ac93-0d88f393d21c\_\_RS\_Early.B 7891.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/7c0e4eed-d8e2-410f-a7bf-9f5a1c4a566d\_\_RS\_Early.B 8042.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/58a381f9-5315-4865-9b35-43df8fd9bf42\_\_RS\_Early.B 9027.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/38aa30f4-14d5-446f-80c3-ec60ce67ccc3\_\_RS\_Early.B 6789.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/d24073c7-875b-4e86-b8cd-58853f13c191\_\_RS\_Early.B 6761.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/ba96aab6-adb5-4021-b6ad-3305f50aec12\_\_RS\_Early.B 7317.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/bcedd1ec-17b4-495b-b47f-5877ef836f88\_\_RS\_Early.B 7248.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/d829c0d8-016e-4337-b80f-bb1f329b1d4d\_\_RS\_Early.B 8797.  
JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/848336c4-eaad-47e7-8458-5e80d5520d05\_\_RS\_Early.B 7729.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/677662b1-2c4e-4d93-b4fd-950815b9d2c8\_\_RS\_Early.B 8813.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/a4ac4e39-1342-4b1d-806a-98789876a701\_\_RS\_Early.B 8953.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/be5f03e6-810f-4f22-9e5a-37a66826f7e5\_\_RS\_Early.B 6807.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/5bb77b39-311b-4ad1-8bfc-5a41a13b7b02\_\_RS\_Early.B 8255.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/450b4a32-39ae-4daa-aeb6-87559afb0b42\_\_RS\_Early.B 9202.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/dd875158-7897-4f5d-ada1-46e7e382ea96\_\_RS\_Early.B 7912.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/4138df1f-b8f7-429f-9e95-a627f6aba912\_\_RS\_Early.B 7667.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/d435f2db-74fc-4b82-9dd8-9ffdc51650c6\_\_RS\_Early.B 9181.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/c4ec31de-5466-49c0-b034-84a825327e0b\_\_RS\_Early.B 8062.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/3b090cee-ba51-44c2-9cc6-4581db95070e\_\_RS\_Early.B 7789.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/4019e40b-0175-462a-b6bb-228cf42c1a65\_\_RS\_Early.B 8256.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/7ace85c1-a488-4df2-8162-b73c17032099\_\_RS\_Early.B 7541.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/22b28f50-4141-4ca7-be3f-ccb1c521c2df\_\_RS\_Early.B 8285.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/0ddd62cd-a999-4d58-a8f1-506e1004a595\_\_RS\_Early.B 8041.

JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/203357f4-1deb-42b2-99ed-32df34aa166c\_\_RS\_Early.B 6780.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/ef5b06f0-4c81-4e47-9ec3-499af1571d9e\_\_RS\_Early.B 8455.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/585062b6-d5a4-4677-8b7f-773257399423\_\_RS\_Early.B 8558.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/b95c05a8-2d70-4af5-a384-5b5b4450b7c6\_\_RS\_Early.B 7724.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/93c3dfcc-de7c-4ae9-9d18-4042f53e3d1f\_\_RS\_Early.B 7872.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/c2cc82b8-9f74-4e40-9792-c121a89a84c0\_\_RS\_Early.B 8524.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/62e81304-8d1b-46ed-a79a-52cf53a63919\_\_RS\_Early.B 7363.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/544b5324-f697-4af8-90d4-47b7b86691c6\_\_RS\_Early.B 7028.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/e7b48816-19f7-4dc2-bf52-dfb85e1f59a\_\_RS\_Early.B 7240.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/f3b29f09-c337-4233-8968-0fcc66c9fa2a\_\_RS\_Early.B 8115.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/dc3e6480-10c2-429b-bd9a-b8dd7d538594\_\_RS\_Early.B 8061.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/541f3dc9-a330-4caf-97f3-88bec1b60c53\_\_RS\_Early.B 7767.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/e5c94100-3e1c-4fb1-8b6b-f281b491adff\_\_RS\_Early.B 8604.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/95a4df95-bec8-4c93-bb07-48b0118f99be\_\_RS\_Early.B 7740.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_E

arly\_Blight/f980fef9-bcf5-47fd-8426-2c503dc35f88\_\_RS\_Early.B 6745.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/4a35b485-4f57-471a-a2cc-d5d7ebd41c40\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/4a35b485-4f57-471a-a2cc-d5d7ebd41c40__RS_Early.B) 7651.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/2a4fd894-0c4f-471b-b80b-d362a7b513f4\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/2a4fd894-0c4f-471b-b80b-d362a7b513f4__RS_Early.B) 8038.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/9cd81447-0701-4969-86aa-5f20269923c5\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/9cd81447-0701-4969-86aa-5f20269923c5__RS_Early.B) 8790.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/cceec9d-e0d9-4512-a1f0-faa5dc6bbf40\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/cceec9d-e0d9-4512-a1f0-faa5dc6bbf40__RS_Early.B) 8381.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/cea35641-b4f8-49cb-bbeb-c98cfc79870e\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/cea35641-b4f8-49cb-bbeb-c98cfc79870e__RS_Early.B) 7189.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/eec2262a-d16b-42e1-99bd-6891ef392988\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/eec2262a-d16b-42e1-99bd-6891ef392988__RS_Early.B) 7085.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/e11d63b8-93fa-41ba-b826-99811ee4c232\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/e11d63b8-93fa-41ba-b826-99811ee4c232__RS_Early.B) 7387.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/e912f95d-d159-47bc-b1ed-f0f08c3c391d\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/e912f95d-d159-47bc-b1ed-f0f08c3c391d__RS_Early.B) 8366.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/1de8ed75-0778-4364-9178-52c1bd0dfffb4\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/1de8ed75-0778-4364-9178-52c1bd0dfffb4__RS_Early.B) 6729.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/48ed1384-b3c5-464d-bdc8-97b347d89a58\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/48ed1384-b3c5-464d-bdc8-97b347d89a58__RS_Early.B) 6744.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/a08eec21-8500-4ac5-92a9-d9b14067f01c\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/a08eec21-8500-4ac5-92a9-d9b14067f01c__RS_Early.B) 8985.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/7fb3dc5c-f90b-46fe-8eb6-2d21038976ff\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/7fb3dc5c-f90b-46fe-8eb6-2d21038976ff__RS_Early.B) 7256.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/8a9f0340-d5d1-479b-9dc5-d8df11685951\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/8a9f0340-d5d1-479b-9dc5-d8df11685951__RS_Early.B) 7024.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/c43a5fd7-c60c-4a04-9835-bd35b551ec44\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/c43a5fd7-c60c-4a04-9835-bd35b551ec44__RS_Early.B) 6701.  
JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/72f7fa2c-974f-42af-99c3-fd4739d64050\_\_RS\_Early.B 8772.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/4e40c113-4ab2-4a71-9ecc-5ceb67905190\_\_RS\_Early.B 7446.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/722bc78a-a1e0-481b-b5a3-cb3357f2f350\_\_RS\_Early.B 6803.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/7f0c3ad4-67f7-4a6e-81da-5cdbe1c5ff8b\_\_RS\_Early.B 8453.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/55daa016-a408-4de3-a79e-53d0ec53ea16\_\_RS\_Early.B 7686.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/acff9d5e-4b38-4817-a239-93c115a0b3ff\_\_RS\_Early.B 8993.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/7ba072ea-9bb3-4b5e-8fff-82758ff3f722\_\_RS\_Early.B 8262.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/4d943ff8-e048-43c6-8861-4cdc6adab6a0\_\_RS\_Early.B 8726.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/454203b9-0376-4db3-92ed-047545daa7c6\_\_RS\_Early.B 6953.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/2cf993b6-98e7-4678-aea5-9177ea3b63bd\_\_RS\_Early.B 7692.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/2b6f9564-80a2-4db7-a5e6-72be5ef33a71\_\_RS\_Early.B 8009.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/d59c5aa9-8d45-45db-be3e-0276e24641f5\_\_RS\_Early.B 7897.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/26d0fa09-d463-461b-830c-3e970244cabb\_\_RS\_Early.B 7406.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/2b982641-10ea-4426-874f-509e6377ff59\_\_RS\_Early.B 7663.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/d9a1cd5f-e2f2-49f7-b5f1-22cf02eb5ba4\_\_RS\_Early.B 8891.

JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/ac40d7e9-e650-40f1-b894-22f495febefd\_\_RS\_Early.B 7276.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/38757e70-6278-4961-b1f3-19fccbb085f5\_\_RS\_Early.B 6968.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/fc603fb2-e2a0-4990-8a75-0e4f80f40694\_\_RS\_Early.B 7584.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/ab808dff-e0fc-42d0-ad9a-c4cb7f69e59b\_\_RS\_Early.B 9210.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/08bbd7f1-169d-4e38-946f-8d91589b263e\_\_RS\_Early.B 7106.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/306c45ac-6f97-4b7e-9fad-1c8c39870138\_\_RS\_Early.B 7673.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/8ace7694-6cdd-495e-a987-f9c0ee82bcab\_\_RS\_Early.B 9016.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/d0221e13-4d76-45e5-9cd1-7cac63833f52\_\_RS\_Early.B 7191.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/03b0d3c1-b5b0-48f4-98aa-f8904670290f\_\_RS\_Early.B 7051.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/654aaaf22-e23a-441d-ad57-914843a36c64\_\_RS\_Early.B 7924.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/902d81fd-7e78-44b6-b71b-efa61e018c65\_\_RS\_Early.B 8100.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/5fa695b2-89f6-4c5e-b62f-2be61e2ad23a\_\_RS\_Early.B 7232.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/e7cab6f5-308b-41ea-af82-e20cf540729\_\_RS\_Early.B 7177.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/a41c6816-0755-4e55-b589-42b665a97a02\_\_RS\_Early.B 7064.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_E

arly\_Blight/ae38f458-d36e-43ce-95a5-45b775692d8d\_\_RS\_Early.B 8644.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/d6ffc732-27cc-4391-9820-be9d386fb245\_\_RS\_Early.B 7032.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/9d0c69df-f5dc-4118-a654-ab40d100b9b6\_\_RS\_Early.B 8870.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/c14e2b11-510b-4967-ac96-ae965972ad50\_\_RS\_Early.B 7327.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/ea403e5a-34b3-4b06-a94d-65ad2e78831f\_\_RS\_Early.B 8136.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/51f59871-72dc-490c-a550-9e7869142284\_\_RS\_Early.B 7224.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/57bb36be-b5bc-44e0-91e5-0b1b4d31bc82\_\_RS\_Early.B 7311.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/5caecfc6-8e1d-401b-8014-763dec01cb98\_\_RS\_Early.B 8063.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/69a20537-e5fd-4f1e-8800-ef9aa4fa4766\_\_RS\_Early.B 8111.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/519e17be-a518-410a-ad3e-153d07fc3563\_\_RS\_Early.B 7711.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/520475a1-5acf-433f-a306-cff6ec1a99ef\_\_RS\_Early.B 9159.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/6a90d533-28ad-4e1b-935b-8d2dfa804c87\_\_RS\_Early.B 8213.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/26d2af6a-f52e-457c-8006-fa106ad39fbe\_\_RS\_Early.B 8586.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/838c8a0a-d112-4940-9a5d-221b4e9cc4c8\_\_RS\_Early.B 6967.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/da412bf6-6bee-4dfb-8bc7-b6e9f80971ff\_\_RS\_Early.B 6808.  
JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/cfd3112d-e376-4b82-bc06-de0bfba0ab41\_\_RS\_Early.B 8389.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/5dfcdf05-e64e-4992-84b8-a9fc9c49ce3c\_\_RS\_Early.B 6711.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/d91d88d1-89d4-4017-b0f0-9e875bedfcab\_\_RS\_Early.B 7201.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/3e7543bc-4792-4b65-afd9-f9ccd52b7319\_\_RS\_Early.B 8571.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/e00d7014-a909-4d98-892b-da96a2be9a2e\_\_RS\_Early.B 7535.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/7795f733-eeb0-4353-bdb8-b2f4d8d622d4\_\_RS\_Early.B 6960.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/b692a411-91aa-4388-b641-a6c02286840c\_\_RS\_Early.B 7784.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/37471260-d7b4-4ccd-901e-974332ef2eb9\_\_RS\_Early.B 7967.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/61a602c4-02e3-49e5-9858-5b1d4d4795f7\_\_RS\_Early.B 7875.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/4f5ed8b8-7266-451d-a726-c1dbba2e5381\_\_RS\_Early.B 7384.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/de8d212e-1bbf-41d7-b13b-29f0746223aa\_\_RS\_Early.B 8022.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/d3240683-1636-4373-84aa-01ce594c19a0\_\_RS\_Early.B 8340.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/aa687aac-2f1a-44d8-89aa-3f7d413b4763\_\_RS\_Early.B 8055.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/4eb1fee6-e288-4c32-841d-9fc1d1824508\_\_RS\_Early.B 8446.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/835e6cde-b1e2-48e6-b616-e0a4ca05b127\_\_RS\_Early.B 7143.

JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/c5b121ff-fc3c-406a-8127-2a7e413a0903\_\_RS\_Early.B 9006.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/dd9c3ad3-aa94-4d00-88c8-8e4618e8832e\_\_RS\_Early.B 7633.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/a8933319-d98e-4e71-a2ac-e22f7e1bca08\_\_RS\_Early.B 7499.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/c630212c-205f-469d-bb8d-9a143f65ab03\_\_RS\_Early.B 9000.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/7486e823-64f7-4e43-ab51-26261b077fc2\_\_RS\_Early.B 6785.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/8b5e48c6-7fac-4c87-bae4-6dd4ca5d110d\_\_RS\_Early.B 8905.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/a2fe15c2-1900-4fdb-9e69-771b1693cc68\_\_RS\_Early.B 7398.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/64cab763-3fa2-483c-abc6-1d203f26f88e\_\_RS\_Early.B 6671.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/b7712e86-f508-4485-8a42-5dd447f3b510\_\_RS\_Early.B 7103.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/ec9ea109-34c7-48c5-bbac-40a36b21fa05\_\_RS\_Early.B 8761.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/ea87f5c8-69f9-44e0-997b-bb896350765e\_\_RS\_Early.B 7798.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/cfa37804-6d71-45fe-bd88-c899b9534992\_\_RS\_Early.B 6673.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/e9643c88-239f-4587-8093-3b96eb3723f4\_\_RS\_Early.B 7353.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/49ecf1fe-0000-49e8-a042-fb6c9bac38c9\_\_RS\_Early.B 8940.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_E

arly\_Blight/2e88d4ed-b11b-4123-9e4b-f3c02a65ad39\_\_RS\_Early.B 9180.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/b549ab3b-06f1-45ef-bf34-86071552d870\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/b549ab3b-06f1-45ef-bf34-86071552d870__RS_Early.B) 8576.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/6d1cebfa-ad84-484e-9f30-f8fffb289072\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/6d1cebfa-ad84-484e-9f30-f8fffb289072__RS_Early.B) 7703.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/e304fbf5-d145-433c-8f67-7b486581166a\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/e304fbf5-d145-433c-8f67-7b486581166a__RS_Early.B) 7434.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/04fd2a46-ddd4-4b0b-8f19-5ecca482a7d5\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/04fd2a46-ddd4-4b0b-8f19-5ecca482a7d5__RS_Early.B) 7273.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/f400079a-ff67-45c2-8a50-5c5b1e08dc25\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/f400079a-ff67-45c2-8a50-5c5b1e08dc25__RS_Early.B) 8491.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/e6d7262c-803d-4346-a36d-4f384196e21c\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/e6d7262c-803d-4346-a36d-4f384196e21c__RS_Early.B) 6893.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/109730cd-03f3-4139-a464-5f9151483e8c\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/109730cd-03f3-4139-a464-5f9151483e8c__RS_Early.B) 6738.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/b2b7758e-f201-4d9c-bc27-d53bb09b2dac\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/b2b7758e-f201-4d9c-bc27-d53bb09b2dac__RS_Early.B) 7025.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/422fa1a6-d0f7-4634-9233-0d002ff139ae\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/422fa1a6-d0f7-4634-9233-0d002ff139ae__RS_Early.B) 7218.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/41cc6e70-9745-413d-b13d-c4775bcdafa7c\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/41cc6e70-9745-413d-b13d-c4775bcdafa7c__RS_Early.B) 7610.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/a601dd4d-4e81-4327-9e4e-fd19262a1306\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/a601dd4d-4e81-4327-9e4e-fd19262a1306__RS_Early.B) 8265.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/f7740cb1-3295-4022-ae6c-7ffeee775f6f\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/f7740cb1-3295-4022-ae6c-7ffeee775f6f__RS_Early.B) 8991.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/e490f736-a52f-434f-ada7-3bb255d99635\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/e490f736-a52f-434f-ada7-3bb255d99635__RS_Early.B) 7417.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/3ab17a89-2e50-49c2-bb75-518369da98c1\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/3ab17a89-2e50-49c2-bb75-518369da98c1__RS_Early.B) 8636.  
JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/c5cb3e89-f00f-4032-80ca-eb39bead0796\_\_RS\_Early.B 8645.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/51f13c93-c8b6-4542-a81b-cb1a2e83f179\_\_RS\_Early.B 7684.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/bac19c19-ab8b-466a-a317-56c1f35fb082\_\_RS\_Early.B 7141.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/4d1d5d85-e67d-4007-bceb-9b577f49065b\_\_RS\_Early.B 8885.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/c28107c6-ea57-4044-bb6e-508d6d360cd7\_\_RS\_Early.B 7057.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/6f75cbf6-25c5-4b56-911d-c8a6ffa242d4\_\_RS\_Early.B 7914.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/78313ae7-3589-4d23-a5b6-0457e500bd1a\_\_RS\_Early.B 6768.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/769b00f1-f5cf-4dee-a2c6-6e97414450f6\_\_RS\_Early.B 9149.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/5a6f3209-223e-43e5-8680-41dd3d5091ce\_\_RS\_Early.B 7288.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/8f6d9148-ae73-42cc-be78-baca869d1543\_\_RS\_Early.B 6805.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/9b5f25b9-9f30-478a-9710-fc79dafaf62e\_\_RS\_Early.B 6739.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/17756ec1-9c95-43b3-bedc-933b6e0887f3\_\_RS\_Early.B 8251.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/b29e0fdf-c39f-4b3a-b12f-c693374f15cf\_\_RS\_Early.B 8820.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/67f2bf79-1d71-4748-bcd6-a65006f12981\_\_RS\_Early.B 7289.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/686938d8-5fcc-4482-850f-0e8720206046\_\_RS\_Early.B 7769.

JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/d9293730-8ba7-4f41-936a-eb129bde096b\_\_RS\_Early.B 8102.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/99d75573-472e-4f57-ab82-b49b78853d03\_\_RS\_Early.B 7847.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/b6b036b0-6869-48b8-b861-a6a85d1b2b97\_\_RS\_Early.B 6850.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/12429fa8-02ea-4017-88ef-b2d219b892f7\_\_RS\_Early.B 6916.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/002a55fb-7a3d-4a3a-aca8-ce2d5ebc6925\_\_RS\_Early.B 8170.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/29978e78-7d4a-4fff-a659-52e45e9b96b3\_\_RS\_Early.B 7672.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/63b61694-16e9-4ef4-ad6f-5e27d2c9eed9\_\_RS\_Early.B 6871.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/0604174e-3018-4faa-9975-0be32d2c0789\_\_RS\_Early.B 7123.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/4699d1d8-f931-4b1c-8fd4-03a58350a86d\_\_RS\_Early.B 8972.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/d5673be4-4d62-4287-b9a4-3653b88d1604\_\_RS\_Early.B 8304.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/10c438df-8ed7-4de7-94df-83298ebcf373\_\_RS\_Early.B 7001.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/fbc1b154-7b53-4ac5-ad3a-5e9e5078a289\_\_RS\_Early.B 7551.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/a60106e3-e037-495f-8b5a-080adcb9bdd9\_\_RS\_Early.B 8561.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/8be5bc25-febc-4bde-bd2b-01a54d3c6e3c\_\_RS\_Early.B 8760.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_E

arly\_Blight/1ee04a42-fa1c-4f6b-a88b-4cf583b188ea\_\_\_RS\_Early.B 8494.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_\_E  
arly\_Blight/0ed45bc2-c8cc-4d65-8f53-bdc10d78a7dc\_\_\_RS\_Early.B 8504.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_\_E  
arly\_Blight/eb4fbcc2b-c1a4-473f-a4e1-71ba04a7133c\_\_\_RS\_Early.B 7716.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_\_E  
arly\_Blight/1daae61a-7014-4efe-b855-018999a5be9b\_\_\_RS\_Early.B 6852.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_\_E  
arly\_Blight/02578b86-b234-4ac0-9bc3-691b5610e2bf\_\_\_RS\_Early.B 7562.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_\_E  
arly\_Blight/24fb74df-0aa9-4e89-9ba4-55a4664438ab\_\_\_RS\_Early.B 8634.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_\_E  
arly\_Blight/f0b444a4-ddd7-4286-8a80-423f7e71c526\_\_\_RS\_Early.B 8753.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_\_E  
arly\_Blight/f15637d3-829d-46f9-b45e-1e1768d6b8c9\_\_\_RS\_Early.B 7635.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_\_E  
arly\_Blight/ed64bc0c-d2e5-44fd-a21a-f4d6b4f2f219\_\_\_RS\_Early.B 7366.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_\_E  
arly\_Blight/129b1c3a-4f7d-4c45-ae03-2a4c3eb17dd4\_\_\_RS\_Early.B 7413.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_\_E  
arly\_Blight/d0be9a48-d0f6-4d34-9c80-3eb7631e2d8d\_\_\_RS\_Early.B 8143.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_\_E  
arly\_Blight/f12d7916-b4f0-46f7-91bd-8dc097743149\_\_\_RS\_Early.B 8963.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_\_E  
arly\_Blight/26d0502d-5fb3-48fa-a86d-d1de92703285\_\_\_RS\_Early.B 6959.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_\_E  
arly\_Blight/c8dedd98-c5d7-4ef4-b4f4-70d0bae0e178\_\_\_RS\_Early.B 7128.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_\_E  
arly\_Blight/db60c4cf-30f1-460c-a345-3045f192f725\_\_\_RS\_Early.B 6722.  
JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/70da76f2-b067-40f0-82d2-16b2dec3e189\_\_RS\_Early.B 8358.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/f2540cea-220b-4ba2-bf16-7c1c7f32c38c\_\_RS\_Early.B 7997.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/c47fa8ac-b2a5-4470-bda6-26dec4000409\_\_RS\_Early.B 7395.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/6fdee580-fa84-4ea7-b54a-048919765284\_\_RS\_Early.B 8187.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/2fe81ef1-d7ec-4395-b071-c74d5beb4037\_\_RS\_Early.B 7242.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/f217f3ba-56fa-4f97-bf9a-07697e08e845\_\_RS\_Early.B 9161.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/db4dbc48-209d-4615-95cd-1d7ee7f1d7e0\_\_RS\_Early.B 7545.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/b301c9cd-7624-4261-ab4f-962936ebb92a\_\_RS\_Early.B 7632.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/c7067769-af82-46d6-8f42-d7a184e3f59a\_\_RS\_Early.B 7916.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/34d2260c-888c-419c-b32c-938efa379b97\_\_RS\_Early.B 8253.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/23546e04-7151-4dbd-95a1-687d963eb132\_\_RS\_Early.B 7402.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/1e99ce6b-b7fa-4ae1-9076-279f430b8c5f\_\_RS\_Early.B 7092.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/5de34904-b1e6-48ef-9daf-73d80f5cc6c3\_\_RS\_Early.B 8345.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/1896de06-b6eb-4c01-a6c6-3247405765b8\_\_RS\_Early.B 8335.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/524142aa-78fb-4fab-895c-ddb993d07479\_\_RS\_Early.B 7435.

JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/c10f959b-1f3d-4581-8299-640e87b1b653\_\_RS\_Early.B 7949.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/17520079-9d7b-481a-bc9e-676c5404d160\_\_RS\_Early.B 6774.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/216a1a08-c4be-4fa9-b880-c260909e1dbc\_\_RS\_Early.B 6881.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/d2dcbe63-47c6-4a67-914b-cb1e117b58b0\_\_RS\_Early.B 7159.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/de44f09b-b207-4805-8970-2999f9c2dc7c\_\_RS\_Early.B 7917.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/af79e762-c2f7-4e37-926b-ce27dbc52fc4\_\_RS\_Early.B 6858.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/e9f9e200-b7ff-4a59-af32-b4faf3f27b17\_\_RS\_Early.B 8028.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/fd5b1e1f-48a8-42bd-82b5-cf762504708b\_\_RS\_Early.B 8149.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/292a3f93-96a2-4b0d-879f-581136c57bcf\_\_RS\_Early.B 7099.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/89d4dba2-3d9c-46fe-bac3-6be833b01351\_\_RS\_Early.B 6749.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/63f59fdf-973f-4d9e-a1ac-4a21cdfb9393\_\_RS\_Early.B 8794.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/ccec0636-2984-4164-aad7-34b1b84ec42b\_\_RS\_Early.B 7766.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/da4c4f0f-ea7b-489a-8ac1-f8c63ff59bc4\_\_RS\_Early.B 8818.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/349730da-a627-4da6-90d5-707c4a3dba88\_\_RS\_Early.B 7553.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_E

arly\_Blight/f3ad73cc-2e88-4157-97ea-d57d87c5760c\_\_\_RS\_Early.B 6687.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_\_E  
arly\_Blight/6319585f-ed2f-4657-ae79-a23db65d0fce\_\_\_RS\_Early.B 7033.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_\_E  
arly\_Blight/68a9df4a-f803-4cf1-bfce-1a637a2befcc\_\_\_RS\_Early.B 7654.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_\_E  
arly\_Blight/98d40b59-5c50-45b6-9b8b-268c40547334\_\_\_RS\_Early.B 8031.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_\_E  
arly\_Blight/ab0878eb-0310-4788-b2d7-14102cdd241e\_\_\_RS\_Early.B 7026.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_\_E  
arly\_Blight/c5c57ff6-cff1-4be6-a2fd-324efc139881\_\_\_RS\_Early.B 7450.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_\_E  
arly\_Blight/b8803558-9e0f-404e-80b3-c78d0bc7f6d0\_\_\_RS\_Early.B 7548.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_\_E  
arly\_Blight/33019904-ac3b-4083-a192-ce4092758ddd\_\_\_RS\_Early.B 8344.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_\_E  
arly\_Blight/357b61ef-a56b-4207-aa26-161b0ef3e635\_\_\_RS\_Early.B 8492.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_\_E  
arly\_Blight/ae25f262-234e-4ee1-96ad-3e47ddfbea9d\_\_\_RS\_Early.B 6670.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_\_E  
arly\_Blight/cf38c261-5bae-4b5d-92b4-16c634557d2a\_\_\_RS\_Early.B 7169.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_\_E  
arly\_Blight/71ab124e-93ba-4d4e-ae53-68ac12fcb858\_\_\_RS\_Early.B 8129.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_\_E  
arly\_Blight/54eefbf69-9501-4f9e-b923-1ef61f31d93c\_\_\_RS\_Early.B 7098.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_\_E  
arly\_Blight/9bc2ecbb-4a3c-43be-80ce-c6ac77e4b498\_\_\_RS\_Early.B 7145.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_\_E  
arly\_Blight/8493b49f-1b73-4d5c-b6f9-ae9a41091643\_\_\_RS\_Early.B 6720.  
JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/7a04081f-dd48-4a84-b7c1-611a50ae7886\_\_RS\_Early.B 8019.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/caf7512b-4e4e-44fc-ae7d-8544168cf903\_\_RS\_Early.B 7120.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/b6220993-c51f-48fa-bee9-fb5cb89cc0c4\_\_RS\_Early.B 7467.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/0caf6a39-3f5f-4201-a4d7-3ea35fdf1303\_\_RS\_Early.B 6762.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/d472b6e3-a00c-4b4e-b13a-cdababff9d24\_\_RS\_Early.B 7699.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/b35e4c48-e54e-4e42-a399-b236209314f4\_\_RS\_Early.B 8231.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/911b9166-40ba-4dc8-974e-c916e6866142\_\_RS\_Early.B 9089.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/dbee10d3-333b-4c62-aa90-23c1f859519c\_\_RS\_Early.B 7252.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/5cf3cf9d-0f81-4c75-b1d4-2defb49033c4\_\_RS\_Early.B 6806.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/3bf3bb26-3cbd-46f2-a9ba-c86700edafcb\_\_RS\_Early.B 7599.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/bcc2199e-a6c6-4e0d-a7a7-f7c4b25f2c04\_\_RS\_Early.B 7007.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/17a06d03-8a7b-48a8-aaf9-3300741c65de\_\_RS\_Early.B 7625.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/08029ccc-387e-4be6-9389-04f7b82fdb2a\_\_RS\_Early.B 9130.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/a6995958-6344-4d37-9b99-d3bc3d40ab67\_\_RS\_Early.B 7210.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/a01521f0-27be-4688-9d28-07d09ef80920\_\_RS\_Early.B 7119.

JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/c7fb1eeb-741c-4583-ad3f-ed46d5c2c920\_\_RS\_Early.B 8865.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/88e29276-8c4f-4d15-b3d4-d1db0a05cac1\_\_RS\_Early.B 6973.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/6cd05602-f131-47a3-a7ef-f328a13e4f1e\_\_RS\_Early.B 7079.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/4efd8455-c6ef-4e25-abad-d4d273f84c28\_\_RS\_Early.B 8128.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/5c3363d5-5873-40f5-b179-37ab6df0328c\_\_RS\_Early.B 8828.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/993bc916-4517-45cf-a5bd-90ee95dd35fd\_\_RS\_Early.B 8452.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/82927769-4d4a-4f19-a806-a02f435ad17d\_\_RS\_Early.B 7886.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/32c3bd85-3b12-4051-9185-12d39caaf94f\_\_RS\_Early.B 6684.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/70a2aa43-f50f-448b-bd98-9315f27cf456\_\_RS\_Early.B 7927.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/fd59ab68-681f-4aca-ae95-6f73bf8caad7\_\_RS\_Early.B 7118.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/37d5791e-19e8-4095-a1cd-36aede6d0802\_\_RS\_Early.B 7172.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/07d777f8-2c5a-48da-935e-f17c572b1e6e\_\_RS\_Early.B 7880.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/9125d133-5b86-4363-8fbe-79c813ac8795\_\_RS\_Early.B 6748.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/d0719ccc-a4c3-406e-bf73-94115fefde12\_\_RS\_Early.B 8569.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_E

arly\_Blight/dbdf96e5-2f8c-475b-b2dd-40a5862e10f7\_\_RS\_Early.B 8017.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/0d2e2971-f1c9-4278-b35c-91dd8a22a64d\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/0d2e2971-f1c9-4278-b35c-91dd8a22a64d__RS_Early.B) 7581.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/b21bc878-7b63-481e-a6d1-7e972627210e\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/b21bc878-7b63-481e-a6d1-7e972627210e__RS_Early.B) 7656.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/05c35093-11b8-4cd0-b67a-148859754440\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/05c35093-11b8-4cd0-b67a-148859754440__RS_Early.B) 8939.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/f56f07b9-9f3a-4c80-a4f8-daf49f479db2\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/f56f07b9-9f3a-4c80-a4f8-daf49f479db2__RS_Early.B) 8741.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/3ab92984-3126-4154-9bfd-f2c8c9fd670e\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/3ab92984-3126-4154-9bfd-f2c8c9fd670e__RS_Early.B) 7440.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/13e2be1d-56bc-40c6-b5d1-e3bafc1b111e\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/13e2be1d-56bc-40c6-b5d1-e3bafc1b111e__RS_Early.B) 8830.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/4c246dbf-ad6c-4563-ad59-d5ea84453817\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/4c246dbf-ad6c-4563-ad59-d5ea84453817__RS_Early.B) 7662.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/3ec5894d-dcc2-4276-ba28-0048b6d5605a\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/3ec5894d-dcc2-4276-ba28-0048b6d5605a__RS_Early.B) 8027.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/85a38441-6df7-4401-9905-fba74ebfa717\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/85a38441-6df7-4401-9905-fba74ebfa717__RS_Early.B) 8230.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/84546db4-ea7c-4357-bf3d-6afcae9a05bf\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/84546db4-ea7c-4357-bf3d-6afcae9a05bf__RS_Early.B) 7637.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/e4b0f6ac-2b1e-4e10-8733-de421a01c390\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/e4b0f6ac-2b1e-4e10-8733-de421a01c390__RS_Early.B) 8254.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/6edb7358-f41f-4fd2-8371-12700bdbcb94c\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/6edb7358-f41f-4fd2-8371-12700bdbcb94c__RS_Early.B) 6801.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/a02f78b3-da52-400a-ab11-7184df9ea485\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/a02f78b3-da52-400a-ab11-7184df9ea485__RS_Early.B) 8403.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/93eaec77-3e91-415a-a029-c054a42c18aa\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/93eaec77-3e91-415a-a029-c054a42c18aa__RS_Early.B) 8296.  
JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/8fce4b7-97df-428e-a0ac-635108307e88\_\_RS\_Early.B 9229.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/49b24f9e-12d4-4f32-8bc8-482d66514a17\_\_RS\_Early.B 8037.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/4bac4925-72ff-43e7-8726-5e2126c6c30d\_\_RS\_Early.B 8206.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/438176fc-2e4a-45d1-9014-3eb2391c5832\_\_RS\_Early.B 8147.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/07baabd8-e118-47dd-9d8d-132d4347836a\_\_RS\_Early.B 8555.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/655010d0-0bf7-4cba-8ebe-591a8bc5f552\_\_RS\_Early.B 7668.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/dea6a6e4-cfb0-4c00-a0f7-bdd1e52f82e0\_\_RS\_Early.B 7246.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/b2e6d502-8a02-4493-ae91-34bad50b6040\_\_RS\_Early.B 7537.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/1af20ff8-980d-4912-b337-804b09667de3\_\_RS\_Early.B 7392.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/2f81d148-c62f-4d3c-baf4-72b77abea41a\_\_RS\_Early.B 7493.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/9ce9c6dc-b20c-47f8-91e0-31886945c4bb\_\_RS\_Early.B 8094.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/04ee51b6-07e2-4182-84f8-46b22c8938a2\_\_RS\_Early.B 8091.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/24ced43c-a862-4e3d-8300-dffd350de2c4\_\_RS\_Early.B 6957.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/5bdc7f1d-26cc-45b2-b77f-e98084418fd9\_\_RS\_Early.B 7486.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/a801f66c-b8bc-42e5-ad5b-99f68d219fa9\_\_RS\_Early.B 8552.

JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/ad8c76f3-16b3-4d7f-a9e9-cbec8c398d34\_\_RS\_Early.B 6694.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/b817817e-a6b1-4123-88e7-db98b453ce17\_\_RS\_Early.B 6880.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/ca2c9c12-f2ba-4864-806c-b85f4fb36f92\_\_RS\_Early.B 7640.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/61f4f7c5-cebe-471a-9be9-b595255b7fb4\_\_RS\_Early.B 7029.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/93c6b48d-cde9-4e8b-bbfb-1a9c06234419\_\_RS\_Early.B 7000.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/dc6516c4-a74c-465f-85a1-55608ee518da\_\_RS\_Early.B 8843.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/93701beb-c734-41ea-a5ef-9e5ca4728dfc\_\_RS\_Early.B 6885.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/d4f3066f-adb8-401b-a27f-19a12c336ebe\_\_RS\_Early.B 8626.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/1367d3e9-74fe-4d61-ab24-dd389dc5d54\_\_RS\_Early.B 8011.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/5dd2be45-9c02-4b82-a7be-ecbac29981a9\_\_RS\_Early.B 7947.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/403aa255-393c-43b4-8f68-f68efbf4f5df\_\_RS\_Early.B 8544.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/06d9fcc9-4eea-4736-8392-5e483e2e948d\_\_RS\_Early.B 7411.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/8bcdb0ab-e530-4b6c-83a2-e0c649abbdaf\_\_RS\_Early.B 6676.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/5deee0ba-6bbb-450e-a107-102063e2f93b\_\_RS\_Early.B 7429.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_E

arly\_Blight/82a783e4-ba41-42af-96a8-ebc67abe905d\_\_RS\_Early.B 7439.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/16133ed7-f960-44a5-bd03-8e665e777363\_\_RS\_Early.B 7504.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/1f80f111-6a3e-4dfc-8456-0f3e9a19ae10\_\_RS\_Early.B 6879.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/fc87399a-b45c-4b0f-a6c9-54f0e4f9d3c5\_\_RS\_Early.B 7277.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/b7157976-61c2-4366-87c5-e3de23aa7c10\_\_RS\_Early.B 7227.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/94eb2aa6-7f9e-4a5a-b519-2106984e9a7d\_\_RS\_Early.B 8770.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/e016d105-f5cd-4082-a8c9-1913ea3fcfbb\_\_RS\_Early.B 7800.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/985f3b47-d5ee-45d4-a020-f43ca80fb59e\_\_RS\_Early.B 9211.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/64e41485-8bd1-4b5d-9482-023eb07d8a89\_\_RS\_Early.B 9078.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/758b39d7-12bc-401f-b280-2c8435a02f43\_\_RS\_Early.B 6839.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/e8db5472-3858-478a-b1ae-9198329a49a5\_\_RS\_Early.B 7528.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/4a06db68-bed1-4ae6-80ba-e9df70fa6f7b\_\_RS\_Early.B 8657.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/8e384f1d-1a56-4fcc-8e06-a65ee86270a8\_\_RS\_Early.B 7278.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/31290247-3f4f-445d-8bad-20d7dccbf979\_\_RS\_Early.B 7019.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/e0326fde-a613-4ec2-bc3b-e1d2154bdbcd\_\_RS\_Early.B 7679.  
JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/268bb1c3-a714-46af-b6a5-bea66496158c\_\_RS\_Early.B 8678.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/691161ad-7897-4654-a7bc-14d8b5839621\_\_RS\_Early.B 6976.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/e57ca76e-a4c3-40f2-a673-9f48b3b357ae\_\_RS\_Early.B 7539.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/b17bf28e-c272-4a24-9f45-7d3a343de49f\_\_RS\_Early.B 7620.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/ce9d9a96-23cc-4d24-ab68-3932cba59ae2\_\_RS\_Early.B 7080.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/7d92aa59-82fc-4c93-9d0e-728c0a944055\_\_RS\_Early.B 6965.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/3682433d-fb0a-495b-a6e8-d753542b042b\_\_RS\_Early.B 8189.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/d4cd2357-1142-4f0c-8c44-201241a27573\_\_RS\_Early.B 9146.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/5c43b799-a722-4209-b571-2a7ca23de273\_\_RS\_Early.B 7321.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/d3a1b356-0ffa-4d47-9f52-410bbd0e3e3d\_\_RS\_Early.B 8884.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/879d0dfe-d17d-486a-992c-d80089133c50\_\_RS\_Early.B 7428.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/dc34096f-8974-4a76-8d15-42ee86038015\_\_RS\_Early.B 6734.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/6bca5c10-8985-404c-96c3-3f77c2a77d10\_\_RS\_Early.B 7527.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/c653b79e-4f42-4a9e-8c5c-7a85483a3c29\_\_RS\_Early.B 9108.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/14efc692-8ac6-4bd8-a71a-943192d6831a\_\_RS\_Early.B 6841.

JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/221c911f-e483-407c-b672-21150d09d57e\_\_RS\_Early.B 7678.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/fa8656fd-03b1-467c-a877-99ce5632d580\_\_RS\_Early.B 7630.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/a0d8a499-e9e4-4c88-829c-7c2270073735\_\_RS\_Early.B 8525.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/51ab2ec9-d90b-47f3-8e4a-fdceeceb033b\_\_RS\_Early.B 7859.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/9e506566-6697-4444-a2f3-a3931d34bbf3\_\_RS\_Early.B 6899.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/5fbff81d-eeaf-430f-ba94-df6a92c7b8e2\_\_RS\_Early.B 6816.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/85531704-18a5-4f98-8c1d-25709ecf77f8\_\_RS\_Early.B 8214.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/e786a4fe-5aa1-4da2-a16f-4ee82c56e317\_\_RS\_Early.B 7245.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/2d344be7-2d5f-4d27-aeb2-b92c8191b877\_\_RS\_Early.B 7173.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/efd49e70-b8d6-493f-9099-b3d9d534f365\_\_RS\_Early.B 7854.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/192c9d29-4a86-457b-a779-1dd36f225a5b\_\_RS\_Early.B 8012.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/acb84d77-5b1c-4beb-be27-99fee467bf1f\_\_RS\_Early.B 7577.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/541b768f-ec74-4f60-8e5a-778a5eb359da\_\_RS\_Early.B 8647.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/0182e991-97f0-4805-a1f7-6e1b4306d518\_\_RS\_Early.B 7015.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_E

arly\_Blight/e6d543a1-8e5e-4709-9329-b93d63f52edf\_\_RS\_Early.B 8324.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/58cb5c58-3161-4476-9361-3ee2673cc82b\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/58cb5c58-3161-4476-9361-3ee2673cc82b__RS_Early.B) 7368.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/1082eee1-189d-4e0f-96b5-8b1393be4c4c\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/1082eee1-189d-4e0f-96b5-8b1393be4c4c__RS_Early.B) 8743.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/a6fef9f4-0006-4faa-95ab-3aadde49b229\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/a6fef9f4-0006-4faa-95ab-3aadde49b229__RS_Early.B) 8783.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/12826416-efc5-49d3-b615-731629c95435\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/12826416-efc5-49d3-b615-731629c95435__RS_Early.B) 7215.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/29386668-721c-4359-99a6-734f1a4b096b\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/29386668-721c-4359-99a6-734f1a4b096b__RS_Early.B) 8362.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/fdc691b0-2b15-4cb6-8f5d-c4e5654389e0\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/fdc691b0-2b15-4cb6-8f5d-c4e5654389e0__RS_Early.B) 7935.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/211094c5-4983-49ff-a92e-b992039bd048\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/211094c5-4983-49ff-a92e-b992039bd048__RS_Early.B) 6927.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/1328ae8b-76e1-42e9-a0c4-7dd0612fdf99\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/1328ae8b-76e1-42e9-a0c4-7dd0612fdf99__RS_Early.B) 8303.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/83e334ee-bd8c-4aa5-bb8e-bc64d99bd5e2\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/83e334ee-bd8c-4aa5-bb8e-bc64d99bd5e2__RS_Early.B) 7329.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/b2e21749-afe2-4392-8d5d-23088d37873c\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/b2e21749-afe2-4392-8d5d-23088d37873c__RS_Early.B) 9028.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/0ad3ba53-f01b-403b-a99d-5991eed85045\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/0ad3ba53-f01b-403b-a99d-5991eed85045__RS_Early.B) 7600.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/610fd102-fd1b-45c3-978b-68c65d432382\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/610fd102-fd1b-45c3-978b-68c65d432382__RS_Early.B) 7819.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/b99ba68b-4608-4335-a292-b4249d83762d\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/b99ba68b-4608-4335-a292-b4249d83762d__RS_Early.B) 9096.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/0c5b14d9-8b1c-4c39-bb23-1835b5760caa\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/0c5b14d9-8b1c-4c39-bb23-1835b5760caa__RS_Early.B) 7937.  
JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/625f9c30-b56a-4e4e-9b34-aab8d2385d02\_\_RS\_Early.B 7226.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/95fba7f6-23a4-4c3c-a2b9-335c5b4c3810\_\_RS\_Early.B 7743.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/29508e75-1a9d-4838-b929-cf42f8638e83\_\_RS\_Early.B 6782.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/cd025ad0-9486-4ee6-b545-c9040dc4e1c7\_\_RS\_Early.B 8821.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/a10b278a-fcce-4cf4-aada-254e89050be5\_\_RS\_Early.B 7524.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/c419a9f0-5fb9-4db6-a229-5c08c36896fe\_\_RS\_Early.B 8585.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/6269c9ec-ef8a-49b5-ab1a-451565529c38\_\_RS\_Early.B 7166.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/caef0735-6517-4194-b124-5916815e4a71\_\_RS\_Early.B 7956.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/6cec2d2b-7b6a-4044-9899-92d4f9332cd6\_\_RS\_Early.B 9131.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/51bc94fe-ba23-4776-a9ec-727e55015acb\_\_RS\_Early.B 8267.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/1b0a2898-00b9-4a12-b4dc-a89b77b9e8b7\_\_RS\_Early.B 6928.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/bc378ba0-533d-42db-a8b2-82decc73f4d5\_\_RS\_Early.B 9092.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/2a9d3616-0bf1-4d98-b649-0a46d36dab7c\_\_RS\_Early.B 6703.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/da3115aa-a34b-42b2-97a9-9a1922770c8d\_\_RS\_Early.B 6708.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/c10de41b-4c38-41c4-b278-600071051453\_\_RS\_Early.B 8093.

JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/334fd34b-f4aa-4cc2-9ac9-8b85df65b96c\_\_RS\_Early.B 6773.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/8c3d0f9e-3a77-4ec2-a9ad-d996caa2c562\_\_RS\_Early.B 6887.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/cf761f3d-755a-42b2-83cb-729443246c6a\_\_RS\_Early.B 7319.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/08392b44-ecc6-4f38-8566-361b552cf21\_\_RS\_Early.B 7393.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/b7883606-5157-4dc1-b965-fc10f8fe1796\_\_RS\_Early.B 7598.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/c3ce9bae-e62a-4dd9-afa0-f020c48b87cc\_\_RS\_Early.B 6704.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/853f6d7a-836c-4829-ba2c-2eeada2089cc\_\_RS\_Early.B 7208.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/5aee3e9f-0469-42e7-8ae7-56f7a1900fd5\_\_RS\_Early.B 9091.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/b512ab1a-0ea5-47d6-b998-7c9f32ed3329\_\_RS\_Early.B 7250.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/2446ca09-aa29-4ae4-8d34-45115c32cde7\_\_RS\_Early.B 8971.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/9cba8b9a-68a7-483a-bc77-6bacbbe7fc46\_\_RS\_Early.B 7588.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/5a7ca2a3-5bfc-47b7-9657-85a6c95a0956\_\_RS\_Early.B 7061.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/f813e04e-a4f1-4c7f-a56d-cf0829801acb\_\_RS\_Early.B 8836.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/b6b4aa28-edc4-4e9f-bc0d-bd4b0ec085a2\_\_RS\_Early.B 7559.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_E

arly\_Blight/df7e4d39-fb74-4e6d-9d32-04d7d2165135\_\_RS\_Early.B 6700.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_EARLY\\_Blight/ede5199d-4bf1-4bd0-a460-2168350ed05a\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__EARLY_Blight/ede5199d-4bf1-4bd0-a460-2168350ed05a__RS_Early.B) 8773.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_EARLY\\_Blight/a89d6e67-d60e-49b5-8b87-e137b6a5181c\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__EARLY_Blight/a89d6e67-d60e-49b5-8b87-e137b6a5181c__RS_Early.B) 7472.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_EARLY\\_Blight/c53efbea-fddd-481d-aec5-14fd3c3e1723\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__EARLY_Blight/c53efbea-fddd-481d-aec5-14fd3c3e1723__RS_Early.B) 7796.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_EARLY\\_Blight/8ee79bf1-78d0-4c93-b42c-301d54e64f41\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__EARLY_Blight/8ee79bf1-78d0-4c93-b42c-301d54e64f41__RS_Early.B) 8388.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_EARLY\\_Blight/f069744b-375b-4fee-b1f9-23963195e936\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__EARLY_Blight/f069744b-375b-4fee-b1f9-23963195e936__RS_Early.B) 6837.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_EARLY\\_Blight/5b361ac7-6fb7-497a-b11d-3b8cd7ffd2e1\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__EARLY_Blight/5b361ac7-6fb7-497a-b11d-3b8cd7ffd2e1__RS_Early.B) 9206.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_EARLY\\_Blight/ddc6aed7-43bd-49bc-88d0-6f942acb362a\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__EARLY_Blight/ddc6aed7-43bd-49bc-88d0-6f942acb362a__RS_Early.B) 7328.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_EARLY\\_Blight/65f6e2f1-300b-42f0-bcc8-467753411947\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__EARLY_Blight/65f6e2f1-300b-42f0-bcc8-467753411947__RS_Early.B) 7591.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_EARLY\\_Blight/2ebb14eb-0e87-468c-a1cb-80579a77a37a\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__EARLY_Blight/2ebb14eb-0e87-468c-a1cb-80579a77a37a__RS_Early.B) 7044.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_EARLY\\_Blight/4ab9d59b-57ee-4e22-a6bb-d8152710fd28\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__EARLY_Blight/4ab9d59b-57ee-4e22-a6bb-d8152710fd28__RS_Early.B) 6857.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_EARLY\\_Blight/275c3337-11ee-487c-9093-bcd5e310c72c\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__EARLY_Blight/275c3337-11ee-487c-9093-bcd5e310c72c__RS_Early.B) 7671.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_EARLY\\_Blight/82654962-5b0d-44ed-9ca4-84be55ba23a6\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__EARLY_Blight/82654962-5b0d-44ed-9ca4-84be55ba23a6__RS_Early.B) 6877.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_EARLY\\_Blight/159f49c5-8d80-41cb-b730-333fdefdff62\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__EARLY_Blight/159f49c5-8d80-41cb-b730-333fdefdff62__RS_Early.B) 7301.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_EARLY\\_Blight/2356a4d6-8015-434e-a5f8-03197fef2c28\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__EARLY_Blight/2356a4d6-8015-434e-a5f8-03197fef2c28__RS_Early.B) 8139.  
JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/1a77c047-7ed8-4f02-bfaf-a19e7a67c3dd\_\_RS\_Early.B 7076.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/cc63b147-ad2a-4bc1-aa05-a07b3c6b7761\_\_RS\_Early.B 7091.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/8435fd63-0136-44f9-8dd4-6ca27bcd97\_\_RS\_Early.B 7017.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/0facac7fe-7254-4dfa-8388-bbc776338c9c\_\_RS\_Early.B 7929.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/e3779bc5-a8e2-4be6-8e15-4a4713ab9531\_\_RS\_Early.B 8431.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/31d0ecc8-045d-4a4a-ac33-431556c83e4c\_\_RS\_Early.B 8692.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/65cac614-d354-44f4-870b-dbb4fe26e120\_\_RS\_Early.B 8193.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/46819687-0705-4628-8748-9cb356587f30\_\_RS\_Early.B 8421.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/83f244c6-e33e-4fbb-a9ef-3996cd25a547\_\_RS\_Early.B 8700.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/8ff3274d-02b2-4859-9415-982aa4ec7d8c\_\_RS\_Early.B 7465.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/73cf20a6-b2c4-4302-a664-c43dccb78cfb\_\_RS\_Early.B 6930.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/d9b34eaa-9d54-41fe-9ea2-335fe0b572ee\_\_RS\_Early.B 7735.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/d9303294-b0d9-4066-85d1-4ef58977b78e\_\_RS\_Early.B 7337.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/dc9073d-df5b-4a15-aecf-1c3af587cd74\_\_RS\_Early.B 8982.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/c9d5a9b6-4e5c-42df-8f9b-5f57e13000df\_\_RS\_Early.B 6933.JPG

JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/60096f66-1bf2-4d8d-8137-ac2358ab71d0\_\_RS\_Early.B 6978.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/0a6983a5-895e-4e68-9edb-88adf79211e9\_\_RS\_Early.B 9072.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/a4168403-2458-4f28-84f7-949050905878\_\_RS\_Early.B 8450.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/f8b3542b-559a-4aa4-9f4a-ec4d22f4386f\_\_RS\_Early.B 7309.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/d286d101-227f-48ba-b906-586879eb6a00\_\_RS\_Early.B 7095.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/fe24f700-d37f-4e51-b07c-931e8c3ded81\_\_RS\_Early.B 8792.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/c7212fa9-df1e-485e-a471-1011dd797865\_\_RS\_Early.B 8680.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/fe2a7818-f2ec-4255-93f0-586c88a41624\_\_RS\_Early.B 7043.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/cc48c415-4a2d-4d8d-94db-c736e7b7c882\_\_RS\_Early.B 7705.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/4af8e9e9-077d-4c7b-859d-626f74d3b1ff\_\_RS\_Early.B 7738.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/67468907-b28a-4740-a9f4-ce69b93878c9\_\_RS\_Early.B 7142.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/d998c614-017c-4f90-8e39-f8c500d21218\_\_RS\_Early.B 8292.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/c7f27f40-6634-4118-9990-6897e0c68579\_\_RS\_Early.B 7197.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/91d11576-f040-43ab-8e08-e7ef4926707a\_\_RS\_Early.B 8054.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_E

arly\_Blight/90d47c2a-c84e-498c-b30d-f368e75611a7\_\_RS\_Early.B 7778.  
JPG  
  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_E  
arly\_Blight/e09798e4-23b1-4485-873b-605bc350f327\_\_RS\_Early.B 7320.  
JPG  
  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_E  
arly\_Blight/ed270d5d-3523-4bc2-b208-4f5304bbfeef\_\_RS\_Early.B 8218.  
JPG  
  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_E  
arly\_Blight/5748b34e-9143-4540-b4f0-37b8f7dd9e96\_\_RS\_Early.B 7198.  
JPG  
  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_E  
arly\_Blight/6ad3d424-3e81-4b18-a029-4a20884c4ada\_\_RS\_Early.B 8380.  
JPG  
  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_E  
arly\_Blight/f188a6c1-fbed-4941-a5a7-e11a6b4ddcfb\_\_RS\_Early.B 6910.  
JPG  
  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_E  
arly\_Blight/f164ce92-d109-47ca-9f75-380a7f16155a\_\_RS\_Early.B 7104.  
JPG  
  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_E  
arly\_Blight/4857420e-b28e-4bb5-aa03-5e333cf27af0\_\_RS\_Early.B 6847.  
JPG  
  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_E  
arly\_Blight/77725a5a-c0b8-4b7c-bc42-ac99f51428c1\_\_RS\_Early.B 7401.  
JPG  
  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_E  
arly\_Blight/ec6b34ed-69c6-466a-81a9-4ca18eb25275\_\_RS\_Early.B 7038.  
JPG  
  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_E  
arly\_Blight/f8b57e69-5902-4253-8404-11811ecf13e8\_\_RS\_Early.B 6995.  
JPG  
  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_E  
arly\_Blight/83b7d891-0fe8-47b8-b6e1-693493a2988a\_\_RS\_Early.B 8707.  
JPG  
  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_E  
arly\_Blight/0ede4acd-3685-40d9-b52b-7b3cb6536fa8\_\_RS\_Early.B 7377.  
JPG  
  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_E  
arly\_Blight/cb615e16-034f-465a-89a6-91e091698723\_\_RS\_Early.B 6796.  
JPG  
  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_E  
arly\_Blight/0f223bbc-d2b4-4d58-8314-359d92d0102b\_\_RS\_Early.B 8052.  
JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/d8a55ed1-7b3a-4b25-84b2-6046c0d9e3ab\_\_RS\_Early.B 7443.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/7d056cd3-76d1-49f5-8491-a25e4fc4f852\_\_RS\_Early.B 8414.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/bb569e8c-4f57-481f-86d9-291ebd67336e\_\_RS\_Early.B 7543.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/e6aec621-1699-433a-8cf5-7310ec895810\_\_RS\_Early.B 8764.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/86a65e8c-c7cf-45f7-8619-422eb6f1a40d\_\_RS\_Early.B 7745.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/034959c1-f1e8-4a79-a6d5-3c1d14efa2f3\_\_RS\_Early.B 7136.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/bea108c2-bdf1-484d-807c-fa9431f4dc95\_\_RS\_Early.B 7265.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/0267d4ca-522e-4ca0-b1a2-ce925e5b54a2\_\_RS\_Early.B 7020.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/7dc2fac8-c581-4b69-9f54-dbe7d838956c\_\_RS\_Early.B 6677.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/7584a5b8-b701-4255-9dde-a60b6442cc37\_\_RS\_Early.B 9154.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/95cd8c85-b3b1-4d90-828d-1c93ea98977a\_\_RS\_Early.B 9109.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/bb3d6df0-683e-4f04-afaf-277a36edad6c\_\_RS\_Early.B 9070.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/6bd7d398-9cce-4282-a853-9625a641ebd6\_\_RS\_Early.B 8416.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/904dba96-8ff1-45e2-af16-9c9cc5865c32\_\_RS\_Early.B 7349.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/c03a3f69-00b7-4aa5-a49f-794416af0598\_\_RS\_Early.B 8112.

JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/20e451e3-74a4-4a5b-b11c-257506f13a8f\_\_RS\_Early.B 6984.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/61d53ca2-a8e2-4e5d-b8cd-3f9608b74fc1\_\_RS\_Early.B 6746.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/fb8d862d-29c3-41ab-888d-cef47286ee9a\_\_RS\_Early.B 8975.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/7c9b2deb-6f9f-4671-bdcd-56481d8f0a35\_\_RS\_Early.B 8608.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/04c8e6b9-7710-4cdd-b259-2d78b15d1036\_\_RS\_Early.B 7066.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/467991cb-4b55-4b00-9b18-7ff5efdd7adf\_\_RS\_Early.B 7290.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/dc0536f7-e777-4751-8733-f643eb18329a\_\_RS\_Early.B 7492.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/df67aec2-c706-4a6f-8a4a-e11d7eb41eb8\_\_RS\_Early.B 7287.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/34b0f33c-be8b-4338-9334-5418a5f84f28\_\_RS\_Early.B 7532.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/c4dd703b-1d4c-4e4c-8064-0e1d743c47ae\_\_RS\_Early.B 7050.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/5755142f-0cba-45b7-a563-beb1bf6db374\_\_RS\_Early.B 8321.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/d44a363d-c186-416e-8fad-1a456699bba2\_\_RS\_Early.B 7229.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/62490062-4c67-4caf-bec5-df1342ec2987\_\_RS\_Early.B 7946.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/2ce7e8d7-4cc9-4ab3-9d22-8f7ad21d8eda\_\_RS\_Early.B 8609.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_E

arly\_Blight/e24cb505-5756-4269-aa4f-57d27da31b20\_\_RS\_Early.B 8973.  
JPG  
  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/b1b3c9c7-a4b9-4048-be45-fa9c5e507c66\_\_RS\_Early.B 7466.  
JPG  
  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/a6dbc59a-ca8a-40e0-a896-3e2270d771bb\_\_RS\_Early.B 7195.  
JPG  
  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/ef722b35-2ab8-409d-a971-b3a853a72cb3\_\_RS\_Early.B 7184.  
JPG  
  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/57c5fe0f-ce93-412a-a29e-a70a4aa23649\_\_RS\_Early.B 6818.  
JPG  
  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/0f9c098f-a6df-4a73-8c14-8e7d4dbb1b0b\_\_RS\_Early.B 7991.  
JPG  
  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/deb1d849-ecf2-4451-8ff7-ca6b0bbbf434\_\_RS\_Early.B 7677.  
JPG  
  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/8f0e2872-e5c6-43b2-97f9-269da00cd400\_\_RS\_Early.B 8089.  
JPG  
  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/3b1e3161-b02e-4aa0-a490-8a50c242d10e\_\_RS\_Early.B 8553.  
JPG  
  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/4f12ef84-6c6e-43d6-b6f1-3a8b0278b3a6\_\_RS\_Early.B 8101.  
JPG  
  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/3c3a9c2c-3387-4666-9f42-4d14142e9500\_\_RS\_Early.B 8499.  
JPG  
  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/f686133a-e89a-4242-a52d-02f32ffd5275\_\_RS\_Early.B 8295.  
JPG  
  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/a3fe02f0-6d49-4e9a-ba9a-ac26e8b65ca9\_\_RS\_Early.B 7560.  
JPG  
  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/2b3e46d9-09dd-4966-99c6-fe44c741b94c\_\_RS\_Early.B 8290.  
JPG  
  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/07953ca1-8935-449f-b338-4357ed683b2d\_\_RS\_Early.B 6815.  
JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/af0ee942-50f5-43a7-a9fe-486ba1f5f989\_\_RS\_Early.B 7700.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/2c48971d-9f73-401d-a62a-f3729d08b6c2\_\_RS\_Early.B 7463.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/edc5f476-dd30-4fab-a8a1-71faf6210420\_\_RS\_Early.B 7315.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/c3d68a2f-0c7a-4060-bfc4-8baf01d3f2fe\_\_RS\_Early.B 8010.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/54260e42-8e3f-44c2-b252-c784391ce639\_\_RS\_Early.B 7508.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/6a183fd9-9409-47ea-a634-dafa4ae329a8\_\_RS\_Early.B 8890.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/6cd8e267-d5ae-4baa-a872-4c0fc5a37d67\_\_RS\_Early.B 8184.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/aa342b8f-88f5-4d9d-9740-4b1b4147c590\_\_RS\_Early.B 7939.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/53de9716-fcc5-4241-9e8d-21792a5cf226\_\_RS\_Early.B 9014.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/cc716d92-3d2e-4cce-bc77-bb4c8155b88c\_\_RS\_Early.B 8288.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/72f9e596-8d1e-4ffd-923d-55645d6adca1\_\_RS\_Early.B 7704.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/f48fc3b4-b7e7-4ad5-a651-0bf61a5173ff\_\_RS\_Early.B 8597.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/74316ef6-7cce-4ed9-8fbf-9bf42d14657c\_\_RS\_Early.B 7352.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/fc73fc01-6a63-4b3b-bfed-74625c5b4b05\_\_RS\_Early.B 6945.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/4a4847c4-c393-4772-8035-e39b472e179b\_\_RS\_Early.B 7167.

JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/ee584747fea1-4d16-9c03-40bfc9bcf1c7\_\_RS\_Early.B 8600.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/9141a8b4-6144-446d-b71d-925bcd432840\_\_RS\_Early.B 8648.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/d5c51ec6-506e-4b85-b774-66f6a5493c90\_\_RS\_Early.B 7071.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/887347a3-ee1c-4141-a423-ffe050dd246e\_\_RS\_Early.B 7851.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/93992994-fcb0-4d3e-b528-e6fd9fd1b317\_\_RS\_Early.B 6686.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/efb6e5e5-d83c-4634-a9f6-3f2332713497\_\_RS\_Early.B 6788.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/5cb0b99b-2e14-43b3-aa51-51a7ce668793\_\_RS\_Early.B 7455.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/3d3c01e1-8cde-4c0f-9468-67dd287a2dc0\_\_RS\_Early.B 7761.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/d97f6469-bef9-4276-b918-efb1a1859fb7\_\_RS\_Early.B 6958.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/29922d76-0eda-4e7c-89af-7688c656bfdd\_\_RS\_Early.B 8353.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/434ccb1f-7a21-47f4-96b5-3e87bf5fe2a2\_\_RS\_Early.B 6760.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/db5d0f5f-a722-4f12-96bf-c9608e5c7f2a\_\_RS\_Early.B 8945.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/c09e4b05-b196-4955-abd4-6aed44c40132\_\_RS\_Early.B 6823.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/72c4221d-f82b-48fc-a91e-8aa46f5cb0cc\_\_RS\_Early.B 8399.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_E

arly\_Blight/20421747-c083-48a1-aed5-b1097ae50491\_\_RS\_Early.B 8203.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/c9bff7de-c589-4ed2-92fe-cd9ca2a1df16\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/c9bff7de-c589-4ed2-92fe-cd9ca2a1df16__RS_Early.B) 7846.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/20978e65-f4d0-419a-bab9-f6042ab2d318\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/20978e65-f4d0-419a-bab9-f6042ab2d318__RS_Early.B) 6868.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/4eacc117-bab5-40ff-bde0-dbc6b2a35822\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/4eacc117-bab5-40ff-bde0-dbc6b2a35822__RS_Early.B) 7999.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/43af6366-6c6a-408c-a10d-a4bad9428a19\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/43af6366-6c6a-408c-a10d-a4bad9428a19__RS_Early.B) 7595.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/1d466431-007d-4b3b-bd45-b09f1a6f7bad\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/1d466431-007d-4b3b-bd45-b09f1a6f7bad__RS_Early.B) 8932.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/1defd277-6394-4049-895d-470f1e27e189\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/1defd277-6394-4049-895d-470f1e27e189__RS_Early.B) 8931.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/cb5241ed-1a40-488a-9236-64ed07e6ebbf\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/cb5241ed-1a40-488a-9236-64ed07e6ebbf__RS_Early.B) 6712.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/91a21acf-c95a-4ffc-90f2-8c64456f4032\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/91a21acf-c95a-4ffc-90f2-8c64456f4032__RS_Early.B) 7139.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/40d1ccba-b047-4f89-b469-af79bc233524\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/40d1ccba-b047-4f89-b469-af79bc233524__RS_Early.B) 7006.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/6b8024be-e45f-459f-9817-8d6fb0dda89a\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/6b8024be-e45f-459f-9817-8d6fb0dda89a__RS_Early.B) 6904.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/1f830d02-1fc6-41d6-99c6-851e0d2af4ad\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/1f830d02-1fc6-41d6-99c6-851e0d2af4ad__RS_Early.B) 9182.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/b4021eae-d195-400a-b7b7-9888367f5f2f\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/b4021eae-d195-400a-b7b7-9888367f5f2f__RS_Early.B) 7881.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/f20b88af-30e2-4270-a035-2cf217469cf8\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/f20b88af-30e2-4270-a035-2cf217469cf8__RS_Early.B) 8266.  
JPG  
[/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\\_\\_Early\\_Blight/3ebc2af4-fe74-4918-b46f-09ec268884ef\\_\\_RS\\_Early.B](/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato__Early_Blight/3ebc2af4-fe74-4918-b46f-09ec268884ef__RS_Early.B) 7856.  
JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/d0fc4557-34a0-4324-8b2c-865853e0face\_\_RS\_Early.B 6912.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/2d149f7a-4b0a-40a6-8d0b-1d1f14e5e696\_\_RS\_Early.B 9143.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/0898bffc-57aa-4fdb-92d1-fd6a03d2a011\_\_RS\_Early.B 6946.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/4e478f6a-b8cf-425f-85e8-d80d6aab8e1\_\_RS\_Early.B 9026.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/b6c68639-ad01-41f9-a10c-4233423ea2b0\_\_RS\_Early.B 8573.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/009c8c31-f22d-4ffd-8f16-189c6f06c577\_\_RS\_Early.B 7885.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/a5e73fd4-6d3e-4037-b440-f4e5234e4459\_\_RS\_Early.B 7645.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/ba5dfd98-89d6-49d5-b398-beb05cb9d8ad\_\_RS\_Early.B 7824.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/8636092c-9357-4b4c-9d2d-c45c3dcf9253\_\_RS\_Early.B 7981.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/419611a4-5597-43d6-ae92-c3c09bc549d7\_\_RS\_Early.B 7182.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/60418916-8278-448a-af45-21ee8ef60a95\_\_RS\_Early.B 7957.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/cac99520-3403-4602-961d-3a668bb980fb\_\_RS\_Early.B 7388.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/92a30efc-6b2f-4e17-8688-e477e5d39bd9\_\_RS\_Early.B 7343.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/fbc7567e-ce08-4ad0-b8fe-ffd98296ce02\_\_RS\_Early.B 8607.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/606e216d-f0b8-4ef3-9bf1-2bee85a13361\_\_RS\_Early.B 7094.

JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/1e671694-5713-4568-b8ad-06f15688d25e\_\_RS\_Early.B 7659.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/a29ed5b2-153c-4f0e-a633-f698c9ff51d2\_\_RS\_Early.B 8840.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/8081f3a1-d992-43bf-afa4-402ed06a83b1\_\_RS\_Early.B 6860.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/51e028c1-7aec-46e9-a389-391bc38b46f3\_\_RS\_Early.B 8505.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/d8efc91f-6e85-4508-8d49-9c4a11c4c71a\_\_RS\_Early.B 7484.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/21ca5caf-147b-4a1a-a2da-edfc1c81b62e\_\_RS\_Early.B 8926.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/ffef8a3b-3e8a-4c24-a27e-64c41708f7a0\_\_RS\_Early.B 7132.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/0a47f32c-1724-4c8d-bfe4-986cedd3587b\_\_RS\_Early.B 8001.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/811eba3a-112e-43dd-8b22-57f3cde4c504\_\_RS\_Early.B 7983.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/8da2d8a3-159e-48eb-9ae6-fd82bdb22d5d\_\_RS\_Early.B 6923.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/b8e08567-5193-41a4-b637-140b503830d9\_\_RS\_Early.B 9133.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/3613b972-6af8-4a9a-be7f-bf68e4eb4cd0\_\_RS\_Early.B 6813.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/daa35c03-7307-4e2e-8b15-f33bfff5a12d\_\_RS\_Early.B 7712.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/f5ec7cce-c3cc-4b4a-b716-d70175b1dcd2\_\_RS\_Early.B 7520.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_E

arly\_Blight/0a79700b-f834-41f5-ae51-6ceda6f67a48\_\_RS\_Early.B 8951.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/f9580dc3-d5d9-4990-a64d-3974a9d1c687\_\_RS\_Early.B 8755.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/ec9a34ed-90de-417e-bf87-31e748c8c770\_\_RS\_Early.B 7968.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/25642761-2905-48af-b8da-1064a0f6b876\_\_RS\_Early.B 6831.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/cdc5ed26-b023-41cb-9cd8-07e62df1e369\_\_RS\_Early.B 6864.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/ed78ac4f-ce50-4de8-b508-ad07b9d99176\_\_RS\_Early.B 7313.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/0d2325ff-4e3e-44bf-9614-e5ad6c23fc16\_\_RS\_Early.B 6797.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/c9296b35-7b8b-4ac2-99db-07c426ec774b\_\_RS\_Early.B 6832.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/4c7622da-663c-48df-8005-355fff221fe1\_\_RS\_Early.B 8432.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/13ddd965-db42-4392-9798-fe0ba5ad7928\_\_RS\_Early.B 7631.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/6fcaba16-dfce-431a-b268-e0826a101553\_\_RS\_Early.B 6695.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/26f15c9c-5cbf-49c8-ac4e-c5b15d03e319\_\_RS\_Early.B 9022.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/51d521bb-5800-4f46-8fd0-f6cb09f37989\_\_RS\_Early.B 7572.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/22d1678a-3abd-4fe6-ac13-b654e2589280\_\_RS\_Early.B 8523.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/12f7b8bd-7aab-48de-ba2e-d2562408542f\_\_RS\_Early.B 7386.  
JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/1c4e0445-375a-4c5d-b6fd-6123d22f009f\_\_RS\_Early.B 7972.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/779e2b0a-0922-41bc-9393-da3750494671\_\_RS\_Early.B 8382.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/74bedc99-e24e-43de-a17c-003822c8af41\_\_RS\_Early.B 8725.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/aed93c24-f226-4dd4-b5fb-b1f2d1202c63\_\_RS\_Early.B 8363.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/34d62dee-797e-4f31-9063-f6a285935b4d\_\_RS\_Early.B 6733.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/b76550de-8e3a-46f1-b06f-6bd4ed3dc8a5\_\_RS\_Early.B 8456.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/bddc2487-ecc6-447e-902f-3560a62e5e83\_\_RS\_Early.B 7307.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/f2e7be26-b7d3-4e99-8630-8b1650192b02\_\_RS\_Early.B 7275.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/8f3f9eed-1a3d-4f0f-adcc-0fe3a832d95f\_\_RS\_Early.B 8518.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/b54a2105-b9a4-4665-9e34-44df46d0be5a\_\_RS\_Early.B 8507.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/4f71ba26-6612-427b-8dc0-4d8cc909f1fa\_\_RS\_Early.B 7122.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/510146c8-7368-4acc-847d-523f55b3d424\_\_RS\_Early.B 6678.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/e3007682-ad4b-4a62-b64d-ebb0c4537077\_\_RS\_Early.B 7772.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/028f9b73-142f-499a-9c7b-d7c1ed5e5506\_\_RS\_Early.B 8546.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/aa7e5986-6fa1-4b25-9861-cbae56886280\_\_RS\_Early.B 8545.

JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/70b89c8b-2850-4ec8-8da1-a4b9de5351c7\_\_RS\_Early.B 6889.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/53257270-67b3-4408-aaec-abbd9f5f19f0\_\_RS\_Early.B 7212.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/1cb05d87-027d-4bf0-b5c4-4c1a57896ac6\_\_RS\_Early.B 7936.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/dc2775b9-e62e-4fe5-921f-e1cf5c4e2fe4\_\_RS\_Early.B 6942.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/096f6928-24dd-4efd-acc6-b8246318676c\_\_RS\_Early.B 8970.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/78071f69-3d02-4576-bd46-28732dd528aa\_\_RS\_Early.B 9228.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/69ee53e1-a9b6-4e97-bc5f-f91617bc87ab\_\_RS\_Early.B 7987.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/839a8aeb-9bcc-4fd9-b196-639d6f681426\_\_RS\_Early.B 7068.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/d55f09eb-e463-4abd-aac6-fb144b30ead7\_\_RS\_Early.B 9004.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/4c8df1cf-82bb-49eb-894c-8a516fb1d74\_\_RS\_Early.B 6753.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/1769d41b-fd4c-49b1-adce-e89fee6a352e\_\_RS\_Early.B 6741.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/1797b5ac-ed8b-4b35-bd01-f8a14d34d6e1\_\_RS\_Early.B 8812.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/1ca9e3ba-e029-48bf-b207-e8cb3546f953\_\_RS\_Early.B 7978.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/73845010-b5b2-4604-8055-388c4222592a\_\_RS\_Early.B 6767.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_E

arly\_Blight/c91060f7-f9dd-4930-ad0a-8a4a6bd803d2\_\_RS\_Early.B 7869.  
JPG  
  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/d8a8d6e5-d82d-4f7c-aac5-183e85549d9b\_\_RS\_Early.B 7799.  
JPG  
  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/1ff86a73-9f36-45c5-8012-c5d90445b7ac\_\_RS\_Early.B 8563.  
JPG  
  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/583fa343-d5be-414b-bd95-f674313bd882\_\_RS\_Early.B 7681.  
JPG  
  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/7ea05f87-83d3-405e-84ee-f637426f4bab\_\_RS\_Early.B 6715.  
JPG  
  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/11e974fa-928f-45f6-b983-e74c74c7d163\_\_RS\_Early.B 7992.  
JPG  
  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/2771e005-3cb4-4e12-8868-80adca5ce02a\_\_RS\_Early.B 8640.  
JPG  
  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/8b20db6d-9c57-46d7-b40d-c6a809b49e07\_\_RS\_Early.B 9127.  
JPG  
  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/4f20f0e5-b870-414c-99a0-136575a61ce5\_\_RS\_Early.B 6724.  
JPG  
  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/faac446b-34ac-414a-9f0e-148d6ee87bfa\_\_RS\_Early.B 8934.  
JPG  
  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/ef825fcb-d776-4dfd-a6ed-3bd49912806e\_\_RS\_Early.B 7985.  
JPG  
  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/59676e33-8884-4359-83d9-e07df07f31a1\_\_RS\_Early.B 7041.  
JPG  
  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/8d8382dc-c4aa-4118-8aae-d0c372dce562\_\_RS\_Early.B 7336.  
JPG  
  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/a50c5f93-a5db-4eaf-9d82-2e420d2351e7\_\_RS\_Early.B 7060.  
JPG  
  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_EARLY\_Blight/042135e2-e126-4900-9212-d42d900b8125\_\_RS\_Early.B 8791.  
JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/7227b3db-c212-4370-8b42-443eea1577aa\_\_RS\_Early.B 7306.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/6799ab86-73ef-4825-b4cf-9ae616c40ce9\_\_RS\_Early.B 7410.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/e0552fed-9af3-4fdb-80e8-09151a839cf9\_\_RS\_Early.B 7576.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/7d90df0a-da17-4641-9006-75aa7de6ed5e\_\_RS\_Early.B 8702.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/97c1fe0d-72f6-421d-bb82-542f0766176c\_\_RS\_Early.B 7448.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/66b6c6d1-fe63-4c7e-8054-bdf6ff67ff57\_\_RS\_Early.B 7514.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/8c01f338-2648-4bcf-99cb-853978b39014\_\_RS\_Early.B 6742.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/78ca2c95-f7b7-43b8-a91f-9ca12ac814e8\_\_RS\_Early.B 7137.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/b39bbf50-eae1-49ca-bd12-e776e3680d8b\_\_RS\_Early.B 6775.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/d063f825-aa36-4cf8-a227-4c3f30760aa2\_\_RS\_Early.B 8307.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/f32a2d3d-9ac5-426c-81d1-bc279def9ba4\_\_RS\_Early.B 7636.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/a29559c6-1d80-4486-a3c9-26986d6e28e0\_\_RS\_Early.B 6890.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/426aeebf-981d-4436-9f92-0fe230bb65fe\_\_RS\_Early.B 6977.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/53e30623-2023-4bbf-b904-ba39426f8628\_\_RS\_Early.B 7613.JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/b954c296-ae18-4efb-8a8c-450486faa919\_\_RS\_Early.B 6998.

JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/2c310eaf-dbf4-4e8f-a8d8-ed8e0b51067a\_\_RS\_Early.B 6897.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/2b1718b3-c951-4f24-b6ec-4eb7df77c913\_\_RS\_Early.B 7475.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/41e155c4-eccf-4166-83cb-f110b2312c48\_\_RS\_Early.B 6985.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/1131b92e-ef46-441e-ac5f-c18ac09bf69a\_\_RS\_Early.B 8064.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/0bbb8bce-2020-416b-8bd6-c160c2db9921\_\_RS\_Early.B 8386.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/66c5930d-2169-4ec1-9919-28088d5447f7\_\_RS\_Early.B 8822.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/73273541-2855-4516-92c3-658703bd2d18\_\_RS\_Early.B 6814.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/56a6692b-15ba-4097-aba1-ba428b6fefcd\_\_RS\_Early.B 7899.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/0c4f6f72-c7a2-42e1-9671-41ab3bf37fe7\_\_RS\_Early.B 6752.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/060fd5a7-1606-4a59-895b-604c90d6b414\_\_RS\_Early.B 7205.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/1d18a770-8a16-4765-bae9-5d96f781db89\_\_RS\_Early.B 7803.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/5fd6c76a-1e89-4991-9991-2b61670d5175\_\_RS\_Early.B 8208.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/92757a8e-b68a-45b3-9d70-0281c8ea90ca\_\_RS\_Early.B 7199.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_Early\_Blight/bb38077f-ee91-4c0b-af46-f90b21b9e9db\_\_RS\_Early.B 7121.JPG

/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_E

arly\_Blight/a38df468-bb4a-4bb3-9ee9-a2dffae718e9\_\_\_RS\_Early.B 8690.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_\_E  
arly\_Blight/89b2e456-737b-4020-b788-c3f6a4927e69\_\_\_RS\_Early.B 7371.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_\_E  
arly\_Blight/66785df0-db24-4c3d-821b-8ab94e7e6a06\_\_\_RS\_Early.B 7086.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_\_E  
arly\_Blight/1f56ef5b-9a3b-4731-bf82-b08aeb84fcb5\_\_\_RS\_Early.B 9032.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_\_E  
arly\_Blight/34f44be4-9dc5-460b-896d-cd6593166fe7\_\_\_RS\_Early.B 8175.  
JPG  
/kaggle/input/top-agriculture-crop-disease/Crop Diseases/Potato\_\_\_E  
arly\_Blight/4849de96-2e26-4c8d-8944-bd9e8edee5d8\_\_\_RS\_Early.B 9196.  
JPG

In [2]:

```
import os, torch, shutil, numpy as np
from glob import glob; from PIL import Image
from torch.utils.data import random_split, Dataset, DataLoader
from torchvision import transforms as T
torch.manual_seed(2024)

class CustomDataset(Dataset):

    def __init__(self, root, transformations = None):

        self.transformations = transformations
        self.im_paths = sorted(glob(f"{root}/*/*"))

        self.cls_names, self.cls_counts, count, data_count = {}, {}, 0,
        0
        for idx, im_path in enumerate(self.im_paths):
            class_name = self.get_class(im_path)
            if class_name not in self.cls_names: self.cls_names[class_n
ame] = count; self.cls_counts[class_name] = 1; count += 1
            else: self.cls_counts[class_name] += 1

    def get_class(self, path): return os.path.dirname(path).split("/")[-1]

    def __len__(self): return len(self.im_paths)

    def __getitem__(self, idx):

        im_path = self.im_paths[idx]
        im = Image.open(im_path).convert("RGB")
        gt = self.cls_names[self.get_class(im_path)] 

        if self.transformations is not None: im = self.transformations
        (im)

        return im, gt

    def get_dls(root, transformations, bs, split = [0.9, 0.05, 0.05], ns =
4):

        ds = CustomDataset(root = root, transformations = transformations)

        total_len = len(ds)
```

```
tr_len = int(total_len * split[0])
vl_len = int(total_len * split[1])
ts_len = total_len - (tr_len + vl_len)

tr_ds, vl_ds, ts_ds = random_split(dataset = ds, lengths = [tr_len,
vl_len, ts_len])

tr_dl, val_dl, ts_dl = DataLoader(tr_ds, batch_size = bs, shuffle =
True, num_workers = ns), DataLoader(vl_ds, batch_size = bs, shuffle = F
alse, num_workers = ns), DataLoader(ts_ds, batch_size = 1, shuffle = Fa
lse, num_workers = ns)

return tr_dl, val_dl, ts_dl, ds.cls_names

root = "/kaggle/input/top-agriculture-crop-disease/Crop Diseases"
mean, std, im_size = [0.485, 0.456, 0.406], [0.229, 0.224, 0.225], 224
tfs = T.Compose([T.Resize((im_size, im_size)), T.ToTensor(), T.Normalize(
mean = mean, std = std)])
tr_dl, val_dl, ts_dl, classes = get_dls(root = root, transformations =
tfs, bs = 32)

print(len(tr_dl)); print(len(val_dl)); print(len(ts_dl)); print(classes)
```

375

21

667

```
{'Corn___Common_Rust': 0, 'Corn___Gray_Leaf_Spot': 1, 'Corn___Healt
hy': 2, 'Corn___Northern_Leaf_Blight': 3, 'Potato___Early_Blight':
4, 'Potato___Healthy': 5, 'Potato___Late_Blight': 6, 'Rice___Brown_
Spot': 7, 'Rice___Healthy': 8, 'Rice___Leaf_Blast': 9, 'Rice___Neck
_Blast': 10, 'Sugarcane_Bacterial_Blight': 11, 'Sugarcane_Healthy':
12, 'Sugarcane_Red_Rot': 13, 'Wheat___Brown_Rust': 14, 'Wheat___Hea
lthy': 15, 'Wheat___Yellow_Rust': 16}
```

In [3]:

```
import random
from matplotlib import pyplot as plt

def tensor_2_im(t, t_type = "rgb"):

    gray_tfs = T.Compose([T.Normalize(mean = [ 0.], std = [1/0.5]), T.Normalize(mean = [-0.5], std = [1])])
    rgb_tfs = T.Compose([T.Normalize(mean = [ 0., 0., 0. ], std = [ 1/0.229, 1/0.224, 1/0.225 ]), T.Normalize(mean = [ -0.485, -0.456, -0.406 ], std = [ 1., 1., 1. ])])

    invTrans = gray_tfs if t_type == "gray" else rgb_tfs

    return (invTrans(t) * 255).detach().squeeze().cpu().permute(1,2,0).numpy().astype(np.uint8) if t_type == "gray" else (invTrans(t) * 255).detach().cpu().permute(1,2,0).numpy().astype(np.uint8)


def visualize(data, n_ims, rows, cmap = None, cls_names = None):

    assert cmap in ["rgb", "gray"], "Rasmni oq-qora yoki rangli ekanini aniqlashtirib bering!"
    if cmap == "rgb": cmap = "viridis"

    plt.figure(figsize = (20, 10))
    indekslar = [random.randint(0, len(data) - 1) for _ in range(n_ims)]
    for idx, indeks in enumerate(indekslar):


        im, gt = data[indeks]
        # Start plot
        plt.subplot(rows, n_ims // rows, idx + 1)
        if cmap: plt.imshow(tensor_2_im(im, cmap), cmap=cmap)
        else: plt.imshow(tensor_2_im(im))
        plt.axis('off')
        if cls_names is not None: plt.title(f"GT -> {cls_names[int(gt)]}")
        else: plt.title(f"GT -> {gt}")

    visualize(tr_dl.dataset, 20, 4, "rgb", list(classes.keys()))
```




In [4]:

```
visualize(val_dl.dataset, 20, 4, "rgb", list(classes.keys()))
```



In [5]:

```
visualize(ts_dl.dataset, 20, 4, "rgb", list(classes.keys()))
```



In [6]:

```
def data_analysis(root, transformations):

    ds = CustomDataset(root = root, transformations = transformations)
    cls_counts, width, text_width = ds.cls_counts, 0.7, 0.05
    text_height = 2
    cls_names = list(cls_counts.keys()); counts = list(cls_counts.values())


    fig, ax = plt.subplots(figsize = (20, 10))
    indices = np.arange(len(counts))

    ax.bar(indices, counts, width, color = "firebrick")
    ax.set_xlabel("Class Names", color = "red")
    ax.set_xticklabels(cls_names, rotation = 60)
    ax.set(xticks = indices, xticklabels = cls_names)
    ax.set_ylabel("Data Counts", color = "red")
    ax.set_title(f"Dataset Class Imbalance Analysis")

    for i, v in enumerate(counts): ax.text(i - text_width, v + text_height, str(v), color = "royalblue")

data_analysis(root = root, transformations = tfs)
```

```
/tmp/ipykernel_23/1844673426.py:13: UserWarning: FixedFormatter should only be used together with FixedLocator
    ax.set_xticklabels(cls_names, rotation = 60)
```



In [7]:

```
import timm

# Load the RexNet model (pretrained)
model = timm.create_model('rexnet_150', pretrained=True)

# Print model architecture to verify
print("done..")
```

model.safetensors: 100%

39.2M/39.2M [00:02&lt;00:00, 17.1MB/s]

done..

In [8]:



```
import timm, torchmetrics
from tqdm import tqdm

m = timm.create_model("rexnet_150", pretrained = True, num_classes = len(classes))

def train_setup(m): return m.to("cuda").eval(), 10, "cuda", torch.nn.CrossEntropyLoss(), torch.optim.Adam(params = m.parameters(), lr = 3e-4)
def to_device(batch, device): return batch[0].to(device), batch[1].to(device)
def get_metrics(model, ims, gts, loss_fn, epoch_loss, epoch_acc, epoch_f1): preds = model(ims); loss = loss_fn(preds, gts); return loss, epoch_loss + (loss.item()), epoch_acc + (torch.argmax(preds, dim = 1) == gts).sum().item(), epoch_f1 + f1_score(preds, gts)

m, epochs, device, loss_fn, optimizer = train_setup(m)

f1_score = torchmetrics.F1Score(task = "multiclass", num_classes = len(classes)).to(device)
save_prefix, save_dir = "crop", "saved_models"
print("Start training...")
best_acc, best_loss, threshold, not_improved, patience = 0, float("inf"), 0.01, 0, 5
tr_losses, val_losses, tr_accs, val_accs, tr_f1s, val_f1s = [], [], [], [], [], []

best_loss = float(torch.inf)

for epoch in range(epochs):

    epoch_loss, epoch_acc, epoch_f1 = 0, 0, 0
    for idx, batch in tqdm(enumerate(tr_dl)):

        ims, gts = to_device(batch, device)

        loss, epoch_loss, epoch_acc, epoch_f1 = get_metrics(m, ims, gts, loss_fn, epoch_loss, epoch_acc, epoch_f1)
        optimizer.zero_grad(); loss.backward(); optimizer.step()

        tr_loss_to_track = epoch_loss / len(tr_dl)
        tr_acc_to_track = epoch_acc / len(tr_dl.dataset)
        tr_f1_to_track = epoch_f1 / len(tr_dl)
        tr_losses.append(tr_loss_to_track); tr_accs.append(tr_acc_to_track)
        tr_f1s.append(tr_f1_to_track)
```

```
        print(f'{epoch + 1}-epoch train process is completed!')
        print(f'{epoch + 1}-epoch train loss          -> {tr_loss_to_track:.3f}')
        print(f'{epoch + 1}-epoch train accuracy      -> {tr_acc_to_track:.3f}')
        print(f'{epoch + 1}-epoch train f1-score       -> {tr_f1_to_track:.3f}')

    m.eval()
    with torch.no_grad():
        val_epoch_loss, val_epoch_acc, val_epoch_f1 = 0, 0, 0
        for idx, batch in enumerate(val_dl):
            ims, gts = to_device(batch, device)
            loss, val_epoch_loss, val_epoch_acc, val_epoch_f1 = get_metrics(m, ims, gts, loss_fn, val_epoch_loss, val_epoch_acc, val_epoch_f1)

            val_loss_to_track = val_epoch_loss / len(val_dl)
            val_acc_to_track = val_epoch_acc / len(val_dl.dataset)
            val_f1_to_track = val_epoch_f1 / len(val_dl)
            val_losses.append(val_loss_to_track); val_accs.append(val_acc_to_track); val_f1s.append(val_f1_to_track)

        print(f'{epoch + 1}-epoch validation process is completed!')
        print(f'{epoch + 1}-epoch validation loss      -> {val_loss_to_track:.3f}')
        print(f'{epoch + 1}-epoch validation accuracy -> {val_acc_to_track:.3f}')
        print(f'{epoch + 1}-epoch validation f1-score -> {val_f1_to_track:.3f}')

    if val_loss_to_track < (best_loss + threshold):
        os.makedirs(save_dir, exist_ok = True)
        best_loss = val_loss_to_track
        torch.save(m.state_dict(), f'{save_dir}/{save_prefix}_best_model.pth')

    else:
        not_improved += 1
        print(f'Loss value did not decrease for {not_improved} epochs')
        if not_improved == patience:
            print(f'Stop training since loss value did not decrease
```

```
for {patience} epochs."  
      break
```

The cache for model files in Transformers v4.22.0 has been updated.  
Migrating your old cache. This is a one-time only operation. You can interrupt this and resume the migration later on by calling `transformers.utils.move\_cache()`.

0/0 [00:00<?, ?it/s]

Start training...

375it [02:27, 2.54it/s]

1-epoch train process is completed!

1-epoch train loss -> 0.349  
1-epoch train accuracy -> 0.880  
1-epoch train f1-score -> 0.880

1-epoch validation process is completed!

1-epoch validation loss -> 0.181  
1-epoch validation accuracy -> 0.937  
1-epoch validation f1-score -> 0.936

375it [02:15, 2.76it/s]

2-epoch train process is completed!

2-epoch train loss -> 0.156  
2-epoch train accuracy -> 0.948  
2-epoch train f1-score -> 0.948

2-epoch validation process is completed!

2-epoch validation loss -> 0.131  
2-epoch validation accuracy -> 0.956  
2-epoch validation f1-score -> 0.956

375it [02:15, 2.76it/s]

```
3-epoch train process is completed!
3-epoch train loss      -> 0.126
3-epoch train accuracy -> 0.959
3-epoch train f1-score  -> 0.959
```

```
3-epoch validation process is completed!
3-epoch validation loss     -> 0.141
3-epoch validation accuracy -> 0.950
3-epoch validation f1-score -> 0.950
```

375it [02:14, 2.79it/s]

```
4-epoch train process is completed!
4-epoch train loss      -> 0.104
4-epoch train accuracy -> 0.969
4-epoch train f1-score  -> 0.969
```

```
4-epoch validation process is completed!
4-epoch validation loss     -> 0.134
4-epoch validation accuracy -> 0.958
4-epoch validation f1-score -> 0.957
```

375it [02:12, 2.82it/s]

```
5-epoch train process is completed!
5-epoch train loss      -> 0.075
5-epoch train accuracy -> 0.977
5-epoch train f1-score  -> 0.977
```

```
5-epoch validation process is completed!
5-epoch validation loss     -> 0.104
5-epoch validation accuracy -> 0.965
5-epoch validation f1-score -> 0.965
```

375it [02:15, 2.77it/s]

6-epoch train process is completed!  
6-epoch train loss -> 0.087  
6-epoch train accuracy -> 0.972  
6-epoch train f1-score -> 0.972

6-epoch validation process is completed!  
6-epoch validation loss -> 0.111  
6-epoch validation accuracy -> 0.968  
6-epoch validation f1-score -> 0.968

375it [02:14, 2.79it/s]

7-epoch train process is completed!  
7-epoch train loss -> 0.106  
7-epoch train accuracy -> 0.971  
7-epoch train f1-score -> 0.971

7-epoch validation process is completed!  
7-epoch validation loss -> 0.077  
7-epoch validation accuracy -> 0.977  
7-epoch validation f1-score -> 0.977

375it [02:14, 2.78it/s]

8-epoch train process is completed!  
8-epoch train loss -> 0.054  
8-epoch train accuracy -> 0.984  
8-epoch train f1-score -> 0.984

```
8-epoch validation process is completed!
8-epoch validation loss      -> 0.144
8-epoch validation accuracy -> 0.965
8-epoch validation f1-score -> 0.965
Loss value did not decrease for 1 epochs
```

375it [02:13, 2.82it/s]

```
9-epoch train process is completed!
9-epoch train loss          -> 0.054
9-epoch train accuracy     -> 0.983
9-epoch train f1-score      -> 0.983
```

```
9-epoch validation process is completed!
9-epoch validation loss      -> 0.131
9-epoch validation accuracy -> 0.974
9-epoch validation f1-score -> 0.974
Loss value did not decrease for 2 epochs
```

375it [02:12, 2.83it/s]

```
10-epoch train process is completed!
10-epoch train loss         -> 0.059
10-epoch train accuracy    -> 0.985
10-epoch train f1-score     -> 0.985
```

```
10-epoch validation process is completed!
10-epoch validation loss     -> 0.105
10-epoch validation accuracy -> 0.971
10-epoch validation f1-score -> 0.971
Loss value did not decrease for 3 epochs
```

## Learning Curves

In [9]:

```
class PlotLearningCurves:

    def __init__(self, tr_losses, val_losses, tr_accs, val_accs, tr_f1s, val_f1s):

        self.tr_losses, self.val_losses, self.tr_accs, self.val_accs, self.tr_f1s, self.val_f1s = tr_losses, val_losses, tr_accs, val_accs, tr_f1s, val_f1s

    def plot(self, array_1, array_2, label_1, label_2, color_1, color_2):

        plt.plot(array_1, label = label_1, c = color_1); plt.plot(array_2, label = label_2, c = color_2)

    def create_figure(self): plt.figure(figsize = (10, 5))

    def decorate(self, ylabel, xlabel = "Epochs"):

        plt.xlabel(xlabel); plt.ylabel(ylabel)
        plt.xticks(ticks = np.arange(len(self.tr_accs)), labels = [i for i in range(1, len(self.tr_accs) + 1)])
        plt.legend(); plt.show()



    def visualize(self):


        # Figure 1
        self.create_figure()
        self.plot(array_1 = self.tr_losses, array_2 = self.val_losses,
                  label_1 = "Train Loss", label_2 = "Validation Loss", color_1 = "red", color_2 = "blue"); self.decorate(ylabel = "Loss Values")

        # Figure 2
        self.create_figure()
        self.plot(array_1 = self.tr_accs, array_2 = self.val_accs, label_1 = "Train Accuracy", label_2 = "Validation Accuracy", color_1 = "orange", color_2 = "darkgreen")
        self.decorate(ylabel = "Accuracy Scores")

        # Figure 3
        self.create_figure()
        self.plot(array_1 = [tr_f1.cpu() for tr_f1 in self.tr_f1s], array_2 = [vl_f1.cpu() for vl_f1 in self.val_f1s], label_1 = "Train F1 Score", label_2 = "Validation F1 Score")
```

```
re", label_2 = "Validation F1 Score", color_1 = "blueviolet", color_2 =  
"crimson"); self.decorate(ylabel = "F1 Scores")  
  
PlotLearningCurves(tr_losses, val_losses, tr_accs, val_accs, tr_f1s, va  
l_f1s).visualize()
```





## Inference and AI Model Performance Analysis with GradCAM

In [10]:

```
import cv2
class SaveFeatures():

    """ Extract pretrained activations"""
    features = None
    def __init__(self, m):
        self.hook = m.register_forward_hook(self.hook_fn)
    def hook_fn(self, module, input, output):
        self.features = ((output.cpu()).data).numpy()
    def remove(self): self.hook.remove()

def getCAM(conv_fs, linear_weights, class_idx):

    bs, chs, h, w = conv_fs.shape
    cam = linear_weights[class_idx].dot(conv_fs[0, :, :, :].reshape((chs,
    h * w)))
    cam = cam.reshape(h, w)

    return (cam - np.min(cam)) / np.max(cam)

def inference(model, device, test_dl, num_ims, row, final_conv, fc_params, cls_names = None):

    weight, acc = np.squeeze(fc_params[0].cpu().data.numpy()), 0
    activated_features = SaveFeatures(final_conv)
    preds, images, lbls = [], [], []
    for idx, batch in tqdm(enumerate(test_dl)):
        im, gt = to_device(batch, device)
        pred_class = torch.argmax(model(im), dim = 1)
        acc += (pred_class == gt).sum().item()
        images.append(im)
        preds.append(pred_class.item())
        lbls.append(gt.item())

    print(f"Accuracy of the model on the test data -> {(acc / len(test_dl.dataset)):.3f}")

    plt.figure(figsize = (20, 10))
    indekslar = [random.randint(0, len(images) - 1) for _ in range(num_ims)]

    for idx, indeks in enumerate(indekslar):
```

```
im = images[indeks].squeeze()
pred_idx = preds[indeks]
heatmap = getCAM(activated_features.features, weight, pred_idx)

# Start plot
plt.subplot(row, num_ims // row, idx + 1)
plt.imshow(tensor_2_im(im), cmap = "gray"); plt.axis("off")
plt.imshow(cv2.resize(heatmap, (im_size, im_size)), interpolation=cv2.INTER_LINEAR, alpha=0.4, cmap='jet'); plt.axis("off")


if cls_names is not None: plt.title(f"GT -> {cls_names[int(lbls[indeks])]} ; PRED -> {cls_names[int(preds[indeks])]}", color="green")
if {cls_names[int(lbls[indeks])]} == {cls_names[int(preds[indeks])]} else "red")
else: plt.title(f"GT -> {gt} ; PRED -> {pred}")

m.load_state_dict(torch.load(f"{save_dir}/{save_prefix}_best_model.pt"))
m.eval()
final_conv, fc_params = m.features[-1], list(m.head.fc.parameters())
inference(model = m.to(device), device = device, test_dl = ts_dl, num_ims = 20, row = 4, cls_names = list(classes.keys()), final_conv = final_conv, fc_params = fc_params)
```

/tmp/ipykernel\_23/1166993692.py:52: FutureWarning: You are using `torch.load` with `weights\_only=False` (the current default value), which uses the default pickle module implicitly. It is possible to construct malicious pickle data which will execute arbitrary code during unpickling (See <https://github.com/pytorch/pytorch/blob/main/SECURITY.md#untrusted-models> for more details). In a future release, the default value for `weights\_only` will be flipped to `True`. This limits the functions that could be executed during unpickling. Arbitrary objects will no longer be allowed to be loaded via this mode unless they are explicitly allowlisted by the user via `torch.serialization.add\_safe\_globals`. We recommend you start setting `weights\_only=True` for any use case where you don't have full control of the loaded file. Please open an issue on GitHub for any issues related to this experimental feature.

```
m.load_state_dict(torch.load(f"{save_dir}/{save_prefix}_best_mode1.pth"))
667it [00:17, 37.94it/s]
```

Accuracy of the model on the test data -> 0.975



In [ ]: