# A Translation of the New Edition of the Suśrutasaṃhitā

Jason Birch and Dominik Wujastyk

Draft of 6th July 2021 © Jason Birch and Dominik Wujastyk

# **Contents**

The manuscripts and editions used in the vulgate editions by Yā-	
davaśarman Trivikrama Ācārya	5
The sources of the 1915 edition	5
The sources of the 1931 edition	5
The sources of the 1938 edition	6
Evaluation	7
The 1939 edition	8
For the Bhānumatī	8
For the Suśrutasaṃhitā	10
Evaluation	10
Features of the manuscript transmission	12
Palaeographical features	12
Chart of characters	12
Sūtrasthāna, adhyāya 1	13
Sūtrasthāna, adhyāya 2	20
Literature	20
Sūtrasthāna, adhyāya 17	21
Sūtrasthāna, adhyāya 28	26
Uttaratantra, adhyāya 16 (17 in the vulgate)	27
Literature	27
Translation	27
[Complications]	36
[Characteristics of the probe]	36
[Complications]	37
Abbreviations	39
References	41
Glossary	48

Index of Manuscripts 55 On digital critical editions

## Uttaratantra, adhyāya 16 (17 in the vulgate)

#### Literature

Survey of this chapter and the existing research on it to 2002: HIML: IA, 305–306.

History of couching in India: Scott 1817; Breton 1826; Jack 1884; Hendley 1895; Elliot 1918; Parshwanath Shastri 1940; Deshpande 1999; 2000; Dagmar Wujastyk 2019; Leffler et al. 2020.

#### **Translation**

- 1 Now I shall explain the counteraction (*pratiṣedha*) of diseases located in the pupil (*dṛṣṭi*).
- There are three curable  $(s\bar{a}dhya)$ , three incurable  $(as\bar{a}dhya)$ , and six mitigatible  $(y\bar{a}pya)$  diseases located in peoples eyes. Among these, three are curable  $(s\bar{a}dhya)$ . Amongst these three, the remedy  $(prat\bar{\imath}k\bar{a}ra)$  has been stated for the one called "seeing smoke  $(dh\bar{\imath}madarsin)$ ".<sup>78</sup>
- 3–5ab When the eye is inflamed (*vidagdha*) by bile and when it is inflamed by phlegm, one should apply the method for removing bile and phlegm, using nasal medicines (*nasya*), irrigation (*seka*), application of collyrium (*añjana*), liniment (*ālepa*), and medicines cooked in a crucible (*puṭapāka*), together with a balm (*tarpaṇa*),<sup>79</sup> but not cutting with a blade (*śastrakṣata*).<sup>80</sup>

One should drink ghee (sarpis) prepared with the three fruits ( $triphal\bar{a}$ ) and in the first [case where the problem is bile], and prepared with turpeth (traivrta) in the latter [case, of phlegm].

And ghee prepared with tilvaka (*tailvaka*) is wholesome in both cases, or else aged ghee on its own.

5cd–7ab In a collyrium, these four compounds (*yoga*) are beneficial in both cases:

• ochre (*gairika*), Sind salt (*saindhava*), long pepper (*kṛṣṇā*) and the black soot (*maṣī*) from cow's teeth;

maṣī burned charcoal. Find

where is cutting with a knife related to removing bile or

<sup>78</sup> This disease and its cure are described earlier (SS.6.7.39 and SS.6.10.16 (SS 1938<sup>2</sup>: 609 and 614) respectively). The latter part of this verse is hard to construe and the text here may have been altered at an early period.

<sup>79</sup> These therapies are described in SS.6.18 (SS  $1938^2$ : 633–640).

<sup>80</sup> Dalhaṇa interprets this as blood-letting ( $sir\bar{a}vedha$ ), which is discussed in SS.1.14 (SS 1938<sup>2</sup>).

- Cow's flesh (*gomāṇṣa*), black pepper (*marica*), siris (*śirīṣa*) and red arsenic (*manaḥśilā*);
- stalk (vṛnta) from a wood apple (kapittha) with honey (madhu);81
- or the the fruits of the velvet bean (*svayamgupta*).
- 8 The physician should make a collyrium with ground up metal (*ku-pyaka*), <sup>82</sup> Asoka tree (*aśoka*), Sal tree (*śālā*), mango (*amra*), beautyberry (*priyaṃgu*), Indian lotus (*nalina*), blue lotus (*utpala*), together with hareṇu (*hareṇu*), emblic (*āmalaka*), myrobalan (*pathyā*), long pepper (*pippali*). It should be combined with ghee and honey (*kṣaudra*).
- 9–10 Also, when bile and phlegm have developed, the physician should apply harenu (harenu) with the expressed juice (svarasa) of the flowers from mango (amra) and Jambu (jambū) trees.

  Then this collyrium, matured (vipakva) with ghee and honey (kṣaudra), should then be applied.
- Filaments ( $ki\tilde{n}jalka$ ) of Indian lotus (nalina) and blue lotus (utpala), with ochre (gairika), and the juice of cow-dung ( $go\acute{s}akr\acute{t}$ ) are a collyrium in the form of a pill ( $gu\acute{q}ik\bar{a}$ ). This is good for both day and night blindness.
- 11cd–12ab Elixir-salve ( $ras\bar{a}\tilde{n}jana$ ), honey (kṣaudra), ghee, scramberry ( $t\bar{a}l\bar{i}sa$ ), together with gold and ochre, with the juice of cow-dung (gośakrt) are for an eye afflicted with bile.
  - Alternatively, wise physician should first grind together elixir-salve  $(\hat{sita})$  and stibnite  $(sauv\bar{i}raka)$ , infused  $(bh\bar{a}vita)$  with the blood of birds and animals (rasa). Then he mixes it with the bile of a tortoise or with extract of rohu carp (rauhita). It should always be used with powdered collyrium to quell the bile.
    - Thus, a collyrium of white teak ( $k\bar{a}r\acute{s}mar\bar{\imath}$ ) flowers, liquorice (madhuka), tree turmeric ( $d\bar{a}rv\bar{\imath}$ ), lodh tree (lodhra) and elixir salve ( $ras\bar{a}\tilde{n}jana$ ) is always good as a collyrium in this case.
    - Alternatively, for those who cannot see during the day, this pill  $(gudik\bar{a})$ , with sandalwood, is recommended: salt  $(nad\bar{\imath}ja)$ , conch shell and the

<sup>81</sup> wood apple (*kapittha*) in this verse is ablative singular or accusative plural, neither of which construe obviously.

<sup>82</sup> A metal other than gold or silver, according to V. Jośī and N. H. Jośī 1968: 1.217. Perhaps lead, which is used in making contemporary collyrium.

<sup>83</sup> This is Dalhaṇa's preferred interpretation of rasa "juice" in this context. He also notes that some take elixir-salve ( $\hat{sita}$ ) to be camphor.

- three spices, collyrium, realgar ( $manah\acute{s}il\bar{a}$ ), the two turmerics (rajana)<sup>84</sup> and liver extract (yakrdrasa).<sup>85</sup>
- One should grind up kohl (*srotoja*), <sup>86</sup> and Sind salt (*saindhava*) and long pepper and also harenu (*harenu*). Such wicks with goats urine are good in a collyrium for night blindness (*kṣaṇadāndhya*).
- 17–18ab Alternatively, in such a case, grind together Indian sarsaparilla ( $k\bar{a}l\bar{a}$ - $nus\bar{a}riva$ )<sup>87</sup> long pepper, dried ginger ( $n\bar{a}gara$ ) and honey, the leaf of the scramberry ( $t\bar{a}l\bar{i}sapatra$ ), the two turmerics (rajana), a conch shell and liver extract (yakrdrasa). Then shade-dried wicks take away illness (ruj).
- 18cd–19ab Wicks made of red arsenic ( $mana h sil \bar{a}$ ), chebulic myrobalan ( $abhay \bar{a}$ ), the three spices (vyo sa). Indian sarsaparilla (sariva), cuttlefish bone (samudraphena), combined with goat's milk are good.
- One should cook a honey collyrium (*kṣaudrāñjana*) either in the juices of cow's urine (*gomūtra*), and bile, spirits (*madirā*), liver (*yakṛt*), and emblic (*dhātrī*) or else in the juice of the liver (*yakṛt*) of something different, or else with the extract of the three fruits (*triphalā*). One of these should be mixed with cow urine, ghee and cuttle fish (*arṇavamala*)<sup>88</sup> with long pepper, honey and box myrtle (*kaṭphala*). It is placed in sea salt and stored in a bamboo tube.
  - One should cook the liver of a sheep, the ghee of a goat, with long pepper and Sindh salt, honey and the juice of emblics. Then one should store it properly in a catechu box. Prepared thus, the honey collyrium is good.
    - Alternatively, a collyrium that is harenu (harenu) mixed with long pepper ( $m\bar{a}gadh\bar{\iota}$ ), the bone and the marrow of a goat, cardamom ( $el\bar{a}$ ) and

<sup>84</sup> Turmeric (Curcuma longa *Linn*.) and tree turmeric (Berberis aristata DC). The term *rajana* is unusual; the normal term is *rajanī*. *Rajana* occurs in *Suśrutanighaṇṭu* 158 in the sense of Ferula asafoetida, Linn.

<sup>85</sup> This verse appears as no. 27 in the vulgate.

<sup>86</sup> Glossed by Palhaṇa as a kind of collyrium. Cf. Nadkarni 1954: 2.M13 and P. V. Sharma 1982: 197–198

<sup>87</sup> There are two forms of  $s\bar{a}riv\bar{a}$  mentioned widely in Āyurvedic literature, the white and the black. Ideas on the identity of the black form are particularly fluid. See Sivarajan and Balachandran (1994: 434–438) for a clear discussion.

<sup>88</sup> At SS 6.12.31, Dalhaṇa glossed arṇavamala as cuttlefish bone (samudraphena). It may be worth considering whether the unusual term arṇavamala "ocean-filth" might refer to ambergris.

- liver, together with liver extract, is good for eyes afflicted by phlegm.<sup>89</sup>
- Over a fire, one should cook the liver (yakṛt) of a monitor lizard (godhā) prepared with entrails (antra) and stuffed with long pepper (māgadhi). As is well known, liver (yakṛt) which is used (niṣevita) with collyrium certainly destroys night blindness.
- 25 After preparing both a spleen (*plīhan*) and a liver on a spit, one should eat them both with ghee and oil.<sup>90</sup>
- As is well known, there are six diseases that can be alleviated (*yāpya*); in those cases (*tatra*) one should release the blood by bloodletting. And for the sake of wellbeing one should also purge using aged ghee combined (*upahita*) with purgative aids (*aṅga*).
  - When an eye-disease is caused by wind (pavanodbhava) they say that castor oil (pañcāṅgulataila) mixed with milk is good. In the case of diseases of blood (śonita) and bile (pitta), one should drink ghee with the three fruits; it is particularly cleansing. In the case of phlegm, a purgative by means of turpeth (trivṛt) is recommended. In the case of all three humours, sandal (sugandhi) in oil is prepared with it (turpeth).
    - 28 In cases of partial blindness (*timira*), aged ghee is recommended. It is good if it is kept in an iron vessel.
- 28cd–29ab One should know that ghee with the three mylobalans is always good, and it is made with what is called periploca of the woods (meṣaviṣāṇa). A man who is suffering from partial blindess should lick the finely-

<sup>89</sup> On the identities of <code>elā</code> and <code>harenu</code> Watt (1908: 511 ff) described the former as "true" or "lesser" or "Malabar" cardamom, Elettaria cardamomum, Maton & White, in contrast to the "greater" cardamom is Amomum subulatum (that he discusses on p. 65) that is commonly used as an inferior substitute for E. cardamomum. Singh and Chunekar (1972: 467 f) provided an interesting discussion of <code>harenu</code>, noting that the term refers to two substances, first the <code>satīna</code> pulse (Pisum sativum, Linn.), and second an unknown fruit such as perhaps a Vitex. They noted, "None of the text commentators have attempted to disclose the nature of its source plant," although Dalhaṇa described it as aromatic and identical to <code>renukā</code> (SS.ci.2.75).

<sup>90</sup> We read the locative as if an instrumental; if the locative were intended then it would be the spit that would be coated with oil and ghee.

<sup>91</sup> Palhaṇa says that the unexpressed topic of this recipe is partial blindness (*timira*).

<sup>92</sup> Blood-bile (*śonita-pitta*, *rakta-pitta*) is a widely-recognized disease in ayurveda, but the compound here is definitely dual, which rules out that interpretation. One would expect blood-bile because the previous verse

<sup>93</sup> The expression "the fragrant one in oil (*tailasugandhi*)" is puzzling. The word *sugandhi* has different referents in the *Nighaṇṭu* literature but is not common as a noun in the extant literature. "Sandal" is just one of its possible meanings.

- ground three fruits mixed with ghee off his hand (sapāṇa).94
- 29cd Alternatively, someone afflicted by phlegm should apply them (the three fruits) mixed with oil and steeped (*pragāḍha*) in honey.
  - The very best oil, well-cooked with a decoction of cow-dung, is good in cases of partial blindness, taken as an errhine.

    In cases caused by bile, ghee by itself is good, as is oil when it arises
  - from wind and blood.

    And in the case of wind one should apply turpeth (*trivṛt*) based on
  - strong mallow ( $atibal\bar{a}$ ), and country mallow ( $bal\bar{a}$ ) in an errhine (nasya). Show which has been extracted from milk cooked with the most of
    - Ghee which has been extracted from milk cooked with the meat of aquatic creatures and those from marshlands should be prescribed.
  - †An enclosed roasting (*puṭākhya*) with Sindh salt and the product of the meat of a carnivore (*kravyabhuj*) and a deer (*eṇa*), is combined with honey and ghee.<sup>96</sup>
    - Fat  $(vas\bar{a})$  from a horse, a vulture, a snake, and a cock  $(t\bar{a}mrac\bar{u}da)$ , combined with mahua  $(madh\bar{u}ka)$  is always good in a collyrium.<sup>†97</sup>
  - Having prepared (*niṣevita*) a collyrium made of kohl (*srotas*) and gradually combine it with juices (*rasa*), milk and ghee.<sup>98</sup>
    For thirty days, this collyrium is put in the mouth of a black snake that
  - 94 "Off his hand" translates the adverbial *sapāṇam*, an unusual word. Dalhaṇa reproduces a reading close to the Nepalese recention but says that Jejjaṭa rejects it and so he also does (SS 1938: 627).
  - 95 "Based on" translates -āśrita "depending on" which does not construe easily here. The vulgate has śṛṭa "cooked" which makes easier sense but is not supported by the Nepalese MSS.
  - 96 Dalhaṇa notes (SS 1938<sup>2</sup>: 628a) that puṭāhvaya (see verse 35 below) is a synonym for puṭapāka, and that the process is described in the Kriyākalpa chapter, i.e., SS.6.18.33–38 (SS 1938<sup>2</sup>: 635). On the puṭa process in the Suśrutasaṃhitā, which is earlier and different than that of rasaśāstra literature, see the discussion by Dagmar Wujastyk (2019: 83):
    - The term 'enclosed roasting' (puṭapāka) does occur in the Suśrutasaṃhitā in the context of eye treatments, but designates a method of obtaining juice from substances by wrapping them in leaves pasted with earth and cooking the bolus on charcoal to finally extract a juice.
  - 97 This verse contain irresolvable difficulties. There are no significant variants in the Nepalese MS transmission, but the text is ungrammatical. The vulgate reads substantially differently but we have nevertheless made some emendations in line with it and read the verse as two sentences.
  - 98 Dalhana specifies that the juices are meat soups of various animals ( $SS_{193}8^2$ : 628).

- is covered with kuśa grass (kuśa).
- Next, a collyrium that is milk containing long pepper  $(m\bar{a}gadh\bar{\iota})$ , lye  $(k \bar{s}araka)$  and Sindh salt (saindhava) that has been repeatedly prepared with the mouth of a black snake, is good in the case of bloodshot blindness  $(r\bar{a}gin\ timira)$ .
- They say that ghee may be produced from that and combined with sweet herbs is good as an errhine for eye-diseases caused by bile. And here, a balm (*tarpaṇa*) is good that is a combination that is the flesh of wild animals taken hot (*putāhvaya*).<sup>100</sup>
- And realgar ( $mana h sil \bar{a}$ ) mixed with elixir salve ( $ras \bar{a} \tilde{n} jana$ ) and honey is a liquid collyrium ( $drav \bar{a} \tilde{n} jana$ ) which is, in this case, combined with mahua ( $madh \bar{u} ka$ ).<sup>101</sup>
  - Alternatively, experts on this say that finely ground blue vitriol (*tuttha*) extracted from a gold mine is the "same collyrium (*samāñjana*)". <sup>102</sup>
- Conch mixed with equal parts of sheep's horn and stibnite  $(a\tilde{n}jana)$  removes the impurity of the glassy opacity  $(k\bar{a}ca)$  because of the application of collyrium  $(a\tilde{n}jana)$ .
  - The extracts (rasa) produced from aflame of the forest ( $pal\bar{a}\acute{s}a$ ), Rohīta tree ( $roh\bar{\imath}ta$ ), <sup>104</sup> mahua ( $madh\bar{\imath}ka$ ), ground with the supernatant layer (agra) of the spirits (madira) is applied.
- Alternatively, one should cook an errhine with cuscus grass ( $u\acute{s}\bar{\imath}ra$ ), lodh tree (lodhra), the three fruits ( $triphal\bar{a}$ ), beauty berry (priyangu) to pacify eye diseases caused by phlegm.<sup>105</sup>
  - One should apply smoke of the bark of embelia (vidanga), velvet leaf

<sup>99</sup> Dalhana describes this blindness as a type of  $k\bar{a}ca$  disease caused by wind (SS 1938: 628). The expression "bloodshot blindness" is an attempt to capture the idea of a blind eye that is dyed or coloured (not colour-blindness). This verse is quite different from the vulgate and also syntactically challenging.

<sup>100</sup>The expression taken hot (puṭāhvaya) is a guess.

<sup>101</sup> The expression liquid collyrium ( $drav\bar{a}\tilde{n}jana$ ) is only known from Palhana's comments on SS.6.17.11ab (SS 1938<sup>2</sup>: 626). The recipe in the present collyrium is different from that discussed by Dalhana.

<sup>102</sup>The expression "same collyrium (samāñjana)" is a hapax legomenon glossed inexplicably by Dalhana as "a collyrium with an equal amount of fermented barley" (tulyasauvīrāñjana) (\$\$1938²:628).

<sup>103</sup>The ablative "from collyrium" is hard to construe, but Dalhana uses this term and phrase in his commentary on SS 6.17.41ab (SS  $1938^2:629$ ).

<sup>104</sup>Probably Soymida febrifuga A. Juss.

<sup>105</sup> Dalhaṇa invokes a general rule  $(paribh\bar{a}s\bar{a})$  to indicate that this mixture should be cooked with sesame oil.

- $(p\bar{a}th\bar{a})$ , white siris  $(kinih\bar{\iota})$ , and desert date  $(i\dot{n}gud\bar{\iota})$ ; and cuscus grass  $(u\bar{s}\bar{\iota}ra)$  alone.
- 39 A ghee that is cooked ( $bh\bar{a}vita$ ) from a decoction of a non-flowering tree (vanaspati)<sup>106</sup> as well as turmeric ( $haridr\bar{a}$ ) and spikenard (nalada) is good in a balm (tarpaṇa).
  - Alternatively, one may have an enclosed roasting ( $puṭap\bar{a}ka$ ) done with arid-land animals ( $j\bar{a}\dot{n}gala$ )<sup>107</sup> and a plentiful amount of long pepper ( $m\bar{a}gadha$ ), Sindh salt and honey.
- 40 A treatment ( $kriy\bar{a}$ ) with realgar ( $mana h sil\bar{a}$ ), the three spices, conch, honey, along with Sindh salt, green vitriol ( $k\bar{a}s\bar{\imath}sa$ ) and elixir salve ( $ras\bar{a}nijana$ ). <sup>108</sup>
  - They say that an elixir salve ( $ras\bar{a}\tilde{n}jana$ ) combined with myrobalans, treacle and dried ginger is good.<sup>109</sup>
- Alternatively, a collyrium that has been prepared many times in the eight types of urine<sup>110</sup> is put into water with the three fruits. Having stored it in the mouth of a nocturnal creature (*niśācara*)<sup>111</sup> one should place it in a conch (*salilotthita*) for two months.<sup>112</sup>
- place it in a conch (*salilotthita*) for two months.<sup>112</sup>
  42 One should apply that collyrium together with the flowers of mahua (*madhūka*) and horseradish tree (*śigru*) when [the disease] is caused by all [the humours].
  - But alternatively, all treatments apply when blood is the cause. The procedure that removes bile is good when there is blue dot cataract  $(ml\bar{a}yin)$ .<sup>113</sup>
- For one who has a humour, the physician should consider the rule in

Check out these refs.

<sup>106</sup>These are fig trees. The *Sauśrutanighaṇṭu* (252) specifies the Udumbara. Cf. the classification in CS.1.1.71–72, 1.8, *et passim*.

<sup>107</sup>On this term, see SS.1.35.42 (SS 1938 $^2$ :157) and the discussion by Zimmermann (1999:25–31).

<sup>108</sup> Palhaṇa glosses treatment  $(kriy\bar{a})$  specifically as inspissation  $(rasakriy\bar{a})$  (SS 1938<sup>2</sup>: 629).

<sup>109</sup>We emend hite to hitam, against the MSS.

<sup>110</sup> See SS mūtravarga

<sup>111</sup> Dalhaṇa glosses nocturnal creature (niśācara) as "vulture," although elsewhere in the SS it is more commonly interpreted as a spirit or demon. In the present context, following verses 33 and 34, it is probably a snake.

<sup>112</sup> We interpret "water-born (*salilotthita*)" as "conch" in line with *jalodbhava*, but the term is uncertain.

<sup>113</sup> The vulgate follows Dalhaṇa in glossing  $ml\bar{a}yin$  as  $pariml\bar{a}ya$ . The description of this condition at SS.6.7.27–28 appears to refer to "blue dot" or "cerulean" cataract.  $\sqrt{mlai}$  derivatives can mean "dark" or "black."), which is normally a different ailment.

- all humoral cases and then smear the ointment on the face.<sup>114</sup> The treatment that is good for removing watery eye (*syanda*) should be properly applied in all these humoral cases, according to the individual.<sup>115</sup>
- The physician should not employ substances in errhines etc., when the humours intensify, and also when disease spreads. And further, in the *Kalpa*, there is a good deal more said about collyriums, and that should be considered and then applied.<sup>116</sup>
- Someone who uses matured ghee, the three fruits, wild asparagus ( $\hat{s}a-t\bar{a}var\bar{\iota}$ ), as well as mung beans (mudga), emblic and barley has nothing to fear from cases of severe blindness (timira).
- 46 Blindness is dispelled by milk prepared with wild asparagus or in emblics, or again cooked barley (*yavaudana*) followed by the water of three fruits with plenty of ghee.
- When there is bloodshot blindness (*rāgiṇi timire*), the wise physician should not cut a vein. A humour injured (*utpīḍita*) by the instrument rapidly destroys vision.
- 48 Non-bloodshot blindness (*araga timira*) in the first layer (*paṭala*) is treatable. And bloodshot blindness (*rāgiṇi timire*) in the second layer, with difficulty. And in the third layer it is mitigable (*yāpya*).
- I shall explain the therapy for success when there is a cataract ( $linga-n\bar{a}\hat{s}a$ ) caused by phlegm. It may be white, like a full moon, an umbrella, a pearl ( $mukt\bar{a}$ ) or a spiral ( $\bar{a}varta$ ).
- Or it may be uneven, thin in the middle, streaked or have excessive shine (*prabha*). A humour (*doṣa*) in the pupil may be characterized as being painful or having blood. 117
- At a time that is neither too hot or too cold, the patient who has been oiled and sweated is restrained and seated, looking symmetrically at his own nose.

The wise physician should separate (*muktvā*) two white sections from

<sup>114</sup> The vulgate edition omits part of this verse (ab) combining earlier and later passages. 115 The term watery eye (*syanda*) refers to the specific disease *abhiṣyanda*. See SS.6.6.5, 1.46.51, etc.

<sup>116</sup> Dalhana notes that *Kalpa* means the Uttaratantra adhyāya 18 (SS 1938<sup>2</sup>: 633 ff).

<sup>117</sup> In the vulgate, and in parallel passages in the AS, the reading "it may be (*bhavet*)" is replaced with the negative "if, then not (*na ced*)" (cf. AS utt.17.1–3 (AS 1980: 712)). These characteristics are then read as conditions that preclude surgery; for the Nepalese recension, they are simply descriptions of the appearance of a cataract.

the black part (kṛṣṇa) and from the outer corner of the eye ( $ap\bar{a}nga$ ). Having pīḍ- (pressed) properly into the eye,<sup>118</sup> at the naturally occurring (daivakṛte) hole (chidra) with the probe ( $śalāk\bar{a}$ ) made of copper or iron, with a tip like a barley-corn that is held by a steady hand with the middle finger, forefinger and thumb, the left one with the right hand and the other one contrariwise.

When the piercing is done, there is the simultaneous issue of a drop of liquid and a sound.<sup>119</sup>

- The expert should moisten the exact place of piercing with a woman's breast-milk. Then he should scratch the circuit of the pupil (drstimandala) with the tip of the probe  $(sal\bar{a}k\bar{a})$ .
- Without injuring, gently pushing the phlegm in the circuit of the pupil against the nose, he should remove it by means of sniffing (ucchingana).<sup>121</sup>
- Whether the humour is solid ( $sty\bar{a}na$ ) or liquid (cala), one should apply sweating to the eye externally, with leaves ( $bha\dot{n}ga$ ) that remove wind, after fixing the needle ( $s\bar{u}c\bar{\imath}$ ) properly.<sup>122</sup>
- But if the humour cannot be destroyed or if it comes back, one should apply the piercing (*vyadha*) once again, with appropriate oils and so on.
- Now the pupil (dr s t) shines like the sun (hari) in a cloudless sky; then, when objects become visible, one may slowly remove the probe  $(sa-l\bar{a}k\bar{a})$ . 123
- 60 Having smeared ghee on the eye, one should cover it with a bandage.

<sup>118</sup> We understand the locative *nayane* as the place of pressing; other interpreters take it as an accusative dual. The idea is that the eye is held steady by the surgeon.

<sup>119</sup> Dalhana interprets simultaneous (*samyak*) rather as "proper," referring to the proper kind of incision.

<sup>120</sup>The anatomy of the eye is described in SS 6.1.14–16 (SS 1938<sup>2</sup>: 596) The disks or *maṇḍalas* are the circuits or disks of the eye.

<sup>121</sup> Dalhaṇa describes sniffing (ucchingana) at SS 6.19.8 (SS 1938<sup>2</sup>:641), clearly intending inward sniffing.

<sup>122</sup>We interpret *bhanga* as leaves, following the usage elsewhere in this sthāna SS 4.32.9, 6.11.5 (SS 1938<sup>2</sup>: 513, 614) where *bhanga* means shoots (*pallava*). A similar procedure is described at AS 6.17.25 (AS 1980: 716a), where sweating of the eye is done by means of the leaves of a castor-oil plant.

<sup>123</sup>There are many problems with the MS readings and interpretation of this half-verse. We have inferred "sky" and emended from "free from the point (agramukta)" to "free from clouds (abhramukta)". The latter meaning is supported (in different words) by the vulgate and occurs elsewhere in Sanskrit literature.

- Then, he must lie down supine in a house free from disturbances. 124
- At that time, he should not belch, cough, sneeze, spit or shiver. Afterwards there should be restrictions  $(yantranaa \bar{a})$  as in the case of someone who has drunk oil.<sup>125</sup>
- Every three days one should wash it with decoctions (kasaya) that remove wind. After three days, one should sweat the eye externally because of the danger of wind.
- Having restrained himself in this way for ten days he should thereafter take a beneficial regimen (*karma*) that clears the pupil (*dṛṣṭi*) and also he should take light food in measure.

## [Complications]

- When there is a misshapen eyeball (*vilocana*), the eye may fill because of the release of blood from a vein. <sup>126</sup>
  A hard probe leads to shooting pain ( $\sin la)$ , a thin to unsteadiness of the humours ( $\cos la)$ ), <sup>127</sup>
- a thick-tipped probe leads to a large wound, and a sharp one may cause harm in many ways; a very irregular one may cause a discharge of water, a rigid (*sthirā*) one brings about a loss of function (*kriyāsaṅga*).<sup>128</sup>
- 66 Therefore, one should make a good probe that is free from these defects.

## [Characteristics of the probe]

The probe should be eight finger-breadths long and in the middle it is wrapped with thread and is as thick as a thumb joint. It is shaped like

<sup>124</sup> Dalhaṇa explains disturbances specifically as dust, smoke, drafts and sunlight SS 6.17.67 (SS  $1938^2$ : 631a).

<sup>125</sup> Dalhaṇa glosses "restrictions (yantraṇā)" as having a controlled diet and the other restrictions appropriate to someone who is taking oil as a preparation before further therapy (SS 6.17.68 (SS 1938<sup>2</sup>:631)). These restrictions are also described at SS 6.18.28 (SS 1938<sup>2</sup>:635) and Ah 1.16.25cd (Ah1902:249).

<sup>126</sup>The condition of "misshapen eye" is referred to briefly in SS 6.61.9 (SS 1938<sup>2</sup>: 800), where Dalhana glosses it as "bent brow and eye (*vakrabhrūnetra*)." The vulgate's reading of "with blood (*śonitena*)" is easier to construe.

<sup>127</sup>There is a medically significant difference here from the vulgate, which reads "a rough (*khara*) probe" not a "thin" probe.

<sup>128</sup>This translation of loss of function (*kriyāsaṅga*) is given on the basis of Dalhaṇa's gloss of *kriyāsaṅgakarin* as "causing the destruction of actions such as moving (*gamanādikriyāvināśakarī*)" at SS 3.8.19 (SS 1938<sup>2</sup>: 382).

- a bud at both ends (vaktra).
- 67 A commendable probe should be made of silver, iron or gold ( $\dot{sataku}$ - $mbh\bar{\iota}$ ). 129

#### [Complications]

Redness, swelling, lumps, driness (coṣa), bubbling (budbuda), <sup>130</sup> pigs' eye  $(s\bar{u}kar\bar{a}kṣit\bar{a})$ , <sup>131</sup>, irritation (adhimantha), etc. and other diseases arise from faults in the piercing,

- or even from bad behaviour. One should treat them each accordingly. Listen to me once again about compounds for painful red eyes. Red chalk (gairikah), Indian sarsaparilla  $(s\bar{a}riv\bar{a})$ , panic grass  $(d\bar{u}rv\bar{a})$ , and ghee ground with barley.
  - 71 This face ointment is to be used for quelling pain and redness. Or else it may be taken combined with the juice of citron (*mātuluṅga*) with sesame gently fried, mixed with white mustard (*siddhārthaka*).<sup>132</sup> This is immediately beneficial when someone is looking for relief.
  - 72 A paste with Holostemma (payasyā), 133 Indian sarsaparilla (śārivā), cassia cinnamon (patra), Indian madder (mañjiṣṭhā), and liquorice (madhukair) stirred with goat's milk, pleasantly warmed, is said to be healthy. 134
  - Alternatively, it can be made in this way with Himalayan cedar, Himalayan cherry (*padmaka*) and dried ginger. Or, in the same way, with grapes, liquorice and the Lodh tree mixed with Sindh salt.

<sup>129</sup>The vulgate reads "copper (*tāmra*)" in place of "silver."

<sup>130</sup> <br/> Dalhaṇa glosses "bubbling (budbuda)" as "prolapse ( $m\bar{a}msanirgama$ ) that looks like bubbles."

<sup>131</sup> The expression "pigs' eye" appears to be a *hapax*. It is glossed as "downward vision (*adhodṛṣṭitva*)" by Dalhaṇa.

<sup>132</sup>On the adverbial use of gently (*mṛdu*), see Gombrich 1979.

<sup>133</sup>The identity of *payasyā* is debated (Singh and Chunekar 1972: 538), and was already in doubt at the time of Dalhaṇa but likely candidates may be those suggested by Dalhaṇa, who suggests either *arkapuṣpī* or *kṣīrakākolī*, that may be *Holostemma adakodien* Schult. and *Leptadenia reticulata* (Retz.) Wight & Arn. (Sivarajan and Balachandran 1994: 195-196). The *Sauśrutanighaṇṭu* glosses it as *kṣīrikā* or *arkapuṣpikā* (Suvedī and Tīvārī 2000: v. 307).

<sup>134</sup>The expression "stirred with goat's milk (ajākṣīrārdita)" is difficult. It may be connected with the rare root ard documented by Whitney (1885: 15). Cf. \( \sqrt{ard gatau} \) (Dhātupāṭha 1.56).

- Alternatively, goats' milk with the Lodh tree, Sindh salt, red grapes and liquorice, cooked, should be used in irrigation because it removes pain and redness.
- Having cooked it with liquorice, water-lily, and costus, mixed with grapes (*drākṣā*), lac (*lākṣā*), white sugar (*sitā*), with wild asparagus, Hare Foot Uraria (*pṛthakparṇī*),<sup>135</sup> nutgrass (*mustā*), liquorice, Himalayan cherry (*padmaka*), and Sindh salts, one should apply it [irrigation] gently warm.
- 76cd–77ab Ghee that has been cooked in four times the amount of milk that has itself been cooked with drugs that destroy wind. This has an admixture of cottony jujube  $(k\bar{a}kol\bar{\iota})$  etc., should be prescribed in all treatments. The important of the prescribed in the important of the important of the prescribed in the important of the importa
- 77cd–78ab If pain does not end in this way, one should administer blood-letting to the vein of someone who has previously been oiled and sweated. Then the wise physician should apply cauterization in the advised manner.<sup>138</sup>
- 78cd–80ab Now listen to two excellent collyriums for making the pupils clear. After grinding the flowers of perploca of the woods (meṣaśṛṅga), siris (śirīṣa), axelwood (dhava) royal jasmine (jātī), pearl and beryl (vaiḍūrya) with goat's milk, one should put it in a copper pot for seven days.
  - 80cd–81 Having made it into wicks (*vartti*), the physician should apply it as a collyrium. Alternatively, one should make kohl (*srotoja*), coral (*vidruma*), cuttlefish bone (*phena*), and realgar (*manaḥśilā*) and peppers into wicks

or a dual

<sup>135</sup>Suvedī and Tīvārī 2000: 18.

<sup>136</sup> Dalhaṇa mentions that these drugs include Deodar (*bhadradāru*) and other wind-destroying drugs. The *vātasaṃśamana* group is listed in *Suśrutasaṃhitā sūtrasthāna* 1.39.7.

<sup>137</sup> Dalhana notes that this would include errhines, ointments, etc.

<sup>138</sup>The vulgate reads *vāpi* for *cāpi*, so Dalhaṇa sees blood-letting and cautery as alternatives, not a sequence of treatments. Dalhaṇa lists the places that cauterization may be applied, such as the brow, forehead, etc.

## **Abbreviations**

Ah1902	Kuṃṭe, Ananta Moreśvara and Navare, Kṛṣṇaśāstrī Rāmacandra (1902) (eds.), श्रीमद्वाग्भटविरचितम् अष्टाङ्गहृदयम्, सूत्र-शारीर-निदान-चिकित्सा-कल्प-उत्तरस्थानविभक्तम् श्रीमद्रुणद्त्तप्रणीतया सर्वागसुंदर्याख्यया व्याख्यया समलंकृतम् (Kṛṣṇadāsa Āyurveda Sīrīja, 3; Muṃbayyām: Nirṇayasāgara Press).
AS 1980	Aṭhavale, Anaṃta Dāmodara (1980) (ed.), Aṣṭāṅgasaṅgrahaḥ. Śrīmad Vṛddhavāgbhaṭaviracitaḥ Induvyākhyāsahitaḥ (Puṇe: Maheśa Anaṃta Āṭhavale, Śrīmad Ātreya Prakāśanam), ark:/13960/t9773bb9z.
Bhela 1921	Mookerjee, Ashutosh and Ananta Krishna Shastri, Vedantabisharad (1921) (eds.), <i>The Bhela Samhita. Sanskrit Text</i> (Calcutta: University of Calcutta), ark:/13960/t3sv3157j; Based on two copies made of the Thanjavur codex unicus (MS Thanjavur TMSSML 10773, Burnell 1880: 63–4, P. P. S. Sastri 1933: #11085).
Bhela 2000	Krishnamurthy, K. H. (2000), Bhela-saṃhitā. Text with English Translation, Commentary and Critical Notes (Haridas Ayurveda Series, 8; Varanasi: Chaukhambha Visvabharati).
HIML	Meulenbeld, Gerrit Jan (1999–2002), A History of Indian Medical Literature, 5 vols. (Groningen: E. Forsten), ISBN: 9069801248.
NCC	Raghavan, V. et al. (1949–), New Catalogus Catalogorum, an Alphabetical Register of Sanskrit and Allied Works and Authors, 39 vols. (Madras University Sanskrit Series; Madras: University of Madras); v.1: revised edition, 1968.

**NGMCP** 

SS 1931

SS 1938

SS 1938<sup>2</sup>

 $SS_{1915}$ 

NGMCP (2014), 'Nepal-german Manuscript Cataloguing Project. Online Title List and Descriptive Catalogue', Universität Hamburg and Deutsche Forschungsgemeinschaft, URL.

Acārya, Yādavaśarma Trivikrama (1931)वैद्यवरश्रीडल्हणाचार्यविरचि-सुश्रुतसंहिता, (ed.), तया निबन्धसंग्रहाख्यव्याख्यया समक्रसिता. महर्षिणा विरचिता. सूत्र-निदान-शारीर-चिकित्सा-सुश्रुतेन कल्पस्थानोत्तरतन्त्रात्मकः. आचार्योपाह्वेन त्रिविक्रमात्मजेन यादवशमेणा संशोधिता = The Sushrutasamhitā of Sushruta with the Nibandhasangraha Commentary of Shree Dalhanāchārya (2nd edn., Mumbayyām: Pāṇḍuraṅga Jāvajī at the Nirṇayasāgaramudrāyantrālaye), ark: / 13960 / t9j41sg94, accessed 09/06/2020; HIML: IB, 312 edition \*v.

Ācārya, Yādavaśarma Trivikrama and Ācārya, Nārāyaṇa Rāma (1938) (eds.), श्रीडल्हणाचार्यविरिचतया निबन्धसंग्रहाख्यव्याख्यया निदानस्थानस्य श्रीगयदासाचार्यविरिचतया न्यायचिन्द्रकाख्यपञ्जिकाव्याख्यया च समु-छ्रिसता महर्षिणा सुश्रुतेन विरिचता सुश्रुतसंहिता (3rd edn., Bombay: Nirṇayasāgara Press); HIML: IB, 313 edition cc.

Ācārya, Yādavaśarma Trivikrama and Ācārya, Nārāyaṇa Rāma (2004) (eds.), महर्षिणा सु-श्रुतेन विरचिता सुश्रुतसंहिता, श्रीडल्हणाचार्यविरचितया निवन्धसंग्रहाख्यव्याख्यया निदानस्थानस्य श्रीगयदासा-चार्यविरचितया न्यायचन्द्रिकाख्यपञ्जिकाव्याख्यया च समुद्घसिता (Vārāṇasī: Caukhambhā Kṛṣṇadāsa Akādamī); Reprint of the third, 1938 edition (SS 1938), with changed pagination.

Ācārya, Yādavaśarma Trivikrama (1915) (ed.), सुश्रुतसंहिता, सुश्रुतेन विरचिता, वैद्यवरश्रीडल्ह-णाचार्यविरचितया निबन्धसंग्रहाख्यव्याख्यया समुष्ठसिता, आचार्योपाह्वेन त्रिविकमात्मजेन यादवशर्मणा संशोधिता =

The Sushrutasamhita of Sushruta, the Nibandhasangraha Commentary of Shri Dalhaṇāchārya (Mumbayyāṃ: Nirṇayasāgaramudrāyantrālaye), ark:/13960/t3sv0mt50, accessed 29/07/2020; HIML: IB, 312 edition \*v.

Viṣṇudharmottarapurāṇa

Śarman, Madhusūdana and Śarman, Mādhavaprasāda (1912) (eds.), *Viṣṇudharmottarapurāṇam* (Mumbai: Khemarāja Śrīkṛṣṇadāsa at the Śrīveṅkaṭeśvara Steam Press), ark:/13960/t6qz6fr23; Lithograph format. Edited on the basis of a manuscript belonking to the astrologer Śudhākaraśarman of the Varanasi Sanskrit Pāṭhaśālā.

### References

Ācārya, Yādavaśarma Trivikrama and Śarman, Nandakiśora (1939) (eds.), सुश्रुतसंहितायाः सूत्रस्थानम्. श्रीचकपाणिदत्तविरचितया भानुमतीव्याख्याया समेतम् = Sushrut-sañhitā (sūtra Sthān) with Bhānumatī Commentary by Chakrapāṇi Datta with Introduction by Gaṇanāth Sen (Śrīsvāmi Lakṣmīrāma Nidhi Granthamālā = Shrī Swāmī Lakshmī Rām Trust Series, 1; [Jaipur]: Śyāmasundara Śarman); Printed at the Nirṇayasāgara Press, Bombay.

Adriaensen, Rob C. R., Barkhuis, Roelf, and Ruijters, Jean-Louis (1984), 'An English Translation of Suśrutasaṃhitā, Nidānasthāna 1, 1–39, Together with Gayadāsa's Nyāyacandrikā', in Gerrit Jan Meulenbeld (ed.), *Proceedings of the International Workshop on Priorities in the Study of Indian Medicine* (Groningen: Forsten), 277–310.

Bausi, Alessandro et al. (2015), *Comparative Oriental Manuscript Studies. An Introduction* (Hamburg: Tredition). DOI: 10.5281/ZENODO.46784.

Bhaṭṭācārya, Candrakānta (1910–7) (ed.), सुश्रुतसंहिता प्रथमखण्डम् सूत्रस्थानात्म-कम्...हाराणचन्द्रचक्रवर्तिकविराजविरचितसुश्रुतार्थसन्दीपनभाष्य-समेतम्...चन्द्रकान्त भट्टाचार्य्य-प्रमुखेः संशोधितम् = [The Suśrutasaṃhitā with the Commentary Suśrutārthasandīpanabhāṣya by Hārāṇacandra Cakravarti] (Kalikātā: Satya Press); Edition "t" in HIML: IB, 312.

- Birch, Jason (2021), 'Cleaning the Body like a Conch: The Haṭhasaṅ-ketacandrikā and Śaṅkhaprakṣālana', *Academia Letters* (Jan.). Doi: 10.20935/al144.
- Breton, P. (1826), 'On the Native Mode of Couching', *Transactions of the Medical and Physical Society of Calcutta*, 2: 341–82, ark:/13960/t3dz8nn5t, url, accessed 02/06/2021.
- Bronkhorst, Johannes (2021), 'Patañjali's Āryāvarta = Śuṅga realm?', *Academia Letters*. DOI: 10.20935/al291; Article 291.
- Burghart, Marjorie (2016), 'The TEI Critical Apparatus Toolbox: Empowering Textual Scholars through Display, Control, and Comparison Features', *Journal of the Text Encoding Initiative*, 10/Issue 10. DOI: 10.4000/jtei.1520, URL, accessed 12/12/2017.
- —— (2017), 'Textual Variants', in Marjorie Burghart, James Cummings, and Elena Pierazzo (eds.), *Digital Editing of Medieval Texts: A Textbook* (DEMM), URL, accessed 04/07/2021.
- Burnell, Arthur Coke (1880), *A Classified Index to the Sanskrit Mss. in the Palace at Tanjore* (London: Trübner), ark:/13960/t4xh86j61; Bhelasamhitā described on pp. 67 ff.
- Cordier, P. (1903), 'Récentes découvertes de mss. médicaux sanscrits dans l'Inde (1898–1902)', *Muséon, Nouvelle Série*, 4: 321–52, ark:/13960/t26b2j457, accessed 02/01/2020; Reprinted in Roşu 1989: 539–70.
- Deshpande, Vijaya (1999), 'Indian Influences on Early Chinese Ophthalmology: Glaucoma As a Case Study', *Bulletin of the School of Oriental and African Studies*, 62: 306–22. DOI: 10.1017/S0041977X00016724.
- —— (2000), 'Ophthalmic Surgery: A Chapter in the History of Sino-indian Medical Contacts', *Bulletin of the School of Oriental and African Studies*, 63/3: 370–88, ISSN: 0041-977X. DOI: 10.1017/s0041977x00008454.
- Elliot, Robert Henry (1918), The Indian Operation of Couching for Cataract: Incorporating the Hunterian Lectures Delivered before the Royal College of Surgeons of England on February 19 and 21, 1917 (London: H. K. Lewis).
- Emeneau, M. B. (1969), 'Sanskrit Syntactic Particles "kila, khalu, nūnam", *Indo-Iranian Journal*, 11/4: 241–68.

- Fan, Ka Wai (2005), 'Couching for Cataract and Sino-indian Medical Exchange Fromthe Sixth to the Twelfth Century Ad', *Clinical and Experimental Ophthalmology*: 188–90. DOI: 10.1111/j.1442-9071.2005.00978.x; Unaware of Deshpande 1999; 2000.
- Gombrich, Richard (1979), "He cooks softly': dverbs in Sanskrit grammar', *Bulletin of the School of Oriental and African Studies*, 42/2 (June): 244–56. DOI: 10.1017/s0041977x0014580x.
- Harimoto, Kengo (2011), 'In Search of the Oldest Nepalese Manuscript', *Rivista degli Studi Orientali*, 84/1–4: 85–106, ISSN: 0392-4866, URL, accessed 08/09/2019.
- —— (2014), 'Nepalese Manuscripts of the Suśrutasaṃhitā', *Journal of Indian and Buddhist Studies* (*Indogaku Bukkyogaku Kenkyu*), 62/3: 23–29 (1087-1093). DOI: 10.4259/ibk.62.3\_1087, URL, accessed 08/09/2019.
- —— (pre-published), '[Preliminary Edition of the Nepalese MSS of the Su-śrutasaṃhitā, adhyāyas 1.1–3, 6.4]'; Unpublished document dated 2010.
- Hayashi, Takao (2017), 'The Units of Time in Ancient and Medieval India', *History of Science in South Asia*, 5/1: 1–116. DOI: 10.18732/h2ht0h.
- Hemarāja Śarman (1938) (ed.), काश्यपसंहिता (वृद्धजीवकीयं तन्त्रं वा) महर्षिणा मारीच-कश्यपेनोपदिष्टा ... हेमराजशर्मणा लिखितेन विस्तृतेन उपोद्धातेन सहिता ... सत्यपाल भिषगा कृतया विद्योतिनी हिन्दीव्याख्यया ... समुल्लास्त्रिता (1st edn., Mumba: Nirṇayasāgara Press), URL, accessed 02/02/2018.
- Hendley, T. Holbein (1895), A Medico-topographical Account of Jeypore, Based on the Experience of Twenty Years' Service As a Residency Surgeon and Thirteen As Superintendent of Dispensaries at Jeypore, Rajputana (Calcutta: Calcutta Central Press Company).
- Hofer, Theresia (2007), 'Swami Laxmi Ram's Ayurvedic Pharmacy in Jaipur, India', *Wellcome History*, 34: 2–3, URL, accessed 01/07/2021.
- Jack, David Morton (1884), 'A Thesis on Cataract in India: Its Pathology and Treatment', Wellcome Library, London, MS.3007, URL, accessed 02/06/2021.
- Jośī, Veṇīmādhavaśāstrī and Jośī, Nārāyaṇa Harī (1968), Āyurvedīya Mahākośaḥ arthāt Āyurvedīya Śabdakośaḥ Saṃskṛta—Saṃskṛta (Muṃbaī: Mahārāṣṭra Rājya Sāhityta āṇi Saṃskṛti Maṃḍaḷa), url.

- Klebanov, Andrey (2021*a*), 'On the Textual History of the Suśrutasaṃhitā (1): A Study of Three Nepalese Manuscripts', to be published in *eJIM: Electronic Journal of Indian Medicine*, URL, accessed 09/09/2019.
- —— (2021*b*), 'On the Textual History of the Suśrutasaṃhitā, (2): An Anonymous Commentary and its Identified Citations', in Toke Lindegaard Knudsen, Jacob Schmidt-Madsen, and Sara Speyer (eds.), *Body and Cosmos: Studies in Early Indian Medical and Astral Sciences in Honor of Kenneth G. Zysk* (Leiden, Boston: Brill), 110–39.
- Leffler, Christopher T. et al. (2020), 'The History of Cataract Surgery: From Couching to Phacoemulsification', *Annals of Translational Medicine*, 8/22: 1551–97, ISSN: 2305-5847. DOI: 10.21037/atm-2019-rcs-04, URL, accessed 02/11/2020.
- Lienhard, Siegfried (1978), 'On the Meaning and Use of the Word Indragopa', *Indologica taurinensia*, 6: 177–88, URL, accessed 06/02/2021; The indragopa is a 'red velvet mite'.
- Masai, François (1950), 'Principes et conventions de l'édition diplomatique', *Scriptorium*, 4: 177–93. DOI: 10.3406/scrip.1950.2294.
- Moureau, Sébastien. (2015), 'The Apparatus Criticus', in Alessandro Bausi et al. (eds.), Comparative Oriental Manuscript Studies: An Introduction (Hamburg: Tredition), 348–52, ISBN: 978-3-7323-1768-4, URL, accessed 04/07/2021.
- Nadkarni, K. M. (1954), Dr. K. M. Nadkarni's Indian Materia Medica, with Ayurvedic, Unani-tibbi, Siddha, Allopathic, Homeopathic, Naturopathic & Home Remedies, Appendices & Indexes ... in Two Volumes, ed. A. K. Nadkarni, 2 vols. (3 ed., revised by A. K. Nadkarni, Bombay: Popular Prakashan), ark:/13960/t6rz4h160.
- NGMCP (2014), 'Nepal-german Manuscript Cataloguing Project. Online Title List and Descriptive Catalogue', Universität Hamburg and Deutsche Forschungsgemeinschaft, URL.
- Parshwanath Shastri, Vardhaman (1940) (ed.), *The Kalyāṇa-kārakam of Ugrādityacharya*, *Edited with Introduction*, *Translation*, *Notes*, *Indexes and Dictionary* (Sakharam Nemchand Granthamala; Sholapur).
- Pass, Gregory (2003), Descriptive Cataloging of Ancient, Medieval, Renaissance, and Early Modern Manuscripts (Chicago: American Library Association), ISBN: 0-8389-8218-2, URL.

- Preisendanz, Karin (2007), 'The Initiation of the Medical Student in Early Classical Āyurveda: Caraka's Treatment in Context', in Birgit Kellner et al. (eds.), Pramāṇakīrtiḥ. Papers Dedicated to Ernst Steinkellner on the Occasion of His 70th Birthday. Part 2, ii, 2 vols. (Wiener Studien zur Tibetologie und Buddhismuskunde, 70.2; Wien: Arbeitskreis für Tibetische Und Buddhistische Studien Universität Wien), 629–68, ISBN: 9783902501097, URL.
- Price, Kenneth M. (2013), 'Electronic Scholarly Editions', in Ray Siemens and Susan Schreibman (eds.), *A Companion to Digital Literary Studies* (Chichester, UK: John Wiley & Sons, Ltd), 434–50. DOI: 10 . 1002/9781405177504.ch24, URL, accessed 04/07/2021.
- Rama Rao, B. et al. (2005), Sanskrit Medical Manuscripts in India (New Delhi: Central Council for Research in Ayurveda & Siddha), ark:/13960/t88h7763b.
- Roşu, Arion (1989), *Un demi-siècle de recherches āyurvédiques*. *Gustave Liétard et Palmyr Cordier: Travaux sur l'histoire de la médecine indienne* (Paris: Institut de Civilisation Indienne).
- Sastri, Hrishikesh and Gui, Siva Chandra (1895–1917), A Descriptive Catalogue of Sanskrit Manuscripts in the Library of Calcutta Sanskrit College (Calcutta: Baptist Mission Press).
- Sastri, P. P. S. (1933), A Descriptive Catalogue of the Sanskrit Manuscripts in the Tanjore Maharaja Serfoji's Sarasvati Mahal Library Tanjore: Natya, Sangita, Kamasastra, Vaidya & Jyotisa, nos. 10650–11737 (Srirangam: Sri Vani Vilas Press), ark:/13960/t3nw8bc12.
- Scott, H. (1817), 'Some Remarks on the Arts of India, with Miscellaneous Observations on Various Subjects', *Journal of Science and the Arts*, 2: 67–72, ill. after 133, ark:/13960/t9870jt4g; Breton 1826: 358–363 cites Scott's description of cataract couching.
- Sena, Gangāprasād et al. (1886–93) (eds.), सुश्रुतसंहिता...द्रष्ठनाचार्य्य-कृत-निवन्ध-संग्रह, चक्रपाणिदत्त-कृत-भानुमती-टीका...वङ्गानुवाद...इंरेजि प्रतिशब्द (Calcutta: Maṇirāma Press); Edition "g" in HIML: IB, 311.

- Sharma, Har Dutt (1939), Descriptive Catalogue of the Government Collections of Manuscripts Deposited at the Bhandarkar Oriental Research Institute, Vol. XVI, Part I, Vaidyaka (Descriptive Catalogue of Manuscripts in the Government Manuscripts Library; Pune: Bhandarkar Oriental Research Institute), ark:/13960/t0ms6rc70, accessed 23/10/2019.
- Sharma, Priya Vrat (1982), *Dalhaṇa and his Comments on Drugs* (Delhi: Munshiram Manoharlal).
- —— (1999–2001), Suśruta-Saṃhitā, with English Translation of Text and Ḥal-haṇa's Commentary Alongwith (sic) Critical Notes, 3 vols. (Haridas Ayurveda Series, 9; Varanasi: Chaukhambha Visvabharati).
- Singh, Thakur Balwant and Chunekar, K. C. (1972), *Glossary of Vegetable Drugs in Brhattrayī* (Varanasi: Chowkhamba Sanskrit Series Office).
- Sivarajan, V. V. and Balachandran, Indira (1994), *Ayurvedic Drugs and Their Plant Sources* (New Delhi, Bombay, Calcutta: Oxford & IBH Publishing).
- Suvedī, K. S. and Tīvārī, N. (2000) (eds.), Sauśrutanighaṇṭuḥ: granthādau vistṛtena granthavaiśiṣṭyaprakāśakenopodghātena avasāne ca dravyāṇām anekabhāṣānām āvalī- paryāyasaṅgrahābhyāṃ samalaṅkrtaḥ Suśrutas-aṃhitāyāṃ prayuktānām auṣadhadravyāṇāṃ paryāya-guṇakarmavarṇātmako pūrvagranthaḥ (Belajhuṇḍī, Đāṅ: Mahendrasaṃskrutaviśvavidyālayaḥ).
- Velankar, H. D (1925–30), Descriptive Catalogue of the Sanskṛta and Prākṛta Manuscripts in the Library of the Bombay Branch of the Royal Asiatic Society (Bombay: Royal Asiatic Society, Bombay), ark:/13960/t53g00h0n; Biswas #0115.
- Watt, George (1889–96), A Dictionary of the Economic Products of India (Calcutta: Dept. Revenue and Agriculture, Government of India), URL, accessed 28/04/2021.
- —— (1908), The Commercial Products of India, Being an Abridgement of "the Dictionary of the Economic Products of India" (London: John Murray), ark:/13960/t9t14xh3x.
- Whitney, William Dwight (1885), *The Roots, Verb-forms, and Primary De*rivatives of the Sanskrit Language. A Supplement to his Sanskrit Grammar (Leipzig: Breitkopf and Härtel), ark:/13960/t3qv3p906.
- Wujastyk, Dagmar (2012), Well-mannered Medicine: Medical Ethics and Etiquette in Classical Ayurveda (New York: Oxford University Press). DOI: 10.1093/acprof:0so/9780199856268.001.0001.

- Wujastyk, Dagmar (2019), 'Iron Tonics: Tracing the Development from Classical to Iatrochemical Formulations in Ayurveda', *HIMALAYA*, the Journal of the Association for Nepal and Himalayan Studies, 39/1, ISSN: 2471-3716, URL, accessed 23/07/2019.
- Wujastyk, Dominik (2003), *The Roots of Ayurveda: Selections from Sanskrit Medical Writings* (Penguin Classics; 3rd edn., London, New York, etc.: Penguin Group), ISBN: 0-140-44824-1.
- —— (2004), 'Agni and Soma: A Universal Classification', *Studia Asiatica: International Journal for Asian Studies*, IV–V, ed. Eugen Ciurtin: 347–70, ISSN: 1582–9111, URL.
- —— (2013), 'New Manuscript Evidence for the Textual and Cultural History of Early Classical Indian Medicine', in *Medical Texts and Manuscripts in Indian Cultural History*, ed. Dominik Wujastyk, Anthony Cerulli, and Karin Preisendanz (New Delhi: Manohar), 141–57, URL.
- Zimmermann, Francis (1999), *The Jungle and the Aroma of Meats* (2nd edn., Delhi: Motilal Banarsidass), ISBN: 8120816188.

# Glossary

abhayā	araga timira	kṛṣṇa: 35
chebulic	non-bloodshot	black pepper
myrobalan: 29	blindness: 34	marica: 28
abhramukta	arid-land animals	black soot
free from clouds:	jāṅgala: 33	maṣī: <b>27</b>
	arṇavamala	blindness
35 adhimantha	cuttle fish: 29	timira: 34
	asādhya	blood
irritation: 37	incurable: 27	śonita: 30
adhodṛṣṭitva	aśoka	blood-bile
downward vision:	asoka tree: 28	śonita-pitta,
37	asoka tree	rakta-pitta: 30
agra	asoka tree	
supernatant layer:		blood-letting
32	atibalā	sirāvedha: 27
agramukta	strong mallow: 31	bloodshot blindness
free from the point:	āvarta	rāgin timira: 32
35	spiral: 34	rāgiņi timire: 34
aids	axelwood	blue dot cataract
aṅga: 30	dhava: 38	mlāyin: 33
ajāksīrārdita	11=	blue lotus
stirred with goat's	balā	utpala: 28
milk: 37	country mallow: 31	blue vitriol
ālepa	balm	tuttha: 32
liniment: 27	tarpaṇa: 27, 32f	box myrtle
alleviated	beauty berry	kaṭphala: 29
	priyaṅgu: 32	bubbling
yāpya: 30 āmalaka	beautyberry	budbuda: 37
	priyaṃgu: 28	budbuda
emblic: 28	bent brow and eye	bubbling: 37
amra	vakrabhrūnetra: 36	0 37
mango: 28	beryl	cala
anga	vaiḍūrya: 38	liquid: 35
aids: 30	bhadradāru	cardamom
añjana	deodar: 38	elā: <b>2</b> 9
application of	bhaṅga	carnivore
collyrium: 27, 32	leaves: 35	kravyabhuj: 31
stibnite: 32	bhavet	cassia cinnamon
antra	it may be: 34	patra: 37
entrails: 30	bhāvita	castor oil
apāṅga	cooked: 33	pañcāṅgulataila: 30
outer corner of the	infused: 28	cataract
eye: 35	bile	liṅganāśa: 34
application of collyrium	pitta: 30	caused by wind
añjana: 27, 32	black part	pavanodbhava: 30
mijuim. 2/1, 32	Diack part	phonitonormon. 30

causing the o	destruction	cuscus grass	pupil: <b>27</b> , 35f
of actions	s such as	นร์īra: 32f	dṛṣṭimaṇḍala
moving		cutting with a blade	circuit of the pupil:
gamanād	likriyāv-	śastrakṣata: 27	35
ināśakarī:		cuttle fish	dūrvā
chebulic myı		arṇavamala: 29	panic grass: 37
abhayā: 2		cuttlefish bone	1 0 3/
chidra		phena: <u>3</u> 8	elā
hole: 35		samudraphena: 29	cardamom: 29
circuit of the		,	elixir salve
dṛṣṭimaṇ		daivakṛte	rasāñjana: 28, 32f
citron	······· 33	naturally	elixir-salve
mātulun	oa: 27	occurring: 35	rasāñjana: 28
cock	8". 37	dārvī	elixir-salve
tāmracūģ	da: 21	tree turmeric: 28	śīta: 28
combined	ш. 31	decoctions	embelia
upahita:	20	kaṣāya: 36	vidanga: 32
•	30	deer	emblic
compounds		eṇa: 31	āmalaka: 28
yoga: <b>27</b>		deodar	dhātrī: 29
conch	1	bhadradāru: 38	еṇа
salilotthi		desert date	deer: 31
cooked barle		iṅgudī: 33	enclosed roasting
yavaudan	na: 34	dhātrī	puṭākhya: 31
cooked		emblic: 29	puṭapāka: 33
bhāvita:	33	dhava	ends
copper		axelwood: 38	vaktra: 37
tāmra: 3	7	dhūmadarśin	entrails
coral		seeing smoke: 27	antra: 30
vidruma	: 38	doṣa	errhine
coṣa		humour: 34	nasya: 31
driness:	37	doṣapariplava	expressed juice
cottony jujub	oe .	unsteadiness of the	svarasa: 28
kākolī: 3	8	humours: 36	extract of rohu carp
counteraction		downward vision	rauhita: 28
pratiședh	ıa: <b>2</b> 7	adhodṛṣṭitva: 37	extracts
country mall		drākṣā	
balā: 31		grapes: 38	rasa: 32
cow's flesh		dravāñjana	fat
gomāṃsa	ı: 28	liquid collyrium:	vasā: 31
✓ cow's urine	20	32	filaments
gomūtra:	. 20	<b>3</b>	kiñjalka: 28
cow-dung	. 29	dried ginger	flame of the forest
	28	nāgara: 29	
gośakṛt:	20	driness	palāśa: 32
curable		coṣa: 37	free from clouds
sādhya: 2	<del>2</del> 7	dṛṣṭi	abhramukta: 35

free from the point	hareņu: 28	vidagdha: 27
agramukta: 35	hareņu	infused
	hareņu: 29	bhāvita: 28
gairika	hareņu	iṅgudī
ochre: 27f	hareņu: 29	desert date: 33
gairikaḥ	hareņu	injured
red chalk: 37	hareņu: 28	utpīḍita: 34
gamanādikriyāvināśakarī	harenu	inspissation
causing the	hareņu: 28	rasakriyā: 33
destruction of	hari	irrigation
actions such as	sun: 35	seka: 27
moving: 36	haridrā	irritation
general rule	turmeric: 33	adhimantha: 37
paribhāṣā: 32		
gently	himalayan cherry	it may be
mṛdu: 37	padmaka: 37f	bhavet: 34
	hole	jambu
ghee	chidra: 35	,
sarpis: 27	holostemma	jambū: 28
glassy opacity	payasyā: 37	jambū
kāca: 32	honey collyrium	jambu: 28
godhā	kṣaudrāñjana: 29	jāngala
monitor lizard: 30	honey	arid-land animals:
gold	kṣaudra: 28	33
śātakumbhī: 37	madhu: 28	jātī
gomāṃsa	horseradish tree	royal jasmine: 38
cow's flesh: 28	śigru: 33	juice of cow-dung
gomūtra	humour	gośakṛt: 28
cow's urine: 29	doṣa: 34	juices
gośakṛt		rasa: 31
cow-dung: 28	if, then not	
juice of cow-dung:	na ced: 34	kāca
28	illness	glassy opacity: 32
grapes	ruj: 29	kākolī
drākṣā: 38	in those cases	cottony jujube: 38
green vitriol	tatra: 30	kālānusāriva
kāsīsa: 33	incurable	indian sarsaparilla:
guḍikā	asādhya: 27	29
pill: 28	indian lotus	kapittha
Piii. 20	nalina: 28	wood apple: 28
hare foot uraria	indian madder	karma
pṛthakparṇī: 38	mañjiṣṭhā: 37	regimen: 36
harenu	indian sarsaparilla	kārśmarī
hareņu: 29	kālānusāriva: 29	white teak: 28
harenu	śārivā: 37	
•	sāriva: 29	kaṣāya
harenu: 28f	inflamed	decoctions: 36
nurenu	mmamea	KUSISU

green vitriol: 33	liṅganāśa	māgadhi
kaṭphala	cataract: 34	long pepper: 30
box myrtle: 29	liniment	māgadhī
khara	ālepa: 27	long pepper: 32
rough: 36	liquid	mahua
kinihī	cala: 35	madhūka: 31ff
white siris: 33	liquid collyrium	māṃsanirgama
kiñjalka	dravāñjana: 32	prolapse: 37
filaments: 28	liquorice	manahśilā "
kohl	madhuka: 28	realgar: 29, 32f, 38
srotas: 31	madhukair: 37	red arsenic: 28f
srotoja: 29, 38	liver extract	mango
kravyabhuj	yakṛdrasa: 29	amra: 28
carnivore: 31	liver	mañjiṣṭhā
kriyā	yakṛt: 29f	indian madder: 37
treatment: 33	lodh tree	marica
kriyāsaṅga	lodhra: 28, 32	black pepper: 28
loss of function: 36	lodhra	maṣī
kṛṣṇa	lodh tree: 28, 32	black soot: 27
black part: 35	long pepper	mātuluṅga
kṛṣṇā	kṛṣṇā: <b>27</b>	
long pepper: 27	māgadha: 33	citron: 37 matured
kṣaṇadāndhya	māgadhi: 30	vipakva: 28
night blindness: 29	māgadhī: 29, 32	•
kṣāraka	pippali: 28	medicines cooked in a
lye: 32	loss of function	crucible
kṣaudra	kriyāsanga: 36	puṭapāka: 27
honey: 28	lye	meṣaśṛṅga
kṣaudrāñjana	kṣāraka: 32	perploca of the
honey collyrium:		woods: 38
29	madhu	meṣaviṣāṇa
kupyaka	honey: 28	periploca of the
metal: 28	madhuka	woods: 30
kuśa grass	liquorice: 28	metal
kuśa: 32	madhūka	kupyaka: 28
kuśa	mahua: 31ff	misshapen eyeball
kuśa grass: 32	madhukair	vilocana: 36
0 9	liquorice: 37	mitigable
lac	madira	уāруа: 34
lākṣā: 38	spirits: 32	mitigatible
lākṣā	madirā	уāруа: <mark>27</mark>
lac: 38	spirits: 29	mlāyin
layer	māgadha	blue dot cataract:
paṭala: 34	long pepper: 33	33
leaves	māgadhī	monitor lizard
hhanoa: 25	long pepper: 20	oodhā∙ 20

mṛdu	araga timira: 34	perploca of the woods
gently: 37	non-flowering tree	meṣaśṛṅga: 38
mudga	vanaspati: 33	phena
mung beans: 34	nutgrass	cuttlefish bone: 38
muktā	mustā: 38	pīḍ-
pearl: 34	3	pressed: 35
muktvā	ochre	piercing
separate: 34	gairika: 27f	vyadha: 35
mung beans	off his hand	pigs' eye
mudga: 34	sapāṇa: <b>31</b>	sūkarākṣitā: 37
mustā	outer corner of the eye	pill
nutgrass: 38	арāṅgа: 35	1
myrobalan	1 8 33	guḍikā: 28
pathyā: 28	padmaka	pippali
pungu. 20	himalayan cherry:	long pepper: 28
na ced	37f	pitta
if, then not: 34	palāśa	bile: 30
nadīja	flame of the forest:	plīhan
salt: 28	32	spleen: 30
nāgara	pallava	prabha
dried ginger: 29	shoots: 35	shine: 34
nalada	pañcāṅgulataila	pragāḍha
spikenard: 33	castor oil: 30	steeped: 31
nalina	panic grass	pratīkāra
indian lotus: 28	dūrvā: 37	remedy: 27
nasal medicines	paribhāṣā	pratiṣedha
nasya: 27	general rule: 32	counteraction: 27
•	partial blindness	prepared
nasya errhine: 31	timira: 30	nișevita: 31
nasal medicines: 27	paṭala	prepared with tilvaka
naturally occurring		tailvaka: 27
	layer: 34 <i>pāthā</i>	prepared with turpeth
daivakṛte: 35 needle	•	traivṛta: 27
	velvet leaf: 33	pressed
SŪCĪ: 35	pathyā	pīḍ-: 35
night blindness	myrobalan: 28	priyaṃgu
kṣaṇadāndhya: 29	patra	beautyberry: 28
niśācara	cassia cinnamon:	
nocturnal creature:	37	priyangu
33	pavanodbhava	beauty berry: 32
nișevita	caused by wind: 30	probe
prepared: 31	payasyā	śalākā: 35
used: 30	holostemma: 37	prolapse
nocturnal creature	pearl	māṃsanirgama: 37
niśācara: 33	muktā: 34	pṛthakparṇī
non-bloodshot	periploca of the woods	hare foot uraria: 38
hlindnoss	macarricana: 00	punil

dṛṣṭi: 27, 35f	rigid	indian sarsaparilla:
puṭāhvaya	sthirā: 36	<b>2</b> 9
taken hot: 32	rohīta	śārivā
puṭākhya	rohīta tree: 32	indian sarsaparilla:
enclosed roasting:	rohīta tree	37
31	rohīta: 32	sarpis
puṭapāka	rough	ghee: 27
enclosed roasting:	khara: 36	śastrakṣata
33	royal jasmine	cutting with a
medicines cooked	jātī: 38	blade: 27
in a crucible: 27	ruj	śātakumbhī
	illness: 29	gold: 37
rāgin timira	,	śatāvarī
bloodshot	sādhya	wild asparagus: 34
blindness: 32	curable: 27	sauvīraka
rāgiņi timire	saindhava	stibnite: 28
bloodshot	sind salt: 27, 29	scramberry
blindness: 34	sindh salt: 32	tālīśa: 28
rajana	sal tree	tālīśapatra: 29
turmerics: 29	śālā: 28	seeing smoke
rasa	śālā	dhūmadarśin: 27
extracts: 32 juices: 31	sal tree: 28	seka
the blood of birds	śalākā	irrigation: 27
and animals: 28	probe: 35	separate
rasakriyā	salilotthita	muktvā: 34
inspissation: 33	conch: 33	shine
rasāñjana	water-born: 33	prabha: 34
elixir salve: 28, 32f	salt	shooting pain
elixir-salve: 28	nadīja: 28	śūla: <u>3</u> 6
rauhita	samāñjana	shoots
extract of rohu	same collyrium: 32	pallava: 35
carp: <b>2</b> 8	same collyrium	siddhārthaka
realgar	samāñjana: 32	white mustard: 37
manaḥśilā: 29, 32f,	samudraphena	śigru
38	cuttlefish bone: 29	horseradish tree:
red arsenic	samyak	33
manaḥśilā: 28f	simultaneous: 35	simultaneous
red chalk	sandal	samyak: 35
gairikaḥ: 37	sugandhi: 30	sind salt
regimen	sapāṇa	saindhava: 27, 29
karma: 36	off his hand: 31	sindh salt
remedy	śārivā	saindhava: 32
pratīkāra: 27	indian sarsaparilla:	sirāvedha
restrictions	37	blood-letting: 27
11antranā: 06	cārima	ciric

śirīṣa: <b>2</b> 8, 38	sūcī	the three spices
śirīṣa	needle: 35	vyoṣa: 29
siris: 28, 38	sugandhi	three fruits
śīta	sandal: 30	triphalā: <b>27, 2</b> 9
elixir-salve: 28	sūkarākṣitā	timira
sitā	pigs' eye: 37	blindness: 34
white sugar: 38	śūla	partial blindness:
sniffing	shooting pain: 36	30
ucchiṅgana: 35	sun	traivṛta
solid	hari: 35	prepared with
styāna: 35	supernatant layer	turpeth: 27
śonita	agra: 32	treatment
blood: 30	svarasa	kriyā: 33
śonita-pitta, rakta-pitta	expressed juice: 28	tree turmeric
blood-bile: 30	svayaṃgupta	dārvī: <b>28</b>
śonitena	velvet bean: 28	triphalā
with blood: 36	syanda	the three fruits: 32
spikenard	watery eye: 34	three fruits: 27, 29
nalada: 33	A	trivṛt
spiral	tailasugandhi	turpeth: 30f
āvarta: 34	the fragrant one in	turmeric
spirits	oil: 30	haridrā: 33
madirā: 29	tailvaka	turmerics
madira: 32	prepared with	rajana: 29
spleen	tilvaka: 27	turpeth
plīhan: 30	taken hot	trivṛt: 30f
srotas	puṭāhvaya: 32	tuttha
kohl: 31	tālīśa	blue vitriol: 32
	scramberry: 28	_
srotoja	tālīśapatra	ucchiṅgana
kohl: 29, 38	scramberry: 29	sniffing: 35
stalk	tāmra	unsteadiness of the
vṛnta: 28	copper: 37	humours
steeped	tāmracūḍa	doṣapariplava: 36
pragāḍha: 31	cock: 31	upahita
sthirā	tarpaṇa	combined: 30
rigid: 36	balm: 27, 32f	used
stibnite	tatra	nișevita: 30
añjana: 32	in those cases: 30	uśīra
sauvīraka: 28	the blood of birds and	cuscus grass: 32f
stirred with goat's milk	animals	utpala
ajākṣīrārdita: 37	rasa: 28	blue lotus: 28
strong mallow	the fragrant one in oil	utpīḍita
atibalā: 31	tailasugandhi: 30	injured: 34
styāna	the three fruits	
solid: 25	trinhalā: 22	ขลเสนิรบล

```
beryl: 38
                                vilocana
                                                                 wicks
                                     misshapen eyeball:
vakrabhrūnetra
                                                                      vartti: 38
    bent brow and eye:
                                                                 wild asparagus
                                vipakva
                                                                      śatāvarī: 34
   36
                                     matured: 28
vaktra
                                                                 with blood
                                vrnta
                                                                      śonitena: 36
    ends: 37
                                     stalk: 28
                                                                 wood apple
vanaspati
                                vyadha
                                                                      kapittha: 28
    non-flowering tree:
                                     piercing: 35
   33
vartti
                                                                 yakṛdrasa
                                     the three spices: 29
    wicks: 38
                                                                      liver extract: 29
vasā
                                                                 yakrt
                                water-born
    fat: 31
                                                                      liver: 29f
                                     salilotthita: 33
velvet bean
                                                                 yantraṇā
                                watery eye
    svayamgupta: 28
                                                                      restrictions: 36
                                     syanda: 34
velvet leaf
                                                                 уāруа
                                white mustard
    pāthā: 33
                                                                      alleviated: 30
                                     siddhārthaka: 37
vidagdha
                                                                      mitigable: 34
                                white siris
    inflamed: 27
                                                                      mitigatible: 27
                                     kinihī: 33
vidanga
                                                                 yavaudana
                                white sugar
    embelia: 32
                                                                      cooked barley: 34
                                     sitā: 38
vidruma
                                white teak
                                                                 yoga
    coral: 38
                                     kārśmarī: 28
                                                                      compounds: 27
```

## **Index of Manuscripts**

The numbers after the colon refer to pages in this document.

Thanjavur TMSSML 10773: 39