A Translation of the New Edition of the Suśrutasaṃhitā

Jason Birch and Dominik Wujastyk

Draft of 17th August 2021 © Jason Birch and Dominik Wujastyk

Abstract

The Suśruta Project is producing a new Sanskrit text edition of the Su-śrutasaṃhitā based on the early Nepalese manuscripts. As we gradually transcribe and edit the manuscripts, we are producing this new translation of the classic work.

Contents

The manuscripts and editions used in the vulgate editions by Yā-	
davaśarman Trivikrama Ācārya	5
The sources of the 1915 edition	5
The sources of the 1931 edition	5
The sources of the 1938 edition	6
Evaluation	7
The 1939 edition	8
For the Bhānumatī	8
For the Suśrutasaṃhitā	10
Evaluation	10
Features of the manuscript transmission	12
Palaeographical features	12
Chart of characters	12
Sūtrasthāna, adhyāya 1	13
Surfustifiana, admyaya 1	13
Sūtrasthāna, adhyāya 2	20
Literature	20
Sūtrasthāna, adhyāya 17	21
Sūtrasthāna, adhyāya 28	20
Suttastitatia, autiyaya 20	29
Kalpasthāna, adhyāya 1	30
Literature	30
Manuscript notes	30
Translation	31
[Threats to the king]	31
	,
Uttaratantra, adhyāya 16 (17 in the vulgate)	35
Literature	35
Translation	35
[Complications]	44
[Characteristics of the probe]	44
[Complications]	45

Abbreviations			47	
References On digital co	ritical editions		 . 72	
		4		

The manuscripts and editions used in the vulgate editions by Yādavaśarman Trivikrama Ācārya

Yādavaśarman Trivikrama Ācārya produced three successive editions of the *Suśrutasaṃhitā* with the commentary of Dalhaṇa, in 1915, 1931 and 1938. These editions, especially the last, are generally considered the most scholarly and reliable editions of the work, and have been constantly reprinted up to the present day.¹

The 1915 edition was based on three manuscripts. The 1931 edition used another seven plust two printed editions. For his final 1938 edition, Ācārya used a further three manuscripts.² These sources are described as follow, with an overview in Table 1.

The sources of the 1915 edition

- 1 Calcutta, Royal Asiatic Society. Covers the *sūtra*, *nidāna*, *śārīra and kalpa sthānas*.
- 2 Jaipur, Pandit Gaṅgādharabhaṭṭaśarman, lecturer at the Royal Sanskrit University. Covers the *cikitsāsthāna* and the *uttaratantra*.
- 3 Bundi, my great friend the royal physician Pam. Śrīprasādaśarman Covers the *uttaratantra*.

The sources of the 1931 edition

- 1 Vārāṇasī, professor of literature, the great Gaurīnāthapāṭhaka. With the *Nibandhasaṅgraha*. Covers the *nidānasthāna* and *uttaratantra*.
- 2 Ahmedabad. My friend Sva. Vā. Vaidya Raṇachoḍalāla Motīlālaśarman. With the *Nibandhasaṅgraha*. Covers the *śārīrasthāna*.
- 3 From the personal library of my great friend Sva. Vā. Vaidya Murārajīśarman. Extremely old. No commentary. Covers the śārīrasthāna.
- 4 Puṇe, BORI library. With the *Nibandhasaṅgraha*. Covers the śārīra-sthāna.³

See also the study of these editions by **kleb-2021bwuja-2013**.

The following account of the sources is paraphrased from **susr-trikamji3**'s own account of his sources (**susr-trikamji3**).

³ Not one of the three MSS of the *śārīrasthāna* described in **shar-vaid**.

- 5 Puṇe, BORI library. With the *Nibandhasaṅgraha*. Complete. With some damaged folia.
- 6 Bombay, Asiatic Society. Incomplete.4
- 7 Varanasi, the private library of Vaidya Tryambakaśāstrī. Covers the *cikitsāsthāna*. The variant readings of this MS were compiled by Prof.
- 8 A printed edition together with the commentary *Suśrutasandīpana-bhāṣya* by Professor Hārāṇacandra Cakravārtti. Complete work. This is the 1910 Calcutta edition numbered "t" by **meul-hist**.⁵
- 9 A printed edition of the first 43 chapters of the *sūtrasthāna*, printed in Bengali script, with the commentaries *Bhānumatī*, *Nibandhasaṅgraha*, edited by Vijayaratnasena and Niśikāntasena. This is the 1886 Calcutta edition numbered "g" by **meul-hist**.⁶

The sources of the 1938 edition

- 1 Gwalior, from the library of my great friend Pam. Rāmeśvaraśāstrin Śukla. Covers the *sūtra*, *nidāna*, *śārīra*, *cikitsā and kalpasthāna*s.
- 2 Bikaner, from the library of the Royal Palace, supplied by Pam. Candraśekharaśāstrin. Contains the commentary *Nyāy-acandrikāpañjikāvyākhyā* by Gayadāsa. Covers the *nidānasthāna*. This is almost certainly MS Bikaner Anup 4390.⁷
- 3 Kathmandu, located in the private library of the Royal Guru Hemarāja Śarman. An extremely old palm-leaf manuscript. Readings from this MS were compiled by Paṃ Nityānandaśarman Jośī and sent to Ācārya. Covers from the beginning of the work to the end of the ninth chapter of the *cikitsāsthāna*.

⁴ Possibly MS Mumbai, AS B.I.3 or MS Mumbai, AS B.D.109 (**vela-1930**). But both these have the *Nibandhasaṅgraha*. The first covers only the śārīrasthāna; the second may be complete, but Velankar calls it only "disorderly."

⁵ bhat-1917.

⁶ **sena-1886**.

⁷ See Dominik Wujastyk, "MS Bīkāner AnupLib 4390." Pandit. http://panditproject.org/entity/108068/manuscript.

				Man	ıuscı	ipts	(•)	and	prii	ıt ed	litio	ns (0)			
edition	1915									1938					
sthāna	1	2	3	1	2	3	4	5	6	7	8	9	1	2	3
$s\bar{u}$.	•							•	?		0	o(1-43)	•		• (
ni.	•			•					?		0		•	•	
śā.	•								?		0		•		•
ci.									?	•	0		•		● (1 - 9)
ka.	•								?		0				
utt.			lacktriangle					lacktriangle	?		0				

Table 1: The sources of Yādavaśarman T. Ācārya's three vulgate editions.

Evaluation

Estimates show that there are approximately 230 extant manuscript witnesses for the *Suśrutasaṃhitā*. Many of these manuscripts cover only one or more or its chapters. Nevertheless, this is an order of magnitude more evidence than was considered by Ācārya for his vulgate editions.

While the descriptions provided by Ācārya of his source materials seems at first to be moderately comprehensive, Table 1 reveals the real paucity of textual basis for these editions. Apparently, fifteen manuscripts were consulted. However, we quickly find that two of the sources were other people's printed editions, and one of those covered less than a quarter of the work. That reduces the manuscript base to 13 manuscripts. Acārya does not appear to have seen two of the manuscripts at all, having been sent collations prepared for him by others (7 of 1931 and 3 of 1938). Thus, Ācārya's final edition was based on the personal consultation of eleven manuscripts. One of them, no. 6 of 1931, remains mysterious. Only a single manuscript covers the whole of the Suśrutasamhitā, no. 5 of the 1931 edition. Manuscript 1 of 1938 is the next most complete, but it omits the uttaratantra, which comprises a third of the work. Manuscript 1 of the 1915 edition is next, but it still omits both of the longest chapters, and thus offers less than half the work. For the rest, the evidence is spotty, with each part of the work being supported by only between four and eight

⁸ This figure is arrived at by summing the MSS mentioned in **ncc** and in the **ngmcp**. The real figure could be many scores higher.

manuscripts, excluding the printed editions.

Two sources stand out for their historical importance. The first is no. 3 of 1931, which Ācārya calls "extremely old." It covered the śārīrasthāna only, and unfortunately we know nothing of the later history of this manuscript. The second is no. 3 of 1938, which is one of the important Nepalese manuscripts being considered in the present project. Ācārya's remarks and references to Hemarājaśarman's introduction to the *Kāśyapasaṃhitā* allow us to identify this manuscript as MS Kathmandu NAK 5-333.9 But that manuscript covers the whole work, not just up to the ninth chapter of the *cikitsāsthāna* as **susr-trikamji3** stated.¹⁰ Perhaps the editors only received collations for this portion of the manuscript and did not know that it was a witness for the whole work.

The 1939 edition

In 1939, Yādavaśarman Trivikrama Ācārya and Nandakiśora Śarman coedited an edition of the *sūtrasthāna* of the *Suśrutasaṃhitā* that was published by the Swami Laxmi Ram ayurvedic centre in Jaipur, and printed at the famous Nirṇayasāgara Press in Mumbai.¹¹ The text was edited on the basis of the following sources.

For the Bhānumatī

- 1. A printed edition. Covered the *Bhānumatī* up to chapter Su.sū.40. The siglum was मु for *mudrita*.¹²
- 2. A manuscript in the India Office Library library provided through

⁹ susr-trikamji3hema-1938. Discussed by kleb-2021b. See also meul-histwuja-2003.
10 susr-trikamji3.

acar-1939. The description of the sources below is based on Yādavaśarman T. Ācārya's remarks in his introduction (pp. 3–4).. See also the remarks on this edition by kleb-2021a. On the Swami Laxmi Ram centre, see hofe-2007

sena-1893. The manuscript on which this edition was based is probably in the library of the Calcutta Sanskrit College, and described in sast-1917, which is not available to me. See also meul-hist for mention of this manuscript. The reference at rao-sans to CSCL accession number 97 in Bengali script may be this manuscript.

चरके—''लाभोपायो हि शस्तानां रसावीनां रसायनम्'' (च.चि. अ. १ पा. १)। पारिशेष्याद्वाजीकरणतन्त्रम् । अवाजिनं वाजीकुर्वेन्ति येन तद्वाजीकरणम् । 'अन्येषामिष दृश्यते' (पा. अ. ६।३।१३७) इति वीर्घलम् । येन वाऽत्यर्थं स्त्रीषु व्यज्यते तद्वाजी-करणम् । तद्वकं चरके—''येन नारीषु सामध्यं वाजिवल्लमते नरः । वजेचाप्यधिकं येन वाजीकरणमेव तत्'' (च. चि. अ. २, पा. ४) इति ॥ ५॥

अथास्य प्रत्येकाङ्गलक्षणसमासः—तत्र, शल्यं नाम विविधत्णकाष्टपाषाणपांशुलोहलोष्टास्थिवालनलपूर्यास्वावदुष्टवणान्तर्गर्भशाल्योद्धरणाथ षष्ट्या विधानैः, यन्त्रश्रास्थ्रसाराग्निप्रणिधानवणविनिश्चयार्थं चः शालाक्यं नामोध्वेजन्नगतानां श्रवणनयनवद्नन्नाणादिसंश्रितानां व्याधीनामुपश्मनार्थः, कायचिकित्सा नाम सेवाङ्मसंश्रितानां व्याधीनां ज्वररक्तपित्तशोषोन्मादापसारक्रष्टमेहातिसारादीनामुपश्मनार्थः, भूतविद्या नाम देवासुरगन्धवेयक्षरक्षःपितृपिशाचनागम्बाद्यपस्प्रचेतसां
शान्तिकर्मविष्ठहरणादिश्रहोपश्मनार्थः, कौमारभृत्यं नाम कुमारमरणधात्रीक्षीरदोपसंशोधनार्थं दुएस्तन्यग्रहसमुत्थिनां च व्याधीनामुपशमनार्थमः, अगदतन्त्रं नाम सप्कीटल्लामूषकादिद्प्विषव्यक्षनार्थं
विविधविपसंशोगोपश्मनार्थं चः, रसायनतन्त्रं नाम वयःस्थापनमार्थुमेधावलकरणं रोगापहरणसमर्थं चः वाजीकरणतन्त्रं नामाहण्दुएक्षीणशुकरेतसामाण्यार्यनप्रसादोपचयजनननिसत्तं प्रहर्षणजननार्थं च ॥ ६॥

शस्याङ्गविशेषात्र् शातुं प्रतिरुक्षणं संक्षेषेणाह—अथासेखादि । एकमेकमङ्गं प्रति रुक्षणानां समासः संक्षेपः प्रत्येकाङ्गरुक्षणसमासः । तृणादीनां, तथा दुष्टवणस्य, तथाऽन्तगंत(भेशस्य)स्य उद्धरणार्थमिति प्रत्येकमुद्धरणशन्दः संवध्यते । दुष्टवणस्यान्तरःतृणाद्याहरणार्थमित्यन्ये । षष्ट्या विधानैरिति द्विवणीयोक्तैरपत्रपणाद्यै रक्षाविधानान्तैः; इत्यंभूतरुक्षणे
तृतीया । जत्रु ग्रीवामूरुं, जत्रुण कर्ष्वमूर्ध्वेजतु । प्राणादीत्यादिग्रहणान्द्यिरःकपालादिग्रहणम् । उत्तरतन्त्रे प्रतिपादितकमप्राप्त्या ज्वरानन्तरमतीसारः पठितः, तस्यान्ते पाठोऽतिसारस्य सर्वाङ्गीणदोपार्व्यस्यत् , अन्येपामि तन्मध्यपाठेन सर्वाङ्गीणदोषार्व्यस्यप्रतिपादनाव्यतिकमं वदन्ति । शान्तिकमं विष्टहरणादिना त्रहाणां देवादीनामुपशमो यस्तदर्थः; यदि
ह्या ग्रह्णं ग्रहो देवानामावेशस्त्रदुपशमार्थम् । दुष्टस्तन्यग्रहसमुत्थितानामिति दुष्टस्तन्यन

Figure 1: A page of the 1939 $Bh\bar{a}numat\bar{\iota}$ edition, showing the variant readings in the footnotes.

१ 'सर्वशरीरावस्थितानी व्याधीनां सुपश्चमकरणार्थ , ज्वरश्चोफगुरमरक्तिपत्तोनमादापसार-प्रमेहातीसारादीनां च' इति सा.। १ 'देवदानव' इति सा.। १ 'विनायकनागश्रहोप-सृष्टचितसां' इति सा.। ४ 'विषयेगोपश्चमनार्थ' इति सा.। ५ 'शुक्राप्यायन' इति सा.। ६ 'सृणादीनां श्रस्यान्तानां' इति सु. ७ 'अन्ये तु तस्यान्ते पाठेन' इति पा०। ८ 'श्रहणाद्' इति सु.।

the Bhandarkar Oriental Research Institute in Pune.¹³ This manuscript covered the *Bhānumatī* b up to the end of the *sūtrasthāna*. The siglum was ह for हस्तिलिखित.¹⁴

For the Suśrutasamhitā

- 1. A palm leaf manuscript from Hemarājaśarman's personal library. ¹⁵ The siglum was বা for বাভ্যন.
- 2. His own published edition. The siglum was ड for डल्हणसंमतः पाठः. 16
- 3. Hārāṇacandra Cakravarti's published edition with his own commentary. 17 The siglum was हा.

Evaluation

The main innovation of this publication was to present the only surviving part of the commentary on the *Suśrutasaṃhitā* by the great eleventh-century medical scholar Cakrapāṇidatta, namely the *Bhānumatī*. A secondary purpose was to present the text of the *sūtrasthāna* as read in MS Kathmandu NAK 5-333, that had recently been brought to the editors' attention. In their judgement, the Kathmandu manuscript presented a text that was closer to what Cakrapāṇidatta had before him than the text according to Palhaṇa. This was the first *Suśrutasaṃhitā* edition in which Ācārya used sigla to identify the sources from which variant readings were reported, so while it has limitations, it for the first time enables us to get some idea of origins of the text (see Figure 1).

Ācārya noted in his introduction that the manuscripts containing the Dalhaṇa's commentary all came together with the root-text of the *Suśrutasaṃhitā*, and thus the main *Suśrutasaṃhitā* text reflected the readings chosen by Dalhaṇa. But the manuscripts of the *Bhānumatī* contained the commentary alone, without the root-text, and had many explanations

¹³ At this time, manuscripts from Britain were routinely lent to scholars in India and vice versa.

MS London BL H. T. Colebrooke 908 (PanditProject #109978, consulted on July 03, 2021).

¹⁵ I.e., MS Kathmandu NAK 5-333.

susr-trikamji3. It is noteworthy that Ācārya refers to his 1938 edition as representing "the Dalhana recension."

¹⁷ bhat-1917.

¹⁸ meul-hist.

based on different readings of the root-text than those of Dalhaṇa. In many of these cases it was hard to know what the text that Cakrapāṇidatta had before him. But Ācārya noted that Cakrapāṇidatta had a text before him that had much in common with the text of the Nepalese manuscript.¹⁹

There is compelling evidence that Cakrapāṇidattas's *Bhānumatī* commentary once covered the whole text of the *Suśrutasaṃhitā*.²⁰ The loss of the rest of the work ranks amongst the greatest disasters in Āyurvedic literature. Remarkably, the whole *Bhānumatī* may still have existed in the early twentieth century. In 1903, Palmyr Cordier reported being privately informed of a complete copy of the work in a personal manuscript collection in Benares.²¹

¹⁹ acar-1939. See discussion by kleb-2021a.

²⁰ meul-hist.

²¹ cord-1903.

Features of the manuscript transmission

Palaeographical features

- śrita for śrta.
- ś and s in KL 699.

Chart of characters

[[[Put a chart from QuickPalaeographer here.]]]

Sūtrasthāna, adhyāya 1

- 1 Now I shall narrate the chapter on the origin of this knowledge.²²
- 2 Now, as is well-known, Aupadhenava, Vaitaraṇa, Aurabhra, Puṣkalāvata, Karavīra, Gopurarakṣita, Bhoja, Suśruta and others addressed Lord Divodāsa, king of Kāśi, the best of the immortals, who was in his ashram surrounded by an entourage of sages.²³
- "O Lord, distress arose in our minds after witnessing people thrashing about with cries, assailed by different kinds of pain and injury (*vedanā-bhighāta*), feeling helpless in spite of having friends, because of diseases arising from the body, the mind and external sources.
- 4 "To quell the illnesses of those who seek happiness and for our own purpose of prolonging life, we desire the science of life (āyurveda) that is being taught. Welfare, both in this world and in the next, depends upon it. Therefore, we have come to the Lord in pupillage."
- 5 The Lord said to them:
 - "Welcome to you! My children, all of you are beyond reproach and worthy to be taught.
- 6 "As is well known, Ayurveda is the name of what is said to be the subsidiary part of the Atharvaveda. Before creating people, Svayambhū composed it in hundreds of thousands of verses and a thousand chapters and, after observing the short lifespan and low intelligence of people, he presented it again in eight parts.²⁴
- 7 "Surgery, treatment of body parts above the clavicle, general medicine, knowledge of spirits, care of children, and the disciplines of antidotes, rejuvenation and aphrodisiacs.
- 22 Dalhaṇa understood the word "knowledge (veda)" as specifically "medical knowledge." He said that the word "longevity" (āyur) had been elided. After this opening statement, later manuscripts and commentaries include the attribution, "as the venerable Dhanvantari stated." The absence of this statement in the early Nepalese MSS is highly noteworthy because it removes the outer narrative frame of the Suśrutasaṃ-hitā (wuja-2013kleb-2021b). On the figure of Dhanvatari in medical literature, see meul-hist.
- 23 On these persons, see **meul-hist**. The authority Bhoja does not appear in the list as published in the vulgate edition (**susr-trikamji2**), and was not included in **meul-hist** amongst "authorities mentioned in the *Suśrutasaṃhitā*." **meul-hist** gathered textual evidence about Bhoja at **meul-hist**. **kleb-2021a** has discussed these authors in the context of an anonymous commentary on the *Suśrutasaṃhitā* that cites them.
- 24 Svayambhū is another name for Brahmā, the creator.

- 8 "Now, a collection of the characteristics of each component of Āyurveda.
- 9 "Among them, [the component] called surgery has the goal of extracting various grasses, wood, stone, dust, iron (?), soil, bone, hair, nails, discharge of pus, malignant wounds and foreign bodies inside the womb, and of determining the application of surgical instruments, knives, caustics and fire by means of sixty definitions.
- "[The component] named the doctrine of treating body parts above the clavicles has the aim of curing diseases situated above clavicles that is, diseases located in ears, eyes, mouth, nose and so on.
- "[The component] called general medicine has the goal of curing illnesses established in the whole body and [diseases] such as fever, tumour, swelling, hemorrhagic disorders, insanity, epilepsy, urinary diseases, diarrhoea and the like.
- "[The component] called knowledge of spirits is for appeasing demons by pacification rites and making food offerings for those whose minds have been possessed by gods, their enemies, ²⁵ Gandharvas, Yakṣas, demons, deceased ancestors, Piśācas, Vināyakas, ²⁶ Nāgas and evil spirits that possess children.
- "[The component] called care of children is for bearing children and purifying defects in a wet-nurse's milk, and curing diseases that have arisen from bad breast milk and demons.
- "[The component] called the discipline of toxicology is for [knowing] the signs of poison from snake and insect bites and for neutralising various combinations of poisons.²⁷
- "[The component] called the discipline of rejuvenation is maintaining youth, bringing about a long life and mental vigour and for curing diseases.
- 16 "[The component] called the discipline of aphrodisiacs brings about the increase, purity, accumulation and production of semen for those

²⁵ Dānavas. The insertion marks ($k\bar{a}kapadas$) below the text at this point appears to be by the original scribe.

The vulgate doesn't have *vināyaka*s but does add *asuras*, probably under the influence of Palhaṇa. Cite Paul Courtright, Ganesha book.

The scribal insertion marks (crosses) above the line at this point in MS K appear to be in a later hand and their referent is lost in the damaged part of the folio. Although MSS N and H include spiders ($l\bar{u}t\bar{a}$) and creepy-crawlies ($sar\bar{t}srpa$) in the list, it does seem that MS K had a shorter list, and the vulgate edition adds rodents ($m\bar{u}sika$).

- whose semen is minimal, bad, depleted, and dry [respectively] and for inducing an erection.
- "Thus, this Ayurveda is taught with eight components."
 "Among these [components], tell us which is for whom."
- 18 They said, "After you have conveyed the knowledge of surgery, teach us everything."
- 19 He said, "so be it."
- They then said, "Having considered the view of all of us, when we are unanimous, Suśruta will question you. We too will learn what is being taught to him."
- 21 He said, "so be it.
- "Now, as is well-known, the aim of Āyurveda is eliminating the disease of one who have been assailed by disease and protecting the healthy; āyurveda is [that knowledge] in which they find a long life, or that by which long life is known. Learn its best component (i.e., surgery), which is being taught in accordance with tradition, perception, inference and analogy.
- "For this component is first, the most important, because it is referred to first; it cures wounds and joins together the most important thing, Yajña's head. For, just as it has been said of old, 'the head that had been cut off by Rudra was joined again by the two Aśvins.'
- "And also, of the eight disciplines of \bar{A} yurveda, [surgery] alone is the best because of the quick action of its procedures ($kriy\bar{a}$), its application of blunt instruments, knives, caustics and fire, and it is common to all disciplines.
- "Therefore, [surgery] is eternal, meritorious, leads to heaven, brings renown, bestows a long life, and affords a livelihood.
- 26 "Brahmā said this, 'Prajāpati learned it. From him, the Aśvins. From the Aśvins, Indra. From Indra, I. In this world, I will transmit to those who desire it for the benefit of people.'

[There a verse about this.].²⁸

For, I (i.e., Brahmā) am Dhanvantari, the first god, the remover of old age, pain and death of mortals.

Having understood surgery, the best of the great knowledge systems, I arrived on earth again to teach it here.

This is an expansion of the scribe's abbreviation *bha* for *bhavati cātra ślokaḥ* "There is a verse about this" (sometimes plural).

- In this context, as far as this discipline is concerned, a human being (puru
 otin a) is called an amalgam of the five elements and the embodied soul. This is where procedures (kriy
 otan) apply. This is the locus. Why?
 - Because of the duality of the world, the world is twofold: the stationary and the moving. Its nature ($\bar{a}tmaka$) is twofold, depending on the preponderance of Agni and Soma.²⁹ Alternatively, it can be considered as being fivefold. The multitude of beings in it are fourfold: they are termed "sweat-born, stone-born, caul-born and egg-born".³⁰ Where they are concerned, the human being is the main thing; others are his support. Therefore, the human being (puruṣa) is the locus.
- Diseases are said to be the conjunction of the person and suffering (duḥ-kha). There are four of them: invasive, bodily, mental and inherent. The invasive ones are caused by an injury. The bodily ones are based on food, caused by irregularities (vaiṣamya) in wind, bile, phlegm and blood.³¹

The mental $(m\bar{a}nasa)$ ones, caused by desire $(icch\bar{a})$ and hatred (dveṣa), include: anger (krodha), grief $(\bar{a}śoka)$, misery (dainya), overexcitement (harṣa), lust $(k\bar{a}ma)$, depression $(viṣ\bar{a}da)$, envy $(\bar{i}rṣy\bar{a})$, jealousy $(as\bar{u}y\bar{a})$, malice $(m\bar{a}tsarya)$, and greed (lobha).

The inherent $(sv\bar{a}bh\bar{a}vika)$ ones are hunger, thirst, old age, death, sleep and those of the temperament (prakrti).

These too are located (adhiṣṭhāna) in the mind and body.

Scarification (*lekhana*), nourishment (*bṛṇṇhaṇa*), purification (*saṇśo-dhana*), pacification (*saṇśamana*), diet (*āhāra*) and regimen (*ācāra*), properly employed, bring about their cure.

Furthermore, food is the root $(m\bar{u}la)$ of living beings as well as of strength (bala), complexion (varna) and vital energy (ojas). It depends on $(\bar{a}yatta)$ the six flavours (rasa). Flavours, furthermore, have substances as their substrate $(\bar{a}\acute{s}rayin)$. And substances are remedies $(oṣadh\bar{\iota}-)$.³² There are two types: stationary $(sth\bar{a}vara)$ and moving

²⁹ wuja-2004.

This fourfold classification of beings is paralleled with closely-related vocabulary in *Bhelasaṃhitā* 4.4.4 (**kris-2000mook-1921**).

³¹ Note that four humoral substances are assumed here.

³² Pāṇini 6.3.132 provides that the final vowel of the noun oṣadhi may be lengthened $(\rightarrow oṣadh\bar{\iota})$ under certain conditions. These conditions require that the word be used in a Vedic mantra and not in the nominative. Neither condition is met in this passage,

(jaṅgama).

- Of these, there are four types of stationary ones: fruit trees (*vanaspati*), flowering trees (*vṛkṣa*), herbs (*oṣadhi*) and shrubs (*vīrudh*).³³ Amongst these, the "fruit trees" have fruit but no flowers.³⁴ The "flowering trees" have flowers and fruit. The "herbs" die when the fruit is ripe. "Shrubs" put out shoots.
- As is well known, moving remedies are also of four types: those born in in a caul (*jarāyuja*), those born from eggs (*aṇḍaja*), those born of sweat (*svedaja*), and shoots (*udbhid*). Amongst these, those born in a caul include animals (*paśu*), humans, and wild animals (*vyāla*). Birds, creepycrawlies (*sarīṣṛpa*) and snakes are "born of eggs." Worms (*kṛmi*), small insects (*kunta*) and ants (*pipīlika*) and others are born of sweat.³⁵ Shoots include red velvet mites (*indragopa*) and frogs (*maṇḍūka*).³⁶|
- In this context, among the stationary remedies, skin (tvak), leaves (patra), flowers (puṣpa), fruits (phala), roots ($m\bar{u}la$), bulbs (kanda), sap ($kṣ\bar{t}ra$), resin ($niry\bar{a}sa$), essence ($s\bar{a}ra$), oil (sneha), and juice extract (svarasa)³⁷ are useful; among the moving remedies pelt (carman), hair, nails, and blood (rudhira) and so forth.
- 34 And earthen products (*pārthiva*) include gold and silver.³⁸
- The items created by time $(k\bar{a}lakrta)$ are clusters (samplava) as far as wind and no wind $(niv\bar{a}ta)$, heat and shade, darkness and light and the cold, hot and rainy seasons $(vars\bar{a})$ are concerned. The divisions of time are the blink of the eye (nimesa), a trice $(k\bar{a}sth\bar{a})$, minutes $(kal\bar{a})$, three-quarters of an hour $(muh\bar{u}rta)$, a day and night $(ahor\bar{a}tra)$, a fort-

yet the author uses the form *oṣadhī*. This form is in fact not uncommon in medical literature as well as in epics, purāṇas, smṛtis, and other parts of Sanskrit literature.

- Ca.sū.1.71–72 also describes these four types of medicinal plant in similar terms but with slightly differing names: *oṣadhi* is a plant that ends after fruiting, *vīrudh* is a plant that branches out, *vanaspati* is a tree with fruit, and *vānaspatya* is a tree with fruit and flowers.
- 34 The MSS agree in reading *phalavantyaḥ* "having flowers" which is grammatically non-standard. This form is also found in the *Visnudharmottarapurāna* (1.92.27, **sarm-1912**).
- 35 The word *kunta*, though marked as "lexical" in most dictionaries, is in fact found in literature, commonly as a compound with *pipīlika*; the compound sometimes seems to be understood a type of ant (*tatpuruṣa* compound) rather than as a pair of insects (*dvandva* compound).
- 36 On *indragopa*, see **lien-1978**.
- 37 On juice extract (*svarasa*) see CS 1.1.73, 1.4.7; Dalhana on SS 4.10.12 (**vulgate**).
- 38 The flow of concepts in the treatise seems to be interrupted here.

- night (pakṣa), a month ($m\bar{a}sa$), a season (rtu), a half-year (ayana), a year (samvatsara), and yuga (yuga).
- These naturally cause accumulation (*sañcaya*), irritation (*prakopa*), pacification (*upaśama*) and alleviation (*pratīkāra*) of the humours (*doṣa*). And they have practical purposes (*prayojanavat*).

[There are verses about this:]40

- This fourfold category is taught by physicians as a cause for the agitation and quelling of bodily diseases.⁴¹
- There are two kinds of invasive diseases. Some certainly⁴² affect (ni√pat) the mind, others the body. Their treatment (kriyā) is of two kinds too.
- For those that affect the body there is physical (śārīravad) therapy, whereas for those that affect the mind there is the collection (varga) of desirable sensory experiences like sound that bring comfort (sukha).
- 40 Along these lines (*evam*), this brief explanation of the four factors (*catustaya*) is given:
 - human being (puruṣa),
 - disease (vyadhi),
 - remedies (oṣadhi),
 - the time for therapies (*kriyākāla*).

In this context,

• from the mention of the word "human," the collection of substances that arise from it, such as the elements, and the particulars (*vikalpa*) of its major and minor parts (*aṅga*) such as skin (*tvak*), flesh (*māṃsa*), ducts (*sirā*), sinews (*snāyu*), bones (*asthi*) and joints (*sandhi*) are meant.

³⁹ These units are presented at SS 1.6.5 (vulgate) and discussed by haya-2017.

⁴⁰ See footnote 28.

⁴¹ On the topic of the "group of four," the commentator Dalhana considers them to be "food, behaviour, earthen products and items created by time." He refers to the author of the lost commentary entitled $Pa\tilde{n}jik\bar{a}$, and to Jejjaṭa (**meul-hist**). In his view, these early commentators do not agree that the fourfold grouping (*caturvarga*) refers to the quartet of stationary (*sthāvara*), moving (*jaṅgama*), earthen products (*pārthiva*) and items created by time (*kālakṛta*) (**vulgate**).

⁴² The text uses an archaic interjection here, *ha*.

- From the mention of "diseases," all diseases caused by wind, bile, phlegm, congested humours (sannipāta), external factors (āgantu) and inherent factors (svabhāva) are intended (vyākhyāta).
- From the mention of "remedies," there is the teaching of substances, tastes, potencies, post-digestive tastes.
- From the mention of "procedures $(kriy\bar{a})$," therapies (karman) such as oiling and excision (chedya) are taught.
- From the mention of the word "time," every single teaching about the times for procedures is meant.

[There is a verse about this:]⁴³

- This seed of medicine has been declared in brief. Its explanation will be given in one hundred and twenty chapters.⁴⁴
- There are one hundred and twenty chapters in five sections (*adhyāya*). In that regard, having divided them, according to their subject matter, into the Ślokasthāna, the Nidāna, the Śārīra, the Cikitsita and the Kalpa, we shall mention this in the Uttaratantra. 46

[There is a verse about this:]47

Someone who reads this eternal proclamation of the King of Kāśī, that was declared by Svayambhu, will have good karma on earth, will be respected by kings and upon death will achieve the world of Śakra.

⁴³ See footnote 28.

⁴⁴ This is the number of chapters in the first five sections of the work, namely the *Sūtra-, Nidāna-, Śārīra-, Cikitsā-* and *Kalpa-sthānas*. These have 46, 16, 10, 40 and 8 chapters respectively. The *Uttaratantra* has 66 chapters.

⁴⁵ On viṃśa in the sense of "greater by 20" see P.5.2.46 śadantaviṃśateś ca.

⁴⁶ The end of this sentence reads oddly. The vulgate edition adds an object: "[we shall mention] the remaining topics [in the Uttara]" which smooths out the difficulty, but this is supported in none of the Nepalese MSS. At the start of the Uttaratantra (susr-trikamji3) there is indeed a statement that picks up the point about there being 120 chapters.

⁴⁷ See footnote 28.

Sūtrasthāna, adhyāya 2

Literature

meul-histprei-2007wujad-2012

1

Sūtrasthāna, adhyāya 17

- Now we shall expound the method for piercing the ear.⁴⁸
- One may pierce a child's ears for the purpose of preserving and decorating. On renowned days, half days, hours and constellations during the first half of the sixth or seventh lunar month, the boy who has received a benediction (krtamarigala), blessings pronounced ($svastiv\bar{a}cana$)⁴⁹ should be placed on the lap of a wet-nurse.⁵⁰ Then, while pacifying him and having pulled his ear with the left hand, the physician should use his right hand to pierce the ear straight through at a naturally occurring cleft.⁵¹ For a boy do the right ear first; for a girl do the left one. Use a needle on a thin ear; an awl ($\bar{a}r\bar{a}$) on a thick one.⁵²
- 48 The topic of piercing the ear (karnavyadha) is not discussed in the Carakasamhitā (meul-hist), but it is mentioned in some texts that followed the Suśrutasamhitā, such as the Kaśāpyasaṃhitā (**meul-hist**). The instrument for piercing the ear is described in the Astāṅgahrdayasūtra (1.26.26). Both Dalhana and Cakrapāni's versions (SS.1.16.1) describe the topic of this chapter as the method of piercing and joining the ear (karṇavyadhabandhavidhi), instead of simply 'the method for piercing the ear.' Although it is omitted in the Nepalese's version's opening statement to this chapter, joining the ear (karṇabandha) is mentioned in passages 17–20. Also, the Nepalese version omits the opening remark on Dhanvantari recorded by both Cakrapāṇi and Dalhaṇa (1.16.2). For a discussion of the frame story in the Nepalese version, see SushrutaProject, accessed July 26, 2021. Both commentators state that only the ears of healthy people, whose bodies are free from disease, should be pierced, and he quotes Bhoja to affirm this: 'When piercing the ears of children who are free of disease at these times, their ear flaps and apertures, as well as limbs, increase.' (kāleṣv eteṣv adoṣāṇāṃ bālānām karṇayor vyadhe | saha gātrair vivardhante karṇapālyaś ca khāni ca || eteṣv adoṣāṇāṃ acar-1938 : eteşu doṣāṇāṃ acar-1939. vyadhe acar-1938 : vyadhaḥ acar-1939).
- 49 The syntax here is unclear. The expression *svastivācana* may have been a gloss inserted into the text at an earlier period to clarify *mangala*. But as it stands, it is not syntactically connected to the rest of the sentence. Both Cakrapāṇi and Dalhaṇa (1.16.3) record a reading in which the words are united in a compound that reads more naturally.
- Cakrapāṇi and Dalhaṇa's versions (1.16.3) includes the option of placing the child in the lap of a man (*kumāradharānka*), the gender of whom is made clear by Dalhaṇa's gloss 'a man who holds the child' (*bālagrāhipuruṣa*). Both versions also add that the child should be enticed with toys (*krīḍanaka*), which according to Dalhaṇa include replica elephants, horses, bulls and parrots (*kṛtrimahastyaśvabalīvardaśukādi*). Dalhaṇa mentions that others read 'or by special treats' (*bhakṣyaviśeṣair vā*) before this.
- 51 Cakrapāṇi and Dalhaṇa's versions (1.16.3) add that this cleft is illuminated by sunshine (ādityakarāvabhāsita).
- 52 Dalhaṇa (1.16.3) clarifies that the awl is a shoe-maker's knife for piercing leather (carmabhedana).

- If there is excess blood or pain one should know that it was pierced in the wrong place. The absence of side-effects is a sign that it has been pierced in the right place.⁵³
- In this context, if an ignorant person accidentally pierces a duct (*sirā*) there will be fever, burning, swelling (*śvayathu*), pain, lumps (*granthi*), paralysis of the nape of the neck (*manyāstambhā*), convulsions (*apatānaka*), headache or sharp pain in the ear.⁵⁴
- 5 Having removed the wick (*varti*) in the hole because of the aggravation of humours or a culpable piercing,⁵⁵ one should smear it with a paste of the roots of barley, liquorice, Indian madder (*mañjiṣṭhā*), and the castor oil tree (*gandharvahasta*), thickened with honey and ghee. When it has healed well, one should pierce it again.
- One should treat the properly-pierced ear by sprinkling it with raw sesame oil. After every three days one should apply a thicker wick (*varti*) and sprinkle oil right on it.⁵⁶
- 7 Once the ear is free from humours or side-effects, one should loosen it with a light dilator (*pravardhanaka*) in order to enlarge it.⁵⁷
- At this point, manuscript KL-699 is missing a folio, so the rest of this chapter is constructed on the basis of witnesses N and H.
- This passage is significantly augmented in both Cakrapāṇi (1.16.4) and Dalhaṇa's (1.16.5) versions to outline the specific problems caused by piercing three ducts called kālikā, marmikā and lohitikā. In fact, the order of the problems mentioned in the Nepalese version has been retained in the other versions and divided between each duct. Cakrapāṇi's commentary cites several verses attributed to Bhoja on the problems caused by piercing these three ducts in the ear flap: 'Lohitikā, marmikā and the black ones are the ducts situated in the earflaps. Listen in due order to the problems that arise when they are pierced. Paralysis of the nape of the neck and convulsions, or sharp pain arise from piercing lohitikā. Pain and lumps are thought to arise from piercing marmikā. Piercing kālikā gives rise to swelling, fever and burning' (lohitā marmarī kṛṣṇāḥ karṇapāliśritāḥ sirāḥ | tāsāṃ tu vyadhane doṣān anupūrveṇa me śrṇu || manyāstambho 'patānaś ca śūlo vā lohitāvyadhāt | vedanā granthayaś caiva marmarīvyadhanāt smṛtāḥ || kā-likāvyadhanāc chotho jvaro dāhaś ca jāyate).
- In addition to these reasons, Cakrapāṇi (1.16.5) and Dalhaṇa's versions (1.16.6) add 'piercing with a painful, crooked and unrecommended needle' (kliṣṭajihmāpraśastasū-cīvyadha) and 'a wick that is too thick' (gāḍhataravartitva). Dalhaṇa was aware of the reading in the Nepalese version because he notes that some read 'because of the accummulation of humours' (doṣasamudāyāt) rather than kliṣṭajihmāpraśastasūcīvyadhād gāḍhataravartitvād. On the meaning of samudāya, see Meulenbeld 1992: 1–6 (REVISE).
- 56 The manuscripts support the reading *sthūlatarīm* that is either a non-standard form or a scribal error.
- 57 Cakrapāṇi (1.16.6) and Dalhaṇa (1.16.8) point out that the dilator can be made of

- 8 A person's ear enlarged in this way can split in two, either as a result of the humours⁵⁸ or a blow. Listen to me about the joins (sandhāna) it can have.
- 9 Here, there are, in brief, fifteen ways of mending the ear flap.⁵⁹ They are as follows: Rim-join (nemīsandhānakaḥ), Lotus-splittable (utpalabhedyaka), Dried Flesh (vallūraka), Fastening (āsaṅgima), Cheek-ear (gaṇḍakarṇa), Take away (āhārya), Ready-Split (nirvedhima), Multi-joins (vyāyojima), Door-hinge (kapāṭasandhika), Half door-hinge (ardhakapāṭasandhika), Compressed (saṃkṣipta), Reduced-ear (hīnaka-rṇa), Creeper-ear (vallīkarṇa), Stick-ear (yaṣṭīkarṇa), and Crow's lip (kākaustha).⁶⁰

In this context, among these,

"Rim-join" (*nemīsandhānaka*): both flaps are wide, long, and equal.

"Lotus-splittable" (*utpalabhedyaka*): both flaps are round, long, and equal.

"Dried flesh" (vallūraka): both flaps are short, round, and equal.

"Fastening" (āsaṅgima): one flap is longer on the inside.

"Cheek-ear" (gaṇḍakarṇa): one flap is longer on the outside. 61

"Take-away" ($\bar{a}h\bar{a}rya$): the flaps are missing, in fact, on both sides.

"Ready-split" (nirvedhima): the flaps are like a dais ($p\bar{\imath}tha$).

"Multi-joins" (*vyāyojima*): one flap is small, the other thick, one flap is equal, the other unequal.

wood, such as that of the Prickly Chaff Flower ($ap\bar{a}marga$), the Neem tree (nimba) and the Cotton Plant ($k\bar{a}rp\bar{a}sa$). Dalhaṇa adds that it can also be made of lead ($s\bar{s}saka$) and should have the shape of the datura flower ($dhatt\bar{u}rapuspa$).

⁵⁸ Dalhana (1.16.9) notes that the word *doṣa* here can refer to either a humour, such as wind $(v\bar{a}ta)$, as we have understood it, or a disease generated from a humour.

The Nepalese version uses the word *sandhāna* to refer to joining a split in an ear flap, which is consistent with the terminology in the verse cited above (8). However, the vulgate uses the term *bandha* here and at the very beginning of the chapter (1.16.1) to introduce the topic of repairing the ear.

For an artist's impression of these different kinds of joins in the ear flap, see Figure 3.2 in wuja-1998.

⁶¹ For an artist's impression of this join, see Figure 3.3 in wuja-1998.

"Door-hinge" (kapāṭasandhika): the flap on the inside is long, the other is small.

"Half door-hinge" (ardhakapāṭasandhika): the flap on the outside is long, the other is small.

These ten options (*vikalpa*) for joins (*sandhi*) of the ear should be bound. They can mostly be explained as resembling their names. The five from compressed (*saṇṣṣipta*) on are incurable. Among these, "compressed" has a dry ear canal and the other flap is small. "Reduced ear" has flaps that have no base and have wasted flesh on their edges. "Creeper-ear" has flaps that are thin and uneven. "Stick-ear" has lumpy (*granthita*) flesh and the flaps are stretched thin and have stiff (*stabdha*) ducts (*sirā*). "Crow-lip" has a flap without flesh with compressed (*saṇṣṣipta*) tips and little blood. Even when they are bound up, they do not heal because they are hot, inflamed, suppurating (*srāva*), or swollen. 4

A person wishing to perform any of these joins should therefore gather together the supplies prepared according to the recommendations of the 'Preparatory Supplies' chapter. And in particular, he should gather decanted liquor (surāmaṇḍa), milk, water, fermented rice-water (dhānyāmla), and powdered earthenware crockery (kapālacūrṇa). Next, he should prepare the woman or man, who have had the ends of their hair tied up, have eaten lightly, and are firmly supported by qualified attendants.

⁶² Cakrapāṇi (1.16.1–13) and Dalhaṇa (1.16.10) provide examples of how the names of these joins describe their shapes. For example, the rim-join (nemīsandhānaka) is similar to the join of the rim of a wheel (cakradhārā).

⁶³ Dalhana mentions that some do not read the statement that only five are incurable, and they understand the causes of unsuccessful joins given below (i.e., heat, inflammation, suppuration and swelling) as also pertaining to the first ten when they do heal.

The vulgate (SS.1.16.11–12) has four verses (śloka) at this point that are not in the Nepalese manuscripts. The additional verses iterate the types of joins required for ear flaps that are missing, elongated, thick, wide, etc. All four verses were probably absent in the version of the <code>Suśrutasaṃhitā</code> known to Cakrapāṇi. He cites the verses separately in his commentary, the <code>Bhānumatī</code>, introducing each one as 'some people read' (<code>ke cit paṭhanti</code>). The root text in Ācārya's edition of the <code>Bhānumatī</code> (acar-1939) appears to be identical to the one commented on by Dalhaṇa (acar-1938).

⁶⁵ SS.1.5.

Then, he should ready the bindings (bandha) and carry out the procedure with cutting (chedya), splitting (bhedya), scarification (lekhya), or piercing (vyadhana). Then, he should examine the blood of the ear to know whether it is tainted (duṣṭa) or not. If it is tainted by wind, the ear should be bathed with fermented rice-water (dhānyāmla) and water; if tainted by choler, then cold water and milk should be used; if tainted by phlegm, then decanted liquor (surāmaṇḍa) and water should be used, and then he should scarify it again.

Then, arranging the join in the ear so that it is neither proud, depressed, nor uneven, one should make the join. Having seen that the blood has stopped, one should anoint it with honey and ghee, bandage each ear with cotton (picu) and gauze (prota), and bind it up with a thread, neither too tightly nor too loosely. Then, the earthenware powder should be sprinkled on, and medical advice ($\bar{a}c\bar{a}rika$) given. And he should supplement with food as taught in the 'Two Wound' chapter. ⁶⁶

One should avoid rubbing, sleeping during the day, exercise, overeating, sex, getting hot by a fire, or the effort of speaking.

- One should not make a join when the blood is too pure, too copious, or too thin.⁶⁷ For when the ear is tainted by wind, then it is obstructed by blood (raktabaddha), unhealed and will peel. When tainted with choler, is becomes pinched ($g\bar{a}dha$), septic ($p\bar{a}ka$) and red. When tainted by phlegm, it will be stiff (stabdha) and itchy. It has excessively copious suppuration ($sr\bar{a}va$) and is sopha ($puffed\ up$). It has it has a small amount of wasted ($ks\bar{i}na$) flesh and it will not grow.⁶⁸
- When the ear is properly healed and there are no complications, one may very gradually start to expand it. Otherwise, it may be inflamed (saṃrambha), burning, septic or painful. It may even split open again.
- Now, massage for the healthy ear, in order to enlarge it.
 One should gather as much as one can the following: a monitor

⁶⁶ SS.4.1.

⁶⁷ The vulgate reads "impure" for the Nepalese "too pure," which would appear to make better medical sense. Emending the text to nāśuddha- for nātiśuddha- in the Nepalese recension would yield the same meaning as the vulgate.

⁶⁸ In his 1938 edition of *Suśrutasaṃhitā*, Ācārya includes in parentheses the following treatment for these conditions, which according to a footnote is not found in the palmleaf manuscript he used (**susr-trikamji3**): 'One should sprinkle it with raw sesame oil for three days and one should renew the cotton bandage after three days' (*āmatailena trirātraṃ pariṣecayet trirātrāc ca picuṃ parivartayet*).

lizard $(godh\bar{a}^{69})$, scavenging (pratuda) and seed-eating (viskira) birds, and creatures that live in marshes or water,⁷⁰ fat, marrow, milk, and sesame oil, and white mustard oil. ⁷¹ Then cook the oil with an admixture $(prativ\bar{a}pa)$ of the following: purple calotropis $(arka^{72})$, white calotropis $(alarka^{73})$, country mallow $(bal\bar{a}^{74})$, 'strong Indian mallow' $(atibal\bar{a}^{75})$, country sarsaparilla $(anant\bar{a}^{76})$ beggarweed $(vid\bar{a}ri^{77})$, liquorice (madhuka), hornwort $(jalas\bar{u}ka \rightarrow jalan\bar{\imath}lik\bar{a}^{78})$,⁷⁹ items having the 'sweet' savour (madhuravarga),⁸⁰ and 'milk flower' $(payasy\bar{a} \rightarrow vid\bar{a}r\bar{\imath}^{81})$.⁸² This should then be deposited in a well-protected spot.

- The wise man who been sweated should rub the massaged (mardita) ear with it. Then it will be free of complications, and will enlarge properly and be strong.
- 16 Ears which do not enlarge even when sweated and oiled, should be scarified at the edge of the hole $(ap\bar{a}nga)$, but not outside it.
- 17 In this tradition, experts know countless repairs to ears. So a physi-
- 69 Varanus bengalensis, Schneider (Daniel 1983:58)
- 70 For such classifications, see **zimm-jung** and **smit-clas**.
- 71 The vulgate (SS 1.16.19 includes ghee (*sarpis*). However, both Dalhaṇa and Cakrapāṇi appear to have been aware of a version (perhaps, similar to the Nepalese one) that does not. Dalhaṇa notes that others read simply four oils and not milk, whereas Cakrapāṇi says some read that it is made with milk and four oils.
- 72 Calotropis gigantea, (L.) R. Br. (ADPS 52, AVS 1.341, NK #427, Potter 57, ID 306)
- 73 Calotropis procera, (Ait.) R. Br. (NK #428, GIMP 46b, ID 306)
- 74 Sida cordifolia, L. (ADPS 71, NK #2297)
- 75 Abutilon indicum, (L.) Sweet; Sida rhombifolia, L.? (NK #11, IGP ,4 1080; NK #2300)
- 76 Hemidesmus indicus, (L.) R. Br. (ADPS 434, AVS 3.141–5, NK #1210)
- 77 Desmodium gangeticum (L.) DC (Dymock 1.428, GJM 602, cf. NK #1192; ADPS 382, 414 and IMP 2.319, 4.366 are confusing)
- 78 Ceratophyllum demersum, L. (IMP 2371, AVS 2.56, IGP 232)
- 79 This name is not certain: in fact, the commentator Dalhana notes that some people interpret it as a poisonous, hairy, air-breathing, underwater creature.
- 80 The items which exemplify the 'sweet' savour (*madhuravarga*) are enumerated at SS.1.42.11.
- Pueraria tuberosa (Willd.) DC. (ADPS 510, IMP 1.792f., AVS 4.391; not Dymock 1.424f. See GJM supplement 444, 451, IMP 1.187, but IMP 3.1719 = Ipmoea mauritiana, Jacq.)
- 82 The vulgate (SS. 1.16.19) adds several ingredients to this admixture, including apāmārga, aśvagandhā, kṣīraśuklā, madhuravarga and payasyā. Also, it has vidārigandhā instead of vidāri. When commenting on this passage, Dalhaṇa notes that some do not read madhuravarga and payasyā. Therefore, there were probably other versions of this recipe with fewer ingredients, as seen in the Nepalese version.

- cian who is very intent (*suniviṣṭa*) on working in this way may repair (*yojayed*) them.
- 18 If an ear has grown hair, has a nice hole, a firm join, and is strong and even, well-healed, and free from pain, then one can enlarge it slowly.
- Now I shall describe the proper method of repairing a severed nose. First, take from the trees a leaf the same size as the man's nose and hang it on him.
- Next, having cut a slice of flesh (*vadhra*) with the same measurements off the cheek, the end of the nose is then scarified.⁸³

 Then the diligent (*apramatta*) physician, should quickly put it back together (*pratisandhā*-) so that it is well joined (*sādhubaddha*).

 84
 - Having carefully observed that it has been well sown up, two tubes should be fixed in place. Then, having lifted them up,⁸⁵ the powder of sappanwood (*pattāṅga*⁸⁶),⁸⁷ liquorice (*yaṣṭīmadhuka*⁸⁸), and Indian barberry (*añjana*⁸⁹) should be applied to it.

22 The wound should be covered properly with cotton (picu) and should be moistened repeatedly with sesame oil. Ghee should be given to the man to drink. His digestion being complete, he should be oiled and purged in accordance with the instructions specific to him.⁹⁰

And once healed and really come together, what is left of its flesh (*vadhra*) should then be trimmed. If it is reduced (*hīna*), however, one should make an effort to stretch it, and one should make its overgrown

añjana

⁸³ The vulgate reads bound, connected (*baddham*) for slice of flesh (*vadhra*). This is a critical variant from the surgical point of view. If the slice remains connected, it will have a continuing blood supply. This is one of the effective techniques that so astonished surgeons witnessing a similar operation in Pune in the eighteenth century (**wuja-roots3**).

⁸⁴ Or '... off the cheek, it is fixed to the end of the nose, which has been scarified'. The Sanskrit text is unfortunately not unambiguous on the important point of whether or not the flap of grafted skin remains connected to its original site on the cheek.

⁸⁵ The Sanskrit here, *unnāmayitvā* is non-Pāṇinian.

⁸⁶ Caesalpinia sappan, L. (AVS 1.323, IMP 2.847f.)

⁸⁷ For pattāṅga there are manuscript variants *pattrāṅga* (MS H) and *pattaṅga* (N). We read with H and K (f. 14r:1) on **vulgate**. The vulgate reads *pataṅga* and this reading is propagated in modern dictionaries.

⁸⁸ Glycyrrhiza glabra, L. (AVS 3.84, NK #1136)

⁸⁹ Berberis aristata, DC. (Dymock 1.65, NK #685, GJM 562, IGP 141)

⁹⁰ The expression *svayathopadeśa* is ungrammatical but supported in all available witnesses.

flesh smooth.

Sūtrasthāna, adhyāya 28

Thus, living creatures and their strength, complexion (*varṇa*) and energy (*ojas*) are rooted in food. That (food) depends on the six flavours (*rasa*). Thus, the flavours depend on substance (*dravya*), and substances depend on medicinal herbs. There are two kinds of them (herbs): stationary and mobile.⁹¹

⁹¹ SS 1.1.28 (vulgate), tr. shar-susr.

Kalpasthāna, adhyāya 1

Literature

A brief survey of this chapter's contents and a detailed assessment of the existing research on it to 2002 was provided by Meulenbeld.⁹² Translations of this chapter since 2000 have appeared by **wuja-2003shar-susr**.

More recently, a discussion of the fourth chapter of this section in the light of the Nepalese manuscripts was published by Harimoto.⁹³ After a close comparative reading of lists of poisonous snakes, Harimoto concluded that, "the Nepalese version is internally consistent while the [vulgate] editions are not." Harimoto showed how the vulgate editions,⁹⁴ had been adjusted textually to smooth over inconsistencies, and gave insights into these editorial processes.

Manuscript notes

MS Kathmandu NAK 5-333 has foliation letter numerals, for example on f. 323a, that are similar to MS Cambridge Add. 1693,⁹⁵ dated to 1165 ce noted in Bendall's chart of Nepalese letter-numerals bend-budd

⁹² meul-hist.

⁹³ hari-2011

⁹⁴ The two editions **susr-trikamji3** and **bhat-1889**, that Harimoto noted present identical texts.

⁹⁵ Scan at cudl.lib.cam.ac.uk/view/MS-ADD-01693/1.

Translation

- 1–2 And now I shall explain the procedures for safeguarding food and drink, as were declared by the Venerable Dhanvantari.⁹⁶
 - 3 Divodāsa, the king of the earth, was the foremost supporter of religious discipline and virtue. With unblemished instruction he taught his students, of whom Suśruta was the leader.⁹⁷

[Threats to the king]

- 4–5 Evil-hearted enemies who have plucked up their courage, may seek to harm the king, who knows nothing of it. He may be assailed with poisons by or by his own people who have been subverted, wishing to pour the poison of their anger into any vulnerability they can find.⁹⁸
 - 6 Therefore, a king should always be protected from poison by a physician.
 - 7 The racehorse-like fickleness of men's minds is well known. And for this reason, a king should never trust anyone.⁹⁹
- 8–11 He should employ a doctor in his kitchen (*mahānasa*) who is respected
 - 96 MS H adds in the margin अथ खलु वत्स सुश्रुतः "Now begins Vatsa Suśruta." This phrase has been copied here by the scribe from the beginning of the *Suśrutasaṃhitā* chapter in the *sūtrasthāna* on the rules about food and drink (SS 1.46.3 (**vulgate**)). The scribe presumably felt, not unreasonably, that this section had common subject matter with the present chapter. Further, SS 1.46.3 is the only place in the Nepalese transmission of the *Suśrutasaṃhitā* that names Dhanvantari and integrates him into the narrative of the *Suśrutasaṃhitā* as the teacher of Suśruta.
 - The mention of Dhanvantari here is the only other time in the Nepalese transmission that this authority is cited as the source of Ayurvedic teaching, and the unique occurrence of this actual phrase, "as was declared by the Venerable Dhanvantari." See the discussion by **kleb-2021b**, who concludes that the earliest recoverable recension of the *Suśrutasaṃhitā* may have had the phrase only at this point and not elsewhere in the work.
 - 97 This is a quite different statement from the vulgate (susr-trikamji3) that has Dhanvantari as the teacher, and calls him the Lord of Kāśī (kāśipati). Dalhaṇa followed the vulgate but explicitly noted the reading before us with small differences: दिवोदासः क्षि-तिपतिस्तपोधर्मश्रुताकरः "Divodāsa, the king of the earth, was a mine of traditions about discipline and virtue."
 - 98 Verses about the use of Venemous Virgins as a weapon do not appear in the Nepalese manuscripts. Cf. **wuja-2003**. This material is present in the commentary of Gayadāsa.
 - 99 The verb $\sqrt{\text{s}}$ vas is conjugated as a first class root in the Nepalese manuscripts.

- by experts, who belongs to a good family, is orthodox, sympathetic, not emaciated, and always busy.
- 12–13 The kitchen should be constructed at a recommended location and orientation. It should have a lot of light, 100 have clean utensils and be staffed by men and women who have been vetted. 101
- 17–18ab The chefs, bearers ($vodh\bar{a}ra$), and makers of boiled rice soups and cakes and whoever else might be there, must all be under the strict control of the doctor. ¹⁰²
- 18cd–19ab An expert knows people's body language (*ingita*) through abnormalities in voice, movement and facial expression. He should be able to identify a poisoner by the following signs.

Wanting to speak, he gets confused, when asked a question, he never arrives at an answer, and he talks a lot of confused nonsense, like a fool. He laughs for no reason, cracks his knuckles and scratches at the ground. He gets the shakes and glances nervously from one person to another. His face is drained of colour, he is grimy (*dhyāma*) and he cuts at things with his nails. A poisoner goes the wrong way and is absent-minded.

- I shall explain the signs to look for in toothbrush twigs, in food and drink as well as in massage oil (abhyaṅga) and combs (avalekhana); in dry rubs (utsādana) and showers, in decoctions (kaṣāya) and massage ointment (anulepana); in garlands (sraj), clothes, beds, armour and ornaments; in slippers and footstools, and on the backs of elephants and horses; in nasya (snuff), inhaled smoke (dhūma), eye make-up (añjana), etc., and any other things which are commonly poisoned. Then, I shall also explain the remedy.
 - 28 Flies or crows or other creatures that eat a poisonous morsel (*bali*) served from the king's portion, die on the spot.

Cf. Arthaśāstra 1.21.8.

¹⁰⁰ We read महच्छुचिः with the Nepalese manuscripts and against the vulgate's महच्छुचि. We understand शुचिस् as a neuter noun meaning "light" following **apte-prac**.

¹⁰¹ Verses detailing the ideal staff are omitted in the Nepalese manuscripts. Cf. susr-trikamji3wuja-2003.

¹⁰² The word सौपोदनैकपूपिक "chefs for the boiled rice soups and cakes" is grammatically interesting. The term सूपोदन (as opposed to sūpaudana) is attested in the *Bodhāyanīya-gṛhyasūtra* 2.10.54 (shas-1920). More pertinently, perhaps, सूपोदन is attested in the Bower Manuscript, part II, leaf 11r, line 3 (hoer-bowe).

¹⁰³ The word ध्याम is glossed by Dalhana (in a variant reading) as someone who is the colour of dirty clothes SS 5.1 (vulgate).

- 29 Such food makes a fire crackle violently, and gives it an overpowering colour like a peacock's throat.
- 30–33 After a chukar partridge looks at food which has poison mingled with it, its eyes are promptly drained of colour; a peacock pheasant drops dead. A koel changes its song and the common crane rises up excitedly.¹⁰⁴ It will excite a peacock and the terrified parakeet and the hill myna screech. The swan trembles very much, and the racket-tailed drongo churrs.¹⁰⁵ The chital deer sheds tears and the monkey releases excrement.¹⁰⁶
 - Vapour rising from food that has been abused gives rise to a pain in the heart, it makes the eyes roll, and it gives one a headache. 107
- 35, 36cd In such a case, an errhine and a collyrium that are costus, lāmajja grass $(l\bar{a}majja)$, spikenard (nalada) and liquorice (madhus); a paste of sandalwood on the heart may also provide relief. 109
 - 37 Reaching the hands, it makes them burn, and the nails fall out. In such a
 - 104 The verb अर्च्छित "rises up" is a rare form best known from epic Sanskrit (ober-2003). The transmitted form क्रोञ्च is obviously a colloquial version of Sanskrit क्रोञ्च. Commenting on SS 1.7.10 (vulgate), Dalhaṇa interestingly gives the colloquial versions of several Sanskrit bird names, even singling out pronunciation in the specific location of Kānyakubja. For क्रोञ्च he says that people pronounce it कुरञ्ज and कोंचि. The form कोञ्च is found in Pāli (see cone-dict, who notes that Ardhamāgadhī has the same form). Elsewhere, Dalhaṇa calls the bird क्रोञ्चिर, क्रोञ्चि, and कैचर (SS 1.46.105 (vulgate), SS 6.31.154 (vulgate) and (SS 6.58.44 (vulgate) respectively).
 - 105 Dalhaṇa seemed confused about the racket-tailed drongo (भृङ्गराज). He called it a generic drongo (भ्रमरक), a word that can also mean "bee," (dave), and then said that it is like the black drongo (धूम्याट) (dave) and that people call it "the king of birds."
 - 106 MS KL 699 reads bull (বৃषभ) for Chital deer (पृषत). The latter may perhaps be mistaken for the former in the Newa script, although the reading of MS KL 699 is hard to read at this point.
 - 107 "Abused" translates उपिक्षप्त. The word's semantic field includes "to hurl, throw against," and especially "to insult verbally, insinuate, accuse." The commentator Dalhaṇa glossed the term as, "spoiled food given to be eaten" (विदूषितस्यान्नस्य भोक्तुं दत्तस्य), but he noted that some people read "उखाक्षिप्त" or "thrown into a pan." Other translators have commonly translated it as "served," perhaps influenced by Dalhaṇa's "given (दत्त)."
 - 108 The vulgate supplies another phrase and verb at this point that is not present in the Nepalese transmission, but that makes the text flow more easily.
 - 109 **sing-1972** discussed the difficulties in identifying लामज्ज, a plant cited more often in the *Suśrutasaṃhitā* than in the *Carakasaṃhitā*; Dalhaṇa adopted the common view that it is a type of *uśīra* or vetiver grass. The grammatical neuter form मधुस् of the Nepalese manuscripts is less common than neuter मधु "honey, sweetness, liquorice".

case, ointment (pralepa) is made of beautyberry ($śyām\bar{a}$) lac ($indragop\bar{a}$) 'gentle' ($som\bar{a}$) and water-lily (utpala). 110

[&]quot;Beautyberry" (*Callicarpa macrophylla* Vahl.) is one identification of *śyāmā*, but vaidyas and commentators have different ideas about the plant's identity (see sing-1972avsnadk-1954).

Uttaratantra, adhyāya 16 (17 in the vulgate)

Literature

Survey of this chapter and the existing research on it to 2002: **meul-hist**. History of couching in India: **wujad-2019**; **desh-2000**; **desh-1999**; **bret-1826**; **leff-2020**; **shas-kaly**; **jack-1884**; **scot-1817**; **elli-1918**; **hend-1895**, **wuja-root3**.

Translation

- 1 Now I shall explain the counteraction (*pratiṣedha*) of diseases located in the pupil (*drsti*).
- There are three curable $(s\bar{a}dhya)$, three incurable $(as\bar{a}dhya)$, and six mitigatible $(y\bar{a}pya)$ diseases located in peoples eyes. Among these, three are curable $(s\bar{a}dhya)$. Amongst these three, the remedy $(prat\bar{\imath}k\bar{a}ra)$ has been stated for the one called "seeing smoke $(dh\bar{\imath}umadarsin)$ ".¹¹¹
- 3–5ab When the eye is inflamed (vidagdha) by bile and when it is inflamed by phlegm, one should apply the method for removing bile and phlegm, using nasal medicines (nasya), irrigation (seka), application of collyrium ($a\tilde{n}jana$), liniment ($\bar{a}lepa$), and medicines cooked in a crucible ($puțap\bar{a}ka$), together with a balm (tarpaṇa), ¹¹² but not cutting with a blade ($\acute{s}astrakṣata$). ¹¹³

One should drink ghee (*sarpis*) prepared with the three fruits (*triphalā*) and in the first [case where the problem is bile], and prepared with turpeth (*traivrta*) in the latter [case, of phlegm].

And ghee prepared with tilvaka (tailvaka) is wholesome in both cases, or else aged ghee on its own.

5cd–7ab In a collyrium, these four compounds (*yoga*) are beneficial in both cases:

• ochre (*gairika*), Sind salt (*saindhava*), long pepper (*kṛṣṇā*) and the black soot (*maṣī*) from cow's teeth;

where is cutting with a knife related to removing bile or phlegm.

maṣī burned charcoal. Find

- 111 This disease and its cure are described earlier (SS.6.7.39 and SS.6.10.16 (**vulgate**) respectively). The latter part of this verse is hard to construe and the text here may have been altered at an early period.
- 112 These therapies are described in SS.6.18 (vulgate).
- 113 Dalhaṇa interprets this as blood-letting (*sirāvedha*), which is discussed in SS.1.14 (**vulgate**).

- Cow's flesh (*gomāṃsa*), black pepper (*marica*), siris (*śirīṣa*) and red arsenic (*manahśilā*);
- stalk (vṛnta) from a wood apple (kapittha) with honey (madhu);¹¹⁴
- or the the fruits of the velvet bean (*svayamgupta*).
- 8 The physician should make a collyrium with ground up metal (*ku-pyaka*), ¹¹⁵ Asoka tree (*aśoka*), Sal tree (*śālā*), mango (*amra*), beautyberry (*priyaṃgu*), Indian lotus (*nalina*), blue lotus (*utpala*), together with hareṇu (*hareṇu*), emblic (*āmalaka*), myrobalan (*pathyā*), long pepper (*pippali*). It should be combined with ghee and honey (*kṣaudra*).
- 9–10 Also, when bile and phlegm have developed, the physician should apply harenu (harenu) with the expressed juice (svarasa) of the flowers from mango (amra) and Jambu (jambū) trees.

 Then this collyrium, matured (vipakva) with ghee and honey (kṣaudra), should then be applied.
- Filaments ($ki\tilde{n}jalka$) of Indian lotus (nalina) and blue lotus (utpala), with ochre (gairika), and the juice of cow-dung ($go\acute{s}akrt$) are a collyrium in the form of a pill ($gu\acute{q}ik\bar{a}$). This is good for both day and night blindness.
- 11cd–12ab Elixir-salve (*rasāñjana*), honey (*kṣaudra*), ghee, scramberry (*tālīśa*), together with gold and ochre, with the juice of cow-dung (*gośakṛt*) are for an eye afflicted with bile.
 - Alternatively, wise physician should first grind together elixir-salve (\hat{sita}) and stibnite $(sauv\bar{\imath}raka)$, infused $(bh\bar{a}vita)$ with the blood of birds and animals (rasa). Then he mixes it with the bile of a tortoise or with extract of rohu carp (rauhita). It should always be used with powdered collyrium to quell the bile.
 - Thus, a collyrium of white teak ($k\bar{a}r\acute{s}mar\bar{\iota}$) flowers, liquorice (madhuka), tree turmeric ($d\bar{a}rv\bar{\iota}$), lodh tree (lodhra) and elixir salve ($ras\bar{a}\tilde{n}jana$) is always good as a collyrium in this case.
 - Alternatively, for those who cannot see during the day, this pill ($gu-dik\bar{a}$), with sandalwood, is recommended: salt ($nad\bar{\imath}ja$), conch shell and

¹¹⁴ Wood apple (कपित्थ) in this verse is ablative singular or accusative plural, neither of which construe obviously.

¹¹⁵ A metal other than gold or silver, according to **josi-maha**. Perhaps lead, which is used in making contemporary collyrium.

¹¹⁶ This is Dalhaṇa's preferred interpretation of rasa "juice" in this context. He also notes that some take elixir-salve ($\dot{s}\bar{\imath}ta$) to be camphor.

- the three spices, collyrium, realgar ($mana h sil \bar{a}$), the two turmerics (ra-jana)¹¹⁷ and liver extract (yak r drasa).¹¹⁸
- One should grind up kohl (*srotoja*), ¹¹⁹ and Sind salt (*saindhava*) and long pepper and also harenu (*harenu*). Such wicks with goats urine are good in a collyrium for night blindness (*kṣaṇadāndhya*).
- 17–18ab Alternatively, in such a case, grind together Indian sarsaparilla ($k\bar{a}l\bar{a}$ - $nus\bar{a}riva$)¹²⁰ long pepper, dried ginger ($n\bar{a}gara$) and honey, the leaf of the scramberry ($t\bar{a}l\bar{i}sapatra$), the two turmerics (rajana), a conch shell and liver extract (yakrdrasa). Then shade-dried wicks take away illness (ruj).
- 18cd–19ab Wicks made of red arsenic ($mana h sil \bar{a}$), chebulic myrobalan ($abhay \bar{a}$), the three spices (vyo sa). Indian sarsaparilla (sariva), cuttlefish bone (samudraphena), combined with goat's milk are good.
- One should cook a honey collyrium (*kṣaudrāñjana*) either in the juices of cow's urine (*gomūtra*), and bile, spirits (*madirā*), liver (*yakṛt*), and emblic (*dhātrī*) or else in the juice of the liver (*yakṛt*) of something different, or else with the extract of the three fruits (*triphalā*). One of these should be mixed with cow urine, ghee and cuttle fish (*arṇavamala*)¹²¹ with long pepper, honey and box myrtle (*kaṭphala*). It is placed in sea salt and stored in a bamboo tube.
 - One should cook the liver of a sheep, the ghee of a goat, with long pepper and Sindh salt, honey and the juice of emblics. Then one should store it properly in a catechu box. Prepared thus, the honey collyrium is good.
 - Alternatively, a collyrium that is harenu (harenu) mixed with long pepper ($m\bar{a}gadh\bar{\iota}$), the bone and the marrow of a goat, cardamom ($el\bar{a}$) and liver, together with liver extract, is good for eyes afflicted by phlegm. 122

¹¹⁷ Turmeric (Curcuma longa *Linn*.) and tree turmeric (Berberis aristata DC). The term *rajana* is unusual; the normal term is *rajanī*. *Rajana* occurs in *Suśrutanighaṇṭu* 158 in the sense of Ferula asafoetida, Linn.

¹¹⁸ This verse appears as no. 27 in the vulgate.

¹¹⁹ Glossed by Dalhana as a kind of collyrium. Cf. nadk-1954 and shar-1982

¹²⁰ There are two forms of *sārivā* mentioned widely in Āyurvedic literature, the white and the black. Ideas on the identity of the black form are particularly fluid. See **adps** for a clear discussion.

¹²¹ At SS 6.12.31, Dalhaṇa glossed *arṇavamala* as cuttlefish bone (*samudraphena*). It may be worth considering whether the unusual term *arṇavamala* "ocean-filth" might refer to ambergris.

¹²² On the identities of elā and hareņu, watt-comm described the former as "true" or

- Over a fire, one should cook the liver (*yakṛt*) of a monitor lizard (*godhā*) prepared with entrails (*antra*) and stuffed with long pepper (*māgadhi*). As is well known, liver (*yakṛt*) which is used (*niṣevita*) with collyrium certainly destroys night blindness.
- 25 After preparing both a spleen (*plīhan*) and a liver on a spit, one should eat them both with ghee and oil.¹²³
- As is well known, there are six diseases that can be alleviated (*yāpya*); in those cases (*tatra*) one should release the blood by bloodletting. And for the sake of wellbeing one should also purge using aged ghee combined (*upahita*) with purgative aids (*aṅga*).
 - When an eye-disease is caused by wind (pavanodbhava) they say that castor oil (pañcāṅgulataila) mixed with milk is good. In the case of diseases of blood (śonita) and bile (pitta), one should drink ghee with the three fruits; it is particularly cleansing. In the case of phlegm, a purgative by means of turpeth (trivṛt) is recommended. In the case of all three humours, sandal (sugandhi) in oil is prepared with it (turpeth).
 - 28 In cases of partial blindness (*timira*), aged ghee is recommended. It is good if it is kept in an iron vessel.
- 28cd–29ab One should know that ghee with the three mylobalans is always good, and it is made with what is called periploca of the woods (meṣaviṣāṇa). A man who is suffering from partial blindess should lick the finely-

[&]quot;lesser" or "Malabar" cardamom, Elettaria cardamomum, Maton & White. In contrast, the "greater" cardamom is Amomum subulatum (that Watt discussed on p. 65) that is commonly used as an inferior substitute for E. cardamomum. sing-1972 provided an interesting discussion of hareņu, noting that the term refers to two substances, first the satīna pulse (Pisum satīvum, Linn.), and second an unknown fruit such as perhaps a Vitex. They noted, "None of the text commentators have attempted to disclose the nature of its source plant," although Dalhaṇa described it as aromatic and identical to reṇukā (SS.ci.2.75).

¹²³ We read the locative as if an instrumental; if the locative were intended then it would be the spit that would be coated with oil and ghee.

¹²⁴ Dalhana says that the unexpressed topic of this recipe is partial blindness (*timira*).

¹²⁵ Blood-bile (*śonita-pitta*, *rakta-pitta*) is a widely-recognized disease in ayurveda, but the compound here is definitely dual, which rules out that interpretation. One would expect blood-bile because the previous verse

¹²⁶ The expression "the fragrant one in oil (*tailasugandhi*)" is puzzling. The word *sugandhi* has different referents in the *Nighaṇṭu* literature but is not common as a noun in the extant literature. "Sandal" is just one of its possible meanings.

- ground three fruits mixed with ghee off his hand (sapāṇa). 127
- 29cd Alternatively, someone afflicted by phlegm should apply them (the three fruits) mixed with oil and steeped (*pragāḍha*) in honey.
 - The very best oil, well-cooked with a decoction of cow-dung, is good in cases of partial blindness, taken as an errhine.

 In cases caused by bile, ghee by itself is good, as is oil when it arises
 - In cases caused by bile, ghee by itself is good, as is oil when it arises from wind and blood.
 - And in the case of wind one should apply turpeth (trivrt) based on strong mallow $(atibal\bar{a})$, and country mallow $(bal\bar{a})$ in an errhine (nasya). 128
 - Ghee which has been extracted from milk cooked with the meat of aquatic creatures and those from marshlands should be prescribed.
 - †An enclosed roasting (puṭākhya) with Sindh salt and the product of the meat of a carnivore (kravyabhuj) and a deer (eṇa), is combined with honey and ghee. 129
 - Fat $(vas\bar{a})$ from a horse, a vulture, a snake, and a cock $(t\bar{a}mrac\bar{u}da)$, combined with mahua $(madh\bar{u}ka)$ is always good in a collyrium. † 130
 - Having prepared (*niṣevita*) a collyrium made of kohl (*srotas*) and gradually combine it with juices (*rasa*), milk and ghee.¹³¹ For thirty days, this collyrium is put in the mouth of a black snake that
 - "Off his hand" translates the adverbial *sapāṇam*, an unusual word. Dalhaṇa reproduces a reading close to the Nepalese recention but says that Jejjaṭa rejects it and so he also does (**susr-trikamji3**).
 - 128 "Based on" translates *-āśrita* "depending on" which does not construe easily here. The vulgate has *śṛta* "cooked" which makes easier sense but is not supported by the Nepalese MSS.
 - 129 Dalhaṇa notes (**vulgate**) that *puṭāhvaya* (see verse 35 below) is a synonym for *puṭapāka*, and that the process is described in the *Kriyākalpa* chapter, i.e., SS.6.18.33–38 (**vulgate**). On the *puṭa* process in the *Suśrutasaṃhitā*, which is earlier and different than that of *rasaśāstra* literature, see the discussion by **wujad-2019**:
 - The term 'enclosed roasting' (puṭapāka) does occur in the Suśrutasaṃhitā in the context of eye treatments, but designates a method of obtaining juice from substances by wrapping them in leaves pasted with earth and cooking the bolus on charcoal to finally extract a juice.
 - 130 This verse contain irresolvable difficulties. There are no significant variants in the Nepalese MS transmission, but the text is ungrammatical. The vulgate reads substantially differently but we have nevertheless made some emendations in line with it and read the verse as two sentences.
 - 131 Dalhana specifies that the juices are meat soups of various animals (vulgate).

- is covered with kuśa grass (kuśa).
- Next, a collyrium that is milk containing long pepper $(m\bar{a}gadh\bar{\iota})$, lye $(k \bar{s}araka)$ and Sindh salt (saindhava) that has been repeatedly prepared with the mouth of a black snake, is good in the case of bloodshot blindness $(r\bar{a}gin\ timira)$.¹³²
- They say that ghee may be produced from that and combined with sweet herbs is good as an errhine for eye-diseases caused by bile. And here, a balm (*tarpaṇa*) is good that is a combination that is the flesh of wild animals taken hot (*putāhvaya*).¹³³
- And realgar ($mana h sil \bar{a}$) mixed with elixir salve ($ras \bar{a} \tilde{n} jana$) and honey is a liquid collyrium ($drav \bar{a} \tilde{n} jana$) which is, in this case, combined with mahua ($madh \bar{u} ka$). 134
 - Alternatively, experts on this say that finely ground blue vitriol (*tuttha*) extracted from a gold mine is the "same collyrium (*samāñjana*)". 135
- Conch mixed with equal parts of sheep's horn and stibnite ($a\tilde{n}jana$) removes the impurity of the glassy opacity ($k\bar{a}ca$) because of the application of collyrium ($a\tilde{n}jana$).¹³⁶
 - The extracts (rasa) produced from aflame of the forest ($pal\bar{a}\acute{s}a$), Rohīta tree ($roh\bar{\imath}ta$), ¹³⁷ mahua ($madh\bar{\imath}ka$), ground with the supernatant layer (agra) of the spirits (madira) is applied.
- Alternatively, one should cook an errhine with cuscus grass ($u\acute{s}\bar{\imath}ra$), lodh tree (lodhra), the three fruits ($triphal\bar{a}$), beauty berry (priyangu) to pacify eye diseases caused by phlegm.¹³⁸
 - One should apply smoke of the bark of embelia (vidanga), velvet leaf

¹³² Dalhaṇa describes this blindness as a type of *kāca* disease caused by wind (**susr-trikamji3**). The expression "bloodshot blindness" is an attempt to capture the idea of a blind eye that is dyed or coloured (not colour-blindness). This verse is quite different from the vulgate and also syntactically challenging.

¹³³ The expression taken hot (puṭāhvaya) is a guess.

¹³⁴ The expression liquid collyrium (*dravāñjana*) is only known from Dalhaṇa's comments on SS.6.17.11ab (**vulgate**). The recipe in the present collyrium is different from that discussed by Dalhana.

¹³⁵ The expression "same collyrium (samāñjana)" is a hapax legomenon glossed inexplicably by Dalhaṇa as "a collyrium with an equal amount of fermented barley" (tulya-sauvīrāñjana) (vulgate).

¹³⁶ The ablative "from collyrium" is hard to construe, but Dalhana uses this term and phrase in his commentary on SS 6.17.41ab (**vulgate**).

¹³⁷ Probably Soymida febrifuga A. Juss.

¹³⁸ Dalhaṇa invokes a general rule ($paribh\bar{a}s\bar{a}$) to indicate that this mixture should be cooked with sesame oil.

- $(p\bar{a}th\bar{a})$, white siris $(kinih\bar{\iota})$, and desert date $(i\dot{n}gud\bar{\iota})$; and cuscus grass $(u\bar{s}\bar{\iota}ra)$ alone.
- 39 A ghee that is cooked ($bh\bar{a}vita$) from a decoction of a non-flowering tree (vanaspati)¹³⁹ as well as turmeric ($haridr\bar{a}$) and spikenard (nalada) is good in a balm (tarpaṇa).
 - Alternatively, one may have an enclosed roasting ($puṭap\bar{a}ka$) done with arid-land animals ($j\bar{a}\dot{n}gala$)¹⁴⁰ and a plentiful amount of long pepper ($m\bar{a}gadha$), Sindh salt and honey.
- 40 A treatment ($kriy\bar{a}$) with realgar ($mana h sil\bar{a}$), the three spices, conch, honey, along with Sindh salt, green vitriol ($k\bar{a}s\bar{\imath}sa$) and elixir salve ($ras\bar{a}njana$). 141
 - They say that an elixir salve ($ras\bar{a}\tilde{n}jana$) combined with myrobalans, treacle and dried ginger is good.¹⁴²
- Alternatively, a collyrium that has been prepared many times in the eight types of urine¹⁴³ is put into water with the three fruits. Having stored it in the mouth of a nocturnal creature $(nis\bar{a}cara)^{144}$ one should place it in a conch (salilotthita) for two months.¹⁴⁵
- One should apply that collyrium together with the flowers of mahua (*madhūka*) and horseradish tree (*śigru*) when [the disease] is caused by all [the humours].
 - But alternatively, all treatments apply when blood is the cause. The procedure that removes bile is good when there is blue dot cataract $(ml\bar{a}yin)$.¹⁴⁶
- 43 For one who has a humour, the physician should consider the rule in

Check out these refs

- 139 These are fig trees. The *Sauśrutanighanṭu* (252) specifies the Udumbara. Cf. the classification in CS.1.1.71–72, 1.8, *et passim*.
- 140 On this term, see SS.1.35.42 (vulgate) and the discussion by zimm-1999.
- 141 Dalhana glosses treatment ($kriy\bar{a}$) specifically as inspissation ($rasakriy\bar{a}$) (vulgate).
- 142 We emend hite to hitam, against the MSS.
- 143 See SS mūtravarga
- 144 Palhaṇa glosses nocturnal creature (*niśācara*) as "vulture," although elsewhere in the SS it is more commonly interpreted as a spirit or demon. In the present context, following verses 33 and 34, it is probably a snake.
- 145 We interpret "water-born (*salilotthita*)" as "conch" in line with *jalodbhava*, but the term is uncertain.
- 146 The vulgate follows <code>Dalhaṇa</code> in glossing <code>mlāyin</code> as <code>parimlāya</code>. The description of this condition at SS.6.7.27–28 appears to refer to "blue dot" or "cerulean" cataract. \sqrt{mlai} derivatives can mean "dark" or "black."), which is normally a different ailment.

- all humoral cases and then smear the ointment on the face. 147
 The treatment that is good for removing watery eye (*syanda*) should be properly applied in all these humoral cases, according to the individual. 148
- The physician should not employ substances in errhines etc., when the humours intensify, and also when disease spreads. And further, in the *Kalpa*, there is a good deal more said about collyriums, and that should be considered and then applied.¹⁴⁹
- Someone who uses matured ghee, the three fruits, wild asparagus ($\hat{s}a-t\bar{a}var\bar{\iota}$), as well as mung beans (mudga), emblic and barley has nothing to fear from cases of severe blindness (timira).
- 46 Blindness is dispelled by milk prepared with wild asparagus or in emblics, or again cooked barley (*yavaudana*) followed by the water of three fruits with plenty of ghee.
- When there is bloodshot blindness (*rāgiṇi timire*), the wise physician should not cut a vein. A humour injured (*utpīḍita*) by the instrument rapidly destroys vision.
- Non-bloodshot blindness (*araga timira*) in the first layer (*paṭala*) is treatable. And bloodshot blindness (*rāgiṇi timire*) in the second layer, with difficulty. And in the third layer it is mitigable (*yāpya*).
- I shall explain the therapy for success when there is a cataract (linga- $n\bar{a}$ sa) caused by phlegm. It may be white, like a full moon, an umbrella, a pearl ($mukt\bar{a}$) or a spiral ($\bar{a}varta$).
- Or it may be uneven, thin in the middle, streaked or have excessive shine (prabha). A humour (doṣa) in the pupil may be characterized as being painful or having blood. ¹⁵⁰
- At a time that is neither too hot or too cold, the patient who has been oiled and sweated is restrained and seated, looking symmetrically at his own nose.

The wise physician should separate ($muktv\bar{a}$) two white sections from

¹⁴⁷ The vulgate edition omits part of this verse (ab) combining earlier and later passages.

¹⁴⁸ The term watery eye (*syanda*) refers to the specific disease *abhiṣyanda*. See SS.6.6.5, 1.46.51, etc.

¹⁴⁹ Dalhana notes that *Kalpa* means the Uttaratantra adhyāya 18 (**vulgate**).

¹⁵⁰ In the vulgate, and in parallel passages in the AS, the reading "it may be (*bhavet*)" is replaced with the negative "if, then not (*na ced*)" (cf. AS utt.17.1–3 (**atha-1980**)). These characteristics are then read as conditions that preclude surgery; for the Nepalese recension, they are simply descriptions of the appearance of a cataract.

the black part (krsna) and from the outer corner of the eye ($ap\bar{a}nga$). Having $p\bar{1}d$ - (pressed) properly into the eye, ¹⁵¹ at the naturally occurring (daivakrte) hole (chidra) with the probe ($śal\bar{a}k\bar{a}$) made of copper or iron, with a tip like a barley-corn that is held by a steady hand with the middle finger, forefinger and thumb, the left one with the right hand and the other one contrariwise.

When the piercing is done, there is the simultaneous issue of a drop of liquid and a sound. 152

- The expert should moisten the exact place of piercing with a woman's breast-milk. Then he should scratch the circuit of the pupil (dṛṣṭimaṇḍala) with the tip of the probe (śalākā). 153
- Without injuring, gently pushing the phlegm in the circuit of the pupil against the nose, he should remove it by means of sniffing (ucchingana).¹⁵⁴
- Whether the humour is solid ($sty\bar{a}na$) or liquid (cala), one should apply sweating to the eye externally, with leaves ($bha\dot{n}ga$) that remove wind, after fixing the needle ($s\bar{u}c\bar{\imath}$) properly. 155
- But if the humour cannot be destroyed or if it comes back, one should apply the piercing (*vyadha*) once again, with appropriate oils and so on.
- Now the pupil (drsti) shines like the sun (hari) in a cloudless sky; then, when objects become visible, one may slowly remove the probe $(\hat{s}a-l\bar{a}k\bar{a})$. 156
- 60 Having smeared ghee on the eye, one should cover it with a bandage.

¹⁵¹ We understand the locative *nayane* as the place of pressing; other interpreters take it as an accusative dual. The idea is that the eye is held steady by the surgeon.

¹⁵² Dalhana interprets simultaneous (*samyak*) rather as "proper," referring to the proper kind of incision.

¹⁵³ The anatomy of the eye is described in SS 6.1.14–16 (**vulgate**) The disks or *maṇḍalas* are the circuits or disks of the eye.

¹⁵⁴ Palhaṇa describes sniffing (*ucchingana*) at SS 6.19.8 (**vulgate**), clearly intending inward sniffing.

¹⁵⁵ We interpret *bhaṅga* as leaves, following the usage elsewhere in this sthāna SS 4.32.9, 6.11.5 (**vulgate**) where *bhaṅga* means shoots (*pallava*). A similar procedure is described at AS 6.17.25 (**atha-1980**), where sweating of the eye is done by means of the leaves of a castor-oil plant.

¹⁵⁶ There are many problems with the MS readings and interpretation of this half-verse. We have inferred "sky" and emended from "free from the point (*agramukta*)" to "free from clouds (*abhramukta*)". The latter meaning is supported (in different words) by the vulgate and occurs elsewhere in Sanskrit literature.

- Then, he must lie down supine in a house free from disturbances. 157
- At that time, he should not belch, cough, sneeze, spit or shiver. Afterwards there should be restrictions $(yantranaa \bar{a})$ as in the case of someone who has drunk oil.¹⁵⁸
- 62 Every three days one should wash it with decoctions (*kaṣāya*) that remove wind. After three days, one should sweat the eye externally because of the danger of wind.
- Having restrained himself in this way for ten days he should thereafter take a beneficial regimen (*karma*) that clears the pupil (*dṛṣṭi*) and also he should take light food in measure.

[Complications]

- 64 When there is a misshapen eyeball (*vilocana*), the eye may fill because of the release of blood from a vein. 159
 - A hard probe leads to shooting pain $(s\bar{u}la)$, a thin to unsteadiness of the humours (dosapariplava), ¹⁶⁰
- a thick-tipped probe leads to a large wound, and a sharp one may cause harm in many ways; a very irregular one may cause a discharge of water, a rigid (*sthirā*) one brings about a loss of function (*kriyāsaṅga*).¹⁶¹
- 66 Therefore, one should make a good probe that is free from these defects.

[Characteristics of the probe]

The probe should be eight finger-breadths long and in the middle it is wrapped with thread and is as thick as a thumb joint. It is shaped like

¹⁵⁷ Dalhaṇa explains disturbances specifically as dust, smoke, drafts and sunlight SS 6.17.67 (vulgate).

¹⁵⁸ Dalhaṇa glosses "restrictions (yantraṇā)" as having a controlled diet and the other restrictions appropriate to someone who is taking oil as a preparation before further therapy (SS 6.17.68 (vulgate)). These restrictions are also described at SS 6.18.28 (vulgate) and Ah 1.16.25cd (kunt-1902).

¹⁵⁹ The condition of "misshapen eye" is referred to briefly in SS 6.61.9 (**vulgate**), where Dalhana glosses it as "bent brow and eye (*vakrabhrūnetra*)." The vulgate's reading of "with blood (*śonitena*)" is easier to construe.

¹⁶⁰ There is a medically significant difference here from the vulgate, which reads "a rough (*khara*) probe" not a "thin" probe.

¹⁶¹ This translation of loss of function (*kriyāsanga*) is given on the basis of Dalhaṇa's gloss of *kriyāsangakarin* as "causing the destruction of actions such as moving (*gamanādikriyāvināśakarī*)" at SS 3.8.19 (**vulgate**).

- a bud at both ends (vaktra).
- 67 A commendable probe should be made of silver, iron or gold (\dot{sataku} - $mbh\bar{\iota}$). 162

[Complications]

Redness, swelling, lumps, driness (coṣa), bubbling (budbuda), 163 pigs' eye $(s\bar{u}kar\bar{a}kṣit\bar{a})$, 164 , irritation (adhimantha), etc. and other diseases arise from faults in the piercing,

- or even from bad behaviour. One should treat them each accordingly. Listen to me once again about compounds for painful red eyes. Red chalk (gairikah), Indian sarsaparilla $(s\bar{a}riv\bar{a})$, panic grass $(d\bar{u}rv\bar{a})$, and ghee ground with barley.
 - 71 This face ointment is to be used for quelling pain and redness. Or else it may be taken combined with the juice of citron (*mātuluṅga*) with sesame gently fried, mixed with white mustard (*siddhārthaka*). This is immediately beneficial when someone is looking for relief.
 - 72 A paste with Holostemma (payasyā), 166 Indian sarsaparilla (śārivā), cassia cinnamon (patra), Indian madder (mañjiṣṭhā), and liquorice (madhukair) stirred with goat's milk, pleasantly warmed, is said to be healthy. 167
 - Alternatively, it can be made in this way with Himalayan cedar, Himalayan cherry (*padmaka*) and dried ginger. Or, in the same way, with grapes, liquorice and the Lodh tree mixed with Sindh salt.
 - 74 Alternatively, goats' milk with the Lodh tree, Sindh salt, red grapes and

¹⁶² The vulgate reads "copper (*tāmra*)" in place of "silver."

¹⁶³ Dalhaṇa glosses "bubbling (budbuda)" as "prolapse (māṃsanirgama) that looks like bubbles."

¹⁶⁴ The expression "pigs' eye" appears to be a *hapax*. It is glossed as "downward vision (*adhodṛṣṭitva*)" by Dalhaṇa.

¹⁶⁵ On the adverbial use of gently (*mṛdu*), see **gomb-1979**.

¹⁶⁶ The identity of *payasyā* is debated (**sing-1972**), and was already in doubt at the time of Dalhaṇa but likely candidates may be those suggested by Dalhaṇa, who suggests either *arkapuṣpī* or *kṣīrakākolī*, that may be *Holostemma adakodien* Schult. and *Leptadenia reticulata* (Retz.) Wight & Arn. (**adps**). The *Sauśrutanighaṇṭu* glosses it as *kṣīrikā* or *arkapuṣpikā* (**suve-2000**).

¹⁶⁷ The expression "stirred with goat's milk (*ajākṣīrārdita*)" is difficult. It may be connected with the rare root *ard* documented by **whit-root**. Cf. √*ard gatau* (*Dhātupāṭha* 1.56).

- liquorice, cooked, should be used in irrigation because it removes pain and redness.
- Having cooked it with liquorice, water-lily, and costus, mixed with grapes $(dr\bar{a}ks\bar{a})$, lac $(l\bar{a}ks\bar{a})$, white sugar $(sit\bar{a})$, with wild asparagus, Hare Foot Uraria $(prthakparn\bar{i})$, 168 nutgrass $(must\bar{a})$, liquorice, Himalayan cherry (padmaka), and Sindh salts, one should apply it [irrigation] gently warm.
- 76cd–77ab Ghee that has been cooked in four times the amount of milk that has itself been cooked with drugs that destroy wind. This has an admixture of cottony jujube $(k\bar{a}kol\bar{\iota})$ etc., should be prescribed in all treatments. To
- 77cd–78ab If pain does not end in this way, one should administer blood-letting to the vein of someone who has previously been oiled and sweated. Then the wise physician should apply cauterization in the advised manner.¹⁷¹
- 78cd–80ab Now listen to two excellent collyriums for making the pupils clear. After grinding the flowers of perploca of the woods (meṣaśṛṅga), siris (śirīṣa), axelwood (dhava) royal jasmine (jātī), pearl and beryl (vaiḍūrya) with goat's milk, one should put it in a copper pot for seven days.
 - Having made it into wicks (*vartti*), the physician should apply it as a collyrium. Alternatively, one should make kohl (*srotoja*), coral (*vidruma*), cuttlefish bone (*phena*), and realgar (*manaḥśilā*) and peppers into wicks as before. One should apply these wicks, which are good in a collyrium, to steady the pupil.
 - 82 I shall again discuss the foremost collyriums at length in the *Kriyākalpa* section. Those various methods may be applied here too.

or a dual?

¹⁶⁹ Dalhaṇa mentions that these drugs include Deodar (*bhadradāru*) and other wind-destroying drugs. The *vātasaṃśamana* group is listed in *Suśrutasaṃhitā sūtrasthāna* 1.39.7.

¹⁷⁰ Dalhana notes that this would include errhines, ointments, etc.

¹⁷¹ The vulgate reads *vāpi* for *cāpi*, so Dalhaṇa sees blood-letting and cautery as alternatives, not a sequence of treatments. Dalhaṇa lists the places that cauterization may be applied, such as the brow, forehead, etc.

Abbreviations

Ah1902	Kuṃṭe, Ananta Moresvara and Navare,
	Kṛṣṇaśāstrī Rāmacandra (1902) (eds.),
	श्रीमद्वाग्भटविरचितम् अष्टाङ्गहृदयम्, सूत्र-शारीर-निदान-
	चिकित्सा-कल्प-उत्तरस्थानविभक्तम् श्रीमदरुणदत्त-
	प्रणीतया सर्वांगसुंदर्याख्यया व्योख्यया समलंकृतम्

(Kṛṣṇadāsa Āyurveda Sīrīja, 3; Muṃbayyām:

Nirṇayasāgara Press).

AS 1980 Āṭhavale, Anaṃta Dāmodara (1980) (ed.),
Astāṅgasaṅgrahah. Śrīmad Vrddhavāgbhataviracitah

Induvyākhyāsahitaḥ (Puṇe: Maheśa Anaṃta Āthavale, Śrīmad Ātreya Prakāśanam),

ark:/13960/t9773bb9z.

Bhela 1921 Mookerjee, Ashutosh and Ananta Krishna

Shastri, Vedantabisharad (1921) (eds.), *The Bhela Samhita. Sanskrit Text* (Calcutta: University of Calcutta), ark:/13960/t3sv3157j; Based on two copies made of the Thanjavur codex unicus (MS Thanjavur TMSSML 10773,

burn-clas, sast-desc16).

Bhela 2000 Krishnamurthy, K. H. (2000), Bhela-saṃhitā.

Text with English Translation, Commentary and Critical Notes (Haridas Ayurveda Series, 8;

Varanasi: Chaukhambha Visvabharati).

HIML Meulenbeld, Gerrit Jan (1999–2002), A History

of Indian Medical Literature, 5 vols. (Groningen:

E. Forsten), ISBN: 9069801248.

NCC Raghavan, V. et al. (1949–), New Catalogus

Catalogorum, an Alphabetical Register of Sanskrit and Allied Works and Authors, 39 vols. (Madras University Sanskrit Series; Madras: University

of Madras); v.1: revised edition, 1968.

NGMCP

SS 1889

SS 1931

SS 1938

SS 1938²

NGMCP (2014), 'Nepal-german Manuscript Cataloguing Project. Online Title List and Descriptive Catalogue', Universität Hamburg and Deutsche Forschungsgemeinschaft, URL.

Bhaṭṭācāryya, Jīvānanda Vidyāsāgara (1889) (ed.), सृश्रुतः. सूत्र-निदान-शारीर-चिकित्सा-कल्पोत्तर-तन्त्र-कल्पित आयुर्वेद. भगवता धन्वन्तरिणोपदिष्टः सृश्रुतनामधेयेन तच्छिष्येण विरचितः (3rd edn., Calcutta: Saratī Press), ark:/13960/t1nh6j09c; meul-hist, edition b.

Ācārya, Yādavaśarma Trivikrama (1931) (ed.), सुश्रुतसंहिता, वैद्यवरश्रीडल्हणाचार्यविरचि-तया निबन्धसंग्रहाख्यव्याख्यया समुष्लिसता, महर्षिणा सुश्रुतेन विरचिता, सूत्र-निदान-शारीर-चिकित्सा-कल्पस्थानोत्तरतन्त्रात्मकः. आचार्योपाह्वेन त्रिविक्रमात्मजेन यादवशर्मणा संशोधिता = The Sushrutasaṃhitā of Sushruta with the Nibandhasangraha Commentary of Shree Dalhaṇāchārya (2nd edn., Mumbayyāṃ: Pāṇḍuraṅga Jāvajī at the Nirṇayasāgaramudrāyantrālaye), ark:/13960/t9j41sg94, accessed 09/06/2020; meul-hist edition*v.

Ācārya, Yādavaśarma Trivikrama and Ācārya, Nārāyaņa Rāma (1938) (eds.), श्रीडल्हणाचार्य-विरचितया निबन्धसंग्रहाख्यव्याख्यया निदानस्थानस्य श्रीगयदासाचार्यविरचितया न्यायचन्द्रिकाख्यपञ्जिका-व्याख्यया च समुल्लसिता महर्षिणा सुश्रुतेन विरचिता सुश्रुतसंहिता (3rd edn., Bombay: Nirṇayasāgara Press); meul-hist edition cc.

Ācārya, Yādavaśarma Trivikrama and Ācārya, Nārāyaṇa Rāma (2004) (eds.), महर्षिणा सुश्रुतेन विरचिता सुश्रुतसंहिता, श्रीडल्हणाचार्यविरचितया निबन्धसंग्रहाख्यव्याख्यया निदानस्थानस्य श्रीगयदासा-चार्यविरचितया न्यायचन्द्रिकाख्यपञ्जिकाव्याख्यया च समृष्ठसिता (Vārānasī: Caukhambhā Krsnadāsa

Akādamī); Reprint of the third, 1938 edition (**susr-trikamji3**), with changed pagination.

 SS_{1915}

Ācārya, Yādavaśarma Trivikrama (1915) (ed.), सुश्रुतसंहिता, सुश्रुतेन विरचिता, वैद्यवर-श्रीडल्हणाचार्यविरचितया निबन्धसंग्रहाख्यव्याख्यया समुष्ठसिता, आचार्योपाह्वेन त्रिविक्रमात्मजेन यादवशर्मणा संशोधिता = The Sushrutasamhita of Sushruta, the Nibandhasangraha Commentary of Shri Dalhaṇāchārya (Mumbayyāṃ: Nirṇayasāgaramudrāyantrālaye), ark:/13960/t3sv0mt50, accessed 29/07/2020; meul-hist edition *v.

Viṣṇudharmottarapurāṇa

Śarman, Madhusūdana and Śarman, Mādhavaprasāda (1912) (eds.), *Viṣṇudharmottarapurāṇam* (Mumbai: Khemarāja Śrīkṛṣṇadāsa at the Śrīveṅkaṭeśvara Steam Press), ark:/13960/t6qz6fr23; Lithograph format. Edited on the basis of a manuscript belonking to the astrologer Śudhākaraśarman of the Varanasi Sanskrit Pāthaśālā.

References

Ācārya, Yādavaśarma Trivikrama and Śarman, Nandakiśora (1939) (eds.), सुश्रुतसंहितायाः सूत्रस्थानम्. श्रीचक्रपाणिदत्तविरचितया भानुमतीव्याख्याया समेतम् = Sushrut-sañhitā (sūtra Sthān) with Bhānumatī Commentary by Chakrapāṇi Datta with Introduction by Gaṇanāth Sen (Śrīsvāmi Lakṣmīrāma Nidhi Granthamālā = Shrī Swāmī Lakshmī Rām Trust Series, 1; [Jaipur]: Śyāmasundara Śarman); Printed at the Nirṇayasāgara Press, Bombay.

Adriaensen, Rob C. R., Barkhuis, Roelf, and Ruijters, Jean-Louis (1984), 'An English Translation of Suśrutasaṃhitā, Nidānasthāna 1, 1–39, Together with Gayadāsa's Nyāyacandrikā', in Gerrit Jan Meulenbeld (ed.), *Proceedings of the International Workshop on Priorities in the Study of Indian Medicine* (Groningen: Forsten), 277–310.

Apte, Vaman Shivaram (1992), *The Practical Sanskrit-English Dictionary* (Kyoto: Rinsen Book Company), ISBN: 4-653-00038-7; Reprinted from **gode-apte**.

- Bausi, Alessandro et al. (2015), *Comparative Oriental Manuscript Studies. An Introduction* (Hamburg: Tredition). DOI: 10.5281/ZENODO.46784.
- Bendall, Cecil (1883), Catalogue of the Buddhist Sanskrit, Manuscripts in The, University Library, Cambridge: With Introductory Notices and Illustrations of the Palaeography and Chronology of Nepal and Bengal (Cambridge: University Press), ark:/13960/t03x8vz7b.
- Bhaṭṭācārya, Candrakānta (1910–7) (ed.), सुश्रुतसंहिता प्रथमखण्डम् सूत्रस्थानात्मकम्...हाराणचन्द्रचक्रवर्तिकविराजविरचितसुश्रुतार्थसन्दीपनभाष्य- समेतम्...चन्द्रकान्त भट्टाचार्य-प्रमुखैः संशोधितम् = [The Suśrutasaṃhitā with the Commentary Suśrutārthasandīpanabhāṣya by Hārāṇacandra Cakravarti] (Kalikātā: Satya Press); Edition "t" in meul-hist.
- Birch, Jason (2021), 'Cleaning the Body like a Conch: The Haṭhasaṅ-ketacandrikā and Śaṅkhaprakṣālana', *Academia Letters* (Jan.). Doi: 10.20935/al144.
- Breton, P. (1826), 'On the Native Mode of Couching', *Transactions of the Medical and Physical Society of Calcutta*, 2: 341–82, ark:/13960/t3dz8nn5t, URL, accessed 02/06/2021.
- Bronkhorst, Johannes (2021), 'Patañjali's Āryāvarta = Śuṅga realm?', *Academia Letters*. DOI: 10.20935/al291; Article 291.
- Burghart, Marjorie (2016), 'The TEI Critical Apparatus Toolbox: Empowering Textual Scholars through Display, Control, and Comparison Features', *Journal of the Text Encoding Initiative*, 10/Issue 10. DOI: 10.4000/jtei.1520, URL, accessed 12/12/2017.
- —— (2017), 'Textual Variants', in Marjorie Burghart, James Cummings, and Elena Pierazzo (eds.), *Digital Editing of Medieval Texts: A Textbook* (DEMM), URL, accessed 04/07/2021.
- Burnell, Arthur Coke (1880), *A Classified Index to the Sanskrit Mss. in the Palace at Tanjore* (London: Trübner), ark:/13960/t4xh86j61; Bhelasamhitā described on pp. 67 ff.
- Cone, Margaret (2001), *A Dictionary of Pāli* (Oxford: The Pali Text Society), ISBN: 0 86013 394 x.
- Cordier, P. (1903), 'Récentes découvertes de mss. médicaux sanscrits dans l'Inde (1898–1902)', *Muséon, Nouvelle Série*, 4: 321–52, ark:/13960/t26b2j457, accessed 02/01/2020; Reprinted in rosu-1989.

- Dave, K. N. (1985), *Birds in Sanskrit Literature* (Delhi: Motilal Banarsidass), ISBN: 0-89581-676-8, ark:/13960/t2c94cv80.
- Deshpande, Vijaya (1999), 'Indian Influences on Early Chinese Ophthal-mology: Glaucoma As a Case Study', *Bulletin of the School of Oriental and African Studies*, 62: 306–22. DOI: 10.1017/S0041977X00016724.
- —— (2000), 'Ophthalmic Surgery: A Chapter in the History of Sino-indian Medical Contacts', *Bulletin of the School of Oriental and African Studies*, 63/3: 370–88, ISSN: 0041-977X. DOI: 10.1017/s0041977x00008454.
- Elliot, Robert Henry (1918), The Indian Operation of Couching for Cataract: Incorporating the Hunterian Lectures Delivered before the Royal College of Surgeons of England on February 19 and 21, 1917 (London: H. K. Lewis).
- Emeneau, M. B. (1969), 'Sanskrit Syntactic Particles "kila, khalu, nūnam", *Indo-Iranian Journal*, 11/4: 241–68.
- Fan, Ka Wai (2005), 'Couching for Cataract and Sino-indian Medical Exchange Fromthe Sixth to the Twelfth Century Ad', *Clinical and Experimental Ophthalmology*: 188–90. DOI: 10.1111/j.1442-9071.2005.00978.x; Unaware of **desh-1999**; **desh-2000**.
- Gombrich, Richard (1979), "He cooks softly': dverbs in Sanskrit grammar', Bulletin of the School of Oriental and African Studies, 42/2 (June): 244–56. DOI: 10.1017/s0041977x0014580x.
- Harimoto, Kengo (2011), 'In Search of the Oldest Nepalese Manuscript', *Rivista degli Studi Orientali*, 84/1–4: 85–106, ISSN: 0392-4866, URL, accessed 08/09/2019.
- (2014), 'Nepalese Manuscripts of the Suśrutasaṃhitā', Journal of Indian and Buddhist Studies (Indogaku Bukkyogaku Kenkyu), 62/3: 23–29 (1087-1093). DOI: 10.4259/ibk.62.3_1087, URL, accessed 08/09/2019.
- —— (pre-published), '[Preliminary Edition of the Nepalese MSS of the Suśrutasaṃhitā, adhyāyas 1.1–3, 6.4]'; Unpublished document dated 2010.
- Hayashi, Takao (2017), 'The Units of Time in Ancient and Medieval India', *History of Science in South Asia*, 5/1: 1–116. DOI: 10.18732/h2ht0h.
- Hemarāja Śarman (1938) (ed.), काश्यपसंहिता (वृद्धजीवकीयं तन्त्रं वा) महर्षिणा मा-रीचकश्यपेनोपदिष्टा ... हेमराजशर्मणा लिखितेन विस्तृतेन उपोद्धातेन सहिता ... सत्यपाल भिषगा कृतया विद्योतिनी हिन्दीव्याख्यया ... समुष्लसिता (1st edn., Mumba: Nirṇayasāgara Press), url, accessed 02/02/2018.

- Hendley, T. Holbein (1895), A Medico-topographical Account of Jeypore, Based on the Experience of Twenty Years' Service As a Residency Surgeon and Thirteen As Superintendent of Dispensaries at Jeypore, Rajputana (Calcutta: Calcutta Central Press Company).
- Hoernle, A. F. Rudolf (1893–1912) (ed.), *The Bower Manuscript: Facsimile Leaves, Nagari Transcript, Romanised Transliteration and English Translation with Notes* (New Imperial Series, 22; Calcutta: Government of India and under the patronage of the Bengali Government, Archaeological Survey of India), ark:/13960/t05z1bg4q.
- Hofer, Theresia (2007), 'Swami Laxmi Ram's Ayurvedic Pharmacy in Jaipur, India', *Wellcome History*, 34: 2–3, URL, accessed 01/07/2021.
- Jack, David Morton (1884), 'A Thesis on Cataract in India: Its Pathology and Treatment', Wellcome Library, London, MS.3007, URL, accessed 02/06/2021.
- Jośī, Veṇīmādhavaśāstrī and Jośī, Nārāyaṇa Harī (1968), Āyurvedīya Mahākośaḥ arthāt Āyurvedīya Śabdakośaḥ Saṃskṛta—Saṃskṛta (Muṃbaī: Mahārāṣṭra Rājya Sāhityta āṇi Saṃskṛti Maṃḍaļa), URL.
- Klebanov, Andrey (2021*a*), 'On the Textual History of the Suśrutasaṃhitā (1): A Study of Three Nepalese Manuscripts', to be published in *eJIM: Electronic Journal of Indian Medicine*, URL, accessed 09/09/2019.
- —— (2021*b*), 'On the Textual History of the Suśrutasaṃhitā, (2): An Anonymous Commentary and its Identified Citations', in Toke Lindegaard Knudsen, Jacob Schmidt-Madsen, and Sara Speyer (eds.), *Body and Cosmos: Studies in Early Indian Medical and Astral Sciences in Honor of Kenneth G. Zysk* (Leiden, Boston: Brill), 110–39.
- Leffler, Christopher T. et al. (2020), 'The History of Cataract Surgery: From Couching to Phacoemulsification', *Annals of Translational Medicine*, 8/22: 1551–97, ISSN: 2305-5847. DOI: 10.21037/atm-2019-rcs-04, URL, accessed 02/11/2020.
- Lienhard, Siegfried (1978), 'On the Meaning and Use of the Word Indragopa', *Indologica taurinensia*, 6: 177–88, URL, accessed 06/02/2021; The indragopa is a 'red velvet mite'.
- Masai, François (1950), 'Principes et conventions de l'édition diplomatique', *Scriptorium*, 4: 177–93. DOI: 10.3406/scrip.1950.2294.

- Moureau, Sébastien. (2015), 'The Apparatus Criticus', in Alessandro Bausi et al. (eds.), Comparative Oriental Manuscript Studies: An Introduction (Hamburg: Tredition), 348–52, ISBN: 978-3-7323-1768-4, URL, accessed 04/07/2021.
- Nadkarni, K. M. (1954), Dr. K. M. Nadkarni's Indian Materia Medica, with Ayurvedic, Unani-tibbi, Siddha, Allopathic, Homeopathic, Naturopathic & Home Remedies, Appendices & Indexes ... in Two Volumes, ed. A. K. Nadkarni, 2 vols. (3 ed., revised by A. K. Nadkarni, Bombay: Popular Prakashan), ark:/13960/t6rz4h160.
- NGMCP (2014), 'Nepal-german Manuscript Cataloguing Project. Online Title List and Descriptive Catalogue', Universität Hamburg and Deutsche Forschungsgemeinschaft, URL.
- Oberlies, Thomas (2003), *A Grammar of Epic Sanskrit* (Indian Philology and South Asian Studies, 5; Berlin: De Gruyter), ISBN: 9783110144482. DOI: 10.1515/9783110899344.
- Pandey, Anshuman (2012), 'Proposal to Encode the Newar Script in ISO/IEC 10646', URL.
- Parshwanath Shastri, Vardhaman (1940) (ed.), *The Kalyāṇa-kārakam of Ugrādityacharya*, *Edited with Introduction, Translation, Notes, Indexes and Dictionary* (Sakharam Nemchand Granthamala; Sholapur).
- Pass, Gregory (2003), Descriptive Cataloging of Ancient, Medieval, Renaissance, and Early Modern Manuscripts (Chicago: American Library Association), ISBN: 0-8389-8218-2, URL.
- Preisendanz, Karin (2007), 'The Initiation of the Medical Student in Early Classical Āyurveda: Caraka's Treatment in Context', in Birgit Kellner et al. (eds.), Pramāṇakīrtiḥ. Papers Dedicated to Ernst Steinkellner on the Occasion of His 70th Birthday. Part 2, ii, 2 vols. (Wiener Studien zur Tibetologie und Buddhismuskunde, 70.2; Wien: Arbeitskreis für Tibetische Und Buddhistische Studien Universität Wien), 629–68, ISBN: 9783902501097, URL.
- Price, Kenneth M. (2013), 'Electronic Scholarly Editions', in Ray Siemens and Susan Schreibman (eds.), *A Companion to Digital Literary Studies* (Chichester, UK: John Wiley & Sons, Ltd), 434–50. DOI: 10 . 1002 / 9781405177504.ch24, URL, accessed 04/07/2021.

- Rama Rao, B. et al. (2005), Sanskrit Medical Manuscripts in India (New Delhi: Central Council for Research in Ayurveda & Siddha), ark:/13960/t88h7763b.
- Rhys Davids, Thomas William and Stede, William (1921–5), *The Pali Text Society's Pali-English Dictionary* (London: The Pali Text Society), URL.
- Roşu, Arion (1989), *Un demi-siècle de recherches āyurvédiques. Gustave Liétard et Palmyr Cordier: Travaux sur l'histoire de la médecine indienne* (Paris: Institut de Civilisation Indienne).
- Sastri, Hrishikesh and Gui, Siva Chandra (1895–1917), *A Descriptive Catalogue of Sanskrit Manuscripts in the Library of Calcutta Sanskrit College* (Calcutta: Baptist Mission Press).
- Sastri, P. P. S. (1933), A Descriptive Catalogue of the Sanskrit Manuscripts in the Tanjore Maharaja Serfoji's Sarasvati Mahal Library Tanjore: Natya, Sangita, Kamasastra, Vaidya & Jyotisa, nos. 10650 11737 (Srirangam: Sri Vani Vilas Press), ark:/13960/t3nw8bc12.
- Scott, H. (1817), 'Some Remarks on the Arts of India, with Miscellaneous Observations on Various Subjects', *Journal of Science and the Arts*, 2: 67–72, ill. after 133, ark:/13960/t9870jt4g; bret-1826 cites Scott's description of cataract couching.
- Sena, Gaṅgāprasād et al. (1886–93) (eds.), सुश्रुतसंहिता...दल्लनाचार्य्य-कृत-निवन्ध-संग्रह, चक्रपाणिदत्त-कृत-भानुमती-टीका...वङ्गानुवाद...ईरेजि प्रतिशब्द (Calcutta: Maṇirāma Press); Edition "g" in **meul-hist**.
- Sharma, Har Dutt (1939), Descriptive Catalogue of the Government Collections of Manuscripts Deposited at the Bhandarkar Oriental Research Institute, Vol. XVI, Part I, Vaidyaka (Descriptive Catalogue of Manuscripts in the Government Manuscripts Library; Pune: Bhandarkar Oriental Research Institute), ark:/13960/t0ms6rc70, accessed 23/10/2019.
- Sharma, Priya Vrat (1982), *Dalhaṇa and his Comments on Drugs* (Delhi: Munshiram Manoharlal).
- —— (1999–2001), Suśruta-Saṃhitā, with English Translation of Text and Ḥal-haṇa's Commentary Alongwith (sic) Critical Notes, 3 vols. (Haridas Ayurveda Series, 9; Varanasi: Chaukhambha Visvabharati).
- Shastri, R. Shama (1920) (ed.), बोधायनगृह्यसूत्रम् *The Bodhāyana Grihyasutra* (Mysore: University of Mysore), ark:/13960/t2t492622.

- Singh, Thakur Balwant and Chunekar, K. C. (1972), Glossary of Vegetable Drugs in Brhattrayī (Varanasi: Chowkhamba Sanskrit Series Office).
- Sivarajan, V. V. and Balachandran, Indira (1994), *Ayurvedic Drugs and Their Plant Sources* (New Delhi, Bombay, Calcutta: Oxford & IBH Publishing).
- Suvedī, K. S. and Tīvārī, N. (2000) (eds.), Sauśrutanighaṇṭuḥ: granthādau vistṛtena granthavaiśiṣṭyaprakāśakenopodghātena avasāne ca dravyāṇām anekabhāṣānām āvalī- paryāyasaṅgrahābhyāṃ samalaṅkrtaḥ Suśrutas-aṃhitāyāṃ prayuktānām auṣadhadravyāṇāṃ paryāya-guṇakarmavarṇātmako pūrvagranthaḥ (Belajhuṇḍī, Ṣāṅ: Mahendrasaṃskrūtaviśvavidyālayaḥ).
- The Unicode Consortium (1991–2020), 'The Unicode Standard 13.0, NewaRange: 11400–1147F', URL, accessed 20/07/2021.
- Velankar, H. D (1925–30), Descriptive Catalogue of the Sanskṛta and Prākṛta Manuscripts in the Library of the Bombay Branch of the Royal Asiatic Society (Bombay: Royal Asiatic Society, Bombay), ark:/13960/t53g00h0n; Biswas #0115.
- Warrier, P. K., Nambiar, V. P. K., and Ramankutty, C. (1994–6) (eds.), *Indian Medicinal Plants: A Compendium of 500 Species. Vaidyaratnam P. S. Varier's Arya Vaidya Sala, Kottakal* (Madras: Orient Longman).
- Watt, George (1889–96), A Dictionary of the Economic Products of India (Calcutta: Dept. Revenue and Agriculture, Government of India), URL, accessed 28/04/2021.
- —— (1908), The Commercial Products of India, Being an Abridgement of "the Dictionary of the Economic Products of India" (London: John Murray), ark:/13960/t9t14xh3x.
- Whitney, William Dwight (1885), *The Roots, Verb-forms, and Primary De-rivatives of the Sanskrit Language. A Supplement to his Sanskrit Grammar* (Leipzig: Breitkopf and Härtel), ark:/13960/t3qv3p906.
- Wujastyk, Dagmar (2012), Well-mannered Medicine: Medical Ethics and Etiquette in Classical Ayurveda (New York: Oxford University Press).

 DOI: 10.1093/acprof:0so/9780199856268.001.0001.
- —— (2019), 'Iron Tonics: Tracing the Development from Classical to Iatrochemical Formulations in Ayurveda', HIMALAYA, the Journal of the Association for Nepal and Himalayan Studies, 39/1, ISSN: 2471-3716, URL, accessed 23/07/2019.

- Wujastyk, Dominik (2003), *The Roots of Ayurveda: Selections from Sanskrit Medical Writings* (Penguin Classics; 3rd edn., London, New York, etc.: Penguin Group), ISBN: 0-140-44824-1.
- —— (2004), 'Agni and Soma: A Universal Classification', *Studia Asiatica: International Journal for Asian Studies*, IV–V, ed. Eugen Ciurtin: 347–70, ISSN: 1582–9111, URL.
- —— (2013), 'New Manuscript Evidence for the Textual and Cultural History of Early Classical Indian Medicine', in *Medical Texts and Manuscripts in Indian Cultural History*, ed. Dominik Wujastyk, Anthony Cerulli, and Karin Preisendanz (New Delhi: Manohar), 141–57, URL.
- Zimmermann, Francis (1999), *The Jungle and the Aroma of Meats* (2nd edn., Delhi: Motilal Banarsidass), ISBN: 8120816188.

Glossary

'a man who holds the	adhyāya	anger
child'	sections: 19	krodha: 16
bālagrāhipuruṣa: 21	ādityakarāvabhāsita	animals
'a wick that is too thick'	illuminated by	paśu: 17
gāḍhataravartitva:	sunshine: 21	añjana
22	admixture	application of
'because of the	prativāpa: 26	collyrium: 35, 40
accummulation of	āgantu	eye make-up: 32
humours'	external factors: 19	stibnite: 40
doṣasamudāyāt: 22		antra
'or by special treats'	agra	
bhakṣyaviśeṣair vā:	supernatant layer:	entrails: 38
21	40	ants
'piercing with a painful,	agramukta	pipīlika: 17
crooked and	free from the point:	anulepana
	43	massage ointment:
unrecommended needle'	āhāra	32
	diet: 16	apāmarga
kliṣṭajihmā-	āhārya	prickly chaff
praśastasūcīvyadha:	take away: 23	flower: 23
22	ahorātra	арāṅgа
'gentle'	day and night: 17	edge of the hole: 26
somā: 34	aids	outer corner of the
abhayā	aṅga: 38	eye: 43
chebulic	ajākṣīrārdita	apatānaka
	stirred with goat's	convulsions: 22
myrobalan: 37	milk: 45	application of collyrium
abhramukta	ālepa	añjana: 35, 40
free from clouds:	liniment: 35	apramatta
43	alleviated	diligent: 27
abhyanga	уāруа: 38	ārā
massage oil: 32	alleviation	awl: 21
ācāra	pratīkāra: 18	
regimen: 16		araga timira
ācārika	along these lines	non-bloodshot
medical advice: 25	evam: 18	blindness: 42
accumulation	āmalaka	ardhakapāṭasandhika
sañcaya: 18	emblic: 36	half door-hinge: 23
adhimantha	amra	arid-land animals
irritation: 45	mango: 36	jāṅgala: 41
adhiṣṭhāna	aṇḍaja	arṇavamala
located: 16	born from eggs: 17	cuttle fish: 37
adhodṛṣṭitva	aṅga	asādhya
downward vision:	aids: 38	incurable: 35
45	parts: 18	āsaṅgima
45	parts. 10	usunginu

fastening: 23	morsel: 32	black soot
aśoka	balm	maṣī: 35
asoka tree: 36	tarpaṇa: 35, 40f	blessings pronounced
āśoka	bandha	svastivācana: 21
grief: 16	bindings: 25	blindness
asoka tree	bearers	timira: 42
aśoka: <u>3</u> 6	vodhāra: 32	blink of the eye
āśrayin	beauty berry	nimeṣa: 17
substrate: 16	priyangu: 40	blood
asthi	beautyberry	rudhira: 17
bones: 18	priyaṃgu: 36	śonita: 38
аѕйуа	śyāmā: 34	blood-bile
jealousy: 16	bent brow and eye	śonita-pitta,
atibalā	vakrabhrūnetra: 44	rakta-pitta: 38
strong mallow: 39	beryl	blood-letting
ātmaka	vaiḍūrya: 46	sirāvedha: 35
nature: 16	bhadradāru	bloodshot blindness
avalekhana	deodar: 46	rāgin timira: 40
combs: 32	bhakṣyaviśeṣair vā	rāgiņi timire: 42
āvarta	'or by special	blue dot cataract
spiral: 42	treats': 21	mlāyin: 41
awl		blue lotus
ārā: 21	bhaṅga	
axelwood	leaves: 43 bhavet	<i>utpala</i> : <u>36</u> blue vitriol
dhava: 46		
ayana	it may be: 42	tuttha: 40
half-year: 18	bhāvita	body language
āyatta	cooked: 41	iṅgita: 32
depends on: 16	infused: 36	bones
āyur	bhedya _	asthi: 18
life, longevity: 13	splitting: 25	born from eggs
āyurveda	bhramaraka	aṇḍaja: 17
the science of life:	drongo: 33	born in in a caul
13	bhṛṅgarāja	jarāyuja: 17
23	racket-tailed	born of sweat
baddham	drongo: 33	svedaja: 17
bound, connected:	bile	bound, connected
27	pitta: 38	baddham: 27
balā	bindings	box myrtle
country mallow: 39	bandha: 25	kaṭphala: 37
bala	black drongo	brmhana
strength: 16	dhūmyāṭa: 33	nourishment: 16
bālagrāhipuruṣa	black part	bubbling
'a man who holds	kṛṣṇa: 43	budbuda: 45
the child': 21	black pepper	budbuda
bali	marica: 36	bubbling: 45
	5000	· T J
	2	
	58	

bulbs	chital deer	kārpāsa: 23
kanda: 17	pṛṣata: 33	cottony jujube
bull	circuit of the pupil	kākolī: 46
vṛṣabha: 33	dṛṣṭimaṇḍala: 43	counteraction
	citron	pratiședha: 35
cakradhārā	mātuluṅga: 45	country mallow
rim of a wheel: 24	clusters	balā: 39
cala	samplava: 17	cow's flesh
liquid: 43	cock	gomāṃsa: 36
cardamom	tāmracūḍa: 39	cow's urine
elā: 37	collection	gomūtra: 37
carman	varga: 18	cow-dung
pelt: 17	combined	gośakṛt: 36
carmabhedana	upahita: 38	creeper-ear
piercing leather: 21	combs	vallīkarṇa: 23
carnivore	avalekhana: 32	creepy-crawlies
kravyabhuj: 39	comfort	sarīsṛpa: 14, 17
cassia cinnamon	sukha: 18	crow's lip
patra: 45	complexion	kākauṣṭha: 23
castor oil	varņa: 16, 29	curable
pañcāṅgulataila: 38	compounds	sādhya: 35
castor oil tree	yoga: 35	cuscus grass
gandharvahasta: 22	compressed	uśīra: 40f
cataract	saṃkṣipta: 24	cutting
liṅganāśa: 42	compressed	chedya: 25
caturvarga	saṃkṣipta: 23	cutting with a blade
fourfold grouping:	conch	śastrakṣata: 35
18	salilotthita: 41	cuttle fish
catuștaya	congested humours	arṇavamala: 37
four factors: 18	sannipāta: 19	cuttlefish bone
caused by wind	convulsions	phena: 46
pavanodbhava: 38	apatānaka: 22	samudraphena: 37
causing the destruction	cooked barley	Jain
of actions such as	yavaudana: 42	dainya
moving	cooked	misery: 16
gamanādikriyāv-	bhāvita: 41	dais
ināśakarī: 44		pīṭha: 23
chebulic myrobalan	copper	daivakṛte
abhayā: 37	<i>tāmra</i> : 45 coral	naturally
chedya	vidruma: 46	occurring: 43
cutting: 25		dārvī
excision: 19	coșa drinoss: 45	tree turmeric: 36
cheek-ear	driness: 45	datta
gaṇḍakarṇa: 23	cotton	given: 33
chidra	picu: 25	datura flower
hole: 43	cotton plant	dhattūrapuṣpa: 23
	59	

day and night	doṣa	hatred: 16
ahorātra: 17	humour: 42	
decanted liquor	humours: 18	earthen products
surāmaṇḍa: 24f	doṣapariplava	pārthiva: 17f
decoctions	unsteadiness of the	edge of the hole
kaṣāya: 32, 44	humours: 44	apāṅga: 26
deer	doṣasamudāyāt	elā
eṇa: 39	'because of the	cardamom: 37
deodar	accummulation of	elixir salve
bhadradāru: 46	humours': 22	rasāñjana: 36, 40f
depends on	downward vision	elixir-salve
āyatta: 16	adhodṛṣṭitva: 45	rasāñjana: 36
depression	drākṣā	elixir-salve
viṣāda: 16	grapes: 46	śīta: 36
desert date	dravāñjana	embelia
	liquid collyrium:	vidaṅga: 40
iṅgudī: 41	-	emblic
desire	40	āmalaka: 36
icchā: 16	dravya	dhātrī: 37
dhānyāmla	substance: 29	eṇa
fermented	dried flesh	deer: 39
rice-water: 24f	vallūraka: 23	enclosed roasting
dhātrī	dried ginger	puṭākhya: 39
emblic: 37	nāgara: 37	puṭapāka: 41
dhattūrapuṣpa	driness	ends
datura flower: 23	coṣa: 45	vaktra: 45
dhava	drongo	energy
axelwood: 46	bhramaraka: 33	ojas: 29
dhūma	dṛṣṭi	entrails
inhaled smoke: 32	pupil: 35, 43f	antra: 38
dhūmadarśin	dṛṣṭimaṇḍala	envy
seeing smoke: 35	circuit of the pupil:	īrṣyā: 16
dhūmyāṭa	43	errhine
black drongo: 33	dry rubs	nasya: 39
dhyāma	utsādana: 32	essence
grimy: 32	duct	sāra: 17
diet	sirā: 22	evam
āhāra: 16	ducts	along these lines:
dilator	sirā: 18, 24	18
pravardhanaka: 22	duhkha	excision
diligent	suffering: 16	chedya: 19
apramatta: 27	dūrvā	expressed juice
disease	panic grass: 45	svarasa: 36
vyadhi: 18	dușta	external factors
door-hinge	tainted: 25	āgantu: 19
kanātasandhikas an	draca	overact of robuscarp

rauhita: 36	'a wick that is too	grapes
extracts	thick': 22	drākṣā: 46
rasa: 40	gairika	greed
eye make-up	ochre: 35f	lobha: 16
añjana: 32	gairikaḥ	green vitriol
factoria c	red chalk: 45	kāsīsa: 41
fastening	gamanādikriyāvināśakarī	grief <i>āśoka</i> : 16
āsaṅgima: 23 fat	causing the destruction of	grimy
vasā: 39	actions such as	dhyāma: 32
fermented rice-water	moving: 44	guḍikā
dhānyāmla: 24f	gaṇḍakarṇa	pill: 36
filaments	cheek-ear: 23	₹`O ^v
kiñjalka: 36	gandharvahasta	half door-hinge
flame of the forest	castor oil tree: 22	ardhakapāṭas-
palāśa: 40	garlands	andhika: 23
flavours	sraj: 32	half-year
rasa: 16, 29	gauze	ayana: 18 hare foot uraria
flesh	prota: 25	pṛthakparṇī: 46
māṃsa: 18	general rule	harenu
vadhra: 27	paribhāṣā: 40	hareņu: 37
flowering trees	gently	harenu
vṛkṣa: 17	mṛdu: 45	harenu: 37
flowers	ghee	harenu
puṣpa: 17	sarpis: 26, 35	hareņu: 37
fortnight	given	hareņu
pakṣa: 18	datta: 33	hareṇu: 37
four factors	glassy opacity	hareṇu
catuṣtaya: 18	kāca: 40	hareṇu: 36
fourfold grouping	godhā	hareṇu
caturvarga: 18	monitor lizard: 38	hareņu: 36
free from clouds	gold	hareṇu
abhramukta: 43	śātakumbhī: 45	hareņu: 36
free from the point	gomāṃsa	hari
agramukta: 43 frogs	cow's flesh: 36 gomūtra	sun: 43
maṇḍūka: 17	cow's urine: 37	haridrā
fruit trees	gośakṛt	turmeric: 41 harșa
vanaspati: 17	cow-dung: 36	overexcitement: 16
fruits	juice of cow-dung:	hatred
phala: 17	36	dveṣa: 16
,	granthi	herbs
gāḍha	lumps: 22	oṣadhi: 17
pinched: 25	granthita	himalayan cherry
gāḍhataravartitva	lumpy: 24	padmaka: 45f
	61	

hīna	red velvet mites: 17	born in in a caul: 17
reduced: 27	inflamed	jātī
hīnakarṇa	saṃrambha: 25	royal jasmine: 46
reduced-ear: 23	vidagdha: 35	jealousy
hole	infused	asūyā: 16
chidra: 43	bhāvita: 36	joining the ear
holostemma	iṅgita	karṇabandha: 21
payasyā: 45	body language: 32	joins
honey collyrium	iṅgudī	sandhāna: 23
kṣaudrāñjana: 37	desert date: 41	sandhi: 24
honey	inhaled smoke	joints
kṣaudra: 36	dhūma: 32	sandhi: 18
madhu: 36	inherent factors	juice extract
horseradish tree	svabhāva: 19	svarasa: 17
śigru: 41	inherent	juice of cow-dung
human being	svābhāvika: 16	gośakṛt: 36
puruṣa: <mark>16, 18</mark>	injured	juices
humour	utpīḍita: 42	rasa: 39
doṣa: 42	inspissation	
humours	rasakriyā: 41	kāca
doṣa: 18	intended	glassy opacity: 40
	vyākhyāta: 19	kākauṣṭha
icchā	irregularities	crow's lip: 23
desire: 16	vaiṣamya: 16	kākolī
if, then not	irrigation	cottony jujube: 46
na ced: 42	seka: 35	kalā
illness	irritation	minutes: 17
ruj: 37	adhimantha: 45	kālakṛta
illuminated by sunshine	prakopa: 18	items created by
ādityakarāvabhāsita:	īrṣyā	time: 17f
21	envy: 16	kālānusāriva
in those cases	it may be	indian sarsaparilla:
tatra: 38	bhavet: 42	37
incurable	items created by time	kāma
asādhya: 35	kālakṛta: 17f	lust: 16
indian lotus	. 1	kanda
nalina: 36	jambu	bulbs: 17
indian madder	jambū: 36	kapālacūrņa
mañjiṣṭhā: 22, 45	jambū	powdered
indian sarsaparilla	jambu: 36	earthenware
kālānusāriva: 37	jāṅgala	crockery: 24
sāriva: 37	arid-land animals:	kapāṭasandhika
śārivā: 45	41	door-hinge: 23
indragopā	jaṅgama	kapittha
lac: 34	moving: 17f	wood apple: 36
indraoona	iarāบบia	wood apple: 26

karma	carnivore: 39	kuśa grass
regimen: 44	krīḍanaka	kuśa: 40
karman	toys: 21	kuśa
therapies: 19	kriyā	kuśa grass: 40
karṇabandha	procedures: 15f, 19	1
joining the ear: 21	treatment: 18, 41	lac
kaṛnavyadha	kriyākāla	indragopā: 34
piercing the ear: 21	the time for	lākṣā: 46
karṇavyadhabandhavidhi	therapies: 18	lākṣā
the method of	kriyāsaṅga	lac: 46
piercing and joining	loss of function: 44	lāmajja grass
the ear: 21	kṛmi	lāmajja: 33
kārpāsa	worms: 17	lāmajja
cotton plant: 23	krodha	lāmajja grass: 33
kārśmarī	anger: 16	layer
white teak: 36	kṛṣṇa	paṭala: 42
kaṣāya	black part: 43	lead
decoctions: 32, 44		sīsaka: 23
kāśipati	kṛṣṇā	leaves
	long pepper: 35	bhaṅga: 43
lord of kāśī: 31 kāsīsa	kṛtamaṅgala	patra: 17
	received a	lekhana
green vitriol: 41	benediction: 21	scarification: 16
kāṣṭhā 	kṛtrimahastyaśvabalīvardaśukādi	lekhya
trice: 17	replica elephants,	scarification: 25
kaṭphala	horses, bulls and	life, longevity
box myrtle: 37	parrots: 21	āyur: 13
khara	kṣaṇadāndhya	liṅganāśa
rough: 44	night blindness: 37	cataract: 42
kinihī	kṣāraka	liniment
white siris: 41	lye: 40	ālepa: 35
kiñjalka	kṣaudra	liquid
filaments: 36	honey: 36	cala: 43
kitchen	kṣaudrāñjana	liquid collyrium
mahānasa: 31	honey collyrium:	dravāñjana: 40
kliṣṭajihmāpraśastasūcīvyadha	37	liquorice
'piercing with a	kṣīṇa	madhuka: 36
painful, crooked and	wasted: 25	madhukair: 45
unrecommended	kṣīra	madhus: 33
needle': 22	sap: 17	liver extract
knowledge	kumāradharāṅka	yakṛdrasa: 37
veda: 13	the lap of a man: 21	liver
kohl	kunta	yakṛt: 37f
srotas: 39	small insects: 17	lobha
srotoja: 37, 46	kupyaka	greed: 16
kravyabhuj	metal: 36	located
ninognomi	111Ctu1. 30	Tocated

adhiṣṭhāna: 16 lodh tree	māgadhī long pepper: 37, 40	matured vipakva: 36
lodhra: 36, 40	mahānasa	may repair
lodhra	kitchen: 31	yojayed: 27
lodh tree: 36, 40	mahua	medical advice
long pepper	madhūka: 39ff	ācārika: 25
kṛṣṇā: 35	malice 391	medicines cooked in a
māgadha: 41	mātsarya: 16	crucible
тāgadhī: 37, 40	māṃsa	puṭapāka: 35
māgadhi: 38	flesh: 18	mental
pippali: 36	māṃsanirgama	mānasa: 16
lord of kāśī	prolapse: 45	meṣaśṛṅga
kāśipati: 31	manaḥśilā	perploca of the
loss of function	realgar: 37, 40f, 46	woods: 46
kriyāsaṅga: 44	red arsenic: 36f	meṣaviṣāṇa
lotus-splittable	mānasa	periploca of the
utpalabhedyaka: 23	mental: 16	woods: 38
lumps	maṇḍūka 🗼 🗼	metal
granthi: 22	frogs: 17	kupyaka: 36
lumpy	mango	minutes
granthita: 24	amra: 36	kalā: 17
lust	mañjiṣṭhā	misery
kāma: 16	indian madder: 22,	dainya: 16
lūtā	45	misshapen eyeball
spiders: 14	manyāstambhā	vilocana: 44
lye	paralysis of the	mitigable
kṣāraka: 40	nape of the neck: 22	уāруа: 42
madhu	mardita	mitigatible
honey: 36	massaged: 26	уāруа: <u>35</u>
madhuka	marica	mlāyin
liquorice: 36	black pepper: 36	blue dot cataract:
madhūka	māsa	41
mahua: 39ff	month: 18	monitor lizard
madhukair	maṣī	godhā: 38
liquorice: 45	black soot: 35	month
madhus	massage oil	māsa: 18
liquorice: 33	abhyaṅga: 32	morsel
madira	massage ointment	bali: 32
spirits: 40	anulepana: 32	moving
madirā	massaged	jaṅgama: 17f
spirits: 37	mardita: 26	mṛdu
māgadha -	mātsarya	gently: 45
long pepper: 41	malice: 16	mudga -
māgadhi	mātuluṅga	mung beans: 42
long pepper: 38	citron: 45	muhūrta
	64	

three-quarters of	rim-join: 24	energy: 29
an hour: 17	nemīsandhānakaḥ	vital energy: 16
muktā	rim-join: 23	options
pearl: 42	night blindness	vikalpa: 24
muktvā	kṣaṇadāndhya: 37	oṣadhi
separate: 42	nimba	herbs: 17
mūla .	neem tree: 23	remedies: 18
root: 16	nimeṣa	oṣadhī-
roots: 17	blink of the eye: 17	remedies: 16
multi-joins	nirvedhima	outer corner of the eye
vyāyojima: 23	ready-split: 23	apāṅga: 43
mung beans	niryāsa	overexcitement
mudga: 42	resin: 17	harṣa: 16
mūṣika	niśācara	
rodents: 14	nocturnal creature:	pacification
mustā	41	saṃśamana: 16
nutgrass: 46	nișevita	upaśama: 18
myrobalan	prepared: 39	padmaka
pathyā: 36	used: 38	himalayan cherry:
pungu. 30	nivāta	45f
na ced	no wind: 17	pain and injury
if, then not: 42	no wind	vedanābhighāta: 13
nadīja	nivāta: 17	pāka
salt: 36	nocturnal creature	septic: 25
nāgara	niśācara: 41	pakṣa T
dried ginger: 37	non-bloodshot	fortnight: 18
nalada	blindness	palāśa
spikenard: 33, 41		flame of the forest:
nalina	araga timira: 42	40
indian lotus: 36	non-flowering tree	pallava
nasal medicines	vanaspati: 41	shoots: 43
nasya: 35	nourishment	pañcāṅgulataila
nasya	bṛṃhaṇa: 16	castor oil: 38
errhine: 39	nutgrass	panic grass
nasal medicines: 35	mustā: 46	dūrvā: 45
nasya	obstructed by blood	paralysis of the nape of
snuff: 32	raktabaddha: 25	the neck
naturally occurring	ochre	manyāstambhā: 22
daivakṛte: 43	gairika: 35f	paribhāṣā
nature 43	off his hand	general rule: 40
ātmaka: 16	sapāṇa: 39	pārthiva
needle	oil	•
		earthen products:
sūcī: 43	sneha: 17	17f
neem tree	ointment	partial blindness
nimba: 23	pralepa: 34	timira: 38
www.icawawawa	mic	narticiliare

vikalpa: 18	sūkarākṣitā: 45	practical purposes:
parts	pill	18
aṅga: 18	guḍikā: 36	prepared
paśu	pinched	nișevita: 39
animals: 17	gāḍha: 25	prepared with tilvaka
paṭala	pipīlika	tailvaka: 35
layer: 42	ants: 17	prepared with turpeth
pāthā	pippali	traivṛta: 35
velvet leaf: 41	long pepper: 36	
pathyā	pīṭha	pressed
myrobalan: 36	dais: 23	pīḍ-: 43
•	pitta	prickly chaff flower
patra cassia cinnamon:	bile: 38	apāmarga: 23
		priyaṃgu
45	plīhan	beautyberry: 36
leaves: 17	spleen: 38	priyangu
pavanodbhava	powdered earthenware	beauty berry: 40
caused by wind: 38	crockery	probe
payasyā	kapālacūrņa: 24	śalākā: 43
holostemma: 45	prabha	procedures
pearl	shine: 42	kriyā: 15f, 19
muktā: 42	practical purposes	prolapse
pelt	prayojanavat: 18	māṃsanirgama: 45
carman: 17	pragāḍha	prota
periploca of the woods	steeped: 39	•
meṣaviṣāṇa: 38	prakopa	gauze: 25
perploca of the woods	irritation: 18	pṛṣata
meṣaśṛṅga: 46	prakṛti	chital deer: 33
phala	temperament: 16	pṛthakparṇī
fruits: 17	pralepa	hare foot uraria: 46
phena	ointment: 34	puffed up
cuttlefish bone: 46	pratīkāra	śopha: 25
physical	alleviation: 18	pupil
śārīravad: 18	remedy: 35	<i>dṛṣṭi</i> : 35, 43f
picu	pratisandhā-	purification
cotton: 25	put it back	saṃśodhana: 16
pīḍ-	together: 27	puruṣa
pressed: 43	pratiședha	human being: 16,
piercing leather	counteraction: 35	18
carmabhedana: 21	prativāpa	puṣpa
piercing the ear	admixture: 26	flowers: 17
		put it back together
kaṛṇavyadha: 21	pratuda	pratisandhā-: 27
piercing	scavenging: 26	-
vyadha: 43	pravardhanaka	puṭāhvaya
vyadhana: 25	dilator: 22	taken hot: 40
pigs' eye	prayojanavat	puṭākhya
	((
	66	

enclosed roasting:	red chalk	khara: 44
39	gairikah: 45	royal jasmine
puṭapāka	red velvet mites	jātī: 46
enclosed roasting:	indragopa: 17	rtu
41	reduced	season: 18
medicines cooked	hīna: 27	rudhira
in a crucible: 35	reduced-ear	blood: 17
	hīnakarṇa: 23	ruj
racket-tailed drongo	regimen	illness: 37
bhṛṅgarāja: 33	ācāra: 16	37
rāgin timira		sādhubaddha
bloodshot	karma: 44 remedies	well joined: 27
blindness: 40		sādhya
rāgiņi timire	oṣadhi: 18	curable: 35
bloodshot	oṣadhī-: 16	saindhava
blindness: 42	remedy	sind salt: 35, 37
rainy seasons	pratīkāra: 35	sindh salt: 40
varṣā: 17	replica elephants,	sal tree
rajana	horses, bulls and	śālā: 36
turmerics: 37	parrots	śālā
raktabaddha	kṛtrimahastyaśv-	sal tree: 36
obstructed by	abalīvardaśukādi: 21	śalākā
blood: 25	resin	probe: 43
rasa	niryāsa: 17	salilotthita
	restrictions	
extracts: 40	yantraṇā: 44	conch: 41
flavours: 16, 29	rigid	water-born: 41
juices: 39	sthirā: 44	salt
the blood of birds	rim of a wheel	nadīja: 36
and animals: 36	cakradhārā: 24	samāñjana
rasakriyā	rim-join	same collyrium: 40
inspissation: 41	nemīsandhānaka: 24	same collyrium
rasāñjana	•	samāñjana: 40
elixir salve: 36, 40f	rim-join	saṃkṣipta
elixir-salve: 36	nemīsandhānakaḥ:	compressed: 24
rauhita	23	compressed: 23
extract of rohu	rodents	samplava
carp: 36	mūṣika: 14	clusters: 17
ready-split	rohīta	saṃrambha
nirvedhima: 23	rohīta tree: 40	inflamed: 25
realgar	rohīta tree	saṃśamana
manaḥśilā: 37, 40f,	rohīta: 40	pacification: 16
46	root	saṃśodhana
received a benediction	mūla: 16	purification: 16
kṛtamangala: 21	roots	samudraphena
red arsenic	mūla: 17	cuttlefish bone: 37
manahśilā: 26f	rough	sampatsara

year: 18	scarification	sirāvedha
samyak	lekhya: 25	blood-letting: 35
simultaneous: 43	scavenging	siris
sañcaya	pratuda: 26	śirīṣa: 36, 46
accumulation: 18	scramberry	śirīṣa
sandal	tālīśa: 36	siris: 36, 46
sugandhi: 38	tālīśapatra: 37	sīsaka
sandhāna	season	lead: 23
joins: 23	rtu: 18	śīta
sandhi	sections	elixir-salve: 36
joins: 24	adhyāya: 19	sitā
joints: 18	seed-eating	white sugar: 46
sannipāta	vișkira: 26	skin
congested	seeing smoke	tvak: 17f
	dhūmadarśin: 35	slice of flesh
humours: 19	seka	vadhra: 27
sap		The state of the s
kṣīra: 17	irrigation: 35	small insects
sapāṇa	separate	kunta: 17
off his hand: 39	muktvā: 42	snāyu ·
sāra	septic	sinews: 18
essence: 17	pāka: 25	sneha
śārīravad	shine	oil: 17
physical: 18	prabha: 42	sniffing
sarīsṛpa -	shooting pain	ucchiṅgana: 43
creepy-crawlies: 14,	śūla: 44	snuff
17	shoots	nasya: 32
sāriva	pallava: 43	solid
indian sarsaparilla:	udbhid: 17	styāna: 43
37	shrubs	somā
śārivā	vīrudh: 1 <mark>7</mark>	'gentle': 34
indian sarsaparilla:	siddhārthaka	śonita
45	white mustard: 45	blood: 38
sarpis	śigru	śonita-pitta, rakta-pitta
ghee: 26, 35	horseradish tree: 41	blood-bile: 38
śastrakṣata	simultaneous	śonitena
cutting with a	samyak: 43	with blood: 44
blade: 35	sind salt	śopha
śātakumbhī	saindhava: 35, 37	puffed up: 25
gold: 45	sindh salt	spiders
śatāvarī	saindhava: 40	lūtā: 14
	sinews	spikenard
sauvīraka	snāyu: 18	nalada: 33, 41
stibnite: 36	sirā	spiral
wild asparagus: 42 sauvīraka stibnite: 36 scarification	duct: 22	āvarta: 42
lekhana: 16	ducts: 18, 24	spirits
temutu. 10	aucis. 10, 24	Spirits
	68	

madirā: 37	dravya: 29	śvayathu: 22
madira: 40	substrate	śyāmā
spleen	āśrayin: 16	beautyberry: 34
plīhan: 38	sūcī	syanda
splitting	needle: 43	watery eye: 42
bhedya: 25	suffering	watery eye. 42
sraj	duhkha: 16	tailasugandhi
,	•	the fragrant one in
garlands: 32 <i>srāva</i>	sugandhi	oil: 38
	sandal: 38	tailvaka
suppurating: 24	sūkarākṣitā	prepared with
suppuration: 25	pigs' eye: 45	tilvaka: 35
śreyas	sukha	tainted
welfare: 13	comfort: 18	dușța: 25
srotas	śūla -	take away
kohl: 39	shooting pain: 44	āhārya: 23
srotoja	sun	taken hot
kohl: 37, 46	hari: 43	puṭāhvaya: 40
stabdha	sunivișța	tālīśa
stiff: 24f	very intent: 27	scramberry: 36
stalk	supernatant layer	tālīśapatra
vṛnta: <u>3</u> 6	agra: 40	scramberry: 37
stationary	suppurating	tāmra
sthāvara: 16, 18	srāva: 24	copper: 45
steeped	suppuration	tāmracūḍa
pragāḍha: 39	srāva: 25	•
sthāvara	surāmaṇḍa	cock: 39
stationary: 16, 18	decanted liquor:	tarpaṇa
sthirā	24f	balm: 35, 40f
rigid: 44	svabhāva	tatra
stibnite	inherent factors: 19	in those cases: 38
añjana: 40	svābhāvika	temperament
sauvīraka: 36	inherent: 16	prakṛti: 16
stick-ear		the blood of birds and
	svarasa	animals
yaṣṭīkarṇa: 23	expressed juice: 36	rasa: 36
stiff	juice extract: 17	the fragrant one in oil
stabdha: 24f	svastivācana	tailasugandhi: 38
stirred with goat's milk	blessings	the lap of a man
ajākṣīrārdita: 45	pronounced: 21	kumāradharānka: 21
strength	svayamgupta	the method of piercing
bala: 16	velvet bean: 36	and joining the ear
strong mallow	śvayathu	karṇavyadhaband-
atibalā: 39	swelling: 22	havidhi: 21
styāna	svedaja	the science of life
solid: 43	born of sweat: 17	āyurveda: 13
substance	swelling	the three fruits
	69	
	09	

triphalā: 40	shoots: 17	varsā
the three spices	unsteadiness of the	rainy seasons: 17
vyoṣa: 37	humours	varti
the time for therapies	doṣapariplava: 44	wick: 22
kriyākāla: 18	upahita	vartti
therapies	combined: 38	wicks: 46
karman: 19	upaśama	vasā
three fruits	pacification: 18	fat: 39
triphalā: 35, 37	used	
three-quarters of an	nișevita: 38	vāta
hour	uśīra	wind: 23
muhūrta: 17	cuscus grass: 40f	veda
timira		knowledge: 13
blindness: 42	utpala	vedanābhighāta
· · · · · · · · · · · · · · · · · · ·	blue lotus: 36	pain and injury: 13
partial blindness:	water-lily: 34	velvet bean
38	utpalabhedyaka	svayamgupta: 36
toys	lotus-splittable: 23	velvet leaf
krīḍanaka: 21	utpīdita	pāthā: 41
traivṛta	injured: 42	very intent
prepared with	utsādana	sunivișța: 27
turpeth: 35	dry rubs: 32	vidagdha
treatment	vadhra	inflamed: 35
kriyā: 18, 41	flesh: 27	vidaṅga
tree turmeric	slice of flesh: 27	embelia: 40
dārvī: 36	vaidūrya	vidruma
trice	beryl: 46	coral: 46
kāṣṭhā: 17	vaiṣamya	vikalpa
triphalā		options: 24
the three fruits: 40	irregularities: 16 vakrabhrūnetra	particulars: 18
three fruits: 35, 37		vilocana
trivṛt	bent brow and eye:	misshapen eyeball:
turpeth: 38f	44	44
turmeric	vaktra	vipakva
haridrā: 41	ends: 45	matured: 36
turmerics	vallīkarņa	vīrudh
rajana: 37	creeper-ear: 23	
turpeth	vallūraka	shrubs: 17
trivṛt: 38f	dried flesh: 23	viṣāda
tuttha	vanaspati	depression: 16
blue vitriol: 40	fruit trees: 17	vișkira
tvak	non-flowering tree:	seed-eating: 26
skin: 17f	41	vital energy
•	varga	ojas: 16
ucchiṅgana	collection: 18	voḍhāra
sniffing: 43	varṇa	bearers: 32
udbhid	complexion: 16, 29	vṛkṣa
	-	
	70	

flowering trees: 17	welfare	kapittha: 36
vṛnta	śreyas: 13	worms
stalk: 36	well joined	kṛmi: 17
vṛṣabha	sādhubaddha: 27	
bull: 33	white mustard	yakṛdrasa
vyadha	siddhārthaka: 45	liver extract: 37
piercing: 43	white siris	yakṛt
vyadhana	kinihī: 41	liver: 37f
piercing: 25	white sugar	yantraṇā
vyadhi	sitā: 46	restrictions: 44
disease: 18	white teak	уаруа
vyākhyāta	kārśmarī: 36	alleviated: 38
intended: 19	wick	mitigable: 42
vyāla	varti: 22	mitigatible: 35
wild animals: 17	wicks	yaṣṭīkarṇa
vyāyojima	vartti: 46	stick-ear: 23
multi-joins: 23	wild animals	yavaudana
vyoṣa	vyāla: 17	cooked barley: 42
the three spices: 37	wild asparagus	year
wasted	śatāvarī: 42	saṃvatsara: 18
	wind	yoga
kṣīṇa: 25 water-born	vāta: 23	compounds: 35 <i>yojayed</i>
salilotthita: 41	with blood	may repair: 27
water-lily	śonitena: 44	yuga
utpala: 34	wood apple	yuga: 18
watery eye	kapittha: 36	yuga. 10
syanda: 42	wood apple	yuga: 18
- J	Journal of the second of th	j aga. 10

Index of Manuscripts

The numbers after the colon refer to pages in this document.

```
Bikaner Anup 4390: 6

Cambridge Add. 1693: 30

Kathmandu NAK 5-333: 8, 10, 30

Kathmandu, KL 699: 2

Kathmandu, NAK 1-1079: 2

Kathmandu, NAK 5-333: 2

London BL H. T. Colebrooke 908: 10

Mumbai, AS B.D.109: 6

Mumbai, AS B.I.3: 6

Thanjavur TMSSML 10773: 47
```

Appendix

On digital critical editions

• pric-2013.

A survey of the field in 2013, with a focus on the presentation of electronic texts rather than on critical editing as such.

• mour-2015.

Useful discussion about the *apparatus criticus* in general, and an evaluation of the plus and minus points of positive and negative apparatuses.

• burg-2016.

Discussion of a software tool, including the handling of positive and negative apparatus. Makes the assumption that online displays are notational variants only.

• burg-2017.

Discussion of how to express various kinds of apparatus in TEI.

• baus-2015b.

A huge book that disappointingly says nothing at all about Sanskrit manuscripts. Nevertheless there are many interesting case studies and remarks applicable to the Indian manuscript tradition.