# The *Suśrutasaṃhitā* on the Plastic Surgery of the Ears and Nose: The Nepalese Recension

Dominik Wujastyk, Jason Birch, Andrey Klebanov, Madhu Parameswaran, Madhusudan Rimal, Deepro Chakraborty, Harshal Bhatt, Devyani Shenoy, Vandana Lele.

Draft of 3rd November 2021 © Dominik Wujastyk, Jason Birch, Andrey Klebanov, Madhu Parameswaran, Madhusudan Rimal, Deepro Chakraborty, Harshal Bhatt, Devyani Shenoy, Vandana Lele.

# **Contents**

Introduction	3
The Aim of the Article	3
Importance of SS.1.16 in the History of Medicine	4
Torn ear lobes	5
Rhinoplasty	5
The Sanskrit Text	6
The Nepalese Version	6
Cakrapāṇidatta and Dalhaṇa's Versions	6
Differences between the Nepalese and Subsequent Versions of	
SS.1.16	8
Changing Spelling, Sandhi and Syntax	11
Changing Technical Terms	12
Augmenting the Text	12

© Dominik Wujastyk. I am distributing this pre-publication draft under a Creative Commons Attribution-ShareAlike 4.0 International License. For details, see http://creativecommons.org/licenses/by-sa/4.0/

Transposing Words, Verses and Passages	13
Redacting Recipes and Elaborating on Treatments	14
The Edition	15
Manuscripts	15
Features of the manuscript transmission	17
Palaeographical features	17
Chart of characters	18
The Printed Editions	18
The Vulgate	18
The sources of the 1915 edition	19
The sources of the 1931 edition	19
The sources of the 1938 edition	20
Evaluation	21
The 1939 edition	22
Evaluation	24
Editorial Principles	25
Method	•
Stemma	25 26
The Edition and Apparatus	26 28
Digital Edition	20
The Translation	31
Sūtrasthāna, adhyāya 16	31
Sutrabilitità, dell'oggi 10	31
Abbreviations	39
Index of Manuscripts	42
References	42
Glossary	55

# Introduction

#### The Aim of the Article

The Compendium of Suśruta (*Suśrutasaṃhitā*) is amongst the most important treatises on medicine to survive from the ancient world. It has been studied seriously by historians since it first became available in print in the mid-nineteenth century.¹ The study of this work has yielded rich historical discoveries, for example about the earliest history of surgery, ancient pharmacology, toxicology and many other social and medical topics. Yet there remain fundamental unanswered questions about the history of the text itself and about related issues in the history of medicine in Asia (HIML: IA, 203–389).

HELP with Refs in footnote 1.

In January 2007, a previously unknown manuscript of the *Suśrutasaṃ-hitā* was brought to scholarly attention (Dimitrov and Tamot 2007). MS Kathmandu KL 699 is a Nepalese manuscript covering about two thirds of the text. It is dated to 878 CE and is amongst the earliest dated manuscripts known from South Asia (Harimoto 2011: 87–88). The manuscript has been declared by UNESCO to be part of the Memory of the World (UNESCO 2013).

The newly-discovered manuscript in Nepal is related to two other early palm-leaf manuscripts in the National Archives in Kathmandu (NAK 5/333, 1/1079). **kleb-2011**; Klebanov (2021*a*) has assembled compelling evidence for believing that these Nepalese manuscripts present a version of the text that was in wider circulation in northern India, especially Bengal, in the period up to about 1200 ce. Generally speaking, the Nepalese version of the *Suśrutasaṃhitā* is more rudimentary than the versions commented on by Cakrapāṇidatta (*fl.* tenth century ce) and ṇalhaṇa (*fl.* twelfth century ce), the latter of which has formed the basis of modern printed editions, such as those of Trivikramji Acharya and others (Su 1915; Su 1938; P. V. Sharma 1999–2001).

This article presents a critical edition and annotated translation of the sixteenth chapter of the Ślokasthāna, the first book of the Nepalese version of the Suśrutasaṃhitā (SS.1.16).<sup>2</sup> This chapter is important in the history of

A selection of prominent contributions includes: Hoernle 1897; 1906; 1907; Strauss 1934; Singhal et al. 1972–82; Sharma 1975; Rây et al. 1980; Adriaensen et al. 1984; Yano 1986; Meulenbeld 1999–2002; Sharma 1999–2001; Valiathan 2007.

<sup>2</sup> This book is called the *Sūtrasthāna* in subsequent versions of the *Suśrutasaṃhitā*.

Indian medicine because of its discussion of surgical methods for repairing torn ears and severed noses. In addition to discussing the manuscripts and published editions used in this new edition, the introduction of the article addresses some of the challenges of editing the Nepalese manuscripts and the salient differences between the Nepalese version and those known to Cakrapāṇidatta and Dalhaṇa, as exemplified by the sixteenth chapter. The notes to the edition incorporate alternative readings mentioned by the commentators, and the annotations to the translation discuss instances where the text is uncertain; non-standard spellings and syntax; the meaning of technical and obscure terms; relevant remarks by the commentators; ambiguities in the identification of medical ingredients, in particular, plant names; and the additional compounds, verses and passages in Dalhaṇa's version of the text. In short, this article is a pilot for undertaking a complete edition and translation of the Nepalese version of the Suśrutasaṃhitā.

# Importance of SS.1.16 in the History of Medicine

Simple forms of surgery have a long history in South Asia. In works datable to at least 1200 BCE we learn how a reed was used as a catheter to cure urine retention.<sup>3</sup> Cauterization too was used to prevent wounds from bleeding. The *Brāhmaṇa* literature of the early first millennium BCE contains more detailed descriptions of animal butchery in the context of religious sacrifice that involved the enumeration of internal organs and bones.<sup>4</sup> This exemplifies an early Sanskrit vocabulary for internal parts of bodies, but it is not the same as medical dissection, whose methods and purpose is quite different.<sup>5</sup> With the *Suśrutasaṃhitā* we find ourselves in the presence of something quite different and more developed, in which the body was studied specifically for medical and surgical purposes.<sup>6</sup> The text gives us a historical window onto a school of professionalised surgical practice which existed almost two millennia ago, and which in its day was perhaps the most advanced school of surgery in the world.

The author of the Suśrutasaṃhitā describes how a surgeon should be

<sup>3</sup> Zysk 1985: 70-71.

Malamoud 1996.

Keith (1908) pointed out that the enumeration of the bones in the Brāhmaṇas was derived from correspondences with the numbering of various verse forms, not from anatomical observation.

<sup>6</sup> Zysk 1986.

trained and how various operations should be done. There are descriptions of ophthalmic couching (the dislodging of the lens of the eye), perineal lithotomy (cutting for stone in the bladder), the removal of arrows and splinters, suturing, the examination of dead human bodies for the study of anatomy, and other procedures.<sup>7</sup> The author of *Suśrutasaṃhitā* claimed that surgery is the most ancient and most efficacious of the eight branches of medical knowledge (1.1.15–19 (Su 1938: 4)). Discussion with contemporary surgeons suggests that many details in the descriptions could only have been written by a practising surgeon: it is certain that elaborate surgical techniques were a reality in the author's circle.

see my comments in the input file

#### Torn ear lobes

Suśruta's description of the repair of torn ear lobes is again unique for its time. Majno noted that 'through the habit of stretching their earlobes, the Indians became masters in a branch of surgery that Europe ignored for another two thousand years'. The different types of mutilated ear lobe which the *Suśrutasaṃhitā* describes are not always easy to understand from the Sanskrit: the illustrations supplied in Majno's text help visualization. 9

# Rhinoplasty

One of the best-known surgical techniques associated with *Suśrutasaṃhitā* is rhinoplasty, the repair or rebuilding of a severed nose. The history of this operation and a translation of the Sanskrit passage from the vulgate edition of the *Suśrutasaṃhitā* have been published in Wujastyk (2003: 67–70, 99–100). This fascinating technique is certainly old in South Asia, having been witnessed by travellers from Marco Polo in the seventeenth century onwards. Many witnesses, including the most famous, Cruso and Findlay, describe an operation that differs from *Suśrutasaṃhitā* in that it takes the grafting skin from the forehead, not the cheek. But the nineteenth-century account of Thorburn is especially interesting, since the technique

<sup>7</sup> Wilson 1823; Mukhopādhyāya 1913; Deshpande 2000; Wujastyk 2003; Narayana and Thrigulla 2011 and many other studies.

<sup>8</sup> Majno 1975: 291.

<sup>9</sup> Majno 1975: 290–291; reproduced with permission in Wujastyk 2003: 92–93.

<sup>10</sup> See also HIML: IB, 327–328, note 186 for further literature and reflections.

<sup>11</sup> Manucci 1907–8: ii.301.

<sup>12</sup> Longmate 1794: 883, 891 f.

follows *Suśrutasaṃhitā* exactly in taking flesh from the cheek, not the forehead.<sup>13</sup>

As noted by Meulenbeld, none of the known commentators – Jejjaṭa, Gayadāsa, Cakrapāṇi or Dalhaṇa – explained the technique in any detail beyond lexical glosses.<sup>14</sup> This suggests that the commentators did not in fact know the technique at first-hand. Perhaps by the late first millennium, the technique had moved into the professional competence of barber-surgeons? On the other hand, perhaps the influence was in the other direction, and a technique known to practitioners elsewhere in South Asia in the late first millennium was written into the text of *Suśrutasaṃhitā*. The description consists of only five verses and they are written in the Upendravajrā metre, which is different from the rest of the chapter. The description's appearance at the very end of the chapter, its terseness, its ornate metre, and the paucity of the commentators' treatment could all be taken as pointing in this direction.

Perhaps, it is worth mentioning (pace. Meul) the comment by Dalhana—discussed in fn 113—which indicates that he knew the grafted skin had to be connected. And this is not clear in the müla.

# The Sanskrit Text

# The Nepalese Version

Andrey's contribution here

# Cakrapāṇidatta and Palhaṇa's Versions

The commentaries of Cakrapāṇidatta and Dalhaṇa, called the *Bhānumatī* and *Nibandhasaṅgraha* respectively, are based on similar versions of the *Suśrutasaṃhitā*, both of which are significantly different to the Nepalese version. Dalhaṇa was aware of Cakrapāṇidatta's work and reiterated many of his predecessor's remarks, so the commentator's interpretation of the root text is largely consistent.

Trikamajī Ācārya's edition of the *Sūtrasthāna* of the *Bhānumatī* (Su 1939)

<sup>13</sup> Thorburn 1876: 352–3.

<sup>14</sup> HIML: IB, 328. Dalhaṇa also noted that a rather different version of the text, cast in śloka metre, was also known to him from other sources (1.16.27–31 (Su 1938: 81a)). Dalhaṇa's variant bears a resemblance to the description of the operation given in printed editions of the *Aṣṭāngahṛdayasaṃhitā* (Ah Utt.18.59–65 (Ah 1939: 841)).

duplicates the version of the *Suśrutasaṃhitā* in his edition of the *Nibandhasaṅgraha* (Su 1938), except in a few obvious cases where Cakrapāṇidatta glosses a word or compound that is different to the one glossed by Dalhaṇa. The duplication of the root text creates the somewhat misleading impression that both commentators had an almost identical version of the *Suśrutasaṃhitā*. However, there is evidence in SS.1.16 that this was not the case. For example, Dalhaṇa comments on four verses (1.16.11–14, Su 1938: 78) that Cakrapāṇidatta cites separately in his commentary (Su 1939: 128–129), introducing each one as 'some people read' (*ke cit paṭhanti*). This clearly indicates that these verses were not in the version of the *Suśrutasaṃhitā* upon which Cakrapāṇidatta was commenting, yet Ācārya includes them in the root text of the *Bhānumatī*.

Also, Cakrapānidatta does not acknowledge or comment on some verses in the version of the *Suśrutasaṃhitā* known to Dalhaṇa. Although it is possible that a commentator may not have remarked on a verse because its meaning was clear, in some cases the commentarial convention of citing the first words of a new verse or passage provides firmer ground for suspecting the absence of a verse in the root text. For example, the prose passage of SS.1.16.18 in the the *Bhānumatī* (Su 1939: 130), which is SS.1.16.19 in the Nibandhasangraha (Su 1938: 79), is followed by several verses that elaborate on the content of the prose passage, and both commentators introduce these verses and cite the opening words of the first verse before glossing specific terms. However, Cakrapānidatta does not introduce, cite or comment on the same verses as Dalhana (SS.1.16.20–22ab, Su 1938: 79), and yet the first of the verses commented on by Dalhana appears in the root text of Ācārya's edition of the Bhānumatī (SS.1.16.19, Su 1939: 130), and the others (SS.1.16.20–21ab) are included in parenthesis. A similar instance of this occurs at Bhānumatī SS.1.16.31, where Acārya includes a verse in parenthesis that was commented on by Dalhana (SS.1.16.32, Su 1938: 81) but not by Cakrapānidatta. It appears that the manuscript on which Acārya's edition of the Bhānumatī was based does not include the root text. 16 Therefore, the inclusion of SS.1.16.19–21ab and 31 in the root

<sup>15</sup> For example, in SS.1.16.18, Cakrapāṇidatta glosses *rājasarṣapa* whereas Dalhaṇa glosses *gaurasarṣapa*, and Ācārya reflects this in the root texts of the *Bhānumatī* (Su 1939: 130) and *Nibandhasangraha* (Su 1938: 79).

<sup>16</sup> This observation is based on the opening passage of MS 1887-1935 of the *Bhānumatī*, which is transcribed in Eggling 1896: 928. The transcription has the commentary without the root text. See the section below on Ācārya's 1939 edition for details of the

text of the *Bhānumatī* is an unsubstantiated hypothesis.

In fact, there is some evidence that the Nepalese version was more similar to Cakrapāṇidatta's version than to Dalhaṇa's. 1.16.5 of the Nepalese version begins with the compound dosasamudayāt whereas the version known to Dalhana (SS.1.16.6, Su 1938: 77) inserts two compounds, kliṣṭajihmāpraśastasūcīvyadhāt and gāḍhataravartitvāt, before this. Cakrapāṇidatta (SS.1.16.5, Su 1939: 126–127) begins his comment on this passage by glossing doṣasamudayāt, which suggests that he was not aware of any compounds prior to this one. If one looks beyond SS.1.16, there are instances where the Nepalese version (1.1.28) and the root text of Cakrapāṇidatta have the same reading, which Dalhaṇa mentions as an alternative read by others. For example, 1.1.28 of the Nepalese version has tatrāsmiñ chāstre, which is the reading commented on by Cakrapānidatta (Su 1939: 17). However, Dalhana (SS.1.1.22, Su 1938: 5) comments on asmiñ chāstre and states that others read tatrāsmiñ chāstre. Also, in his commentary on SS.1.1.8.1, Dalhana (Su 1938: 5) notes the variant reading sastyā vidhānaih, which is not in his root text but evidently was in Cakrapāṇidatta's (SS.1.1.6, Su 1939: 11). As discussed elsewhere (Birch 2021), the reading of sastyā vidhānaiḥ is likely a corruption of sastyābhidhānaiḥ in the Nepalese version (1.1.9).

# Differences between the Nepalese and Subsequent Versions of SS.1.16

The structural differences between the Nepalese and subsequent versions has been discussed by Klebanov (2021a: 27–44), which include the frame story,<sup>17</sup> the name of the first book (Ślokasthāna), the structuring of the text according to chapter and section colophons, and an additional passage in the *Kalpasthāna*. Klebanov (2021a: 44–55) also makes general observations on distinct features of the Nepalese version's content and looks specifically at lists of skin lesions arising from urinary disease and vital energies. And in an effort to demonstrate the possibility of greater coherence in the Nepalese version, Harimoto (2011: 101–104) has compared its classification of snakes with Dalhaṇa's version.

sources Acārya used for this edition.

<sup>17</sup> On this topic, also see the more recent Birch et al. (2021).

On the whole, these observations indicate that [...synopsis of general conclusions here, Andrey?...]

The following detailed comparison of 1.16 of the Nepalese version with Palhana's *Nibandhasangraha* unfolded as the chapter was edited. The differences appear to emanate largely from attempts to standardise, simplify or clarify the language of the Nepalese version, add and redact information, and introduce changes to recipes and treatments. Examples from 1.16 have been provided to demonstrate the general observations which, it is hoped, a larger survey of the text will verify.

Table 1 reveals the extent to which 1.16 of the Nepalese version was redacted to create the one known by Dalhaṇa. In this particular case, twenty-seven verses have been added, eight (11-14, 21–22ab, 23cd–24, 32) of which are well-integrated with the existing material in so far as they reiterate and elaborate on the content of passages in the Nepalese version. A block of nineteen verses (26.1–19) at the end of this chapter in Ācārya's edition of the *Nibandhasaṅgraha* (Su 1938: 80) was known by Dalhaṇa. These verses cover additional diseases of the ear lobes, as well as their treatment and complications. Although Dalhaṇa concedes that some read them in this chapter, he concludes that they were not composed by sages and, therefore, should not be read. Ācārya probably included these verses because they were in his manuscripts, <sup>18</sup> and Dalhaṇa's comments prompted him to place them in parentheses. Be this as it may, this large block of verses is absent in the Nepalese version.

In Table 1, one can also see that verses 17 and 18 of the Nepalese version were transposed in the redaction of Dalhana's version, in which they are 26 and 25 respectively. Although this only occurs once in 1.16, such transposing of verses and even their hemistiches is more prevalent in the redaction of other chapters of the *Suśrutasaṃhitā*.

Apart from the addition of verses, the redacting of the version known to Dalhana involved many small, yet sometimes significant, changes that are summarised below.

<sup>18</sup> Ācārya (Su 1938: 80) does not state that these verses were absent in some or all of his manuscripts, which he usually does in a footnote if this is the case. A broader survey of manuscripts would be helpful for establishing whether these verses were part of the transmission of the *Suśrutasaṃhitā* in India. For example, they are in MS Hyderabad Osmania 137-3(b).

# Nepalese version Dalhaṇa's version

-	
1	1
_	2
2-9	3–10
_	11–14
10-15	<b>15–2</b> 0
_	21–22ab
16	22cd–23ab
	23cd-24
- 7	<b>2</b> 5
17	26
_	26.1-19
18 🖍	_
19–23	27-31
2 <b>)</b>	32

Table 1: A Comparison of Verses in 1.16 of the Nepalese and Dalhaṇa's Versions

## Changing Spelling, Sandhi and Syntax

In the majority of cases, efforts were made by redactors to standardise, simplify or improve the language of the Nepalese version. Such changes include the standardising of spelling,<sup>19</sup> sandhi,<sup>20</sup> and verbal forms,<sup>21</sup> as well as interventions to simplify and clarify syntax,<sup>22</sup> which often involved splitting compounds.<sup>23</sup> In some instances, these changes improved the grammar,<sup>24</sup> or altered the meaning.<sup>25</sup> However, some prefixes of verbal forms,<sup>26</sup> case endings,<sup>27</sup> and indeclinables were changed for less apparent reasons.<sup>28</sup> There is also a tendency to replace uncommon words with generic ones,<sup>29</sup> add indeclinables,<sup>30</sup> omit the verb to be at the end of sentences,<sup>31</sup> and introduce verses after a prose passage with the phrase *bhavati cātra*.<sup>32</sup>

- 19 For example,  $patt\bar{a}nga$  (SS.1.16.21)  $\rightarrow patanga$  (1.16.29, Su 1938: 81). For more information on this, see the relevant footnote to the translation.
- 20 or example, °hastena rju (SS.1.16.2)  $\rightarrow$  °hastena rju (1.16.3, Su 1938: 76).
- 21 For example,  $unn\bar{a}mayitv\bar{a}$  (SS.1.16.21)  $\rightarrow pr\bar{a}nnamya$  (1.16.29, Su 1938: 81);  $avac\bar{u}rnay\bar{\imath}ta$  (SS.1.16.21)  $\rightarrow upaharet$  (1.16.29, Su 1938: 81).
- 22 For example, śoṇitabahutvanivedanāyāṃ cānyadeśaviddham iti jānīyāt | nirupadravatā taddeśaviddhalingam | (SS.1.16.3) → śoṇitabahutvena vedanayā cānyadeśaviddham iti jānīyāt | nirupadravatayā taddeśaviddham iti | (1.16.4, Su 1938: 76); āmatailapariṣekeṇopacaret (SS.1.16.6) → āmatailena pariṣecayet (1.16.7, Su 1938: 77); suparigṛhītaṃ (SS.1.16.10) → suparigṛhītaṃ ca kṛtvā (1.16.15, Su 1938: 78); anena (SS.1.16.15) → snehenaitena (1.16.20, Su 1938: 79).
- 23 For example, yadṛcchāviddhāyāṃ sirāyām (SS.1.16.4) → yadṛcchayā viddhāsu sirāsu (1.16.5, Su 1938: 76); dhānyāmlakapālacūrṇaṃ (SS.1.16.10) → dhānyāmlaṃ kapālacūrṇaṃ (1.16.20, Su 1938: 78).
- 24 For example,  $sur\bar{a}mandaks\bar{i}ram$  (SS.1.16.10)  $\rightarrow sur\bar{a}mandam$   $ks\bar{i}ram$  (1.16.15, Su 1938: 78).
- 25 For example,  $k\bar{s}\bar{i}n\bar{a}lpam\bar{a}msah$  (SS.1.16.12)  $\rightarrow k\bar{s}\bar{i}no$  ' $lpam\bar{a}msah$  (1.16.17, Su 1938:79).
- 26 For example, samvarddhitaḥ (SS.1.16.8)  $\rightarrow$  vivarddhitaḥ (1.16.9, Su 1938:77); niveśya (SS.1.16.10)  $\rightarrow$  sanniveśya (1.16.15, Su 1938:78); avabadhya (SS.1.16.10)  $\rightarrow$  ca baddhvā (1.16.15, Su 1938:78).
- 27 For example,  $m\bar{a}se$  (SS.1.16.2)  $\rightarrow m\bar{a}si$  (1.16.3, Su 1938: 76).
- 28 For example, *api* (SS.1.16.13)  $\rightarrow v\bar{a}$  (1.16.18, Su 1938: 79); *ca* (SS.1.16.16)  $\rightarrow tu$  (1.16.23, Su 1938: 79); tu (SS.1.16.18)  $\rightarrow ca$  (1.16.25, Su 1938: 80).
- 29 For example,  $mrak = 4 (SS.1.16.15) \rightarrow yojayet (1.16.20, Su 1938: 79); nahyet (SS.1.16.21)$  $<math>\rightarrow baddhv\bar{a} (1.16.29, Su 1938: 81).$
- 30 For example, [absent] (SS.1.16.6)  $\rightarrow$  *ca* (1.16.7, Su 1938: 77); [absent] (SS.1.16.10)  $\rightarrow$  *tatra* (1.16.15, Su 1938: 78); [absent] (SS.1.16.12)  $\rightarrow$  *api* (1.16.17, Su 1938: 79).
- The words *bhavati* or *bhavanti* are omitted four times in Dalhana's version (1.16.10 (twice), 1.16.17 and 1.16.18, Su 1938: 77, 79).
- 32 For example, [absent] (SS.1.16.11)  $\rightarrow$  bhavati cātra (1.16.16, Su 1938: 79).

#### **Changing Technical Terms**

There is evidence of standardising and altering technical terminology in subsequent versions of the *Suśrutasaṃhitā*. Two examples of this in SS.1.16 are the terms for joins (*bandha*) and a slice of flesh (*vadhra*). The Nepalese version uses three terms for joining (*bandha*, *sandhāna*, *sandhi*) splits in the ear flaps and the flesh of nose. Redactors of subsequent versions appear to have tried to standardise this terminology by replacing *sandhāna* and *sandhi* with *bandha* in prose passages.<sup>33</sup> However, the use of the term *sandhāna* was retained in verses, perhaps because of the metrical challenges of making such a change. Also, the names of joins which incorporate *sandhāna* and *sandhi* remained the same.<sup>34</sup>

The Nepalese version (SS.1.16.20,23) contains the rather obscure term *vadhra* for the slice of flesh that a surgeon cuts from the cheek in order to construct a new nose. Modern dictionaries define *vadhra* as a leathern strap (Apte 1992: 1385, **moni-sans**) or a slice of bacon (**moni-sans**), the latter of which is more indicative of its meaning in the Nepalese version. This word was written out of subsequent versions,<sup>35</sup> and it was not mentioned as an alternative reading by either Cakrapāṇidatta or Ḍalhaṇa, which suggests that its use and meaning may not have been known to them. However, *vadhra* was used by the author of the *Aṣṭāṅgaḥṛdayasaṇḥitā* (Ah Utt.18.62 (Ah 1939: 841)) in the context of rhinoplasty, so it likely to be the correct reading in the Nepalese version.

#### **Augmenting the Text**

Apart from adding whole passages and verses (as seen in Table 1), redactors of subsequent versions augmented the text by expanding existing compounds and inserting new compounds and words. Within the microcosm of 1.16, adjectives and adverbs were inserted to clarify

<sup>33</sup> For example, pañcadaśasandhānākṛtayaḥ (SS.1.16.9)  $\rightarrow$  pañcadaśabandhākṛtayaḥ (SS.1.16.10, Su 1938:77); daśakarṇasandhivikalpāḥ (SS.1.16.9)  $\rightarrow$  karṇabandhavikalpāḥ (SS.1.16.10, Su 1938:77)

<sup>34</sup> These names are nemīsandhānaka, kapāṭasandhika, and ardhakapāṭasandhika in SS.1.16.9.

<sup>35</sup> vadhram (SS.1.16.20)  $\rightarrow baddham$  (SS.1.16.28, Su 1938: 81) and tadvadhraśeṣam (SS.1.16.23)  $\rightarrow tad$  ardhaśeṣam (SS.1.16.31, Su 1938: 81).

statements,<sup>36</sup> and phrases added to elaborate on diseases and treatments.<sup>37</sup> In particular, the characteristics and number of symptoms of a disease, as well as their reasons for arising, tend to increase in subsequent versions. For example, the Nepalese version (SS.1.16.5) says that the wick in a newly pierced ear should be removed because of aggravated humours or a culpable piercing whereas the version known to Dalhana (1.16.6, Su 1938: 77) includes two further reasons, namely, because of piercing with a painful, crooked and unrecommended needle or because of a wick that is too thick. Some of the split ear flaps in Dalhana's version have additional characteristics,<sup>38</sup> and a list of four symptoms associated with incurable joins in the Nepalese version (SS.1.16.19) was increased to six in Dalhana's version (1.16.10, Su 1938:77). Also, models of classifying symptoms were introduced in subsequent versions. For example, the Nepalese version (SS.1.16.4) lists the symptoms of mistakenly piercing a duct in the ear whereas the version known to Dalhana (1.16.5, Su 1938: 76–77) classifies these symptoms according to three ducts called kālikā, marmarikā and *lohitikā*, which results in some repetition of the symptoms mentioned.<sup>39</sup>

#### Transposing Words, Verses and Passages

A close comparison of the Nepalese version with and subsequent ones reveals changes in the order of words, sentences and verses. Examples of such transpositions occur in SS.1.16. In most cases, the changes in word

<sup>36</sup> For example, *chidre* (SS.1.16.2)  $\rightarrow$  *chidra ādityakarāvabhāsite* (1.16.3, Su 1938: 76); [absent] (SS.1.16.2)  $\rightarrow$  *śanaiḥ śanaiḥ* (1.16.3, Su 1938: 76); [absent] (SS.1.16.3)  $\rightarrow$  *āśu* (1.16.5, Su 1938: 77).

<sup>37</sup> For example, dhātryaṅke (SS.1.16.2)  $\rightarrow$  dhātryaṅke kumāradharāṅke vā (1.16.3, Su 1938: 76); [absent] (SS.1.16.2)  $\rightarrow$  bālakrīḍanakaiḥ pralobhya (1.16.3, Su 1938: 76); [absent] (SS.1.16.3)  $\rightarrow$  picuvartiṃ praveśayet (1.16.5, Su 1938: 77).

<sup>38</sup> For example, pīṭhopamapālir nirvedhimaḥ (SS.1.16.9) → pīṭhopamapālir ubhayataḥ kṣīṇaputrikāśrito nirvedhimaḥ (1.16.10, Su 1938:77); itarālpapāliḥ saṃkṣiptaḥ (SS.1.16.9) → utsannapālir itarālpapāliḥ saṃkṣiptaḥ (1.16.10, Su 1938:77); tanuviṣamapāliḥ (SS.1.16.9) → tanuviṣamālpapāliḥ (1.16.10, Su 1938:77).

In Dalhaṇa's version (1.16.5, Su 1938: 76–77), the symptoms of fever (*jvara*) and pain (*vedanā*) are repeated. This repetition does not occur in the Nepalese version. It is possible that this classification was not in the version of the *Suśrutasaṃhitā* known to Cakrapāṇidatta (1.16.4, Su 1939: 126) because he mentions that some read classifications of ducts at this point in the text and he cites verses from Bhoja on *kālikā*, *marmarikā* and *lohitikā*, but he does not gloss or comment on the passage known to Dalhana.

order are insignificant and may be result of different preferences in syntax or even scribal eye-brain-hand miscommunication.<sup>40</sup> However, the transposition of verses and passages is usually the result of efforts at redacting the text to add new material. A good example of this is the transposition of Nepalese version's SS.1.16.17 and 18 to Dalhaṇa's 1.16.26 and 1.16.25, respectively, which appears to be connected with the insertion of new verses 23cd–24 and 26.1–19 in the latter.

#### Redacting Recipes and Elaborating on Treatments

Some of the additional text in subsequent versions of the *Suśrutasaṃhitā* supply new ingredients in recipes and procedures in treatments. In many instances, the new material merely clarifies or elaborates on the original but sometimes it changes the recipe or treatment significantly. An example of a suppletion that clarifies the text of the Nepalese version can be seen in 1.16.3 of Dalhaṇa's version (Su 1938: 76), which contains a statement that the physician should insert a wick of cotton after the ear has been pierced.<sup>41</sup> This statement anticipates the instructions in the the Nepalese version (SS.1.16.5–6) on removing the wick because of aggravated humours and replacing the wick with a thicker one every three days. In this case, the additional statement of Dalhaṇa's version elucidates the role of the wick in the procedure of piercing the ear.

A similar clarification occurs in 1.16.18 of Dalhaṇa's version (Su1938:79), which reiterates the cure for an ear tainted by a humour that was described in 1.16.7 (= SS.1.16.6). The reiteration is quite apt because it follows a passage (1.16.17, Su1938:79 = SS.1.16.12) that outlines the various symptoms of ear disease arising from each of the three humours. The author of the Nepalese version probably assumed that, after reading SS.1.16.12, the reader would refer back to SS.1.16.6 for the cure of an ear affected by a humour. However, in Dalhaṇa's version, the treatment is reiterated at 1.16.18.

<sup>40</sup> For example, aṇusthūla° (SS.1.16.9) → sthūlāṇu° (1.16.10, Su 1938: 77); tatraite daśakarṇa° (SS.1.16.9) → tatra daśaite karṇa° (1.16.10, Su 1938: 77); nātigāḍhan nātiśithilaṃ sūtreṇāv-abadhya (SS.1.16.9) → sūtreṇānavagāḍhaman atiśithilaṃ ca baddhvā (1.16.10, Su 1938: 77); pūrvan dakṣiṇaṃ kumārasya vāman kanyāyāḥ | pratanuṃ sūcyā bahalam ārayā (SS.1.16.2) → pratanukaṃ sūcyā bahalam ārayā | pūrvaṃ dakṣiṇaṃ kumārasya vāman kanyāyāḥ (1.16.3, Su 1938: 76).

<sup>41</sup> For example, [absent] (SS.1.16.2)  $\rightarrow$  picuvartim praveśayet (1.16.3, Su 1938:76).

In Dalhaṇa's version of 1.16, there are two instances in which ingredients were added to recipes of medicines in the Nepalese version. The first is the recipe of an anointment that should be applied to a pierced ear that has not healed. In Dalhaṇa's version (1.16.7, Su 1938:77) the recipe was rewritten to include sesame seeds. A more significant change occurs in another recipe for an admixture of an oil that is supposed to be rubbed into a healthy ear to enlarge it. Dalhaṇa's version (1.16.7, Su 1938:77) of the admixture has five additional ingredients, namely, prickly chaff-flower  $(ap\bar{a}m\bar{a}rga)$ , Withania  $(aśvagandh\bar{a})$ , giant potato  $(k\bar{s}\bar{t}ra\acute{s}ukl\bar{a})$ , the 'sweet' savour  $(madhuravarga)^{43}$  and 'milk flower'  $(payasy\bar{a} \rightarrow vid\bar{a}ri^{44})$ . It also has beggarweed  $(vid\bar{a}rigandh\bar{a})$  instead of milk flower  $(vid\bar{a}ri)$ . This method of redacting a recipe of Nepalese version appears to be somewhat typical in so far as most of the ingredients of the original were retained and new ones simply added.

# The Edition

# Manuscripts

Our edition results from considering the textual evidence of three manuscripts, all of which were preserved and most likely produced in Nepal, in Kathmandu valley, to be more precise. Klebanov (2021a: §2.1) furnishes a comprehensive description of the individual manuscripts, quotes and translates their colophons and thoroughly examines various problems involved in their interpretation. That is why we will present only the key data essential for the study of our edition in the present paper. In referring to the manuscripts, we use the sigla K, N and H, which correspond

Perhaps, Dr Madhu could add a comment on whether these additional ingredients would change the effects of the treatment in any significant way?

<sup>42</sup> yavamadhukamañjiṣṭhāgandharvahastamūlair madhughṛtapragāḍhair ālepayet (SS.1.16.5) → madhukairaṇḍamūlamañjiṣṭhāyavatilakalkair madhughṛtapragāḍhair ālepayet (1.16.7, Su 1938: 77).

The items which exemplify the 'sweet' savour (*madhuravarga*) are enumerated at SS.1.42.11.

Pueraria tuberosa (Willd.) DC. (ADPS 510, IMP 1.792f., AVS 4.391; not Dymock 1.424f. See GJM supplement 444, 451, IMP 1.187, but IMP 3.1719 = Ipmoea mauritiana, Jacq.).

<sup>45</sup> arkālarkabalātibalānantāvidārīmadhukajalaśūkaprativāpan tailam pācayitvā (SS.1.16.14) → arkālarkabalātibalānantāpāmārgāśvagandhāvidārigandhākṣīraśuklājalaśūkamadhuravargapayasyāprativāpaṃ tailam vā pācayitvā (1.16.19, Su 1938: 79).

to the initial letters in the names of the libraries and collection where the respective bundles were discovered.

**Siglum K:** The MS has been preserved at the Kaiser Shamsher (KL) library in Kathmandu, accession number KL 699. It was microfilmed and catalogued by the NGMPP/NGMCP as C 80-7.46 The MS comprises 152 palm-leaf folios that originally belonged to several different codicological units written by different scribes.<sup>47</sup> The folios are  $53.5 \times 4.4$  cm in size and have two string holes. The text is written in the so-called transitional Gupta script, with six to eight lines per folio.<sup>48</sup> The MS is incomplete and contains a large part of the Suśrutasamhitā as well as the Suśrutanighantu.<sup>49</sup> The date stated in the colophon at the end of the compendium is verified for Sunday, April 13, AD 878. However, some controversy is involved in interpreting the exact roles of two persona mentioned in the same concluding remarks, someone Śrī Harṣacandra and Vaidya Vasuvarman. Klebanov (2021a: 16) thinks that the former "either sponsored the copying enterprise or wrote the manuscript himself" and that he later "donated it to Vaidya Vasuvarman on the condition that he (Vasuvarman) would study the text and explain it to others. The second condition was that the manuscript should remain in the family and not be given away either for sale or as a pawn. If the manuscript sat unused, it should be returned to Śrī Harsacandra."50

**Siglum N:** This MS is kept at the National Archives Kathmandu (NAK), under accession number 1-1079 ka. It was microfilmed twice by the NGMPP as A 45-5(1) and A 1267-11(2). The MS comprises 65 palmleaf folios,  $56 \times 5$  cm in size, with two string holes each, and it is

<sup>46</sup> See http://catalogue-old.ngmcp.uni-hamburg.de/mediawiki/index.php/C\_80-7\_Suśrutasaṃhitā (accessed on October 22, 2021).

bhat-2020 and Klebanov (2021a: 11) agree that four to five scribes were involved in the manuscript's production.

<sup>48</sup> Codicological features of the manuscript, such as the layout, peculiarities of the script, various ornamental and text-dividing symbols and many more, were scrutinized in **bhat-2020**.

<sup>49</sup> See Klebanov (2021*a*: 11) for a detailed description of the content.

<sup>50</sup> See Klebanov (2021*a*: 13–17) for a translation and a study of the colophon, as well as an exposition of different positions related to its interpretation.

See http://ngmcp.fdm.uni-hamburg.de/mediawiki/index.php/A\_45-5\_ (Suśrutasamhitā) (accessed on October 22, 2021)/

bundled together in a composite manuscript with at least one other medical work. The text is written in a variety of Newari script, with ca. seven lines per folio. Although the text contained in the MS does not cover the entire  $Su\acute{s}rutasamhit\bar{a}$  and breaks off abruptly in the second chapter of the  $\acute{s}\bar{a}r\bar{i}rasth\bar{a}na$ , the actual MS, as a codicological unit, appears complete, that is, no leaf seems to be missing from the originally unitary artefact. Based on paleographic considerations, the MS can be dated tentatively to the 12th or 13th century.

**Siglum H:** The MS belongs to the historical collection of Hemarāja Sarman (fl. 1878-1953) and is currently kept at the NAK under accession number NAK 5-333. It is microfilmed twice by the NGMPP as B 29-19 and B 30-15, but the latter microfilm is incomplete.<sup>52</sup> The MS comprises 435 palm-leaf folios, 34  $\times$  5 cm in size, with one string-hole in the middle. It is written in a type of Newari script that is more recent than the one used in N, with approximately six lines per folio. The MS is exceptionally well-preserved and complete, containing the text of the Suśrutasamhitā as well as the Suśrutanighantu. The final colophon identifies the scribe of the MS as Vaidya Amarasimhaka, son of Kamaladatta, and states the date on which he concluded the copying of the text. Both reading, that is, deciphering the actual characters, and interpretation of the concerned passage involve diverging opinions, all of which concur, however, in assigning the MS to the 16th century. Klebanov (2021a: 21–26) gives an analytical account of the views expressed in literature, considers further options and puts forward his understanding that the MS was completed on Sunday, July 29, AD 1543.

#### Features of the manuscript transmission

Andrey

#### Palaeographical features

- śrita for śrta.
- yātri for yātṛ (Su.ka.1.63)

See http://ngmcp.fdm.uni-hamburg.de/mediawiki/index.php/B\_29-19\_ Suśrutasamhitā (accessed on October 22, 2022).

- punarnnavā (Su.ka.1.61)
- ś and s in KL 699.
- b and v in KL 699 and NAK 5-333.
- cha and ccha
- line-fillers
- n for n (punarnnavā)
- vyājī-kṛ for vājī-kṛ

#### **Chart of characters**

[[[Put a chart from QuickPalaeographer here.]]]

#### The Printed Editions

The careful survey of printed editions of the *Suśrutasaṃhitā* by Meulenbeld lists no fewer than 44 entries.<sup>53</sup> These range from the first edition by Madhusūdana Gupta (1835) to editions in the 1970s. The number of reprints and editions since that time might almost double that number. Translations begin with Hessler's Latin translation in 1844 and continue up to the present in scores of publications in many languages.<sup>54</sup>

#### The Vulgate

The great ayurvedic scholar Yādavaśarman Trivikrama Ācārya produced three successive editions of the *Suśrutasaṃhitā* with the commentary of Palhaṇa, in 1915, 1931 and 1938. These editions, especially the last, are generally considered the most scholarly and reliable editions of the work, and have been constantly reprinted up to the present day. We refer to the last of these editions as "the vulgate."

The 1915 edition was based on three manuscripts. The 1931 edition used another seven manuscripts plus two printed editions. For his final 1938 edition, Ācārya used a further three manuscripts.<sup>56</sup> These sources are described as follow, with an overview in Table 2.

<sup>53</sup> HIML: IIB, 311-314.

<sup>54</sup> Zysk 1984: E.g., HIML: IIB, 314-315.

See also the study of these editions by Klebanov (2021a: §1.2) and Wujastyk (2013: 143–144).

The following account of the sources is paraphrased from Y. T. Acārya and N. R. Ācārya's own account of his sources (Su 1938: 22).

#### The sources of the 1915 edition

- 1 Calcutta, Royal Asiatic Society. Covers the *sūtra*, *nidāna*, *śārīra and kalpa sthānas*.
- 2 Jaipur, Pandit Gaṅgādharabhaṭṭaśarman, lecturer at the Royal Sanskrit University. Covers the cikitsāsthāna and the uttaratantra.
- 3 Bundi, my great friend the royal physician Pam. Śrīprasādaśarman Covers the *uttaratantra*.

## The sources of the 1931 edition

- 1 Vārāṇasī, professor of literature, the great Gaurīnāthapāṭhaka. With the *Nibandhasaṅgraha*. Covers the *nidānasthāna* and *uttaratantra*.
- 2 Ahmedabad. My friend Sva. Vā. Vaidya Raṇachoḍalāla Motīlālaśarman. With the *Nibandhasaṅgraha*. Covers the śārīrasthāna.
- 3 From the personal library of my great friend Sva. Vā. Vaidya Murārajīśarman. Extremely old. No commentary. Covers the *śārīrasthāna*.
- 4 Puṇe, BORI library. With the *Nibandhasaṅgraha*. Covers the śārīra-sthāna.<sup>57</sup>
- 5 Pune, BORI library. With the *Nibandhasangraha*. Complete. With some damaged folia.
- 6 Bombay, Asiatic Society. Incomplete.<sup>58</sup>
- 7 Varanasi, the private library of Vaidya Tryambakaśāstrī. Covers the *cikitsāsthāna*. The variant readings of this MS were compiled by Prof.
- 8 A printed edition together with the commentary *Suśrutasandīpana-bhāṣya* by Professor Hārāṇacandra Cakravārtti. Complete work. This is the 1910 Calcutta edition numbered "t" by Meulenbeld (HIML: IB, 312).<sup>59</sup>
- 9 A printed edition of the first 43 chapters of the *sūtrasthāna*, printed in Bengali script, with the commentaries *Bhānumatī*, *Nibandhasaṅgraha*, edited by Vijayaratnasena and Niśikāntasena. This is the 1886 Calcutta edition numbered "g" by Meulenbeld (HIML: IB, 311).<sup>60</sup>

<sup>57</sup> Not one of the three MSS of the śārīrasthāna described in H. D. Sharma 1939.

Possibly MS Mumbai AS B.I.3 or MS Mumbai AS B.D.109 (Velankar 1925–30: v. 1, # 212 and 213). But both these have the *Nibandhasangraha*. The first covers only the *śārīrasthāna*; the second may be complete, but Velankar calls it only "disorderly."

<sup>59</sup> Bhattācārya 1910–7.

<sup>60</sup> Sena et al. 1886–93.

Table 2: The sources of Yādavaśarman T. Ācārya's three editions: manuscript coverage  $(\bullet)$  and print coverage  $(\circ)$ .

edition		1915	5	1931						1938					
source	1	2	3	1	2	3	4	5	6	7	8	9	1	2	3
sthāna															
$s\bar{u}.$	•								?		0	061	•		, •
ni.	•			•					?		0		•		
śā.	•								?		0		•		•
ci.									?	lacktriangle	0				● <sup>62</sup>
ka.	•								?		0				
utt.		•	•					•	?		0				

# The sources of the 1938 edition

- 1 Gwalior, from the library of my great friend Pam. Rāmeśvaraśāstrin Śukla. Covers the *sūtra*, *nidāna*, *śārīra*, *cikitsā and kalpasthāna*s.
- 2 Bikaner, from the library of the Royal Palace, supplied by Pam. Candraśekharaśāstrin. Contains the commentary *Nyāy-acandrikāpañjikāvyākhyā* by Gayadāsa. Covers the *nidānasthāna*. This is almost certainly MS Bikaner Anup 4390.<sup>63</sup>
- 3 Kathmandu, located in the private library of the Royal Guru Hemarāja Śarman. An extremely old palm-leaf manuscript. Readings from this MS were compiled by Paṃ Nityānandaśarman Jośī and sent to Ācārya. Covers from the beginning of the work to the end of the ninth chapter of the *cikitsāsthāna*. The siglum for this manuscript in footnotes was tā for tālapatrapustake.

<sup>61</sup> Covers chapters 1-43 only.

<sup>62</sup> Covers chapters 1–9 only.

<sup>63</sup> See Dominik Wujastyk, "MS Bīkāner AnupLib 4390." Pandit. <a href="http://panditproject.org/entity/108068/manuscript">http://panditproject.org/entity/108068/manuscript</a>.

#### **Evaluation**

Estimates show that there are approximately 230 extant manuscript witnesses for the *Suśrutasaṃhitā*.<sup>64</sup> Many of these manuscripts cover only one or more or its chapters. Nevertheless, this is an order of magnitude more evidence than was considered by Ācārya for his vulgate editions.

While the descriptions provided by Acārya of his source materials seems at first to be moderately comprehensive, Table 2 reveals the underlying paucity of textual sources for these editions. At first, it appears that fifteen manuscripts were consulted. However, we quickly see that two of the sources were other people's printed editions, and one of those covered less than a quarter of the work (no. 9 of 1931). That reduces the manuscript base to 13 manuscripts. Acarya does not appear to have seen two of the manuscripts at all, having been sent collations prepared for him by others (7 of 1931 and 3 of 1938). Thus, Acārya's final edition was based on the personal consultation of eleven partial manuscripts. One of them remains unidentified (6 of 1931). Only a single manuscript covers the whole of the Suśrutasaṃhitā, no. 5 of the 1931 edition. Manuscript 1 of 1938 is the next most complete, but it omits the uttaratantra, which comprises a third of the work. Manuscript 1 of the 1915 edition is third in size, but it still omits both of the longest chapters, and thus offers less than half the work. For the rest, the evidence is spotty, with each part of the work being supported by only between four and eight manuscripts, excluding the printed editions.

Two sources stand out for their historical importance. The first is no. 3 of 1931, which Ācārya calls "extremely old." It covered the śārīrasthāna only, and unfortunately we know nothing of the later history of this manuscript. The second is no. 3 of 1938, which is one of the important Nepalese manuscripts being considered in the present project. Ācārya's remarks and references to Hemarājaśarman's introduction to the *Kāśyapasaṃhitā* allow us to identify this manuscript as MS Kathmandu NAK 5-333. But that manuscript covers the whole work, not just up to the ninth chapter of the *cikitsāsthāna* as Y. T. Ācārya and N. R. Ācārya stated. Perhaps the editors only received collations for this portion of the manuscript and did not

<sup>64</sup> This figure is arrived at by summing the MSS mentioned in NCC and in the NGMCP. The real figure could be many scores higher.

<sup>65</sup> Su 1938: 22; Hemarāja Śarman 1938: 56–57. Discussed by Klebanov (2021*a*: §1.1, 2.3). See also HIML: IIB, 25–41; Wujastyk 2003: 161–169.

<sup>66</sup> Su 1938: 22.

know that it was a witness for the whole work.

#### The 1939 edition

In 1939, Yādavaśarman Trivikrama Ācārya and Nandakiśora Śarman coedited an edition of the *sūtrasthāna* of the *Suśrutasaṃhitā* that was published by the Swami Laxmi Ram ayurvedic centre in Jaipur, and printed at the famous Nirṇayasāgara Press in Mumbai (see Fig. 1).<sup>67</sup> The text was edited on the basis of the following sources.

#### For the Bhānumatī

- 1. A printed edition. Covered the *Bhānumatī* up to chapter Su.sū.40. The siglum was **mu** for *mudrita*.<sup>68</sup>
- 2. A manuscript in the India Office Library library provided through the Bhandarkar Oriental Research Institute in Pune.<sup>69</sup> This manuscript covered the *Bhānumatī* b up to the end of the *sūtrasthāna*. The siglum was ha for hastalikhita.<sup>70</sup>

#### For the Suśrutasamhitā

- 1. A palm leaf manuscript from Hemarājaśarman's personal library.<sup>71</sup> The siglum was tā for tāḍapatra.
- 2. His own published edition. The siglum was da for dalhaṇasaṃmataḥ pāṭhaḥ.<sup>72</sup>
- 67 Su 1939. The description of the sources below is based on Yādavaśarman T. Ācārya's remarks in his introduction (pp. 3–4). See also the remarks on this edition by Klebanov (2021*b*: 7). On the Swami Laxmi Ram centre, see Hofer 2007
- 68 Sena et al. 1886–93. The manuscript on which this edition was based is probably in the library of the Calcutta Sanskrit College, and described in H. Sastri and Gui 1895–1917: v. X.1, which is not available to me. See also HIML: IB, 495, n. 57 for mention of this manuscript. The reference at Rama Rao et al. 2005: 217 to CSCL accession number 97 in Bengali script may be this manuscript.
- 69 At this time, manuscripts from Britain were routinely lent to scholars in India and vice versa.
- 70 Wujastyk 2021 MS London BL H. T. Colebrooke 908 (PanditProject #109978, consulted on July 03, 2021).
- 71 I.e., MS Kathmandu NAK 5-333.
- 72 Su 1938. It is noteworthy that Ācārya refers to his 1938 edition as representing "the Dalhana recension."

चरके—''लाभोपायो हि शस्तानां रसावीनां रसायनम्'' (च.चि. अ. १ पा. १)। पारिशेष्याद्वाजीकरणतन्त्रम् । अवाजिनं वाजीकुर्वेन्ति येन तद्वाजीकरणम् । 'अन्येषामिष दृश्यते' (पा. अ. ६।३।१३७) इति वीर्घलम् । येन वाऽत्यर्थं स्त्रीषु व्यज्यते तद्वाजी-करणम् । तद्वकं चरके—''येन नारीषु सामध्यं वाजिवल्लमते नरः । वजेचाप्यधिकं येन वाजीकरणमेव तत्'' (च.चि. अ. २, पा. ४) इति ॥ ५॥

अथास्य प्रत्येकाङ्गलक्षणसमासः—तत्र, शल्यं नाम विविधत्णकाष्टपाषाणपांशुलोहलोष्टास्थिवालनलपूर्यास्वावदुष्टवणान्तर्गर्भशाल्योद्धरणाथ षष्ट्या विधानैः, यन्त्रश्रास्थ्रसाराग्निप्रणिधानवणविनिश्चयार्थं चः शालाक्यं नामोध्वेजन्नगतानां श्रवणनयनवद्नन्नाणादिसंश्रितानां व्याधीनामुपश्मनार्थः, कायचिकित्सा नाम सेवाङ्मसंश्रितानां व्याधीनां ज्वररक्तपित्तशोषोन्मादापसारक्रष्टमेहातिसारादीनामुपश्मनार्थः, भूतविद्या नाम देवासुरगन्धवेयक्षरक्षःपितृपिशाचनागम्बाद्यपस्प्रचेतसां
शान्तिकर्मविष्ठहरणादिश्रहोपश्मनार्थः, कौमारभृत्यं नाम कुमारमरणधात्रीक्षीरदोपसंशोधनार्थं दुएस्तन्यग्रहसमुत्थिनां च व्याधीनामुपशमनार्थमः, अगदतन्त्रं नाम सप्कीटल्लामूषकादिद्प्रविषव्यक्षनार्थं
विविधविपसंशोगोपश्मनार्थं चः, रसायनतन्त्रं नाम वयःस्थापनमार्थुमेधावलकरणं रोगापहरणसमर्थं चः वाजीकरणतन्त्रं नामाहण्दुएक्षीणशुकरेतसामाप्यायनप्रसादोपचयजनननिसित्तं प्रहर्षणजननार्थं च ॥ ६॥

शस्याङ्गविशेषात्र् ज्ञातुं प्रतिलक्षणं संक्षेपेणाह—अथास्यस्यादि । एकमेकमङ्गं प्रति लक्ष-णानां समासः संक्षेपः प्रत्यकाङ्गलक्षणसमासः । तृणादीनां, तथा दुष्टनणस्य, तथाऽन्त-र्गत(भेशस्य)स्य उद्धरणार्थमिति प्रत्येकमुद्धरणशब्दः संवध्यते । दुष्टनणस्यान्तस्तृणाद्या-हरणार्थमित्यन्ये । षष्ट्या विधानिरिति द्विन्नणीयोक्तैरपतर्पणावै रक्षाविधानान्तैः; इत्थंभूतलक्षणे तृतीया । जत्रु प्रीवामूलं, जत्रुण उद्ध्वमूष्वेजत्रु । प्राणादीत्यादिप्रहणाच्छिरःकपालादिप्रह-णम् । उत्तरतन्त्रे प्रतिपादितकमप्राप्त्या ज्वरानन्तरमतीसारः पठितः, तस्यान्ते पाठोऽतिसा-रस्य सर्वाङ्गीणदोपारव्यत्वात्, अन्येपामि तन्मध्यपाठेन सर्वाङ्गीणदोषारव्यत्वप्रतिपादना-व्यतिकमं वदन्ति । शान्तिकमं विष्टहरणादिना प्रहाणां देवादीनामुपशमो यस्तदर्थः, यदि वा ग्रह्णं ग्रह्यो देवानामावेशस्तदुपशमार्थम् । दुष्टस्तन्यमहसमुत्थितानामिति दुष्टस्तन्यन

Figure 1: A page of the 1939  $Bh\bar{a}numat\bar{\iota}$  edition, showing the variant readings in the footnotes.

१ 'सर्वशरीरावस्थितानी न्याचीनामुपश्चमकरणार्थ ज्वरश्चोफगुरमरक्तिपत्तोनमादापसार-प्रमेदातीसारादीनां च' इति ता. । २ 'देवदानव' इति ता. । ३ 'विनायकनागग्रहोप-सप्टचेतसां' इति ता. । ४ 'विषयेगोपश्मनार्थ' इति ता. । ५ 'शुक्राप्यायन' इति ता. । ६ 'स्णादीनां श्रस्यान्तानां' इति मु. ७ 'अन्ये तु तस्यान्ते पाठेन' इति पा० । ८ 'म्रहणाद्व' इति मु. ।

3. Hārāṇacandra Cakravarti's published edition with his own commentary.<sup>73</sup> The siglum was hā.

#### **Evaluation**

The main innovation of this publication was to present the only surviving part of the commentary on the *Suśrutasaṃhitā* by the great eleventh-century medical scholar Cakrapāṇidatta, namely the *Bhānumatī*.<sup>74</sup> A secondary purpose was to present the text of the *sūtrasthāna* as read in MS Kathmandu NAK 5-333, that had recently been brought to the editors' attention. In their judgement, the Kathmandu manuscript presented a text that was closer to what Cakrapāṇidatta had before him than the text according to Dalhaṇa. This was the first *Suśrutasaṃhitā* edition in which Ācārya used sigla to identify the sources from which variant readings were reported, so while it has limitations, it for the first time enables us to get some idea of origins of the text (see Figure 1).

Ācārya noted in his introduction that the manuscripts containing the Palhaṇa's commentary all came together with the root-text of the *Suśrutasaṃhitā*, and thus the main *Suśrutasaṃhitā* text reflected the readings chosen by Palhaṇa. But the manuscripts of the *Bhānumatī* contained the commentary alone, without the root-text, and had many explanations based on different readings of the root-text than those of Palhaṇa. In many of these cases it was hard to know what the text that Cakrapāṇidatta had before him. But Ācārya noted that Cakrapāṇidatta had a text before him that had much in common with the text of the Nepalese manuscript.<sup>75</sup>

There is compelling evidence that Cakrapāṇidattas's *Bhānumatī* commentary once covered the whole text of the *Suśrutasaṇhitā*.<sup>76</sup> The loss of the rest of the work ranks amongst the greatest disasters in Āyurvedic literature. Remarkably, the whole *Bhānumatī* may still have existed in the early twentieth century. In 1903, Palmyr Cordier reported being privately informed of a complete copy of the work in a personal manuscript collection in Benares.<sup>77</sup>

```
73 Bhaṭṭācārya 1910–7.
74 HIML: IA, 374–375 and IB, 495–496.
75 Su 1939: 3–4. See discussion by Klebanov (2021b: 7).
76 HIML: IA, 375.
```

Cordier 1903: 332.

# **Editorial Principles**

#### Method

The data for the critical edition comes from the witnesses of the Nepalese version, which are MS KL 699, NAK 5-333 and NAK 1-1079. Diplomatic transcriptions of SS.1.16 of these manuscripts have been created by researchers of the Suśruta Project according to a subset of TEI Guidelines that has been formulated by Charles Li.<sup>78</sup> MS NAK 5-333 was transcribed first because its script is easy to read, the scans are clear, and it is the most complete of the manuscript witnesses. Then, MS KL 699 and MS NAK 1-1079 were transcribed.

The diplomatic transcripts were uploaded to Charles Li's platform Saktumiva, which automatically collates them. An electronic text of the vulgate of the *Suśrutasaṃhitā*, which was transcribed without the commentaries by Tsutomu Yamashita and Yasutaka Muroya on the basis of Ācārya's 1931 and 1938 Bombay editions,<sup>79</sup> has also been included in the collation.

Saktumiva's automatic collation function standardises punctuation and orthographic variants according to filters which can be turned off or on. These filters enable the editors to ignore daṇḍas, numbers and puṣpikās in the transcripts, as well as orthographic variants, such as ba and va, certain germinated consonants, and visarga variants. On the basis of the automatic collation, Jason Birch created a provisional edition of SS.1.16, which the project's researchers read together at weekly seminars. Manuscript images were routinely checked to verify the transcripts, particularly when a reading was uncertain; the commentaries of Cakrapāṇidatta and Ḍalhaṇa were read, and variant readings reported by these commentators were included in notes to the edition. Also, various reference books were consulted, such as the Nadkarni (1954) and V. Jośī and N. H. Jośī (1968) and Meulenbeld (HIML), to elucidate the meaning of technical terms and identify relevant information in other medical works.

An initial draft of the translation and many annotations were written by Dominic Wujastyk during the seminars as the Project researchers discussed the text's meaning. The transcripts, provisional edition and translation were uploaded to the project's repository at Github on a weekly basis.

<sup>78</sup> These guidelines are at https://saktumiva.org/wiki/tei,accessed 20/10/2021.

<sup>79</sup> This e-text is available on the SARIT website; https://sarit.indology.info/susrutasamhita.xml?view=div,accessed 20/8/2021.

Therefore, the project's work has been publicly available as it evolves. The following software tools have been selected by Wujastyk for the procedures described above:

- 1. oXygen XML editor (which has plugins for Github and TEI, and can validate the code).
- 2. Saktumiva (a platform for producing and publishing critical editions of Sanskrit texts).
- 3. Quick Palaeographer (a browser-based tool for reading MS images and developing a catalogue of character shapes).
- 4. Filezilla (document transfer to Saktumiva).
- 5. Github (document sharing, security and versioning).
- 6. LaTeX (document preparation).
- 7. qdpm (project management).

#### Stemma

The data from transcripts collated by Saktumiva can be exported as a FASTA file and aligned according to characters, syllables or words by a program called Helayo. The resulting NEXUS file can be read by phylogenetics software to build a stemmatic tree. This procedure was done with transcripts of several chapters of the Nepalese witnesses, and the results confirmed the editors' provisional stemmatic hypothesis that K and H are more closely related to one another than K and N. Given the early date of K and the small number of other surviving witnesses of the Nepalese version, the relationship between the manuscripts at our disposal is reasonably clear and, in the case of SS.1.16, the manuscript data was largely confined to N and H owing to a missing folio of K. Rather than have to assess numerous variant readings from a large number of witnesses, the challenge of editing has been to repair the text where it has become corrupt in the few witnesses available to us.

#### The Edition and Apparatus

The critical edition of SS.1.16 in this article retains many of the peculiarities of MS KL 699 because the editors have endeavoured to present to the reader

<sup>80</sup> This process is discussed in greater detail by Charles Li at https://chchch.github.io/sanskrit-alignment/docs/index.html#tree, accessed 21/8/2021.

<sup>81</sup> See section 'Features of the Manuscript Transmission' for further discussion of this.

a text that is very similar to the one transmitted in the region of Nepal in the ninth century. Therefore, the Sanskrit has been standardised as minimally as possible and, although the text has been corrected and repaired wherever it was corrupt in the witnesses, it has not been normalized or conventionalized to the extent of many modern editions of Sanskrit works.

The editors have assumed that the authors of the Nepalese *Suśrutasaṃ-hitā* were familiar with Pāṇinian Sanskrit and, although there are some non-standard spellings and grammatical forms in the text, there are very few instances of hyper-Sanskritization, Buddhist-hybrid Sanskrit or Epic forms that would suggest that this assumption is unreasonable. Therefore, the editors of SS.1.16 have opted to retain some unusual features of the Sanskrit in MS KL 699 when they are grammatically correct. For example, in external *sandhi*, the class nasal is usually used at the end of a word instead of an *anusvāra* (e.g.,1.16.3, °vācanan dhātry°), although the *anusvāra* is sometimes used (1.16.15, *udakaṃ dhānyāmla*°). In most cases, the consonant following a *repha* is doubled, but this is not always the case. Since these inconsistencies seem inherent to the transmission of the text and may have even been authorial, the critical edition reflects them as they occur in K and, when the testimony of K is not available, the witness most similar to K, which is H.

The Nepalese manuscripts often have an <code>anusvāra</code> before a <code>daṇḍa</code> at the end of a sentence or verse. Whether these <code>anusvāras</code> should be changed to the consonant <code>m</code> is a moot question because there is no Pāṇinian concept of 'end-of-sentence' and his rules on <code>sandhi</code> are contingent on the close contact of sounds (<code>saṃhitā</code>). However, it is reasonable to assume that at the end of a verse, paragraph or sentence the speakers would have paused for breath or thought, so <code>sandhi</code> should be applied, in which case a final <code>anusvāra</code> or class nasal of the following consonant is changed to <code>m</code>. Nonetheless, this remains an assumption about how the text would be pronounced. Therefore, in a critical edition, inserting <code>daṇḍas</code> and changing <code>anusvāras</code> to <code>m</code> before them are subjective decisions by the editors. The scribal use of <code>daṇḍas</code> and <code>anusvāras</code> in the Nepalese manuscripts can be seen in the digital edition if one switches off the filters for ignoring <code>daṇḍas</code> and final <code>anusvāra</code> variants.

Unconventional spellings and grammatical forms have been retained

<sup>82</sup> Examples of the germination of consonants are *karṇṇa* (1.16.1 ff), *muhūrtta* (1.16.2), *pūrvva* (1.16.2), *gandharvva* (1.16.5), °*mūlair mmadhu*° (1.16.5), *vartti* (1.16.6) and *punar vvidhyet* (1.16.6). Examples where it does not occur in 1.16 are °*ārtham* (1.16.8,19), *kuryāt* (1.16.16, 32), °*pālir vallūra*° (1.16.10); °*pālir vyāyojimaḥ* (1.16.10) and *dīrghaika*° (1.16.10).

and noted in the annotations to the translation. However, the editors have corrected scribal errors and repaired corruptions in the transmitted text with conjectures wherever possible. Therefore, although the edition retains many of the peculiarities of the Nepalese manuscripts, it is not a diplomatic transcript or a hybrid of diplomatic and critical editing because the features of the transmitted text have been retained or changed deliberately, and the reasons for doing so are given in either the introduction or, in more specific cases, the annotations to the translation.

#### **Printed Edition**

The editors intend to produce both printed and digital editions of the Nepalese *Suśrutasaṃhitā*. Since the print and digital environments differ markedly, each edition has its own format. The printed edition of SS.1.16 in this article has a positive apparatus, that is to say, the testimony of every witness is recorded for the lemma and variants. The following entry is an example of the apparatus' syntax:

# pratanum K] pratanū N, H tatah A

This entry means that the editors have chosen to read *pratanum*, which is attested by K. Instead of *pratanum*, witnesses N and H have *pratanū* and A has *tataḥ*. In prose passages, the lemma and variants consist of corresponding words and, in verses, corresponding syllables. Conjectures by the editors are indicated by the abbreviation *conj*. Omissions and suppletions in the witnesses are indicated by [OM] and [ADD] next to the siglum. There are separate layers of footnotes in the printed edition for testimonia and notes. The testimonia mainly consists of the variant readings noted by the commentators Cakrapāṇidatta and Ḍalhaṇa. Those known to Gayadāsa will be added in future publications. The notes include the additional passages and verses in the version known to Ḍalhaṇa and large omissions in the witnesses. Reasons for editorial decisions and notes on peculiarities in the text have been included in the annotations to the translation.

# **Digital Edition**

Instructions for reading the digital edition have been provided by Charles Li on Saktumiva. In brief, the reader is able to generate the apparatus by choosing a base text and one or more of the other witnesses. The reader

can also chose to hide or ignore in varying degrees TEI tags, punctuation and orthographical variants in the transcript of each witness. On the right side of the text, the digital edition displays an apparatus that is negative in so far as the lemma and its witnesses are not included. This apparatus truncates variants wherever possible.




Figure 2: The digital edition of SS.1.16.3

For example, as seen in Figure 2, the apparatus for the highlighted words  $bahutvanivedan\bar{a}y\bar{a}m$  is on the right side between the purple square brackets. This entry means that the editors have chosen to read  $^\circ bahutvanivedan\bar{a}y\bar{a}m$ , which is the reading of K, whereas A has  $^\circ bahutvena$   $nivedanay\bar{a}$ , N  $^\circ bahutveti$   $vedan\bar{a}s$  and H  $^\circ bahutvanivedan\bar{a}y\bar{a}c$ . The final c in the reading of H is italicised because it has been marked by the transcriber as unclear.

A positive apparatus is available if one highlights with the cursor one or more words, and even entire passages or verses, and clicks on the collapsed menu icon. As seen in Figure 3, the positive apparatus of *bahutvanivedanāyāṃ* appears in a pop-up window in which the lemma and variants are aligned according to letters, and the variations are highlighted in yellow.




Figure 3: The digital edition of SS.1.16.3

In both the negative and positive apparatuses of the digital edition, the reader must infer conjectures and corrections by the editors. Testimonia and notes are in the apparatus on the right side of the text.

# The Translation

# Sūtrasthāna, adhyāya 16

- 1 Now we shall expound the method for piercing the ear. 83
- 2 One may pierce a child's ears for the purpose of preserving and decorating. On renowned days, half days, hours and constellations during the first half of the sixth or seventh lunar month, the physician sits the boy, who has received a benediction (*kṛtamaṅgala*) blessings pronounced (*svastivācana*)<sup>84</sup> –, on the lap of a wet-nurse and pacifies him.<sup>85</sup> Then, having pulled his ear with the left hand, he should use his right hand to pierce the ear straight through at a naturally occurring cleft.<sup>86</sup> For a
- The topic of piercing the ear (kaṛnavyadha) is not discussed in the Carakasaṃhitā (HIML: IB, 326, n. 175), but it is mentioned in some texts that followed the Suśruta-saṃhitā, such as the Kaśāpyasaṃhitā (HIML: IIA, 30). Also, the instrument for piercing the ear is described in the Aṣṭāṅgahṛdayasūtra 1.26.26 (kunt-1902). In the versions of the text known to Þalhaṇa (Su 1938: 76) and Cakrapāṇidatta (Su 1939: 125), the heading of this chapter is karṇavyadhabandhavidhi ('the method of piercing and joining the ear'), instead of the Nepalese version's karṇavyadhavidhi. The topic of karṇabandha is discussed in passages 17–20 of the Nepalese version. However, it appears that only subsequent redactors reflected its importance by including it in chapter headings. The Nepalese version also omits the opening remark on Dhanvantari that appears in subsequent versions. For a discussion of the frame story in the Nepalese version, see Birch et al. 2021. Þalhaṇa (Su 1938: 76) and Cakrapāṇidatta (Su 1939: 125) state that only the ears of healthy people should be pierced, and they quote Bhoja to affirm this: 'When piercing the ears of children who are free of disease at these times, their ear flaps and apertures, as well as limbs, increase' (for the Sanskrit, see Su 1938: 76).
- 84 The syntax here is unclear. The expression *svastivācana* may have been a gloss inserted into the text at an earlier period to clarify *maṅgala*. But as it stands, it is not syntactically connected to the rest of the sentence. In the versions of 1.16.3 known to Cakrapāṇidatta (Su 1939: 126) and Dalhaṇa (Su 1938: 76), the words are united in a compound that reads more naturally.
- 85 The versions of 1.16.3 known to Cakrapāṇidatta (Su 1939: 126) and Dalhaṇa (Su 1938: 76) have the additional compound kumāradharāṅke ('on the lap of one who holds the child') after dhātryaṅke. The gender of kumāradhara is made clear by Dalhaṇa's gloss 'a man who holds the child'. Also, both versions add bālakrīḍanakaiḥ pralobhya ('having enticed with children's toys') to indicate that the child should be tempted with toys to stay on the assistant's lap. According to Dalhaṇa on 1.16.3 (Su 1938: 76), the toys include replica elephants, horses, bulls and parrots. Dalhaṇa further mentions that others read bhakṣyaviśeṣair vā ('or by special treats') before bālakrīḍanakaiḥ.
- 86 The versions of 1.16.3 of Cakrapāṇidatta (Su 1939: 126) and Dalhaṇa (Su 1938: 76) add

- boy, do the right ear first; for a girl, do the left one. Use a needle on a thin ear; an awl  $(\bar{a}r\bar{a})$  on a thick one.<sup>87</sup>
- If there is excess blood or pain one should know that it was pierced in the wrong place. The absence of side-effects is a sign that it has been pierced in the right place.<sup>88</sup>
- In this context, if an ignorant person accidentally pierces a duct (*sirā*) there will be fever, burning, swelling (*śvayathu*), pain, lumps (*granthi*), paralysis of the nape of the neck (*manyāstambhā*), convulsions (*apatānaka*), headache or sharp pain in the ear. 89
- Having removed the wick (*varti*) in the hole because of the aggravation of humours or a culpable piercing, <sup>90</sup> one should smear it with a paste of the roots of barley, liquorice, Indian madder (*mañjiṣṭhā*), and the castor

Add reference in the fn for the article on samudāya

- ādityakarāvabhāsite to clarify that this naturally occurring cleft is illuminated by sunshine.
- 87 Dalhaṇa on 1.16.3 (Su 1938: 76) clarifies that the awl is a shoe-maker's knife for piercing leather. He also cites the authority of "the notes of Lakṣmaṇa" (Lakṣmaṇaṭippaṇaka) on the issue of the thickness of the needle. The Notes of Lakṣmaṇa is not known from any earlier or contemporary sources and was presumably a collection of glosses on the Su-śrutasaṃhitā that was available in twelfth-century Bengal. See Meulenbeld (HIML: IA, 386, and the footnotes for further literature).
- 88 At this point, MS Kathmandu KL 699 is missing a folio, so the rest of this chapter is constructed on the basis of witnesses MS Kathmandu NAK 5-333 and MS Kathmandu NAK 1-1079.
- This passage is significantly augmented in 1.16.4 of Cakrapāṇidatta's version (Su 1939: 126) and 1.16.5 of Dalhaṇa's (Su 1938: 77) to outline the specific problems caused by piercing three ducts called *kālikā*, *marmikā* and *lohitikā*. In fact, the order of the problems mentioned in the Nepalese version has been retained in the other versions and divided between each duct. Cakrapāṇidatta's commentary on 1.16.4 (Su 1939: 126) cites several verses attributed to Bhoja on the problems caused by piercing these three ducts in the ear flap: 'Lohitikā, marmikā and the black ones are the ducts situated in the earflaps. Listen in due order to the problems that arise when they are pierced. Paralysis of the nape of the neck and convulsions, or sharp pain arise from piercing *lohitikā*. Pain and lumps are thought to arise from piercing *marmikā*. Piercing *kālikā* gives rise to swelling, fever and burning.'
- 90 In addition to these reasons, 1.16.6 of Dalhaṇa's (Su 1938:77) adds kliṣṭajihmā-praśastasūcīvyadhāt ('because of piercing with a painful, crooked and unrecommended needle') and gāḍhataravartitvāt ('because of a wick that is too thick'). Dalhaṇa was aware of the reading in the Nepalese version because he notes in his commentary on 1.16.6 (Su 1938:77) that some read 'because of the accummulation of humours' rather than 'because of piercing with a painful, crooked and unrecommended needle or because of a wick that is too thick.' On the meaning of samudāya, see ?? and Meulenbeld 1992: 1–5.

- oil tree (*gandharvahasta*), thickened with honey and ghee. When it has healed well, one should pierce it again.
- One should treat the properly-pierced ear by sprinkling it with raw sesame oil. After every three days one should apply a thicker wick (*varti*) and sprinkle oil right on it.<sup>91</sup>
- 7 Once the ear is free from humours or side-effects, one should loosen it with a light dilator (*pravardhanaka*) in order to enlarge it.<sup>92</sup>
- 8 A person's ear enlarged in this way can split in two, either as a result of the humours<sup>93</sup> or a blow. Listen to me about the joins (*sandhāna*) it can have.
- 9 Here, there are, in brief, fifteen ways of mending the ear flap. 94 They are as follows: Rim-join (nemīsandhānakaḥ), Lotus-splittable (utpalabhedyaka), Dried Flesh (vallūraka), Fastening (āsaṅgima), Cheek-ear (gaṇḍakarṇa), Take away (āhārya), Ready-Split (nirvedhima), Multi-joins (vyāyojima), Door-hinge (kapāṭasandhika), Half door-hinge (ardhakapāṭasandhika), Compressed (saṃkṣipta), Reduced-ear (hīnakarṇa), Creeper-ear (vallīkarṇa), Stick-ear (yaṣṭīkarṇa), and Crow's lip (kākauṣṭha).95

In this context, among these,

"Rim-join" (*nemīsandhānaka*): both flaps are wide, long, and equal.

"Lotus-splittable" (*utpalabhedyaka*): both flaps are round, long, and equal.

<sup>91</sup> The manuscripts support the reading *sthūlatarīm* that is either a non-standard form or a scribal error.

<sup>92</sup> Cakrapāṇidatta on 1.16.6 (Su 1939: 127) and Dalhaṇa on 1.16.8 (Su 1938: 77) point out that the dilator can be made of wood, such as that of the prickly chaff flower (apāmarga), the neem tree (nimba) and the cotton plant (kārpāsa). Dalhaṇa adds that it can also be made of lead (sīsaka) and should have the shape of the datura flower (dhattūrapuṣpa).

<sup>93</sup> Dalhaṇa on 1.16.9 (Su 1938: 77) notes that the word doṣa here can refer to either a humour, such as wind  $(v\bar{a}ta)$ , as we have understood it, or a disease generated from a humour.

The Nepalese version uses the word *sandhāna* to refer to joining a split in an ear flap, which is consistent with the terminology in the verse cited above (8). However, 1.16.10 of Palhaṇa's version (Su 1938: 77) uses the term *bandha* here and at the very beginning of the chapter (i.e., 1.16.1) to introduce the topic of repairing the ear.

For an artist's impression of these different kinds of joins in the ear flap, see Majno 1975: 290 (reproduced as Figure 3.2 in Wujastyk 2003: 154).

"Dried flesh" (vallūraka): both flaps are short, round, and equal.

"Fastening" (āsaṅgima): one flap is longer on the inside.

"Cheek-ear" (gaṇḍakarṇa): one flap is longer on the outside.96

"Take-away" (āhārya): the flaps are missing, in fact, on both sides.

"Ready-split" (*nirvedhima*): the flaps are like a dais (*pīṭha*).

"Multi-joins" (*vyāyojima*): one flap is small, the other thick, one flap is equal, the other unequal.

"Door-hinge" (*kapāṭasandhika*): the flap on the inside is long, the other is small.

"Half door-hinge" (ardhakapāṭasandhika): the flap on the outside is long, the other is small.

These ten options (*vikalpa*) for joins (*sandhi*) of the ear should be bound. They can mostly be explained as resembling their names.<sup>97</sup> The five from compressed (*saṃkṣipta*) on are incurable.<sup>98</sup> Among these, "compressed" has a dry ear canal and the other flap is small. "Reduced ear" has flaps that have no base and have wasted flesh on their edges. "Creeper-ear" has flaps that are thin and uneven. "Stick-ear" has lumpy (*granthita*) flesh and the flaps are stretched thin and have stiff (*stabdha*) ducts (*sirā*). "Crow-lip" has a flap without flesh with compressed (*saṃ-kṣipta*) tips and little blood. Even when they are bound up, they do not heal because they are hot, inflamed, suppurating (*srāva*), or swollen.<sup>99</sup>

<sup>96</sup> For an artist's impression of this join, see Majno 1975: 291 (reproduced as Figure 3.3 in Wujastyk 2003: 155).

<sup>97</sup> Cakrapāṇidatta on 1.16.9–13 (Su 1939: 128–129) and Dalhaṇa on 1.16.10 (Su 1938: 77–78) provide examples of how the names of these joins describe their shapes. For example, the rim-join (*nemīṣandhānaka*) is similar to the join of the rim of a wheel (*cakradhārā*).

<sup>98</sup> Dalhaṇa on 1.16.10 (Su 1938:77–78) mentions that some do not read the statement that only five are incurable, and they understand the causes of unsuccessful joins given below (i.e., heat, inflammation, suppuration and swelling) as also pertaining to the first ten when they do heal.

<sup>799</sup> The version of 1.16.11–13 known to Dalhana (Su 1938:78) has four verses (śloka) at this point that are not in the Nepalese manuscripts. The additional verses iterate the types of joins required for ear flaps that are missing, elongated, thick, wide, etc. All four verses were probably absent in the version of the *Suśrutasamhitā* known to

A person wishing to perform any of these joins should therefore have supplies prepared according to the recommendations of the 'Preparatory Supplies' chapter. And in this regard, he should particularly gather decanted liquor (surāmaṇḍa), milk, water, fermented rice-water (dhānyāmla), and powdered earthenware crockery (kapālacūrṇa). 102

Next, having made the woman or man tie up the ends of their hair, eat lightly and be firmly held by qualified attendants, one considers the joins (bandha) and then applies them by means of cutting (chedya), splitting (bhedya), scarification (lekhya), or piercing (vyadhana). Next, he should examine the blood of the ear to know whether it is tainted (duṣṭa) or not. If it is tainted by wind, the ear should be bathed with fermented rice-water (dhānyāmla) and water; if tainted by choler, then cold water and milk should be used; if tainted by phlegm, then decanted liquor (surāmaṇḍa) and water should be used, and then he should scarify it again.

Then, arranging the join in the ear so that it is neither proud, depressed, nor uneven, one should make the join. Having seen that the blood has stopped, one should anoint it with honey and ghee, bandage each ear with cotton (*picu*) and gauze (*prota*), and bind it up with a thread, neither too tightly nor too loosely. Then, the earthenware powder

Cakrapāṇidatta. He cites the verses separately in his commentary, the <code>Bhānumatī</code> (Su 1939: 128–129), introducing each one as 'some people read' (<code>ke cit paṭhanti</code>). However, in Trikamajī Ācārya's edition of the <code>Sūtrasthāna</code> of the <code>Bhānumatī</code>, the root text is largely identical to the one commented on by Dalhaṇa (Su 1938), even in instances like this where Cakrapāṇidatta's commentary indicates that he was reading a different version of the <code>Suśrutasaṃhitā</code>.

- 100 *Suśrutasaṃhitā* 1.5 (Su 1938: 18–23), probably verse 6 especially, that lists the equipment and medications that a surgeon should have ready.
- The reading in the Nepalese manuscripts of *viśeṣataś cāgropaharaṇīyāt* has been emended to *viśeṣataś cātropaharet* to make sense of the list of ingredients, which is in the accusative case. Also, the repetition of *agropaharaṇīyāt* in the Nepalese version suggests that its second occurrence, which does not make good sense here, is a dittographic error.
- 102 The term *kapālacūrṇa* is unusual. Dalhaṇa (Su 1938:79) defines it as the powder of fragments of fresh earthen pots and Cakrapāṇidatta (Su 1939: 129) as the powder of earthenware vessels.
- 103 There are syntactic difficulties in this sentence. We have adopted the reading in Dalhaṇa's version (Su 1938: 78), which has *ca kṛtvā* following *suparigṛhītaṃ*. It is likely that a verb, such as *kṛtvā*, dropped out of the Nepalese transmission.

- should be sprinkled on, and medical advice (ācārika) given. And he should supplement with food as taught in the 'Two Wound' chapter.<sup>104</sup>
- One should avoid rubbing, sleeping during the day, exercise, overeating, sex, getting hot by a fire, or the effort of speaking.
- One should not make a join when the blood is too pure, too copious, or too thin. For when the ear is tainted by wind, then it is obstructed by blood (raktabaddha), unhealed and will peel. When tainted with choler, is becomes pinched ( $g\bar{a}dha$ ), septic ( $p\bar{a}ka$ ) and red. When tainted by phlegm, it will be stiff (stabdha) and itchy. It has excessively copious suppuration ( $sr\bar{a}va$ ) and is sopha (puffedup). It has it has a small amount of wasted ( $ks\bar{n}a$ ) flesh and it will not grow. 106
- When the ear is properly healed and there are no complications, one may very gradually start to expand it. Otherwise, it may be inflamed (saṃrambha), burning, septic or painful. It may even split open again.
- Now, massage for the healthy ear, in order to enlarge it. One should gather as much as one can the following: a monitor lizard (*godhā*), scavenging (*pratuda*) and seed-eating (*viṣkira*) birds, and creatures that live in marshes or water,<sup>107</sup> fat, marrow, milk, and sesame oil, and white mustard oil.<sup>108</sup> Then cook the oil with an admixture (*prativāpa*) of the following: purple calotropis (*arka*), white calotropis (*alarka*), country mallow (*balā*), 'strong Indian mallow' (*atibalā*), country sarsaparilla (*anantā*), beggarweed (*vidāri*), liquorice (*madhuka*) and

<sup>104</sup> Suśrutasaṃhitā 4.1 (Su 1938: 396–408).

<sup>105 1.16.17</sup> of Þalhaṇa's version (Su 1938: 79) reads "impure" for the Nepalese "too pure," which would appear to make better medical sense. Emending the text to nāśuddha- for nātiśuddha- in the Nepalese recension would yield the same meaning as the Þalhaṇa's version.

<sup>106</sup> In his edition of *Suśrutasaṃhitā*, Ācārya (Su 1938:79 n. 1) includes in parentheses the following treatment for these conditions, which according to a footnote is not found in the palm-leaf manuscript he used: 'One should sprinkle it with raw sesame oil for three days and one should renew the cotton bandage after three days' (āmatailena trirātraṃ pariṣecayet trirātrāc ca picuṃ parivartayet).

<sup>107</sup> For such classifications, see Zimmermann (1999) and Smith (1994).

<sup>108 1.16.19</sup> of Dalhaṇa's version (Su 1938:79) includes ghee (sarpis). However, Dalhaṇa's remarks on 1.16.19 and Cakrapāṇidatta's on 1.16.18 (Su 1939:130) indicate that they knew a version of this recipe (perhaps, similar to the Nepalese) that does not have ghee. Dalhaṇa also notes that others simply read four oils, beginning with fat and without milk, whereas Cakrapāṇidatta says some read that it is made with four oils and milk.

- hornwort ( $jalaś\bar{u}ka \rightarrow jalan\bar{\imath}lik\bar{a}^{109}$ ). This should then be deposited in a well-protected spot.
- The wise man who has been sweated should rub the massaged (*mardita*) ear with it. Then it will be free of complications, and will enlarge properly and be strong.<sup>111</sup>
- 16 Ears which do not enlarge even when sweated and oiled, should be scarified at the edge of the hole (*apānga*), but not outside it.<sup>112</sup>
- In this tradition, experts know countless repairs to ears. So a physician who is very intent (*suniviṣṭa*) on working in this way may repair (*yojayed*) them.<sup>113</sup>
- 18 If an ear has grown hair, has a nice hole, a firm join, and is strong and even, well-healed, and free from pain, then one can enlarge it slowly.<sup>114</sup>
- Now I shall describe the proper method of repairing a severed nose. First, take from the trees a leaf the same size as the man's nose and hang it on him.
- 109 Ceratophyllum demersum, L. This name is not certain. In fact, Dalhana on 1.16.19 (Su 1938: 79) notes that some people interpret it as a poisonous, hairy, air-breathing, underwater creature.
- 110 The version of 1.16.19 known to Dalhaṇa (Su 1938:79) adds several ingredients to this admixture, including apāmārga, aśvagandhā, kṣīraśuklā, madhuravarga and payasyā. Also, it has vidārigandhā instead of vidāri. When commenting on 1.16.19, Dalhaṇa (Su 1938:79) notes that some do not read madhuravarga and payasyā. Therefore, there were probably other versions of this recipe with fewer ingredients, as seen in the Nepalese version.
- 111 For these aims (i.e., healing and enlarging the ear), the text known to Dalhana (Su 1938:79) has an additional verse and a half describing an ointment for rubbing the ear (*udvartana*) and sesame oil (*taila*) cooked with various medicines for massage. Cakrapāṇidatta (Su 1939:131) does not comment on these verses, nor verse 15 of the Nepalese version, and so the version of the *Suśrutasaṃhitā* known to him may not have included them.
- 112 Dalhaṇa's version of 1.16.23 adds another hemistich that states more explicitly that the scarification should not be done on the outside of hole as it will cause derangement.
- 113 After verse 17, the 1938 edition of Ācārya (Su 1938: 80) has in parentheses nineteen verses on diseases of the ear lobes, treatments and complications. It is possible that these verses were in some of the witnesses used by Ācārya to construct the text as they occur in other manuscripts, such as MS Hyderabad Osmania 137-3 (b). However, Cakrapāṇidatta (Su 1939: 132) and Palhaṇa (Su 1938: 80) state that some read about the diseases of the ear lobes in this chapter whereas others read about them in the chapter on various treatments (*miśrakacikitsa*) (SS 5.25), which does indeed begin with a discussion of the disease *paripoṭa*. Palhaṇa goes on to say that some believe that these verses were not composed by sages and, therefore, do not read them.
- 114 The order of verses 17 and 18 are reversed in Dalhana's version (Su 1938: 80).

- Next, having cut a slice of flesh (*vadhra*)<sup>115</sup> with the same measurements off the cheek, the end of the nose is then scarified.<sup>116</sup> Then the diligent (*apramatta*) physician, should quickly put it back together so that it is well joined (*sādhubaddha*).
- Having carefully observed that it has been well sown up, two tubes should be fixed in place. Then, having lifted them up, the powder of sappanwood (pattāṅga), iquorice and Indian barberry. should be applied to it.

añjana

- 22 The wound should be covered properly with cotton (picu) and should be moistened repeatedly with sesame oil. Ghee should be given to the man to drink. His digestion being complete, he should be oiled and purged in accordance with the instructions specific to him.<sup>121</sup>
- And once healed and really come together, what is left of that slice of flesh (*vadhra*) should then be trimmed. If it is reduced (*hīna*), however, one should make an effort to stretch it, and one should make its overgrown flesh smooth.<sup>122</sup>
- 115 The version of 1.16.28b known to Dalhaṇa (Su 1938: 81) reads bound, connected (*bad-dham*) instead of slice of flesh (*vadhra*). This is a critical variant from the surgical point of view. If the slice remains connected, it will have a continuing blood supply. This is one of the effective techniques that so astonished surgeons witnessing a similar operation in Pune in the eighteenth century (see Wujastyk 2003: 67–70).
- 116 Or 1.16.20 could be mean, '... off the cheek, it is fixed to the end of the nose, which has been scarified.' Unfortunately, the Sanskrit of the Nepalese version is not unambiguous on the important point of whether or not the flap of grafted skin remains connected to its original site on the cheek. However, Dalhaṇa (Su 1938: 81) clarifies the meaning of the vulgate here by stating that one should supply the word 'flesh' when reading 'connected,' thus indicating that he understood the flesh to be connected to the face.
- 117 Dalhaṇa notes that the two tubes should be made of reed (nala) or the stalk of the leaf of castor oil plant (eraṇḍapatranāla) (on 1.16.21 (Su 1938: 81)). They should not be made of lead or betel nut because the weight will cause them to slip down.
- 118 The Sanskrit term *unnāmayitvā* in 1.16.21 is non-Pāṇinian.
- 119 Caesalpinia sappan, L. For *pattāṅga* there are manuscript variants *pattrāṅga* (MS Kathmandu NAK 5-333) and *pattaṅga* (MS Kathmandu NAK 1-1079). Also, MS Kathmandu KL 699 (f. 14r:1) has *pattrāṅga* in a verse in 1.14 (cf. 1.14.36 (Su 1938: 66)). The text known to Dalhaṇa has *pataṅga* (1.16.29 (Su 1938: 81)) and this term is propagated in modern dictionaries.
- 120 Berberis aristata, DC. Dalhana understands it as elixir salve (rasāñjana) (Su 1938: 81).
- 121 The expression *svayathopadeśa* is ungrammatical but supported in all available witnesses.
- 122 Palhana accepts a verse following this, which points out that the procedure for joining

#### **Abbreviations**

Ah 1939 Kuṃṭe, Aṇṇā Moreśvara, Navare, Kṛṣṇaśāstrī, and Parādkar,

Hariśāstrī (1939) (eds.), śrīmadvāgbhaṭaviracitam aṣṭāṅga-hṛdayam, śrīmadaruṇadattaviracitayā sarvāṅgasundarā-khyayā vyākhyayā, hemādripraṇitayā āyurvedarasāyanā-hvayā ṭīkayā ca samullasitam = *The Astāngahṛidaya* (6th edn., Mumbayyām: Nirnayasāgara Press), ark:/13960/t3tt6967d.

Anup Anup Sanskrit Library (n.d.).

AS Asiatic Society (n.d.).

As 1980 Āṭhavale, Anamta Dāmodara (1980) (ed.), Aṣṭāṅgasaṅgrahaḥ.

Śrīmad Vṛddhavāgbhaṭaviracitaḥ Induvyākhyāsahitaḥ (Puṇe: Maheśa Anaṃta Āṭhavale, Śrīmad Ātreya Prakāśanam), ark:/

13960/t9773bb9z.

Bhela 1921 Mookerjee, Ashutosh and Ananta Krishna Shastri, Ved-

antabisharad (1921) (eds.), *The Bhela Samhita. Sanskrit Text* (Calcutta: University of Calcutta), ark:/13960/t3sv3157j; Based on two copies made of the Thanjavur codex unicus (MS Thanjavur TMSSML 10773, Burnell 1880:63–4, P. P. S.

Sastri 1933: #11085).

Bhela 2000 Krishnamurthy, K. H. (2000), Bhela-saṃhitā. Text with English

Translation, Commentary and Critical Notes (Haridas Ayurveda

Series, 8; Varanasi: Chaukhambha Visvabharati).

BL British Library (n.d.).

Ca. 1941 Ācārya, Yādavaśarma Trivikrama (1941) (ed.), maharṣiṇā

punarvasunopadiṣṭā, tacchiṣyeṇāgniveśena praṇītā, carakadṛḍhabalābhyāṃ pratisaṃskṛtā carakasaṃhitā, śrīcakrapāṇidattaviracitayā āyurvedadīpikāvyākhyayā saṃvalitā (3rd edn., Mumbayyāṃ: Nirnaya Sagara Press),

URL, accessed 01/01/2018.

the nose is similar to that of joining the lips without fusing the ducts (Su 1938: 81). He notes that earlier teachers did not think this statement on the nose and lips was made by sages, but includes it because it was accepted by Jejjaṭa, Gayadāsa and others. However, Cakrapāṇidatta does not comment on this additional verse, which suggests that either he did not know of it or was not inclined to accept it (Su 1939: 133).

HIML Meulenbeld, Gerrit Jan (1999–2002), A History of Indian Medical Literature, 5 vols. (Groningen: E. Forsten), ISBN: 9069801248.

KL Kaiser Library (n.d.).

Su 1931

NAK National Archives of Kathmandu (n.d.).

NCC Raghavan, V. et al. (1949–), New Catalogus Catalogorum, an Alphabetical Register of Sanskrit and Allied Works and Authors, 39 vols. (Madras University Sanskrit Series; Madras: University of Madras); v.1: revised edition, 1968.

NGMCP (2014), 'Nepal-german Manuscript Cataloguing Project. Online Title List and Descriptive Catalogue', Universität Hamburg and Deutsche Forschungsgemeinschaft, url.

RORI Rajasthan Oriental Research Institute (n.d.).

Su 1889 Bhaṭṭācāryya, Jīvānanda Vidyāsāgara (1889) (ed.), suśrutaḥ. sūtra-nidāna-śārīra-cikitsā-kalpottara-tantra-kalpita āyurveda. bhagavatā dhanvantariṇopadiṣṭaḥ suśruta-nāmadheyena tacchiṣyeṇa viracitaḥ (3rd edn., Calcutta: Saratī Press), ark:/13960/t1nh6j09c; HIML: IB, 311, edition b.

Ācārya, Yādavaśarma Trivikrama (1915) (ed.), suśrutasaṃhitā, suśrutena viracitā, vaidyavaraśriḍalhaṇācāryaviracitayā nibandhasaṃgrahākhyavyākhyayā samullasitā, ācāryopāhvena trivikramātmajena yādavaśarmaṇā saṃśodhitā = The Sushrutasamhita of Sushruta, the Nibandhasangraha Commentary of Shri Dalhaṇāchārya (Mumbayyāṃ: Nirṇayasāgaramudrāyantrālaye), ark:/13960/t3sv0mt50, accessed 29/07/2020; HIML: IB, 312 edition \*v.

Ācārya, Yādavaśarma Trivikrama (1931) (ed.), suśrutasaṃhitā, vaidyavaraśriḍalhaṇācāryaviracitayā nibandhasaṃgrahākhyavyākhyayā samullasitā, maharṣiṇā suśrutena viracitā, sūtra-nidāna-śārīra-cikitsākalpasthānottaratantrātmakaḥ. ācāryopāhvena trivikramātmajena yādavaśarmaṇā saṃśodhitā = The Sushrutasaṃhitā of Sushruta with the Nibandhasangraha Commentary of Shree Dalhaṇāchārya (2nd edn., Mumbayyāṃ:

Pāṇḍuraṅga Jāvajī at the Nirṇayasāgaramudrāyantrālaye), ark:/13960/t9j41sg94, accessed 09/06/2020; HIML: IB, 312 edition \*v.

Su 1938 Ācārya, Yādavaśarma Trivikrama and Ācārya, Nārāyaṇa Rāma (1938) (eds.), śrīḍalhaṇācāryaviracitayā nibandhasaṃgrahākhyavyākhyayā nidānasthānasya śrīgayadāsācāryaviracitayā nyāyacandrikākhyapañjikāvyākhyayā ca samullasitā maharṣiṇā suśrutena viracitā suśrutasaṃhitā (3rd edn., Bombay: Nirṇayasāgara Press), ark:/13960/t09x0sk1h; HIML: IB, 313, edition cc ('the vulgate').

Su 1938<sup>2</sup> Ācārya, Yādavaśarma Trivikrama and Ācārya, Nārāyaņa Rāma (2004) (eds.), maharṣiṇā suśrutena viracitā suśrutasaṃhitā, śriḍalhaṇācāryaviracitayā nibandhasaṃgrahākhyavyākhyayā nidānasthānasya śrigayadāsācāryaviracitayā nyāyacandrikākhyapañjikāvyākhyayā ca samullasitā (Vārāṇasī: Caukhambhā Kṛṣṇadāsa Akādamī); Reprint of the third, 1938 edition (Su 1938).

Ācārya, Yādavaśarma Trivikrama and Śarman, Nandakiśora (1939) (eds.), suśrutasaṃhitāyāḥ sūtrasthānam. śrīcakrapāṇidattaviracitayā bhānumatīvyākhyāyā sametam = Sushrut-sañhitā (sūtra Sthān) with Bhānumatī Commentary by Chakrapāṇi Datta with Introduction by Gaṇanāth Sen (Śrīsvāmi Lakṣmīrāma Nidhi Granthamālā = Shrī Swāmī Lakshmī Rām Trust Series, 1; [Jaipur]: Śyāmasundara Śarman), ark:/13960/t54g0d12m; Printed at the Nirṇayasāgara Press, Bombay.

Ācārya, Yādavaśarma Trivikramācārya and Ācārya, Nārāyaņa Rāma (1945) (eds.), maharṣiṇā suśrutena viracitā suśrutasaṃhitā (mūlamātrā). pāṭhāntara-pariśiṣṭādibhiḥ saṃvalitā = the Suśrutasaṃhitā of Suśruta with Various Readings, Notes and Appendix etc. (Mumbāi: Nirṇayasāgarākhyamudraṇālaye), url.

TMSSML Tanjore Maharaja Serfoji Saraswati Mahal Library (n.d.).

Viṣṇudh. Śarman, Madhusūdana and Śarman, Mādhavaprasāda (1912) (eds.), viṣṇudharmottarapurāṇam = [Viṣṇudharmottarapurāṇa] (Mumbai: Khemarāja Śrīkṛṣṇadāsa at the Śrīveṅkaṭeśvara Steam Press), ark:/13960/t6qz6fr23; Lithograph format. Edited on the basis of a manuscript belonging to the astrologer Śudhākaraśarman of the Varanasi Sanskrit Pāṭhaśālā.

### **Index of Manuscripts**

The numbers after the comma refer to pages in this document.

```
Bikaner Anup 4390: 20 London BL H. T. Colebrooke 908: 23

Mumbai AS B.D.109: 19

Mumbai AS B.I.3: 19

Kathmandu NAK 1-1079: 28, 34

Kathmandu NAK 5-333: 21, 23, 28, 34

Thanjavur TMSSML 10773: 35
```

#### References

Ācārya, Yādavaśarma Trivikrama (1941) (ed.), maharṣiṇā punarvasunopadiṣṭā, tacchiṣyeṇāgniveśena praṇitā, carakadṛḍhabalābhyāṃ pratisaṃskṛtā carakasaṃhitā, śrīcakrapāṇidattaviracitayā āyurvedadīpikāvyākhyayā saṃvalitā (3rd edn., Mumbayyāṃ: Nirnaya Sagara Press), url, accessed 01/01/2018.

Ācārya, Yādavaśarma Trivikramācārya and Ācārya, Nārāyaṇa Rāma (1945) (eds.), maharṣiṇā suśrutena viracitā suśrutasaṃhitā (mūlamātrā). pāṭhāntara-pariśiṣṭādibhiḥ saṃvalitā = the Suśrutasaṃhitā of Suśruta with Various Readings, Notes and Appendix etc. (Mumbāi: Nirṇayasāgarākhyamudraṇālaye), url.

Adriaensen, Rob C. R., Barkhuis, Roelf, and Ruijters, Jean-Louis (1984), 'An English Translation of Suśrutasaṃhitā, Nidānasthāna 1, 1–39, Together with Gayadāsa's Nyāyacandrikā', in Gerrit Jan Meulenbeld (ed.), *Proceedings of the International Workshop on Priorities in the Study of Indian Medicine* (Groningen: Forsten), 277–310.

- Apte, Vaman Shivaram (1992), *The Practical Sanskrit-English Dictionary* (Kyoto: Rinsen Book Company), ISBN: 4-653-00038-7; Reprinted from **gode-apte**.
- Baber, Zaheer (1996), The Science of Empire: Scientific Knowledge, Civilization, and Colonial Rule in India (Albany: State University of New York Press).
- Bausi, Alessandro et al. (2015), *Comparative Oriental Manuscript Studies. An Introduction* (Hamburg: Tredition). DOI: 10.5281/ZENODO.46784.
- Bendall, Cecil (1883), Catalogue of the Buddhist Sanskrit, Manuscripts in The, University Library, Cambridge: With Introductory Notices and Illustrations of the Palaeography and Chronology of Nepal and Bengal (Cambridge: University Press), ark:/13960/t03x8vz7b.
- Bhaṭṭācārya, Candrakānta (1910–7) (ed.), suśrutasaṃhitā prathama-khaṇḍam sūtrasthānātmakam...hārāṇacandracakravartikavirājaviracitasuśrutārthasandīpanabhāṣya-sametam...candrakānta bhaṭṭācāryya-pramukhaiḥ saṃśodhitam = [The Suśrutasaṃhitā with the Commentary Suśrutārthasandīpanabhāṣya by Hārāṇacandra Cakravarti] (Kalikātā: Satya Press); Edition "t" in HIML: IB, 312.
- Birch, Jason et al. (2021), 'Further Insight into the Role of Dhanvantari, the Physician to the Gods, in the Suśrutasaṃhitā', *Academia Letters*. DOI: 10 . 20935/AL2992.
- Breton, P. (1826), 'On the Native Mode of Couching', *Transactions of the Medical and Physical Society of Calcutta*, 2: 341–82, ark:/13960/t3dz8nn5t, URL, accessed 02/06/2021.
- Bronkhorst, Johannes (2021), 'Patañjali's Āryāvarta = Śuṅga realm?', *Academia Letters*. DOI: 10.20935/al291; Article 291.
- Bronner, Yigal (2021) (ed.), 'The Pandit Project' (30 Sept.), URL.
- Burghart, Marjorie (2016), 'The TEI Critical Apparatus Toolbox: Empowering Textual Scholars through Display, Control, and Comparison Features', *Journal of the Text Encoding Initiative*, 10/Issue 10. DOI: 10.4000/jtei.1520, URL, accessed 12/12/2017.
- —— (2017), 'Textual Variants', in Marjorie Burghart, James Cummings, and Elena Pierazzo (eds.), *Digital Editing of Medieval Texts: A Textbook* (DEMM), URL, accessed 04/07/2021.

- Burnell, Arthur Coke (1880), *A Classified Index to the Sanskrit Mss. in the Palace at Tanjore* (London: Trübner), ark:/13960/t4xh86j61; Bhelasamhitā described on pp. 67 ff.
- Carpue, J. C. (1816), An Account of Two Successful Operations for Restoring a Lost Nose from the Integuements of the Forehead...Including Descriptions of the Indian and Italian Methods (London: Longman et al.), ark:/13960/t2q57fn42, accessed 20/03/2019.
- Cone, Margaret (2001), *A Dictionary of Pāli* (Oxford: The Pali Text Society), ISBN: 0 86013 394 x.
- Cordier, P. (1903), 'Récentes découvertes de mss. médicaux sanscrits dans l'Inde (1898–1902)', *Muséon, Nouvelle Série*, 4: 321–52, ark:/13960/t26b2j457, accessed 02/01/2020; Reprinted in Roşu 1989: 539–70.
- Coult, Ro. (1731), 'An Account of the Diseases of Bengall', in *Indian Science* and *Technology in the Eighteenth Century* (Impex India), 141 f., 276.
- Crawford, D. G. (1930), *Roll of the Indian Medical Service*, 1615–1930 (London, Calcutta, Simla: Thacker).
- Das, Rahul Peter (2003), The Origin of the Life of a Human Being. Conception and the Female According to Ancient Indian Medical and Sexological Literature (Indian Medical Tradition; Delhi: Motilal Banarsidas), ISBN: 81-208-1998-5.
- Dave, K. N. (1985), *Birds in Sanskrit Literature* (Delhi: Motilal Banarsidass), ISBN: 0-89581-676-8, ark:/13960/t2c94cv80.
- Deshpande, Vijaya (1999), 'Indian Influences on Early Chinese Ophthal-mology: Glaucoma As a Case Study', *Bulletin of the School of Oriental and African Studies*, 62: 306–22. DOI: 10.1017/S0041977X00016724.
- (2000), 'Ophthalmic Surgery: A Chapter in the History of Sino-indian Medical Contacts', *Bulletin of the School of Oriental and African Studies*, 63/3: 370–88, ISSN: 0041-977X. DOI: 10.1017/s0041977x00008454.
- Elliot, Robert Henry (1918), The Indian Operation of Couching for Cataract: Incorporating the Hunterian Lectures Delivered before the Royal College of Surgeons of England on February 19 and 21, 1917 (London: H. K. Lewis).
- Emeneau, M. B. (1969), 'Sanskrit Syntactic Particles "kila, khalu, nūnam"', *Indo-Iranian Journal*, 11/4: 241–68.

- Falk, Harry (1991), 'Silver, Lead and Zinc in Early Indian Literature', *South Asian Studies*, 7/1: 111–7. DOI: 10.1080/02666030.1991.9628430.
- Fan, Ka Wai (2005), 'Couching for Cataract and Sino-indian Medical Exchange Fromthe Sixth to the Twelfth Century Ad', *Clinical and Experimental Ophthalmology*: 188–90. DOI: 10.1111/j.1442-9071.2005.00978.x; Unaware of Deshpande 1999; 2000.
- Gaṇapatiśāstrī, T. (1920–5), Āryamañjuśrīmūlakalpaḥ (Trivandrum Sanskrit Series, 70; Anantaśayane: Rājakīyamudraṇayantrālaye), ark:/13960/t4pk5sj0j.
- Gombrich, Richard (1979), "He cooks softly: dverbs in Sanskrit grammar, Bulletin of the School of Oriental and African Studies, 42/2 (June): 244–56. DOI: 10.1017/s0041977x0014580x.
- Gupta, Sri Madhusudana (1835–6) (ed.), Āyur-veda-prakāśa [also Called Suśruta-saṃhitā] by Suśruta. the Suśruta, or System of Medicine, Taught by Dhanwantari, and Composed by His Disciple Suśruta, 2 vols. (Calcutta: Education Press and Baptist Mission Press), ark:/13960/t6841qw6x.
- Harimoto, Kengo (2011), 'In Search of the Oldest Nepalese Manuscript', *Rivista degli Studi Orientali*, 84/1–4: 85–106, ISSN: 0392-4866, URL, accessed 08/09/2019.
- —— (2014), 'Nepalese Manuscripts of the Suśrutasaṃhitā', *Journal of Indian and Buddhist Studies* (*Indogaku Bukkyogaku Kenkyu*), 62/3: 23–29 (1087-1093). DOI: 10.4259/ibk.62.3\_1087, URL, accessed 08/09/2019.
- —— (pre-published), '[Preliminary Edition of the Nepalese MSS of the Su-śrutasaṃhitā, adhyāyas 1.1–3, 6.4]'; Unpublished document dated 2010.
- Hayashi, Takao (2017), 'The Units of Time in Ancient and Medieval India', *History of Science in South Asia*, 5/1: 1–116. DOI: 10.18732/h2ht0h.
- Hemarāja Šarman (1938) (ed.), kāśyapasaṃhitā (vṛddhajivakiyaṃ tantraṃ vā) maharṣiṇā mārīcakaśyapenopadiṣṭā ... hemarājaśarmaṇā likhitena vistṛtena upodghātena sahitā ... satyapāla bhiṣagā kṛtayā vidyotini hindivyākhyayā ... samullasitā (1st edn., Mumba: Nirṇayasāgara Press), url, accessed 02/02/2018.
- Hendley, T. Holbein (1895), A Medico-topographical Account of Jeypore, Based on the Experience of Twenty Years' Service As a Residency Surgeon and Thirteen As Superintendent of Dispensaries at Jeypore, Rajputana (Calcutta: Calcutta Central Press Company).

- Hessler, Franciscus (1844–55), Suśrutas Ayurvédas: Id Est Medicinae Systema a Venerabili D'hanvantare Demonstratum a Susruta Discipulo Compositum; Nunc Primum Ex Sanskrita in Latinum Sermonem Vertit, Introductionem, Annotationes Et Rerum Indice Franciscus Hessler (Erlangen: Ferdinandum Enke), URL, accessed 04/11/2017.
- Hoernle, A. F. Rudolf (1893–1912) (ed.), *The Bower Manuscript: Facsimile Leaves, Nagari Transcript, Romanised Transliteration and English Translation with Notes* (New Imperial Series, 22; Calcutta: Government of India and under the patronage of the Bengali Government, Archaeological Survey of India), ark:/13960/t05z1bg4q.
- —— (1907), Studies in the Medicine of Ancient India: Osteology or the Bones of the Human Body (Oxford: Clarendon Press).
- Hofer, Theresia (2007), 'Swami Laxmi Ram's Ayurvedic Pharmacy in Jaipur, India', *Wellcome History*, 34: 2–3, URL, accessed 01/07/2021.
- Holwell, J. Z. (1767), An Account of the Manner of Inoculating for the Small Pox in the East Indies With...Observations on The...Mode of Treating That Disease in Those Parts (London: T. Becket & P. A. de Hondt), ark:/13960/t3ws9h63c.
- Jack, David Morton (1884), 'A Thesis on Cataract in India: Its Pathology and Treatment', Wellcome Library, London, MS.3007, URL, accessed 02/06/2021.
- Jośī, Veṇīmādhavaśāstrī and Jośī, Nārāyaṇa Harī (1968), Ayurvedīya Mahākośaḥ arthāt Āyurvedīya Śabdakośaḥ Saṃskṛta—Saṃskṛta (Muṃbaī: Mahārāṣṭra Rājya Sāhityta āṇi Saṃskṛti Maṃḍaḷa), url.
- Kangle, R. P. (1969), *The Kauṭilīya* Arthaśāstra (2nd edn., Delhi: Motilal Banarsidass), ISBN: 81-208-0042-7, ark:/13960/t3gz6qh1s, accessed 23/09/2021.
- Keith, Arthur Berriedale (1908), review of A. F. Rudolf Hoernle (1907), Studies in the Medicine of Ancient India: Osteology or the Bones of the Human Body (Oxford: Clarendon Press), in Zeitschrift Der Deutschen Morgenländischen Gesellschaft, 1/62: 134–9, URL, accessed 17/04/2021.
- Klebanov, Andrey (2021*a*), 'On the Textual History of the Suśrutasaṃhitā (1): A Study of Three Nepalese Manuscripts', to be published in *eJIM: Electronic Journal of Indian Medicine*, URL, accessed 09/09/2019.

- Klebanov, Andrey (2021b), 'On the Textual History of the Suśrutasaṃhitā, (2): An Anonymous Commentary and its Identified Citations', in Toke Lindegaard Knudsen, Jacob Schmidt-Madsen, and Sara Speyer (eds.), Body and Cosmos: Studies in Early Indian Medical and Astral Sciences in Honor of Kenneth G. Zysk (Leiden, Boston: Brill), 110–39.
- Kuist, James M. (1982), *The Nichols File of The Gentleman's Magazine* (Madison: University of Wisconsin Press), ISBN: 0-299-08480-9, ark:/13960/t53g2ct2z.
- Leffler, Christopher T. et al. (2020), 'The History of Cataract Surgery: From Couching to Phacoemulsification', *Annals of Translational Medicine*, 8/22: 1551–97, ISSN: 2305-5847. DOI: 10.21037/atm-2019-rcs-04, URL, accessed 02/11/2020.
- Lienhard, Siegfried (1978), 'On the Meaning and Use of the Word Indragopa', *Indologica taurinensia*, 6: 177–88, URL, accessed 06/02/2021; The indragopa is a 'red velvet mite'.
- Longmate, Barak (1794), 'A Curious Chirurgical Operation', *The Gentle-man's Magazine and Historical Chronicle*, 64.4 (Oct.): 883, 891, 892; I am grateful to the late John Symons of the Wellcome Library who identified the author 'B. L.' as the journalist Barak Longmate. See also Kuist 1982: 87.
- Majno, Guido (1975), The Healing Hand. Man and Wound in the Ancient World (Cambridge, MA: Harvard University Press), URL, accessed 26/08/2021.
- Malamoud, Charles (1996), 'Paths of the Knife: Carving up the Victim in Vedic Sacrifice', in *Cooking the World: Ritual and Thought in Ancient India. Translated from the French by David White* (Delhi, Bombay, etc.: Oxford University Press), 169–80.
- Manucci, Niccolò (1907–8), Storia Do Mogor or, Mogul India, 1653–1708 by Niccolao Manucci, Venetian; Translated with Introduction and Notes, by William Irvine (The Indian Texts Series; London: J. Murray), URL, accessed 04/10/2021.
- Masai, François (1950), 'Principes et conventions de l'édition diplomatique', *Scriptorium*, 4: 177–93. DOI: 10.3406/scrip.1950.2294.

- Meulenbeld, Gerrit Jan (1974), *The Mādhavanidāna and Its Chief Commentary: Chapters* 1–10. *Introduction, Translation, and Notes* (Leiden: Brill), ISBN: 978-90-04-03892-9; Meulenbeld provided a supplement to his 1974 listing of plant identities as an appendix in Das 2003.
- —— (1984), 'The Surveying of Sanskrit Medical Literature', in id. (ed.), *Proceedings of the International Workshop on Priorities in the Study of Indian Medicine* (Groningen: Forsten), 37–56.
- —— (1992), 'The Characteristics of a Doṣa', *Journal of the European Āyurvedic Society*, 2/1: 1–5, URL, accessed 31/08/2021.
- ——(2008), The Mādhavanidāna with "Madhukośa," the Commentary by Vijayarakṣita and Śrīkaṇṭhadatta (Ch. 1-10). Introduction, Translation, and Notes (Delhi: Motilal Banarsidass); Meulenbeld provided a supplement to his 1974 listing of plant identities as an appendix in Das 2003.
- (2011), 'The Relationships between Doṣas and Dūṣyas: A Study on the Meaning(s) of the Root Murch-/mūrch', eJournal of Indian Medicine, 4/2: 35–135, URL, accessed 13/10/2017.
- Miles, M. (1999), 'Personal Communication', Mar.; Letter of 4 March.
- Moureau, Sébastien. (2015), 'The Apparatus Criticus', in Alessandro Bausi et al. (eds.), *Comparative Oriental Manuscript Studies: An Introduction* (Hamburg: Tredition), 348–52, ISBN: 978-3-7323-1768-4, URL, accessed 04/07/2021.
- Mukhopādhyāya, Girindranāth (1913), *The Surgical Instruments of the Hindus, with a Comparative Study of the Surgical Instruments of the Greek, Roman, Arab, and the Modern Eouropean* (sic) *Surgeons* (Calcutta: Calcutta University), ark: 13960/t1zd2pq29, accessed 29/01/2018; Vol.2: ark:/13960/t9r25qd8m. Reprinted as a single volume, New Delhi, 1987.
- Nadkarni, K. M. (1954), Dr. K. M. Nadkarni's Indian Materia Medica, with Ayurvedic, Unani-tibbi, Siddha, Allopathic, Homeopathic, Naturopathic & Home Remedies, Appendices & Indexes ... in Two Volumes, ed. A. K. Nadkarni, 2 vols. (3 ed., revised by A. K. Nadkarni, Bombay: Popular Prakashan), ark:/13960/t6rz4h160.

- Nadkarni, K. M. (1982), Dr. K. M. Nadkarni's Indian Materia Medica, with Ayurvedic, Unani-tibbi, Siddha, Allopathic, Homeopathic, Naturopathic & Home Remedies, Appendices & Indexes ... in Two Volumes, ed. A. K. Nadkarni, 2 vols. (3 ed., revised and enlarged by A. K. Nadkarni, Bombay: Popular Prakashan), ISBN: 8171541429, URL.
- Narayana, Ala and Thrigulla, Saketh Ram (2011), 'Tangible Evidences of Surgical Practice in Ancient India', *Journal of Indian Medical Heritage*, 16: 1–18, URL, accessed 02/06/2021.
- NGMCP (2014), 'Nepal-german Manuscript Cataloguing Project. Online Title List and Descriptive Catalogue', Universität Hamburg and Deutsche Forschungsgemeinschaft, URL.
- Oberlies, Thomas (2003), *A Grammar of Epic Sanskrit* (Indian Philology and South Asian Studies, 5; Berlin: De Gruyter), ISBN: 9783110144482. DOI: 10.1515/9783110899344.
- Olivelle, Patrick (2013), King, Governance, and Law in Ancient India: Kauṭilya's Arthaśāstra. a New Annotated Translation (New York: Oxford University Press), ISBN: 9780199891825. DOI: 10.1093/acprof:osobl/9780199891825.003.0001.
- Osbaldeston, Tess Anne and Wood, R. P. A. (2000), Dioscorides. De Materia Medica. Being an Herbal with Many Other Medicinal Materials Written in Greek in the First Century of the Common Era. a New Indexed Version in Modern English [Introductory Notes by R. P. Wood] (Johannesburg: IBIDIS Press), ISBN: 0-620-23435-0, URL.
- Pandey, Anshuman (2012), 'Proposal to Encode the Newar Script in ISO/IEC 10646', URL.
- Pārśvanātha Šāstrī, Vardhamāna (1940) (ed.), ugrādityācāryakṛta kalyāṇakāraka (rāṣṭrabhāṣānuvādasahita) = The Kalyāṇa-kārakam of Ugrādityacharya, Edited with Introduction, Translation, Notes, Indexes and Dictionary (Sakhārāma Nemacaṃda Graṃthamālā, 129; Solāpura: Seṭha Goviṃdajī Rāvajī Dośī), ark:/13960/t2q617g4d.
- Pass, Gregory (2003), Descriptive Cataloging of Ancient, Medieval, Renaissance, and Early Modern Manuscripts (Chicago: American Library Association), ISBN: 0-8389-8218-2, URL.

- Preisendanz, Karin (2007), 'The Initiation of the Medical Student in Early Classical Āyurveda: Caraka's Treatment in Context', in Birgit Kellner et al. (eds.), Pramāṇakīrtiḥ. Papers Dedicated to Ernst Steinkellner on the Occasion of His 70th Birthday. Part 2, ii, 2 vols. (Wiener Studien zur Tibetologie und Buddhismuskunde, 70.2; Wien: Arbeitskreis für Tibetische Und Buddhistische Studien Universität Wien), 629–68, ISBN: 9783902501097, URL.
- Price, Kenneth M. (2013), 'Electronic Scholarly Editions', in Ray Siemens and Susan Schreibman (eds.), *A Companion to Digital Literary Studies* (Chichester, UK: John Wiley & Sons, Ltd), 434–50. DOI: 10 . 1002 / 9781405177504.ch24, URL, accessed 04/07/2021.
- Rai, Saurav Kumar (2019), 'Invoking 'Hindu' Ayurveda: Communalisation of the Late Colonial Ayurvedic Discourse', *The Indian Economic & Social History Review*, 56/4: 411–26. DOI: 10.1177/0019464619873820; Online first.
- Rama Rao, B. et al. (2005), Sanskrit Medical Manuscripts in India (New Delhi: Central Council for Research in Ayurveda & Siddha), ark:/13960/t88h7763b.
- Rhys Davids, Thomas William and Stede, William (1921–5), *The Pali Text Society's Pali-English Dictionary* (London: The Pali Text Society), URL.
- Roşu, Arion (1989), *Un demi-siècle de recherches āyurvédiques. Gustave Liétard et Palmyr Cordier: Travaux sur l'histoire de la médecine indienne* (Paris: Institut de Civilisation Indienne).
- Sastri, Hrishikesh and Gui, Siva Chandra (1895–1917), *A Descriptive Catalogue of Sanskrit Manuscripts in the Library of Calcutta Sanskrit College* (Calcutta: Baptist Mission Press).
- Sastri, P. P. S. (1933), A Descriptive Catalogue of the Sanskrit Manuscripts in the Tanjore Maharaja Serfoji's Sarasvati Mahal Library Tanjore: Natya, Sangita, Kamasastra, Vaidya & Jyotisa, nos. 10650 11737 (Srirangam: Sri Vani Vilas Press), ark:/13960/t3nw8bc12.
- Scott, H. (1817), 'Some Remarks on the Arts of India, with Miscellaneous Observations on Various Subjects', *Journal of Science and the Arts*, 2: 67–72, ill. after 133, ark:/13960/t9870jt4g; Breton 1826: 358–363 cites Scott's description of cataract couching.

- Sena, Gaṅgāprasād et al. (1886–93) (eds.), suśrutasaṃhitā...dallanācāryyakṛta-nivandha-saṃgraha, cakrapāṇidatta-kṛta-bhānumatiṭīkā...vaṅgānuvāda...iṃreji pratiśabda (Calcutta: Maṇirāma Press); Edition "g" in HIML: IB, 311.
- Sharma, Har Dutt (1939), Descriptive Catalogue of the Government Collections of Manuscripts Deposited at the Bhandarkar Oriental Research Institute, Vol. XVI, Part I, Vaidyaka (Descriptive Catalogue of Manuscripts in the Government Manuscripts Library; Pune: Bhandarkar Oriental Research Institute), ark:/13960/t0ms6rc70, accessed 23/10/2019.
- Sharma, Priya Vrat (1972), *Indian Medicine in the Classical Age* (Varanasi: Chowkhamba Sanskrit Series Office).
- —— (1982), *Dalhaṇa and his Comments on Drugs* (Delhi: Munshiram Manoharlal).
- —— (1999–2001), Suśruta-Saṃhitā, with English Translation of Text and Ḥal-haṇa's Commentary Alongwith (sic) Critical Notes, 3 vols. (Haridas Ayurveda Series, 9; Varanasi: Chaukhambha Visvabharati).
- Shastri, R. Shama (1920) (ed.), bodhāyanagṛhyasūtram *The Bodhāyana Grihyasutra* (Mysore: University of Mysore), ark:/13960/t2t492622.
- Singh, Thakur Balwant and Chunekar, K. C. (1972), *Glossary of Vegetable Drugs in Brhattrayī* (Varanasi: Chowkhamba Sanskrit Series Office).
- Sircar, Dinesh Chandra (1987), '6. Rākshaskhāli (Sundarban) Plate; Śaka 1118', *Epigraphia Indica* (1953–54), 30: 42–3.
- Sivarajan, V. V. and Balachandran, Indira (1994), *Ayurvedic Drugs and Their Plant Sources* (New Delhi, Bombay, Calcutta: Oxford & IBH Publishing).
- Sleeman, W. H. (1893), Rambles and Recollections of an Indian Official (London: Constable), ark:/13960/t22c4bx7w, accessed 14/03/2018; V. 2 at http://n2t.net/ark:/13960/t2s52bq7w.
- Smith, Brian K. (1994), Classifying the Universe: The Ancient Indian Varṇa System and the Origins of Caste (New York, Oxford: Oxford University Press), ISBN: 0-19-508498-5.
- Spink, M. S. and Lewis, G. L. (1973) (eds.), *Albucasis on Surgery and Instruments: A Definitive Edition of the Arabic Text with English Translation and Commentary* (London: Wellcome Institute of the History of Medicine).

- Srikantha Murthy, K. R. (2000–2), *Illustrated Suśruta Saṃhitā: Text, English Translation, Notes, Appendices and Index* (Jaikrishnadas Ayurveda Series, 102; 1st edn., Varanasi: Chaukhambha Orientalia).
- Suvedī, K. S. and Tīvārī, N. (2000) (eds.), Sauśrutanighaṇṭuḥ: granthādau vistṛtena granthavaiśiṣṭyaprakāśakenopodghātena avasāne ca dravyāṇām anekabhāṣānām āvalī- paryāyasaṅgrahābhyāṃ samalaṅkrtaḥ Suśrutasaṃhitāyāṃ prayuktānām auṣadhadravyāṇāṃ paryāya-guṇakarmavarṇātmako pūrvagranthaḥ (Belajhuṇḍī, Đāṅ: Mahendrasaṃskrtaviśvavidyālayaḥ).
- Tavernier, Jean-Baptiste (1684), *Collections of Travels through Turky* (sic), *into Persia*, *and the East-Indies* (London: M. Pitt).
- The Unicode Consortium (1991–2020), 'The Unicode Standard 13.0, NewaRange: 11400–1147F', URL, accessed 20/07/2021.
- Thorburn, S. S. (1876), *Bannu; or Our Afghan Frontier* (London: Trübner & Co.), URL, accessed 10/09/2019; Reprinted Lahore: Niaz Ahmad, 1978.
- Unschuld, Paul Ulrich (1984), *Medicine in China: A History of Ideas* (Berkeley: University of California Press), ISBN: 0520050231.
- Velankar, H. D (1925–30), Descriptive Catalogue of the Sanskṛta and Prākṛta Manuscripts in the Library of the Bombay Branch of the Royal Asiatic Society (Bombay: Royal Asiatic Society, Bombay), ark:/13960/t53g00h0n; Biswas #0115.
- Warrier, P. K., Nambiar, V. P. K., and Ramankutty, C. (1994–6) (eds.), *Indian Medicinal Plants: A Compendium of 500 Species. Vaidyaratnam P. S. Varier's Arya Vaidya Sala, Kottakal* (Madras: Orient Longman).
- Watt, George (1889–96), A Dictionary of the Economic Products of India (Calcutta: Dept. Revenue and Agriculture, Government of India), URL, accessed 28/04/2021.
- ——(1908), The Commercial Products of India, Being an Abridgement of "the Dictionary of the Economic Products of India" (London: John Murray), ark:/13960/t9t14xh3x.
- Whitney, William Dwight (1885), *The Roots, Verb-forms, and Primary De-rivatives of the Sanskrit Language. A Supplement to his Sanskrit Grammar* (Leipzig: Breitkopf and Härtel), ark:/13960/t3qv3p906.
- Wilson, H. H. (1823), 'On the Medical and Surgical Sciences of the Hindus', *The Oriental Magazine and Calcutta Review*, 1: 207–12, 349–56, URL.

- Wren, R. C. (1956), *Potter's New Cyclopaedia of Botanical Drugs and Preparations*, ed. R. W. Wren (Rustington, Sussex: Health Science Press), ark:/13960/t14n65c9g.
- Wujastyk, Dagmar (2012), Well-mannered Medicine: Medical Ethics and Etiquette in Classical Ayurveda (New York: Oxford University Press). DOI: 10.1093/acprof:0s0/9780199856268.001.0001.
- (2019), 'Iron Tonics: Tracing the Development from Classical to Iatrochemical Formulations in Ayurveda', *HIMALAYA*, the Journal of the Association for Nepal and Himalayan Studies, 39/1, ISSN: 2471-3716, URL, accessed 23/07/2019.
- Wujastyk, Dominik (1993), 'Indian Medicine', in W. F. Bynum and Roy Porter (eds.), *Companion Encyclopedia of the History of Medicine*, i (London: Routledge), chap. 33, 755–78, ISBN: 0-415-04771-4, URL.
- —— (2003), The Roots of Ayurveda: Selections from Sanskrit Medical Writings (Penguin Classics; 3rd edn., London, New York, etc.: Penguin Group), ISBN: 0-140-44824-1.
- —— (2004), 'Agni and Soma: A Universal Classification', Studia Asiatica: International Journal for Asian Studies, IV–V, ed. Eugen Ciurtin: 347–70, ISSN: 1582–9111, URL.
- ——(2013), 'New Manuscript Evidence for the Textual and Cultural History of Early Classical Indian Medicine', in *Medical Texts and Manuscripts in Indian Cultural History*, ed. Dominik Wujastyk, Anthony Cerulli, and Karin Preisendanz (New Delhi: Manohar), 141–57, URL.
- —— (2021), 'MS London BL H. T. Colebrooke 908', URL.
- Zimmermann, F. (1983), 'Suśrutasamhita. Essay review.', *Bulletin of the History of Medicine*, 57/2: 291–3, ISSN: 00075140, URL.
- Zimmermann, Francis (1999), The Jungle and the Aroma of Meats (2nd edn., Delhi: Motilal Banarsidass), ISBN: 8120816188.
- Zysk, Kenneth G. (1984), 'An Annotated Bibliography of Translations into Western Languages of Principle Sanskrit Medical Treatises', *Clio Medica*, 19/3–4: 281–91.

- Zysk, Kenneth G. (1985), Religious Healing in the Veda: With Translations and Annotations of Medical Hymns from the Rgveda and the Atharvaveda and Renderings from the Corresponding Ritual Texts (Transactions of the American Philosophical Society; Philadelphia: American Philosophical Society), ISBN: 0871697572.
- —— (1986), 'The Evolution of Anatomical Knowledge in Ancient India with Special Reference to Cross-cultural Influences', *Journal of the American Oriental Society*, 106: 687–705. DOI: 10.2307/603532.
- —— (2000), Asceticism and Healing in Ancient India: Medicine in the Buddhist Monastery (Indian Medical Tradition; 2nd edn., Delhi: Motilal Banarsidass); First published 1991. Reprint of 1998 edition.

# Glossary

the 'sweet' savour	- withania: 15	- kārpāsa: 29
- madhuravarga: 15	atibalā	country mallow
'strong indian mallow'	- 'strong indian	- balā: 32
- atibalā: 32	mallow': 32	country sarsaparilla
	awl	- anantā: 32
a slice of flesh	-ārā: 28	creeper-ear
- vadhra: 12		- vallīkarņa: 29
ācārika	baddham	crow's lip
- medical advice:	<ul><li>bound, connected:</li></ul>	- kākauṣṭha: 29
3 <b>2</b>	34	cutting
admixture	balā	- chedya: 31
- prativāpa: 32	- country mallow:	chengu. 31
āhārya	32	dais
- take away: 29	bandha	
alarka	-joins: 12, 31	- pīṭha: 30
<ul><li>white calotropis:</li></ul>	bandha, sandhāna, sandhi	datura flower
32	-joining: 12	- dhattūrapuṣpa: 29
anantā	beggarweed	decanted liquor
-country	- vidāri: 32	- surāmaṇḍa: 31
sarsaparilla: 32	- vidārigandhā: 15	dhānyāmla
apāmarga	bhedya	- fermented
- prickly chaff	-splitting: 31	rice-water: 31
flower: 29	blessings pronounced	dhattūrapuṣpa
apāmārga	- svastivācana: 27	- datura flower: 29
- prickly	bound, connected	dilator
chaff-flower: 15	- baddham: 34	- pravardhanaka: 29
apāṅga	94	diligent
- edge of the hole:	cakradhārā	- apramatta: 34
33	-rim of a wheel: 30	door-hinge
apatānaka	castor oil tree	- kapāṭasandhika: 29
- convulsions: 28	- gandharvahasta: 29	dried flesh
apramatta	chedya	- vallūraka: 29
- diligent: 34	- cutting: 31	duct
ārā	cheek-ear	-sirā: 28
- awl: 28	- gaṇḍakarṇa: 29	ducts
ardhakapāṭasandhika	compressed	-sirā: 30
- half door-hinge:	- saṃkṣipta: 30	duṣṭa
29	compressed	-tainted: 31
arka	- saṃkṣipta: 29	
- purple calotropis:	convulsions	edge of the hole
32	- apatānaka: 28	- apāṅga: 33
āsangima	cotton	elixir salve
- fastening: 29	- picu: 31	- rasāñjana: 34
aśvagandhā	cotton plant	eraṇḍapatranāla
0	r	7 7 · · · · · · · · · · · · · · · · · ·

fastening - daniquant 29 fermented rice-water - dhanqamla: 31 fever - forar: 13 - fever: 13 - fever: 13 - fever - forar: 13 - fever: 13 - fever - forar: 13 - fever: 13 - mandita - fever: 13 - mandita - fever: 13 - mandita - forar- fill forar- forar- fill for	- stalk of the leaf of castor oil plant: 34	joins - bandha: 12, 31 - sandhāna: 29	mañjiṣṭhā - indian madder: 28 manyāstambhā
fermented rice-water -dhānyāmla: 31 fever -jvara: 13 -fever: 14 -fever: 12 -fever: 13 -fever: 13 -fever: 14 -fever: 12 -fever: 12 -fever: 13 -fever: 14 -fever: 12 -fever: 13 -fever: 14 -fever: 12 -fever: 13 -fever: 14 -fever: 14 -fever: 13 -fever: 14 -fever: 14 -fever: 13 -fever: 14 -fever: 14 -fever: 14 -fever: 14 -f	fastening		
fermented rice-water - dhānyāmla: 31 fever - jvara: 13 - crow's lip: 29 - jvara: 13 - powdered - pinched: 32 - powdered - pandharvahasta - castor oil tree: 29 - gandharvahasta - sarpis: 32 - sarpis: 32 - sarpis: 32 - monitor lizard - himpy: 30 - lumpy: 30 - lead - lumpy: 30 - reduced: 34 - reduced: 35 - reduced: 36 - reduced: 37 - reduced: 37 - reduced: 39 - reduced: 39 - reduced: 30 - reduced: 30 - reduced: 30 - reduced: 31 - reduced: 31 - reduced: 32 - reduced: 32 - reduced: 32 - reduced: 33 - reduced: 34 - reduc	<u> </u>		
fever		,	
fever  - jvara: 13  - crow's lip: 29  kapalacarna  kapalacarna  - powdered  - pinched: 32  gandakarna  - cheek-ear: 29  gandharvahasta  - castor oil tree: 29  gandharvahasta  - prola: 31  gene  - prola: 31  gene  - sarpis: 32  giant potato  - kṣīmāsuklā: 15  godhā  - lumps: 28  granthita  - lumpy: 30  half door-hinge  - door-hinge: 29  krimanigala  - reduced: 34  hīnakarna  - reduced-ear: 29  indian madder  - mañļiṣṭhā: 28  inflamed  - saṃrambha: 32  joining  - bandha, sandhāna,  - the 'sweet'  powdered  - poinary  - prola: 31  - piercing the ear:  - voidāri: 15  mik flower  - prolāri: 15  miksrakaciktsa  - various  treatments: 33  monitor lizard  - godhā: 32  multi-joins  - vyāyojima: 29  multi-joins  - vyāyojima: 29  multi-joins  - vyāyojima: 29  multi-joins  - reed: 34  neem tree  - nimba: 29  nemīsandhānaka  - rim-join: 30  nemīsandhānaka  - rim-join: 29  nimba  - ready-split: 29  obstructed by blood  - raktabadāha: 32  ointment for rubbing  the ear  - udvartana: 33  options  - vikalpa: 30  pain	- dhānyāmla: 31	<b>.</b>	
- jvara: 13 - crow's lip: 29 - jvara: 23 - gādha - pinched: 32 - ganḍakarna - cheek-ear: 29 - gandharvahasta - castor oil tree: 29 - ganze - prota: 31 - sarpis: 32 - sarpis: 32 - sarpis: 32 - sarpis: 32 - monitor lizard: 32 - monitor lizard: 32 - monitor lizard: 32 - lumpy: 30 - lumpy: 30 - reduced: 34 - reduced: 34 - reduced: 34 - reduced: 34 - reduced-ear: 29 - indian madder - mañjiṣthā: 28 - samrambha: 32 - joining - bandha, sandhāna, - redivader: 32 - powdered - provdered - powdered - powdered - lumpy - dardita: 33 may repair - yejayed: 33 medical advice - joining - joining - powdered - powdered - powdered - lipip: 29 - mardita: 33 may repair - yejayed: 33 medical advice - joining - joining - joining - powdered - pwaplacūrna - powdered - powdered - pwaplacūrna - pwaplacūrna - pwaplacūrna - pwaplacūrna - pwaplas: 31 - pedical advice - jeāchika: 32 milk flower - jeāchika: 33 monitor lizard - various - jeāchika: 32 milk flower - jeāchika: 33 monitor lizard - various - jeāchika: 32 milk flower - jeāchika: 32 milk flower - jeāchika: 32 milk flower - jeāchika: 32 mi	fever	kākauṣṭha	
gāḍha - pinched: 32 ganḍakarṇa - cheek-ear: 29 ganḍharvahasta - castor oil tree: 29 gauze - prota: 31 ghee - kārpāsa - sarpis: 32 giant potato - kṣīrāsuklā: 15 - monitor lizard: 32 granthi - lumpy: 28 granthita - lumpy: 30 half door-hinge - reduced: 34 hīnakarṇa - reduced: 34 hīnakarṇa - reduced: 34 hīnakarṇa - reduced-ear: 29 joining - bandha, sandhāna, - the 'Sweet'  paradhuravarga - cheek-ear: 29 kapāṭasandhika - door-hinge: 29 - kapāṭasandhika - door-hinge: 29 - vidāri: 15 miśrakacikitsa monitor lizard: 33 monitor lizard - various treatments: 33 monitor lizard - various - various treatments: 33 monitor lizard - various - var	- jvara: 13	- crow's lip: 29	
- pinched: 32 ganḍakarṇa crockery: 31 - cheek-ear: 29 gandharvahasta - door-hinge: 29 - castor oil tree: 29 ganzze - piercing the ear: - various - sarpis: 32 giant potato kṛtamaṅgala - cotton plant: 29 - sarpis: 32 giant potato kṛtamaṅgala - received a benediction: 27 - monitor lizard: 32 granthi - lumps: 28 granthita - giant potato: 15 - lumpy: 30 half door-hinge - sīsaka: 29 - ardhakapāṭasandhika: - scarification: 31 liquorice - madhuka: 32 - reduced: 34 hīnakarṇa - reduced-ear: 29 liquorice - madhuka: 32 indian madder - mañiṣṣṭhā: 28 inflamed - saṃrambha: 32 joining - bandha, sandhāna, - the 'sweet'  paint bear: - dor-hinge - sīsaka: 29 indian madder - saṃrambha: 32 joining - bandha, sandhāna, - the 'sweet'  paint fower - ācārika: 32 milk flower - vidāri: 15 miśrakacikitsa - various mikl flower - vaidīri: 15 miśrakacikitsa - various mikl flower - vaidīri: 15 miśrakacikitsa - various monitor lizard - various monitor lizard - sgadhā: 32 multi-joins - vyāyojima: 29 milti-joins - vyāyojima: 29 milti-joins - vyāyojima: 29 medical advice - idārika: 32 mikl flower - vaidīri: 15 miśrakacikitsa - various medical advice - ācārika: 32 mikl flower - vaidīri: 15 miśrakacikitsa - various monitor lizard - sgadhā: 32 multi-joins - vyāyojima: 29 memīsandhānaka - reed: 34 nem tree - nainisandhānaka - reed: 34 nem tree - nainisandhānaka - rim-join: 30 nemīsandhānaka - rim-join: 30 nemīsandhānaka - ready-split: 29 nirvedhima - ready-s		kapālacūrṇa	
gandakarṇa crockery: 31 -ācārika: 32 milk flower gandharvahasta -door-hinge: 29 -vidāri: 15 mils rakacikitsa sauze -piercing the ear: -various treatments: 33 monitor lizard -sarpis: 32 -cotton plant: 29 -godhā: 32 multi-joins -kṣīraśuklā: 15 -received a -vajojima: 29 benediction: 27 malla granthi -sarpis ganthita -giant potato: 15 -nimba: 29 nemīsandhānaka lekhya -rim-join: 30 nemīsandhānaka rigudinada -reduced: 34 lotus-splittable -reduced-ear: 29 lumps -granthita: 32 madhuka -liquorice -granthita: 32 madhuka -liquorice -granthita: 32 madhuka -liquorice -granthita: 33 madhuravarga -vaidaria sarpini -vaikalpa: 30 ptions -vikalpa: 30	-	*	- yojayed: 33
- cheek-ear: 29 gandharvahasta - castor oil tree: 29 gauze - prota: 31 ghee - sarpis: 32 giant potato - kṣīraśuklā: 15 - monitor lizard: 32 granthi - lumps: 28 granthita - lumpy: 30 half door-hinge - reduced: 34 hīnakarṇā - reduced: 34 hīnakarṇā - reduced-ear: 29 hīna - reduced-ear: 29 liquorice - maājiṣṭhā: 28 indian madder - saṇrambha: 32 joining - bandha, sandhāna, - liquorice: 32 joining - bandha, sandhāna, - redivada - door-hinge: 29 - various - vaguhi: 29 - solhā: 32 - nala - reed: 34 - neem tree - nimba: 29 - nemisandhānaka - rim-join: 29 - nemisandhānaka - rim-join: 29 - nimba - nimba - sanirandhānaka - rim-join: 29 - nemitree: 29 - nimba - ready-split: 29 - nirvedhima - ready	•		medical advice
gandharvahasta - castor oil tree: 29 gauze - prota: 31 ghee - sarpis: 32 giant potato - kṣīraśuklā: 15 - monitor lizard: 29 granthi - lumps: 28 granthita - lumpy: 30 half door-hinge - gandhakapāṭasandhika: - cardhakapāṭasandhika: - received: 34 hīnakarna - reduced: 34 hīnakarna - reduced-ear: 29 limpy - reduced-ear: 29 lindian madder - mañjiṣṭhā: 28 indian madder - saṃrambha: 32 joining - bandha, sandhāna, - ried cost-order - prota: 31 - piercing the ear: - various treatments: 33 miśrakacikitsa - various treatments: 33 monitor lizard - vagdhā: 32 multi-joins - vyāyojima: 29 - reduced: 34 - reed: 34 - reed: 34 - reed: 34 - rim-join: 30 - nemīṣandhāṇaka - rim-join: 30 - nemīṣandhānaka - rim-join: 29 nimba - neem tree: 29 nimba - neem tree: 29 nimba - reduced: 34 - reduced: 34 - reduced: 34 - reduced-ear: 29 - reduced: 34 - reduced:		3 3	-ācārika: 32
- castor oil tree: 29 gauze - piercing the ear: - various treatments: 33 monitor lizard - sarpis: 32 - cotton plant: 29 godhā: 32 giant potato - kṣīṇaśuklā: 15 - received a - vyāyojima: 29 godhā - received: 32 - reed: 34 neem tree granthita - lumps: 28 kṣīṇaśuklā neem tree granthita - lumpy: 30 lead - rim-join: 30 nemīṣandhānaka - rim-join: 29 nemīṣandhānaka - rim-join: 20 nemīṣandhānaka - rim			milk flower
gauze - piercing the ear: - various treatments: 33 monitor lizard - sarpis: 32 - cotton plant: 29 - godhā: 32 multi-joins - kṣīraśuklā: 15 - received a benediction: 27 mala granthi - lumps: 28 kṣīraśuklā neem tree granthita - lumpy: 30 lead - sīsaka: 29 nemīsandhānaka lekhya - rim-join: 29 nimba - reduced: 34 lotus-splittable - reduced: 34 lotus-splittable - reduced-ear: 29 lumps obstructed by blood - granthita: 28 indian madder - sāṇrambha: 32 madhuka: 32 indian madha, sandhāna, - the 'sweet' pain	e	_	- vidāri: 15
continue			miśrakacikitsa
ghee -sarpis: 32 giant potato -kṣīrāsuklā: 15 -received a -kṣīrāsuklā: 15 -received a -kṣīrāsuklā: 15 -received a -yajuojima: 29  godhā -monitor lizard: 32 granthi -lumps: 28 granthita -lumpy: 30  half door-hinge - sīsaka: 29 - reduced: 34 - reduced-ear: 29  indian madder - mañjiṣṭhā: 28 inflamed - saṃrambha: 32  joining - bandha, sandhāna, - received a - reducition: 27 - nala - reed: 34 - neem tree - nimba: 29 - nemīsandhānaka - rim-join: 30 - nemīsandhānaka - rim-join: 29 - nimba - reim-join: 29 - nimba - ready-split: 29 - reduced: 34 - reduced: 34 - reduced-ear: 29 - ready-split: 29 - reduced by blood - raktabaddha: 32 - reducatrana: 33 - reducatrana: 34 - reducatrana: 34 - reducatrana: 35 - reducatrana: 36 - reducatrana: 36 - reducatrana: 36 - reducatrana: 37 - reducatrana: 37 - reducatrana:	~	- piercing the ear:	
cotton plant: 29   codhā: 32   giant potato   kṛtamaṅgala   multi-joins   cvyāyojima: 29   sendiction: 27   monitor lizard: 32   kṣṇa   mala   received a   cynāyojima: 29   mali   samahānaka   comparison   compa			
giant potato - kṣīraśuklā: 15 - crecived a - benediction: 27 - monitor lizard: 32 - granthi - lumps: 28 - granthita - lumpy: 30 - lead - sīsaka: 29 - ardhakapāṭasandhika: - creduced: 34 - reduced: 34 - reduced: 34 - reduced-ear: 29 - reduced-ear: 29 - indian madder - mañṭiṭṣṭhā: 28 - saṃrambha: 32 - samahuka - saṃrambha: 32 - sandhuka - lequorice - granthita: 30 - granthita: 30 - granthita: 30 - granthita: 30 - reduced: 34 - reduced: 35 - reduced: 36 - reduced: 37 - reduced: 38 - reduced: 39 - reduced: 39 - reduced: 30 - reduced: 30 - reduced: 30 - reduced: 31 - reduced: 32 - reduced: 32 - reduced: 33 - reduced: 34 - reduced: 35 - reduced: 36 - reduced: 37 - reduced: 38 - reduced: 39 - reduced: 39 - reduced: 30 - reduced: 30 - reduced: 31 - reduced: 32 - reduced: 32 - reduced: 33 - reduced: 33 - reduced: 34 - reduced: 34 - reduced: 34 - reduced: 34 - reduced: 35 - reduced: 34 - reduced: 34 - reduced: 34 - reduced: 35 - reduced: 34 - ready-split: 29 - reduced: 34 - reduced: 34 - ready-split: 29 - reduced: 35 - reduced: 36 - reduced: 36 - reduced: 37 - reduced: 39 - reduced: 39 - reduced: 30 - reduced: 31 - reduced: 31 - reduced: 32 - reduced: 32 - reduced: 34 - reduced: 33 - reduced: 34 - reduced: 34 - reduced: 35 - reduced: 35 - reduced: 34 - reduced: 34 - reduced: 35 - reduced: 34 - reduced: 34 - reduced: 35 - reduced: 34 - reduced: 34 - reduced: 35 - reduced: 34 - reduced: 34 - reduced: 35 - reduced: 34 -	-		
- İṣṣīraśuklā: 15	• -	•	
benediction: 27   squarthi   sq	· .		· · · · · · · · · · · · · · · · · · ·
-monitor lizard: 32 kṣṇa nala granthi - wasted: 32 - reed: 34 - lumps: 28 kṣīraśuklā neem tree granthita - giant potato: 15 - nimba: 29 - lumpy: 30 lead - rim-join: 30 half door-hinge - sīsaka: 29 nemīsandhānaka - lekhya - rim-join: 29 ardhakapāṭasandhika: - scarification: 31 nimba 29 liquorice - neem tree: 29 hīna - madhuka: 32 nirvedhima - reduced: 34 lotus-splittable - ready-split: 29 hīnakarṇa - utpalabhedyaka: 29 - reduced-ear: 29 lumps obstructed by blood - granthi: 28 - raktabaddha: 32 indian madder lumpy ointment for rubbing - mañjiṣṭhā: 28 - granthita: 30 the ear inflamed - saṃrambha: 32 madhuka options - liquorice: 32 - vikalpa: 30 joining madhuravarga - bandha, sandhāna, - the 'sweet' pain			- vyāyojima: 29
granthi	-		
- lumps: 28 granthita - lumpy: 30 lead - sīṣaka: 29 ardhakapāṭaṣandhika: - scarification: 31 liquorice - reduced: 34 hīṇakarṇa - reduced-ear: 29 lumps - reduced-ear: 29 lindian madder - mañjiṣṭhā: 28 inflamed - saṃrambha: 32 joining - bandha, sandhāṇa, - the 'sweet'  lead - rim-join: 29 nemīṣandhāṇakaḥ - rim-join: 29 nemīṣandhāṇaha - rim-join: 29 nemīṣandhāṇakaḥ - rim-join: 29 nemīṣandhāṇahaḥ - rim-join: 29 nemīṣandhāṇakaḥ - rim-join: 29 nemīṣandhāṇah - reduced: 34 nemīṣandhāṇakaḥ - reduced: 34 nemīṣandhāṇakaḥ - reduced: 34 nemīṣandhāṇakaḥ - rim-join: 29 nemīṣandhāṇahah - reduced: 34 neem tree - rim-join: 29 nemīṣandhāṇahaḥ - reduced: 34 neem tree - rim-join: 29 nemīṣandhāṇahaḥ - reduced: 34 neem tree - rim-join: 29 nemīṣandhāṇahaḥ - reduced: 34 nemīṣandhāṇahaḥ - reduced: 34 nemīṣandhāṇahaḥ - reduced: 34 nemīṣandhāṇahah - reduced: 34 nemīṣandhāṇahahah - reduced: 34 nemīṣandhāṇahahahahahahahahahahahahahahahahahaha			
granthita			— ·
- lumpy: 30  half door-hinge  - sīsaka: 29  ardhakapāṭasandhika:  29  hīna  - reduced: 34  hīnakarṇa  - reduced-ear: 29  - reduced-ear: 29  indian madder  - mañjiṣṭhā: 28  - saṃrambha: 32  joining  - bandha, sandhāna,  half door-hinge  - sīsaka: 29  nemīsandhānaka  - rim-join: 29  nemīsandhānaka  - rim-join: 29  nimba  nimba  - neem tree: 29  nirvedhima  - needy-split: 29  nirvedhima  - ready-split: 29  obstructed by blood  - granthi: 28  - raktabaddha: 32  ointment for rubbing  the ear  - udvartana: 33  options  - vikalpa: 30  joining  madhuravarga  - bandha, sandhāna,  - the 'sweet'  pain		•	
lead -rim-join: 30 half door-hinge -sīsaka: 29 nemīsandhānakaḥ - lekhya -rim-join: 29 ardhakapāṭasandhika: -scarification: 31 nimba 29 liquorice -neem tree: 29 hīna -reduced: 34 lotus-splittable -ready-split: 29 hīnakarṇa -utpalabhedyaka: 29 -reduced-ear: 29 lumps obstructed by blood -granthi: 28 -raktabaddha: 32 indian madder lumpy ointment for rubbing -mañjiṣṭhā: 28 -granthita: 30 the ear inflamed -saṃrambha: 32 madhuka options -liquorice: 32 -vikalpa: 30 joining madhuravarga -bandha, sandhāna, -the 'sweet' pain	-	-giant potato. 15	
half door-hinge -sīsaka: 29 nemīsandhānakaḥ - lekhya -rim-join: 29 ardhakapāṭasandhika: -scarification: 31 nimba 29 liquorice -neem tree: 29 hīna -reduced: 34 lotus-splittable -ready-split: 29 hīnakarṇa -utpalabhedyaka: 29 -reduced-ear: 29 lumps obstructed by blood -granthi: 28 -raktabaddha: 32 indian madder lumpy ointment for rubbing -mañjiṣṭhā: 28 -granthita: 30 the ear inflamed -saṃrambha: 32 madhuka options -liquorice: 32 -vikalpa: 30 joining madhuravarga -bandha, sandhāna, -the 'sweet' pain	- lumpy. 30	lead	
lekhya	half door-hinge		_
ardhakapāṭasandhika:- scarification: 31nimba29liquorice- neem tree: 29hāna- madhuka: 32nirvedhima- reduced: 34lotus-splittable- ready-split: 29hānakarṇa- utpalabhedyaka: 29obstructed by blood- reduced-ear: 29lumpsobstructed by blood- granthi: 28- raktabaddha: 32indian madderlumpyointment for rubbing- mañjiṣṭhā: 28- granthita: 30the earinflamed- udvartana: 33- saṃrambha: 32madhukaoptionsjoiningmadhuravarga- vikalpa: 30joiningmadhuravarga- vikalpa: 30	rian door rinige		•
liquorice - neem tree: 29  hīna - reduced: 34 lotus-splittable - ready-split: 29  hīnakarṇa - utpalabhedyaka: 29  - reduced-ear: 29 lumps obstructed by blood - granthi: 28 - raktabaddha: 32  indian madder lumpy ointment for rubbing - mañjiṣṭhā: 28 - granthita: 30 the ear inflamed - udvartana: 33  - saṃrambha: 32 madhuka options - liquorice: 32 - vikalpa: 30  joining madhuravarga - bandha, sandhāna, - the 'sweet' pain	ardhakanātasandhika:		· -
hīna- madhuka: 32nirvedhima- reduced: 34lotus-splittable- ready-split: 29hīnakarṇa- utpalabhedyaka: 29obstructed by blood- reduced-ear: 29lumpsobstructed by blood- granthi: 28- raktabaddha: 32indian madderlumpyointment for rubbing- mañjiṣṭhā: 28- granthita: 30the earinflamed- udvartana: 33- saṃrambha: 32madhukaoptions- liquorice: 32- vikalpa: 30joiningmadhuravarga- bandha, sandhāna,- the 'sweet'pain			
- reduced: 34			
hīnakarṇa- utpalabhedyaka: 29- reduced-ear: 29lumpsobstructed by blood- granthi: 28- raktabaddha: 32indian madderlumpyointment for rubbing- mañjiṣṭhā: 28- granthita: 30the earinflamed- udvartana: 33- saṃrambha: 32madhukaoptionsjoiningmadhuravarga- bandha, sandhāna,- the 'sweet'pain			
- reduced-ear: 29 lumps obstructed by blood - granthi: 28 - raktabaddha: 32 indian madder lumpy ointment for rubbing - mañjiṣṭhā: 28 - granthita: 30 the ear inflamed - udvartana: 33 - saṃrambha: 32 madhuka options - liquorice: 32 - vikalpa: 30 joining madhuravarga - bandha, sandhāna, - the 'sweet' pain			ready spine 29
- granthi: 28 - raktabaddha: 32 indian madder lumpy ointment for rubbing - mañjiṣṭhā: 28 - granthita: 30 the ear inflamed - udvartana: 33 - saṃrambha: 32 madhuka options - liquorice: 32 - vikalpa: 30 joining madhuravarga - bandha, sandhāna, - the 'sweet' pain		· · · · · · · · · · · · · · · · · · ·	obstructed by blood
indian madder lumpy ointment for rubbing - mañjiṣṭhā: 28 - granthita: 30 the ear inflamed - udvartana: 33 - saṃrambha: 32 madhuka options - liquorice: 32 - vikalpa: 30  joining madhuravarga - bandha, sandhāna, - the 'sweet' pain			
- mañjiṣṭhā: 28 - granthita: 30 the ear inflamed - udvartana: 33 - saṃrambha: 32 madhuka options - liquorice: 32 - vikalpa: 30 joining madhuravarga - bandha, sandhāna, - the 'sweet' pain	indian madder		
inflamed - udvartana: 33 - saṃrambha: 32 madhuka options - liquorice: 32 - vikalpa: 30 joining madhuravarga - bandha, sandhāna, - the 'sweet' pain			O O
- liquorice: 32 - vikalpa: 30  joining madhuravarga - bandha, sandhāna, - the 'sweet' pain		-	- udvartana: 33
joining madhuravarga - bandha, sandhāna, - the 'sweet' pain	- saṃrambha: 32		
- bandha, sandhāna, - the 'sweet' pain			- vikalpa: 30
	, 0	C	
sandhi: 12 savour: 15 - vedanā: 13		- the 'sweet'	
· · · · · · · · · · · · · · · · · · ·	sandhi: 12	savour: 15	- vedanā: 13

pāka	reduced	- vadhra: 34
- septic: 32	- hīna: 34	śopha
paralysis of the nape of	reduced-ear	- puffed up: 32
the neck	- hīnakarṇa: 29	splitting
- manyāstambhā: 28	reed	- bhedya: 31
pattāṅga	- nala: 34	srāva 🕓
- sappanwood: 34	rim of a wheel	-suppurating: 30
picu	- cakradhārā: 30	-suppuration: 32
- cotton: 31	rim-join	stabdha
piercing the ear	- nemīsandhānaka:	- stiff: 30, 32
- kaṛnavyadha: 27	30	stalk of the leaf of casto
piercing	rim-join	oil plant
- vyadhana: 31	- nemīsandhānakaḥ:	- eraṇḍapatranāla: 3.
pinched	29	stick-ear
- gāḍha: 32		- yaṣṭīkarṇa: 29
pīṭha	sādhubaddha 🥕	stiff
- dais: 30	- well joined: 34	
powdered earthenware	saṃkṣipta	- stabdha: 30, 32
crockery	-compressed: 30	sunivișța ·
- kapālacūrṇa: 31	-compressed: 29	- very intent: 33
prativāpa	saṃrambha	suppurating
- admixture: 32	-inflamed: 32	- srāva: 30
pratuda	sandhāna	suppuration
•	-joins: 29	- srāva: 32
- scavenging: 32 pravardhanaka	sandhi	surāmaṇḍa
•	-joins: 30	- decanted liquor:
- dilator: 29	sappanwood	31
prickly chaff flower	- pattāṅga: 34	svastivācana
- apāmarga: 29	sarpis	-blessings
prickly chaff-flower	-ghee: 32	pronounced: 27
- apāmārga: 15	scarification	śvayathu
prota	- lekhya: 31	-swelling: 28
- gauze: 31	scavenging	swelling
puffed up	- pratuda: 32	-śvayathu: 28
-śopha: 32	seed-eating	3
purple calotropis	<u> </u>	taila
- arka: 32	- vișkira: 32	- sesame oil: 33
ualstahad dha	septic	tainted
raktabaddha	- pāka: 32	- dușța: 31
- obstructed by	sesame oil	
blood: 32	- taila: 33	take away
rasāñjana	sirā	-āhārya: <b>2</b> 9
- elixir salve: 34	-duct: 28	
ready-split	- ducts: 30	udvartana
- nirvedhima: 29	sīsaka	- ointment for
received a benediction	-lead: 29	rubbing the ear: 33
- kṛtamaṅgala: 27	slice of flesh	utpalabhedyaka

- lotus-splittable: 29  vadhra - a slice of flesh: 12 - slice of flesh: 34  vallīkarṇa - creeper-ear: 29  vallūraka - dried flesh: 29  various treatments - miśrakacikitsa: 33  varti - wick: 28f  vāta - wind: 29  vedanā	- pain: 13 very intent - suniviṣṭa: 33 vidāri - beggarweed: 32 - milk flower: 15 vidārigandhā - beggarweed: 15 vikalpa - options: 30 viṣkira - seed-eating: 32 vyadhana - piercing: 31 vyāyojima - multi-joins: 29	wasted - kṣīṇa: 32 well joined - sādhubaddha: 34 white calotropis - alarka: 32 wick - varti: 28f wind - vāta: 29 withania - aśvagandhā: 15  yaṣṭīkarṇa - stick-ear: 29 yojayed - may repair: 33	
vedanā	- multi-joins: 29	- may repair: 33	
	58		

## **Todo list**

	HELP with Refs in footnote 1	3
	ref	3
	see my comments in the input file	5
	Perhaps, it is worth mentioning (pace. Meul) the comment by	
	Dalhaṇa –discussed in fn 113– which indicates that he knew the	
	grafted skin had to be connected. And this is not clear in the	
	mūla	6
	refsrefs	12
	Perhaps, Dr Madhu could add a comment on whether these ad-	
	ditional ingredients would change the effects of the treatment	
	in any significant way?	15
	refs?	27
	Add reference in the fn for the article on samudāya	32
	añjana	38