A Translation of the New Edition of the Suśrutasaṃhitā

Jason Birch and Dominik Wujastyk

Draft of 30th June 2021 © Jason Birch and Dominik Wujastyk

The Suśruta Project is producing a new Sanskrit text edition of the *Suśrutasaṃhitā* based on the early Nepalese manuscripts. As we gradually transcribe and edit the manuscripts, we are producing this new translation of the classic work.

Contents

The Manuscripts used in the vulgate editions by Yādavaśarma	
Trivikrama Ācārya	3
The manuscripts of the 1915 edition	3
The manuscripts of the 1931 edition	3
The manuscripts of the 1938 edition	4
Sūtrasthāna, adhyāya 1	5
Sūtrasthāna, adhyāya 2	12
Literature	12
Sūtrasthāna, adhyāya 16	13
Uttaratantra, adhyāya 16 (17 in the vulgate)	18
Literature	18
Translation	18
[Complications]	27

[Characteristics of the probe]	27 28
Sūtrasthāna, adhyāya 28	29
Abbreviations	30
References	32
Glossary	37
Index of Manuscripts	49
Pratt of Hine 30 12	

The Manuscripts used in the vulgate editions by Yādavaśarma Trivikrama Ācārya

Yādavaśarma Trivikrama Ācārya produced three successive editions of the *Suśrutasaṃhitā* with the commentary of Dalhaṇa, in 1915, 1931 and 1938. These editions, especially the last, are considered the most scholarly and reliable editions of the work, and have been constantly reprinted up to the present day.

The 1915 edition was based on three manuscripts. The 1931 edition used another nine. For his final 1938 edition, Ācārya used a further three.¹

The manuscripts of the 1915 edition

- 1 Calcutta, Royal Asiatic Society. Covers the sūtra, nidāna, śārīra and kalpa sthānas.
- 2 Jaipur, Pandit Gaṅgādharabhaṭṭaśarman, lecturer at the Royal Sanskrit University. Covers the cikitsāsthānna and the uttaratantra.
- 3 Bundi, my great friend the royal physician Pam. Śrīprasādaśarman Covers the uttaratantra.

The manuscripts of the 1931 edition

- 1 Vārāṇasī, professor of literature, the great Gaurīnāthapāṭhaka. With the *Nibandhasaṅgraha*. Covers the *nidānasthāna* and *uttaratantra*.
- 2 Ahmedabad. My friend Sva. Vā. Vaidya Raṇachoḍalāla Motīlālaśarman. With the *Nibandhasaṅgraha*. Covers the śārīrasthāna.
- 3 From the library of my great friend Sva. Vā. Vaidya Murārajīśarman. Extremely old. No commentary. Covers the śārīrasthāna.
- 4 Puṇe, BORI library. With the *Nibandhasaṅgraha*. Covers the śārīra-sthāna.²
- 5 Puṇe, BORI library. With the *Nibandhasaṅgraha*. Complete. With some damaged folia.

¹SS 1938: 22.

²Not one of the three MSS of the *śārīrasthāna* described in H. D. Sharma 1939.

- 6 Bombay, Asiatic Society. Incomplete.3
- 7 Varanasi, the private library of Vaidya Tryambakaśāstrī. Covers the *cikitsāsthāna*. The variant readings of this MS were compiled by Prof. Guruprasādaśāstrī and supplied to Ācārya.
- 8 A printed edition together with the commentary *Suśrutasandīpana-bhāṣya* by Professor Hārāṇacandra Cakravārtti. Complete work. This is the 1910 Calcutta edition numbered "t" by Meulenbeld (HIML: IB, 312).⁴
- 9 A printed edition of the first 43 chapters of the *sūtrasthāna*, printed in Bengali script, with the commentaries *Bhānumatī*, *Nibandhasaṅgraha*, edited by Vijayaratnasena and Niśikāntasena. This is the 1886 Calcutta edition numbered "g" by Meulenbeld (HIML: IB, 311).⁵

The manuscripts of the 1938 edition

1 2 3

							Man	usci	ipts						
edition	ion 1915				1935						1938				
sthāna	1	2	3	1	2	3	4	5	_	7	8	9	1	2	3
sū.	•							•	?		•	• 1-43	•		•
ni.	•								?				•		
śā.	•				•		•		?				•		•
ci.		•							?						●1-9
ka.									?				•		
utt.		•	•					•	?		•				

 $^{^3}$ Possibly MS Mumbai, AS B.I.3 or MS Mumbai, AS B.D.109 (Velankar 1925–30: v. 1, # 212 and 213). But both these have the *Nibandhasaṅgraha*. The first covers only the $śarīra-sth\bar{a}na$; the second may be complete, but Velankar calls it only "disorderly."

⁴Bhattācārya 1910.

⁵Sena et al. 1886.

Sūtrasthāna, adhyāya 1

- Now I shall narrate the chapter on the origin of this knowledge.⁶
- 2 Now, as is well-known, Aupadhenava, Vaitaraṇa, Aurabhra, Puṣkalāvata, Karavīra, Gopurarakṣita, Bhoja, Suśruta and others addressed Lord Divodāsa, king of Kāśi, the best of the immortals, who was in his ashram surrounded by an entourage of sages.⁷
- "O Lord, distress arose in our minds after witnessing people thrashing about with cries, assailed by different kinds of pain and injury (*vedanā-bhighāta*), feeling helpless in spite of having friends, because of diseases arising from the body, the mind and external sources.
- 4 "To quell the illnesses of those who seek happiness and for our own purpose of prolonging life, we desire the science of life (āyurveda) that is being taught. Welfare, both in this world and in the next, depends upon it. Therefore, we have come to the Lord in pupillage."
- 5 The Lord said to them:
 - "Welcome to you! My children, all of you are beyond reproach and worthy to be taught.
- 6 "As is well known, Ayurveda is the name of what is said to be the subsidiary part of the Atharvaveda. Before creating people, Svayambhū composed it in hundreds of thousands of verses and a thousand chapters and, after observing the short lifespan and low intelligence of people, he presented it again in eight parts.⁸
- 7 "Surgery, treatment of body parts above the clavicle, general medicine, knowledge of spirits, care of children, and the disciplines of antidotes, rejuvenation and aphrodisiacs.

⁶Dalhaṇa understood the word "knowledge (*veda*)" as specifically "medical knowledge." He said that the word "longevity" (*āyur*) had been elided. After this opening statement, later manuscripts and commentaries include the attribution, "as the venerable Dhanvantari stated." The absence of this statement in the early Nepalese MSS is highly noteworthy because it removes the outer narrative frame of the *Suśrutasaṃhitā* (Dominik Wujastyk 2013: 148; Klebanov 2021*a*: § 3.1.2). On the figure of Dhanvatari in medical literature, see HIML: IA 358–361.

⁷On these persons, see HIML:IA 361–363, 369 ff. The authority Bhoja does not appear in the list as published in the vulgate edition (SS 1931:1), and was not included in HIML amongst "authorities mentioned in the *Suśrutasaṃhitā*." Meulenbeld gathered textual evidence about Bhoja at HIML:IA 690–691. Klebanov (2021*b*) has discussed these authors in the context of an anonymous commentary on the *Suśrutasaṃhitā* that cites them.

⁸Svayambhū is another name for Brahmā, the creator.

- 8 "Now, a collection of the characteristics of each component of Āyurveda.
- 9 "Among them, [the component] called surgery has the goal of extracting various grasses, wood, stone, dust, iron (?), soil, bone, hair, nails, discharge of pus, malignant wounds and foreign bodies inside the womb, and of determining the application of surgical instruments, knives, caustics and fire by means of sixty definitions.
- "[The component] named the doctrine of treating body parts above the clavicles has the aim of curing diseases situated above clavicles that is, diseases located in ears, eyes, mouth, nose and so on.
- "[The component] called general medicine has the goal of curing illnesses established in the whole body and [diseases] such as fever, tumour, swelling, hemorrhagic disorders, insanity, epilepsy, urinary diseases, diarrhoea and the like.
- "[The component] called knowledge of spirits is for appeasing demons by pacification rites and making food offerings for those whose minds have been possessed by gods, their enemies, Gandharvas, Yakṣas, demons, deceased ancestors, Piśācas, Vināyakas, Nāgas and evil spirits that possess children.
- "[The component] called care of children is for bearing children and purifying defects in a wet-nurse's milk, and curing diseases that have arisen from bad breast milk and demons.
- "[The component] called the discipline of toxicology is for [knowing] the signs of poison from snake and insect bites and for neutralising various combinations of poisons.¹¹
- "[The component] called the discipline of rejuvenation is maintaining youth, bringing about a long life and mental vigour and for curing diseases.
- 16 "[The component] called the discipline of aphrodisiacs brings about the increase, purity, accumulation and production of semen for those

 $^{^{9}}$ Dānavas. The insertion marks ($k\bar{a}kapadas$) below the text at this point appears to be by the original scribe.

¹⁰The vulgate doesn't have *vināyakas* but does add *asuras*, probably under the influence of Dalhaṇa. Cite Paul Courtright, Ganesha book.

¹¹The scribal insertion marks (crosses) above the line at this point in MS K appear to be in a later hand and their referent is lost in the damaged part of the folio. Although MSS N and H include spiders ($l\bar{u}t\bar{a}$) and creepy-crawlies ($sar\bar{i}srpa$) in the list, it does seem that MS K had a shorter list, and the vulgate edition adds rodents ($m\bar{u}sika$).

- whose semen is minimal, bad, depleted, and dry [respectively] and for inducing an erection.
- "Thus, this Ayurveda is taught with eight components."

 "Among these [components], tell us which is for whom."
- 18 They said, "After you have conveyed the knowledge of surgery, teach us everything."
- 19 He said, "so be it."
- They then said, "Having considered the view of all of us, when we are unanimous, Suśruta will question you. We too will learn what is being taught to him."
- 21 He said, "so be it.
- "Now, as is well-known, the aim of Āyurveda is eliminating the disease of one who have been assailed by disease and protecting the healthy; āyurveda is [that knowledge] in which they find a long life, or that by which long life is known. Learn its best component (i.e., surgery), which is being taught in accordance with tradition, perception, inference and analogy.
- "For this component is first, the most important, because it is referred to first; it cures wounds and joins together the most important thing, Yajña's head. For, just as it has been said of old, 'the head that had been cut off by Rudra was joined again by the two Aśvins.'
- "And also, of the eight disciplines of \bar{A} yurveda, [surgery] alone is the best because of the quick action of its procedures ($kriy\bar{a}$), its application of blunt instruments, knives, caustics and fire, and it is common to all disciplines.
- 25 "Therefore, [surgery] is eternal, meritorious, leads to heaven, brings renown, bestows a long life, and affords a livelihood.
- 26 "Brahmā said this, 'Prajāpati learned it. From him, the Aśvins. From the Aśvins, Indra. From Indra, I. In this world, I will transmit to those who desire it for the benefit of people.'

[There a verse about this.].¹²

For, I (i.e., Brahmā) am Dhanvantari, the first god, the remover of old age, pain and death of mortals.

Having understood surgery, the best of the great knowledge systems, I arrived on earth again to teach it here.

¹²This is an expansion of the scribe's abbreviation *bha* for *bhavati cātra ślokaḥ* "There is a verse about this" (sometimes plural).

- In this context, as far as this discipline is concerned, a human being (puru
 otin a) is called an amalgam of the five elements and the embodied soul. This is where procedures $(kriy \overline{a})$ apply. This is the locus. Why?
 - Because of the duality of the world, the world is twofold: the stationary and the moving. Its nature ($\bar{a}tmaka$) is twofold, depending on the preponderance of Agni and Soma.¹³ Alternatively, it can be considered as being fivefold. The multitude of beings in it are fourfold: they are termed "sweat-born, stone-born, caul-born and egg-born".¹⁴ Where they are concerned, the human being is the main thing; others are his support. Therefore, the human being (puruṣa) is the locus.
- Diseases are said to be the conjunction of the person and suffering (duḥ-kha). There are four of them: invasive, bodily, mental and inherent. The invasive ones are caused by an injury. The bodily ones are based on food, caused by irregularities (vaiṣamya) in wind, bile, phlegm and blood.¹⁵

The mental $(m\bar{a}nasa)$ ones, caused by desire $(icch\bar{a})$ and hatred (dveṣa), include: anger (krodha), grief $(\bar{a}śoka)$, misery (dainya), overexcitement (harṣa), lust $(k\bar{a}ma)$, depression $(viṣ\bar{a}da)$, envy $(\bar{i}rṣy\bar{a})$, jealousy $(as\bar{u}y\bar{a})$, malice $(m\bar{a}tsarya)$, and greed (lobha).

The inherent (*svābhāvika*) ones are hunger, thirst, old age, death, sleep and those of the temperament (*prakṛti*).

These too are located (adhiṣṭhāna) in the mind and body.

Scarification (*lekhana*), nourishment (*bṛṇṇhaṇa*), purification (*saṇśo-dhana*), pacification (*saṇśamana*), diet (*āhāra*) and regimen (*ācāra*), properly employed, bring about their cure.

Furthermore, food is the root $(m\bar{u}la)$ of living beings as well as of strength (bala), complexion (varna) and vital energy (ojas). It depends on $(\bar{a}yatta)$ the six flavours (rasa). Flavours, furthermore, have substances as their substrate $(\bar{a}\acute{s}rayin)$. And substances are remedies $(oṣadh\bar{\iota}-)$. There are two types: stationary $(sth\bar{a}vara)$ and moving

¹³See Dominik Wujastyk 2004.

¹⁴This fourfold classification of beings is paralleled with closely-related vocabulary in *Bhelasaṃhitā* 4.4.4 (Bhela 2000: 206; Bhela 1921: 81).

¹⁵Note that four humoral substances are assumed here.

 $^{^{16}}$ Pāṇini 6.3.132 provides that the final vowel of the noun oṣadhi may be lengthened $(\to oṣadh\bar{\iota})$ under certain conditions. These conditions require that the word be used in a Vedic mantra and not in the nominative. Neither condition is met in this passage, yet the

(jaṅgama).

- Of these, there are four types of stationary ones: fruit trees (*vanaspati*), flowering trees (*vṛkṣa*), herbs (*oṣadhi*) and shrubs (*vīrudh*).¹⁷ Amongst these, the "fruit trees" have fruit but no flowers.¹⁸ The "flowering trees" have flowers and fruit. The "herbs" die when the fruit is ripe. "Shrubs" put out shoots.
- As is well known, moving remedies are also of four types: those born in in a caul (<code>jarāyuja</code>), those born from eggs (<code>aṇḍaja</code>), those born of sweat (<code>svedaja</code>), and shoots (<code>udbhid</code>). Amongst these, those born in a caul include animals (<code>paśu</code>), humans, and wild animals (<code>vyāla</code>). Birds, creepycrawlies (<code>sarīsṛpa</code>) and snakes are "born of eggs." Worms (<code>kṛmi</code>), small insects (<code>kunta</code>) and ants (<code>pipīlika</code>) and others are born of sweat. ¹⁹ Shoots include red velvet mites (<code>indragopa</code>) and frogs (<code>maṇḍūka</code>). ²⁰|
- In this context, among the stationary remedies, skin (tvak), leaves (pa-tra), flowers (puṣpa), fruits (phala), roots ($m\bar{u}la$), bulbs (kanda), sap ($kṣ\bar{t}ra$), resin ($niry\bar{a}sa$), essence ($s\bar{a}ra$), oil (sneha), and juice extract (sva-rasa)²¹ are useful; among the moving remedies pelt (carman), hair, nails, and blood (rudhira) and so forth.
- 34 And earthen products (*pārthiva*) include gold and silver.²²
- The items created by time $(k\bar{a}lakrta)$ are clusters (samplava) as far as wind and no wind $(niv\bar{a}ta)$, heat and shade, darkness and light and the cold, hot and rainy seasons $(vars\bar{a})$ are concerned. The divisions of time are the blink of the eye (nimesa), a trice $(k\bar{a}sth\bar{a})$, minutes $(kal\bar{a})$, three-quarters of an hour $(muh\bar{u}rta)$, a day and night $(ahor\bar{a}tra)$, a fort-

author uses the form $oṣadh\bar{\iota}$. This form is in fact not uncommon in medical literature as well as in epics, purāṇas, smṛtis, and other parts of Sanskrit literature.

¹⁷Ca.sū.1.71–72 also describes these four types of medicinal plant in similar terms but with slightly differing names: *oṣadhi* is a plant that ends after fruiting, *vīrudh* is a plant that branches out, *vanaspati* is a tree with fruit, and *vānaspatya* is a tree with fruit and flowers.

¹⁸The MSS agree in reading *phalavantyalı* "having flowers" which is grammatically non-standard. This form is also found in the *Viṣṇudharmottarapurāṇa* (1.92.27, 1.92.27 Viṣṇudharmottarapurāṇa: 56r).

¹⁹The word *kunta*, though marked as "lexical" in most dictionaries, is in fact found in literature, commonly as a compound with *pipīlika*; the compound sometimes seems to be understood a type of ant (*tatpuruṣa* compound) rather than as a pair of insects (*dvandva* compound).

²⁰On *indragopa*, see Lienhard 1978.

²¹On juice extract (*svarasa*) see CS 1.1.73, 1.4.7; Dalhana on SS 4.10.12 (SS 1938²: 450).

²²The flow of concepts in the treatise seems to be interrupted here.

- night (pakṣa), a month ($m\bar{a}sa$), a season (rtu), a half-year (ayana), a year (samvatsara), and yuga (yuga).²³
- These naturally cause accumulation (*sañcaya*), irritation (*prakopa*), pacification (*upaśama*) and alleviation (*pratīkāra*) of the humours (*doṣa*). And they have practical purposes (*prayojanavat*).

[There are verses about this:]24

- This fourfold category is taught by physicians as a cause for the agitation and quelling of bodily diseases.²⁵
- There are two kinds of invasive diseases. Some certainly²⁶ affect (nipat-) the mind, others the body. Their treatment (kriyā) is of two kinds too.
- For those that affect the body there is physical (śārīravad) therapy, whereas for those that affect the mind there is the collection (varga) of desirable sensory experiences like sound that bring comfort (sukha).
- 40 Along these lines (*evam*), this brief explanation of the four factors (*catuṣtaya*) is given:
 - human being (puruṣa),
 - disease (vyadhi),
 - remedies (osadhi),
 - the time for therapies (*kriyākāla*).

In this context,

• from the mention of the word "human," the collection of substances that arise from it, such as the elements, and the particulars (*vikalpa*) of its major and minor parts (*aṅga*) such as skin (*tvak*), flesh (*māṃsa*), ducts (*sirā*), sinews (*snāyu*), bones (*asthi*) and joints (*sandhi*) are meant.

 $^{^{23}}$ These units are presented at SS 1.6.5 (SS 1938 2 : 24) and discussed by Hayashi (2017: § 59).

²⁴See footnote 12.

²⁵On the topic of the "group of four," the commentator Dalhana considers them to be "food, behaviour, earthen products and items created by time." He refers to the author of the lost commentary entitled $Pa\tilde{n}jik\bar{a}$, and to Jejjaṭa (HIML: IA, 372–3, 192). In his view, these early commentators do not agree that the fourfold grouping (caturvarga) refers to the quartet of stationary ($sth\bar{a}vara$), moving (jangama), earthen products ($p\bar{a}rthiva$) and items created by time ($k\bar{a}lakrta$) (SS 1938²: 9a).

²⁶The text uses an archaic interjection here, *ha*.

- From the mention of "diseases," all diseases caused by wind, bile, phlegm, congested humours (sannipāta), external factors (āgantu) and inherent factors (svabhāva) are intended (vyākhyāta).
- From the mention of "remedies," there is the teaching of substances, tastes, potencies, post-digestive tastes.
- From the mention of "procedures (*kriyā*)," therapies (*karman*) such as oiling and excision (*chedya*) are taught.
- From the mention of the word "time," every single teaching about the times for procedures is meant.

[There is a verse about this:]²⁷

- This seed of medicine has been declared in brief. Its explanation will be given in one hundred and twenty chapters.²⁸
- There are one hundred and twenty chapters in five sections (*adhyāya*).²⁹ In that regard, having divided them, according to their subject matter, into the Ślokasthāna, the Nidāna, the Śārīra, the Cikitsita and the Kalpa, we shall mention this in the Uttaratantra.³⁰

[There is a verse about this:]31

Someone who reads this eternal proclamation of the King of Kāśī, that was declared by Svayambhu, will have good karma on earth, will be respected by kings and upon death will achieve the world of Śakra.

²⁷See footnote 12.

 $^{^{28}}$ This is the number of chapters in the first five sections of the work, namely the $S\bar{u}tra$ -, $Nid\bar{a}na$ -, $S\bar{a}r\bar{i}ra$ -, $Cikits\bar{a}$ - and Kalpa-sth $\bar{a}na$ s. These have 46, 16, 10, 40 and 8 chapters respectively. The Uttaratantra has 66 chapters.

²⁹On *vimśa* in the sense of "greater by 20" see P.5.2.46 *śadantavimśateś ca*.

 $^{^{30}}$ The end of this sentence reads oddly. The vulgate edition adds an object: "[we shall mention] the remaining topics [in the Uttara]" which smooths out the difficulty, but this is supported in none of the Nepalese MSS. At the start of the Uttaratantra (SS 1938: 1.3–4ab) there is indeed a statement that picks up the point about there being 120 chapters.

³¹See footnote 12.

Sūtrasthāna, adhyāya 2

Literature

HIML: IA, 204; Preisendanz 2007; Dagmar Wujastyk 2012: 82–83, et passim.

1

Sūtrasthāna, adhyāya 16

- 1 Now we shall expound the method for the piercing of the ear.
- One may pierce a child's ears for the purpose of preserving and decorating.
 - During the first half of the sixth or seventh lunar month, during a renowned day, half day, hour and constellation the child who has received a benediction (krtamangala), blessings pronounced (svastivacana) should be placed on the lap of a wet-nurse.³² For a boy, do the right one first; for a girl do the left one. Use a needle on a thin ear; an awl (ara) on a thick one.
- 3 If there is excess blood or pain one should know that it was pierced in the wrong place. The absence of side-effects is a sign that it has been pierced in the right place.³³
- 4 In this context, if an ignorant person accidentally pierces a duct (*sirā*) there will be fever, burning, swelling (*śvayathu*), pain, lumps (*granthi*), paralysis of the nape of the neck (*manyāstambhā*), convulsions (*apatānaka*), headache or pain in the ear.
- Having removed the wick (*varti*) in it, one should smear it with a paste of the roots of barley, liquorice, Indian madder (*mañjiṣṭhā*), and the castor oil tree (*gandharvahasta*), thickened with honey and ghee. When it has healed well, one should pierce it again.
- 6 One should treat the properly-pierced ear by sprinkling it raw sesame oil. After every three days one should apply a thicker wick (*varti*) and sprinkle oil right on it.³⁴
- 7 Once the ear is free from humours or side-effects, one should loosen it with a light dilator (*pravardhanaka*) in order to enlarge it.
- 8 An person's ear enlarged in this way can split in two, either as a result of the humours or as a result of a blow.

Listen to me about the joins (sandhāna) it can have.

³²The syntax here is unclear. The expression *svastivācana* may have been a gloss inserted into the text at an earlier period to clarify *maṅgala*. But as it stands, it is not syntactically connected to the rest of the sentence. The vulgate records a reading in which the words are united in a compound that reads more naturally.

³³From here on, witness K is missing a folio, so the text is contstructed on the basis of witnesses N and H.

 $^{^{34}}$ The manuscripts support the reading $sth\bar{u}latar\bar{t}m$ that is either a non-standard form or a scribal error.

Here, there are, in brief, fifteen ways of mending the ear. They are as follows: Rim-join, Lotus-splittable, Dried Flesh, Fastening, Cheek-ear, Take away, Ready-Split, Multi-joins, Door-hinge, Half door-hinge, Compressed (saṃkṣipta), Reduced-ear, Creeper-ear, Stick-ear, and Crow's lip.

In this context, among these,

"Rim-join" (nemīsandhānaka): both flaps are wide, long, and equal.

"Lotus-splittable" (*utpalabhedyaka*): both flaps are round, long, and equal.

"Dried flesh" (vallūraka): both flaps are short, round, and equal.

"Fastening" (āsaṅgima): one flap is longer on the inside.

"Cheek-ear" (gaṇḍakarṇa): one flap is longer on the outside.35

"Take-away" ($\bar{a}h\bar{a}rya$): the flaps are missing, in fact, on both sides.

"Ready-split" (*nirvedhima*): the flaps are like a dais (*pīṭha*).

"Multi-joins" (*vyāyojima*): one flap is small, the other thick, one flap is equal, the other unequal.

"Door-hinge" (kapāṭasandhika): the flap on the inside is long, the other is small.

"Half door-hinge" (ardhakapāṭasandhika): the flap on the outside is long, the other is small.

These ten options (*vikalpa*) for joins (*sandhi*) of the ear should be bound. They can mostly be explained as resembling their names.³⁶ The five below are not so successful:

The five from compressed (saṃkṣipta) on are incurable. Among these, "compressed" has a dry ear canal and the other flap is small. "Reduced ear" has flaps that have no base and have wasted flesh on their edges. "Creeper-ear" has flaps that are thin and uneven. "Stick-ear" has lumpy (granthita) flesh and the flaps are stretched thin and have stiff (stabdha)

³⁵See fig. ??.

³⁶This is an odd assertion, given the strangeness of the names.

ducts (*sirā*). "Crow-lip" has a flap without flesh with compressed (*saṃ-kṣipta*) tips and little blood. Even when they are bound up, they do not heal because they are hot, inflamed, suppurating (*srāva*), or swollen.

A person wishing to perform any of these joins should therefore gather together the supplies prepared according to the recommendations of the 'Preparatory Supplies' chapter.³⁷ And in particular, he should gather decanted liquor (*surāmaṇḍa*), milk, water, fermented rice-water (*dhānyāmla*), and powdered earthenware crockery (*kapālacūrṇa*).

Next, he should prepare the woman or man who have had the ends of their hair tied up, have eaten lightly, and are firmly supported by qualified attendants.

Then, he should ready the bindings (bandha) and carry out the procedure with cutting (chedya), splitting (bhedya), scarification (lekhya), or piercing (vyadhana), examine the blood of the ear to know whether it is tainted (duṣṭa) or not. Then if it is tainted by wind, the ear should be bathed with fermented rice-water (dhānyāmla) and water; if tainted by choler, then cold water and milk should be used; if tainted by phlegm, then decanted liquor (surāmaṇḍa) and water should be used, and then he should scarify it again.

Then, arranging the join in the ear so that it is neither proud, depressed, nor uneven, one should make the join. Next, after anointing it with honey and ghee, each ear should be bandaged with cotton (picu) and gauze (prota), and bound up with a thread, neither too tightly nor too loosely. Then the earthenware powder should be sprinkled on, and medical advice ($\bar{a}c\bar{a}rika$) should be given. And he should supplement with food as taught in the 'Two Wound' chapter.³⁸

One should avoid rubbing, sleeping during the day, exercise, overeating, sex, getting hot by a fire, or the effort of speaking.

One should not make a join when the blood is too pure, too copious, or too thin.³⁹ For when the ear is tainted by wind, then it is obstructed by blood (raktabaddha), unhealed and will peel. When tainted with choler, is becomes pinched ($g\bar{a}dha$), septic ($p\bar{a}ka$) and red. When tainted by phlegm, it will be stiff (stabdha) and itchy. It has excessively copi-

³⁷SS.1.5.

³⁸SS.4.1.

³⁹The vulgate reads "impure" for the Nepalese "too pure," which would appear to make better medical sense. Emending the text to *nāśuddha*- for *nātiśuddha*- in the Nepalese recension would yield the same meaning as the vulgate.

- ous suppuration ($sr\bar{a}va$) and is sopha (puffed~up). It has it has a small amount of wasted ($ks\bar{i}na$) flesh and it will not grow.⁴⁰
- When the ear is properly healed and there are no complications, one may very gradually start to expand it. Otherwise, it may be angry (samrambha), burning, septic or painful. It may even be split open again.
- Now, massage for the healthy ear, in order to enlarge it. One should gather as much as one can of the following: a monitor lizard ($godh\bar{a}^{41}$), scavenging (pratuda) and seed-eating (viskira) birds, and creatures that live in marshes or water,⁴² fat, marrow, milk, and sesame oil, and white mustard oil. Then cook the oil with an admixture (prativāpa) of the following: purple calotropis ($arka^{43}$), white calotropis ($alarka^{44}$), country mallow ($bal\bar{a}^{45}$), 'strong Indian mallow' ($atibal\bar{a}^{46}$), country sarsaparilla ($anant\bar{a}^{47}$) beggarweed ($vid\bar{a}ri^{48}$), liquorice (madhuka), hornwort ($jalas\bar{u}ka \rightarrow jalan\bar{l}ik\bar{a}^{49}$), 50 items having the 'sweet' savour (madhuravarga), 51 and 'milk flower' ($payasy\bar{a} \rightarrow vid\bar{a}r\bar{\iota}^{52}$). This should then be deposited in a well-protected spot.
- The wise man who been sweated should rub the massaged (mardita) ear with it. Then it will be free of complications, and will enlarge properly and be strong.
- 16 Ears which do not enlarge even when sweated and oiled, should be scarified at the edge of the hole (*apāṅga*), but not outside it.
- 17 In this tradition, experts know countless repairs to ears. So a physi-

⁴⁰This passage exemplifies numerous small changes

⁴¹Varanus bengalensis, Schneider (Daniel 1983:58)

⁴²For such classifications, see **zimm-jung** and **smit-clas**.

⁴³Calotropis gigantea, (L.) R. Br. (ADPS 52, AVS 1.341, NK #427, Potter 57, ID 306)

⁴⁴Calotropis procera, (Ait.) R. Br. (NK #428, GIMP 46b, ID 306)

⁴⁵Sida cordifolia, L. (ADPS 71, NK #2297)

⁴⁶Abutilon indicum, (L.) Sweet; Sida rhombifolia, L.? (NK #11, IGP ,4 1080; NK #2300)

⁴⁷Hemidesmus indicus, (L.) R. Br. (ADPS 434, AVS 3.141–5, NK #1210)

⁴⁸Desmodium gangeticum (L.) DC (Dymock 1.428, GJM 602, cf. NK #1192; ADPS 382, 414 and IMP 2.319, 4.366 are confusing)

⁴⁹Ceratophyllum demersum, L. (IMP 2371, AVS 2.56, IGP 232)

⁵⁰This name is not certain: in fact, the commentator Dalhana notes that some people interpret it as a poisonous, hairy, air-breathing, underwater creature.

⁵¹The items which exemplify the 'sweet' savour (*madhuravarga*) are enumerated at SS.1.42.11.

⁵²Pueraria tuberosa (Willd.) DC. (ADPS 510, IMP 1.792f., AVS 4.391; not Dymock 1.424f. See GJM supplement 444, 451, IMP 1.187, but IMP 3.1719 = Ipmoea mauritiana, Jacq.)

- cian who is very intent (*suniviṣṭa*) on working in this way may repair (*yojayed*) them.
- 18 If an ear has grown hair, has a nice hole, a firm join, and is strong and even, well-healed, and free from pain, then one can enlarge it slowly.
- 19 Now I shall describe the proper method of repairing a severed nose. First, take from the trees a leaf the same size as the man's nose and hang it on him.
- Next, having cut a slice of flesh (*vadhra*) with the same measurements off the cheek, the end of the nose is then scarified.⁵³

 Then the diligent (*apramatta*) physician, should quickly put it back together (*pratisandhā*-) so that it is well joined (*sādhubaddha*).

 54
 - Having carefully observed that it has been well sown up, two tubes should be fixed in place. Then, having lifted them up,⁵⁵ the powder of sappanwood ($patt\bar{a}nga^{56}$),⁵⁷ liquorice ($yast\bar{n}madhuka^{58}$), and Indian barberry ($a\tilde{n}jana^{59}$) should be applied to it.
- The wound should be covered properly with cotton (picu) and should be moistened repeatedly with sesame oil. Ghee should be given to the man to drink. His digestion being complete, he should be oiled and purged in accordance with the instructions specific to him.⁶⁰
- And once healed and really come together, what is left of its flesh (*vadhra*) should then be trimmed. If it is reduced (*hīna*), however, one should make an effort to stretch it, and one should make its overgrown flesh smooth.

⁵³The vulgate reads bound, connected (*baddham*) for slice of flesh (*vadhra*). This is a critical variant from the surgical point of view. If the slice remains connected, it will have a continuing blood supply. This is one of the effective techniques that so astonished surgeons witnessing a similar operation in Pune in the eighteenth century (**wuja-roots3**).

⁵⁴Or '... off the cheek, it is fixed to the end of the nose, which has been scarified'. The Sanskrit text is unfortunately not unambiguous on the important point of whether or not the flap of grafted skin remains connected to its original site on the cheek.

⁵⁵The Sanskrit here, *unnāmayitvā* is non-Pāninian.

⁵⁶Caesalpinia sappan, L. (AVS 1.323, IMP 2.847f.)

⁵⁷For pattānga there are manuscript variants *pattrānga* (MS H) and *pattanga* (N). We read with H and K (f. 14r:1) on Y. T. Ācārya and N. R. Ācārya (SS 1938²: 1.14.36). The vulgate reads *patanga* and this reading is propagated in modern dictionaries.

⁵⁸Glycyrrhiza glabra, L. (AVS 3.84, NK #1136)

 $^{^{59}} Berberis$ aristata, DC. (Dymock 1.65, NK #685, GJM 562, IGP 141)

⁶⁰The expression *svayathopadeśa* is ungrammatical but supported in all available witnesses.

Uttaratantra, adhyāya 16 (17 in the vulgate)

Literature

Survey of this chapter and the existing research on it to 2002: HIML: IA, 305–306.

History of couching in India: Scott 1817; Breton 1826; Jack 1884; Hendley 1895; Elliot 1918; Parshwanath Shastri 1940; Deshpande 1999; 2000; Dagmar Wujastyk 2019; Leffler et al. 2020.

Translation

- 1 Now I shall explain the counteraction (*pratiṣedha*) of diseases located in the pupil (*dṛṣṭi*).
- There are three curable $(s\bar{a}dhya)$, three incurable $(as\bar{a}dhya)$, and six mitigatible $(y\bar{a}pya)$ diseases located in peoples eyes. Among these, three are curable $(s\bar{a}dhya)$. Amongst these three, the remedy $(prat\bar{\imath}k\bar{a}ra)$ has been stated for the one called "seeing smoke $(dh\bar{\imath}madarsin)$ ".⁶¹
- 3–5ab When the eye is inflamed (*vidagdha*) by bile and when it is inflamed by phlegm, one should apply the method for removing bile and phlegm, using nasal medicines (*nasya*), irrigation (*seka*), application of collyrium (*añjana*), liniment (*ālepa*), and medicines cooked in a crucible (*puṭapāka*), together with a balm (*tarpaṇa*), ⁶² but not cutting with a blade (*śastrakṣata*). ⁶³

One should drink ghee (sarpis) prepared with the three fruits ($triphal\bar{a}$) and in the first [case where the problem is bile], and prepared with turpeth (traivrta) in the latter [case, of phlegm].

And ghee prepared with tilvaka (*tailvaka*) is wholesome in both cases, or else aged ghee on its own.

5cd–7ab In a collyrium, these four compounds (*yoga*) are beneficial in both cases:

 ochre (gairika), Sind salt (saindhava), long pepper (kṛṣṇā) and the black soot (maṣī) from cow's teeth; maṣī burned charcoal. Find

where is cutting with a knife related to removing bile or

⁶¹This disease and its cure are described earlier (SS.6.7.39 and SS.6.10.16 (SS 1938²: 609 and 614) respectively). The latter part of this verse is hard to construe and the text here may have been altered at an early period.

 $^{^{62}}$ These therapies are described in SS.6.18 (SS 1938²: 633–640).

 $^{^{63}}$ Dalhaṇa interprets this as blood-letting ($sir\bar{a}vedha$), which is discussed in SS.1.14 (SS 1938²).

- Cow's flesh (*gomāṃsa*), black pepper (*marica*), siris (*śirīṣa*) and red arsenic (*manaḥśilā*);
- stalk (vṛnta) from a wood apple (kapittha) with honey (madhu);⁶⁴
- or the the fruits of the velvet bean (*svayamgupta*).
- 8 The physician should make a collyrium with ground up metal (*ku-pyaka*), ⁶⁵ Asoka tree (*aśoka*), Sal tree (*śālā*), mango (*amra*), beautyberry (*priyaṃgu*), Indian lotus (*nalina*), blue lotus (*utpala*), together with hareṇu (*hareṇu*), emblic (*āmalaka*), myrobalan (*pathyā*), long pepper (*pippali*). It should be combined with ghee and honey (*kṣaudra*).
- 9–10 Also, when bile and phlegm have developed, the physician should apply harenu (harenu) with the expressed juice (svarasa) of the flowers from mango (amra) and Jambu (jambū) trees.

 Then this collyrium, matured (vipakva) with ghee and honey (kṣaudra), should then be applied.
- Filaments ($ki\tilde{n}jalka$) of Indian lotus (nalina) and blue lotus (utpala), with ochre (gairika), and the juice of cow-dung ($go\acute{s}ak\ref{r}t$) are a collyrium in the form of a pill ($gu\rlap/qik\=a$). This is good for both day and night blindness.
- 11cd–12ab Elixir-salve ($ras\bar{a}\tilde{n}jana$), honey (kṣaudra), ghee, scramberry ($t\bar{a}l\bar{i}\acute{s}a$), together with gold and ochre, with the juice of cow-dung ($go\acute{s}akrt$) are for an eye afflicted with bile.
 - Alternatively, wise physician should first grind together elixir-salve (\dot{sita}) and stibnite $(sauv\bar{\imath}raka)$, infused $(bh\bar{a}vita)$ with the blood of birds and animals (rasa). Then he mixes it with the bile of a tortoise or with extract of rohu carp (rauhita). It should always be used with powdered collyrium to quell the bile.
 - Thus, a collyrium of white teak ($k\bar{a}r\acute{s}mar\bar{\iota}$) flowers, liquorice (madhuka), tree turmeric ($d\bar{a}rv\bar{\iota}$), lodh tree (lodhra) and elixir salve ($ras\bar{a}\tilde{n}jana$) is always good as a collyrium in this case.
 - Alternatively, for those who cannot see during the day, this pill $(gudik\bar{a})$, with sandalwood, is recommended: salt $(nad\bar{i}ja)$, conch shell and the

⁶⁴wood apple (*kapittha*) in this verse is ablative singular or accusative plural, neither of which construe obviously.

⁶⁵A metal other than gold or silver, according to V. Jośī and N. H. Jośī 1968: 1.217. Perhaps lead, which is used in making contemporary collyrium.

 $^{^{66}}$ This is Palhaṇa's preferred interpretation of *rasa* "juice" in this context. He also notes that some take elixir-salve (\hat{sita}) to be camphor.

- three spices, collyrium, realgar ($manah\acute{s}il\bar{a}$), the two turmerics (rajana)⁶⁷ and liver extract (yakrdrasa).⁶⁸
- One should grind up kohl (*srotoja*),⁶⁹ and Sind salt (*saindhava*) and long pepper and also harenu (*harenu*). Such wicks with goats urine are good in a collyrium for night blindness (*kṣaṇadāndhya*).
- 17–18ab Alternatively, in such a case, grind together Indian sarsaparilla ($k\bar{a}l\bar{a}$ - $nus\bar{a}riva$)⁷⁰ long pepper, dried ginger ($n\bar{a}gara$) and honey, the leaf of the scramberry ($t\bar{a}l\bar{i}sapatra$), the two turmerics (rajana), a conch shell and liver extract (yakrdrasa). Then shade-dried wicks take away illness (ruj).
- 18cd–19ab Wicks made of red arsenic ($mana h sil \bar{a}$), chebulic myrobalan ($abhay \bar{a}$), the three spices (vyo sa). Indian sarsaparilla (sariva), cuttlefish bone (samudraphena), combined with goat's milk are good.
- One should cook a honey collyrium (*kṣaudrāñjana*) either in the juices of cow's urine (*gomūtra*), and bile, spirits (*madirā*), liver (*yakṛt*), and emblic (*dhātrī*) or else in the juice of the liver (*yakṛt*) of something different, or else with the extract of the three fruits (*triphalā*). One of these should be mixed with cow urine, ghee and cuttle fish (*arṇavamala*)⁷¹ with long pepper, honey and box myrtle (*kaṭphala*). It is placed in sea salt and stored in a bamboo tube.
 - One should cook the liver of a sheep, the ghee of a goat, with long pepper and Sindh salt, honey and the juice of emblics. Then one should store it properly in a catechu box. Prepared thus, the honey collyrium is good.
 - Alternatively, a collyrium that is harenu (harenu) mixed with long pepper ($m\bar{a}gadh\bar{\iota}$), the bone and the marrow of a goat, cardamom ($el\bar{a}$) and

⁶⁷Turmeric (Curcuma longa *Linn*.) and tree turmeric (Berberis aristata DC). The term *rajana* is unusual; the normal term is *rajanī*. *Rajana* occurs in *Suśrutanighaṇṭu* 158 in the sense of Ferula asafoetida, Linn.

⁶⁸This verse appears as no. 27 in the vulgate.

⁶⁹Glossed by Dalhaṇa as a kind of collyrium. Cf. Nadkarni 1954: 2.M13 and P. V. Sharma 1982: 197–198

 $^{^{70}}$ There are two forms of $s\bar{a}riv\bar{a}$ mentioned widely in Āyurvedic literature, the white and the black. Ideas on the identity of the black form are particularly fluid. See Sivarajan and Balachandran (1994: 434–438) for a clear discussion.

⁷¹At SS 6.12.31, Dalhaṇa glossed *arṇavamala* as cuttlefish bone (*samudraphena*). It may be worth considering whether the unusual term *arṇavamala* "ocean-filth" might refer to ambergris.

- liver, together with liver extract, is good for eyes afflicted by phlegm.⁷²
- Over a fire, one should cook the liver (*yakṛt*) of a monitor lizard (*godhā*) prepared with entrails (*antra*) and stuffed with long pepper (*māgadhi*). As is well known, liver (*yakṛt*) which is used (*niṣevita*) with collyrium certainly destroys night blindness.
- 25 After preparing both a spleen (*plīhan*) and a liver on a spit, one should eat them both with ghee and oil.⁷³
- As is well known, there are six diseases that can be alleviated (*yāpya*); in those cases (*tatra*) one should release the blood by bloodletting. And for the sake of wellbeing one should also purge using aged ghee combined (*upahita*) with purgative aids (*aṅga*).
 - When an eye-disease is caused by wind (pavanodbhava) they say that castor oil (pañcāṅgulataila) mixed with milk is good.⁷⁴ In the case of diseases of blood (śonita) and bile (pitta), one should drink ghee with the three fruits; it is particularly cleansing.⁷⁵ In the case of phlegm, a purgative by means of turpeth (trivṛt) is recommended. In the case of all three humours, sandal (sugandhi) in oil is prepared with it (turpeth).⁷⁶
 - 28 In cases of partial blindness (*timira*), aged ghee is recommended. It is good if it is kept in an iron vessel.
- 28cd–29ab One should know that ghee with the three mylobalans is always good, and it is made with what is called periploca of the woods (meṣaviṣāṇa). A man who is suffering from partial blindess should lick the finely-

⁷²On the identities of *elā* and *hareṇu* Watt (1908: 511 ff) described the former as "true" or "lesser" or "Malabar" cardamom, Elettaria cardamomum, Maton & White, in contrast to the "greater" cardamom is Amomum subulatum (that he discusses on p. 65) that is commonly used as an inferior substitute for E. cardamomum. Singh and Chunekar (1972: 467 f) provided an interesting discussion of *hareṇu*, noting that the term refers to two substances, first the *satīna* pulse (Pisum sativum, Linn.), and second an unknown fruit such as perhaps a Vitex. They noted, "None of the text commentators have attempted to disclose the nature of its source plant," although Dalhaṇa described it as aromatic and identical to *reṇukā* (SS.ci.2.75).

⁷³We read the locative as if an instrumental; if the locative were intended then it would be the spit that would be coated with oil and ghee.

⁷⁴Dalhaṇa says that the unexpressed topic of this recipe is partial blindness (*timira*).

⁷⁵Blood-bile (*śonita-pitta, rakta-pitta*) is a widely-recognized disease in ayurveda, but the compound here is definitely dual, which rules out that interpretation. One would expect blood-bile because the previous verse

⁷⁶The expression "the fragrant one in oil (*tailasugandhi*)" is puzzling. The word *sugandhi* has different referents in the *Nighaṇṭu* literature but is not common as a noun in the extant literature. "Sandal" is just one of its possible meanings.

- ground three fruits mixed with ghee off his hand (sapāṇa).77
- 29cd Alternatively, someone afflicted by phlegm should apply them (the three fruits) mixed with oil and steeped (*pragāḍha*) in honey.
 - The very best oil, well-cooked with a decoction of cow-dung, is good in cases of partial blindness, taken as an errhine.
 - In cases caused by bile, ghee by itself is good, as is oil when it arises from wind and blood.
 - 31 And in the case of wind one should apply turpeth (trivrt) based on strong mallow $(atibal\bar{a})$, and country mallow $(bal\bar{a})$ in an errhine (na-sya).⁷⁸
 - Ghee which has been extracted from milk cooked with the meat of aquatic creatures and those from marshlands should be prescribed.
 - †An enclosed roasting (puṭākhya) with Sindh salt and the product of the meat of a carnivore (kravyabhuj) and a deer (eṇa), is combined with honey and ghee.⁷⁹
 - Fat $(vas\bar{a})$ from a horse, a vulture, a snake, and a cock $(t\bar{a}mrac\bar{u}da)$, combined with mahua $(madh\bar{u}ka)$ is always good in a collyrium. †80
 - Having prepared (*niṣevita*) a collyrium made of kohl (*srotas*) and gradually combine it with juices (*rasa*), milk and ghee.⁸¹

 For thirty days, this collyrium is put in the mouth of a black snake that

For thirty days, this collyrium is put in the mouth of a black snake that

The term 'enclosed roasting' (puṭapāka) does occur in the Suśrutasaṃhitā in the context of eye treatments, but designates a method of obtaining juice from substances by wrapping them in leaves pasted with earth and cooking the bolus on charcoal to finally extract a juice.

⁷⁷"Off his hand" translates the adverbial *sapāṇam*, an unusual word. Dalhaṇa reproduces a reading close to the Nepalese recention but says that Jejjaṭa rejects it and so he also does (\$\sum_{1938}:627).

 $^{^{78}}$ "Based on" translates $-\bar{a}$ srita "depending on" which does not construe easily here. The vulgate has \dot{s} rta "cooked" which makes easier sense but is not supported by the Nepalese MSS.

 $^{^{79}}$ Dalhaṇa notes (SS 1938²: 628a) that $puṭ\bar{a}hvaya$ (see verse 35 below) is a synonym for $puṭap\bar{a}ka$, and that the process is described in the $Kriy\bar{a}kalpa$ chapter, i.e., SS.6.18.33–38 (SS 1938²: 635). On the puṭa process in the $Suśrutasaṃhit\bar{a}$, which is earlier and different than that of $rasaś\bar{a}stra$ literature, see the discussion by Dagmar Wujastyk (2019: 83):

⁸⁰This verse contain irresolvable difficulties. There are no significant variants in the Nepalese MS transmission, but the text is ungrammatical. The vulgate reads substantially differently but we have nevertheless made some emendations in line with it and read the verse as two sentences.

⁸¹Dalhana specifies that the juices are meat soups of various animals (SS 1938²: 628).

- is covered with kuśa grass (kuśa).
- Next, a collyrium that is milk containing long pepper $(m\bar{a}gadh\bar{\iota})$, lye $(k \bar{s}araka)$ and Sindh salt (saindhava) that has been repeatedly prepared with the mouth of a black snake, is good in the case of bloodshot blindness $(r\bar{a}gin\ timira)$.
- They say that ghee may be produced from that and combined with sweet herbs is good as an errhine for eye-diseases caused by bile. And here, a balm (*tarpaṇa*) is good that is a combination that is the flesh of wild animals taken hot (*puṭāhvaya*).⁸³
- And realgar (*manaḥśilā*) mixed with elixir salve (*rasāñjana*) and honey is a liquid collyrium (*dravāñjana*) which is, in this case, combined with mahua (*madhūka*).⁸⁴
 - Alternatively, experts on this say that finely ground blue vitriol (*tuttha*) extracted from a gold mine is the "same collyrium" (*samāñjana*).⁸⁵
- Conch mixed with equal parts of sheep's horn and stibnite $(a\tilde{n}jana)$ removes the impurity of the glassy opacity $(k\bar{a}ca)$ because of the application of collyrium $(a\tilde{n}jana)$.⁸⁶
 - The extracts (rasa) produced from aflame of the forest ($pal\bar{a}\acute{s}a$), Rohīta tree ($roh\bar{\imath}ta$), ** mahua ($madh\bar{u}ka$), ground with the supernatant layer (agra) of the spirits (madira) is applied.
- Alternatively, one should cook an errhine with cuscus grass ($u \le \bar{v} = 1$), lodh tree (lodhra), the three fruits ($triphal\bar{a}$), beauty berry (priyangu) to pacify eye diseases caused by phlegm.⁸⁸
 - One should apply smoke of the bark of embelia (vidanga), velvet leaf

 $^{^{82}}$ Palhaṇa describes this blindness as a type of $k\bar{a}ca$ disease caused by wind (SS 1938: 628). The expression "bloodshot blindness" is an attempt to capture the idea of a blind eye that is dyed or coloured (not colour-blindness). This verse is quite different from the vulgate and also syntactically challenging.

⁸³The expression taken hot (*puṭāhvaya*) is a guess.

 $^{^{84}}$ The expression liquid collyrium ($drav\bar{a}\tilde{n}jana$) is only known from Dalhaṇa's comments on SS.6.17.11ab (SS 1938 2 : 626). The recipe in the present collyrium is different from that discussed by Dalhana.

⁸⁵The expression "same collyrium" (*samāñjana*) is a hapax legomenon glossed inexplicably by Dalhaṇa as "a collyrium with an equal amount of fermented barley" (*tulya-sauvīrāñjana*) (SS 1938²: 628).

 $^{^{86}}$ The ablative "from collyrium" is hard to construe, but Dalhana uses this term and phrase in his commentary on SS 6.17.41ab (SS 1938 2 : 629).

⁸⁷Probably Soymida febrifuga A. Juss.

⁸⁸ Dalhaṇa invokes a general rule ($paribh\bar{a}s\bar{a}$) to indicate that this mixture should be cooked with sesame oil.

- $(p\bar{a}th\bar{a})$, white siris $(kinih\bar{\iota})$, and desert date $(i\dot{n}gud\bar{\iota})$; and cuscus grass $(u\bar{s}\bar{\iota}ra)$ alone.
- A ghee that is cooked ($bh\bar{a}vita$) from a decoction of a non-flowering tree (vanaspati)⁸⁹ as well as turmeric ($haridr\bar{a}$) and spikenard (nalada) is good in a balm (tarpaṇa).
 - Alternatively, one may have an enclosed roasting ($puṭap\bar{a}ka$) done with arid-land animals ($j\bar{a}ngala$)⁹⁰ and a plentiful amount of long pepper ($m\bar{a}gadha$), Sindh salt and honey.
- 40 A treatment ($kriy\bar{a}$) with realgar ($mana h sil\bar{a}$), the three spices, conch, honey, along with Sindh salt, green vitriol ($k\bar{a}s\bar{\imath}sa$) and elixir salve ($ras\bar{a}n\bar{\imath}jana$).⁹¹
 - They say that an elixir salve ($ras\bar{a}\tilde{n}jana$) combined with myrobalans, treacle and dried ginger is good.⁹²
- Alternatively, a collyrium that has been prepared many times in the eight types of urine⁹³ is put into water with the three fruits. Having stored it in the mouth of a nocturnal creature (*niśācara*)⁹⁴ one should place it in a conch (*salilotthita*) for two months.⁹⁵
- One should apply that collyrium together with the flowers of mahua $(madh\bar{u}ka)$ and horseradish tree $(\acute{s}igru)$ when [the disease] is caused by all [the humours].
 - But alternatively, all treatments apply when blood is the cause. The procedure that removes bile is good when there is blue dot cataract $(ml\bar{a}yin)$.
- For one who has a humour, the physician should consider the rule in

Check out these refs

⁸⁹These are fig trees. The *Sauśrutanighanṭu* (252) specifies the Udumbara. Cf. the classification in CS.1.1.71–72, 1.8, *et passim*.

 $^{^{90}}$ On this term, see SS.1.35.42 (SS 1938 2 :157) and the discussion by Zimmermann (1999:25–31).

⁹¹ Dalhaṇa glosses treatment ($kriy\bar{a}$) specifically as inspissation ($rasakriy\bar{a}$) (SS 1938²: 629).

⁹²We emend *hite* to *hitam*, against the MSS.

⁹³See SS mūtravarga

⁹⁴Dalhaṇa glosses nocturnal creature (*niśācara*) as "vulture," although elsewhere in the SS it is more commonly interpreted as a spirit or demon. In the present context, following verses 33 and 34, it is probably a snake.

⁹⁵We interpret "water-born" (*salilotthita*) as "conch" in line with *jalodbhava*, but the term is uncertain.

 $^{^{96}}$ The vulgate follows Dalhaṇa in glossing $ml\bar{a}yin$ as $pariml\bar{a}ya$. The description of this condition at SS.6.7.27–28 appears to refer to "blue dot" or "cerulean" cataract. \sqrt{mlai} derivatives can mean "dark" or "black."), which is normally a different ailment.

- all humoral cases and then smear the ointment on the face.⁹⁷ The treatment that is good for removing watery eye (*syanda*) should be properly applied in all these humoral cases, according to the indi-
- The physician should not employ substances in errhines etc., when the humours intensify, and also when disease spreads. And further, in the *Kalpa*, there is a good deal more said about collyriums, and that should be considered and then applied.⁹⁹

vidual.98

- Someone who uses matured ghee, the three fruits, wild asparagus ($\hat{s}a-t\bar{a}var\bar{\iota}$), as well as mung beans (mudga), emblic and barley has nothing to fear from cases of severe blindness (timira).
- Blindness is dispelled by milk prepared with wild asparagus or in emblics, or again cooked barley (*yavaudana*) followed by the water of three fruits with plenty of ghee.
- When there is bloodshot blindness (*rāgiṇi timire*), the wise physician should not cut a vein. A humour injured (*utpīḍita*) by the instrument rapidly destroys vision.
- 48 Non-bloodshot blindness (*araga timira*) in the first layer (*paṭala*) is treatable. And bloodshot blindness (*rāgiṇi timire*) in the second layer, with difficulty. And in the third layer it is mitigable (*yāpya*).
- I shall explain the therapy for success when there is a cataract (linga- $n\bar{a}$ sa) caused by phlegm. It may be white, like a full moon, an umbrella, a pearl ($mukt\bar{a}$) or a spiral ($\bar{a}varta$).
- Or it may be uneven, thin in the middle, streaked or have excessive shine (*prabha*). A humour (*doṣa*) in the pupil may be characterized as being painful or having blood.¹⁰⁰
- At a time that is neither too hot or too cold, the patient who has been oiled and sweated is restrained and seated, looking symmetrically at his own nose.

The wise physician should separate $(muktv\bar{a})$ two white sections from

⁹⁷The vulgate edition omits part of this verse (ab) combining earlier and later passages. ⁹⁸The term watery eye (*syanda*) refers to the specific disease *abhiṣyanda*. See SS.6.6.5, 1.46.51, etc.

⁹⁹Dalhana notes that *Kalpa* means the Uttaratantra adhyāya 18 (\$\frac{1}{2}\$ 1938²: 633 ff).

¹⁰⁰In the vulgate, and in parallel passages in the AS, the reading "it may be (*bhavet*)" is replaced with the negative "if, then not (*na ced*)" (cf. AS utt.17.1–3 (AS 1980: 712)). These characteristics are then read as conditions that preclude surgery; for the Nepalese recension, they are simply descriptions of the appearance of a cataract.

the black part (kṛṣṇa) and from the outer corner of the eye ($ap\bar{a}nga$). Having pressed ($\sqrt{p\bar{\iota}d}$) properly into the eye,¹⁰¹ at the naturally occurring (daivakṛte) hole (chidra) with the probe ($śal\bar{a}k\bar{a}$) made of copper or iron, with a tip like a barley-corn that is held by a steady hand with the middle finger, forefinger and thumb, the left one with the right hand and the other one contrariwise.

When the piercing is done, there is the simultaneous issue of a drop of liquid and a sound. 102

- The expert should moisten the exact place of piercing with a woman's breast-milk. Then he should scratch the circuit of the pupil (dṛṣṭimaṇḍala) with the tip of the probe (śalākā). 103
- Without injuring, gently pushing the phlegm in the circuit of the pupil against the nose, he should remove it by means of sniffing (ucchingana).¹⁰⁴
- Whether the humour is solid ($sty\bar{a}na$) or liquid (cala), one should apply sweating to the eye externally, with leaves ($bha\dot{n}ga$) that remove wind, after fixing the needle ($s\bar{u}c\bar{i}$) properly.¹⁰⁵
- But if the humour cannot be destroyed or if it comes back, one should apply the piercing (*vyadha*) once again, with appropriate oils and so on.
- Now the pupil (drsti) shines like the sun (hari) in a cloudless sky; then, when objects become visible, one may slowly remove the probe $(\hat{s}a-l\bar{a}k\bar{a})$.
- 60 Having smeared ghee on the eye, one should cover it with a bandage.

¹⁰¹We understand the locative *nayane* as the place of pressing; other interpreters take it as an accusative dual. The idea is that the eye is held steady by the surgeon.

¹⁰² Dalhaṇa interprets simultaneous (*samyak*) rather as "proper," referring to the proper kind of incision.

 $^{^{103}}$ The anatomy of the eye is described in SS 6.1.14–16 (SS 1938²: 596) The disks or *maṇḍalas* are the circuits or disks of the eye.

 $^{^{104}}$ Palhaṇa describes sniffing (*ucchingana*) at SS 6.19.8 (SS 1938 2 : 641), clearly intending inward sniffing.

 $^{^{105}}$ We interpret *bhaṅga* as leaves, following the usage elsewhere in this sthāna SS 4.32.9, 6.11.5 (SS 1938²: 513, 614) where *bhaṅga* means shoots (*pallava*). A similar procedure is described at AS 6.17.25 (AS 1980: 716a), where sweating of the eye is done by means of the leaves of a castor-oil plant.

¹⁰⁶There are many problems with the MS readings and interpretation of this half-verse. We have inferred "sky" and emended from "free from the point (*agramukta*)" to "free from clouds (*abhramukta*)". The latter meaning is supported (in different words) by the vulgate and occurs elsewhere in Sanskrit literature.

- Then, he must lie down supine in a house free from disturbances. 107
- At that time, he should not belch, cough, sneeze, spit or shiver. Afterwards there should be restrictions $(yantranaa \bar{a})$ as in the case of someone who has drunk oil.¹⁰⁸
- Every three days one should wash it with decoctions (kasaya) that remove wind. After three days, one should sweat the eye externally because of the danger of wind.
- Having restrained himself in this way for ten days he should thereafter take a beneficial regimen (*karma*) that clears the pupil (*dṛṣṭi*) and also he should take light food in measure.

[Complications]

- When there is a misshapen eyeball (*vilocana*), the eye may fill because of the release of blood from a vein.¹⁰⁹
 - A hard probe leads to shooting pain $(s\bar{u}la)$, a thin to unsteadiness of the humours (dosapariplava), ¹¹⁰
- a thick-tipped probe leads to a large wound, and a sharp one may cause harm in many ways; a very irregular one may cause a discharge of water, a rigid (*sthirā*) one brings about a loss of function (*kriyāsaṅga*).¹¹¹
- 66 Therefore, one should make a good probe that is free from these defects.

[Characteristics of the probe]

The probe should be eight finger-breadths long and in the middle it is wrapped with thread and is as thick as a thumb joint. It is shaped like

 $^{^{107}}$ Dalhaṇa explains disturbances specifically as dust, smoke, drafts and sunlight SS 6.17.67 (SS 1938 2 : 631a).

¹⁰⁸ Dalhaṇa glosses "restrictions (yantraṇā)" as having a controlled diet and the other restrictions appropriate to someone who is taking oil as a preparation before further therapy (SS 6.17.68 (SS 1938²:631)). These restrictions are also described at SS 6.18.28 (SS 1938²:635) and Ah 1.16.25cd (Ah1902:249).

¹⁰⁹The condition of "misshapen eye" is referred to briefly in SS 6.61.9 (SS 1938²: 800), where Dalhana glosses it as "bent brow and eye (*vakrabhrūnetra*)." The vulgate's reading of "with blood (*śonitena*)" is easier to construe.

 $^{^{110}}$ There is a medically significant difference here from the vulgate, which reads "a rough (*khara*) probe" not a "thin" probe.

¹¹¹This translation of loss of function ($kriy\bar{a}sanga$) is given on the basis of Dalhaṇa's gloss of $kriy\bar{a}sangakarin$ as "causing the destruction of actions such as moving ($gaman\bar{a}dikriy\bar{a}vi-n\bar{a}\acute{s}akar\bar{\imath}$)" at SS 3.8.19 (SS 1938²: 382).

a bud at both ends (vaktra).

67 A commendable probe should be made of silver, iron or gold (\dot{sataku} - $mbh\bar{\iota}$).¹¹²

[Complications]

Redness, swelling, lumps, driness (coṣa), bubbling (budbuda),¹¹³ pigs' eye $(s\bar{u}kar\bar{a}kṣit\bar{a})$,¹¹⁴, irritation (adhimantha), etc. and other diseases arise from faults in the piercing,

- or even from bad behaviour. One should treat them each accordingly. Listen to me once again about compounds for painful red eyes. Red chalk (gairikah), Indian sarsaparilla (śariva), panic grass (durva), and ghee ground with barley.
 - 70 This face ointment is to be used for quelling pain and redness. Or else it may be taken combined with the juice of citron (*mātuluṅga*) with sesame gently fried, mixed with white mustard (*siddhārthaka*).¹¹⁵ This is immediately beneficial when someone is looking for relief.
 - A paste with Holostemma (payasyā),¹¹⁶ Indian sarsaparilla (śārivā), cassia cinnamon (patra), Indian madder (mañjiṣṭhā), and liquorice (madhukair) stirred with goat's milk, pleasantly warmed, is said to be healthy.¹¹⁷

¹¹²The vulgate reads "copper (*tāmra*)" in place of "silver."

¹¹³Dalhaṇa glosses "bubbling (budbuda)" as "prolapse (māṃsanirgama) that looks like bubbles."

¹¹⁴The expression "pigs' eye" appears to be a *hapax*. It is glossed as "downward vision (*adhodṛṣṭitva*)" by Dalhaṇa.

¹¹⁵On the adverbial use of gently (*mrdu*), see Gombrich 1979.

¹¹⁶The identity of *payasyā* is debated (Singh and Chunekar 1972: 538), and was already in doubt at the time of Palhaṇa but likely candidates may be those suggested by Palhaṇa, who suggests either *arkapuṣpī* or *kṣīrakākolī*, that may be *Holostemma adakodien* Schult. and *Leptadenia reticulata* (Retz.) Wight & Arn. (Sivarajan and Balachandran 1994: 195-196). The *Sauśrutanighaṇṭu* glosses it as *kṣīrikā* or *arkapuṣpikā* (Suvedī and Tīvārī 2000: v. 307).

¹¹⁷The expression "stirred with goat's milk ($aj\bar{a}k\bar{s}\bar{i}r\bar{a}rdita$)" is difficult. It may be connected with the rare root *ard* documented by Whitney (1885: 15). Cf. \sqrt{ard} gatau ($Dh\bar{a}tup\bar{a}tha$ 1.56).

Sūtrasthāna, adhyāya 28

Thus, living creatures and their strength, complexion (*varṇa*) and energy (*ojas*) are rooted in food. That (food) depends on the six flavours (*rasa*). Thus, the flavours depend on substance (*dravya*), and substances depend on medicinal herbs. There are two kinds of them (herbs): stationary and mobile.¹¹⁸

 $^{^{118}}SS$ 1.1.28 (SS 1938 2 :7), tr. P. V. Sharma 1999–2001: I, 21.

Abbreviations

Ah1902

Kuṃṭe, Ananta Moreśvara and Navare, Kṛṣṇaśāstrī Rāmacandra (1902) (eds.), श्रीमद्वाग्भटविरचितम् अष्टाङ्गहृद्यम्, सूत्र-शारीर-निदान-चिकित्सा-कल्प-उत्तरस्थानविभक्तम् श्रीमद्रुरुणद्त्तप्रणीतया सर्वांगसुंद्यांख्यया व्याख्यया समलंकृतम् (Kṛṣṇadāsa Āyurveda Sīrīja, 3; Muṃbayyām: Nirṇayasāgara Press).

AS 1980

Āṭhavale, Anaṃta Dāmodara (1980) (ed.), Aṣṭāṅgasaṅgrahaḥ. Śrīmad Vṛddhavāgbhaṭaviracitaḥ Induvyākhyāsahitaḥ (Puṇe: Maheśa Anaṃta Āṭhavale, Śrīmad Ātreya Prakāśanam), ark:/13960/t9773bb9z.

Bhela 1921

Mookerjee, Ashutosh and Ananta Krishna Shastri, Vedantabisharad (1921) (eds.), *The Bhela Samhita. Sanskrit Text* (Calcutta: University of Calcutta), ark:/13960/t3sv3157j; Based on two copies made of the Thanjavur codex unicus (MS Thanjavur TMSSML 10773, Burnell 1880: 63–4, Sastri 1933: #11085).

Bhela 2000

Krishnamurthy, K. H. (2000), *Bhela-saṃhitā*. *Text with English Translation, Commentary and Critical Notes* (Haridas Ayurveda Series, 8; Varanasi: Chaukhambha Visvabharati).

HIML

Meulenbeld, Gerrit Jan (1999–2002), *A History of Indian Medical Literature*, 5 vols. (Groningen: E. Forsten), ISBN: 9069801248.

SS 1931

Ācārya, Yādavaśarma Trivikrama (1931) (ed.), सुश्रुतसंहिता, वैद्यवरश्रीडल्हणाचार्यविरचित्या निवन्धसंग्रहाख्यव्याख्यया समुष्ठसिता, महर्षिणा सुश्रुतेन विरचिता, सूत्र-निदान-शारीर-चिकित्सा-कल्पस्थानोत्तरतन्त्रात्मकः आचार्योपाह्वेन त्रिविकमात्मजेन यादवशर्मणा संशोधिता = The Sushrutasaṃhitā of Sushruta with the Nibandhasangraha Commentary of Shree Dalhaṇāchārya (2nd edn., Mumbayyāṃ:

Pāṇḍuraṅga Jāvajī at the Nirṇayasāgara-mudrāyantrālaye), ark:/13960/t9j41sg94, accessed 09/06/2020; HIML:IB, 312 edition *v.

SS 1938

Ācārya, Yādavaśarma Trivikrama and Ācārya, Nārāyaṇa Rāma (1938) (eds.), श्रीडल्हणाचार्यविर्चितया निबन्धसंग्रहाख्यव्याख्यया निदानस्थानस्य श्रीगयदा-साचार्यविरचितया न्यायचन्द्रिकाख्यपञ्जिकाव्याख्यया च समु-छ्रिसता महर्षिणा सुश्रुतेन विरचिता सुश्रुतसंहिता (3rd edn., Bombay: Nirṇayasāgara Press); HIML: IB, 313 edition cc.

SS 1938²

Ācārya, Yādavaśarma Trivikrama and Ācārya, Nārāyaṇa Rāma (2004) (eds.), महर्षिणा सु-श्रुतेन विरचिता सुश्रुतसंहिता, श्रीडल्हणाचार्यविरचितया निवन्धसंग्रहाख्यव्याख्यया निदानस्थानस्य श्रीगयदासा-चार्यविरचितया न्यायचन्द्रिकाख्यपञ्जिकाव्याख्यया च समुल्लासेता (Vārāṇasī: Caukhambhā Kṛṣṇadāsa Akādamī); Reprint of the third, 1938 edition (SS 1938), with changed pagination.

 SS_{1915}

Ācārya, Yādavaśarma Trivikrama (1915) (ed.), सुश्रुतसंहिता, सुश्रुतेन विरचिता, वैद्यवरश्रीडल्ह-णाचार्यविरचितया निबन्धसंग्रहाख्यव्याख्यया समुष्ठसिता, आचार्योपाह्वेन त्रिविकमात्मजेन यादवशर्मणा संशोधिता = The Sushrutasamhita of Sushruta, the Nibandhasangraha Commentary of Shri Dalhaṇāchārya (Mumbayyāṃ: Nirṇayasāgaramudrāyantrālaye), ark :/ 13960 / t3sv0mt50, accessed 29/07/2020; HIML: IB, 312 edition *v.

Visnudharmottarapurāna

Śarman, Madhusūdana and Śarman, Mādhavaprasāda (1912) (eds.), *Viṣṇudharmottarapurāṇam* (Mumbai: Khemarāja Śrīkṛṣṇadāsa at the Śrīveṅkaṭeśvara Steam Press), ark:/13960/t6qz6fr23; Lithograph format. Edited on the basis of a manuscript belonking

to the astrologer Śudhākaraśarman of the Varanasi Sanskrit Pāṭhaśālā.

References

- Adriaensen, Rob C. R., Barkhuis, Roelf, and Ruijters, Jean-Louis (1984), 'An English Translation of Suśrutasaṃhitā, Nidānasthāna 1, 1–39, Together with Gayadāsa's Nyāyacandrikā', in Gerrit Jan Meulenbeld (ed.), *Proceedings of the International Workshop on Priorities in the Study of Indian Medicine* (Groningen: Forsten), 277–310.
- Bhaṭṭācārya, Candrakānta (1910) (ed.), सुश्रुतसंहिता प्रथमखण्डम् सूत्रस्थानात्मकम्...हाराणचन्द्रचक्रवर्तिकविराज विरचित-सुश्रुतार्थसन्दीपनभाष्य-समेतम्...चन्द्रकान्त भट्टाचार्य्य-प्रमुखेः संशोधितम् = [The Suśrutasaṃhitā with the Commentary Suśrutārthasandīpanabhāṣya by Hārāṇacandra Cakravarti] (Kalikātā: Satya Press); Edition "t" in HIML: IB, 312.
- Birch, Jason (2021), 'Cleaning the Body like a Conch: The Haṭhasaṅ-ketacandrikā and Śaṅkhaprakṣālana', *Academia Letters* (Jan.). Doi: 10.20935/a1144.
- Breton, P. (1826), 'On the Native Mode of Couching', *Transactions of the Medical and Physical Society of Calcutta*, 2: 341–82, ark:/13960/t3dz8nn5t, URL, accessed 02/06/2021.
- Bronkhorst, Johannes (2021), 'Patañjali's Āryāvarta = Śuṅga realm?', *Academia Letters*. DOI: 10.20935/al291; Article 291.
- Burnell, Arthur Coke (1880), *A Classified Index to the Sanskrit Mss. in the Palace at Tanjore* (London: Trübner), ark:/13960/t4xh86j61; Bhelasamhitā described on pp. 67 ff.
- Deshpande, Vijaya (1999), 'Indian Influences on Early Chinese Ophthal-mology: Glaucoma As a Case Study', *Bulletin of the School of Oriental and African Studies*, 62: 306–22. DOI: 10.1017/S0041977X00016724.
- —— (2000), 'Ophthalmic Surgery: A Chapter in the History of Sino-indian Medical Contacts', *Bulletin of the School of Oriental and African Studies*, 63/3: 370–88, ISSN: 0041-977X. DOI: 10.1017/s0041977x00008454.

- Elliot, Robert Henry (1918), The Indian Operation of Couching for Cataract: Incorporating the Hunterian Lectures Delivered before the Royal College of Surgeons of England on February 19 and 21, 1917 (London: H. K. Lewis).
- Emeneau, M. B. (1969), 'Sanskrit Syntactic Particles "kila, khalu, nūnam"', *Indo-Iranian Journal*, 11/4: 241–68.
- Fan, Ka Wai (2005), 'Couching for Cataract and Sino-indian Medical Exchange Fromthe Sixth to the Twelfth Century Ad', *Clinical and Experimental Ophthalmology*: 188–90. DOI: 10.1111/j.1442-9071.2005.00978.x; Unaware of Deshpande 1999; 2000.
- Gombrich, Richard (1979), "He cooks softly: dverbs in Sanskrit grammar, Bulletin of the School of Oriental and African Studies, 42/2 (June): 244–56. DOI: 10.1017/s0041977x0014580x.
- Harimoto, Kengo (2011), 'In Search of the Oldest Nepalese Manuscript', *Rivista degli Studi Orientali*, 84/1–4: 85–106, ISSN: 0392-4866, URL, accessed 08/09/2019.
- —— (2014), 'Nepalese Manuscripts of the Suśrutasaṃhitā', *Journal of Indian and Buddhist Studies* (*Indogaku Bukkyogaku Kenkyu*), 62/3: 23–29 (1087-1093). DOI: 10.4259/ibk.62.3_1087, URL, accessed 08/09/2019.
- —— (pre-published), '[Preliminary Edition of the Nepalese MSS of the Su-śrutasaṃhitā, adhyāyas 1.1–3, 6.4]'; Unpublished document dated 2010.
- Hayashi, Takao (2017), 'The Units of Time in Ancient and Medieval India', *History of Science in South Asia*, 5/1: 1–116. DOI: 10.18732/h2ht0h.
- Hendley, T. Holbein (1895), A Medico-topographical Account of Jeypore, Based on the Experience of Twenty Years' Service As a Residency Surgeon and Thirteen As Superintendent of Dispensaries at Jeypore, Rajputana (Calcutta: Calcutta Central Press Company).
- Jack, David Morton (1884), 'A Thesis on Cataract in India: Its Pathology and Treatment', Wellcome Library, London, MS.3007, URL, accessed 02/06/2021.
- Jośī, Veṇīmādhavaśāstrī and Jośī, Nārāyaṇa Harī (1968), Ayurvedīya Mahākośaḥ arthāt Āyurvedīya Śabdakośaḥ Saṃskṛta—Saṃskṛta (Muṃbaī: Mahārāṣṭra Rājya Sāhityta āṇi Saṃskṛti Maṃḍaḷa), url.

- Klebanov, Andrey (2021*a*), 'On the Textual History of the Suśrutasaṃhitā (1): A Study of Three Nepalese Manuscripts', to be published in *eJIM: Electronic Journal of Indian Medicine*, URL, accessed 09/09/2019.
- —— (2021b), 'On the Textual History of the Suśrutasaṃhitā, (2): An Anonymous Commentary and its Identified Citations', in Toke Lindegaard Knudsen, Jacob Schmidt-Madsen, and Sara Speyer (eds.), Body and Cosmos: Studies in Early Indian Medical and Astral Sciences in Honor of Kenneth G. Zysk (Leiden, Boston: Brill), 110–39.
- Leffler, Christopher T. et al. (2020), 'The History of Cataract Surgery: From Couching to Phacoemulsification', *Annals of Translational Medicine*, 8/22: 1551–97, ISSN: 2305-5847. DOI: 10.21037/atm-2019-rcs-04, URL, accessed 02/11/2020.
- Lienhard, Siegfried (1978), 'On the Meaning and Use of the Word Indragopa', *Indologica taurinensia*, 6: 177–88, URL, accessed 06/02/2021; The indragopa is a 'red velvet mite'.
- Masai, François (1950), 'Principes et conventions de l'édition diplomatique', *Scriptorium*, 4: 177–93. DOI: 10.3406/scrip.1950.2294.
- Nadkarni, K. M. (1954), Dr. K. M. Nadkarni's Indian Materia Medica, with Ayurvedic, Unani-tibbi, Siddha, Allopathic, Homeopathic, Naturopathic & Home Remedies, Appendices & Indexes ... in Two Volumes, ed. A. K. Nadkarni, 2 vols. (3 ed., revised by A. K. Nadkarni, Bombay: Popular Prakashan), ark:/13960/t6rz4h160.
- Parshwanath Shastri, Vardhaman (1940) (ed.), *The Kalyāṇa-kārakam of Ugrādityacharya*, *Edited with Introduction, Translation, Notes, Indexes and Dictionary* (Sakharam Nemchand Granthamala; Sholapur).
- Pass, Gregory (2003), Descriptive Cataloging of Ancient, Medieval, Renaissance, and Early Modern Manuscripts (Chicago: American Library Association), ISBN: 0-8389-8218-2, URL.
- Preisendanz, Karin (2007), 'The Initiation of the Medical Student in Early Classical Āyurveda: Caraka's Treatment in Context', in Birgit Kellner et al. (eds.), Pramāṇakīrtiḥ. Papers Dedicated to Ernst Steinkellner on the Occasion of His 70th Birthday. Part 2, ii, 2 vols. (Wiener Studien zur Tibetologie und Buddhismuskunde, 70.2; Wien: Arbeitskreis für Tibetische Und Buddhistische Studien Universität Wien), 629–68, ISBN: 9783902501097, URL.

- Sastri, P. P. S. (1933), A Descriptive Catalogue of the Sanskrit Manuscripts in the Tanjore Maharaja Serfoji's Sarasvati Mahal Library Tanjore: Natya, Sangita, Kamasastra, Vaidya & Jyotisa, nos. 10650 11737 (Srirangam: Sri Vani Vilas Press), ark:/13960/t3nw8bc12.
- Scott, H. (1817), 'Some Remarks on the Arts of India, with Miscellaneous Observations on Various Subjects', *Journal of Science and the Arts*, 2: 67–72, ill. after 133, ark:/13960/t9870jt4g; Breton 1826: 358–363 cites Scott's description of cataract couching.
- Sena, Vijayaratna, Sena, Bhagavatīprasanna, and Sena, Niśikānta (1886) (eds.), सुश्रुतसंहिता...द्ष्ठनाचार्य्य-कृत-निवन्ध-संग्रह, चक्रपाणिदत्त-कृत-भानुमती-दीका...वङ्गानुवाद...इरेजि प्रतिशब्द (Calcutta: Maṇirāma Press); Edition "g" in HIML: 311.
- Sharma, Har Dutt (1939), Descriptive Catalogue of the Government Collections of Manuscripts Deposited at the Bhandarkar Oriental Research Institute, Vol. XVI, Part I, Vaidyaka (Descriptive Catalogue of Manuscripts in the Government Manuscripts Library; Pune: Bhandarkar Oriental Research Institute), ark:/13960/t0ms6rc70, accessed 23/10/2019.
- Sharma, Priya Vrat (1982), *Dalhaṇa and his Comments on Drugs* (Delhi: Munshiram Manoharlal).
- —— (1999–2001), Suśruta-Saṃhitā, with English Translation of Text and Ḥal-haṇa's Commentary Alongwith (sic) Critical Notes, 3 vols. (Haridas Ayurveda Series, 9; Varanasi: Chaukhambha Visvabharati).
- Singh, Thakur Balwant and Chunekar, K. C. (1972), Glossary of Vegetable Drugs in Brhattrayī (Varanasi: Chowkhamba Sanskrit Series Office).
- Sivarajan, V. V. and Balachandran, Indira (1994), *Ayurvedic Drugs and Their Plant Sources* (New Delhi, Bombay, Calcutta: Oxford & IBH Publishing).
- Suvedī, K. S. and Tīvārī, N. (2000) (eds.), Sauśrutanighaṇṭuḥ: granthādau vistṛtena granthavaiśiṣṭyaprakāśakenopodghātena avasāne ca dravyāṇām anekabhāṣānām āvalī- paryāyasaṅgrahābhyāṃ samalaṅkrtaḥ Suśrutas-aṃhitāyāṃ prayuktānām auṣadhadravyāṇāṃ paryāya-guṇakarmavarṇātmako pūrvagranthaḥ (Belajhuṇḍī, Dāṅ: Mahendrasaṃskrūtaviśvavidyālayaḥ).
- Velankar, H. D (1925–30), Descriptive Catalogue of the Sanskṛta and Prākṛta Manuscripts in the Library of the Bombay Branch of the Royal Asiatic Society (Bombay: Royal Asiatic Society, Bombay), ark:/13960/t53g00h0n; Biswas #0115.

- Watt, George (1889–96), A Dictionary of the Economic Products of India (Calcutta: Dept. Revenue and Agriculture, Government of India), URL, accessed 28/04/2021.
- —— (1908), The Commercial Products of India, Being an Abridgement of "the Dictionary of the Economic Products of India" (London: John Murray), ark:/13960/t9t14xh3x.
- Whitney, William Dwight (1885), *The Roots, Verb-forms, and Primary De-rivatives of the Sanskrit Language. A Supplement to his Sanskrit Grammar* (Leipzig: Breitkopf and Härtel), ark:/13960/t3qv3p906.
- Wujastyk, Dagmar (2012), Well-mannered Medicine: Medical Ethics and Etiquette in Classical Ayurveda (New York: Oxford University Press). DOI: 10.1093/acprof:0s0/9780199856268.001.0001.
- —— (2019), 'Iron Tonics: Tracing the Development from Classical to Iatrochemical Formulations in Ayurveda', HIMALAYA, the Journal of the Association for Nepal and Himalayan Studies, 39/1, ISSN: 2471-3716, URL, accessed 23/07/2019.
- Wujastyk, Dominik (2004), 'Agni and Soma: A Universal Classification', *Studia Asiatica: International Journal for Asian Studies*, IV–V, ed. Eugen Ciurtin: 347–70, ISSN: 1582–9111, URL.
- —— (2013), 'New Manuscript Evidence for the Textual and Cultural History of Early Classical Indian Medicine', in *Medical Texts and Manuscripts in Indian Cultural History*, ed. Dominik Wujastyk, Anthony Cerulli, and Karin Preisendanz (New Delhi: Manohar), 141–57, URL.
- Zimmermann, Francis (1999), *The Jungle and the Aroma of Meats* (2nd edn., Delhi: Motilal Banarsidass), ISBN: 8120816188.

Glossary

√pīḍ	aids	añjana: 18, 23
pressed: 26	aṅga: 21	apramatta
nipat-	ajākṣīrārdita	diligent: 17
affect: 10	stirred with goat's	ārā
"same collyrium"	milk: 28	awl: 13
samāñjana: 23	ālepa	araga timira
"water-born"	liniment: 18	non-bloodshot
salilotthita: 24	alleviated	blindness: 25
		arid-land animals
abhayā	<i>yāpya</i> : 21 alleviation	jāṅgala: 24
chebulic		arnavamala
myrobalan: 20	pratīkāra: 10	cuttle fish: 20
abhramukta	along these lines	asādhya
free from clouds:	evam: 10	incurable: 18
26	āmalaka	aśoka
ācāra	emblic: 19	asoka tree: 19
regimen: 8	amra	āśoka
ācārika	mango: 19	grief: 8
medical advice: 15	aṇḍaja	asoka tree
accumulation	born from eggs: 9	aśoka: 19
sañcaya: 10	aṅga	
adhimantha	aids: 21	āśrayin substrate: 8
irritation: 28	parts: 10	asthi
adhiṣṭhāna	anger	_
located: 8	krodha: 8	bones: 10
adhodṛṣṭitva	angry	asūyā
downward vision:	saṃrambha: 16	jealousy: 8
28	animals	atibalā
adhyāya	paśu: 9	strong mallow: 22
sections: 11	añjana	ātmaka
affect	application of	nature: 8
nipat-: 10	collyrium: 18 , 2 3	āvarta
āgantu	stibnite: 23	spiral: 25
external factors: 11	antra	awl
	entrails: 21	ārā: 13
agra	ants	ayana
supernatant layer:	pipīlika: 9	half-year: 10
23 agramukta	apānga	āyatta
C	edge of the hole: 16	depends on: 8
free from the point:	outer corner of the	āyur
26 āhāra		life, longevity: 5
āhāra	eye: 26	āyurveda
diet: 8	apatānaka	the science of life: 5
ahorātra	convulsions: 13	1 1.11
day and night: 9	application of collyrium	baddham

bound, connected:	śonita-pitta,	castor oil tree
17	rakta-pitta: 21	gandharvahasta: 13
balā	blood-letting	cataract
country mallow: 22	sirāvedha: 18	liṅganāśa: 25
bala	bloodshot blindness	caturvarga
strength: 8	rāgin timira: 23	fourfold grouping
balm	rāgiņi timire: 25	10
tarpaṇa: 18, 23f	blue dot cataract	catuṣtaya
bandha	mlāyin: 24	four factors: 10
bindings: 15	blue lotus	caused by wind
beauty berry	utpala: 19	pavanodbhava: 21
priyangu: 23	blue vitriol	causing the destruction
beautyberry	tuttha: 23	of actions such as
priyaṃgu: 19	bones	moving
bent brow and eye	asthi: 10	gamanādikriyāv-
vakrabhrūnetra: 27	born from eggs	ināśakarī: 27
and the second s	aṇḍaja: 9	chebulic myrobalan
bhanga	born in in a caul	
leaves: 26	jarāyuja: 9	abhayā: 20
bhavet	born of sweat	chedya
it may be: 25	svedaja: 9	cutting: 15
bhāvita	bound, connected	excision: 11
cooked: 24	baddham: 17	chidra
infused: 19	box myrtle	hole: 26
bhedya	kaṭphala: 20	circuit of the pupil
splitting: 15	brmhana	dṛṣṭimaṇḍala: 26
bile	nourishment: 8	citron
pitta: 21	bubbling	mātulunga: 28
bindings	budbuda: 28	clusters
bandha: 15	budbuda	samplava: 9
black part	bubbling: 28	cock
kṛṣṇa: 26	bulbs	tāmracūḍa: 22
black pepper	kanda: 9	collection
marica: 19	кипии. 9	varga: 10
black soot	cala	combined
maṣī: 18	liquid: 26	upahita: 21
blessings pronounced	cardamom	comfort
svastivācana: 13	elā: 20	sukha : 10
blindness	carman	complexion
timira: 25	pelt: 9	varņa: 8, 29
blink of the eye	carnivore	compounds
nimeṣa: 9	kravyabhuj: 22	yoga: 18
blood	cassia cinnamon	compressed
rudhira: 9	patra: 28	saṃkṣipta: 15
śonita: 21	castor oil	compressed
blood-bile	nañcāṅoulataila: 21	samksinta: 14

compressed	pīṭha: 14	dravāñjana
saṃkṣipta: 14	daivakṛte	liquid collyrium:
conch	naturally	23
salilotthita: 24	occurring: 26	dravya
congested humours	dārvī	substance: 29
sannipāta: 11	tree turmeric: 19	dried ginger
convulsions	day and night	nāgara: 20
apatānaka: 13	ahorātra: 9	driness
cooked barley	decanted liquor	coṣa: 28
yavaudana: 25	surāmaṇḍa: 15	dṛṣṭi
cooked	decoctions	pupil: 18, 26f
bhāvita: 24	kaṣāya: 27	dṛṣṭimaṇḍala
copper	deer	circuit of the pupil
tāmra: 28	ena: 22	26
cosa	depends on	duct
driness: 28	āyatta: 8	sirā: 13
cotton	e e e e e e e e e e e e e e e e e e e	ducts
picu: 15	depression	sirā: 10, 15
counteraction	viṣāda: 8	duḥkha
pratiședha: 18	desert date	suffering: 8
country mallow	ingudī: 24	dūrvā
balā: 22	desire	panic grass: 28
cow's flesh	icchā: 8	dușța
gomāṃsa: 19	dhānyāmla	tainted: 15
cow's urine	fermented	dveṣa
gomūtra: 20	rice-water: 15	hatred: 8
cow-dung	dhātrī	racioa. C
gośakṛt: 19	emblic: 20	earthen products
creepy-crawlies	dhūmadarśin	pārthiva: 9f
sarīsṛpa: 6, 9	seeing smoke: 18	edge of the hole
curable	diet	apāṅga: 16
sādhya: 18	āhāra: 8	elā
cuscus grass	dilator	cardamom: 20
uśīra: 23f	pravardhanaka: 13	elixir salve
cutting	diligent	rasāñjana: 19, 23 f
chedya: 15	apramatta: 17	elixir-salve
cutting with a blade	disease	rasāñjana: 19
śastrakṣata: 18	vyadhi: 10	elixir-salve
cuttle fish	doșa	śīta: 19
arnavamala: 20	humour: 25	embelia
cuttlefish bone	humours: 10	vidaṅga: 23
samudraphena: 20	doṣapariplava	emblic
эшниширнени. 20	unsteadiness of the	āmalaka: 19
dainya	humours: 27	dhātrī: 20
misery: 8	downward vision	ena
dais	adhodyctitza: 28	door: 22

enclosed roasting	fortnight	gomūtra
puṭākhya: 22	pakṣa: 10	cow's urine: 20
puṭapāka: 24	four factors	gośakṛt
ends	catuștaya: 10	cow-dung: 19
vaktra: 28	fourfold grouping	juice of cow-dung
energy	caturvarga: 10	19
ojas: 29	free from clouds	granthi
entrails	abhramukta: 26	lumps: 13
antra: 21	free from the point	granthita
envy	agramukta: 26	lumpy: 14
īrṣyā: 8	frogs	greed
errhine	maṇḍūka: 9	lobha: 8
nasya: 22	fruit trees	green vitriol
essence	vanaspati: 9	kāsīsa: 24
sāra: 9	fruits	grief
evam	phala: 9	āśoka: 8
along these lines:	piuiu. 9	guḍikā
10	gāḍha	pill: 19
excision	pinched: 15	рш. 19
chedya: 11	gairika	half-year
expressed juice	ochre: 18f	ayana: 10
svarasa: 19	gairikaḥ	harenu
external factors	red chalk: 28	hareņu: 20
āgantu: 11	gamanādikriyāvināśakarī	hareṇu
	causing the	hareņu: 19f
extract of rohu carp rauhita: 19	destruction of	hareņu
	actions such as	hareņu: 20
extracts	moving: 27	harenu
rasa: 23	gandharvahasta	hareņu: 19f
fat	castor oil tree: 13	hareņu
vasā: 22	gauze	hareņu: 19
fermented rice-water	prota: 15	hari
dhānyāmla: 15	general rule	sun: 26
filaments	paribhāṣā: 23	haridrā
kiñjalka: 19	gently	turmeric: 24
flame of the forest	mṛdu: 28	harșa
palāśa: 23	ghee	overexcitement: 8
flavours	sarpis: 18	hatred
rasa: 8, 29	glassy opacity	dveșa: 8
flesh	kāca: 23	herbs
māmsa: 10	godhā	oṣadhi: 9
vadhra: 17	monitor lizard: 21	hīna
flowering trees	gold	reduced: 17
vṛkṣa: 9	śātakumbhī: 28	hole <i>chidra</i> : 26
flowers	gomāṃsa	
ทนรทส. 0	cow's flesh: 10	holostemma

payasyā: 28	utpīḍita: 25	kalā
honey collyrium	inspissation	minutes: 9
kṣaudrāñjana: 20	rasakriyā: 24	kālakṛta
honey	intended	items created by
kṣaudra: 19	vyākhyāta: 11	time: 9f
madhu: 19	irregularities	kālānusāriva
horseradish tree	vaiṣamya: 8	indian sarsaparilla
śigru: 24	irrigation	20
human being	seka: 18	kāma
puruṣa: 8, 10	irritation	lust: 8
humour	adhimantha: 28	kanda
doṣa: 25	prakopa: 10	bulbs: 9
humours	īrṣyā	kapālacūrņa
doṣa: 10	envy: 8	powdered
	it may be	earthenware
icchā	bhavet: 25	crockery: 15
desire: 8	items created by time	kapittha
if, then not	kālakṛta: 9f	wood apple: 19
na ced: 25		karma
illness	jambu	regimen: 27
ruj: 20	jambū: 19	karman
in those cases	jambū	therapies: 11
tatra: 21	jambu: 19	kārśmarī
incurable	jāṅgala	white teak: 19
asādhya: 18	arid-land animals:	kaṣāya
indian lotus	24	
nalina: 19	jaṅgama	decoctions: 27 kāsīsa
indian madder	moving: 9f	
mañjiṣṭhā: 13, 28	jarāyuja	green vitriol: 24
indian sarsaparilla	born in in a caul: 9	kāṣṭhā
kālānusāriva: 20	jealousy	trice: 9
sāriva: 20	аѕӣуā: 8	kaṭphala
śārivā: 28	joins	box myrtle: 20
indragopa	sandhāna: 13	khara
red velvet mites: 9	sandhi: 14	rough: 27
inflamed	joints	kinihī
vidagdha: 18	sandhi: 10	white siris: 24
infused	juice extract	kiñjalka
bhāvita: 19	svarasa: 9	filaments: 19
ingudī	juice of cow-dung	knowledge
desert date: 24	gośakṛt: 19	veda: 5
inherent factors	juices	kohl
svabhāva: 11	rasa: 22	srotas: 22
inherent		srotoja: 20
svābhāvika: 8	kāca	kravyabhuj
injured	glassy opacity: 23	carnivore: 22

kriyā	lekhana	lye
procedures: 7f, 11	scarification: 8	kṣāraka: 23
treatment: 10, 24	lekhya	· · · · · ·
kriyākāla	scarification: 15	madhu
the time for	life, longevity	honey: 19
therapies: 10	āyur: 5	madhuka
kriyāsaṅga	liṅganāśa	liquorice: 19
loss of function: 27	cataract: 25	madhūka
kṛmi	liniment	mahua: 22ff
worms: 9	ālepa: 18	madhukair
krodha	liquid	liquorice: 28
anger: 8	cala: 26	madirā
kṛṣṇa		spirits: 20
black part: 26	liquid collyrium	madira
kṛṣṇā	dravāñjana: 23	spirits: 23
long pepper: 18	liquorice	māgadha
kṛtamaṅgala	madhuka: 19	long pepper: 24
received a	madhukair: 28	māgadhī
benediction: 13	liver extract	long pepper: 20, 23
kṣaṇadāndhya	yakṛdrasa: 20	māgadhi
	liver	long pepper: 21
night blindness: 20	yakṛt: 20f	mahua
kṣāraka	lobha	madhūka: 22ff
lye: 23	greed: 8	malice
kṣaudra	located	mātsarya: 8
honey: 19	adhiṣṭhāna: 8	māṃsa
kṣaudrāñjana	lodh tree	flesh: 10
honey collyrium:	lodhra: 19, 23	māṃsanirgama
20	lodhra	prolapse: 28
kṣīṇa	lodh tree: 19, 23	manahśilā
wasted: 16	long pepper	realgar: 20, 23f
kṣīra	kṛṣṇā: 18	red arsenic: 19f
sap: 9	māgadha: 24	mānasa
kunta	māgadhi: 21	mental: 8
small insects: 9	māgadhī: 20, 23	
kupyaka	pippali: 19	maṇḍūka
metal: 19	loss of function	frogs: 9
kuśa grass		mango
kuśa: 23	kriyāsaṅga: 27	amra: 19
kuśa	lumps	mañjiṣṭhā
kuśa grass: 23	granthi: 13	indian madder: 13,
•	lumpy	28
layer	granthita: 14	manyāstambhā
paṭala: 25	lust	paralysis of the
leaves	kāma: 8	nape of the neck: 13
bhaṅga: 26	lūtā	mardita
natra: 0	spiders: 6	massaged: 16

marica	moving	nimeṣa
black pepper: 19	jaṅgama: 9f	blink of the eye: 9
māsa	mṛdu	niryāsa
month: 10	gently: 28	resin: 9
masī	mudga	niśācara
black soot: 18	mung beans: 25	nocturnal creature:
massaged	muhūrta	24
mardita: 16	three-quarters of	nișevita
mātsarya	an hour: 9	prepared: 22
malice: 8	muktā	used: 21
mātuluṅga	pearl: 25	nivāta
citron: 28	muktvā	no wind: 9
matured	separate: 25	no wind
vipakva: 19	mūla	nivāta: 9
may repair	root: 8	nocturnal creature
yojayed: 17	roots: 9	niśācara: 24
medical advice	mung beans	non-bloodshot
ācārika: 15	mudga: 25	blindness
medicines cooked in a	mūṣika	araga timira: 25
crucible	rodents: 6	non-flowering tree
puṭapāka: 18	myrobalan	vanaspati: 24
mental	pathyā: 19	nourishment
mānasa: 8	A Y	bṛṃhaṇa: 8
meṣaviṣāṇa	na ced	1 () 11 11 1
periploca of the	if, then not: 25	obstructed by blood
woods: 21	nadīja	raktabaddha: 15
metal	salt: 19	ochre
kupyaka: 19	nāgara	gairika: 18f off his hand
minutes	dried ginger: 20	
kalā: 9	nalada spikenard: 24	sapāṇa: 22 oil
misery	nalina	sneha: 9
dainya: 8	indian lotus: 19	
misshapen eyeball	nasal medicines	ojas
vilocana: 27	nasya: 18	energy: 29 vital energy: 8
mitigable	nasya	options
yāpya: 25	errhine: 22	vikalpa: 14
mitigatible	nasal medicines: 18	oṣadhi
yāpya: 18	naturally occurring	herbs: 9
mlāyin	daivakṛte: 26	remedies: 10
blue dot cataract:	nature	oṣadhī-
24	ātmaka: 8	remedies: 8
monitor lizard	needle	outer corner of the eye
godhā: 21	sūcī: 26	apāṅga: 26
month	night blindness	overexcitement
māsa: 10	kṣaṇadāndhya: 20	harşa: 8
		•
	4.2	
	43	

pacification	caused by wind: 21	prakṛti
saṃśamana: 8	рауаѕуā	temperament: 8
upaśama: 10	holostemma: 28	pratīkāra
pain and injury	pearl	alleviation: 10
vedanābhighāta: 5	muktā: 25	remedy: 18
pāka	pelt	pratisandhā-
septic: 15	carman: 9	put it back
pakṣa	periploca of the woods	together: 17
fortnight: 10	meṣaviṣāṇa: 21	pratiședha
palāśa	phala	counteraction: 18
flame of the forest:	fruits: 9	pratuda
23	physical	scavenging: 16
pallava	śārīravad: 10	pravardhanaka
shoots: 26	picu	dilator: 13
pañcāṅgulataila	cotton: 15	prayojanavat
castor oil: 21	piercing	practical purposes:
panic grass	vyadha: 26	10
dūrvā: 28	vyadhana: 15	prepared
paralysis of the nape of	pigs' eye	nișevita: 22
the neck	sūkarākṣitā: 28	prepared with tilvaka
manyāstambhā: 13	pill	tailvaka: 18
paribhāṣā	-	prepared with turpeth
general rule: 23	guḍikā: 19 pinched	traivṛta: 18
pārthiva	•	pressed
•	gāḍha: 15	1
earthen products:	pipīlika	√pīḍ: 26
9f	ants: 9	priyamgu
partial blindness	pippali	beautyberry: 19
timira: 21	long pepper: 19	priyaṅgu
particulars	pīṭha	beauty berry: 23
vikalpa: 10	dais: 14	probe
parts	pitta	śalākā: 26
anga: 10	bile: 21	procedures
paśu	plīhan	kriyā: 7 f, 11
animals: 9	spleen: 21	prolapse
paṭala	powdered earthenware	māṃsanirgama: 28
layer: 25	crockery	prota
pāthā	kapālacūrṇa: 15	gauze: 15
velvet leaf: 24	prabha	puffed up
pathyā	shine: 25	śopha: 16
myrobalan: 19	practical purposes	pupil
patra	prayojanavat: 10	dṛṣṭi: 18, 26f
cassia cinnamon:	pragāḍha	purification
28	steeped: 22	saṃśodhana: 8
leaves: 9	prakopa	puruṣa
navanodhhava	irritation: 10	human being: 8, 10

риṣра	red arsenic	sind salt: 18, 20
flowers: 9	manaḥśilā: 19f	sindh salt: 23
put it back together	red chalk	sal tree
pratisandhā-: 17	gairikaḥ: 28	śālā: 19
puṭāhvaya	red velvet mites	śālā
taken hot: 23	indragopa: 9	sal tree: 19
puṭākhya	reduced	śalākā
enclosed roasting:	hīna: 17	probe: 26
22	regimen	salilotthita
puṭapāka	ācāra: 8	conch: 24
enclosed roasting:	karma: 27	"water-born": 24
24	remedies	salt
medicines cooked	oṣadhi: 10	nadīja: 19
in a crucible: 18	oṣadhī-: 8	samāñjana
	remedy -	"same collyrium":
rāgin timira	pratīkāra: 18	
bloodshot	resin	23 saṃkṣipta
blindness: 23	niryāsa: 9	, , ,
rāgiņi timire	restrictions	compressed: 14f
bloodshot	yantraṇā: 27	compressed: 14
blindness: 25	rigid	samplava
rainy seasons	sthirā: 27	clusters: 9
varṣā: 9	rodents	saṃrambha
rajana	mūṣika: 6	angry: 16
turmerics: 20	rohīta	saṃśamana
raktabaddha	rohīta tree: 23	pacification: 8
obstructed by	rohīta tree	saṃśodhana
blood: 15	rohīta: 23	purification: 8
rasa	root	samudraphena
extracts: 23	mūla: 8	cuttlefish bone: 20
flavours: 8, 29	roots	saṃvatsara
juices: 22	mūla: 9	year: 10
the blood of birds	rough	samyak
and animals: 19	khara: 27	simultaneous: 26
rasakriyā	rtu	sañcaya
inspissation: 24	season: 10	accumulation: 10
rasāñjana	rudhira	sandal
elixir salve: 19, 23f	blood: 9	sugandhi: 21
elixir-salve: 19		sandhāna
rauhita	ruj illness: 20	joins: 13
extract of rohu	imiess. 20	sandhi
carp: 19	sādhubaddha	joins: 14
realgar	well joined: 17	joints: 10
manaḥśilā: 20, 23f	sādhya	sannipāta
received a benediction	curable: 18	congested
kṛtamaṅgala: 13	saindhava	humours: 11
14 million 3 mill 13	SUPERUCU	manioard, 11

sap	vișkira: 16	vadhra: 17
kṣīra: 9	seeing smoke	small insects
sapāṇa	dhūmadarśin: 18	kunta: 9
off his hand: 22	seka	snāyu
sāra	irrigation: 18	sinews: 10
essence: 9	separate	sneha
śārīravad	muktvā: 25	oil: 9
physical: 10	septic	sniffing
sarīsṛpa	pāka: 15	ucchiṅgana: 26
creepy-crawlies: 6,	shine	solid
9	prabha: 25	styāna: 26
śārivā	shooting pain	śonita
indian sarsaparilla:	śūla: 27	blood: 21
28	shoots	śonita-pitta, rakta-pitta
sāriva	pallava: 26	blood-bile: 21
indian sarsaparilla:	udbhid: 9	śonitena
20	shrubs	with blood: 27
śārivā	vīrudh: 9	śopha
indian sarsaparilla:	siddhārthaka	puffed up: 16
28	white mustard: 28	spiders
sarpis	śigru	lūtā: 6
ghee: 18	horseradish tree:	spikenard
śastrakṣata	24	nalada: 24
cutting with a	simultaneous	spiral
blade: 18	samyak: 26	āvarta: 25
śātakumbhī	sind salt	spirits
gold: 28	saindhava: 18, 20	madira: 23
śatāvarī	sindh salt	madirā: 20
wild asparagus: 25	saindhava: 23	spleen
sauvīraka	sinews	plīhan: 21
stibnite: 19	snāyu: 10	splitting
scarification	sirā	bhedya: 15
lekhana: 8	duct: 13	srāva
scarification	ducts: 10, 15	suppurating: 15
lekhya: 15	sirāvedha	suppuration: 16
scavenging	blood-letting: 18	śreyas
pratuda: 16	siris	welfare: 5
scramberry	śirīṣa: 19	srotas
tālīśa: 19	śirīṣa	kohl: 22
tālīśapatra: 20	siris: 19	srotoja
season	śīta	kohl: 20
ṛtu: 10	elixir-salve: 19	stabdha
sections	skin	stiff: 14f
adhyāya: 11	tvak: 9f	stalk
sood-oating	slice of flesh	zirnta: 10

stationary	suppuration	in those cases: 21
sthāvara: 8, 10	srāva: 16	temperament
steeped	surāmaṇḍa	prakṛti: 8
pragāḍha: 22	decanted liquor: 15	the blood of birds and
sthāvara	svabhāva	animals
stationary: 8, 10	inherent factors: 11	rasa: 19
sthirā	svābhāvika	the fragrant one in oil
rigid: 27	inherent: 8	tailasugandhi: 21
stibnite	svarasa	the science of life
añjana: 23	expressed juice: 19	āyurveda: 5
sauvīraka: 19	juice extract: 9	the three fruits
stiff	svastivācana	triphalā: 23
stabdha: 14f	blessings	the three spices
stirred with goat's milk	pronounced: 13	vyoṣa: 20
ajākṣīrārdita: 28	svayaṃgupta	the time for therapies
strength	velvet bean: 19	kriyākāla: 10
bala: 8	śvayathu	therapies
strong mallow	swelling: 13	karman: 11
atibalā: 22	svedaja	three fruits
	born of sweat: 9	
styāna solid: 26	swelling	triphalā: 18, 20
_	śvayathu: 13	three-quarters of an
substance	syanda	hour
dravya: 29	watery eye: 25	muhūrta: 9
substrate		timira
āśrayin: 8	tailasugandhi	blindness: 25
sūcī	the fragrant one in	partial blindness:
needle: 26	oil: 21	21
suffering	tailvaka	traivṛta
duḥkha: 8	prepared with	prepared with
sugandhi	tilvaka: 18	turpeth: 18
sandal: 21	tainted	treatment
sūkarākṣitā	duṣṭa: 15	kriyā: 10, 2 4
pigs' eye: 28	taken hot	tree turmeric
sukha	puṭāhvaya: 23	dārvī: 19
comfort: 10	tālīśa	trice
śūla	scramberry: 19	kāṣṭhā: 9
shooting pain: 27	tālīśapatra	triphalā
sun	scramberry: 20	the three fruits: 23
hari: 26	tāmra	three fruits: 18, 20
sunivișța	copper: 28	trivṛt
very intent: 17	tāmracūḍa	turpeth: 21f
supernatant layer	cock: 22	turmeric
agra: 23	tarpaṇa	haridrā: 24
suppurating	balm: 18, 23f	turmerics
crāzia: 1 E	tatra	rajana: 20

turpeth	rainy seasons: 9	vyākhyāta
trivṛt: 21f	varti	intended: 11
tuttha	wick: 13	vyāla
blue vitriol: 23	vasā	wild animals: 9
tvak	fat: 22	vyoṣa
skin: 9f	veda	the three spices: 2
	knowledge: 5	1
ucchiṅgana	vedanābhighāta	wasted
sniffing: 26	pain and injury: 5	kṣīṇa: 16
udbhid	velvet bean	watery eye
shoots: 9	svayaṃgupta: 19	syanda: 25
unsteadiness of the	velvet leaf	welfare
humours		śreyas: 5
doṣapariplava: 27	pāthā: 24	well joined
upahita	very intent	sādhubaddha: 17
combined: 21	sunivișța: 17	white mustard
upaśama	vidagdha	siddhārthaka: 28
pacification: 10	inflamed: 18	white siris
used	vidaṅga	kinihī: 24
nișevita: 21	embelia: 23	white teak
usīra	vikalpa	
	options: 14	kārśmarī: 19
cuscus grass: 23f	particulars: 10	wick
utpala	vilocana	varti: 13
blue lotus: 19	misshapen eyeball:	wild animals
utpīdita	2 7	vyāla: 9
injured: 25	vipakva	wild asparagus
11	matured: 19	śatāvarī: 25
vadhra	vīrudh	with blood
flesh: 17	shrubs: 9	śonitena: 27
slice of flesh: 17		wood apple
vaiṣamya	viṣāda	kapittha: 19
irregularities: 8	depression: 8	worms
vakrabhrūnetra 🧪 💮	vișkira	kṛmi: 9
bent brow and eye:	seed-eating: 16	
27	vital energy	yakṛdrasa
vaktra	ojas: 8	liver extract: 20
ends: 28	vṛkṣa	yakṛt
vanaspati	flowering trees: 9	liver: 20f
fruit trees: 9	vṛnta	yantraṇā
non-flowering tree:	stalk: 19	restrictions: 27
24	vyadha	уāруа
varga	piercing: 26	alleviated: 21
collection: 10	vyadhana	mitigable: 25
varna	piercing: 15	mitigatible: 18
complexion: 8, 29	vyadhi	yavaudana
narsā	disease: 10	cooked barley: 25

year yojayed yuga saṃvatsara: 10 may repair: 17 yuga: 10 yoga yuga compounds: 18 yuga: 10

Index of Manuscripts

The numbers after the colon refer to pages in this document.

Kathmandu, KL 699: 1 Mumbai, AS B.D.109: 4
Kathmandu, NAK 1-1079: 1 Mumbai, AS B.I.3: 4

Kathmandu, NAK 5-333: 1 Thanjavur TMSSML 10773: 30