# The *Suśrutasaṃhitā* on the Plastic Surgery of the Ears and Nose: The Nepalese Recension

Dominik Wujastyk Jason Birch Andrey Klebanov Madhu Parameswaran Madhusudan Rimal Deepro Chakraborty Harshal Bhatt Devyani Shenoy Vandana Lele

> Draft of 10th June 2022 © The authors.

# **Contents**

Introduction	3
The Aim of the Article	3
Importance of SS.1.16 in the History of Medicine	5
The Transmission of the Work	8
The Nepalese Version	8
The Versions of Cakrapāṇidatta and Dalhaṇa	10
Differences between the Nepalese and Subsequent Versions of	
SS.1.16	13
Changing Spelling, Sandhi and Syntax	17
Changing Technical Terms	18
Augmenting the Text	19
Transposing Words, Verses and Passages	20
Redacting Recipes and Elaborating on Treatments	

The Printed Editions	22
The Vulgate	22
The sources of the 1915 edition	22
The sources of the 1931 edition	23
The sources of the 1938 edition	/ -
Evaluation	
The 1939 edition	
For the Bhānumatī	
For the Suśrutasaṃhitā	
Evaluation	26
The Manuscripts	28
Palaeographical features	30
Editorial Principles	31
Method	-
Stemma	9
The Edition and Apparatus	•
Printed Edition	
Digital Edition	
Critical Edition of Sūtrasthāna 16	37
Translation of Sūtrasthāna 16	44
Abbreviations	53
Index of Manuscripts	56
References	56
Glossary	73
2	

### Introduction

#### The Aim of the Article

The *Compendium of Suśruta* (*Suśrutasaṃhitā*) is amongst the most important treatises on medicine to survive from the ancient world. It has been studied seriously by historians since it first became available in print in the mid-nineteenth century.¹ Meulenbeld listed forty-four editions of the work since the first edition of 1835 by Gupta in Calcutta, and eight translations, starting from the Latin translation of 1844 by Hessler.² Many more translations have appeared in recent decades.

The study of this work has yielded rich historical discoveries about the earliest history of surgery, ancient pharmacology, toxicology and many other social and medical topics. Yet there remain fundamental unanswered questions about the history of the text itself and about related issues in the history of medicine in Asia.<sup>3</sup>

In January 2007, a manuscript of the *Suśrutasaṃhitā*, previously unknown to contemporary scholarship, was brought to international attention. MS Kathmandu KL 699 is a Nepalese palm-leaf manuscript covering about two thirds of the Sanskrit text. It is dated to 878 ce, making it one of the earliest dated manuscripts known from South Asia. The manuscript has been declared by UNESCO to be part of the Memory of the World.

The newly-discovered manuscript in Nepal is related to two other early palm-leaf manuscripts in the National Archives in Kathmandu, MS Kathmandu NAK 5-333 and MS Kathmandu NAK 1-1079. Klebanov (2010; 2021a) has assembled compelling evidence for believing that these Nepalese manuscripts present a version of the text that was in wider circulation in northern India, especially Bengal, in the period up to about 1200 CE. Generally speaking, the Nepalese version of the *Suśrutasaṃhitā* is more rudimentary than the versions commented on by Cakrapāṇidatta (*fl.* eleventh century) and Þalhaṇa (*fl.* twelfth century). The version of the

A selection of prominent contributions includes: Hoernle 1897; 1906*a,b*; 1907*a,b*; Strauss 1934; Singhal et al. 1972–82; P. V. Sharma 1975; Rây et al. 1980; R. Adriaensen et al. 1984; Yano 1986; HIML; P. V. Sharma 1999–2001*a*; Valiathan 2007.

<sup>2</sup> HIML: IB, 311 ff.

<sup>3</sup> HIML: IA, 203–389.

<sup>4</sup> Dimitrov and Tamot 2007.

<sup>5</sup> Harimoto 2011: 87–88.

<sup>6</sup> UNESCO 2013.

Suśrutasaṃhitā commented on by Dalhaṇa has formed the basis of modern printed editions, such as those of Yadavaśarman Trivikramātmaja Ācārya and others.<sup>7</sup> Some of the changes in the text between the Nepalese version and what we might call the Dalhaṇa version, or the vulgate version, consist of the addition and loss of numerous verses, changes to medical recipes, and reordering of chapters, especially in the *Uttaratantra* or last part of the work. Lariviere hypothesized long ago, in a different context, that Sanskrit texts tended to continue to expand through the addition of new materials,

The process of addition to these compilations must have gone on for centuries. The hearers or readers of of these compilations must have known other verses ... and it would be natural for them to include these verses in the compilation. This type of addition may have continued until a commentary on the collection was composed. A commentary would have served to fix the text. and the expansion of the text would have been more difficult after that.<sup>8</sup>

In the case of the *Suśrutasaṃhitā*, the Nepalese manuscripts appear to present us with the last recoverable snapshot of this stage of the work when it was still open to absorbing new materials, most notably the *Uttaratantra*, and before the closing of the text as a result of the authority of the major commentators.

The present study offers a critical edition and annotated translation of the sixteenth chapter of the Ślokasthāna, the first book of the Nepalese version of the Suśrutasaṃhitā (SS.1.16). This chapter is important in the history of Indian medicine because of its discussion of surgical methods for repairing torn ears and severed noses. In addition to discussing the manuscripts and published editions used in this new edition, the introduction of this study addresses some of the challenges of editing the Nepalese manuscripts and the salient differences between the Nepalese version and that known to Cakrapāṇidatta and Palhaṇa, as these are exemplified in the sixteenth chapter. The notes to the edition incorporate alternative readings

<sup>7</sup> Su 1915; Su 1938; P. V. Sharma 1999–2001*b*.

<sup>8</sup> Lariviere 2003: xii, cited with agreement by Olivelle (2005: 51) in the context of legal literature and by Bronkhorst (2016: 62–63) in the context of epic literature. See the latter citation for further discussion of Sanskrit text formation between the empires.

<sup>9</sup> This book is called the *Sūtrasthāna* in subsequent versions of the *Suśrutasaṃhitā*.

mentioned by the commentators, and the annotations to the translation discuss instances where the text is uncertain; non-standard spellings and syntax; the meaning of technical and obscure terms; relevant remarks by the commentators; ambiguities in the identification of medical ingredients, in particular, plant names; and the additional compounds, verses and passages in Dalhaṇa's version of the text. In short, this study is a pilot for undertaking a complete edition and translation of the Nepalese version of the *Suśrutasaṃhitā*.

#### Importance of SS.1.16 in the History of Medicine

Simple forms of surgery have a long history in South Asia. In works datable to at least 1200 BCE we learn how a reed was used as a catheter to cure urine retention. 10 Cauterization too was described in the same ancient sources, to prevent wounds from bleeding. The Brāhmaṇa literature of the early first millennium BCE contains more detailed descriptions of animal butchery in the context of religious sacrifice that involved the enumeration of internal organs and bones. 11 This exemplifies an early Sanskrit vocabulary for internal parts of bodies. However, this is not the same as anatomical dissection, whose methods and intentionality are quite different. As was pointed out long ago by Keith (1908), the enumeration of the bones in the Brāhmaṇas was derived from correspondences with the numbering of various verse forms, not from anatomical observation. With the Suśrutasaṃhitā we find ourselves in the presence of something quite different and more medically developed, in which the body was studied specifically for medical and surgical purposes. 12 The text gives us a historical window onto a school of professionalised medicine, including surgical practice, that existed almost two millennia ago, and which in its day was perhaps the most advanced school of surgery in the world.

The author of the *Suśrutasaṃhitā* described how a surgeon should be trained and how various operations should be done. There are descriptions of ophthalmic couching (the dislodging of the lens of the eye), perineal lithotomy (cutting for stone in the bladder), the removal of arrows and splinters, suturing, the examination of dead human bodies for the

<sup>10</sup> Zysk 1985: 70-71.

<sup>11</sup> Malamoud 1996; Saha 2015.

<sup>12</sup> Zysk 1986.

study of anatomy, and other procedures. The author of the  $Su\acute{s}rutasam-hit\bar{a}$  claimed that surgery is the most ancient and most efficacious of the eight branches of medical knowledge. Anecdotal discussion with contemporary surgeons suggests that many details in the descriptions could only have been written by a practising surgeon: it is beyond doubt that elaborate surgical techniques were a reality in the author's circle.

**Torn ear lobes** Suśruta's description of the repair of torn ear lobes is unique for its time. Majno noted that "through the habit of stretching their earlobes, the Indians became masters in a branch of surgery that Europe ignored for another two thousand years". The different types of mutilated ear lobe which the *Suśrutasaṃhitā* describes are not always easy to understand from the Sanskrit: the illustrations supplied in Majno's text help visualization. Majno's text

**Rhinoplasty** One of the best-known surgical techniques associated with *Suśrutasaṃhitā* is rhinoplasty, the repair or rebuilding of a severed nose. The history of this operation and a translation of the Sanskrit passage from the vulgate edition of the *Suśrutasaṃhitā* were published in Wujastyk (2003: 67–70, 99–100). This fascinating technique is certainly old in South Asia, having been witnessed by travellers from Marco Polo in the seventeenth century onwards. Many witnesses, including the most famous, Cruso and Findlay, describe an operation that differs from *Suśrutasaṃhitā* in that it takes the grafting skin from the forehead, not the cheek. But the nineteenth-century account of Thorburn is especially interesting, since the technique follows *Suśrutasaṃhitā* exactly in taking flesh from the cheek, not the forehead.<sup>21</sup>

<sup>13</sup> Wilson 1823; Mukhopādhyāya 1913; Deshpande 2000; Wujastyk 2003; Narayana and Thrigulla 2011 and many other studies.

<sup>14</sup> Suśrutasaṃhitā 1.1.15–19 (Su 1938: 4).

The comprehensive study of ears in the history of Indian culture by Bollée (2010) oddly omits reference to *Suśrutasaṃhitā*'s surgery, although it mentions the text's description of ear diseases.

<sup>16</sup> Majno 1975: 291.

<sup>17</sup> Majno 1975: 290–291; reproduced with permission in Wujastyk 2003: 92–93.

<sup>18</sup> See also HIML: IB, 327–328, note 186 for further literature and reflections.

<sup>19</sup> Manucci 1907–8: ii.301.

<sup>20</sup> Longmate 1794: 883, 891 f.

<sup>21</sup> Thorburn 1876: 352-3.

As noted by Meulenbeld, none of the known commentators – Jejjaṭa, Gayadāsa, Cakrapāṇi or Ḍalhaṇa – explained the technique in any detail beyond lexical glosses.<sup>22</sup> This suggests that the commentators did not in fact know the technique at first-hand.

It is worth highlighting here a point of critical medical importance: the continued attachment of the skin flap. One of the crucial innovations of the "Hindu Method" of nasal reconstruction, as observed and internationally reported in the eighteenth century, was that the skin flap taken from the face remained partially connected to its original location. This ensured the blood flow essential to keeping the skin alive while it healed in its new location. The Sanskrit of the vulgate is ambiguous on this critical point and the wording of the Nepalese version is unclear. However, Dalhaṇa (Su 1938: 81) clarified the meaning of the vulgate here by stating that when reading the expression "connected," one should understand "connected flesh." He thus indicated that he understood the flesh to be connected to the face. Thus, we cannot know definitively at present whether the connection of the flap was known to the redactors of the Nepalese version. It was probably known to the redactors of the vulgate, and was certainly known to Dalhaṇa in the twelfth century.

Perhaps by the late first millennium, the technique had moved into the professional competence of barber-surgeons? On the other hand, perhaps the influence was in the other direction, and a technique known to practitioners elsewhere in South Asia in the first millennium was written into the text of *Suśrutasaṃhitā*. The description consists of only five verses and they are written in the Upendravajrā metre, which is different from the rest of the chapter. The description's appearance at the very end of the chapter, its terseness, its ornate metre, and the paucity of the commentators' treatment could all be taken as pointing in this direction.

<sup>22</sup> HIML: IB, 328. Dalhaṇa also noted cryptically that a rather different version of the text, cast in śloka metre, was also known to him from other sources (1.16.27–31 (Su 1938: 81a)). Dalhaṇa's variant bears a resemblance to the description of the operation given in printed editions of the *Aṣṭāṅgahṛdayasaṃhitā* (Ah Utt.18.59–65 (Ah 1939: 841)).

<sup>23</sup> See Wujastyk 2003: 67-70.

<sup>24</sup> See p. 51 below.

# The Transmission of the Work

# The Nepalese Version

In the present article and the other publications of our research group, we focus on the study of what we call the 'Nepalese version' of the *Suśruta-saṃhitā*. The primary rationale behind using this designation was outlined in Klebanov (2021a: 2–3), but we consider it necessary to reflect upon its meaning here given the conceptual significance that this term occupies in our research. It is possible that in the course of our research, we will refine our understanding of the phenomenon and, consequently, review and modify our current interpretation.

Put plainly, the 'Nepalese version' refers to a hypothetical text-critical reconstruction of the wording of the *Suśrutasaṃhitā* that is based primarily on the evidence of three ancient Nepalese manuscripts that we have briefly introduced above and that we will describe in more detail in a later section. We call these MSS "Nepalese" not just because they were preserved and discovered by modern scholarship in the Kathmandu valley but also because we believe that they were produced in the same area. We conclude this because all three MSS are written in a specific variety of Indic scripts which, to the best of our knowledge, was not used outside of the region.

Furthermore, we speak of a single "version" because we hold that these manuscripts attest to a peculiar line of transmission of the text, that is, in terms of stemmatic analysis, they share a common ancestor (hyparchetype) or a group of ancestors, while at the same time, bear no signs of significant contamination. This hypothesis was postulated in Klebanov (2010) and reiterated in Klebanov (2021b) as the result of a systematic analysis of two complete chapters (SS.1.3 and SS.1.15) as well as several shorter excerpts from the Suśrutasamhitā transmitted in the Nepalese manuscripts. On the one hand, these studies highlight that all three MSS preserve a highly uniform text with very few variations, virtually all of which can be explained as standard scribal errors or corrections. On the other hand, Klebanov (2010; 2021b) systematically compared the concerned textual excerpts with four printed editions, alternative readings (pāṭhas) reported by several commentators, parallel passages in other texts, and with a limited number of additional manuscripts of the Suśrutasaṃhitā. This analysis demonstrated that the text of the *Suśrutasamhitā* preserved in the Nepalese MSS differs decidedly from all the above standards of comparison. In this way, for example, we establish that another Nepalese manuscript of the *Suśrutasaṃhitā*, MS Kathmandu NAK 1-1146,<sup>25</sup> does not belong to the peculiar line of textual transmission and need not be taken into consideration when reconstructing the reading of its hyparchetype.

However, in view of the more than two hundred handwritten copies of the <code>Suśrutasaṃhitā</code> preserved in different libraries across South Asia and in the absence of their systematic inclusion into the project's current collation, the assumption about the regional character of the transmission line remains hypothetical. As a matter of fact, we believe that the Nepalese MSS preserve many archaic features of the early <code>Suśrutasaṃhitā</code> and it is possible, even likely, that some of these features will be found in other manuscripts of this work that have yet to be studied.

Our research group builds upon the above hypothesis about the existence of a distinct Nepalese version of the *Suśrutasaṃhitā* and concentrates primarily on the study of this text in its own right and, additionally, in comparison to a single version of the compendium popularized by its late medieval commentator Dalhaṇa and recorded in the widely-used Su 1938. The present study of SS.1.16 also considers the readings found in Su 1939 and incorporates various observations made by both medieval commentators, Cakrapāṇidatta and Dalhaṇa, into the notes of the edition and some annotations of the translation.

The current paper and several earlier publications furnish a large catalogue of uniform features that are characteristic of the Nepalese MSS and set them apart from the vulgate version.<sup>26</sup> These features of the Nepalese MSS include orthographic variants, peculiarities in the structure and structuring elements, as well as the actual wording of the text. As argued elsewhere in this article, many of these variants are likely to be closer to an archaic version of the *Suśrutasaṃhitā*. This is partly because they preserve a version of the text that appears to be less edited, that is, slightly more idiosyncratic and original in expression, that in turn suggests that it precedes later editorial intervention, according to the principle of *lectio difficilior potior*. We also assign a high historical value to many Nepalese readings because they constitute an internally more consistent and coherent text that is at times further supported by external testimonia.

<sup>25</sup> Rimal and Wujastyk 2022.

Earlier publications include, for example, Harimoto 2011; Wujastyk 2013; Birch, Wujastyk, Klebanov, Parameswaran, et al. 2021; Birch, Wujastyk, Klebanov, Rimal, et al. 2021.

Additionally, we want to make it clear that we do not think that the Nepalese MSS provide a so-called original text of the *Suśrutasamhitā*. Rather, the Nepalese MSS are witnesses to a hyparchetype, not the archetype, of the Suśrutasamhitā. The Nepalese MSS provide us with an intermediary node in the history of this work between the oldest reconstructable text and the vulgate version that was known to Dalhana in the twelfth century and is reproduced in printed editions of the Suśrutasamhitā. The oldest reconstructable text will only come into focus when all surviving witnesses for the work are studied. Having said that, our belief is that the Nepalese version is certain to be closer to the oldest reconstructable text than are contemporary printed versions of the work. One of the reasons for this belief is simply that the Nepalese MSS give us physical evidence for the state of the work in the ninth century, which cannot be many centuries later than the original assembly of the work in the form we are familiar with, i.e., a work of five topical sections with a large added sixth section, the Uttaratantra, that has a somewhat different character.

To summarize: the evidence arising from our studies to this point leads us to think that the Nepalese MSS provide access to single line of textual transmission that goes back to a hyparchetype that predates the composition of all major commentaries on the *Suśrutasaṃhitā* and that, due to its regional character, has suffered relatively little contamination. We term this hyparchetype the "Nepalese version."

# The Versions of Cakrapānidatta and Dalhana

The commentaries of Cakrapāṇidatta and Dalhaṇa, titled *Bhānumatī* and *Nibandhasaṅgraha* respectively, are based on similar but not identical versions of the *Suśrutasaṃhitā*, both of which are significantly different to the Nepalese version.<sup>27</sup> Dalhaṇa was aware of Cakrapāṇidatta's work and reiterated many of his predecessor's remarks, so the interpretation of the root text by these two commentators is, broadly speaking, consistent.<sup>28</sup> Dalhaṇa

<sup>27</sup> See HIML: IA 374–379 on these authors. Meulenbeld already noted that "the text of the *Suśrutasaṃhitā* in the [1939] edition of the *Bhānumatī* differs at many places from the text of the [vulgate edition of 1938]" and gave examples from the *sūtrasthāna* (HIML: IB, 496, note 76).

<sup>28</sup> HIML: IB, 499, n. 162.

evidently also had several manuscripts of the *Suśrutasaṃhitā* available to him, since he frequently recorded their variant readings.<sup>29</sup>

In addition to the fine-grained issues raised by the relationship between these commentators, there are added difficulties introduced by the way the editors of the printed versions of these commentaries handled the texts in several cases. The most obvious difficulty is that Y. T. Acārya and N. Sarman's text of the *Sūtrasthāna* commented on by Cakrapāṇidatta (Su 1939) simply duplicated the text of that section from Y. T. Acārya and N. R. Acārya's edition of Dalhaṇa's commentary (Su 1938).30 This duplication of the root text creates the misleading impression that both commentators had the same Suśrutasamhitā before them. However, there is much evidence, including in SS.1.16, that this was not the case. For example, Dalhana commented on four verses, 1.16.11—14 (Su 1938: 78), as part of his root text, that Cakrapānidatta cited separately only in his commentary (Su 1939: 128– 129). Cakrapānidatta introduced each verse with "some people say" (本-चित्पठन्ति). This clearly indicates that these verses were not in the version of the Suśrutasamhitā upon which Cakrapānidatta was commenting, but a century or so later they were part of the text before Dalhana. But Y. T. Acārya and N. Sarman included them in the root text of the Suśrutasamhitā as if they were. Such cases make it harder than it would otherwise be to remain clear that these two commentators were working off different versions of the Suśrutasamhitā.

Also, Cakrapāṇidatta did not acknowledge or comment on some verses in the version of the *Suśrutasaṃhitā* known to Dalhaṇa. Although it is possible that a commentator may not have remarked on a verse because its meaning was clear, in some cases the commentarial convention of citing the first words of a new verse or passage provides firmer ground for suspecting the absence of a verse in the root text.

<sup>29</sup> Cf. HIML: IA, 377. Meulenbeld drew attention to Dalhaṇa's commentary on 5.8.24cd—25ab (Su 1938: 587) as a particularly striking example of such awareness (HIML: IB, 497, n. 112). In this passage, Dalhaṇa noted that certain readings known to the earlier commentators Jejjaṭa and Gayadāsa were, "not to be found in current manuscripts" (स च वर्तमानपुस्तकेषु न दृश्यते).

<sup>30</sup> There are a few exceptions where Cakrapāṇidatta glossed a word or compound that is different to the one glossed by Palhaṇa. For example, in SS.1.16.18, Cakrapāṇidatta glossed राजसर्षप whereas Palhaṇa glossed गौरसर्षप, and the editors reflected this in the root texts of the Bhānumatī (Su 1939: 130) and Nibandhasaṅgraha (Su 1938: 79) respectively.

To give an example, there is a prose passage at Su.1.16.18 of the *Suśrutasaṃhitā* that Cakrapāṇidatta commented on in his *Bhānumatī*.<sup>31</sup> It is followed by several verses also in the main text of the *Suśrutasaṃhitā* that elaborate on the content of the prose passage.<sup>32</sup> Dalhaṇa commented on these explanatory verses, citing keywords that show they all formed part of the main text of the *Suśrutasaṃhitā* that was before him.<sup>33</sup> However, Cakrapāṇidatta's older commentary showed no awareness of the first few verses in this group, Su.1.16.19–21ab.<sup>34</sup> Apparently, they were not part of the text of the *Suśrutasaṃhitā* as he knew it. In spite of that, the editors printed these verses in their edition of Cakrapāṇidatta's work as if they were indeed part of the *Suśrutasamhitā* known to to him.<sup>35</sup>

A similar instance of this occurs in the edition of the *Bhānumatī* at SS.1.16.31 where the editors of the 1939 printed edition included a verse in parenthesis that was commented on by Dalhaṇa but not by Cakrapāṇidatta.<sup>36</sup> This verse was almost certainly not in the text of the *Suśrutasaṃhitā* known to Cakrapāṇidatta.

The manuscript on which the editor's edition of the *Bhānumatī* was mainly based, MS London BL H. T. Colebrooke 908, does not include the root text of the *Suśrutasaṃhitā*.<sup>37</sup> Therefore, it requires a detailed reading of the commentary itself to infer what its author, Cakrapāṇidatta, was seeing in the manuscripts of the *Suśrutasaṃhitā* that he had before him in the eleventh century. But, to summarize, there is no evidence that they included the verses SS.1.16.19—21ab and 31 that are printed in Su 1939 as if they were present to Cakrapāṇidatta.

In fact, there is some evidence that the Nepalese version of the *Suśrutasaṃhitā* was more similar to Cakrapāṇidatta's version than to Dalhaṇa's. For example, SS.1.16.5 of the Nepalese version begins with

"Both Cakrapāṇi-datta and Dalhaṇa in-troduced and cited the open-ing words of the first verse before glossing specific terms.' but that's not right. matī shows no awareverses 19-21ab. Cakra doesn't say 'svedito...

Took out: "Cakrapāṇidatta did not introduce, cite or comment on the same verses as Palhaṇa (Su.1.16.20-22ab, Su.1938:79)."

<sup>31</sup> Su 1939: 130, i.e., अथाप्रदुष्तस्याभिवर्धनार्थम् ... निदध्यात् ।. It is numbered Su.1.16.19 in Dalhaṇa's Nibandhasaṅgraha (Su 1938: 79).

<sup>32</sup> Su.1.16.19-23 in Su 1939, i.e., स्वेदितो ..., यवाश्व ..., तैलं ..., तेषाम् ..., वद्ध ....

<sup>33 1.16.19-23 (</sup>Su 1938: 79-80).

<sup>34</sup> Su 1939: 130-131.

The editors remarked in a footnote that verses 20–21a were not in the Nepalese manuscript they consulted (Su 1939: 130, n. 2).

<sup>36</sup> The verse begins नाडीयोगं विनौष्यस्य. It is printed in the vulgate as 1.16.32 (Su 1938: 81), with Dalhana's commentary. It is printed in parentheses as 1.16.31 in the edition of the Bhānumatī (Su 1939: 133).

<sup>37</sup> The MS is described in IOLR: vol. 1.5, 928, #2647. The section on p. 25 below describes the sources that the editors used for the 1939 edition.

the compound दोषसमुदयात्.<sup>38</sup>. Dalhaṇa's version, on the other hand, inserts two compounds, क्लिष्टजिह्माप्रशस्तसूचीव्यधात् and गाढतरवर्तित्वात्, before this.<sup>39</sup> Cakrapāṇidatta begins his comment on this passage by glossing doṣasamudayāt, which suggests that he was not aware of the compounds that Dalhaṇa saw.<sup>40</sup>

If one looks beyond SS.1.16, there are instances where the Nepalese version and the root text as read by Cakrapāṇidatta have the same reading, but Palhaṇa mentions it as an alternative that is, "read by others." For example, SS.1.1.28 of the Nepalese version has तत्रास्मिञ्छास्त्रे, which is also the reading commented on by Cakrapāṇidatta. However, Palhaṇa comments on अस्मिञ् छास्त्रे and states that "others read तत्रास्मिञ् छास्त्रे". Another example is the reading of षष्ट्या विधानैः in Palhaṇa's commentary on 1.1.8.1 (Su 1938: 3) that is not in his main text but that he ascribes to "some others." This reading is likely to be derived from the expression षष्ट्याभिधानैः in the main text of the Nepalese version, and to have been rewritten before Dalhana's time because it was hard to understand.

# Differences between the Nepalese and Subsequent Versions of SS.1.16

Several differences between the text of the *Suśrutasaṃhitā* as found in its multiple printed versions and as reconstructed on the basis of the Nepalese MSS have already been pointed out in previous publications. Klebanov (2021a: 27f.) listed differences in the chapter sequence as it affects the overall organization and structuring themes and elements of the text. Wujastyk (2013), Klebanov (2021a: 28-32) and most recently Birch, Wujastyk, Klebanov, Parameswaran, et al. (2021) and Birch, Wujastyk, Klebanov, Rimal, et al. (2021: 2-4) have explored variations in the frame story of the work as a whole. Klebanov (2021a: 32-36) highlighted the interchangeable use of two names of the first book of the text, namely *Ślokasthāna* and *Sūtrasthāna*.

```
38 Su 1939: 126.

39 1.16.6 (Su 1938: 77).

40 SS.1.16.5, Su 1939: 126–127.

41 Su 1939: 17.

42 1.1.22 (Su 1938: 5).

43 See the discussion by Birch, Wujastyk, Klebanov, Rimal, et al. (2021: 4–5).
```

Klebanov (2021a: 37-44) examined another peculiarity of the Nepalese version, namely, additional verse or prose colophons found at the end of each book but also each decade of chapters of the *Suśrutasaṃhitā*.

As the present paper demonstrates, many distinct features pertaining to the actual content of the Nepalese version continuously come to light as we proceed with our study of the manuscripts. Among observations made in previous literature, Klebanov (2021a: 44–47) made some general remarks, along with a few arbitrary examples, and detailed two case studies (*idem*, 47—55). The first case study dealt with the list of skin lesions associated with urinary disease (प्रमेहपिटका in the Nepalese spelling). Their signs and pathogenesis are described in *nidānasthāna* 6 and their treatment is the subject of *cikitsāsthāna* 12. The list of skin lesions exemplifies a case where the text of the *Suśrutasaṃhitā* transmitted in the Nepalese MSS is internally more coherent than that commented on by Dalhaṇa. The incoherence of the latter version was already identified by an earlier commentator, Gayadāsa (fl. ca. 1000), who proposed a textual conjecture that corresponds to the reading of the Nepalese version.<sup>44</sup>

The second case study by Klebanov (2021a) focussed on the variation in another list, that of the vital energies ( $pr\bar{a}nas$ ), mentioned in  $s\bar{a}r\bar{i}rasth\bar{a}na$  4.

The present study also provides an example of interpolation. This is a rare case in which we have a fairly good idea of where the inserted text came from, namely the medical theory associated with the *Carakasaṃhitā*.

The discussion of the textual variant in the second case study, the list of vital energies, also recourses to Gayadāsa's learned remarks. Here, the scholar commented on the reading transmitted in the Nepalese MSS as the original one and reported an alternative reading and its interpretation preferred by another ancient commentator, Jejjaṭa. It is precisely this reading that is known to modern readers of the *Suśrutasaṃhitā* from the vulgate version of the text. Another exemplary investigation of textual variants in the Nepalese version is found in Harimoto (2011: 101–104). This study looks at the classification of snakes in *kalpasthāna* 4 and reveals that, compared to the versions of the *Suśrutasaṃhitā* found in different printed sources, the Nepalese MSS preserve a text that is internally more consistent and coherent.

the referent of this is not so clear. 'this alternative reading'?

MS Kathmandu KL 699 was copied a century or more before Gādāsa's time. So the Nepalese version cannot have been influenced by Gayadāsa's innovations or suggestions.

[...] suggesting that some of the readings accepted by D were ancient, if not original.

On the whole, these observations indicate that many features of the Nepalese version of the *Suśrutasaṃhitā* are likely to go back to an older state of the textual development common to other versions of the compendium. However, other textual peculiarities, such as the text-structuring colophons concluding every tenth chapter, are likely to have occurred within a local transmission of the text, and it is improbable that they are attested in the MSS from other regions. When evaluating the Nepalese readings historically, however, it is further necessary to keep in mind that there is plentiful evidence suggesting an ancient age of the readings accepted into Dalhaṇa's version of the text.

The following detailed comparison of 1.16 of the Nepalese version with Dalhaṇa's *Nibandhasaṅgraha* unfolded as the chapter was edited. The differences appear to emanate largely from attempts to standardise, simplify or clarify the language of the Nepalese version, add and redact information, and introduce changes to recipes and treatments. Examples from 1.16 have been provided to demonstrate the general observations which, it is hoped, a larger survey of the text will verify.

Table 1 reveals the extent to which 1.16 of the Nepalese version was redacted to create the one known by Dalhaṇa. In this particular case, twenty-seven verses have been added, eight (11-14, 21–22ab, 23cd–24, 32) of which are well-integrated with the existing material in so far as they reiterate and elaborate on the content of passages in the Nepalese version. A block of nineteen verses (26.1–19) at the end of this chapter in Ācārya's edition of the *Nibandhasaṅgraha* (Su 1938: 80) was known by Dalhaṇa. These verses cover additional diseases of the ear lobes, as well as their treatment and complications. Although Dalhaṇa concedes that some read them in this chapter, he concludes that they were not composed by sages and, therefore, should not be read. Ācārya probably included these verses because they were in his manuscripts, 45 and Dalhaṇa's comments prompted him to place them in parentheses. Be this as it may, this large block of verses is absent in the Nepalese version.

In Table 1, one can also see that verses 17 and 18 of the Nepalese version were transposed in the redaction of Dalhana's version, in which they

<sup>45</sup> Acārya (Su 1938: 80) does not state that these verses were absent in some or all of his manuscripts, which he usually does in a footnote if this is the case. A broader survey of manuscripts would be helpful for establishing whether these verses were part of the transmission of the *Suśrutasaṃhitā* in India. For example, they are in MS Hyderabad Osmania 137-3(b).

# 

1	· · · · · · · · · · · · · · · · · · ·
1	1
_	2
2–9	3–10
_	11–14
10–15	15–20
_	21–22ab
16	22cd–23ab
- 0	23cd-24
- 2	<b>2</b> 5
17	26
_ /	26.1-19
18 🖍	_
19–23	27-31
_	32
·	

Table 1: A Comparison of Verses in 1.16 of the Nepalese and Dalhaṇa's Versions

are 26 and 25 respectively. Although this only occurs once in 1.16, such transposing of verses and even their hemistiches is more prevalent in the redaction of other chapters of the *Suśrutasaṃhitā*.

Apart from the addition of verses, the redacting of the version known to Dalhana involved many small, yet sometimes significant, changes that are summarised below.

### Changing Spelling, Sandhi and Syntax

In the majority of cases, efforts were made by redactors to standardise, simplify or improve the language of the Nepalese version. Such changes include the standardising of spelling, <sup>46</sup> sandhi, <sup>47</sup> and verbal forms, <sup>48</sup> as well as interventions to simplify and clarify syntax, <sup>49</sup> which often involved splitting compounds. <sup>50</sup> In some instances, these changes improved the grammar, <sup>51</sup> or altered the meaning. <sup>52</sup> However, some prefixes of verbal forms, <sup>53</sup> case endings, <sup>54</sup> and indeclinables were changed for less apparent reasons. <sup>55</sup> There is also a tendency to replace uncommon words with generic ones, <sup>56</sup>

<sup>46</sup> For example,  $patt\bar{a}nga$  (SS.1.16.21)  $\rightarrow patanga$  (1.16.29, Su 1938: 81). For more information on this, see the relevant footnote to the translation.

<sup>47</sup> or example, °hastena rju (SS.1.16.2)  $\rightarrow$  °hastena rju (1.16.3, Su 1938:76).

<sup>48</sup> For example,  $unn\bar{a}mayitv\bar{a}$  (SS.1.16.21)  $\rightarrow pr\bar{a}nnamya$  (1.16.29, Su 1938: 81);  $avac\bar{u}rnay\bar{\imath}ta$  (SS.1.16.21)  $\rightarrow upaharet$  (1.16.29, Su 1938: 81).

<sup>49</sup> For example, śoṇitabahutvanivedanāyāṃ cānyadeśaviddham iti jānīyāt | nirupadravatā taddeśaviddhalingam | (SS.1.16.3) → śoṇitabahutvena vedanayā cānyadeśaviddham iti jānīyāt | nirupadravatayā taddeśaviddham iti | (1.16.4, Su 1938:76); āmatailapariṣekeṇopacaret (SS.1.16.6) → āmatailena pariṣecayet (1.16.7, Su 1938:77); suparigṛhītaṃ (SS.1.16.10) → suparigṛhītaṃ ca kṛtvā (1.16.15, Su 1938:78); anena (SS.1.16.15) → snehenaitena (1.16.20, Su 1938:79).

<sup>50</sup> For example, yadṛcchāviddhāyāṃ sirāyām (SS.1.16.4) → yadṛcchayā viddhāsu sirāsu (1.16.5, Su 1938: 76); dhānyāmlakapālacūrṇaṃ (SS.1.16.10) → dhānyāmlaṃ kapālacūrṇaṃ (1.16.20, Su 1938: 78).

<sup>51</sup> For example, *surāmaṇḍakṣīram* (SS.1.16.10) → *surāmaṇḍaṃ kṣīram* (1.16.15, Su 1938: 78).

<sup>52</sup> For example, *kṣ̄ṇālpamāṃsaḥ* (SS.1.16.12) → *kṣ̄ṇo 'lpamāṃsaḥ* (1.16.17, Su 1938: 79).

<sup>53</sup> For example, samvarddhitaḥ (SS.1.16.8) → vivarddhitaḥ (1.16.9, Su 1938:77); niveśya (SS.1.16.10) → sanniveśya (1.16.15, Su 1938:78); avabadhya (SS.1.16.10) → ca baddhvā (1.16.15, Su 1938:78).

<sup>54</sup> For example,  $m\bar{a}se$  (SS.1.16.2)  $\rightarrow m\bar{a}si$  (1.16.3, Su 1938: 76).

<sup>55</sup> For example, api (SS.1.16.13)  $\rightarrow v\bar{a}$  (1.16.18, Su 1938:79); ca (SS.1.16.16)  $\rightarrow tu$  (1.16.23, Su 1938:79); tu (SS.1.16.18)  $\rightarrow ca$  (1.16.25, Su 1938:80).

<sup>56</sup> For example,  $mrak = 4 (SS.1.16.15) \rightarrow yojayet (1.16.20, Su 1938: 79); nahyet (SS.1.16.21) \rightarrow baddhvā (1.16.29, Su 1938: 81).$ 

add indeclinables,<sup>57</sup> omit the verb to be at the end of sentences,<sup>58</sup> and introduce verses after a prose passage with the phrase *bhavati cātra*.<sup>59</sup>

#### **Changing Technical Terms**

There is evidence of standardising and altering technical terminology in subsequent versions of the *Suśrutasaṃhitā*. Two examples of this in SS.1.16 are the terms for joins (*bandha*) and a slice of flesh (*vadhra*). The Nepalese version uses three terms for joining (*bandha*, *sandhāna*, *sandhi*) splits in the ear flaps and the flesh of nose. Redactors of subsequent versions appear to have tried to standardise this terminology by replacing *sandhāna* and *sandhi* with *bandha* in prose passages. However, the use of the term *sandhāna* was retained in verses, perhaps because of the metrical challenges of making such a change. Also, the names of joins which incorporate *sandhāna* and *sandhi* remained the same. However, the use of the metrical challenges of making such a change. Also, the names of joins which incorporate *sandhāna* and *sandhi* remained the same.

The Nepalese version (SS.1.16.20,23) contains the rather obscure term *vadhra* for the slice of flesh that a surgeon cuts from the cheek in order to construct a new nose. Modern dictionaries define *vadhra* as a leathern strap (Apte: 1385, MW: 917) or a slice of bacon (MW: 917), the latter of which is more indicative of its meaning in the Nepalese version. This word was written out of subsequent versions,<sup>62</sup> and it was not mentioned as an alternative reading by either Cakrapāṇidatta or Ḍalhaṇa, which suggests that its use and meaning may not have been known to them. However, *vadhra* was used by the author of the *Aṣṭāṅgaḥṛdayasaṃhitā* (Ah Utt.18.62 (Ah 1939: 841)) in the context of rhinoplasty, so it likely to be the correct reading in the Nepalese version.

<sup>57</sup> For example, [absent] (SS.1.16.6)  $\rightarrow$  *ca* (1.16.7, Su 1938:77); [absent] (SS.1.16.10)  $\rightarrow$  *tatra* (1.16.15, Su 1938:78); [absent] (SS.1.16.12)  $\rightarrow$  *api* (1.16.17, Su 1938:79).

<sup>58</sup> The words *bhavati* or *bhavanti* are omitted four times in Dalhaṇa's version (1.16.10 (twice), 1.16.17 and 1.16.18, Su 1938: 77, 79).

<sup>59</sup> For example, [absent] (SS.1.16.11)  $\rightarrow$  bhavati cātra (1.16.16, Su 1938: 79).

<sup>60</sup> For example, pañcadaśasandhānākṛtayaḥ (SS.1.16.9) → pañcadaśabandhākṛtayaḥ (SS.1.16.10, Su 1938:77); daśakarṇasandhivikalpāḥ (SS.1.16.9) → karṇabandhavikalpāḥ (SS.1.16.10, Su 1938:77)

<sup>61</sup> These names are nemīsandhānaka, kapāṭasandhika, and ardhakapāṭasandhika in SS.1.16.9.

<sup>62</sup> vadhram (SS.1.16.20)  $\rightarrow$  baddham (SS.1.16.28, Su 1938:81) and tadvadhraśeṣam (SS.1.16.23)  $\rightarrow$  tad ardhaśeṣam (SS.1.16.31, Su 1938:81).

#### Augmenting the Text

Apart from adding whole passages and verses (as seen in Table 1), redactors of subsequent versions augmented the text by expanding existing compounds and inserting new compounds and words. Within the microcosm of 1.16, adjectives and adverbs were inserted to clarify statements, 63 and phrases added to elaborate on diseases and treatments. 64 In particular, the characteristics and number of symptoms of a disease, as well as their reasons for arising, tend to increase in subsequent versions. For example, the Nepalese version (SS.1.16.5) says that the wick in a newly pierced ear should be removed because of aggravated humours or a culpable piercing whereas the version known to Dalhana (1.16.6, Su 1938: 77) includes two further reasons, namely, because of piercing with a painful, crooked and unrecommended needle or because of a wick that is too thick. Some of the split ear flaps in Dalhana's version have additional characteristics, 65 and a list of four symptoms associated with incurable joins in the Nepalese version (SS.1.16.19) was increased to six in Dalhana's version (1.16.10, Su 1938: 77). Also, models of classifying symptoms were introduced in subsequent versions. For example, the Nepalese version (SS.1.16.4) lists the symptoms of mistakenly piercing a duct in the ear whereas the version known to Dalhana (1.16.5, Su 1938: 76–77) classifies these symptoms according to three ducts called kālikā, marmarikā and *lohitikā*, which results in some repetition of the symptoms mentioned.<sup>66</sup>

<sup>63</sup> For example, chidre (SS.1.16.2)  $\rightarrow$  chidra ādityakarāvabhāsite (1.16.3, Su 1938:76); [absent] (SS.1.16.2)  $\rightarrow$  śanaiḥ śanaiḥ (1.16.3, Su 1938:76); [absent] (SS.1.16.3)  $\rightarrow$  āśu (1.16.5, Su 1938:77).

<sup>64</sup> For example, dhātryaṅke (SS.1.16.2)  $\rightarrow$  dhātryaṅke kumāradharāṅke vā (1.16.3, Su 1938: 76); [absent] (SS.1.16.2)  $\rightarrow$  bālakrīḍanakaiḥ pralobhya (1.16.3, Su 1938: 76); [absent] (SS.1.16.3)  $\rightarrow$  picuvartiṃ praveśayet (1.16.5, Su 1938: 77).

<sup>65</sup> For example, pīṭhopamapālir nirvedhimaḥ (SS.1.16.9) → pīṭhopamapālir ubhayataḥ kṣīṇaputrikāśrito nirvedhimaḥ (1.16.10, Su 1938: 77); itarālpapāliḥ saṃkṣiptaḥ (SS.1.16.9) → utsannapālir itarālpapāliḥ saṃkṣiptaḥ (1.16.10, Su 1938: 77); tanuviṣamapāliḥ (SS.1.16.9) → tanuviṣamālpapāliḥ (1.16.10, Su 1938: 77).

<sup>66</sup> In Palhaṇa's version (1.16.5, Su 1938: 76–77), the symptoms of fever (*jvara*) and pain (*vedanā*) are repeated. This repetition does not occur in the Nepalese version. It is possible that this classification was not in the version of the *Suśrutasaṃhitā* known to Cakrapāṇidatta (1.16.4, Su 1939: 126) because he mentions that some read classifications of ducts at this point in the text and he cites verses from Bhoja on *kālikā*, *marmarikā* and *lohitikā*, but he does not gloss or comment on the passage known to Palhaṇa.

#### Transposing Words, Verses and Passages

A close comparison of the Nepalese version with subsequent ones reveals changes in the order of words, sentences and verses. Examples of such transpositions occur in SS.1.16. In most cases, the changes in word order are insignificant and may be result of different preferences in syntax or even scribal eye-brain-hand miscommunication.<sup>67</sup> However, the transposition of verses and passages is usually the result of efforts at redacting the text to add new material. A good example of this is the transposition of SS.1.16.17 and SS.1.16.18 in the Nepalese version to 1.16.26 and 1.16.25, respectively, in Dalhaṇa's. It seems that this transposition may have resulted from the insertion of new verses 1.16.23cd–24 and 1.16.26.1–19 in the latter.

#### **Redacting Recipes and Elaborating on Treatments**

Some of the additional text in subsequent versions of the *Suśrutasaṃhitā* introduces new ingredients in recipes and different procedures in treatments. In many instances, the new material merely clarifies or elaborates on the original but sometimes it changes the recipe or treatment significantly. An example of a suppletion that clarifies the text of the Nepalese version can be seen in 1.16.3 of Dalhaṇa's version (Su 1938: 76), which contains a statement that the physician should insert a wick of cotton after the ear has been pierced. This statement anticipates the instructions in the the Nepalese version (SS.1.16.5–6) on removing the wick because of aggravated humours and replacing the wick with a thicker one every three days. In this case, the additional statement of Dalhaṇa's version elucidates the role of the wick in the procedure of piercing the ear.

A similar clarification occurs in 1.16.18 of Dalhaṇa's version (Su 1938:79), which reiterates the cure for an ear tainted by a humour that was described in 1.16.7 (= SS.1.16.6). The reiteration is quite apt because it follows a passage (1.16.17, Su 1938:79 = SS.1.16.12) that outlines the various symptoms of ear disease arising from each of the

<sup>67</sup> For example, aṇusthūla° (SS.1.16.9) → sthūlāṇu° (1.16.10, Su 1938:77); tatraite daśakarṇa° (SS.1.16.9) → tatra daśaite karṇa° (1.16.10, Su 1938:77); nātigāḍhan nātiśithilaṃ sūtreṇāvabadhya (SS.1.16.9) → sūtreṇānavagāḍhaman atiśithilaṃ ca baddhvā (1.16.10, Su 1938:77); pūrvan dakṣiṇaṃ kumārasya vāmaṅ kanyāyāḥ | pratanuṃ sūcyā bahalam ārayā (SS.1.16.2) → pratanukaṃ sūcyā bahalam ārayā | pūrvaṃ dakṣiṇaṃ kumārasya vāmaṅ kanyāyāḥ (1.16.3, Su 1938:76).

<sup>68</sup> For example, [absent] (SS.1.16.2)  $\rightarrow$  picuvartim praveśayet (1.16.3, Su 1938:76).

three humours. The author of the Nepalese version probably assumed that, after reading SS.1.16.12, the reader would refer back to SS.1.16.6 for the cure of an ear affected by a humour. However, in Dalhana's version, the treatment is reiterated at 1.16.18.

In <code>Dalhaṇa's</code> version of 1.16, there are two instances in which ingredients were added to recipes of medicines in the Nepalese version. The first is the recipe of an anointment that should be applied to a pierced ear that has not healed. In <code>Dalhaṇa's</code> version (1.16.7, <code>Su 1938:77</code>) the recipe was rewritten to include sesame seeds. A more significant change occurs in another recipe for an admixture of an oil that is supposed to be rubbed into a healthy ear to enlarge it. <code>Dalhaṇa's</code> version (1.16.7, <code>Su 1938:77</code>) of the admixture has five additional ingredients, namely, prickly chaff-flower ( $ap\bar{a}m\bar{a}rga$ ), Withania ( $a\acute{s}vagandh\bar{a}$ ), giant potato ( $kṣ\bar{\imath}ra\acute{s}ukl\bar{a}$ ), the 'sweet' savour (madhuravarga)<sup>70</sup> and 'milk flower' ( $payasy\bar{a} \rightarrow vid\bar{a}ri\bar{\imath}^{-1}$ ). It also has beggarweed ( $vid\bar{a}rigandh\bar{a}$ ) instead of milk flower ( $vid\bar{a}ri$ ). This method of redacting a recipe of Nepalese version appears to be somewhat typical in so far as most of the ingredients of the original were retained and new ones simply added.

Perhaps, Dr Madhu could add a comment on whether these additional ingredients would change the effects of the treatment in any significant way?

<sup>69</sup> yavamadhukamañjiṣṭhāgandharvahastamūlair madhughṛtapragāḍhair ālepayet (SS.1.16.5)

→ madhukairaṇḍamūlamañjiṣṭhāyavatilakalkair madhughṛtapragāḍhair ālepayet (1.16.7,
Su 1938: 77).

<sup>70</sup> The items which exemplify the 'sweet' savour (*madhuravarga*) are enumerated at SS.1.42.11.

<sup>71</sup> Pueraria tuberosa (Willd.) DC. (ADPS 510, IMP 1.792f., AVS 4.391; not Dymock 1.424f. See GJM supplement 444, 451, IMP 1.187, but IMP 3.1719 = Ipmoea mauritiana, Jacq.).

<sup>72</sup>  $ark\bar{a}larkabal\bar{a}tibal\bar{a}nant\bar{a}vid\bar{a}r\bar{i}madhukajalaś\bar{u}kaprativ\bar{a}pan$  tailam pācayitvā (SS.1.16.14)  $\rightarrow$   $ark\bar{a}larkabal\bar{a}tibal\bar{a}nant\bar{a}p\bar{a}m\bar{a}rg\bar{a}śvagandh\bar{a}vid\bar{a}rigandh\bar{a}kṣ\bar{i}raśukl\bar{a}jalaś\bar{u}kamadhuravargapayasyāprativāpaṃ tailam vā pācayitvā (1.16.19, Su 1938: 79).$ 

## The Printed Editions

The careful survey of printed editions of the *Suśrutasaṃhitā* by Meulenbeld lists no fewer than 44 entries.<sup>73</sup> These range from the first edition by Madhusūdana Gupta (1835) to editions in the 1970s. The number of reprints and editions since that time might almost double that number. Translations begin with Hessler's Latin translation in 1844 and continue up to the present in scores of publications in many languages.<sup>74</sup>

# The Vulgate

The great ayurvedic scholar Yādavaśarman Trivikrama Ācārya produced three successive editions of the *Suśrutasaṃhitā* with the commentary of Dalhaṇa, in 1915, 1931 and 1938. These editions, especially the last, are generally considered the most scholarly and reliable editions of the work, and have been constantly reprinted up to the present day.<sup>75</sup> We refer to the last of these editions as "the vulgate."

The 1915 edition was based on three manuscripts. The 1931 edition used another seven manuscripts plus two printed editions. For his final 1938 edition, Ācārya used a further three manuscripts.<sup>76</sup> These sources are described as follow, with an overview in Table 2.

# The sources of the 1915 edition

- 1 Calcutta, Royal Asiatic Society. Covers the *sūtra*, *nidāna*, *śārīra and kalpa sthānas*.
- 2 Jaipur, Pandit Gangādharabhaṭṭaśarman, lecturer at the Royal Sanskrit University. Covers the *cikitsāsthāna* and the *uttaratantra*.
- 3 Bundi, my great friend the royal physician Pam. Srīprasādaśarman Covers the *uttaratantra*.

<sup>73</sup> HIML: IIB, 311–314.

<sup>74</sup> Zysk 1984: E.g., HIML: IIB, 314-315.

<sup>75</sup> See also the study of these editions by Klebanov (2021*a*: §1.2) and Wujastyk (2013: 143–144).

<sup>76</sup> The following account of the sources is paraphrased from Y. T. Ācārya and N. R. Ācārya's own account of his sources (Su 1938: 22).

## The sources of the 1931 edition

- 1 Vārāṇasī, professor of literature, the great Gaurīnāthapāṭhaka. With the *Nibandhasaṅgraha*. Covers the *nidānasthāna* and *uttaratantra*.
- 2 Ahmedabad. My friend Sva. Vā. Vaidya Raṇachoḍalāla Motīlālaśarman. With the *Nibandhasaṅgraha*. Covers the śārīrasthāna.
- 3 From the personal library of my great friend Sva. Vā. Vaidya Murārajīśarman. Extremely old. No commentary. Covers the śārīrasthāna.
- 4 Puṇe, BORI library. With the *Nibandhasaṅgraha*. Covers the śārīra-sthāna.<sup>77</sup>
- 5 Puṇe, BORI library. With the *Nibandhasaṅgraha*. Complete. With some damaged folia.
- 6 Bombay, Asiatic Society. Incomplete.<sup>78</sup>
- 7 Varanasi, the private library of Vaidya Tryambakaśāstrī. Covers the *cikitsāsthāna*. The variant readings of this MS were compiled by Prof.
- 8 A printed edition together with the commentary *Suśrutasandīpana-bhāṣya* by Professor Hārāṇacandra Cakravārtti. Complete work. This is the 1910 Calcutta edition numbered "t" by Meulenbeld (HIML: IB, 312).<sup>79</sup>
- 9 A printed edition of the first 43 chapters of the *sūtrasthāna*, printed in Bengali script, with the commentaries *Bhānumatī*, *Nibandhasaṅgraha*, edited by Vijayaratnasena and Niśikāntasena. This is the 1886 Calcutta edition numbered "g" by Meulenbeld (HIML: IB, 311). <sup>80</sup>

# The sources of the 1938 edition

1 Gwalior, from the library of my great friend Pam. Rāmeśvaraśāstrin Śukla. Covers the *sūtra*, *nidāna*, *śārīra*, *cikitsā and kalpasthāna*s.

<sup>77</sup> Not one of the three MSS of the śārīrasthāna described in H. D. Sharma 1939.

<sup>78</sup> Possibly MS Mumbai AS B.I.3 or MS Mumbai AS B.D.109 (Velankar 1925–30: v. 1, # 212 and 213). But both these have the *Nibandhasaṅgraha*. The first covers only the śārīrasthāna; the second may be complete, but Velankar calls it only "disorderly."

<sup>79</sup> Bhaṭṭācārya 1910–7.

<sup>80</sup> Sena et al. 1886-93.

<sup>81</sup> Covers chapters 1–43 only.

<sup>82</sup> Covers chapters 1–9 only.

Table 2: The sources of Yādavaśarman T. Ācārya's three editions: manuscript coverage  $(\bullet)$  and print coverage  $(\circ)$ .

edition		1915	5					1931	-					193	8
source	1	2	3	1	2	3	4	5	6	7	8	9	1	2	3
sthāna															
sū.	•								?		0	081	•		
ni.	•			•					?		0				
śā.	•								?		0				•
ci.									?	lacktriangle	0		•		<b>●</b> 82
ka.	•								?		0				
utt.		•	•					•	?		0				

- 2 Bikaner, from the library of the Royal Palace, supplied by Pam. Candraśekharaśāstrin. Contains the commentary *Nyāyacandrikāpañjikāvyākhyā* by Gayadāsa. Covers the *nidānasthāna*.

  This is almost certainly MS Bikaner Anup 4390.<sup>83</sup>
- 3 Kathmandu, located in the private library of the Royal Guru Hemarāja Śarman. An extremely old palm-leaf manuscript. Readings from this MS were compiled by Paṃ Nityānandaśarman Jośī and sent to Ācārya. Covers from the beginning of the work to the end of the ninth chapter of the *cikitsāsthāna*. The siglum for this manuscript in footnotes was ता for तालपत्रपुस्तके.

#### **Evaluation**

Estimates show that there are approximately 230 extant manuscript witnesses for the *Suśrutasaṃhitā*.<sup>84</sup> Many of these manuscripts cover only one or more or its chapters. Nevertheless, this is an order of magnitude more evidence than was considered by Ācārya for his vulgate editions.

While the descriptions provided by Ācārya of his source materials

<sup>83</sup> See Dominik Wujastyk, "MS Bīkāner AnupLib 4390." Pandit. <a href="http://panditproject.org/entity/108068/manuscript">http://panditproject.org/entity/108068/manuscript</a>.

This figure is arrived at by summing the MSS mentioned in NCC and in the NGMCP. The real figure could be many scores higher.

seems at first to be moderately comprehensive, Table 2 reveals the underlying paucity of textual sources for these editions. At first, it appears that fifteen manuscripts were consulted. However, we quickly see that two of the sources were other people's printed editions, and one of those covered less than a quarter of the work (no. 9 of 1931). That reduces the manuscript base to 13 manuscripts. Acarya does not appear to have seen two of the manuscripts at all, having been sent collations prepared for him by others (7 of 1931 and 3 of 1938). Thus, Acārya's final edition was based on the personal consultation of eleven partial manuscripts. One of them remains unidentified (6 of 1931). Only a single manuscript covers the whole of the *Suśrutasaṃhitā*, no. 5 of the 1931 edition. Manuscript 1 of 1938 is the next most complete, but it omits the uttaratantra, which comprises a third of the work. Manuscript 1 of the 1915 edition is third in size, but it still omits both of the longest chapters, and thus offers less than half the work. For the rest, the evidence is spotty, with each part of the work being supported by only between four and eight manuscripts, excluding the printed editions.

Two sources stand out for their historical importance. The first is no. 3 of 1931, which Ācārya calls "extremely old." It covered the śārīrasthāna only, and unfortunately we know nothing of the later history of this manuscript. The second is no. 3 of 1938, which is one of the important Nepalese manuscripts being considered in the present project. Ācārya's remarks and references to Hemarājaśarman's introduction to the *Kāśyapasaṃhitā* allow us to identify this manuscript as MS Kathmandu NAK 5-333.<sup>85</sup> But that manuscript covers the whole work, not just up to the ninth chapter of the *cikitsāsthāna* as Y. T. Ācārya and N. R. Ācārya stated.<sup>86</sup> Perhaps the editors only received collations for this portion of the manuscript and did not know that it was a witness for the whole work.

# The 1939 edition

In 1939, Yādavaśarman Trivikrama Ācārya and Nandakiśora Śarman coedited an edition of the *sūtrasthāna* of the *Suśrutasaṃhitā* that was published by the Swami Laxmi Ram ayurvedic centre in Jaipur, and printed at the

<sup>85</sup> Su 1938: 22; Hemarāja Śarman 1938: 56–57. Discussed by Klebanov (2021*a*: §1.1, 2.3). See also HIML: IIB, 25–41; Wujastyk 2003: 161–169.

<sup>86</sup> Su 1938: 22.

famous Nirṇayasāgara Press in Mumbai (see Fig. 1).<sup>87</sup> The text was edited on the basis of the following sources.

#### For the Bhanumatī

- 1. A printed edition. Covered the *Bhānumatī* up to chapter Su.sū.40. The siglum was म for *mudrita*.<sup>88</sup>
- 2. A manuscript in the India Office Library library provided through the Bhandarkar Oriental Research Institute in Pune. <sup>89</sup> This manuscript covered the *Bhānumatī* b up to the end of the *sūtrasthāna*. The siglum was ह for हस्तलिखित. <sup>90</sup>

#### For the Suśrutasamhitā

- A palm leaf manuscript from Hemarājaśarman's personal library.<sup>91</sup>
   The siglum was ता for ताडपत्र.
- 2. His own published edition. The siglum was ड for डल्हणसंमतः पाठः.92
- 3. Hārāṇacandra Cakravarti's published edition with his own commentary. 93 The siglum was हा.

#### **Evaluation**

The main innovation of this publication was to present the only surviving part of the commentary on the *Suśrutasaṃhitā* by the great eleventh-

<sup>87</sup> Su 1939. The description of the sources below is based on Yādavaśarman T. Ācārya's remarks in his introduction (pp. 3–4). See also the remarks on this edition by Klebanov (2021*b*:7). On the Swami Laxmi Ram centre, see Hofer 2007

<sup>88</sup> Sena et al. 1886–93. The manuscript on which this edition was based is probably in the library of the Calcutta Sanskrit College, and described in H. Sastri and Gui 1895–1917: v. X.1, which is not available to me. See also HIML: IB, 495, n. 57 for mention of this manuscript. The reference at Rama Rao et al. 2005: 217 to CSCL accession number 97 in Bengali script may be this manuscript.

<sup>89</sup> At this time, manuscripts from Britain were routinely lent to scholars in India and vice versa.

<sup>90</sup> Wujastyk 2021; MS London BL H. T. Colebrooke 908 (PanditProject #109978, consulted on July 03, 2021).

<sup>91</sup> I.e., MS Kathmandu NAK 5-333.

<sup>92</sup> Su 1938. It is noteworthy that Ācārya refers to his 1938 edition as representing "the Dalhana recension."

<sup>93</sup> Bhaṭṭācārya 1910–7.

चरके—''लाभोपायो हि शस्तानां रसावीनां रसायनम्'' (च.चि. अ. १ पा. १)। पारिशेष्याद्वाजीकरणतन्त्रम् । अवाजिनं वाजीकुर्वेन्ति येन तद्वाजीकरणम् । 'अन्येषामिष दृश्यते' (पा. अ. ६।३।१३७) इति वीर्घलम् । येन वाऽत्यर्थं स्त्रीषु व्यज्यते तद्वाजी-करणम् । तद्वकं चरके—''येन नारीषु सामध्यं वाजिवल्लमते नरः । वजेचाप्यधिकं येन वाजीकरणमेव तत्'' (च. चि. अ. २, पा. ४) इति ॥ ५॥

अधास्य प्रत्येकाङ्गलक्षणसमासः—तत्र, शल्यं नाम विविधत्णकाष्टपाषाणपांशुलोइलोप्टास्थिवालनलपूयास्रावदुष्टमणान्तर्गर्भशल्योद्धरणाथै षष्ट्या विधानः, यन्त्रशलक्षाराग्निप्रणिधानमणविनिश्चयार्थं चः शालाक्यं नामोध्वेजन्नगतानां श्रवणनयनवद्नन्नाणादिसंश्रितानां व्याधीनामुपशमनार्थः, कायचिकित्सा नाम सेवाङ्गसंश्रितानां व्याधीनां ज्वररक्तपित्तशोषोन्मादापसारक्रप्टमेहातिसारादीनामुपशमनार्थः, भूतविद्या नाम देवासुरगन्धवेयक्षरक्षःपितृपिशाचनागत्रहाद्यपस्प्रचेतसां
शान्तिकर्मविहरणादिश्रहोपशमनार्थः, कौमारभृत्यं नाम कुमारभरणधात्रीक्षीरदोपसंशोधनार्थं दुएस्तन्यग्रहसमुत्थिनां च व्याधीनामुपशमनार्थमः, अगदतन्तं नाम सर्पकीटल्लामूषकादिद्प्रविषव्यक्षनार्थे
विविधविर्पसंयोगोपशमनार्थं चः, रसायनतन्तं नाम वयःस्थापनमायुर्मेधावलकरणं रोगापहरणसमर्थं चः वाजीकरणतन्तं नामाह्पदुप्क्षीणशुकरेतसामाण्यायंनप्रसादोपचयजनननिमित्तं प्रहर्षणजननार्थं च ॥ ६॥

शस्याङ्गविशेषात्र् शातुं प्रतिरुक्षणं संक्षेपेणाह्—अथासेखादि । एकमेकमङ्गं प्रति रुक्ष-णानां समासः संक्षेपः प्रत्येकाङ्गरुक्षणसमासः । तृणादीनां, तथा दुष्टमणस्य, तथाऽन्त-र्गत(भेशस्य)स्य उद्धरणार्थमिति प्रत्येकमुद्धरणशब्दः संबध्यते । दुष्टमणस्यान्तरनृणाद्या-हरणार्थमित्यन्ये। षष्ट्या विधानैरिति द्विमणीयोक्तैरपत्पणाये रक्षाविधानान्तैः; इत्थंभूतरुक्षणे तृतीया । जत्रु प्रीवाम्लं, जत्रुण उद्धम् प्रवेजत्रु । प्राणादीलादिप्रहणान्छिरःकपालादिप्रह-णम् । उत्तरतन्त्रे प्रतिपादितकमप्राप्त्या ज्वरानन्तरमतीसारः पठितः, तस्यान्ते पाठोऽतिसा-रस्य सर्वाङ्गीणदोपारन्धलात्, अन्येपामपि तन्मध्यपाठेन सर्वाङ्गीणदोषारन्धलप्रतिपादना-ध्यतिकमं वदन्ति । शान्तिकमं चिष्ठहरणादिना प्रहाणां देवादीनामुपशमो यस्तदर्थः, यदि वा ग्रह्णं ग्रहो देवानामावेशस्तदुपशमार्थम् । दुष्टस्तन्यप्रहसमुत्थितानामिति दुष्टसन्यन

Figure 1: A page of the 1939  $Bh\bar{a}numat\bar{\iota}$  edition, showing the variant readings in the footnotes.

१ 'सर्वशरीरावस्थितार्नी क्यांचीनामुपश्चमकरणार्थ ज्वरश्चोफगुरुमरक्तिपत्तोन्मादापसार-प्रमेहातीसारादीनां च' इति ता. । २ 'देवदानव' इति ता. । १ 'विनायकनागग्रहोप-सप्टचेतसां' इति ता. । ४ 'विषयवेगोपश्चमनार्थ' इति ता. । ५ 'शुक्राप्यायन' इति ता. । ६ 'स्णादीनां श्रस्यान्तानां' इति मु. ७ 'अन्ये तु तस्यान्ते पाठेन' इति पा० । ८ 'म्रहणाद्व' इति मु. ।

century medical scholar Cakrapāṇidatta, namely the *Bhānumatī*.94 A secondary purpose was to present the text of the *sūtrasthāna* as read in MS Kathmandu NAK 5-333, that had recently been brought to the editors' attention. In their judgement, the Kathmandu manuscript presented a text that was closer to what Cakrapāṇidatta had before him than the text according to Dalhaṇa. This was the first *Suśrutasaṇhitā* edition in which Ācārya used sigla to identify the sources from which variant readings were reported, so while it has limitations, it for the first time enables us to get some idea of origins of the text (see Figure 1).

Ācārya noted in his introduction that the manuscripts containing the Palhaṇa's commentary all came together with the root-text of the *Suśrutasaṃhitā*, and thus the main *Suśrutasaṃhitā* text reflected the readings chosen by Palhaṇa. But the manuscripts of the *Bhānumatī* contained the commentary alone, without the root-text, and had many explanations based on different readings of the root-text than those of Palhaṇa. In many of these cases it was hard to know what the text that Cakrapāṇidatta had before him. But Ācārya noted that Cakrapāṇidatta had a text before him that had much in common with the text of the Nepalese manuscript.95

There is compelling evidence that Cakrapāṇidattas's *Bhānumatī* commentary once covered the whole text of the *Suśrutasaṇhitā*. The loss of the rest of the work ranks amongst the greatest disasters in Āyurvedic literature. Remarkably, the whole *Bhānumatī* may still have existed in the early twentieth century. In 1903, Palmyr Cordier reported being privately informed of a complete copy of the work in a personal manuscript collection in Benares. The sufficiency of the work in a personal manuscript collection in Benares.

# The Manuscripts

Our edition results from considering the textual evidence of three manuscripts, all of which were preserved and most likely produced in Nepal, in Kathmandu valley, to be more precise. Klebanov (2021a: §2.1) furnishes a comprehensive description of the individual manuscripts, quotes and

<sup>94</sup> HIML: IA, 374–375 and IB, 495–496.

<sup>95</sup> Su 1939: 3–4. See discussion by Klebanov (2021*b*: 7).

<sup>96</sup> HIML: IA, 375.

<sup>97</sup> Cordier 1903: 332.

translates their colophons and thoroughly examines various problems involved in their interpretation. That is why we will present only the key data essential for the study of our edition in the present paper. In referring to the manuscripts, we use the sigla K, N and H, which correspond to the initial letters in the names of the libraries and collection where the respective bundles were discovered.

**Siglum K:** The MS has been preserved at the Kaiser Shamsher (KL) library in Kathmandu, accession number KL 699. It was microfilmed and catalogued by the NGMPP/ NGMCP as C 80-7.98 The MS comprises 152 palm-leaf folios that originally belonged to several different codicological units written by different scribes. 99 The folios are  $53.5 \times 4.4$  cm in size and have two string holes. The text is written in the so-called transitional Gupta script, with six to eight lines per folio. The MS is incomplete and contains a large part of the Suśrutasamhitā as well as the Sauśrutanighantu. 101 The date stated in the colophon at the end of the compendium is verified for Sunday, April 13, AD 878. However, some controversy is involved in interpreting the exact roles of two persona mentioned in the same concluding remarks, someone Śrī Harṣacandra and Vaidya Vasuvarman. Klebanov (2021a: 16) thinks that the former "either sponsored the copying enterprise or wrote the manuscript himself" and that he subsequently "donated it to Vaidya Vasuvarman on the condition that he (Vasuvarman) would study the text and explain it to others. The second condition was that the manuscript should remain in the family and not be given away either for sale or as a pawn. If the manuscript sat unused, it should be returned to Śrī Harsacandra."102

Siglum N: This MS is kept at the National Archives Kathmandu (NAK), under accession number 1-1079 क. It was microfilmed twice by the

<sup>98</sup> See http://catalogue-old.ngmcp.uni-hamburg.de/mediawiki/index.php/C\_80-7\_Suśrutasaṃhitā (accessed on October 22, 2021).

<sup>99</sup> Bhattarai (2020: 46) and Klebanov (2021a: 11) agree that four to five scribes were involved in the manuscript's production.

<sup>100</sup> Codicological features of the manuscript, such as the layout, peculiarities of the script, various ornamental and text-dividing symbols and many more, were scrutinized in Bhattarai (2020).

<sup>101</sup> See Klebanov (2021a: 11) for a detailed description of the content.

<sup>102</sup> See Klebanov (2021a: 13–17) for a translation and a study of the colophon, as well as an exposition of different positions related to its interpretation.

NGMPP as A 45-5(1) and A 1267-11(2). The MS comprises 65 palm-leaf folios,  $56 \times 5$  cm in size, with two string holes each, and it is bundled together in a composite manuscript with at least one other medical work. The text is written in a variety of Newari script, with ca. seven lines per folio. Although the text contained in the MS does not cover the entire  $Su\acute{s}rutasan\dot{h}it\bar{a}$  and breaks off abruptly in the second chapter of the  $\acute{s}ar\bar{\imath}rasth\bar{a}na$ , the actual MS, as a codicological unit, appears complete, that is, no leaf seems to be missing from the originally unitary artefact. Based on paleographic considerations, the MS can be dated tentatively to the 12th or 13th century.

**Siglum H:** The MS belongs to the historical collection of Hemarāja Sarman (fl. 1878-1953) and is currently kept at the NAK under accession number NAK 5-333. It is microfilmed twice by the NGMPP as B 29-19 and B 30-15, but the latter microfilm is incomplete. 104 The MS comprises 435 palm-leaf folios, 34  $\times$  5 cm in size, with one string-hole in the middle. It is written in a type of Newari script that is more recent than the one used in N, with approximately six lines per folio. The MS is exceptionally well-preserved and complete, containing the text of the Suśrutasamhitā as well as the Sauśrutanighantu. The final colophon identifies the scribe of the MS as Vaidya Amarasimhaka, son of Kamaladatta, and states the date on which he concluded the copying of the text. Both reading, that is, deciphering the actual characters, and interpretation of the concerned passage involve diverging opinions, all of which concur, however, in assigning the MS to the 16th century. Klebanov (2021a: 21–26) gives an analytical account of the views expressed in literature, considers further options and puts forward his understanding that the MS was completed on Sunday, July 29, AD 1543.

# Palaeographical features

- śrita for śrta.
- yātri for yātr (Su.ka.1.63)

<sup>103</sup> See http://ngmcp.fdm.uni-hamburg.de/mediawiki/index.php/A\_45-5\_ (Suśrutasaṃhitā) (accessed on October 22, 2021)/

<sup>104</sup> See http://ngmcp.fdm.uni-hamburg.de/mediawiki/index.php/B\_29-19\_Suśrutasaṃhitā (accessed on October 22, 2022).

- punarṇṇavā (Su.ka.1.61)
- ś and s in KL 699.
- b and v in KL 699 and NAK 5-333.
- cha and ccha
- line-fillers
- n for n (punarnnavā)
- vyājī-kṛ for vājī-kṛ

# **Editorial Principles**

#### Method

The data for the critical edition comes from the witnesses of the Nepalese version, which are MS KL 699, NAK 5-333 and NAK 1-1079. Diplomatic transcriptions of SS.1.16 of these manuscripts have been created by researchers of the Suśruta Project according to a subset of TEI Guidelines that has been formulated by Charles Li. MS NAK 5-333 was transcribed first because its script is easy to read, the scans are clear, and it is the most complete of the manuscript witnesses. Then, MS KL 699 and MS NAK 1-1079 were transcribed.

The diplomatic transcripts were uploaded to Charles Li's platform Saktumiva, which automatically collates them. An electronic text of the vulgate of the *Suśrutasaṃhitā*, which was transcribed without the commentaries by Tsutomu Yamashita and Yasutaka Muroya on the basis of Ācārya's 1931 and 1938 Bombay editions, <sup>106</sup> has also been included in the collation.

Saktumiva's automatic collation function standardises punctuation and orthographic variants according to filters which can be turned off or on. These filters enable the editors to ignore <code>dandas</code>, numbers and <code>puspikās</code> in the transcripts, as well as orthographic variants, such as <code>ba</code> and <code>va</code>, certain germinated consonants, and <code>visarga</code> variants. On the basis of the automatic collation, Jason Birch created a provisional edition of SS.1.16, which the project's researchers read together at weekly seminars. Manuscript images were routinely checked to verify the transcripts, particularly when a reading was uncertain; the commentaries of Cakrapāṇidatta and Dalhaṇa were

<sup>105</sup> These guidelines are at https://saktumiva.org/wiki/tei, accessed 20/10/2021.

<sup>106</sup> This e-text is available on the SARIT website; https://sarit.indology.info/susrutasamhita.xml?view=div,accessed 20/8/2021.

read, and variant readings reported by these commentators were included in notes to the edition. Also, various reference books were consulted, such as the Nadkarni (1954) and V. Jośī and N. H. Jośī (1968) and Meulenbeld (HIML), to elucidate the meaning of technical terms and identify relevant information in other medical works.

An initial draft of the translation and many annotations were written by Dominic Wujastyk during the seminars as the Project researchers discussed the text's meaning. The transcripts, provisional edition and translation were uploaded to the project's repository at Github on a weekly basis. Therefore, the project's work has been publicly available as it evolves. The following software tools have been selected by Wujastyk for the procedures described above:

- 1. oXygen XML editor (which has plugins for Github and TEI, and can validate the code).
- 2. Saktumiva (a platform for producing and publishing critical editions of Sanskrit texts).
- 3. Quick Palaeographer (a browser-based tool for reading MS images and developing a catalogue of character shapes).
- 4. Filezilla (document transfer to Saktumiva).
- 5. Github (document sharing, security and versioning).
- 6. LaTeX (document preparation).
- 7. qdpm (project management).

#### Stemma

The data from transcripts collated by Saktumiva can be exported as a FASTA file and aligned according to characters, syllables or words by a program called Helayo. The resulting NEXUS file can be read by phylogenetics software to build a stemmatic tree. This procedure was done with transcripts of several chapters of the Nepalese witnesses, and the results confirmed the editors' provisional stemmatic hypothesis that K and H are more closely related to one another than K and N. Given the early date of K and the small number of other surviving witnesses of the Nepalese version, the relationship between the manuscripts at our

<sup>107</sup> This process is discussed in greater detail by Charles Li at https://chchch.github.io/sanskrit-alignment/docs/index.html#tree, accessed 21/8/2021.

<sup>108</sup> See section 'Features of the Manuscript Transmission' for further discussion of this.

disposal is reasonably clear and, in the case of SS.1.16, the manuscript data was largely confined to N and H owing to a missing folio of K. Rather than have to assess numerous variant readings from a large number of witnesses, the challenge of editing has been to repair the text where it has become corrupt in the few witnesses available to us.

# The Edition and Apparatus

The critical edition of SS.1.16 in this article retains many of the peculiarities of MS KL 699 because the editors have endeavoured to present to the reader an archetype of the text that was transmitted by this ninth-century manuscript. Therefore, the Sanskrit has been standardised as minimally as possible and, although the text has been corrected and repaired wherever it was corrupt in the witnesses, it has not been normalized or conventionalized to the extent of many modern editions of Sanskrit works.

The editors have assumed that the authors of the Nepalese *Suśrutasaṃ-hitā* were familiar with Pāṇinian Sanskrit and, although there are some non-standard spellings and grammatical forms in the text, there are very few instances of hyper-Sanskritization, Buddhist-hybrid Sanskrit or Epic forms that would suggest that this assumption is unreasonable. Therefore, the editors of SS.1.16 have opted to retain some unusual features of the Sanskrit in MS KL 699 when they are grammatically correct. For example, in external *sandhi*, the class nasal is usually used at the end of a word instead of an *anusvāra* (e.g.,1.16.3, °vācanan dhātry°), although the *anusvāra* is sometimes used (1.16.15, *udakaṃ dhānyāmla*°). In most cases, the consonant following a *repha* is doubled, but this is not always the case. <sup>109</sup> Since these inconsistencies seem inherent to the transmission of the text and may have even been authorial, the critical edition reflects them as they occur in K and, when the testimony of K is not available, the witness most similar to K, which is H.

The Nepalese manuscripts often have an  $anusv\bar{a}ra$  before a  $dana{d}a$  at the end of a sentence or verse. Whether these  $anusv\bar{a}ras$  should be changed to the consonant m is a moot question because there is no Pāṇinian concept of

<sup>109</sup> Examples of the germination of consonants are karṇṇa (1.16.1 ff), muhūrtta (1.16.2), pūrvva (1.16.2), gandharvva (1.16.5), °mūlair mmadhu° (1.16.5), vartti (1.16.6) and punar vvidhyet (1.16.6). Examples where it does not occur in 1.16 are °ārtham (1.16.8,19), kuryāt (1.16.16, 32), °pālir vallūra° (1.16.10); °pālir vyāyojimaḥ (1.16.10) and dīrghaika° (1.16.10).

'end-of-sentence' and his rules on *sandhi* are contingent on the close contact of sounds (*saṃhitā*). However, it is reasonable to assume that at the end of a verse, paragraph or sentence the speakers would have paused for breath or thought, so *sandhi* should be applied, in which case a final *anusvāra* or class nasal of the following consonant is changed to *m*. Nonetheless, this remains an assumption about how the text would be pronounced. Therefore, in a critical edition, inserting *daṇḍas* and changing *anusvāras* to *m* before them are subjective decisions by the editors. The scribal use of *daṇḍas* and *anusvāras* in the Nepalese manuscripts can be seen in the digital edition if one switches off the filters for ignoring *dandas* and final *anusvāra* variants.

Unconventional spellings and grammatical forms have been retained and noted in the annotations to the translation. However, the editors have corrected scribal errors and repaired corruptions in the transmitted text with conjectures wherever possible. Therefore, although the edition retains many of the peculiarities of the Nepalese manuscripts, it is not a diplomatic transcript or a hybrid of diplomatic and critical editing because the features of the transmitted text have been retained or changed deliberately, and the reasons for doing so are given in either the introduction or, in more specific cases, the annotations to the translation.

#### **Printed Edition**

[To be written when the printed edition of SS.1.16 is finalised]

# **Digital Edition**

Instructions for reading the digital edition have been provided by Charles Li on Saktumiva. In brief, you can generate the apparatus by choosing a base text and one or more of the other witnesses. You can also choose to hide or ignore in varying degrees TEI tags, punctuation and orthographical variants in the transcripts of the witnesses. On the right side of the text, the digital edition displays an apparatus that is negative in so far as the lemma and its witnesses are not included. This apparatus truncates variants wherever possible.

For example, as seen in Figure 2, the apparatus for the highlighted words bahutvanivedanāyāṃ is on the right side between the purple square brackets. This entry means that the editors have chosen to read

34




Figure 2: The digital edition of SS.1.16.3

°bahutvanivedanāyāṃ, which is the reading of K, whereas A has °bahutvena nivedanayā, N °bahutveti vedanāś and H °bahutvanivedanāyāc. The final c in the reading of H is italicised because it has been marked by the transcriber as unclear.

A positive apparatus is available if you highlight with the cursor one or more words, and even entire passages or verses, and click on the collapsed menu icon. As seen in Figure 3, the positive apparatus of *bahutvanivedanāyāṃ* appears in a pop-up window in which the lemma and variants are aligned according to letters, and the variations are highlighted in yellow.



śoṇitabahutvanivedanāyāñ cānyadeśaviddham iti jānīyāt | nirupadravatā tadde: liṅgam ||3||

Figure 3: The witnesses to a selected passage of SS.1.16.3

In both the negative and positive apparatuses of the digital edition, you must infer conjectures and corrections by the editors. Testimonia and notes

are in the apparatus on the right side of the "provisional edition" text. They give an opportunity for the editors to provide scholarly commentary of various kinds, but the editors cannot write comments directly into the textual apparatus itself, since it is constructed live each time the text is displayed.

### Critical Edition of Sūtrasthāna 16

The first layer of variants gives those of the Nepalese MSS (K, K) and K); the second layer is those of the vulgate edition, Trivikramaja  $\bar{A}$ c $\bar{a}$ rya 1938 (K). A wavy underline (K) marks an unclear reading.

athātaḥ karṇṇavyadhavidhim vyākhyāsyāmaḥ||1||

- rakṣābhūṣaṇanimittam bālasya karṇṇau vyadhayet | tau ṣaṣṭhe māsəsaptame vā śuklapakṣe praśasteṣu tithikaraṇamuhūrttanakṣatreṣu kṛtamaṅgalaṃsvastivācanan dhātryaṅke kumāram
- upaveśyābhisāntvayamāno bhiṣag vāmahastenākṛṣya karnian daivakṛte chidre dakṣiṇahastena ṛju vidhyet | pūrvvan dakṣiṇaṃ k unārasya vāman kanyāyāḥ | pratanuṃ sūcyā bahalam ārayā ||2||<sup>1</sup>
  - śoṇitabahutvanivedanāyāñ cānyadeśaviddham <br/> i jānīyāt | nirupadravatā taddeśaviddhaliṅgam  $\|3\|^2$
- tatra yadrcchāviddhāyām sirāyām ajñena jveradāhaśvayathuvedanāgranthimanyāstambhāpatānakaśirograhakarņņaśūlāni bhavanti ||4||

<sup>&</sup>lt;sup>1</sup>Dalhaṇa records the alternative reading i 'nakṣyaviśeṣair vā before bālakrīḍanakaiḥ pralobhya in the vulgate.

<sup>&</sup>lt;sup>2</sup>At this point, witness K is missing a fcl's, so the rest of this chapter is constructed on the basis of witnesses N and H.

<sup>1</sup> vyākhyāsyāmaḥ] vyā K. 3 "aptame] om. N. 4 dhātryaṅke] dhātryaṅkā K. 4 kumāram] kumārakam N. 5 rju] rjum N H. 6 kumārasya] kumārarasya N. 7 pratanuṃ] pratanū N H. 8 "bahutvanivedanāyāñ] "bahutveti vedanāś N; "bahutva nivedanāyāc H. 16" 's reyathu" em.] "śvayathur N; "śvayathur H.

<sup>1</sup> karṇṇavyadham ] karṇavyadhabandhavidhim adhyāyaṃ A. 1 vyākhyāsyāmaḥ ] add. yathovāca bhagavān dhanavatariḥ || A. 2 vyadhayet ] vidhyete A. 2 māse ] māsi A. 4 °mangalarṃ svastivācanan ] °mangalasvastivācanaṃ A. 4 dhātryaṅke ] add. kumāradharānile vā A. 5 upaveśyābhisāntvayamāno ] upaveśya bālakrīḍanakaiḥ pralobhyābhisāntvayan A. 5 karṇṇan ] karṇaṃ A. 6 chidre ] chidra A. 6 chidre ] add. āditya arāvabhāsite śanaiḥ śanair A. 6 rju ] rju A 6 vidhyet ] add. pratanukaṃ sūcyā ahalara ārayā A. 6 pūrvvan ] pūrvaṃ A. 7 kanyāyāḥ ] kumāryāḥ A. 7 ārayā ] adu. tataḥ praveśayet praveśayet || A. 8 °bahutvanivedanāyāñ ] °bahutvena vedanayā A. 8 °dravatā ] °dravatayā A. 9 °viddhaliṅgam ] °viddham iti A. 10 tatra ] tatrā-jñena A. 10 yadrcchāviddhāyāṃ ] yadrcchayā viddhāsu A. 10 sirāyām ] sirāsu A. 10 sirāyām ] add. kālikāmarmarikālohitikāsūpadravā bhavanti | tatra kālikāyāṃ A. 10 jvara° ] jvaro 10 °dāha° ] dāhaḥ 10 °śvayathu° em. ] śvayathur A. 10 °vedanā° ] add. ca bhavati marmarikāyāṃ vedanā jvaro A. 10--11 °granthi° ] granthayaś A. 10--11 °granthi° ] granthayaś A. 10--11 °granthi° ] add. ca lohitikāyāṃ A. 11 bhavanti ] add. teṣu yathāsvaṃ pratikurvīt || kliṣṭajihmāpraśastasūcīvyadhād gāḍhataravartitvād A.

doṣasamudayād apraśastavyadhād vā tatra varttim apahṛtya yavamadhukamañjiṣṭhāgandharvvahastamūlair mmadhughṛtapragāḍhair ālepayet | surūḍhañ cainam punar vvidhyet ||5||<sup>3</sup>

samyagviddham āmatailapariṣekeṇopacaret | tryahāt tryahād varttiṃ sthūlatarāṅ kurvvīta pariṣekañ ca tam eva ||6||

atha vyapagatadoṣopadrave karṇṇe pravarddhanārthaṃ laghupravarddhanakena muñcet ||7||

10

evam samvarddhitah karnnas chidyate tu dvidha nṛṇām | doṣato vābhighātād vā sandhānān tasya me śṛṇu ||8||

tatra samāsena pañcadaśasandhānākṛtayo bhavarti | lad yathā | nemīsandhānakaḥ | utpalabhedyakaḥ | vallūrakaḥ | āsaṅgimaḥ | gaṇḍakarṇṇaḥ | āhāryaḥ | nirvvedhimaḥ | vyāyc jumaḥ | kapāṭasandhikaḥ | arddhakapāṭasandhikaḥ | saṅkṣiptaḥ | hīnalærṇṇaḥ | vallīkarṇṇaḥ | yaṣṭīkarṇṇaḥ | kākauṣṭhaḥ | iti | teṣu latra pṛthulāyatasamobhayapālir nemīsandhānakaḥ | vṛttāyatasamobhayapālir utpalabhedyakaḥ | hrasvavṛttasamobhayapālir vallūrakarṇṇakaḥ | abhyantaradīrghaikapālir āsaṅgimaḥ | bāhyadīrghaikapālir agaṇḍakarṇṇakaḥ | apālir ubhayato'py

<sup>&</sup>lt;sup>3</sup>Dalhaṇa (1.16.6) stated that some do not read surūḍhañ cainam punar vidhyet.

<sup>2 °</sup>gandharvvahastamūlair] °gandarvahastamūlai N. 5 °pariṣekeṇopa°] °pariṣekaṇopa° H. 6 °tarāṅ] °tarīṇ N; °tarīṅ H. 7 karṇṇe] add. la X N; add. lam H. 8 laghu°] la° N. 8 °va dhanakena em.] °vardhanakāmo N; °varddhanakāmā H. 9 nṛṇām] nṛṇā N. 10 ] doṣaṭo N H. 11 °sandhānā°] °sandhā° N. 14 arddhakapāṭasandhikaḥ] om. N. 15 kākauṣṭhaḥ] kākauṣṭhaḥhH. 15 iti] ti H. 15 °yatasamo°] °yasamo° H; °tasamo N. 16 °bhedyakaḥ] °bhedyaḥ N; °bhedakaḥ H. 17 vallūra°] valūra° N. 18 bāhya] bāhyaika N H. 18 ubhayato'py] ubhayato py N.

<sup>1</sup> va and and yatra samrambho vedanā vā bhavati A. 1 apahṛṭya upahṛṭyāśu A. 2 yavamadhuka°] madhukairaṇḍamūla° A. 2 °mañjiṣṭhāgandharvvahastamūlair] °mañjiṣṭnāyavatilakalkair A. 3 ālepayet] add. tāvad yāvat surūḍha iti || A. 3 vvidhyet] add. vidhānaṃ tu pūrvoktam eva || A. 5 samyag°] tatra samyag° A. 5 āmatailapariṣekeṇopacaret] āmatailena pariṣecayet A 5 tryahād] add. ca A. 6 kurvvīta] dadyāt A. 8 °pravarddhanakena em.] °vardhanakaṃ A. 8 muñcet] kuryāt A. 9 samvarddhitaḥ] vivardhitaḥ A. 10 sandhānān] sandhānaṃ A. 11 °daśasandhānākṛtayo] °daśakarṇabandhākṛtayaḥ A. 11 bhavanti] om. A. 12 nemī°] nemi° A. 14 °sandhikaḥ | arddha°] °sandhiko 'rddha°A 15 yaṣṭī°] yaṣṭi° A. 15 kākauṣṭhaḥ] kākauṣṭhaka A. 15 tatra] om. A. 16 nemī°] nemi° A. 17 vallūra°] vallūrakaḥ A.

āhāryaḥ | pīṭhopamapālir nirvvedhimaḥ | aṇusthūlasamaviṣamapālir vyāyojimaḥ | abhyantaradīrghaikapālir itarālpapāliḥ kapāṭasandhikaḥ | bāhyadīrghaikapālir itarālpapāliś cārddhakapāṭasandhikaḥ | tatraite daśakarṇṇasandhivikalpā bandhyā bhavanti | teṣān nāmabhir evākṛtayaḥ prāyeṇa vyākhyātāḥ | saṃkṣiptādayaḥ pañcāsādhyāḥ | tatra śuṣkaśaṣkulir itarālpapāliḥ saṃkṣiptaḥ | anadhiṣṭhānapāliḥ paryantayoś ca kṣīṇamāmɛo hīnakarṇṇaḥ | tanuviṣamapālir vallīkarṇṇaḥ | granthitamāṃsaḥ stabdhasirātatasūkṣmapālir yaṣṭīkarṇṇaḥ | nirmmāṃsasaṃkṣiptāgrālpaśoṇitapāliḥ kākauṣṭha iti | baddheṣv api dāhapākasrāvaśophayuktā na siddhim upayānti ||9||4

ato 'nyatamasya bandhañ cikīrṣuḥ agropaharaṇīyoktopasambhṛtasambhāraḥ viśeṭṭtaś cātropaharet surāmaṇḍakṣīram udakaṃ dhānyāmlakapālacūrṇṇañ ceti | tato 'ṅganāṃ puruṣam vā grathitakeśāntaṃ laghubhuktavantan āptaiḥ suparigṛhītaṃ

<sup>&</sup>lt;sup>4</sup>Cakrapāṇi (1.16.9–13) and Dalhaṇa (1.16.1.) pointed out that others read pañcadaśakarṇakṛtayaḥ (instead of pañcadaśasandhānākṛtayaḥ). Dalhaṇa (1.16.10) also mentioned that some read samunnatasamobhayapāliḥ (instead of vṛttāyatasamobhayapālir) and others do not read saṃkṣiptādayaḥ pañcāsādhyāḥ.

 <sup>1</sup> aņusthūla°] aśusthūla° H
 2 kārāṭa°] kavāṭā° H
 3 cārddhakapāṭa° em.] vārddhakavāṭa° H; cārddhakavāṭa° N
 6 paryantayoś ca] om. N
 7 °māṃsaḥ] °mānsaḥ N

 H.
 9 nirmāṃsa°] nimāsa° N; nirmmānsa° H
 10 °srāva°] °śrāva° H
 10 °śopha°] °sopha° N
 12 ato] tato N
 13 °paharaṇīyo°] °pasaṃharaṇīyo° N
 13 cātropaharet] cāgropaharaṇīyāt N
 H
 15 puruṣam] puruṣañ N

<sup>1</sup> pīṭhopamaṛ air ] add. ubhayataḥ kṣīṇaputrikāśrito A. 1 aṇusthūla°] sthūlāṇu° A. 3 cārddha° ] a. dia° A. 3 tatraite ] tatra A. 4 daśakarṇṇasandhivikalpā ] daśaite karṇabanuravikalpāḥ A. 4 bandhyā bhavanti ] sādhyāḥ A. 4 teṣān ] teṣāṃ A. 4 nārnahhir ] svanāmabhir A. 5 śuṣkaśaṣkulir ] add. utsannapālir A. 6 ca ] om. A. 7 °ṣan pair ] °ṣamālpapālir A. 7 °māṃsaḥ ] °māṃsa° A. 8 °sirātatasūkṣma° ] °sirāsaṃt tasūkṣma° A. 9 kākauṣṭha ] kākauṣṭhaka A. 9 api ] add. tu śopha A. 10 °ūħa° ] add. °rāga° A. 10 °pāka° ] add. °piḍakā° A. 10 °śopha° ] om. A. 11 inserted tassage ] bhavanti cātra | yasya pālidvayam api karṇasya na bhaved iha | karṇapīṭhaṃ same madhye tasya viddhvā vivardhayet || bāhyāyām iha dīrghāyāṃ sandhir ābhyantaro bhavet | ābhyantarāyāṃ dīrghāyāṃ bāhyasandhir udāhṛtaḥ || ekaiva tu bhavet pāliḥ sthūlā pṛthvī sthirā ca yā | tāṃ dvidhā pāṭayitvā tu chittvā copari sandhayet || gaṇḍād utpāṭya māṃsena sānubandhena jīvatā | karṇapālīm āpāles tu kuryān nirlikhya śāstravit || A. 12 'nyatamasya ] 'nyatamaṃ A. 13 °sambhāraḥ ] °sambhāraṃ A. 14 surāmaṇḍakṣīram ] surāmaṇḍaṃ kṣīram A. 14 dhānyāmlakapāla° ] dhānyāmlaṃ kapāla° A.

kṛtvā ca bandhān upadhārya chedyabhedyalekhyavyadhanair upapādya karṇṇaśoṇitam avekṣyaitad duṣṭam aduṣṭam veti tato vātaduṣṭe dhānyāmlodakābhyām pittaduṣṭe śītodakapayobhyām śleṣmaduṣṭe surāmaṇḍodakābhyām prakṣālya karṇṇam punar avalikhet | anunnatam ahīnam aviṣamañ ca karṇṇasandhin niveśya sthitaraktaṃ sandarśya madhughṛtenābhyajya picuplotayor anyatareṇāvaguṇṭhya nātigāḍhan nātiśithilaṃ sūtreṇāvabadhya kapālacūrṇṇenāvakīryācārikam upadićet | dvivraṇīyoktena cānnenopacaret ||10||

vighaṭṭanan divāsvapnam vyāyāmam atibhojanam | vyavāyam agnisantāpam vākśramañ ca vivariiayət ||11||

nātiśuddharaktam atipravṛttaraktam kṣīṇaraktam vā sandadhyāt | sa hi vātaduṣṭe raktabaddhoˈrūḍho paripuṭanavān bhavati | pittaduṣṭe gāḍhapākarāgavān | śleṣmaduṣṭe stabdhakarṇṛaḥ kaṇḍūmān atipravṛttasrāvaḥ śophavān kṣīṇālpamāṃso na vṛddhim upaiti ||12||

10

1 kṛtvā ca em. ] om. N H. 1 upadhārya ] upapāc ya H. 2 °śoṇitam avekṣyaitad ] °śoṇitata avekṣyetad N. 2 aduṣṭam ] aduṣṭaː N. 2 veti ] ceti N H. 3 dhānyāmlo° ] dhānyāvlo° N 3 śītodaka° ] śītodako° N. 4 avalikhet ] avalikheta N. 5 °sandhin ] °sandhim N 6 °guṇṭhya ] °guṇṭhyo H. 6 °gāḍham ] °gāḍham N. 7 °badhya ] °badha N. 8 cānnenopacaret ] upapo aret N. 9 inserted passage ] add. || bha || N. 9 vighaṭṭanam ] vighaṭṭanam N. 10 aənisantāpam ] āgnisantāpa N. 10 vivarjjayet ] varjayet N. 11 °śuddha° ] °sua ha° N. 11 °vṛttaraktaṃ ] °vṛttaṃ raktaṃ N. 12 raktabaddho rūḍho em. ] raktava d ho ruḍho N; raktabaddho rūḍho H. 12 °puṭanavān ] °puṭavām N; °puṭanavām H. 12 °duṣṭai N. 13 śleṣma° ] śleṣa° N. 13 °karṇṇaḥ ] °varṇṇaḥ N. 14 °srāvaḥ ] °śrāvaḥ H. 14 kṣīṇālpa° ] kṣīṇo lpa° N.

1 kṛtvā ca ] ca kṛtvā A. 1 bandhān ] bandham A. 1 °vyadhanair ] add. upapannair A. 2 avekṣyaitəd ] avekṣya A. 2 tato ] tatra A. 3 dhānyāmlodakā° ] dhānyāmloṣṇo-dakā° A. 4 °n,¬ṇḍodakā° ] °maṇḍoṣṇodakā° A. 4 karṇṇam ] karṇau A. 4 avalikhet | anunnata.n ] avalikhyānunnatam A. 5 °sandhin ] °sandhiṃ A 5 niveśya ] sanniveśya A. 5 sandarśya ] sandadhyāt A. 5 sandarśya ] add. tato A. 6 nātigāḍhan ] sūtranānavagāḍhaman A. 7 nāti° ] ati° A. 7 sūtreṇāvabadhya ] ca baddhvā A. 8 cānnen pacaret ] ca vidhānenopacaret A. 9 inserted passage ] bhavati cātra | A. 9 vi-g. aṭṭanan ] vighaṭṭanaṃ A. 11 nāti° ] na cāśu° A. 12 raktabaddho'rūḍho em. ] rakte rūḍho 'pi A. 12 bhavati ] om. A. 13 gāḍhapākarāgavān ] dāhapākarāgavedanāvān A. 13 stabdha° ] stabdhaḥ A. 14 °vṛttasrāvaḥ śophavān ] °vṛttarakte śyāvaśophavān A. 14 kṣīṇālpa° ] kṣīṇo'lpa° A.

sa yadā rūḍho nirupadravaḥ karṇṇo bhavati tadainaṃ śanaiḥ śanair abhivarddhayet | anyathā saṃrambhadāhapākavedanāvān bhavati | punar api chidyeta ||13||

athāpraduṣṭasyābhivarddhanārtham abhyaṅgaḥ |

10

godhāpratudaviṣkirānūpaudakavasāmajjāpayastailaṃ gaurasarṣapajañ ca yathālābhaṃ

saṃbhṛtyārkālarkabalātibalānantāvidārīmadhukajalaśūkaprativāp $\cdot$ n tailam pācayitvā svanuguptan nidadhyāt  $\|14\|^5$ 

svedito marditan karnnam anena mraksayed buo'nalı lato'nupadravah samyag balavāmś ca vivardal'ate  $\|15\|^6$ 

ye tu karnnā na varddhante snehasvedobar īditāḥ | teṣām apāṅge tv abahiḥ kuryāt prachānam eva ca ||16||<sup>7</sup>

<sup>&</sup>lt;sup>5</sup>Dalhaṇa (1.16.18) noted that some read *rājasarṣapajaṇ*; in the place of *gaurasarṣapajaṇ*. This reading appears to have been accepted by Cakrapāṇi (1.16.18–20), who glosses *rājasarṣapaja* as *śvetasarṣapa*. Cakrapāṇi also said that concered sarpis in the place of *payas*. In the compound beginning with *arka*, Dalhaṇa no ted that some read *arkapuṣpī*.

<sup>&</sup>lt;sup>6</sup>N has a *kākapāda* after *ane*, but the missing letter (one would expect '*na*') has not been supplied in a margin or elsewhere.

<sup>&</sup>lt;sup>7</sup> Palhaṇa (1.16.23) noted that some r r d t  $\bar{q}$   $\bar{a}$  m  $ap\bar{a}$  n g a p a

<sup>1</sup> inserteu passage amatailena trirātram pariṣecayet trirātrāc ca picum parivartayet | A. 1 rūḍho surūḍho A. 1 karṇṇo savarṇo A. 2 anyathā ato 'nyathā A. 2 °pākave lanūvān opākarāgavedanāvān A. 2 bhavati om. A. 3 api om. A. 3 chidyeta chidyate vā A. 4 athāpra° athāsyāpra° A. 4 abhyangaḥ add. tad yathā A. 5 °majjāpayastailam omajjānau payaḥ sarpis tailam A. 7 °balānantā° obalānantāpāmārgāśvagandhā A. 7 °vidārīmadhukajalaśūka° ovidārigandhākṣīraśuklājalaśūkamadhuravargapayasyā° 7 °prativāpam oprativāpam A. 8 tailam add. vā A. 8 °guptan opguptam A. 9 svedito marditam sveditonmarditam A. 9 anena mrakṣayed budhaḥ snehenaitena yojayet A. 11 inserted passage yavāśvagandhāyaṣṭyāhvais tilaiś codvartanam hitam satāvaryaśvagandhābhyām payasyair aṇḍajīvanaiḥ tailam vipakvam sakṣīram abhyangāt pālivardhanam | A. 11 snehasvedopa° svedasnehopa° A. 12 apānge tv abahiḥ apāngadeśe tu A. 12 ca tu A.

amitāḥ karṇṇabandhās tu vijñeyāḥ kuśalair iha | yo yathā suniviṣṭaḥ syāt tat tathā yojayed bhiṣak ||17||<sup>8</sup>

jātaromā suvartmā ca śliṣṭasandhiḥ samaḥ sthiraḥ | surūḍho 'vedano yas tu taṃ karṇṇaṃ varddhayec chanaiḥ ||18||

viśleṣitāyām atha nāsikāyām vakṣyāmi sandhānavidhim yathāvat | nāsāpramāṇam pṛthivīruhāṇām

5

1 °bandhās] °bandho H. 1 tu] stu H. 2 yojayed] yojaye N. 3 suvartmā] suparmā N; suvarmmā H. 3 °sandhiḥ] °sandhim N. 4 tu] tat N H. 6 nāsikāyām] nāsikāyā N. 8 °pramāṇam] °pramāṇa° N. 8 °vīruhāṇām] °vīruhāṇam N.

1 inserted passage ] bāhyacchedam na kurvīta vyāpaanh syus tato dhruvāḥ || baddhamātram tu yaḥ karnam sahasaivābhivardhayet | ā. akośī samādhmātaḥ kṣipram eva vimucyate || A. 2 suniviṣṭaḥ | suviśiṣṭaḥ A. 2 s vā. | tam A. 2 yojayed bhiṣak | viniyojayet A. 2 inserted passage (karnap iyi mayānnnnām punar vaksyāmi suśruta) karņapalyām prakupaitā vātapittakaphās tray li 🏿 dvidhā vāpyatha samsīstāh kurvanti vividhā rujaḥ | visphoṭaḥ stabdhatā śophah pālyām doṣe tu vātike || dāhavisphiṭajananam śophah pākaś ca paittike | kanç'u'n sasvayathuh stambho gurutvam ca kaphātmake || yathādosam ca samśodhya kuryātte am cikitsitam | svedābhyangaparīsekaih pralepāsrgvimoksanaih || mrdvīm krivār. brmhanīyair yathāsvam bhojanais tathā | ya evam vetti dosānām cikitsām kartum ai nati || ata ūrdhvam nāmalingair vaksye pālyām upadravān | atpāṭakaś cotpuṭakaḥ śyāvaḥ ĸaṇḍūyuto bhṛśam || avamanthaḥ sakaṇḍūko granthiko jambulas tathā | srāvī ca Jāl avāṃś caiva śṛṇveṣāṃ kramaśaḥ kriyām || apāmārgaḥ sarjarasah pātalālakucatvaceu ļutpātake pralepah syāttailamebhiś ca pācayet || śampākaśigrupūtīkān godāmedo 'tı a tadvasām | vārāham gavyamaiņeyam pittam sarpiś ca samsrjet || lepam utpuṭake Jadyāttailamebhiś ca sādhitam | gaurīṃ sugandhāṃ saśyāmāmanantāṃ taṇḍulīyakan h ɗyāve pralepanam dadyāttailamebhiś ca sādhitam | pāṭhāṃ rasāñjanam kṣaudram ətha syāduṣṇakāñjikam || dadyāl lepaṃ sakaṇḍūke tailamebhiś ca sādhitam | vraṇībhūt, sya deyam syādidam tailam vijānatā || madhukakṣīrakākolījīvakādyair vipācitam ˈgoːːnāvarāhasarpāṇām vasāḥ syuḥ kṛtabṛmhaṇe || pralepanam idam dadyād avasiryāvan.anthake | prapaundarīkam madhukam samangām dhavam eva ca || tailam ebhiś ca sampakvam śrnu kandūmatah kriyām | sahadevā viśvadevā ajāksīram sasaindhavam etair ālepanam dadyāt tailam ebhiś ca sādhitam || granthike guṭikām pūrvam srāvayed avapātya tu | tatah saindhavacūrnam tu ghrstvā lepam pradāpayet || likhitvā tatsrutam ghṛṣṭvā cūrṇair lodhrasya jambule | kṣīreṇa pratisāryainaṃ śuddhaṃ saṃropayet tataḥ || madhuparnī madhūkam ca ma madhukam madhunā saha | lepah srāvini dātavyas tailam ebhiś ca sādhitam || pañcavalkaih samadhukaih pistais taiś ca ghrtānvitaih | jīvakādyaih sasarpiskair dahyamānam pralepayet ||) A. 4 yas ca A. 6 viślesitāyām viślesitāyās tv A. 6 nāsikāyām ] nāsikāyā A.

<sup>&</sup>lt;sup>8</sup>Dalhaṇa (1.16.26) stated that some read *suniviṣṭaḥ* (the reading of the Nevalese version) instead of *suviśiṣṭaḥ*.

patram grhītvā tv avalambi tasya ||19||9

tena pramāṇena hi gaṇḍapārśvād utkṛtya vadhraṃ tv atha nāsikāgram | vilikhya cāśu pratisandadhīta taṃ sādhubaddham bhiṣag apramattaḥ ||20||

susīvitam samyag ato yathāvan nāḍīdvayenābhisamīkṣya nahyet | unnāmayitvā tv avacūrṇṇayīta pattāṅgayaṣṭīmadhukāñjanaiś ca ||21||

5

10

15

saṃchādya samyak picunā vraṇan tu tailena siñced asakṛt tilānām | ghṛtañ ca pāyyaḥ sa naraḥ sujīrṇṇe snigdho virecyaḥ svayathopadeśaːn ||22||

rūḍhañ ca sandhānam upāgatar vai tadvadhraśeṣaṃ tu punar marntet | hīnam punar varddhavituṃ yateta samañ ca kuryād ativṛdanamāṃsam iti ||23|| om ||

 $<sup>^9</sup>$ Cakrapāṇidatta said that others read  $n\bar{a}s\bar{a}sandh\bar{a}navidhim$  here. Palhaṇa (1.16.27–31) stated that some read, chinnu n u nāsikām dṛṣṭvā vayaḥsthasya śarīriṇaḥ | nāsānurūpaṃ saṃcchidya patraṃ gaṇḍe nit sśayət ||

<sup>1</sup> patram ] patra N. 3 vadhram ] vandhra H. 5 °baddham ] °vaddha° N. 6 susīvitam em. ] səsəvita N; suśīvitam H. 6--9 susīvitam...||21|| ] om. K. 9 pattāṅga° em. ] pattrāṅga° II; pattaṅga° N. 10 vraṇan tu ] vraṇa tun N. 13 virecyaḥ ] virecya N H. 13 °dcśam ] °deśaḥ N. 14 sandhānam ] sandhām N. 14 upāgataṃ ] upāgataś H. 14 vai ] rai H. 15 °śeṣaṃ ] °seṣan N. 16 yateta ] yatetaḥ N. 17 °māṃsam ] °mānsam N. 17 om ] om. N. 14--17 rūḍhañ...om ] om. K.

<sup>3</sup> vadhram ] baddham A. 5 tam ] tat A. 5 °baddham ] °bandhair A. 6 susīvitam em.] susamhitam A. 7 nahyet ] baddhvā A. 8 unnāmayitvā ] pronnamya cainām A. 8 avacūrṇṇayīta ] avacūrṇayet tu 9 pattāṅga° em.] pataṅga° A. 10 vraṇan tu ] sitena A. 13 svayatho° ] sa yatho° A. 14 vai ] syāt A. 15 tadvadhra° ] tad ardha° A 16 hīnam ] hīnāṃ A. 17 samañ ] samāṃ A. 17 °māṃsam ] °māṃsām A. 17 om ] om. A. 18 inserted passage ] nāḍīyogaṃ vinauṣṭhasya nāsāsandhānavad vidhim | ya evam eva jānīyāt sa rājñaḥ kartum arhati || A.

## Translation of Sūtrasthāna 16

- 1 Now we shall expound the method for piercing the ear. 110
- One may pierce a child's ears for the purpose of preserving and decorating. On renowned days, half days, hours and constellations during the first half of the sixth or seventh lunar month, the physician sits the boy, who has received a benediction (*kṛtamaṅgala*) blessings pronounced (*svastivācana*)<sup>111</sup> –, on the lap of a wet-nurse and pacifies him.<sup>112</sup> Then, having pulled his ear with the left hand, he should use his right hand to pierce the ear straight through at a naturally occurring cleft.<sup>113</sup> For a
- 110 The topic of piercing the ear (kaṛṇavyadha) is not discussed in the Carakasaṃhitā (HIML: IB, 326, n. 175), but it is mentioned in some texts that followed the Suśrutasaṃhitā, such as the Kaśāpyasaṃhitā (HIML: IIA, 30). Also, the instrument for piercing the ear is described in the *Astāngahrdayasūtra* 1.26.26 (**kunt-1902**). In the versions of the text known to Palhana (Su 1938: 76) and Cakrapānidatta (Su 1939: 125), the heading of this chapter is karnavyadhabandhavidhi ('the method of piercing and joining the ear'), instead of the Nepalese version's karṇavyadhavidhi. The topic of karṇabandha is discussed in passages 17-20 of the Nepalese version. However, it appears that only subsequent redactors reflected its importance by including it in chapter headings. The Nepalese version also omits the opening remark on Dhanvantari that appears in subsequent versions. For a discussion of the frame story in the Nepalese version, see Birch, Wujastyk, Klebanov, Parameswaran, et al. 2021. Dalhana (Su 1938:76) and Cakrapāṇidatta (Su 1939: 125) state that only the ears of healthy people should be pierced, and they quote Bhoja to affirm this: 'When piercing the ears of children who are free of disease at these times, their ear flaps and apertures, as well as limbs, increase' (for the Sanskrit, see Su 1938: 76).
- 111 The syntax here is unclear. The expression *svastivācana* may have been a gloss inserted into the text at an earlier period to clarify *maṅgala*. But as it stands, it is not syntactically connected to the rest of the sentence. In the versions of 1.16.3 known to Cakrapāṇidatta (Su 1939: 126) and Palhaṇa (Su 1938: 76), the words are united in a compound that reads more naturally.
- 112 The versions of 1.16.3 known to Cakrapāṇidatta (Su 1939: 126) and Dalhaṇa (Su 1938: 76) have the additional compound kumāradharāṅke ('on the lap of one who holds the child') after dhātryaṅke. The gender of kumāradhara is made clear by Dalhaṇa's gloss 'a man who holds the child'. Also, both versions add bālakrīḍanakaiḥ pralobhya ('having enticed with children's toys') to indicate that the child should be tempted with toys to stay on the assistant's lap. According to Dalhaṇa on 1.16.3 (Su 1938: 76), the toys include replica elephants, horses, bulls and parrots. Dalhaṇa further mentions that others read bhakṣyaviśeṣair vā ('or by special treats') before bālakrīḍanakaiḥ.
- 113 The versions of 1.16.3 of Cakrapāṇidatta (Su 1939: 126) and Palhaṇa (Su 1938: 76) add ādityakarāvabhāsite to clarify that this naturally occurring cleft is illuminated by sunshine.

- boy, do the right ear first; for a girl, do the left one. Use a needle on a thin ear; an awl  $(\bar{a}r\bar{a})$  on a thick one. 114
- If there is excess blood or pain one should know that it was pierced in the wrong place. The absence of side-effects is a sign that it has been pierced in the right place.<sup>115</sup>
- In this context, if an ignorant person accidentally pierces a duct (*sirā*) there will be fever, burning, swelling (*śvayathu*), pain, lumps (*granthi*), paralysis of the nape of the neck (*manyāstambhā*), convulsions (*apatānaka*), headache or sharp pain in the ear. 116
- 5 Having removed the wick (*varti*) in the hole because of the aggravation of humours or a culpable piercing, <sup>117</sup> one should smear it with a paste of the roots of barley, liquorice, Indian madder (*mañjiṣṭhā*), and the castor oil tree (*gandharvahasta*), thickened with honey and ghee. When it has healed well, one should pierce it again.

Add reference in the fn for the article on samudāya

- 114 Dalhaṇa on 1.16.3 (Su 1938: 76) clarifies that the awl is a shoe-maker's knife for piercing leather. He also cites the authority of "the notes of Lakṣmaṇa" (Lakṣmaṇaṭip-paṇaka) on the issue of the thickness of the needle. The Notes of Lakṣmaṇa is not known from any earlier or contemporary sources and was presumably a collection of glosses on the Suśrutasaṃhitā that was available in twelfth-century Bengal. See Meulenbeld (HIML: IA, 386, and the footnotes for further literature).
- 115 At this point, MS Kathmandu KL 699 is missing a folio, so the rest of this chapter is constructed on the basis of witnesses MS Kathmandu NAK 5-333 and MS Kathmandu NAK 1-1079.
- 116 This passage is significantly augmented in 1.16.4 of Cakrapāṇidatta's version (Su 1939:126) and 1.16.5 of Palhaṇa's (Su 1938:77) to outline the specific problems caused by piercing three ducts called *kālikā*, *marmikā* and *lohitikā*. In fact, the order of the problems mentioned in the Nepalese version has been retained in the other versions and divided between each duct. Cakrapāṇidatta's commentary on 1.16.4 (Su 1939:126) cites several verses attributed to Bhoja on the problems caused by piercing these three ducts in the ear flap: 'Lohitikā, marmikā and the black ones are the ducts situated in the earflaps. Listen in due order to the problems that arise when they are pierced. Paralysis of the nape of the neck and convulsions, or sharp pain arise from piercing *lohitikā*. Pain and lumps are thought to arise from piercing *marmikā*. Piercing *kālikā* gives rise to swelling, fever and burning.'
- 117 In addition to these reasons, 1.16.6 of Dalhaṇa's (Su 1938:77) adds kliṣṭajihmā-praśastasūcīvyadhāt ('because of piercing with a painful, crooked and unrecommended needle') and gāḍhataravartitvāt ('because of a wick that is too thick'). Dalhaṇa was aware of the reading in the Nepalese version because he notes in his commentary on 1.16.6 (Su 1938:77) that some read 'because of the accummulation of humours' rather than 'because of piercing with a painful, crooked and unrecommended needle or because of a wick that is too thick.' On the meaning of samudāya, see ?? and Meulenbeld 1992: 1–5.

- 6 One should treat the properly-pierced ear by sprinkling it with raw sesame oil. After every three days one should apply a thicker wick (*varti*) and sprinkle oil right on it.<sup>118</sup>
- 7 Once the ear is free from humours or side-effects, one should loosen it with a light dilator (*pravardhanaka*) in order to enlarge it.<sup>119</sup>
- 8 A person's ear enlarged in this way can split in two, either as a result of the humours<sup>120</sup> or a blow. Listen to me about the joins (*sandhāna*) it can have.
- 9 Here, there are, in brief, fifteen ways of mending the ear flap. 121 They are as follows: Rim-join (nemīsandhānakaḥ), Lotus-splittable (utpalabhedyaka), Dried Flesh (vallūraka), Fastening (āsaṅgima), Cheek-ear (gaṇḍakarṇa), Take away (āhārya), Ready-Split (nirvedhima), Multi-joins (vyāyojima), Door-hinge (kapāṭasandhika), Half door-hinge (ardhakapāṭasandhika), Compressed (saṃkṣipta), Reduced-ear (hīna-karṇa), Creeper-ear (vallīkarṇa), Stick-ear (yaṣṭīkarṇa), and Crow's lip (kākauṣṭha). 122

In this context, among these,

"Rim-join" (*nemīsandhānaka*): both flaps are wide, long, and equal.

"Lotus-splittable" (*utpalabhedyaka*): both flaps are round, long, and equal.

"Dried flesh" (vallūraka): both flaps are short, round, and equal.

"Fastening" (āsaṅgima): one flap is longer on the inside.

<sup>118</sup> The manuscripts support the reading *sthūlatarīm* that is either a non-standard form or a scribal error.

<sup>119</sup> Cakrapāṇidatta on 1.16.6 (Su 1939: 127) and Dalhaṇa on 1.16.8 (Su 1938: 77) point out that the dilator can be made of wood, such as that of the prickly chaff flower ( $ap\bar{a}marga$ ), the neem tree (nimba) and the cotton plant ( $k\bar{a}rp\bar{a}sa$ ). Dalhaṇa adds that it can also be made of lead ( $s\bar{s}saka$ ) and should have the shape of the datura flower ( $dhatt\bar{u}rapuṣpa$ ).

<sup>120</sup> Palhaṇa on 1.16.9 (Su 1938:77) notes that the word *doṣa* here can refer to either a humour, such as wind  $(v\bar{a}ta)$ , as we have understood it, or a disease generated from a humour.

<sup>121</sup> The Nepalese version uses the word <code>sandhāna</code> to refer to joining a split in an ear flap, which is consistent with the terminology in the verse cited above (8). However, 1.16.10 of <code>Dalhaṇa</code>'s version (Su 1938: 77) uses the term <code>bandha</code> here and at the very beginning of the chapter (i.e., 1.16.1) to introduce the topic of repairing the ear.

<sup>122</sup> For an artist's impression of these different kinds of joins in the ear flap, see Majno 1975: 290 (reproduced as Figure 3.2 in Wujastyk 2003: 154).

- "Cheek-ear" (gaṇḍakarṇa): one flap is longer on the outside. 123
- "Take-away" ( $\bar{a}h\bar{a}rya$ ): the flaps are missing, in fact, on both sides.
- "Ready-split" (*nirvedhima*): the flaps are like a dais (*pīṭha*).
- "Multi-joins" (*vyāyojima*): one flap is small, the other thick, one flap is equal, the other unequal.
- "Door-hinge" (*kapāṭasandhika*): the flap on the inside is long, the other is small.
- "Half door-hinge" (ardhakapāṭasandhika): the flap on the outside is long, the other is small.

These ten options (*vikalpa*) for joins (*sandhi*) of the ear should be bound. They can mostly be explained as resembling their names.<sup>124</sup> The five from compressed (*saṃkṣipta*) on are incurable.<sup>125</sup> Among these, "compressed" has a dry ear canal and the other flap is small. "Reduced ear" has flaps that have no base and have wasted flesh on their edges. "Creeper-ear" has flaps that are thin and uneven. "Stick-ear" has lumpy (*granthita*) flesh and the flaps are stretched thin and have stiff (*stabdha*) ducts (*sirā*). "Crow-lip" has a flap without flesh with compressed (*saṃkṣipta*) tips and little blood. Even when they are bound up, they do not heal because they are hot, inflamed, suppurating (*srāva*), or swollen.<sup>126</sup>

<sup>123</sup> For an artist's impression of this join, see Majno 1975: 291 (reproduced as Figure 3.3 in Wujastyk 2003: 155).

<sup>124</sup> Cakrapāṇidatta on 1.16.9–13 (Su 1939: 128–129) and Dalhaṇa on 1.16.10 (Su 1938: 77–78) provide examples of how the names of these joins describe their shapes. For example, the rim-join (nemīsandhānaka) is similar to the join of the rim of a wheel (cakradhārā).

<sup>125</sup> Dalhaṇa on 1.16.10 (Su 1938:77–78) mentions that some do not read the statement that only five are incurable, and they understand the causes of unsuccessful joins given below (i.e., heat, inflammation, suppuration and swelling) as also pertaining to the first ten when they do heal.

<sup>126</sup> The version of 1.16.11–13 known to Dalhaṇa (Su 1938:78) has four verses (śloka) at this point that are not in the Nepalese manuscripts. The additional verses iterate the types of joins required for ear flaps that are missing, elongated, thick, wide, etc. All four verses were probably absent in the version of the *Suśrutasaṃhitā* known to Cakrapāṇidatta. He cites the verses separately in his commentary, the *Bhānumatī* (Su 1939: 128–129), introducing each one as 'some people read' (*ke cit paṭhanti*). How-

A person wishing to perform any of these joins should therefore have supplies prepared according to the recommendations of the 'Preparatory Supplies' chapter. And in this regard, he should particularly gather decanted liquor (surāmaṇḍa), milk, water, fermented rice-water (dhānyāmla), and powdered earthenware crockery (kapālacūrna). 129

Next, having made the woman or man tie up the ends of their hair, eat lightly and be firmly held by qualified attendants, one considers the joins (bandha) and then applies them by means of cutting (chedya), splitting (bhedya), scarification (lekhya), or piercing (vyadhana). Next, he should examine the blood of the ear to know whether it is tainted (duṣṭa) or not. If it is tainted by wind, the ear should be bathed with fermented rice-water (dhānyāmla) and water; if tainted by choler, then cold water and milk should be used; if tainted by phlegm, then decanted liquor (surāmaṇḍa) and water should be used, and then he should scarify it again.

Then, arranging the join in the ear so that it is neither proud, depressed, nor uneven, one should make the join. Having seen that the blood has stopped, one should anoint it with honey and ghee, bandage each ear with cotton (picu) and gauze (prota), and bind it up with a thread, neither too tightly nor too loosely. Then, the earthenware powder should be sprinkled on, and medical advice ( $\bar{a}c\bar{a}rika$ ) given. And he

ever, in Trikamajī Ācārya's edition of the  $S\bar{u}trasth\bar{u}na$  of the  $Bh\bar{u}numat\bar{\iota}$ , the root text is largely identical to the one commented on by Dalhaṇa (Su 1938), even in instances like this where Cakrapāṇidatta's commentary indicates that he was reading a different version of the  $Su\acute{s}rutasamhit\bar{u}$ .

<sup>127</sup> *Suśrutasaṃhitā* 1.5 (Su 1938: 18–23), probably verse 6 especially, that lists the equipment and medications that a surgeon should have ready.

<sup>128</sup> The reading in the Nepalese manuscripts of *viśeṣataś cāgropaharaṇīyāt* has been emended to *viśeṣataś cātropaharet* to make sense of the list of ingredients, which is in the accusative case. Also, the repetition of *agropaharaṇīyāt* in the Nepalese version suggests that its second occurrence, which does not make good sense here, is a dittographic error

<sup>129</sup> The term *kapālacūrṇa* is unusual. Dalhaṇa (Su 1938: 79) defines it as the powder of fragments of fresh earthen pots and Cakrapāṇidatta (Su 1939: 129) as the powder of earthenware vessels.

<sup>130</sup> There are syntactic difficulties in this sentence. We have adopted the reading in Dalhaṇa's version (Su 1938: 78), which has *ca kṛtvā* following *suparigṛhītaṃ*. It is likely that a verb, such as *kṛtvā*, dropped out of the Nepalese transmission.

- should supplement with food as taught in the 'Two Wound' chapter.<sup>131</sup>
- One should avoid rubbing, sleeping during the day, exercise, overeating, sex, getting hot by a fire, or the effort of speaking.
- One should not make a join when the blood is too pure, too copious, or too thin. For when the ear is tainted by wind, then it is obstructed by blood (raktabaddha), unhealed and will peel. When tainted with choler, is becomes pinched ( $g\bar{a}dha$ ), septic ( $p\bar{a}ka$ ) and red. When tainted by phlegm, it will be stiff (stabdha) and itchy. It has excessively copious suppuration ( $sr\bar{a}va$ ) and is śopha ( $puffed\ up$ ). It has it has a small amount of wasted ( $ks\bar{i}na$ ) flesh and it will not grow.
- When the ear is properly healed and there are no complications, one may very gradually start to expand it. Otherwise, it may be inflamed (saṃrambha), burning, septic or painful. It may even split open again.
- Now, massage for the healthy ear, in order to enlarge it. One should gather as much as one can the following: a monitor lizard (*godhā*), scavenging (*pratuda*) and seed-eating (*viṣkira*) birds, and creatures that live in marshes or water, <sup>134</sup> fat, marrow, milk, and sesame oil, and white mustard oil. <sup>135</sup> Then cook the oil with an admixture (*prativāpa*) of the following: purple calotropis (*arka*), white calotropis (*alarka*), country mallow (*balā*), 'strong Indian mallow' (*atibalā*), country sarsaparilla (*anantā*), beggarweed (*vidāri*), liquorice (*madhuka*) and

<sup>131</sup> Suśrutasaṃhitā 4.1 (Su 1938: 396–408).

<sup>132 1.16.17</sup> of Palhaṇa's version (Su 1938: 79) reads "impure" for the Nepalese "too pure," which would appear to make better medical sense. Emending the text to nāśuddha- for nātiśuddha- in the Nepalese recension would yield the same meaning as the Palhaṇa's version.

<sup>133</sup> In his edition of *Suśrutasaṃhitā*, Ācārya (Su 1938:79 n. 1) includes in parentheses the following treatment for these conditions, which according to a footnote is not found in the palm-leaf manuscript he used: 'One should sprinkle it with raw sesame oil for three days and one should renew the cotton bandage after three days' (āmatailena trirātraṃ pariṣecayet trirātrāc ca picuṃ parivartayet).

<sup>134</sup> For such classifications, see Zimmermann (1999) and Smith (1994).

<sup>135 1.16.19</sup> of Dalhaṇa's version (Su 1938:79) includes ghee (sarpis). However, Dalhaṇa's remarks on 1.16.19 and Cakrapāṇidatta's on 1.16.18 (Su 1939:130) indicate that they knew a version of this recipe (perhaps, similar to the Nepalese) that does not have ghee. Dalhaṇa also notes that others simply read four oils, beginning with fat and without milk, whereas Cakrapāṇidatta says some read that it is made with four oils and milk.

- hornwort ( $jalaś\bar{u}ka \rightarrow jalan\bar{l}ik\bar{a}^{136}$ ). This should then be deposited in a well-protected spot.
- The wise man who has been sweated should rub the massaged (*mardita*) ear with it. Then it will be free of complications, and will enlarge properly and be strong.<sup>138</sup>
- 16 Ears which do not enlarge even when sweated and oiled, should be scarified at the edge of the hole  $(ap\bar{a}nga)$ , but not outside it.<sup>139</sup>
- In this tradition, experts know countless repairs to ears. So a physician who is very intent (sunivi;a) on working in this way may repair (yojayed) them. a0
- 18 If an ear has grown hair, has a nice hole, a firm join, and is strong and even, well-healed, and free from pain, then one can enlarge it slowly.<sup>141</sup>
- Now I shall describe the proper method of repairing a severed nose. First, take from the trees a leaf the same size as the man's nose and hang it on him.
- 136 Ceratophyllum demersum, L. This name is not certain. In fact, Dalhana on 1.16.19 (Su 1938: 79) notes that some people interpret it as a poisonous, hairy, air-breathing, underwater creature.
- 137 The version of 1.16.19 known to Dalhaṇa (Su 1938: 79) adds several ingredients to this admixture, including apāmārga, aśvagandhā, kṣīraśuklā, madhuravarga and payasyā. Also, it has vidārigandhā instead of vidāri. When commenting on 1.16.19, Dalhaṇa (Su 1938: 79) notes that some do not read madhuravarga and payasyā. Therefore, there were probably other versions of this recipe with fewer ingredients, as seen in the Nepalese version.
- 138 For these aims (i.e., healing and enlarging the ear), the text known to Dalhana (Su 1938:79) has an additional verse and a half describing an ointment for rubbing the ear (*udvartana*) and sesame oil (*taila*) cooked with various medicines for massage. Cakrapāṇidatta (Su 1939: 131) does not comment on these verses, nor verse 15 of the Nepalese version, and so the version of the *Suśrutasaṃhitā* known to him may not have included them.
- 139 Dalhaṇa's version of 1.16.23 adds another hemistich that states more explicitly that the scarification should not be done on the outside of hole as it will cause derangement.
- 140 After verse 17, the 1938 edition of Ācārya (Su 1938:80) has in parentheses nineteen verses on diseases of the ear lobes, treatments and complications. It is possible that these verses were in some of the witnesses used by Ācārya to construct the text as they occur in other manuscripts, such as MS Hyderabad Osmania 137-3 (b). However, Cakrapāṇidatta (Su 1939:132) and Palhaṇa (Su 1938:80) state that some read about the diseases of the ear lobes in this chapter whereas others read about them in the chapter on various treatments (*miśrakacikitsa*) (SS 5.25), which does indeed begin with a discussion of the disease *paripoṭa*. Palhaṇa goes on to say that some believe that these verses were not composed by sages and, therefore, do not read them.
- 141 The order of verses 17 and 18 are reversed in Dalhana's version (Su 1938: 80).

- Next, having cut a slice of flesh  $(vadhra)^{142}$  with the same measurements off the cheek, the end of the nose is then scarified. Then the undistracted (apramatta) physician, should quickly put it back together so that it is well joined  $(s\bar{a}dhubaddha)$ .
- Having carefully observed that it has been well sown up, two tubes should be fixed in place. Then, having lifted them up, the powder of sappanwood (pattāṅga), liquorice and Indian barberry. Should be applied to it.
  - 1
- The wound should be covered properly with cotton (picu) and should be moistened repeatedly with sesame oil. Ghee should be given to the man to drink. His digestion being complete, he should be oiled and purged in accordance with the instructions specific to him.<sup>148</sup>
- And once healed and really come together, what is left of that slice of flesh (vadhra) should then be trimmed. If it is reduced ( $h\bar{\imath}na$ ), however, one should make an effort to stretch it, and one should make its overgrown flesh smooth.<sup>149</sup>
- 142 The version of 1.16.28b known to Dalhaṇa (Su 1938: 81) reads "bound, connected (bad-dham)" instead of "slice of flesh (vadhra)." This is a critical variant from the surgical point of view. If the slice remains connected, it will have a continuing blood supply. This is one of the effective techniques that so astonished surgeons witnessing a similar operation in Pune in the eighteenth century (see Wujastyk 2003: 67–70).
- 143 Or 1.16.20 could be mean, '... off the cheek, it is fixed to the end of the nose, which has been scarified.' Unfortunately, the Sanskrit of the Nepalese version is not unambiguous on the important point of whether or not the flap of grafted skin remains connected to its original site on the cheek. However, Dalhana (Su 1938: 81) clarifies the meaning of the vulgate here by stating that one should supply the word 'flesh' when reading 'connected,' thus indicating that he understood the flesh to be connected to the face.
- 144 Dalhaṇa noted that the two tubes should be made of reed (nala) or the stalk of the leaf of castor oil plant (eraṇḍapatranāla) (on 1.16.21 (Su 1938: 81)). They should not be made of lead or betel nut because the weight will cause them to slip down.
- 145 The Sanskrit term *unnāmayitvā* in 1.16.21 is non-Pāṇinian.
- 146 Caesalpinia sappan, L. For *pattāṅga* there are manuscript variants *pattrāṅga* (MS Kathmandu NAK 5-333) and *pattaṅga* (MS Kathmandu NAK 1-1079). Also, MS Kathmandu KL 699 (f. 14r:1) has *pattrāṅga* in a verse in 1.14 (cf. 1.14.36 (Su 1938: 66)). The text known to Dalhaṇa has *pataṅga* (1.16.29 (Su 1938: 81)) and this term is propagated in modern dictionaries.
- 147 Berberis aristata, DC. Dalhaṇa understands it as elixir salve (rasāñjana) (Su 1938: 81).
- 148 The expression *svayathopadeśa* is ungrammatical but supported in all available witnesses.
- 149 Palhana accepted a verse following this, which points out that the procedure for join-

ing the nose is similar to that of joining the lips without fusing the ducts (Su 1938: 81). He noted that earlier teachers did not think this statement on the nose and lips was made by sages, but he included it because it was accepted by Jejjaṭa, Gayadāsa and others. However, Cakrapāṇidatta did not comment on this additional verse, which suggests that either he did not know of it or was not inclined to accept it (Su 1939: 133).

### **Abbreviations**

Ah 1939 Kumte, Annā Moreśvara, Navare, Kṛṣṇaśāstrī, and Parādkar,

Hariśāstrī (1939) (eds.), श्रीमद्वाग्भटविरचितम् अष्टाङ्गहृदयम्, श्रीमद्र-रुणदत्तविरचितया सर्वाङ्गसुन्दराख्यया व्याख्यया, हेमाद्रिप्रणीतया आयुर्वेदर-सायनाह्वया टीकया च समुल्लसितम् = The Astāngahṛidaya (6th edn., Muṃbayyām: Nirṇayasāgara Press), ark:/13960/t3tt6967d.

Anup *Anup Sanskrit Library* (n.d.).

Apte Apte, Vaman Shivaram (1992), The Practical Sanskrit-English

Dictionary (Kyoto: Rinsen Book Company), ISBN: 4-653-00038-

7; Reprinted from Gode and Karve 1957–9.

AS Asiatic Society (n.d.).

As 1980 Āṭhavale, Anaṃta Dāmodara (1980) (ed.), Aṣṭāṅgasaṅgrahaḥ.

Śrīmad Vṛddhavāgbhaṭaviracitaḥ Induvyākhyāsahitaḥ (Puṇe: Maheśa Anaṃta Āṭhavale, Śrīmad Ātreya Prakāśanam), ark:/

13960/t9773bb9z.

Bhela 1921 Mookerjee, Ashutosh and Ananta Krishna Shastri, Ved-

antabisharad (1921) (eds.), *The Bhela Samhita. Sanskrit Text* (Calcutta: University of Calcutta), ark:/13960/t3sv3157j; Based on two copies made of the Thanjavur codex unicus (MS Thanjavur TMSSML 10773, Burnell 1880:63–4, P. P. S.

Sastri 1933: #11085).

Bhela 2000 Krishnamurthy, K. H. (2000), Bhela-saṃhitā. Text with English

Translation, Commentary and Critical Notes (Haridas Ayurveda

Series, 8; Varanasi: Chaukhambha Visvabharati).

BL British Library (n.d.).

Ca. 1941 Ācārya, Yādavaśarma Trivikrama (1941) (ed.), महर्षिणा पुनर्व-

सुनोपदिष्टा, तच्छिष्येणाग्निवेशेन प्रणीता, चरकदृढबलाभ्यां प्रतिसंस्कृता च-रकसंहिता, श्रीचक्रपाणिदत्तविरचितया आयुर्वेददीपिकाव्याख्यया संवलिता (3rd edn., Mumbayyāṃ: Nirnaya Sagara Press), url, accessed

01/01/2018.

HIML Meulenbeld, Gerrit Jan (1999–2002), A History of Indian

Medical Literature, 5 vols. (Groningen: E. Forsten), ISBN:

9069801248.

IOLR Eggeling, Julius et al. (1887–1935), Catalogue of the Sanskrit Manuscripts in the Library of the India Office (London: Secretary of State for India).

KL Kaiser Library (n.d.).

MW Monier-Williams, Monier, Leumann, E., Cappeller, C., et al. (1899), *A Sanskrit–English Dictionary Etymologically and Philologically Arranged, New Edition* (Oxford: Clarendon Press); 1970 reprint.

NAK National Archives of Kathmandu (n.d.).

NCC Raghavan, V. et al. (1949–), New Catalogus Catalogorum, an Alphabetical Register of Sanskrit and Allied Works and Authors, 39 vols. (Madras University Sanskrit Series; Madras: University of Madras); v.1: revised edition, 1968.

NGMCP (2014), 'Nepal-german Manuscript Cataloguing Project. Online Title List and Descriptive Catalogue', Universität Hamburg and Deutsche Forschungsgemeinschaft, URL.

NK Nadkarni, K. M. (1982a), Dr. K. M. Nadkarni's Indian Materia Medica, with Ayurvedic, Unani-tibbi, Siddha, Allopathic, Homeopathic, Naturopathic & Home Remedies, Appendices & Indexes ... in Two Volumes, ed. A. K. Nadkarni, 2 vols. (3 ed., revised and enlarged by A. K. Nadkarni, Bombay: Popular Prakashan), ISBN: 8171541429, URL.

RORI Rajasthan Oriental Research Institute (n.d.).

Su 1889 Bhaṭṭācāryya, Jīvānanda Vidyāsāgara (1889) (ed.), सुश्रुतः. सूत्र-निदान-शारीर-चिकित्सा-कल्पोत्तर-तन्त्र-कल्पित आयुर्वेद. भगवता धन्वन्तरिणोपदिष्टः सुश्रुतनामधेयेन तच्छिष्येण विरचितः (3rd edn., Calcutta: Saratī Press), ark:/13960/t1nh6j09c; HIML:IB, 311, edition b.

Su 1915 Ācārya, Yādavaśarma Trivikrama (1915) (ed.), सुश्रुतसंहिता, सु-श्रुतेन विरचिता, वैद्यवरश्रीडल्हणाचार्यविरचितया निबन्धसंग्रहाख्यव्याख्यया समुल्लसिता, आचार्योपाह्वेन त्रिविक्रमात्मजेन यादवशर्मणा संशोधिता = The Sushrutasamhita of Sushruta, the Nibandhasangraha Commentary of Shri Dalhaṇāchārya (Mumbayyāṃ: Nirṇayasāgaramudrā-yantrālaye), ark:/13960/t3sv0mt50, accessed 29/07/2020; HIML: IB, 312 edition \*v.

- Ācārya, Yādavaśarma Trivikrama (1931) (ed.), सुश्रुत-संहिता, वैद्यवरश्रीडल्हणाचार्यविरचितया निबन्धसंग्रहाख्यव्याख्यया समुष्ठसिता, महर्षिणा सुश्रुतेन विरचिता, सूत्र-निदान-शारीर-चिकित्सा-कल्पस्थानोत्तरतन्त्रात्मकः. आचार्योपाह्वेन त्रिविक्रमात्मजेन यादवशर्मणा संशोधिता = The Sushrutasaṃhitā of Sushruta with the Nibandhasangraha Commentary of Shree Dalhaṇāchārya (2nd edn., Mumbayyāṃ: Pāṇḍuraṅga Jāvajī at the Nirṇayasāgaramudrāyantrālaye), ark:/13960/t9j41sg94, accessed 09/06/2020; HIML: IB, 312 edition \*v.
- Acārya, Yādavaśarma Trivikrama and Ācārya, Nārāyaṇa Rāma (1938) (eds.), श्रीडल्हणाचार्यविरचितया निबन्धसंग्रहाख्य-व्याख्यया निदानस्थानस्य श्रीगयदासाचार्यविरचितया न्यायचन्द्रिकाख्यप- ञ्जिकाव्याख्यया च समुष्ठसिता महर्षिणा सुश्रुतेन विरचिता सुश्रुतसंहिता (3rd edn., Bombay: Nirṇayasāgara Press), ark:/13960/t09x0sk1h; HIML: IB, 313, edition cc ('the vulgate').
- Su 1938<sup>2</sup> Ācārya, Yādavaśarma Trivikrama and Ācārya, Nārāyaṇa Rāma (2004) (eds.), महर्षिणा सुश्रुतेन विरचिता सुश्रुतसंहिता, श्रीडल्हणाचार्यविरचितया निबन्धसंग्रहाख्यव्याख्यया निदानस्थानस्य श्रीगयदासाचार्यविरचितया न्यायचन्द्रिकाख्यपञ्जिकाव्याख्यया च समुल्लसिता (Vārāṇasī: Caukhambhā Kṛṣṇadāsa Akādamī); Reprint of the third, 1938 edition (Su 1938).
- Ācārya, Yādavaśarma Trivikrama and Śarman, Nandakiśora (1939) (eds.), सुश्रुतसंहितायाः सूत्रस्थानम्. श्रीचक्रपाणिदत्तविरचितया भानुमतीव्याख्याया समेतम् = Sushrut-sañhitā (sūtra Sthān) with Bhānumatī Commentary by Chakrapāṇi Datta with Introduction by Gaṇanāth Sen (Śrīsvāmi Lakṣmīrāma Nidhi Granthamālā = Shrī Swāmī Lakṣhmī Rām Trust Series, 1; [Jaipur]: Śyāmasundara Śarman), ark:/13960/t54g0d12m; Printed at the Nirṇayasāgara Press, Bombay.
- Su 1945 Ācārya, Yādavaśarma Trivikramācārya and Ācārya, Nārāyaṇa Rāma (1945) (eds.), महर्षिणा सुश्रुतेन विरचिता सुश्रुतसंहिता (मूलमात्रा). पाठान्तर-परिशिष्टादिभिः संवलिता = the Suśrutasaṃhitā

of Suśruta with Various Readings, Notes and Appendix etc. (Mumbāi: Nirṇayasāgarākhyamudraṇālaye), url.

TMSSML Tanjore Maharaja Serfoji Saraswati Mahal Library (n.d.).

Viṣṇudh. Śarman, Madhusūdana and Śarman, Mādhavaprasāda (1912) (eds.), विष्णुधर्मोत्तरपुराणम् = [Viṣṇudharmottarapurāṇa] (Mumbai: Khemarāja Śrīkṛṣṇadāsa at the Śrīveṅkaṭeśvara Steam Press), ark:/13960/t6qz6fr23; Lithograph format. Edited on the basis of a manuscript belonging to the astrologer Śudhākaraśarman of the Varanasi Sanskrit Pāthaśālā.

## **Index of Manuscripts**

The numbers after the comma refer to pages in this document.

```
Bikaner Anup 4390: 24 London BL H. T. Colebrooke 908: 12, 26

Kathmandu KL 699: 3, 14, 45, 51

Kathmandu NAK 1-1079: 3, 45, 51

Kathmandu NAK 1-1146: 9

Kathmandu NAK 5-333: 3, 25f, 28, 45,

51

London BL H. T. Colebrooke 908: 12, 26

Mumbai AS B.D.109: 23

Mumbai AS B.I.3: 23

Thanjavur TMSSML 10773: 53
```

## References

Ācārya, Yādavaśarma Trivikrama (1941) (ed.), महर्षिणा पुनर्वसुनोपदिष्टा, तच्छि-ष्येणाग्निवेशेन प्रणीता, चरकदृढबलाभ्यां प्रतिसंस्कृता चरकसंहिता, श्रीचक्रपाणिदत्तवि-रचितया आयुर्वेददीपिकाव्याख्यया संवलिता (3rd edn., Mumbayyāṃ: Nirnaya Sagara Press), URL, accessed 01/01/2018.

Ācārya, Yādavaśarma Trivikramācārya and Ācārya, Nārāyaṇa Rāma (1945) (eds.), महर्षिणा सुश्रुतेन विरचिता सुश्रुतसंहिता (मूलमात्रा). पाठान्तर-परिशिष्टादिभिः संवलिता = the Suśrutasaṃhitā of Suśruta with Various Readings, Notes and Appendix etc. (Mumbāi: Nirṇayasāgarākhyamudraṇālaye),

- Adriaensen, Rob, Barkhuis, Roelf, and Ruijters, Jean-Louis (1984), 'An English Translation of Suśrutasaṃhitā, Nidānasthāna 1, 1–39, Together with Gayadāsa's Nyāyacandrikā', in Gerrit Jan Meulenbeld (ed.), *Proceedings of the International Workshop on Priorities in the Study of Indian Medicine* (Groningen: Forsten), 277–310.
- Adriaensen, Rob C. R., Barkhuis, Roelf, and Ruijters, Jean-Louis (1984), 'An English Translation of Suśrutasaṃhitā, Nidānasthāna 1, 1–39, Together with Gayadāsa's Nyāyacandrikā', in Gerrit Jan Meulenbeld (ed.), *Proceedings of the International Workshop on Priorities in the Study of Indian Medicine* (Groningen: Forsten), 277–310.
- Agrawala, V. S. (1963), *India As Known to Pāṇini: A Study of the Cultural Material in the Aṣṭādhyāyī* (2nd edn., Varanasi: Prthvi Prakashan); First published in 1953.
- Angermeier, Vitus (2020), Regenzeiten, Feuchtgebiete, Körpersäfte. Das Wasser in der klassischen indischen Medizin (Wien: Österreichische Akademie der Wissenschaften).
- Baber, Zaheer (1996), *The Science of Empire: Scientific Knowledge, Civilization, and Colonial Rule in India* (Albany: State University of New York Press).
- Barceloux, Donald G. (2008), *Medical Toxicology Ofnatural Substances. Foods, Fungi, Medicinal Herbs, Plants, Andvenomous Animals* (Hoboken, NJ, etc.: John Wiley & Sons), 1196 pp., ISBN: 047172761X, URL.
- Bausi, Alessandro et al. (2015), *Comparative Oriental Manuscript Studies*. *An Introduction* (Hamburg: Tredition). DOI: 10.5281/ZENODO.46784.
- Bendall, Cecil (1883), Catalogue of the Buddhist Sanskrit, Manuscripts in The, University Library, Cambridge: With Introductory Notices and Illustrations of the Palaeography and Chronology of Nepal and Bengal (Cambridge: University Press), ark:/13960/t03x8vz7b.
- Bhaṭṭācārya, Candrakānta (1910–7) (ed.), सुश्रुतसंहिता प्रथमखण्डम् सूत्रस्थानात्म-कम् हाराणचन्द्रचक्रवर्तिकविराजविरचितसुश्रुतार्थसन्दीपनभाष्य-समेतम्...चन्द्रकान्त भट्टाचार्य्य-प्रमुखैः संशोधितम् = [The Suśrutasaṃhitā with the Commentary Suśrutārthasandīpanabhāṣya by Hārāṇacandra Cakravarti] (Kalikātā: Satya Press); Edition "t" in HIML: IB, 312.
- Bhattarai, Bidur (2020), *Dividing Texts. Conventions of Visual Text-Organisation in Nepalese and North Indian Manuscripts* (Studies in Manuscript Cultures; Berlin/Boston: de Gruyter), 388.

- Birch, Jason, Wujastyk, Dominik, Klebanov, Andrey, Parameswaran, Madhu K., et al. (2021), 'Further Insight into the Role of Dhanvantari, the Physician to the Gods, in the Suśrutasaṃhitā', *Academia Letters*. Doi: 10.20935/AL2992.
- Birch, Jason, Wujastyk, Dominik, Klebanov, Andrey, Rimal, Madhusudan, et al. (2021), 'Dalhana and the Early 'Nepalese' Version of the Suśrutasamhitā'. Doi: 10.20935/a13733.
- Bollée, Willem (2010), 'Remarks on the Cultural History of the Ear in India', in Nalini Balbir (ed.), *Svasti: Essays in Honour of Professor Hampa Nagarajaiah for His 75th Birthday* (Bangalore: K. S. Mudappa Smaraka Trust), 141–67, URL, accessed 23/01/2022.
- Breton, P. (1826), 'On the Native Mode of Couching', *Transactions of the Medical and Physical Society of Calcutta*, 2: 341–82, ark:/13960/t3dz8nn5t, URL, accessed 02/06/2021.
- Bronkhorst, Johannes (2016), *How the Brahmins Won: From Alexander to the Guptas* (Leiden: Brill). DOI: 10.1163/9789004315518.
- —— (2021), 'Patañjali's Āryāvarta = Śuṅga realm?', *Academia Letters*. DOI: 10.20935/al291; Article 291.
- Bronner, Yigal (2021) (ed.), 'The Pandit Project' (30 Sept.), URL.
- Burghart, Marjorie (2016), 'The TEI Critical Apparatus Toolbox: Empowering Textual Scholars through Display, Control, and Comparison Features', *Journal of the Text Encoding Initiative*, 10/Issue 10. DOI: 10.4000/jtei.1520, URL, accessed 12/12/2017.
- —— (2017), 'Textual Variants', in Marjorie Burghart, James Cummings, and Elena Pierazzo (eds.), *Digital Editing of Medieval Texts: A Textbook* (DEMM), URL, accessed 04/07/2021.
- Burnell, Arthur Coke (1880), *A Classified Index to the Sanskrit Mss. in the Palace at Tanjore* (London: Trübner), ark:/13960/t4xh86j61; Bhelasamhitā described on pp. 67 ff.
- Carpue, J. C. (1816), An Account of Two Successful Operations for Restoring a Lost Nose from the Integuements of the Forehead...Including Descriptions of the Indian and Italian Methods (London: Longman et al.), ark:/13960/t2q57fn42, accessed 20/03/2019.

- Cone, Margaret (2001), *A Dictionary of Pāli* (Oxford: The Pali Text Society), ISBN: 0 86013 394 x.
- Cordier, P. (1903), 'Récentes découvertes de mss. médicaux sanscrits dans l'Inde (1898–1902)', *Muséon, Nouvelle Série*, 4: 321–52, ark:/13960/t26b2j457, accessed 02/01/2020; Reprinted in Roşu 1989: 539–70.
- Coult, Ro. (1731), 'An Account of the Diseases of Bengall', in *Indian Science* and *Technology in the Eighteenth Century* (Impex India), 141 f., 276.
- Crawford, D. G. (1930), *Roll of the Indian Medical Service*, 1615–1930 (London, Calcutta, Simla: Thacker).
- Das, Rahul Peter (2003), The Origin of the Life of a Human Being. Conception and the Female According to Ancient Indian Medical and Sexological Literature (Indian Medical Tradition; Delhi: Motilal Banarsidas), ISBN: 81-208-1998-5.
- Dave, K. N. (1985), *Birds in Sanskrit Literature* (Delhi: Motilal Banarsidass), ISBN: 0-89581-676-8, ark:/13960/t2c94cv80.
- Deshpande, Vijaya (1999), 'Indian Influences on Early Chinese Ophthalmology: Glaucoma As a Case Study', *Bulletin of the School of Oriental and African Studies*, 62: 306–22. DOI: 10.1017/S0041977X00016724.
- —— (2000), 'Ophthalmic Surgery: A Chapter in the History of Sino-indian Medical Contacts', *Bulletin of the School of Oriental and African Studies*, 63/3: 370–88, ISSN: 0041-977X. DOI: 10.1017/s0041977x00008454.
- Dimitrov, Dragomir and Tamot, Kashinath (2007), 'Kaiser Shamsher, His Library and His Manuscript Collection', *Kaiser Shamsher, His Library and His Manuscript Collection*, 3 (Jan.): 26–36, URL.
- Dutt, Uday Chand (1922), The Materia Medica of the Hindus...with a Glossary of Indian Plants by George King. Revised Edition...by Binod Lall Sen and Ashutosh Sen and Pulin Krishna Sen (Krishnadas Sanskrit Studies; 3rd edn., Calcutta: Madan Gopal Dass for the Adi-Ayurveda Machine Press), URL, accessed 04/10/2017; Reprinted Varanasi: Chowkhamba Saraswatibhavan, 1980.
- Edgerton, Franklin (1939), 'The Epic Triṣṭubh and Its Hypermetric Varieties', *Journal of the American Oriental Society*, 59/2: 159–74. DOI: 10.2307/594060.

- Edgerton, Franklin (1953), Buddhist Hybrid Sanskrit Grammar and Dictionary. Vol. 2: Dictionary (William Dwight Whitney Linguistic Series; New Haven: Yale University Press).
- Eggeling, Julius et al. (1887–1935), Catalogue of the Sanskrit Manuscripts in the Library of the India Office (London: Secretary of State for India).
- Elliot, Robert Henry (1918), The Indian Operation of Couching for Cataract: Incorporating the Hunterian Lectures Delivered before the Royal College of Surgeons of England on February 19 and 21, 1917 (London: H. K. Lewis).
- Emeneau, M. B. (1969), 'Sanskrit Syntactic Particles "kila, khalu, nūnam"', *Indo-Iranian Journal*, 11/4: 241–68.
- Falk, Harry (1991), 'Silver, Lead and Zinc in Early Indian Literature', *South Asian Studies*, 7/1: 111–7. DOI: 10.1080/02666030.1991.9628430.
- Fan, Ka Wai (2005), 'Couching for Cataract and Sino-indian Medical Exchange Fromthe Sixth to the Twelfth Century Ad', *Clinical and Experimental Ophthalmology*: 188–90. DOI: 10.1111/j.1442-9071.2005.00978.x; Unaware of Deshpande 1999; 2000.
- Fitzgerald, James L. (2009), 'A Preliminary Study of the 681 Triṣṭubh Passages of the Mahābhārata', in Robert P. Goldman and Muneo Tokunaga (eds.), *Epic Undertakings* (Papers of the 12th World Sanskrit Conference; Delhi: Motilal Banarsidass Publishe), 95–117.
- Gaṇapatiśāstrī, T. (1920–5), *Aryamañjuśrīmūlakalpaḥ* (Trivandrum Sanskrit Series, 70; Anantaśayane: Rājakīyamudraṇayantrālaye), ark:/13960/t4pk5sj0j.
- Gode, P. K. and Karve, C. G. (1957–9) (eds.), Revised and Enlarged Edition of Prin. V. S. Apte's the Practical Sanskrit-English Dictionary (Poona: Prasad Prakashan), ark:/13960/t3gx47212, accessed 20/10/2017.
- Gombrich, Richard (1979), "He cooks softly: dverbs in Sanskrit grammar, Bulletin of the School of Oriental and African Studies, 42/2 (June): 244–56. DOI: 10.1017/s0041977x0014580x.
- Gupta, Sri Madhusudana (1835–6) (ed.), Ayur-veda-prakāśa [also Called Suśruta-saṃhitā] by Suśruta. the Suśruta, or System of Medicine, Taught by Dhanwantari, and Composed by His Disciple Suśruta, 2 vols. (Calcutta: Education Press and Baptist Mission Press), ark:/13960/t6841qw6x.

- Harimoto, Kengo (2011), 'In Search of the Oldest Nepalese Manuscript', *Rivista degli Studi Orientali*, 84/1–4: 85–106, ISSN: 0392-4866, URL, accessed 08/09/2019.
- —— (2014), 'Nepalese Manuscripts of the Suśrutasaṃhitā', *Journal of Indian and Buddhist Studies* (*Indogaku Bukkyogaku Kenkyu*), 62/3: 23–29 (1087-1093). DOI: 10.4259/ibk.62.3\_1087, URL, accessed 08/09/2019.
- (pre-published), '[Preliminary Edition of the Nepalese MSS of the Su-śrutasaṃhitā, adhyāyas 1.1–3, 6.4]'; Unpublished document dated 2010.
- Hayashi, Takao (2017), 'The Units of Time in Ancient and Medieval India', *History of Science in South Asia*, 5/1: 1–116. DOI: 10.18732/h2ht0h.
- Hemarāja Śarman (1938) (ed.), काश्यपसंहिता (वृद्धजीवकीयं तन्त्रं वा) महर्षिणा मा-रीचकश्यपेनोपदिष्टा ... हेमराजशर्मणा लिखितेन विस्तृतेन उपोद्घातेन सहिता ... सत्यपाल भिषगा कृतया विद्योतिनी हिन्दीव्याख्यया ... समुष्लसिता (1st edn., Mumba: Nirṇayasāgara Press), URL, accessed 02/02/2018.
- Hendley, T. Holbein (1895), A Medico-topographical Account of Jeypore, Based on the Experience of Twenty Years' Service As a Residency Surgeon and Thirteen As Superintendent of Dispensaries at Jeypore, Rajputana (Calcutta: Calcutta Central Press Company).
- Hessler, Franciscus (1844–55), Suśrutas Ayurvédas: Id Est Medicinae Systema a Venerabili D'hanvantare Demonstratum a Susruta Discipulo Compositum; Nunc Primum Ex Sanskrita in Latinum Sermonem Vertit, Introductionem, Annotationes Et Rerum Indice Franciscus Hessler (Erlangen: Ferdinandum Enke), URL, accessed 04/11/2017.
- Hoernle, A. F. Rudolf (1893–1912) (ed.), *The Bower Manuscript: Facsimile Leaves, Nagari Transcript, Romanised Transliteration and English Translation with Notes* (New Imperial Series, 22; Calcutta: Government of India and under the patronage of the Bengali Government, Archaeological Survey of India), ark:/13960/t05z1bg4q.
- —— (1897), Suśrutasaṃhitā = The Suçruta-Saṃhitā or the Hindū System of Medicine According to Suçruta Translated from the Original Sanskrit (Bibliotheca Indica, 911; Calcutta: Asiatic Society), ark:/13960/t8pd1kw9r, accessed 03/01/2018; No more published; Hoernle does not state which edition he is translating, but it includes the "Dhanvantari phrase".

- Hoernle, A. F. Rudolf (1906a), 'Studies in Ancient Indian Medicine I: The Commentaries on Suśruta', *Journal of the Royal Asiatic Society of Great Britain and Ireland*: 283–302, URL, accessed 26/06/2019.
- —— (1906b), 'Studies in Ancient Indian Medicine II: On Some Obscure Anatomical Terms', *Journal of the Royal Asiatic Society of Great Britain and Ireland*, 4: 915–41, URL, accessed 25/06/2019.
- (1907*a*), 'Studies in Ancient Indian Medicine II: On Some Obscure Anatomical Terms (Continued from the the Journal, 1906, p. 941)', *Journal of the Royal Asiatic Society of Great Britain and Ireland*: 1–18, URL, accessed 25/06/2019.
- —— (1907b), Studies in the Medicine of Ancient India: Osteology or the Bones of the Human Body (Oxford: Clarendon Press).
- Hofer, Theresia (2007), 'Swami Laxmi Ram's Ayurvedic Pharmacy in Jaipur, India', *Wellcome History*, 34: 2–3, URL, accessed 01/07/2021.
- Holwell, J. Z. (1767), An Account of the Manner of Inoculating for the Small Pox in the East Indies With...Observations on The...Mode of Treating That Disease in Those Parts (London: T. Becket & P. A. de Hondt), ark:/13960/t3ws9h63c.
- Jack, David Morton (1884), 'A Thesis on Cataract in India: Its Pathology and Treatment', Wellcome Library, London, MS.3007, URL, accessed 02/06/2021.
- Jośī, Veṇīmādhavaśāstrī and Jośī, Nārāyaṇa Harī (1968), Āyurvedīya Mahākośaḥ arthāt Āyurvedīya Śabdakośaḥ Saṃskṛta—Saṃskṛta (Muṃbaī: Mahārāṣṭra Rājya Sāhityta āṇi Saṃskṛti Maṃḍaļa), URL.
- Kangle, R. P. (1969), *The Kauṭilīya* Arthaśāstra (2nd edn., Delhi: Motilal Banarsidass), ISBN: 81-208-0042-7, ark:/13960/t3gz6qh1s, accessed 23/09/2021.
- Keith, Arthur Berriedale (1908), review of A. F. Rudolf Hoernle (1907), 'Studies in Ancient Indian Medicine II: On Some Obscure Anatomical Terms (Continued from the the Journal, 1906, p. 941)', Journal of the Royal Asiatic Society of Great Britain and Ireland: 1–18, URL, accessed 25/06/2019, in Zeitschrift Der Deutschen Morgenländischen Gesellschaft, 1/62: 134–9, URL, accessed 17/04/2021.

- Klebanov, Andrey (2010), 'The \*Nepalese Version of the Suśrutasaṃhitā and Its Interrelation with Buddhism and the Buddhists', MA thesis (Hamburg: Hamburg University, Sept.), URL, accessed 08/09/2019.
- —— (2021*a*), 'On the Textual History of the Suśrutasaṃhitā (1): A Study of Three Nepalese Manuscripts', to be published in *eJIM*: *Electronic Journal of Indian Medicine*, URL, accessed 09/09/2019.
- —— (2021*b*), 'On the Textual History of the Suśrutasaṃhitā, (2): An Anonymous Commentary and its Identified Citations', in Toke Lindegaard Knudsen, Jacob Schmidt-Madsen, and Sara Speyer (eds.), *Body and Cosmos: Studies in Early Indian Medical and Astral Sciences in Honor of Kenneth G. Zysk* (Leiden, Boston: Brill), 110–39.
- Kuist, James M. (1982), The Nichols File of The Gentleman's Magazine (Madison: University of Wisconsin Press), ISBN: 0-299-08480-9, ark:/13960/t53g2ct2z.
- Lariviere, Richard W. (2003), *The Nāradasmṛti. Critically Edited with an Introduction, annotated Translation, and Appendices* (2nd edn., Delhi: Motilal Banarsidass), ISBN: 8120818040; First edition: Philadelphia, 1989.
- Leffler, Christopher T. et al. (2020), 'The History of Cataract Surgery: From Couching to Phacoemulsification', *Annals of Translational Medicine*, 8/22: 1551–97, ISSN: 2305-5847. DOI: 10.21037/atm-2019-rcs-04, URL, accessed 02/11/2020.
- Lienhard, Siegfried (1978), 'On the Meaning and Use of the Word Indragopa', *Indologica taurinensia*, 6: 177–88, URL, accessed 06/02/2021; The indragopa is a 'red velvet mite'.
- Longmate, Barak (1794), 'A Curious Chirurgical Operation', *The Gentleman's Magazine and Historical Chronicle*, 64.4 (Oct.): 883, 891, 892; I am grateful to the late John Symons of the Wellcome Library who identified the author 'B. L.' as the journalist Barak Longmate. See also Kuist 1982: 87.
- Majno, Guido (1975), *The Healing Hand. Man and Wound in the Ancient World* (Cambridge, MA: Harvard University Press), URL, accessed 26/08/2021.

- Malamoud, Charles (1996), 'Paths of the Knife: Carving up the Victim in Vedic Sacrifice', in *Cooking the World: Ritual and Thought in Ancient India. Translated from the French by David White* (Delhi, Bombay, etc.: Oxford University Press), 169–80.
- Manucci, Niccolò (1907–8), Storia Do Mogor or, Mogul India, 1653–1708 by Niccolao Manucci, Venetian; Translated with Introduction and Notes, by William Irvine (The Indian Texts Series; London: J. Murray), URL, accessed 04/10/2021.
- Masai, François (1950), 'Principes et conventions de l'édition diplomatique', *Scriptorium*, 4: 177–93. DOI: 10.3406/scrip.1950.2294.
- Mayrhofer, Manfred (1953–72), Kurzgefaßtes etymologisches Wörterbuch des Altindoarischen; a Concise Etymological Sanskrit Dictionary (Heidelberg: Carl Winter, Universitätsverlag).
- McHugh, James (2021), An Unholy Brew: Alcohol in Indian History and Religions (New York: Oxford University Press), 416 pp., ISBN: 9780199375936, URL.
- Meulenbeld, Gerrit Jan (1974), *The Mādhavanidāna and Its Chief Commentary: Chapters* 1–10. *Introduction, Translation, and Notes* (Leiden: Brill), ISBN: 978-90-04-03892-9; Meulenbeld provided a supplement to his 1974 listing of plant identities as an appendix in Das 2003.
- —— (1984), 'The Surveying of Sanskrit Medical Literature', in id. (ed.), Proceedings of the International Workshop on Priorities in the Study of Indian Medicine (Groningen: Forsten), 37–56.
- —— (1989), 'The Search for Clues to the Chronology of Sanskrit Medical Texts As Illustrated by the History of Bhangā (cannabis Sativa Linn.)', Studien zur Indologie und Iranistik, 15: 59–70.
- —— (1992), 'The Characteristics of a Doṣa', *Journal of the European Āyurvedic Society*, 2/1: 1–5, URL, accessed 31/08/2021.
- (2008), The Mādhavanidāna with "Madhukośa," the Commentary by Vijayarakṣita and Śrīkaṇṭhadatta (Ch. 1-10). Introduction, Translation, and Notes (Delhi: Motilal Banarsidass); Meulenbeld provided a supplement to his 1974 listing of plant identities as an appendix in Das 2003.
- —— (2011), 'The Relationships between Doṣas and Dūṣyas: A Study on the Meaning(s) of the Root Murch-/mūrch', *eJournal of Indian Medicine*, 4/2: 35–135, URL, accessed 13/10/2017.

- Miles, M. (1999), 'Personal Communication', Mar.; Letter of 4 March.
- Moureau, Sébastien. (2015), 'The Apparatus Criticus', in Alessandro Bausi et al. (eds.), *Comparative Oriental Manuscript Studies: An Introduction* (Hamburg: Tredition), 348–52, ISBN: 978-3-7323-1768-4, URL, accessed 04/07/2021.
- Mukhopādhyāya, Girindranāth (1913), The Surgical Instruments of the Hindus, with a Comparative Study of the Surgical Instruments of the Greek, Roman, Arab, and the Modern Eouropean (sic) Surgeons (Calcutta: Calcutta University), ark: 13960/t1zd2pq29, accessed 29/01/2018; Vol.2: ark:/13960/t9r25qd8m. Reprinted as a single volume, New Delhi, 1987.
- Nadkarni, K. M. (1954), Dr. K. M. Nadkarni's Indian Materia Medica, with Ayurvedic, Unani-tibbi, Siddha, Allopathic, Homeopathic, Naturopathic & Home Remedies, Appendices & Indexes ... in Two Volumes, ed. A. K. Nadkarni, 2 vols. (3 ed., revised by A. K. Nadkarni, Bombay: Popular Prakashan), ark:/13960/t6rz4h160.
- (1982a), Dr. K. M. Nadkarni's Indian Materia Medica, with Ayurvedic, Unani-tibbi, Siddha, Allopathic, Homeopathic, Naturopathic & Home Remedies, Appendices & Indexes ... in Two Volumes, ed. A. K. Nadkarni, 2 vols. (3 ed., revised and enlarged by A. K. Nadkarni, Bombay: Popular Prakashan), ISBN: 8171541429, URL.
- —— (1982b), Dr. K. M. Nadkarni's Indian Materia Medica, with Ayurvedic, Unani-tibbi, Siddha, Allopathic, Homeopathic, Naturopathic & Home Remedies, Appendices & Indexes ... in Two Volumes, ed. A. K. Nadkarni, 2 vols. (3 ed., revised and enlarged by A. K. Nadkarni, Bombay: Popular Prakashan), ISBN: 8171541429, URL.
- Narayana, Ala and Thrigulla, Saketh Ram (2011), 'Tangible Evidences of Surgical Practice in Ancient India', *Journal of Indian Medical Heritage*, 16: 1–18, URL, accessed 02/06/2021.
- NGMCP (2014), 'Nepal-german Manuscript Cataloguing Project. Online Title List and Descriptive Catalogue', Universität Hamburg and Deutsche Forschungsgemeinschaft, URL.
- Oberlies, Thomas (2003), *A Grammar of Epic Sanskrit* (Indian Philology and South Asian Studies, 5; Berlin: De Gruyter), ISBN: 9783110144482. DOI: 10.1515/9783110899344.

- Olivelle, Patrick (2005), Manu's Code of Law: A Critical Edition and Translation of the Manava-dharmasastra, With the editorial assistance of Suman Olivelle (South Asia research; New York: Oxford University Press), ISBN: 0195171462.
- (2013), King, Governance, and Law in Ancient India: Kauṭilya's Arthaśāstra. a New Annotated Translation (New York: Oxford University Press), ISBN: 9780199891825. DOI: 10.1093/acprof: osobl/9780199891825.003.0001.
- Osbaldeston, Tess Anne and Wood, R. P. A. (2000), Dioscorides. De Materia Medica. Being an Herbal with Many Other Medicinal Materials Written in Greek in the First Century of the Common Era. a New Indexed Version in Modern English [Introductory Notes by R. P. Wood] (Johannesburg: IBIDIS Press), ISBN: 0-620-23435-0, URL.
- Pandey, Anshuman (2012), 'Proposal to Encode the Newar Script in ISO/IEC 10646', URL.
- Pass, Gregory (2003), Descriptive Cataloging of Ancient, Medieval, Renaissance, and Early Modern Manuscripts (Chicago: American Library Association), ISBN: 0-8389-8218-2, URL.
- Pillay, V. V. (2010), 'Common Indian Poisonous Plants', in D. A. Warrell, T. M. Cox, and J. D. Firth (eds.), *Oxford Textbook of Medicine* (5th edn., Oxford University Press), 1371–5. DOI: 10.1093/med/9780199204854.003.090302.
- —— (2013), Modern Medical Toxicology (New Delhi: Jaypee Brothers Pvt. Ltd.), ISBN: 9789350259658.
- Pillay, Vijay V. and Sasidharan, Anu (2019), 'Oleander and Datura Poisoning: An Update', *Indian Journal of Critical Care Medicine*, 23/Supplement 4: 5250–5. DOI: 10.5005/jp-journals-10071-23302.
- Preisendanz, Karin (2007), 'The Initiation of the Medical Student in Early Classical Āyurveda: Caraka's Treatment in Context', in Birgit Kellner et al. (eds.), *Pramāṇakīrtiḥ. Papers Dedicated to Ernst Steinkellner on the Occasion of His 70th Birthday. Part 2*, ii, 2 vols. (Wiener Studien zur Tibetologie und Buddhismuskunde, 70.2; Wien: Arbeitskreis für Tibetische Und Buddhistische Studien Universität Wien), 629–68, ISBN: 9783902501097, URL.

- Price, Kenneth M. (2013), 'Electronic Scholarly Editions', in Ray Siemens and Susan Schreibman (eds.), *A Companion to Digital Literary Studies* (Chichester, UK: John Wiley & Sons, Ltd), 434–50. DOI: 10.1002/9781405177504.ch24, URL, accessed 04/07/2021.
- Rai, Saurav Kumar (2019), 'Invoking 'Hindu' Ayurveda: Communalisation of the Late Colonial Ayurvedic Discourse', *The Indian Economic & Social History Review*, 56/4: 411–26. DOI: 10.1177/0019464619873820; Online first.
- Rama Rao, B. et al. (2005), Sanskrit Medical Manuscripts in India (New Delhi: Central Council for Research in Ayurveda & Siddha), ark:/13960/t88h7763b.
- Rây, Priyadaranjan, Gupta, Hirendra Nath, and Roy, Mira (1980), *Suśruta Saṃhita* (a Scientific Synopsis) (New Delhi: Indian National Science Academy), ark:/13960/t64511t6v, accessed 13/09/2019.
- Rhys Davids, Thomas William and Stede, William (1921–5), *The Pali Text Society's Pali-English Dictionary* (London: The Pali Text Society), URL.
- Rimal, Madhusudana and Wujastyk, Dominik (2022), 'MS Kathmandu NAK 1/1146', Pandit Project (18 May), URL.
- Roşu, Arion (1989), *Un demi-siècle de recherches āyurvédiques. Gustave Liétard et Palmyr Cordier: Travaux sur l'histoire de la médecine indienne* (Paris: Institut de Civilisation Indienne).
- Saha, Mridula (2015), The History of Indian Medicine Based on the Vedic Literature Satapatha Brahmana (Kolkata: The Asiatic Society), ISBN: 978-9381574294.
- Sastri, Hrishikesh and Gui, Siva Chandra (1895–1917), A Descriptive Catalogue of Sanskrit Manuscripts in the Library of Calcutta Sanskrit College (Calcutta: Baptist Mission Press).
- Sastri, P. P. S. (1933), A Descriptive Catalogue of the Sanskrit Manuscripts in the Tanjore Maharaja Serfoji's Sarasvati Mahal Library Tanjore: Natya, Sangita, Kamasastra, Vaidya & Jyotisa, nos. 10650 11737 (Srirangam: Sri Vani Vilas Press), ark:/13960/t3nw8bc12.

- Śāstrī, Vardhamāna Pārśvanātha (1940) (ed.), उग्रादित्याचार्यकृत कल्याणकारक (राष्ट्रभाषानुवादसिहत) = The Kalyāṇa-kārakam of Ugrādityacharya, Edited with Introduction, Translation, Notes, Indexes and Dictionary (Sakhārāma Nemacaṃda Graṃthamālā, 129; Solāpura: Seṭha Goviṃdajī Rāvajī Dośī), ark:/13960/t2q617g4d.
- Scott, H. (1817), 'Some Remarks on the Arts of India, with Miscellaneous Observations on Various Subjects', *Journal of Science and the Arts*, 2: 67–72, ill. after 133, ark:/13960/t9870jt4g; Breton 1826: 358–363 cites Scott's description of cataract couching.
- Sena, Gaṅgāprasād et al. (1886–93) (eds.), सुश्रुतसंहिता...दल्लनाचार्य्य-कृत-निवन्ध-संग्रह, चक्रपाणिदत्त-कृत-भानुमती-टीका...वङ्गानुवाद...इरेजि प्रतिशब्द (Calcutta: Maṇirāma Press); Edition "g" in HIML: IB, 311.
- Sharma, Har Dutt (1939), Descriptive Catalogue of the Government Collections of Manuscripts Deposited at the Bhandarkar Oriental Research Institute, Vol. XVI, Part I, Vaidyaka (Descriptive Catalogue of Manuscripts in the Government Manuscripts Library, XVI.I; Pune: Bhandarkar Oriental Research Institute), ark:/13960/t0ms6rc70, accessed 23/10/2019.
- Sharma, Priya Vrat (1972), *Indian Medicine in the Classical Age* (Varanasi: Chowkhamba Sanskrit Series Office).
- —— (1975), *Āyurved Kā Vaijñānik Itihās* (Jayakṛṣṇadāsa Āyurveda Granthamālā; Vārāṇasī: Caukhambā Orientalia).
- —— (1982), *Dalhaṇa and his Comments on Drugs* (Delhi: Munshiram Manoharlal).
- —— (1999–2001a), Suśruta-Saṃhitā, with English Translation of Text and Dalhaṇa's Commentary Alongwith (sic) Critical Notes, 3 vols. (Haridas Ayurveda Series, 9; Varanasi: Chaukhambha Visvabharati).
- —— (1999–2001b), Suśruta-Saṃhitā, with English Translation of Text and Dalhaṇa's Commentary Alongwith (sic) Critical Notes, 3 vols. (Haridas Ayurveda Series, 9; Varanasi: Chaukhambha Visvabharati).
- Shastri, R. Shama (1920) (ed.), बोधायनगृह्यसूत्रम् *The Bodhāyana Grihyasutra* (Mysore: University of Mysore), ark:/13960/t2t492622.
- Singh, Thakur Balwant and Chunekar, K. C. (1972), Glossary of Vegetable Drugs in Brhattrayī (Varanasi: Chowkhamba Sanskrit Series Office).

- Singhal, G. D. et al. (1972–82), *Diagnostic* [and Other] Considerations in Ancient Indian Surgery (Varanasi: Singhal Publications); A translation of the Suśrutasaṃhitā in 10v.
- Sircar, Dinesh Chandra (1987), '6. Rākshaskhāli (Sundarban) Plate; Śaka 1118', *Epigraphia Indica* (1953–54), 30: 42–3.
- Sivarajan, V. V. and Balachandran, Indira (1994), *Ayurvedic Drugs and Their Plant Sources* (New Delhi, Bombay, Calcutta: Oxford & IBH Publishing).
- Sleeman, W. H. (1893), Rambles and Recollections of an Indian Official (London: Constable), ark:/13960/t22c4bx7w, accessed 14/03/2018; V. 2 at http://n2t.net/ark:/13960/t2s52bq7w.
- Smith, Brian K. (1994), Classifying the Universe: The Ancient Indian Varna System and the Origins of Caste (New York, Oxford: Oxford University Press), ISBN: 0-19-508498-5.
- Spink, M. S. and Lewis, G. L. (1973) (eds.), *Albucasis on Surgery and Instruments: A Definitive Edition of the Arabic Text with English Translation and Commentary* (London: Wellcome Institute of the History of Medicine).
- Srikantha Murthy, K. R. (2000–2), *Illustrated Suśruta Saṃhitā: Text, English Translation, Notes, Appendices and Index* (Jaikrishnadas Ayurveda Series, 102; 1st edn., Varanasi: Chaukhambha Orientalia).
- Steingass, F. (1930), A Comprehensive Persian-English Dictionary Including the Arabic Words and Phrases to Be Met with in Persian Literature (London: Kegan Paul, Trench, Trubner).
- Strauss, Bettina (1934), 'Das Giftbuch des Śānāq: eine Literaturgeschichtliche Untersuchung', Quellen und Studien zur Geschichte der Naturwissenschaften und der Medizin, 4/2: [89]–[152] followed by Arabic text.
- Suvedī, K. S. and Tīvārī, N. (2000) (eds.), Sauśrutanighaṇṭuḥ: granthādau vistṛtena granthavaiśiṣṭyaprakāśakenopodghātena avasāne ca dravyāṇām anekabhāṣānām āvalī- paryāyasaṅgrahābhyāṃ samalaṅkrtaḥ Suśrutas-aṃhitāyāṃ prayuktānām auṣadhadravyāṇāṃ paryāya-guṇakarmavarṇātmako pūrvagranthaḥ (Belajhuṇḍī, Þāṅ: Mahendrasaṃskrūtaviśvavidyālayaḥ).
- Tavernier, Jean-Baptiste (1684), *Collections of Travels through Turky* (sic), *into Persia, and the East-Indies* (London: M. Pitt).
- The Unicode Consortium (1991–2020), 'The Unicode Standard 13.0, NewaRange: 11400–1147F', URL, accessed 20/07/2021.

- Thorburn, S. S. (1876), *Bannu; or Our Afghan Frontier* (London: Trübner & Co.), URL, accessed 10/09/2019; Reprinted Lahore: Niaz Ahmad, 1978.
- UNESCO (2013), 'International Memory of the World Register Susruta Samhita (Nepal)', UNESCO, URL, accessed 11/09/2019.
- Unschuld, Paul Ulrich (1984), *Medicine in China: A History of Ideas* (Berkeley: University of California Press), ISBN: 0520050231.
- Valiathan, M. S. (2007), *The Legacy of Suśruta* (Hyderabad, Chennai, etc.: Orient Longman).
- Velankar, H. D (1925–30), Descriptive Catalogue of the Sanskṛta and Prākṛta Manuscripts in the Library of the Bombay Branch of the Royal Asiatic Society (Bombay: Royal Asiatic Society, Bombay), ark:/13960/t53g00h0n; Biswas #0115.
- Warrier, P. K., Nambiar, V. P. K., and Ramankutty, C. (1994–6) (eds.), *Indian Medicinal Plants: A Compendium of 500 Species. Vaidyaratnam P. S. Varier's Arya Vaidya Sala, Kottakal* (Madras: Orient Longman).
- Watt, George (1889–96), A Dictionary of the Economic Products of India (Calcutta: Dept. Revenue and Agriculture, Government of India), URL, accessed 28/04/2021.
- —— (1908), The Commercial Products of India, Being an Abridgement of "the Dictionary of the Economic Products of India" (London: John Murray), ark:/13960/t9t14xh3x.
- Whitney, William Dwight (1885), *The Roots, Verb-forms, and Primary De*rivatives of the Sanskrit Language. A Supplement to his Sanskrit Grammar (Leipzig: Breitkopf and Härtel), ark:/13960/t3qv3p906.
- Wilson, H. H. (1823), 'On the Medical and Surgical Sciences of the Hindus', *The Oriental Magazine and Calcutta Review*, 1: 207–12, 349–56, URL.
- Wren, R. C. (1956), *Potter's New Cyclopaedia of Botanical Drugs and Preparations*, ed. R. W. Wren (Rustington, Sussex: Health Science Press), ark:/13960/t14n65c9g.
- Wujastyk, Dagmar (2012), Well-mannered Medicine: Medical Ethics and Etiquette in Classical Ayurveda (New York: Oxford University Press). DOI: 10.1093/acprof:0so/9780199856268.001.0001.

- Wujastyk, Dagmar (2019), 'Iron Tonics: Tracing the Development from Classical to Iatrochemical Formulations in Ayurveda', HIMALAYA, the Journal of the Association for Nepal and Himalayan Studies, 39/1, ISSN: 2471-3716, URL, accessed 23/07/2019.
- Wujastyk, Dominik (1993), 'Indian Medicine', in W. F. Bynum and Roy Porter (eds.), *Companion Encyclopedia of the History of Medicine*, i (London: Routledge), chap. 33, 755–78, ISBN: 0-415-04771-4, URL.
- —— (2002), 'Cannabis in Traditional Indian Herbal Medicine', in Ana Salema (ed.), Āyurveda at the Crossroads of Care and Cure. Proceedings of the Indo-European Seminar on Ayurveda held at Arrábida, Portugal, in November 2001 (Lisbon: Centro de História de Além-Mar, Universidade Nova de Lisboa), 45–73, ISBN: 972-98672-5-9, URL, accessed 27/05/2019.
- —— (2003), The Roots of Ayurveda: Selections from Sanskrit Medical Writings (Penguin Classics; 3rd edn., London, New York, etc.: Penguin Group), ISBN: 0-140-44824-1.
- —— (2004), 'Agni and Soma: A Universal Classification', Studia Asiatica: International Journal for Asian Studies, IV–V, ed. Eugen Ciurtin: 347–70, ISSN: 1582–9111, URL.
- —— (2013), 'New Manuscript Evidence for the Textual and Cultural History of Early Classical Indian Medicine', in *Medical Texts and Manuscripts in Indian Cultural History*, ed. Dominik Wujastyk, Anthony Cerulli, and Karin Preisendanz (New Delhi: Manohar), 141–57, URL.
- —— (2021), 'MS London BL H. T. Colebrooke 908', URL.
- Yano, Michio (1986), 'A Comparative Study of *Sūtrasthānas*: Caraka, Suśruta, and Vāgbhaṭa', in Teizo Ogawa (ed.), *History of Traditional Medicine: Proceedings of the 1st and 2nd International Symposia on the Comparative History of Medicine—East and West* (Osaka: Division of Medical History, the Taniguchi Foundation), 325–44.
- Zimmermann, F. (1983), 'Suśrutasamhita. Essay review.', *Bulletin of the History of Medicine*, 57/2: 291–3, ISSN: 00075140, URL.
- Zimmermann, Francis (1999), *The Jungle and the Aroma of Meats* (2nd edn., Delhi: Motilal Banarsidass), ISBN: 8120816188.
- Zysk, Kenneth G. (1984), 'An Annotated Bibliography of Translations into Western Languages of Principle Sanskrit Medical Treatises', *Clio Medica*, 19/3–4: 281–91.

- Zysk, Kenneth G. (1985), Religious Healing in the Veda: With Translations and Annotations of Medical Hymns from the Rgveda and the Atharvaveda and Renderings from the Corresponding Ritual Texts (Transactions of the American Philosophical Society; Philadelphia: American Philosophical Society), ISBN: 0871697572.
- —— (1986), 'The Evolution of Anatomical Knowledge in Ancient India with Special Reference to Cross-cultural Influences', *Journal of the American Oriental Society*, 106: 687–705. DOI: 10.2307/603532.
- —— (2000), Asceticism and Healing in Ancient India: Medicine in the Buddhist Monastery (Indian Medical Tradition; 2nd edn., Delhi: Motilal Banarsidass); First published 1991. Reprint of 1998 edition.

# Glossary

- madhuravarga: 21 'strong indian mallow' - atibalā: 49	the 'sweet' savour	- withania: 21	- kārpāsa: 46
'strong indian mallow' - atibalā: 49  a slice of flesh - vadhra: 18  ācārika - medical advice: 48  admixture - prativāpa: 49 anantā - country - take away: 46 alarka - white calotropis: 49 anantā - country sarsaparilla: 49 apāmarga - prickly chaff flower: 46 apāmārga - prickly chaff flower: 46 apāmārga - edge of the hole: 50 apatānaka - convulsions: 45 apramatta - convulsions: 45 apramatta - awl: 45 ardhakapāṭasandhika - half door-hinge: - samkṣipta: 46 arka - purple calotropis: - awls 45 araka - purple calotropis: - awls 45 araka - purple calotropis: - awls 45 araka - purple calotropis: - awls 45 - arakaṣipta: 46 - convulsions - awls 45 - arakaṣipta: 46 - convulsions - awls 45 - arakaṣipta: 46 - convulsions - awls 45 - araksipta: 46 - convulsions - awls 45 - araksipta: 46 - apānga: 50 - apañga: 50 - alit 49 - country sarsaparilla - analtā: 49 - country sarsaparilla - analtā: 49 - country mallow: - abādham - joins: 18, 48 - bedana, sandhia - piţha: 47 - datura flower - dhattūrapuspa - decanted liquor - surāmanḍa: 48 dhānyāmla - fermented rice-water: 48 dhattūrapuspa - datura flower: 46 dilator - pravardhanaka: 46 door-hinge - kapāṭasandhika: 46 door-hinge - kapāṭasandhika: 46 dout - sirā: 47 duṣṭa - sirā: 47 - sirā: 47 - sirā: 47 - sirā: 49 - country mallow: - chedya: 48 - country mallow: - chedya: 48 dhānyāmla - fermented dilator - pravardhanaka: 46			
a slice of flesh -vadhra: 18  ācārika - medical advice: - baddham - medical advice: - balā - rountry - prativāpa: 49 - country mallow:  āhārya - take away: 46 alarka - white calotropis: - country - rountry - sarsaparilla: 49 - rountry - prickly chaff flower: 46 apāmārga - prickly chaff-flower: 21 - apānāga - edge of the hole: - convulsions: 45 aradhakapāṭasandhika - undistracted: 51 - awl: 45 - aradhakapāṭasandhika - half door-hinge: - fatāe degarwead - sanksipta: 49 - canntā: 49 - creeper-ear - vallīkarņa: 46 crow's lip - kākauṣṭha: 46 cutting - country mallow: - country mallow: - country mallow: - datura flower - dhattūrapuṣpa: 46 decanted liquor - surāmaṇḍa: 48 dhānyāmla - fermented rice-water: 48 dhattūrapuṣpa - datura flower: 46 dilator - pravardhanaka: 46 door-hinge - kapāṭasandhika: 46 duct - sirā: 45 ducts - sanksipta: 46 - sanksipta: 46 - apānga: 50 elixir salve			
a slice of flesh - vadhra: 18  ācārika - medical advice: - baddham - medical advice: - balā - country mallow: - balā - country mallow: - take away: 46 - alarka - white calotropis: - country - vadāria: 49 - country - chedya: 48 - countrallow: - country - chedya: 48 - countrallow: - chedya: 48 - countrallow: - country - chedya: 48 - countrallow: - countrallow: - countrallow: - chedya: 49 - countrallow: - countrallow: - countrallow: - countrallow: - chedya: 46 - countrallow: - countrallow: - coun			
a slice of flesh - vadhra: 18 - vadhra: 18 - carika - medical advice: - bound, connected: - baddham - medical advice: - bound, connected: - balā - country mallow: - take away: 46 - alarka - white calotropis: - country - country - country - country - country - vidāri: 49 - vidāri: 49 - prickly chaff - prickly chaff - prickly chaff - prickly - chaff-flower: 21 - apāmaga - edge of the hole: - convulsions: 45 - apatāmaka - convulsions: 45 - apatāmaka - convulsions: 45 - aradhakapāṭasandhika - half door-hinge: - awk: 45 - aradhakapāṭasandhika - purple calotropis: - vadhama - creeper-ear - vallīkarṇa: 46 crow's lip - kākauṣṭha: 46 crow's lip - kākauṣṭha: 46 crow's lip - kākauṣṭha: 46 coutting - chedya: 48 - ciutting - chedya: 48 - piṭha: 47 datura flower - sunāmanda: 48 dhattūrapuṣpa - decanted liquor - surāmanda: 48 dhattūrapuṣpa - datura flower: 46 dilator - pravardhanaka: 46 door-hinge - kapāṭasandhika: 46 dicted flesh - vallūraka: 46 duct - pravardhanaka: 46 duct - sirā: 45 duc			
- vadlra: 18  ācārika - medical advice: - bound, connected: - bound, connected: - balā - country mallow: - prativāpa: 49 - country mallow: - prativāpa: 49 - take away: 46  alarka - white calotropis: - white calotropis: - white calotropis: - country - sarsaparilla: 49 - country - vidāri: 49 - prickly chaff - splitting: 48 - splitting: 48 - prickly chaff - svastīvācana: 44 - convulsions: 45 - castor oil tree - candharana: 46 - castor oil tree - candharanata - chedya - castor oil tree - candharanata: 46 - castor oil tree - candharanata: 45 - castor o	a slice of flesh	*	
admixture - prativāpa: 49 - take away: 46 alarka - white calotropis:  49 anantā - country - sarsaparilla: 49 - prickly chaff flower: 46 apāmārga - prickly chaff-flower: 21 apānga - edge of the hole: 50 apatānaka - convulsions: 45 apramantta - convulsions: 45 apramantta - convulsions: 45 apramantta - convulsions: 45 apramantta - convulsions: 45 apramanta - convulsions: 45 aradhakapāṭasandhika - half door-hinge: - saṃkṣipta: 46 adais - convulsions: 48 bandha - conutry mallow: dais - cutting - country mallow: dais - piṭha: 47 datura flower - dhattūrapuṣpa: 46 decanted liquor - surāmaṇḍa: 48 dhāmyāmla - fermented rice-water: 48 dhāmyāmla - fermented rice-water: 48 dhattūrapuṣpa - datura flower: 46 dilator - surāmaṇḍa: 48 dhāmyāmla - fermented rice-water: 48 dhattūrapuṣpa - datura flower: 46 dilator - pravardhanaka: 46 door-hinge - kākauṣṭha: 46 decanted - pāṭḥa: 47 detuting (abritum) - cutting: 48 cheek-ear - saṇḍakarṇa: 46 compressed - half door-hinge: - saṃkṣipta: 47 compressed - saṃkṣipta: 46 - apāṇġa: 50 elixir salve	- vadhra: 18	49	
- medical advice: - bound, connected: - kākauṣṭha: 46  admixture - prativāpa: 49 - country mallow:  āhārya - take away: 46 alarka - white calotropis:  49 anantā - country - prickly chaff flower: 46 apāmārga - prickly chaff - prickly chaff-flower: 21 apānga - edge of the hole: - catyadhārā - convulsions: 45 apantāta - undistracted: 51 arā - awl: 45 aralhakapāṭasandhika - purple calotropis:  - bald - samkṣipta: 46 cutting - cutting - country mallow:  dais - priṭha: 47 datura flower - dhattūrapuṣpa: 46 decanted liquor - surāmaṇḍa: 48 dhānyāmla - fermented rice-water: 48 dhattūrapuṣpa - datura flower - datura flower - datura flower - baddhāmi: 21 - santivācana: 44 dhanyāmla - fermented rice-water: 48 dhattūrapuṣpa - datura flower - datura flower - baddhāmi: 51 - pravardhanaka: 46 door-hinge - kapāṭasandhika: 46 dried flesh - vallūraka: 46 duct - sirā: 45 ducts - sirā: 47 duṣṭa - tainted: 48 - tainted: 48 - ppānga: 50 - purple calotropis: - convulsions - samkṣipta: 46 - convulsions - chedya - samkṣipta: 46 - samkṣipta: 46 - samkṣipta: 46 - samiṣipta: 46 - sam	ācārika	baddham	
admixture - prativāpa: 49 - take away: 46 alarka - white calotropis:  49 anantā - country sarsaparilla: 49 - prickly chaff flower: 46 apāmārga - prickly chaff-flower: 21 - apānga - edge of the hole: 50 apatānaka - convulsions: 45 apramatta - cundistracted: 51 ārā - awl: 45 aralhakapāṇasandhika - half door-hinge: - prickle cheke-ear - awl: 45 arahaka - purple calotropis: - take away: 46 banāha - country - pionis: 18, 48 bandha - joining: 18 bandha, sandhāna, sandhi - joining: 18 beggarweed - vidāri: 49 - vidāri: 49 - vidāri; 49 - vidārigandhā: 21 bhedya - vidārigandhā: 21 - bhedya - vidārigandhā: 21 - surāmanda: 48 dhattūrapuṣpa - catura flower - surāmanda: 48 dhattūrapuṣpa - catura flower: 46 dilator - pravardhanaka: 46 door-hinge - kapāṭasandhika: 46 dried flesh - vallūraka: 46 duct - sirā: 45 ducts - sirā: 45 ducts - sirā: 47 duṣṭa - tainted: 48 - tainted: 48 - apāṇga: 50 elixir salve	- medical advice:	-bound, connected:	
admixture - pratīvāpa: 49 - take away: 46 alarka - white calotropis:  49 - tountry - white calotropis:  49 - country - white calotropis:  49 - country - pinning: 18 - country - pinning: 18 - country - pinning: 18 - country - prickly chaff - prickly chaff - prickly chaff - prickly - pri	48	51	( ) ! !
- pratroapa: 49 - country mallow:  alarka - white calotropis:  49 - country - white calotropis:  49 - country - pioning: 18 - pinha: 47 - datura flower - dhattūrapuspa: 46 - country - chafficar - cexaer: 48 dhantūrapuspa - catura flower - core-water: 48 dhainyāmla - fermented rice-water: 48 dhantūrapuspa - catura flower - core-water: 48 dhaitūrapuspa - catura flower - country - count	admixture		0
āhārya- take away: 46bandhadaisalarka- joins: 18, 48- pīṭha: 47- white calotropis:bandha, sandhāna, sandhi- datura flower49- joining: 18decanted liquoranantābeggarweed- surāmanḍa: 48- country- vidāri: 49dhānyāmlasarsaparilla: 49- vidārigandhā: 21- fermentedapāmargabhedya- fermented- prickly chaff- splitting: 48dhānyāmlaflower: 46blessings pronouncedrice-water: 48apāmārga- svastivācana: 44dhāttūrapuṣpa- pricklybound, connected- baddham: 51door-hingechaff-flower: 21- baddham: 51door-hingeapatāmaka- castor oil tree- kapāṭasandhika: 46- convulsions: 45- gandharvahasta: 45ductapramattachedya- sirā: 45- awl: 45- gandakarna: 46ductsārā- awl: 45- gandakarna: 46dusta- half door-hinge:- saṃkṣipta: 47duṣta46compressed- tainted: 48- purple calotropis:convulsionsedge of the hole- purple calotropis:convulsionselixir salve	- prativāpa: 49	- country mallow:	cheugu. 40
- take away: 46     alarka	āhārya		dais
- white calotropis:  - prickly chaff - prickly chaff - prickly chaff-flower: 21  - prickly - prawardhanaka: 46  dilator - prawardhanaka: 46  dilator - prawardhanaka: 46  door-hinge - kapāṭasandhika: 46  door-hinge - kapāṭasandhika: 46  duct - sirā: 45  ducts - sirā: 47  duṣṭa - tainted: 48  - tainted: 48  - tainted: 48  - apāṅnga: 50 - purple calotropis:  - purple calotropis:  - convulsions - purple calotropis:  - white calotropis: - surāmaṇḍa: 48  dhāmyāmla - fermented rice-water: 48  dhāttūrapuṣpa - datura flower - dhattūrapuṣpa: 46  decanted liquor - surāmaṇḍa: 48  dhāmyāmla - fermented rice-water: 48  dhāturāpuṣpa - datura flower - dhattūrapuṣpa: 46  decanted liquor - surāmaṇḍa: 48  dhāmyāmla - fermented rice-water: 48  dhattūrapuṣpa - datura flower - dhattūrapuṣpa: 46  dilator - prawardhanaka: 46  dilator - prawardhanaka: 46  door-hinge - kapāṭasandhika: 46  dilator - prawardhanaka: 46  douct - sirā: 47  duṣṭa - tainted: 48  - tainted: 48  - apāṅnga: 50  elixir salve	- take away: 46		
-white calotropis:  49  - joining: 18  begarweed  - country - vidāri: 49  apāmarga - prickly chaff flower: 46  apāmārga - prickly chaff-flower: 21  apāmaga - edge of the hole: - convulsions: 45  apatānaka - convulsions: 45  apatānaka - undistracted: 51 - awl: 45  ardhakapāṭasandhika - joining: 18  begarweed - vidāri: 49 - vidāri: 49 - vidārigandhā: 21 - surāmaṇḍa: 48  dhānyāmla - fermented rice-water: 48 dhattūrapuṣpa - datura flower: 46 dilator - pravardhanaka: 46 door-hinge - kapāṭasandhika: 46 dor-hinge - kapāṭasandhika: 46 duct - sirā: 45 ducts - sirā: 45 ducts - sirā: 47 duṣṭa - tainted: 48  - half door-hinge: - saṃkṣipta: 47 compressed - purple calotropis: - convulsions - convulsions - saṃkṣipta: 46 - purple calotropis: - convulsions - edge of the hole - saṃkṣipta: 46 - saṃkṣipta: 46 - apāṅga: 50 - elixir salve	alarka	-joins: 18, 48	
anantā beggarweed - vidāri: 49 apāmarga bhedya - splitting: 48 flower: 46 blessings pronounced apāmārga - prickly chaff flower: 21 - sanātīnāka - convulsions: 45 - gandharvahasta: 45 apamatta - convulsions: 45 - gandharvahasta: 45 aramatta - awl: 45 ardhaapāṭasandhika - half door-hinge: - anātīnāka - awl: 45 arahaka - half door-hinge: - awl: 45 arahaka - half door-hinge: - convulsions: 45 - compressed - sankṣipta: 46 arka - purple calotropis: - convulsions beggarweed - vidāri: 49 - vidāri; 49 - vidāri; 49 - surāmanda: 48 dhānyāmla - fermented rice-water: 48 dhattūrapuṣpa - datura flower: 46 dilator - pravardhanaka: 46 door-hinge - kapāṭasandhika: 46 door-hinge - vallūraka: 46 duct - sirā: 45 ducts - sirā: 45 ducts - sirā: 45 ducts - sirā: 47 duṣṭa - tainted: 48	<ul><li>- white calotropis:</li></ul>	bandha, sandhāna, sandhi	
anantā beggarweed -vidāri: 49 sarsaparilla: 49 -vidāri: 49 apāmarga bhedya -splitting: 48 flower: 46 blessings pronounced apāmārga -svastivācana: 44 -prickly chaff -svastivācana: 44 chaff-flower: 21 -baddham: 51 apānāga -edge of the hole: cakradhārā -castor oil tree -convulsions: 45 apramatta -chedya -undistracted: 51 -cutting: 48 arā -awl: 45 -sqaṇḍakarṇa: 46 ardhakapāṭasandhika -half door-hinge: -saṃkṣipta: 47 apānga -beggarweed -suidāris 49 dhānyāmla -fermented rice-water: 48 dhattūrapuṣpa -datura flower: 46 dilator -pravardhanaka: 46 door-hinge -kapāṭasandhika: 46 door-hinge -kapāṭasandhika: 46 duct -sirā: 45 ducts -sirā: 45 ducts -sirā: 47 duṣṭa -tainted: 48 -tainted: 48 -tainted: 48 -purple calotropis: convulsions elixir salve	49	-joining: 18	
sarsaparilla: 49	anantā		
sarsaparilia: 49  apāmarga  - prickly chaff  flower: 46  apāmārga  - prickly  chaff-flower: 21  apāmāga  - edge of the hole:  - convulsions: 45  apramatta  - undistracted: 51  arā  - awl: 45  ardhakapāṭasandhika  - half door-hinge:  - awl: 45  arka  - purple calotropis:  - vidarigandha: 21  bhedya  - splitting: 48  blessings pronounced  - svastivācana: 44  blessings pronounced  - svastivācana: 44  chalt ūrapuṣpa  - datura flower: 46  dilator  - pravardhanaka: 46  door-hinge  - kapāṭasandhika: 46  door-hinge  - kapāṭasandhika: 46  duct  - rim of a wheel: 47  - castor oil tree  - gandharvahasta: 45  - gandharvahasta: 45  - cutting: 48  - cutting: 48  - saṃkṣipta: 47  duṣṭa  - tainted: 48  - apāṅga: 50  elixir salve	- country	- vidāri: 49	
rice-water: 48 flower: 46 flower: 48 flower: 46 flower: 48 flower: 46 dilator	sarsaparilla: 49	- vidārigandhā: 21	o contract of the contract of
flower: 46  apāmārga -svastivācana: 44  chaff-flower: 21  apānga -edge of the hole:  apatānaka -convulsions: 45  apramatta -undistracted: 51  arā  -awl: 45  ardhakapāṭasandhika -half door-hinge:  -sankṣipta: 46  arka -purple calotropis:  -spintting: 48  blessings pronounced -svastivācana: 44  dilator -pravardhanaka: 46  door-hinge -kapāṭasandhika: 46  door-hinge -kapāṭasandhika: 46  douct -pravardhanaka: 46  douct -pravardhanaka: 46  douct -pravardhanaka: 46  douct -pravardhanaka: 46  duct -sanata -vallūraka: 46  duct -sirā: 45  ducts -sirā: 45  ducts -sirā: 47  duṣṭa -tainted: 48  -apāṅga: 50 elixir salve	apāmarga	bhedya	
apāmārga -svastivācana: 44 -prickly bound, connected -pravardhanaka: 46 apānga -edge of the hole: cakradhārā -kapāṭasandhika: 46 apatānaka castor oil tree -convulsions: 45 apramatta chedya -undistracted: 51 arā cheek-ear -awl: 45 ardhakapāṭasandhika compressed -half door-hinge: -saṃḍṣipta: 47 arka -saṃḍṣipta: 47  46 arka -saṃḍṣipta: 46 -apāṅga: 50 elixir salve		-splitting: 48	
- prickly bound, connected chaff-flower: 21	flower: 46	blessings pronounced	
chaff-flower: 21     apāṅga     - edge of the hole:     apatāṇaka     - convulsions: 45     apramatta     - undistracted: 51     - awl: 45     - awl: 45     ardhakapāṭasandhika     - half door-hinge:     - saṃkṣipta: 47     - purple calotropis:     bound, connected     - baddham: 51     - baddham: 51     - baddham: 51     - cakradhārā     - kapāṭasandhika: 46     dried flesh     - vallūraka: 46     duct     - vallūraka: 46     duct     - sirā: 45     ducts     - sirā: 47     duṣṭa     - tainted: 48     - tainted: 48     - apāṅga: 50     elixir salve	apāmārga		
door-hinge -edge of the hole: 50 -rim of a wheel: 47 apatānaka -convulsions: 45 -gandharvahasta: 45 -undistracted: 51 -cutting: 48 -awl: 45 -awl: 45 -ardhakapāṭasandhika -half door-hinge: -saṃkṣipta: 47 -opurple calotropis: -batanam. 51  door-hinge -kapāṭasandhika: 46 dried flesh -vallūraka: 46 duct -vallūraka: 46 ducts -sirā: 45 ducts -sirā: 47 duṣṭa -tainted: 48 -tainted: 48 -apāṅga: 50 elixir salve	- prickly	bound, connected	
apānga - edge of the hole: 50 - rim of a wheel: 47 apatānaka - convulsions: 45 - convulsions: 45 - cutting: 48 - undistracted: 51 - cutting: 48 - awl: 45 - awl: 45 - ardhakapāṭasandhika - half door-hinge: - saṃkṣipta: 47 - purple calotropis: - convulsions - cakradhārā - rim of a wheel: 47 - castor oil tree - castor o	chaff-flower: 21	- baddham: 51	
- rim of a wheel: 47  apatānaka - convulsions: 45 - gandharvahasta: 45 - convulsions: 45 - gandharvahasta: 45 - undistracted: 51 - cutting: 48 - undistracted: 51 - cutting: 48 - awl: 45 - awl: 45 - ardhakapāṭasandhika - half door-hinge: - saṃkṣipta: 47 - compressed	apāṅga		_
apatānaka castor oil tree -vallūraka: 46  - convulsions: 45 -gandharvahasta: 45 duct  apramatta chedya -sirā: 45  - undistracted: 51 -cutting: 48 ducts  ārā cheek-ear -sirā: 47  - awl: 45 -gaṇḍakarṇa: 46 duṣṭa  - ardhakapāṭasandhika compressed -tainted: 48  - half door-hinge: -saṃkṣipta: 47  46 compressed edge of the hole  arka -saṃkṣipta: 46 -apāṅga: 50  - purple calotropis: convulsions elixir salve	- edge of the hole:	cakradhārā	
- convulsions: 45 - gandharvahasta: 45 - chedya - undistracted: 51 - cutting: 48 - awl: 45 - awl: 45 - ardhakapāṭasandhika - half door-hinge: - saṃkṣipta: 47 - compressed - c	50	-rim of a wheel: 47	
apramatta chedya -sirā: 45  - undistracted: 51 -cutting: 48 ducts  ārā cheek-ear -sirā: 47  - awl: 45 -gaṇḍakarṇa: 46 duṣṭa  ardhakapāṭasandhika compressed -tainted: 48  - half door-hinge: -saṃkṣipta: 47  46 compressed edge of the hole  arka -saṃkṣipta: 46 -apāṅga: 50  - purple calotropis: convulsions elixir salve	apatānaka	castor oil tree	
- undistracted: 51 - cutting: 48 ducts  ārā cheek-ear - sirā: 47  - awl: 45 - gaṇḍakarṇa: 46 duṣṭa  ardhakapāṭasandhika compressed - tainted: 48  - half door-hinge: - saṃkṣipta: 47  46 compressed edge of the hole  arka - saṃkṣipta: 46 - apāṅga: 50  - purple calotropis: convulsions elixir salve	-convulsions: 45	- gandharvahasta: 45	
cheek-ear -sirā: 47  -awl: 45 -gaṇḍakarṇa: 46 duṣṭa  ardhakapāṭasandhika compressed -tainted: 48  - half door-hinge: -saṃkṣipta: 47  46 compressed edge of the hole  arka -saṃkṣipta: 46 -apāṅga: 50  - purple calotropis: convulsions elixir salve	apramatta	chedya	
- awl: 45 - gaṇḍakarṇa: 46 duṣṭa ardhakapāṭasandhika compressed - tainted: 48 - half door-hinge: - saṃkṣipta: 47 46 compressed edge of the hole arka - saṃkṣipta: 46 - apāṅga: 50 - purple calotropis: convulsions elixir salve	- undistracted: 51	-cutting: 48	
ardhakapāṭasandhikacompressed- tainted: 48- half door-hinge:- saṃkṣipta: 4746compressededge of the holearka- saṃkṣipta: 46- apāṅga: 50- purple calotropis:convulsionselixir salve	ārā	cheek-ear	
- half door-hinge:  46	- awl: 45	- gaṇḍakarṇa: 46	* *
46 compressed edge of the hole  - saṃkṣipta: 46 - apāṅga: 50  - purple calotropis: convulsions elixir salve	ardhakapāṭasandhika	compressed	-tainted: 48
- saṃkṣipta: 46 - apāṅga: 50 - purple calotropis: convulsions elixir salve	- half door-hinge:	- saṃkṣipta: 47	
- purple calotropis: convulsions elixir salve	46	compressed	edge of the hole
rungia circumstanti di santa d	arka	- saṃkṣipta: 46	- apāṅga: 50
*	<ul><li>purple calotropis:</li></ul>	convulsions	elixir salve
, , , ,	49	- apatānaka: 45	- rasāñjana: 51
āsaṅgima cotton eraṇḍapatranāla	āsaṅgima	cotton	
- fastening: 46 - picu: 48 - stalk of the leaf of	- fastening: 46		
aśvagandhā cotton plant castor oil plant: 51	aśvagandhā	cotton plant	castor oil plant: 51

- sandhi: 47	- paralysis of the
jvara	nape of the neck: 45
- fever: 19	mardita
•	- massaged: 50
kākauṣṭha	massaged
- crow's lip: 46	- mardita: 50
kapālacūrņa	may repair
- powdered	- yojayed: 50
earthenware	medical advice
crockery: 48	- ācārika: 48
	milk flower
	- vidāri: 21
	miśrakacikitsa
	- various
	treatments: 50
	monitor lizard
	- godhā: 49
	multi-joins
	- vyāyojima: 46
	1
	nala
	- reed: 51
	neem tree
gara potato. 21	- nimba: 46
lead	nemīsandhānaka
	- rim-join: 47
	nemīsandhānakaḥ
	- rim-join: 46
	nimba
	-neem tree: 46
	nirvedhima
	- ready-split: 46
· · · · · · · · · · · · · · · · · · ·	
	obstructed by blood
	- raktabaddha: 49
	ointment for rubbing
<i>gramma</i> . 47	the ear
madhuka	- udvartana: 50
	options
	- vikalpa: 47
	1 17
	pain
	- vedanā: 19
,	pāka
	- sentic: 40
	- fever: 19  kākauṣṭha - crow's lip: 46  kapālacūrṇa - powdered

paralysis of the nape of	reduced-ear	-puffed up: 49
the neck	- hīnakarṇa: 46	splitting
- manyāstambhā: 45	reed	- bhedya: <b>4</b> 8
pattāṅga	- nala: 51	srāva
-sappanwood: 51	rim of a wheel	-suppurating: 47
ріси	- cakradhārā: 47	- suppuration: 49
-cotton: 48	rim-join	stabdha
piercing the ear	- nemīsandhānaka:	-stiff: 47, 49
- kaṛnavyadha: 44	47	stalk of the leaf of casto
piercing	rim-join	oil plant
- vyadhana: 48	- nemīsandhānakaḥ:	- eraṇḍapatranāla: 51
pinched	46	stick-ear
- gāḍha: 49	- 11 1 1 11	- yaṣṭīkarṇa: 46
pīṭha	sādhubaddha	stiff
- dais: 47	-well joined: 51	- stabdha: 47, 49
powdered earthenware	saṃkṣipta	sunivișța
crockery	-compressed: 46	- very intent: 50
- kapālacūrṇa: 48	- compressed: 47	suppurating
prativāpa	saṃrambha	- srāva: 47
- admixture: 49	- inflamed: 49	suppuration
pratuda	sandhāna	- srāva: 49
- scavenging: 49	-joins: 46	surāmaṇḍa
pravardhanaka	sandhi	- decanted liquor:
- dilator: 46	-joins: 47	*
prickly chaff flower	sappanwood	48
- apāmarga: 46	- pattāṅga: 51	svastivācana blassinas
prickly chaff-flower	sarpis	-blessings
- apāmārga: 21	- ghee: 49	pronounced: 44
prota	scarification	śvayathu
- gauze: 48	- lekhya: 48	- swelling: 45
puffed up	scavenging	swelling
-śopha: 49	- pratuda: 49	-śvayathu: 45
purple calotropis	seed-eating	
- arka: 49	- vișkira: 49	taila
49	septic	- sesame oil: 50
raktabaddha	- pāka: 49	tainted
- obstructed by	sesame oil	- duṣṭa: 48
blood: 49	- taila: <u>5</u> 0	take away
rasāñjana	sirā	-āhārya: 46
- elixir salve: 51	- duct: 45	
ready-split	- ducts: 47	udvartana
- nirvedhima: 46	sīsaka	- ointment for
received a benediction	-lead: 46	rubbing the ear: 50
-kṛtamaṅgala: 44	slice of flesh	undistracted
reduced	- vadhra: 51	- apramatta: 51
- hīna: 51	śopha	utpalabhedyaka
<u>~</u>	*	,

- lotus-splittable: 46  vadhra  - a slice of flesh: 18 - slice of flesh: 51  vallīkarṇa - creeper-ear: 46  vallūraka - dried flesh: 46  various treatments - miśrakacikitsa: 50  varti - wick: 45f  vāta - wind: 46  vedanā	- pain: 19 very intent - suniviṣṭa: 50 vidāri - beggarweed: 49 - milk flower: 21 vidārigandhā - beggarweed: 21 vikalpa - options: 47 viṣkira - seed-eating: 49 vyadhana - piercing: 48 vyāyojima - multi-joins: 46	wasted - kṣīṇa: 49 well joined - sādhubaddha: 51 white calotropis - alarka: 49 wick - varti: 45f wind - vāta: 46 withania - aśvagandhā: 21  yaṣṭīkarṇa - stick-ear: 46 yojayed - may repair: 50	

## **Todo list**

	You say, "Both Cakrapāṇidatta and Dalhaṇa introduced these	
	verses and cited the opening words of the first verse before	
	glossing specific terms." but that's not right. Bhānumatī shows	
	no awareness of verses 19-21ab. Cakra doesn't say "svedito"	12
	Took out: "Cakrapāṇidatta did not introduce, cite or comment on	
	the same verses as <code>Dalhaṇa</code> (Su.1.16.20–22ab, Su 1938:79)."	12
	the referent of this is not so clear. 'this alternative reading'?	14
	[] suggesting that some of the readings accepted by D were	
	ancient, if not original. (?)	15
	Perhaps, Dr Madhu could add a comment on whether these ad-	
	ditional ingredients would change the effects of the treatment	
	in any significant way?	21
	refs?	34
	Add reference in the fn for the article on samudāya	45
	añjana	51