A Translation of the New Edition of the Suśrutasaṃhitā

Jason Birch and Dominik Wujastyk

Draft of 18th May 2021 © Jason Birch and Dominik Wujastyk

The Suśruta Project is producing a new Sanskrit text edition of the *Suśrutasaṃhitā* based on the early Nepalese manuscripts. As we gradually transcribe and edit the manuscripts, we are producing this new translation of the classic work.

Contents

The Manuscripts used in the Vulgate editions b	y	Yād	ava	śai	rma	l
Trivikrama Ācārya						3
The manuscripts of the 1915 edition						3
The manuscripts of the 1931 edition						3
The manuscripts of the 1938 edition						4
Sūtrasthāna, adhyāya 1						5
Sūtrasthāna, adhyāya 2						12
Literature	•			•		12
Sūtrasthāna, adhyāya 16						13
Uttaratantra, adhyāya 17						18
Literature						18
Translation						18

	•
Sūtrasthāna, adhyāya 28	24
Abbreviations	25
References	26
Glossary	29
Index of Manuscripts	38
And y as a second secon	

The Manuscripts used in the Vulgate editions by Yādavaśarma Trivikrama Ācārya

Yādavaśarma Trivikrama Ācārya produced three successive editions of the *Suśrutasaṃhitā* with the commentary of Þalhaṇa, in 1915, 1931 and 1938. These editions, especially the last, are considered the most scholarly and reliable editions of the work, and have been constantly reprinted up to the present day.

The 1915 edition was based on three manuscripts. The 1931 edition used another nine. For his final 1938 edition, Ācārya used a further three.¹

The manuscripts of the 1915 edition

- 1 Calcutta, Royal Asiatic Society. Covers the sūtra, nidāna, śārīra and kalpa sthānas.
- 2 Jaipur, Pandit Gaṅgādharabhaṭṭaśarman, lecturer at the Royal Sanskrit University. Covers the cikitsāsthānna and the uttaratantra.
- 3 Bundi, my great friend the royal physician Pam. Śrīprasādaśarman Covers the uttaratantra.

The manuscripts of the 1931 edition

- 1 Vārāṇasī, professor of literature, the great Gaurīnāthapāṭhaka. With the *Nibandhasaṅgraha*. Covers the nidānasthāna and uttaratantra.
- 2 Ahmedabad. My friend Sva. Vā. Vaidya Raṇachoḍalāla Motīlālaśarman. With the *Nibandhasaṅgraha*. Covers the śārīrasthāna.
- 3 From the library of my great friend Sva. Vā. Vaidya Murārajīśarman. Extremely old. No commentary. Covers the śārīrasthāna.
- 4 Pune, BORI library. With the *Nibandhasangraha*. Covers the śārīrasthāna.²
- 5 Puṇe, BORI library. With the *Nibandhasaṅgraha*. Complete. With some damaged folia.

¹SS 1938: 22.

²Not one of the three MSS of the śārīrasthānadescribed in **shar-vaid**.

6 Bombay, Asiatic Society. Incomplete.3

7 8

9

The manuscripts of the 1938 edition

1 2 3

							Man	uscı	ripts	. 1	.0			
edition		1915	5					19	935		4		193	38
sthāna	1	2	3	1	2	3	4	5	6 7	8	9	1	2	3
$s\bar{u}$.	•							•	?	•	●1-43	•		•
ni.	•							•	?	•		•		•
śā.	•						()		?	•		•		•
ci.		•							?	•		•		●1-9
ka.	•						,		?			•		
utt.						7			?					

³Possibly MS Mumbai, AS B.I.₃ or MS Mumbai, AS B.D.₁₀₉ (Velankar 1925–30: v. 1, # 212 and 213). But both these have the Nibandhasangraha. The first covers only the śārīrasthāna; the second may be complete, but Velankar calls it only "disorderly."

Sūtrasthāna, adhyāya 1

- 1 Now I shall narrate the chapter on the origin of this knowledge.4
- 2 Now, as is well-known, Aupadhenava, Vaitaraṇa, Aurabhra, Puṣkalāvata, Karavīra, Gopurarakṣita, Bhoja, Suśruta and others addressed Lord Divodāsa, king of Kāśi, the best of the immortals, who was in his ashram surrounded by an entourage of sages.⁵
- "O Lord, distress arose in our minds after witnessing people thrashing about with cries, assailed by different kinds of pain and injury (*vedanā-bhighāta*), feeling helpless in spite of having friends, because of diseases arising from the body, the mind and external sources.
- 4 "To quell the illnesses of those who seek happiness and for our own purpose of prolonging life, we desire the science of life (āyurveda) that is being taught. Welfare, both in this world and in the next, depends upon it. Therefore, we have come to the Lord in pupillage."
- 5 The Lord said to them:
 - "Welcome to you! My children, all of you are beyond reproach and worthy to be taught.
- 6 "As is well known, Ayurveda is the name of what is said to be the subsidiary part of the Atharvaveda. Before creating people, Svayambhū composed it in hundreds of thousands of verses and a thousand chapters and, after observing the short lifespan and low intelligence of people, he presented it again in eight parts.⁶
- "Surgery, treatment of body parts above the clavicle, general medicine, knowledge of spirits, care of children, and the disciplines of antidotes, rejuvenation and aphrodisiacs.

⁴Dalhaṇa understood the word "knowledge (*veda*)" as specifically "medical knowledge." He said that the word "longevity" (*āyur*) had been elided. After this opening statement, later manuscripts and commentaries include the attribution, "as the venerable Dhanvantari stated." The absence of this statement in the early Nepalese MSS is highly noteworthy because it removes the outer narrative frame of the *Suśrutasaṃhitā* (Dominik Wujastyk 2013: 148; Klebanov 2021a: § 3.1.2). On the figure of Dhanvatari in medical literature, see HIML: IA 358–361.

⁵On these persons, see HIML:IA 361–363, 369 ff. The authority Bhoja does not appear in the list as published in the vulgate edition (SS 1931:1), and was not included in HIML amongst "authorities mentioned in the *Suśrutasaṃhitā*." Meulenbeld gathered textual evidence about Bhoja at HIML:IA 690–691. Klebanov (2021b) has discussed these authors in the context of an anonymous commentary on the *Suśrutasaṃhitā* that cites them.

⁶Svayambhū is another name for Brahmā, the creator.

- 8 "Now, a collection of the characteristics of each component of Āyurveda.
- 9 "Among them, [the component] called surgery has the goal of extracting various grasses, wood, stone, dust, iron (?), soil, bone, hair, nails, discharge of pus, malignant wounds and foreign bodies inside the womb, and of determining the application of surgical instruments, knives, caustics and fire by means of sixty definitions.
- "[The component] named the doctrine of treating body parts above the clavicles has the aim of curing diseases situated above clavicles that is, diseases located in ears, eyes, mouth, nose and so on.
- "[The component] called general medicine has the goal of curing illnesses established in the whole body and [diseases] such as fever, tumour, swelling, hemorrhagic disorders, insanity, epilepsy, urinary diseases, diarrhoea and the like.
- "[The component] called knowledge of spirits is for appeasing demons by pacification rites and making food offerings for those whose minds have been possessed by gods, their enemies, Gandharvas, Yakṣas, demons, deceased ancestors, Piśācas, Vināyakas, Nāgas and evil spirits that possess children.
- "[The component] called care of children is for bearing children and purifying defects in a wet-nurse's milk, and curing diseases that have arisen from bad breast milk and demons.
- "[The component] called the discipline of toxicology is for [knowing] the signs of poison from snake and insect bites and for neutralising various combinations of poisons.9
- "[The component] called the discipline of rejuvenation is maintaining youth, bringing about a long life and mental vigour and for curing diseases.
- 16 "[The component] called the discipline of aphrodisiacs brings about the increase, purity, accumulation and production of semen for those

 $^{^{7}}$ Dānavas. The insertion marks ($k\bar{a}kapadas$) below the text at this point appears to be by the original scribe.

⁸The vulgate doesn't have *vināyaka*s but does add *asuras*, probably under the influence of Palhaṇa. Cite Paul Courtright, Ganesha book.

⁹The scribal insertion marks (crosses) above the line at this point in MS K appear to be in a later hand and their referent is lost in the damaged part of the folio. Although MSS N and H include spiders ($l\bar{u}t\bar{a}$) and creepy-crawlies ($sar\bar{i}srpa$) in the list, it does seem that MS K had a shorter list, and the vulgate edition adds rodents ($m\bar{u}sika$).

- whose semen is minimal, bad, depleted, and dry [respectively] and for inducing an erection.
- "Thus, this Ayurveda is taught with eight components."
 "Among these [components], tell us which is for whom."
- 18 They said, "After you have conveyed the knowledge of surgery, teach us everything."
- 19 He said, "so be it."
- They then said, "Having considered the view of all of us, when we are unanimous, Suśruta will question you. We too will learn what is being taught to him."
- 21 He said, "so be it.
- "Now, as is well-known, the aim of Āyurveda is eliminating the disease of one who have been assailed by disease and protecting the healthy; āyurveda is [that knowledge] in which they find a long life, or that by which long life is known. Learn its best component (i.e., surgery), which is being taught in accordance with tradition, perception, inference and analogy.
- "For this component is first, the most important, because it is referred to first; it cures wounds and joins together the most important thing, Yajña's head. For, just as it has been said of old, 'the head that had been cut off by Rudra was joined again by the two Aśvins.'
- "And also, of the eight disciplines of \bar{A} yurveda, [surgery] alone is the best because of the quick action of its procedures ($kriy\bar{a}$), its application of blunt instruments, knives, caustics and fire, and it is common to all disciplines.
- "Therefore, [surgery] is eternal, meritorious, leads to heaven, brings renown, bestows a long life, and affords a livelihood.
- 26 "Brahmā said this, 'Prajāpati learned it. From him, the Aśvins. From the Aśvins, Indra. From Indra, I. In this world, I will transmit to those who desire it for the benefit of people.'

[There a verse about this.].10

For, I (i.e., Brahmā) am Dhanvantari, the first god, the remover of old age, pain and death of mortals.

Having understood surgery, the best of the great knowledge systems, I arrived on earth again to teach it here.

¹⁰This is an expansion of the scribe's abbreviation *bha* for *bhavati cātra ślokaḥ* "There is a verse about this" (sometimes plural).

- In this context, as far as this discipline is concerned, a human being (puru
 otin a) is called an amalgam of the five elements and the embodied soul. This is where procedures $(kriy \overline{a})$ apply. This is the locus. Why?
 - Because of the duality of the world, the world is twofold: the stationary and the moving. Its nature ($\bar{a}tmaka$) is twofold, depending on the preponderance of Agni and Soma.¹¹ Alternatively, it can be considered as being fivefold. The multitude of beings in it are fourfold: they are termed "sweat-born, stone-born, caul-born and egg-born".¹² Where they are concerned, the human being is the main thing; others are his support. Therefore, the human being (puruṣa) is the locus.
- Diseases are said to be the conjunction of the person and suffering (duḥ-kha). There are four of them: invasive, bodily, mental and inherent. The invasive ones are caused by an injury. The bodily ones are based on food, caused by irregularities (vaiṣamya) in wind, bile, phlegm and blood.¹³

The mental $(m\bar{a}nasa)$ ones, caused by desire $(icch\bar{a})$ and hatred (dveṣa), include: anger (krodha), grief $(\bar{a}śoka)$, misery (dainya), overexcitement (harṣa), lust $(k\bar{a}ma)$, depression $(viṣ\bar{a}da)$, envy $(\bar{i}rṣy\bar{a})$, jealousy $(as\bar{u}y\bar{a})$, malice $(m\bar{a}tsarya)$, and greed (lobha).

The inherent (*svābhāvika*) ones are hunger, thirst, old age, death, sleep and those of the temperament (*prakṛti*).

These too are located (adhiṣṭhāna) in the mind and body.

Scarification (*lekhana*), nourishment (*bṛṇṇhaṇa*), purification (*saṃśo-dhana*), pacification (*saṃśamana*), diet (*āhāra*) and regimen (*ācāra*), properly employed, bring about their cure.

Furthermore, food is the root $(m\bar{u}la)$ of living beings as well as of strength (bala), complexion (varna) and vital energy (ojas). It depends on $(\bar{a}yatta)$ the six flavours (rasa). Flavours, furthermore, have substances as their substrate $(\bar{a}\acute{s}rayin)$. And substances are remedies $(oṣadh\bar{\iota}-)$. There are two types: stationary $(sth\bar{a}vara)$ and moving

¹¹See Dominik Wujastyk 2004.

¹²This fourfold classification of beings is paralleled with closely-related vocabulary in *Bhelasaṃhitā* 4.4.4 (Bhela 2000: 206; Bhela 1921: 81).

¹³Note that four humoral substances are assumed here.

¹⁴Pāṇini 6.3.132 provides that the final vowel of the noun oṣadhi may be lengthened $(\rightarrow oṣadh\bar{\iota})$ under certain conditions. These conditions require that the word be used in a Vedic mantra and not in the nominative. Neither condition is met in this passage, yet the

(jaṅgama).

- Of these, there are four types of stationary ones: fruit trees (*vanaspati*), flowering trees (*vṛkṣa*), herbs (*oṣadhi*) and shrubs (*vīrudh*). Amongst these, the "fruit trees" have fruit but no flowers. The "flowering trees" have flowers and fruit. The "herbs" die when the fruit is ripe. "Shrubs" put out shoots.
- As is well known, moving remedies are also of four types: those born in in a caul (*jarāyuja*), those born from eggs (*aṇḍaja*), those born of sweat (*svedaja*), and shoots (*udbhid*). Amongst these, those born in a caul include animals (*paśu*), humans, and wild animals (*vyāla*). Birds, creepycrawlies (*sarīṣṛpa*) and snakes are "born of eggs." Worms (*kṛmi*), small insects (*kunta*) and ants (*pipīlika*) and others are born of sweat. ¹⁷ Shoots include red velvet mites (*indragopa*) and frogs (*maṇḍūka*). ¹⁸|
- In this context, among the stationary remedies, skin (tvak), leaves (pa-tra), flowers (puṣpa), fruits (phala), roots ($m\bar{u}la$), bulbs (kanda), sap ($kṣ\bar{t}ra$), resin ($niry\bar{a}sa$), essence ($s\bar{a}ra$), oil (sneha), and juice extract (sva-rasa)¹⁹ are useful; among the moving remedies pelt (carman), hair, nails, and blood (rudhira) and so forth.
- 34 And earthen products (*pārthiva*) include gold and silver.²⁰
- The items created by time ($k\bar{a}lakrta$) are clusters (samplava) as far as wind and no wind ($niv\bar{a}ta$), heat and shade, darkness and light and the cold, hot and rainy seasons ($vars\bar{a}$) are concerned. The divisions of time are the blink of the eye (nimesa), a trice ($k\bar{a}sth\bar{a}$), minutes ($kal\bar{a}$), three-quarters of an hour ($muh\bar{u}rta$), a day and night ($ahor\bar{a}tra$), a fort-

author uses the form $osadh\bar{\iota}$. This form is in fact not uncommon in medical literature as well as in epics, purāṇas, smṛtis, and other parts of Sanskrit literature.

¹⁵Ca.sū.1.71–72 also describes these four types of medicinal plant in similar terms but with slightly differing names: *oṣadhi* is a plant that ends after fruiting, *vīrudh* is a plant that branches out, *vanaspati* is a tree with fruit, and *vānaspatya* is a tree with fruit and flowers.

¹⁶The MSS agree in reading *phalavantyaḥ* "having flowers" which is grammatically non-standard. This form is also found in the *Viṣṇudharmottarapurāṇa* (1.92.27, 1.92.27 Viṣṇudharmottarapurāna: 56r).

¹⁷The word *kunta*, though marked as "lexical" in most dictionaries, is in fact found in literature, commonly as a compound with *pipīlika*; the compound sometimes seems to be understood a type of ant (*tatpuruṣa* compound) rather than as a pair of insects (*dvandva* compound).

¹⁸On *indragopa*, see Lienhard 1978.

¹⁹On juice extract (*svarasa*) see CS 1.1.73, 1.4.7; SS 4.10.12.

²⁰The flow of concepts in the treatise seems to be interrupted here.

- night (pakṣa), a month ($m\bar{a}sa$), a season (rtu), a half-year (ayana), a year (samvatsara), and yuga (yuga).²¹
- These naturally cause accumulation (*sañcaya*), irritation (*prakopa*), pacification (*upaśama*) and alleviation (*pratīkāra*) of the humours (*doṣa*). And they have practical purposes (*prayojanavat*).

[There are verses about this:]²²

- This fourfold category is taught by physicians as a cause for the agitation and quelling of bodily diseases.²³
- There are two kinds of invasive diseases. Some certainly²⁴ affect (nipat-) the mind, others the body. Their treatment (kriyā) is of two kinds too.
- For those that affect the body there is physical (śārīravad) therapy, whereas for those that affect the mind there is the collection (varga) of desirable sensory experiences like sound that bring comfort (sukha).
- 40 Along these lines (*evam*), this brief explanation of the four factors (*catustaya*) is given:
 - human being (puruṣa),
 - disease (vyadhi),
 - remedies (oṣadhi),
 - the time for therapies (*kriyākāla*).

In this context,

• from the mention of the word "human," the collection of substances that arise from it, such as the elements, and the particulars (*vikalpa*) of its major and minor parts (*aṅga*) such as skin (*tvak*), flesh (*māṃsa*), ducts (*sirā*), sinews (*snāyu*), bones (*asthi*) and joints (*sandhi*) are meant.

²¹These units are presented at SS 1.6.5 and discussed by Hayashi (2017: § 59).

²²See footnote 10.

²³On the topic of the "group of four," the commentator Dalhana considers them to be "food, behaviour, earthen products and items created by time." He refers to the author of the lost commentary entitled $Pa\tilde{n}jik\bar{a}$, and to Jejjaṭa (HIML: IA, 372–3, 192). In his view, these early commentators do not agree that the fourfold grouping (caturvarga) refers to the quartet of stationary ($sth\bar{a}vara$), moving (jangama), earthen products ($p\bar{a}rthiva$) and items created by time ($k\bar{a}lakrta$) (SS 1938²: 9a).

²⁴The text uses an archaic interjection here, *ha*.

- From the mention of "diseases," all diseases caused by wind, bile, phlegm, congested humours (sannipāta), external factors (āgantu) and inherent factors (svabhāva) are intended (vyākhyāta).
- From the mention of "remedies," there is the teaching of substances, tastes, potencies, post-digestive tastes.
- From the mention of "procedures (*kriyā*)," therapies (*karman*) such as oiling and excision (*chedya*) are taught.
- From the mention of the word "time," every single teaching about the times for procedures is meant.

[There is a verse about this:]²⁵

- This seed of medicine has been declared in brief. Its explanation will be given in one hundred and twenty chapters.²⁶
- There are one hundred and twenty chapters in five sections (*adhyāya*).²⁷ In that regard, having divided them, according to their subject matter, into the Ślokasthāna, the Nidāna, the Śārīra, the Cikitsita and the Kalpa, we shall mention this in the Uttaratantra.²⁸

[There is a verse about this:]29

Someone who reads this eternal proclamation of the King of Kāśī, that was declared by Svayambhu, will have good karma on earth, will be respected by kings and upon death will achieve the world of Śakra.

²⁵See footnote 10.

 $^{^{26}}$ This is the number of chapters in the first five sections of the work, namely the $S\bar{u}tra$ -, $Nid\bar{a}na$ -, $S\bar{a}r\bar{i}ra$ -, $Cikits\bar{a}$ - and Kalpa-sth $\bar{a}na$ s. These have 46, 16, 10, 40 and 8 chapters respectively. The Uttaratantra has 66 chapters.

²⁷On *vimśa* in the sense of "greater by 20" see P.5.2.46 *śadantavimśateś ca*.

²⁸The end of this sentence reads oddly. The vulgate edition adds an object: "[we shall mention] the remaining topics [in the Uttara]" which smooths out the difficulty, but this is supported in none of the Nepalese MSS. At the start of the Uttaratantra (SS 1938: 1.3–4ab) there is indeed a statement that picks up the point about there being 120 chapters.

²⁹See footnote 10.

Sūtrasthāna, adhyāya 2

Je-83, et passim.

Sūtrasthāna, adhyāya 16

- 1 Now we shall expound the method for the piercing of the ear.
- One may pierce a child's ears for the purpose of preserving and decorating.
 - During the first half of the sixth or seventh lunar month, during a renowned day, half day, hour and constellation the child who has received a benediction (krtamangala), blessings pronounced (svastivacana) should be placed on the lap of a wet-nurse.³⁰ For a boy, do the right one first; for a girl do the left one. Use a needle on a thin ear; an awl ($\bar{a}r\bar{a}$) on a thick one.
- If there is excess blood or pain one should know that it was pierced in the wrong place. The absence of side-effects is a sign that it has been pierced in the right place.³¹
- In this context, if an ignorant person accidentally pierces a duct (*sirā*) there will be fever, burning, swelling (*śvayathu*), pain, lumps (*granthi*), paralysis of the nape of the neck (*manyāstambhā*), convulsions (*apatānaka*), headache or pain in the ear.
- Having removed the wick (*varti*) in it, one should smear it with a paste of the roots of barley, liquorice, Indian madder (*mañjiṣṭhā*), and the castor oil tree (*gandharvahasta*), thickened with honey and ghee. When it has healed well, one should pierce it again.
- 6 One should treat the properly-pierced ear by sprinkling it raw sesame oil. After every three days one should apply a thicker wick (*varti*) and sprinkle oil right on it.³²
- 7 Once the ear is free from humours or side-effects, one should loosen it with a light dilator (*pravardhanaka*) in order to enlarge it.
- 8 An person's ear enlarged in this way can split in two, either as a result of the humours or as a result of a blow.

Listen to me about the joins (sandhāna) it can have.

³⁰The syntax here is unclear. The expression *svastivācana* may have been a gloss inserted into the text at an earlier period to clarify *maṅgala*. But as it stands, it is not syntactically connected to the rest of the sentence. The Vulgate records a reading in which the words are united in a compound that reads more naturally.

 $^{^{31}}$ From here on, witness K is missing a folio, so the text is contstructed on the basis of witnesses N and H.

 $^{^{32}}$ The manuscripts support the reading $sth\bar{u}latar\bar{t}m$ that is either a non-standard form or a scribal error.

Here, there are, in brief, fifteen ways of mending the ear. They are as follows: Rim-join, Lotus-splittable, Dried Flesh, Fastening, Cheek-ear, Take away, Ready-Split, Multi-joins, Door-hinge, Half door-hinge, Compressed (saṃkṣipta), Reduced-ear, Creeper-ear, Stick-ear, and Crow's lip.

In this context, among these,

"Rim-join" (nemīsandhānaka): both flaps are wide, long, and equal.

"Lotus-splittable" (*utpalabhedyaka*): both flaps are round, long, and equal.

"Dried flesh" (vallūraka): both flaps are short, round, and equal.

"Fastening" (āsaṅgima): one flap is longer on the inside.

"Cheek-ear" (gaṇḍakarṇa): one flap is longer on the outside.33

"Take-away" (āhārya): the flaps are missing, in fact, on both sides.

"Ready-split" (*nirvedhima*): the flaps are like a dais (*pīṭha*).

"Multi-joins" (*vyāyojima*): one flap is small, the other thick, one flap is equal, the other unequal.

"Door-hinge" (kapāṭasandhika): the flap on the inside is long, the other is small.

"Half door-hinge" (ardhakapāṭasandhika): the flap on the outside is long, the other is small.

'These ten options (*vikalpa*) for joins (*sandhi*) of the ear should be bound. They can mostly be explained as resembling their names.³⁴ The five below are not so successful:

The five from compressed (saṃkṣipta) on are incurable. Among these, "compressed" has a dry ear canal and the other flap is small. "Reduced ear" has flaps that have no base and have wasted flesh on their edges. "Creeper-ear" has flaps that are thin and uneven. "Stick-ear" has lumpy (granthita) flesh and the flaps are stretched thin and have stiff (stabdha)

³³See fig. ??.

³⁴This is an odd assertion, given the strangeness of the names.

ducts (*sirā*). "Crow-lip" has a flap without flesh with compressed (*saṃ-kṣipta*) tips and little blood. Even when they are bound up, they do not heal because they are hot, inflamed, suppurating (*srāva*), or swollen.

A person wishing to perform any of these joins should therefore gather together the supplies prepared according to the recommendations of the 'Preparatory Supplies' chapter.³⁵ And in particular, he should gather surāmaṇḍa (*decanted liquor*), milk, water, dhānyāmla (*fermented rice-water*), and powdered earthenware crockery (*kapālacūrṇa*).

Next, he should prepare the woman or man who have had the ends of their hair tied up, have eaten lightly, and are firmly supported by qualified attendants.

Then, he should ready the bindings (bandha) and carry out the procedure with cutting (chedya), splitting (bhedya), scarification (lekhya), or piercing (vyadhana), examine the blood of the ear to know whether it is duṣṭa (tainted) or not. Then if it is tainted by wind, the ear should be bathed with dhānyāmla (fermented rice-water) and water; if tainted by choler, then cold water and milk should be used; if tainted by phlegm, then surāmaṇḍa (decanted liquor) and water should be used, and then he should scarify it again.

Then, arranging the join in the ear so that it is neither proud, depressed, nor uneven, one should make the join. Next, after anointing it with honey and ghee, each ear should be bandaged with picu (*cotton*) and prota (*gauze*), and bound up with a thread, neither too tightly nor too loosely. Then the earthenware powder should be sprinkled on, and ācārika (*medical advice*) should be given. And he should supplement with food as taught in the 'Two Wound' chapter.³⁶

One should avoid rubbing, sleeping during the day, exercise, overeating, sex, getting hot by a fire, or the effort of speaking.

One should not make a join when the blood is too pure, too copious, or too thin.³⁷ For when the ear is tainted by wind, then it is obstructed by blood (raktabaddha), unhealed and will peel. When tainted with choler, is becomes pinched ($g\bar{a}dha$), septic ($p\bar{a}ka$) and red. When tainted by phlegm, it will be stiff (stabdha) and itchy. It has excessively copi-

³⁵SS.1.5.

³⁶SS.4.1.

³⁷The vulgate reads "impure" for the Nepalese "too pure," which would appear to make better medical sense. Emending the text to *nāśuddha*- for *nātiśuddha*- in the Nepalese recension would yield the same meaning as the vulgate.

- ous suppuration ($sr\bar{a}va$) and is śopha (puffed~up). It has it has a small amount of wasted ($ks\bar{i}na$) flesh and it will not grow.³⁸
- When the ear is properly healed and there are no complications, one may very gradually start to expand it. Otherwise, it may be angry (sam-rambha), burning, septic or painful. It may even be split open again.
- Now, massage for the healthy ear, in order to enlarge it. One should gather as much as one can of the following: a monitor lizard $(godh\bar{a}^{39})$, pratuda (scavenging) and viṣkira (seed-eating) birds, and creatures that live in marshes or water, ⁴⁰ fat, marrow, milk, and sesame oil, and white mustard oil. Then cook the oil with an admixture (prativāpa) of the following: purple calotropis $(arka^{41})$, white calotropis $(alarka^{42})$, country mallow $(bal\bar{a}^{43})$, 'strong Indian mallow' $(atibal\bar{a}^{44})$, country sarsaparilla $(anant\bar{a}^{45})$ beggarweed $(vid\bar{a}ri^{46})$, liquorice (madhuka), hornwort $(jalaś\bar{u}ka \rightarrow jalanīlik\bar{a}^{47})$, ⁴⁸ items having the 'sweet' savour (madhuravarga), ⁴⁹ and 'milk flower' $(payasy\bar{a} \rightarrow vid\bar{a}r\bar{\imath}^{50})$. This should then be deposited in a well-protected spot.
- The wise man who been sweated should rub the massaged (mardita) ear with it. Then it will be free of complications, and will enlarge properly and be strong.
- 16 Ears which do not enlarge even when sweated and oiled, should be scarified at the edge of the hole (*apāṅga*), but not outside it.
- 17 In this tradition, experts know countless repairs to ears. So a physi-

³⁸This passage exemplifies numerous small changes

³⁹Varanus bengalensis, Schneider (Daniel 1983:58)

⁴⁰For such classifications, see **zimm-jung** and **smit-clas**.

⁴¹Calotropis gigantea, (L.) R. Br. (ADPS 52, AVS 1.341, NK #427, Potter 57, ID 306)

⁴²Calotropis procera, (Ait.) R. Br. (NK #428, GIMP 46b, ID 306)

⁴³Sida cordifolia, L. (ADPS 71, NK #2297)

⁴⁴Abutilon indicum, (L.) Sweet; Sida rhombifolia, L.? (NK #11, IGP ,4 1080; NK #2300)

⁴⁵Hemidesmus indicus, (L.) R. Br. (ADPS 434, AVS 3.141–5, NK #1210)

⁴⁶Desmodium gangeticum (L.) DC (Dymock 1.428, GJM 602, cf. NK #1192; ADPS 382, 414 and IMP 2.319, 4.366 are confusing)

⁴⁷Ceratophyllum demersum, L. (IMP 2371, AVS 2.56, IGP 232)

⁴⁸This name is not certain: in fact, the commentator Dalhana notes that some people interpret it as a poisonous, hairy, air-breathing, underwater creature.

⁴⁹The items which exemplify the 'sweet' savour (*madhuravarga*) are enumerated at SS.1.42.11.

⁵⁰Pueraria tuberosa (Willd.) DC. (ADPS 510, IMP 1.792f., AVS 4.391; not Dymock 1.424f. See GJM supplement 444, 451, IMP 1.187, but IMP 3.1719 = Ipmoea mauritiana, Jacq.)

- cian who is very intent (*suniviṣṭa*) on working in this way may repair (*yojayed*) them.
- 18 If an ear has grown hair, has a nice hole, a firm join, and is strong and even, well-healed, and free from pain, then one can enlarge it slowly.
- Now I shall describe the proper method of repairing a severed nose. First, take from the trees a leaf the same size as the man's nose and hang it on him.
- Next, having cut a slice of flesh (*vadhra*) with the same measurements off the cheek, the end of the nose is then scarified.⁵¹

 Then the diligent (*apramatta*) physician, should quickly put it back together (*pratisandhā*-) so that it is well joined (*sādhubaddha*).

 52
 - Having carefully observed that it has been well sown up, two tubes should be fixed in place. Then, having lifted them up,⁵³ the powder of sappanwood (*pattāṅga*⁵⁴),⁵⁵ liquorice (*yaṣṭīmadhuka*⁵⁶), and Indian barberry (*añjana*⁵⁷) should be applied to it.
- The wound should be covered properly with cotton (picu) and should be moistened repeatedly with sesame oil. Ghee should be given to the man to drink. His digestion being complete, he should be oiled and purged in accordance with the instructions specific to him.⁵⁸
- And once healed and really come together, what is left of its flesh (*vadhra*) should then be trimmed. If it is reduced (*hīna*), however, one should make an effort to stretch it, and one should make its overgrown flesh smooth.

añjana

⁵¹The vulgate reads bound, connected (*baddham*) for slice of flesh (*vadhra*). This is a critical variant from the surgical point of view. If the slice remains connected, it will have a continuing blood supply. This is one of the effective techniques that so astonished surgeons witnessing a similar operation in Pune in the eighteenth century (**wuja-roots3**).

⁵²Or '... off the cheek, it is fixed to the end of the nose, which has been scarified'. The Sanskrit text is unfortunately not unambiguous on the important point of whether or not the flap of grafted skin remains connected to its original site on the cheek.

⁵³The Sanskrit here, *unnāmayitvā* is non-Pāṇinian.

⁵⁴Caesalpinia sappan, L. (AVS 1.323, IMP 2.847f.)

⁵⁵For pattāṅga there are manuscript variants *pattrāṅga* (MS H) and *pattaṅga* (N). We read with H and K (f. 14r:1) on Y. T. Ācārya and N. R. Ācārya (SS 1938²: 1.14.36). The vulgate reads *pataṅga* and this reading is propagated in modern dictionaries.

⁵⁶Glycyrrhiza glabra, L. (AVS 3.84, NK #1136)

⁵⁷Berberis aristata, DC. (Dymock 1.65, NK #685, GJM 562, IGP 141)

⁵⁸The expression *svayathopadeśa* is ungrammatical but supported in all available witnesses.

Uttaratantra, adhyāya 17

Literature

HIML: IA, 305–306; Deshpande 1999; 2000; Leffler et al. 2020; Dagmar Wujastyk 2019.

Translation

- 1 Now I shall explain the counteraction (*pratiṣedha*) of diseases located in the pupil (*dṛṣṭi*).
- There are three curable $(s\bar{a}dhya)$, three incurable $(as\bar{a}dhya)$, and six mitigatible $(y\bar{a}pya)$ diseases located in peoples eyes. Among these, three are curable $(s\bar{a}dhya)$. Amongst these three, the remedy $(prat\bar{\imath}k\bar{a}ra)$ has been stated for the one called "seeing smoke $(dh\bar{\imath}madarsin)$ ".⁵⁹
- 3–5ab When the eye is inflamed (*vidagdha*) by bile and when it is inflamed by phlegm, one should apply the method for removing bile and phlegm, using nasal medicines (*nasya*), irrigation (*seka*), collyrium (*añjana*), liniment (*ālepa*), and medicines cooked in a crucible (*puṭa-pāka*), together with a balm (*tarpaṇa*), but not cutting with a blade (*śastrakṣata*).

One should drink ghee (sarpis) prepared with the three fruits ($triphal\bar{a}$) and in the first [case where the problem is bile], and prepared with turpeth (traivrta) in the latter [case, of phlegm].

And ghee prepared with tilvaka (*tailvaka*) is wholesome in both cases, or else aged ghee on its own.

5cd–7ab In a collyrium, these four compounds (*yoga*) are beneficial in both cases:

- ochre (*gairika*), Sind salt (*saindhava*), long pepper (*kṛṣṇā*) and the black soot (*masī*) from cow's teeth;
- Cow's flesh (*gomāṃsa*), black pepper (*marica*), siris (*śirīṣa*) and red arsenic (*manaḥśilā*);

mașī burned charcoal. Find

where is cutting with a knife related to removing bile or

phlegm.

⁵⁹This disease and its cure are described earlier (SS.6.7.39 and SS.6.10.16 (SS 1938²: 609 and 614) respectively). The latter part of this verse is hard to construe and the text here may have been altered at an early period.

 60 These therapies are described in SS.6.18 (SS 1938²: 633–640).

 61 Dalhaṇa interprets this as blood-letting ($sir\bar{a}vedha$), which is discussed in SS.1.14 (SS 1938²).

- stalk (*vṛnta*) from a wood apple (*kapittha*) with honey (*madhu*);⁶²
- or the the fruits of the velvet bean (*svayaṃgupta*).
- 8 The physician should make a collyrium with ground up metal (*ku-pyaka*), ⁶³ Asoka tree (*aśoka*), Sal tree (*śālā*), mango (*amra*), beautyberry (*priyaṃgu*), Indian lotus (*nalina*), blue lotus (*utpala*), together with hareṇu (*hareṇu*), emblic (*āmalaka*), myrobalan (*pathyā*), long pepper (*pippali*). It should be combined with ghee and honey (*kṣaudra*).
- 9–10 Also, when bile and phlegm have developed, the physician should apply harenu (harenu) with the expressed juice (svarasa) of the flowers from mango (amra) and Jambu (jambū) trees.

 Then this collyrium, matured (vipakva) with ghee and honey (kṣaudra), should then be applied.
- Filaments ($ki\tilde{n}jalka$) of Indian lotus (nalina) and blue lotus (utpala), with ochre (gairika), and the juice of cow-dung ($go\acute{s}akr\acute{t}$) are a collyrium in the form of a pill ($gu\acute{q}ik\bar{a}$). This is good for both day and night blindness.
- Elixir-salve ($ras\bar{a}\tilde{n}jana$), honey (kṣaudra), ghee, scramberry ($t\bar{a}l\bar{i}\acute{s}a$), together with gold and ochre, with the juice of cow-dung ($go\acute{s}akrt$) are for an eye afflicted with bile.
 - Alternatively, wise physician should first grind together elixir-salve $(s\bar{\imath}ta)$ and fermented barley $(sauv\bar{\imath}raka)$, infused $(bh\bar{a}vita)$ with the blood of birds and animals $(rasa).^{64}$ Then he mixes it with the bile of a tortoise or with extract of rohu carp (rauhita). It should always be used with powdered collyrium to quell the bile.
 - Thus, a collyrium of white teak ($k\bar{a}r\acute{s}mar\bar{\imath}$) flowers, liquorice (madhuka), tree turmeric ($d\bar{a}rv\bar{\imath}$), lodh tree (lodhra) and elixir salve ($ras\bar{a}\~njana$) is always good as a collyrium in this case.
 - Alternatively, for those who cannot see during the day, this pill (guḍikā), with sandalwood, is recommended: salt (nadīja), conch shell and the three spices, collyrium, realgar (manaḥśilā), the two turmerics (rajana)⁶⁵

 $^{^{62}}$ wood apple (kapittha) in this verse is ablative singular or accusative plural, neither of which construe obviously.

⁶³A metal other than gold or silver, according to V. Jośī and N. H. Jośī 1968: 1.217. Perhaps lead, which is used in making contemporary collyrium.

⁶⁴This is Dalhaṇa's preferred interpretation of *rasa* "juice" in this context. He also notes that some take elixir-salve (\hat{sita}) to be camphor.

⁶⁵Turmeric (Curcuma longa *Linn*.) and tree turmeric (Berberis aristata DC). The term *rajana* is unusual; the normal term is *rajanī*. *Rajana* occurs in *Suśrutanighaṇṭu* 158 in the

- and liver extract (yakṛdrasa).66
- One should grind up kohl (*srotoja*),⁶⁷ and Sind salt (*saindhava*) and long pepper and also harenu (*harenu*). Such wicks with goats urine are good in a collyrium for night blindness (*kṣaṇadāndhya*).
- Alternatively, in such a case, grind together Indian sarsaparilla $(k\bar{a}l\bar{a}-nus\bar{a}riva)^{68}$ long pepper, dried ginger $(n\bar{a}gara)$ and honey, the leaf of the scramberry $(t\bar{a}l\bar{i}\acute{s}apatra)$, the two turmerics (rajana), a conch shell and liver extract (yakrdrasa). Then shade-dried wicks take away illness (ruj).
- 18cd–19ab Wicks made of red arsenic (*manaḥśilā*), chebulic myrobalan (*abhayā*), the three spices (*vyoṣa*). Indian sarsaparilla (*sāriva*), cuttlefish bone (*samudraphena*), combined with goat's milk are good.
- One should cook a honey collyrium (*kṣaudrāñjana*) either in the juices of cow's urine (*gomūtra*), and bile, spirits (*madirā*), liver (*yakṛt*), and emblic (*dhātrī*) or else in the juice of the liver (*yakṛt*) of something different, or else with the extract of the three fruits (*triphalā*). One of these should be mixed with cow urine, ghee and cuttle fish (*arṇavamala*)⁶⁹ with long pepper, honey and box myrtle (*kaṭphala*). It is placed in sea salt and stored in a bamboo tube.
 - One should cook the liver of a sheep, the ghee of a goat, with long pepper and Sindh salt, honey and the juice of emblics. Then one should store it properly in a catechu box. Prepared thus, the honey collyrium is good.
 - Alternatively, a collyrium that is harenu (harenu) mixed with long pepper ($m\bar{a}gadh\bar{\iota}$), the bone and the marrow of a goat, cardamom ($el\bar{a}$) and liver, together with liver extract, is good for eyes afflicted by phlegm.⁷⁰

sense of Ferula asafoetida, Linn.

⁶⁶This verse appears as no. 27 in the vulgate.

⁶⁷Glossed by Dalhaṇa as a kind of collyrium. Cf. Nadkarni 1954: 2.M13 and Sharma 1982: 197–198

 $^{^{68}}$ There are two forms of $s\bar{a}riv\bar{a}$ mentioned widely in \bar{A} yurvedic literature, the white and the black. Ideas on the identity of the black form are particularly fluid. See Sivarajan and Balachandran (1994: 434–438) for a clear discussion.

⁶⁹At SS 6.12.31, Dalhaṇa glossed *arṇavamala* as cuttlefish bone (*samudraphena*). It may be worth considering whether the unusual term *arṇavamala* "ocean-filth" might refer to ambergris.

⁷⁰On the identities of *elā* and *hareṇu* Watt (1908: 511 ff) described the former as "true" or "lesser" or "Malabar" cardamom, Elettaria cardamomum, Maton & White, in contrast to the "greater" cardamom is Amomum subulatum (that he discusses on p. 65) that

- Over a fire, one should cook the liver (yakṛt) of a monitor lizard (godhā) prepared with entrails (antra) and stuffed with long pepper (māgadhi). As is well known, liver (yakṛt) which is used (niṣevita) with collyrium certainly destroys night blindness.
- 25 After preparing both a spleen (*plīhan*) and a liver on a spit, one should eat them both with ghee and oil.⁷¹
- As is well known, there are six diseases that can be alleviated (*yāpya*); in those cases (*tatra*) one should release the blood by bloodletting. And for the sake of wellbeing one should also purge using aged ghee combined (*upahita*) with purgative aids (*aṅga*).
 - When an eye-disease is caused by wind (pavanodbhava) they say that castor oil (pañcāṅgulataila) mixed with milk is good.⁷² In the case of diseases of blood (śonita) and bile (pitta), one should drink ghee with the three fruits; it is particularly cleansing.⁷³ In the case of phlegm, a purgative by means of turpeth (trivṛt) is recommended. In the case of all three humours, sandal (sugandhi) in oil is prepared with it (turpeth).⁷⁴
 - 28 In cases of partial blindness (*timira*), aged ghee is recommended. It is good if it is kept in an iron vessel.
- One should know that ghee with the three mylobalans is always good, and it is made with what is called periploca of the woods (meṣaviṣāṇa). A man who is suffering from partial blindess should lick the finely-ground three fruits mixed with ghee off his hand (sapāṇa).⁷⁵

is commonly used as an inferior substitute for E. cardamomum. Singh and Chunekar (1972: 467 f) provided an interesting discussion of *hareṇu*, noting that the term refers to two substances, first the *satīna* pulse (Pisum sativum, Linn.), and second an unknown fruit such as perhaps a Vitex. They noted, "None of the text commentators have attempted to disclose the nature of its source plant," although Dalhaṇa described it as aromatic and identical to *reṇukā* (SS.ci.2.75).

⁷¹We read the locative as if an instrumental; if the locative were intended then it would be the spit that would be coated with oil and ghee.

⁷²Dalhana says that the unexpressed topic of this recipe is partial blindness (*timira*).

⁷³Blood-bile (*śonita-pitta, rakta-pitta*) is a widely-recognized disease in ayurveda, but the compound here is definitely dual, which rules out that interpretation. One would expect blood-bile because the previous verse

⁷⁴The expression "the fragrant one in oil (*tailasugandhi*)" is puzzling. The word *sugandhi* has different referents in the *Nighaṇṭu* literature but is not common as a noun in the extant literature. "Sandal" is just one of its possible meanings.

⁷⁵"Off his hand" translates the adverbial *sapāṇam*, an unusual word. Dalhaṇa reproduces a reading close to the Nepalese recention but says that Jejjaṭa rejects it and so he also does (\$\sum_{1938:627}\$).

- 29cd Alternatively, someone afflicted by phlegm should apply them (the three fruits) mixed with oil and steeped (*pragāḍha*) in honey.
 - The very best oil, well-cooked with a decoction of cow-dung, is good in cases of partial blindness, taken as an errhine.

 In cases caused by bile, ghee by itself is good, as is oil when it arises from wind and blood.
 - And in the case of wind one should apply turpeth (trivrt) based on strong mallow $(atibal\bar{a})$, and country mallow $(bal\bar{a})$ in an errhine $(nasya).^{76}$
 - Ghee which has been extracted from milk cooked with the meat of aquatic creatures and those from marshlands should be prescribed.
 - tAn enclosed roasting (puṭākhya) with Sindh salt and the product of the meat of a carnivore (kravyabhuj) and a deer (eṇa), is combined with honey and ghee.⁷⁷
 - Fat $(vas\bar{a})$ from a horse, a vulture, a snake, and a cock $(t\bar{a}mrac\bar{u}da)$, combined with mahua $(madh\bar{u}ka)$ is always good in a collyrium.†⁷⁸
 - Having prepared (*niṣevita*) a collyrium made of kohl (*srotas*) and gradually combine it with juices (*rasa*), milk and ghee.⁷⁹ For thirty days, this collyrium is put in the mouth of a black snake that is covered with kuśa grass (*kuśa*).
 - Next, a collyrium that is milk containing long pepper (*māgadhī*), lye (*kṣāraka*) and Sindh salt (*saindhava*) that has been repeatedly prepared

The term 'enclosed roasting' (puṭapāka) does occur in the Suśrutasaṃhitā in the context of eye treatments, but designates a method of obtaining juice from substances by wrapping them in leaves pasted with earth and cooking the bolus on charcoal to finally extract a juice.

 $^{^{76}}$ "Based on" translates - \bar{a} śrita" depending on" which does not construe easily here. The Vulgate has śṛṭa "cooked" which makes easier sense but is not supported by the Nepalese MSS.

 $^{^{77}}$ Palhaṇa notes (SS 1938²: 628a) that $puṭ\bar{a}hvaya$ (see verse 35 below) is a synonym for $puṭap\bar{a}ka$, and that the process is described in the $Kriy\bar{a}kalpa$ chapter, i.e., SS.6.18.33–38 (SS 1938²: 635). On the puṭa process in the $Su\acute{s}rutasaṃhit\bar{a}$, which is earlier and different than that of $rasa\acute{s}\bar{a}stra$ literature, see the discussion by Dagmar Wujastyk (2019: 83):

⁷⁸This verse contain irresolvable difficulties. There are no significant variants in the Nepalese MS transmission, but the text is ungrammatical. The vulgate reads substantially differently but we have nevertheless made some emendations in line with it and read the verse as two sentences.

⁷⁹Dalhana specifies that the juices are meat soups of various animals (SS_{1938}^2 : 628).

- with the mouth of a black snake, is good in the case of bloodshot blindness $(r\bar{a}gin\ timira)$.⁸⁰
- They say that ghee may be produced from that and combined with sweet herbs is good as an errhine for eye-diseases caused by bile. And here, a balm (*tarpaṇa*) is good that is a combination that is the flesh of wild animals taken hot (*puṭāhvaya*).⁸¹
- 36 And realgar (manaḥśilā) mixed with elixir salve (rasāñjana) and honey is a liquid collyrium (dravāñjana) which is, in this case, combined with mahua (madhūka).⁸²
 - Alternatively, experts on this say that finely ground copper sulphate (*tuttha*) extracted from a gold mine is the "same collyrium" (*samāñjana*).⁸³

37

 $^{^{80}}$ Dalhaṇa describes this blindness as a type of $k\bar{a}ca$ disease caused by wind (\$\frac{55}{1938}\$:628). The expression "bloodshot blindness" is an attempt to capture the idea of a blind eye that is dyed or coloured (not colour-blindness). This verse is quite different from the Vulgate and also syntactically challenging.

 $^{^{81}}$ The expression taken hot (puṭāhvaya) is a guess.

 $^{^{82}}$ The expression liquid collyrium ($drav\bar{a}\tilde{n}jana$) is only known from Dalhaṇa's comments on SS.6.17.11ab (SS 193 8^2 : 626). The recipe in the present collyrium is different from that discussed by Dalhaṇa.

⁸³The expression "same collyrium" ($sam\bar{a}\tilde{n}jana$) is a hapax legomenon glossed inexplicably by Dalhana as "a collyrium with an equal amount of fermented barley" ($tulyasauv\bar{t}ra\tilde{n}jana$) (SS 1938²:628).

Sūtrasthāna, adhyāya 28

Thus, living creatures and their strength, complexion (varna) and energy (ojas) are rooted in food. That (food) depends on the six e (

wo kin

lot printiple

2021 to the printiple

2021 to the printiple

81 flavours (rasa). Thus, the flavours depend on substance (dravya), and substances depend on medicinal herbs. There are two kinds of them

Abbreviations

Bhela 1921

Mookerjee, Ashutosh and Ananta Krishna Shastri, Vedantabisharad (1921) (eds.), *The Bhela Samhita. Sanskrit Text* (Calcutta: University of Calcutta), ark:/13960/t3sv3157j; Based on two copies made of the Thanjavur codex unicus (MS Thanjavur TMSSML 10773, Burnell 1880: 63–4, Sastri 1933: #11085).

Bhela 2000

Krishnamurthy, K. H. (2000), *Bhela-saṃhitā*. *Text with English Translation, Commentary and Critical Notes* (Haridas Ayurveda Series, 8; Varanasi: Chaukhambha Visvabharati).

HIML

Meulenbeld, Gerrit Jan (1999–2002), *A History of Indian Medical Literature*, 5 vols. (Groningen: E. Forsten), ISBN: 9069801248.

SS 1931

Ācārya, Yādavaśarma Trivikrama (ed.), सुश्रुतसंहिता, वैद्यवरश्रीडल्हणाचार्यविरचि-तया निबन्धसंग्रहाख्यव्याख्यया समूल्लसिता, महर्षिणा विरचिता. सूत्र-निदान-शारीर-चिकित्सा-सुश्रुतेन कल्पस्थानोत्तरतन्त्रात्मकः. आचार्योपाह्वेन त्रिविक्रमात्मजेन यादवशर्मणा संशोधिता = The Sushrutasamhitā of Sushruta with the Nibandhasangraha Commentary of Shree Dalhanāchārya (2nd edn., Mumbayyām: Pāṇḍuraṅga Jāvajī at the Nirṇayasāgaramudrāyantrālaye), ark: / 13960 / t9j41sg94, accessed 09/06/2020; HIML: IB, 312 edition *v.

SS 1938

Ācārya, Yādavaśarma Trivikrama and Ācārya, Nārāyaṇa Rāma (1938) (eds.), श्रीडल्हणाचार्यविरिचतया निबन्धसंग्रहाख्यव्याख्यया निदानस्थानस्य श्रीगयदासाचार्यविरिचतया न्यायचिन्द्रकाख्यपञ्जिकाव्याख्यया च समु- छिता महर्षिणा सुश्रुतेन विरिचता सुश्रुतसंहिता (3rd edn., Bombay: Nirṇayasāgara Press); HIML: IB, 313 edition cc.

SS 1938²

SS₁₉₁₅

Ācārya, Yādavaśarma Trivikrama and Ācārya, Nārāyaṇa Rāma (2004) (eds.), महर्षिणा सु-श्रुतेन विरचिता सुश्रुतसंहिता, श्रीडल्हणाचार्यविरचितया निबन्धसंग्रहाख्यव्याख्यया निदानस्थानस्य श्रीगयदासा-चार्यविरचितया न्यायचन्द्रिकाख्यपञ्जिकाव्याख्यया च समुझसिता (Vārāṇasī: Caukhambhā Kṛṣṇadāsa Akādamī); Reprint of the third, 1938 edition (SS 1938), with changed pagination.

Ācārya, Yādavaśarma Trivikrama (1915) (ed.), सुश्रुतसंहिता, सुश्रुतेन विरचिता, वैद्यवरश्रीडल्ह-णाचार्यविरचितया निबन्धसंग्रहाख्यव्याख्यया समुष्ठसिता, आचार्योपाह्वेन त्रिविकमात्मजेन यादवशर्मणा संशोधिता = The Sushrutasamhita of Sushruta, the Nibandhasangraha Commentary of Shri Dalhaṇāchārya (Mumbayyāṃ: Nirṇayasāgaramudrāyantrālaye), ark :/ 13960 / t3sv0mt50, accessed 29/07/2020; HIML: IB, 312 edition *v.

Viṣṇudharmottarapurāṇa

Śarman, Madhusūdana and Śarman, Mādhavaprasāda (1912) (eds.), *Viṣṇudharmottarapurāṇam* (Mumbai: Khemarāja Śrīkṛṣṇadāsa at the Śrīveṅkaṭeśvara Steam Press), ark:/13960/t6qz6fr23; Lithograph format. Edited on the basis of a manuscript belonking to the astrologer Śudhākaraśarman of the Varanasi Sanskrit Pāṭhaśālā.

References

Adriaensen, Rob C. R., Barkhuis, Roelf, and Ruijters, Jean-Louis (1984), 'An English Translation of Suśrutasaṃhitā, Nidānasthāna 1, 1–39, Together with Gayadāsa's Nyāyacandrikā', in Gerrit Jan Meulenbeld (ed.), Proceedings of the International Workshop on Priorities in the Study of Indian Medicine (Groningen: Forsten), 277–310.

- Birch, Jason (2021), 'Cleaning the Body like a Conch: The Haṭhasaṅ-ketacandrikā and Śaṅkhaprakṣālana', *Academia Letters* (Jan.). Doi: 10.20935/al144.
- Bronkhorst, Johannes (2021), 'Patañjali's Āryāvarta = Śuṅga realm?', *Academia Letters*. DOI: 10.20935/al291; Article 291.
- Burnell, Arthur Coke (1880), *A Classified Index to the Sanskrit Mss. in the Palace at Tanjore* (London: Trübner), ark:/13960/t4xh86j61; Bhelasamhitā described on pp. 67 ff.
- Deshpande, Vijaya (1999), 'Indian Influences on Early Chinese Ophthalmology: Glaucoma As a Case Study', *Bulletin of the School of Oriental and African Studies*, 62: 306–22. DOI: 10.1017/S0041977X00016724.
- —— (2000), 'Ophthalmic Surgery: A Chapter in the History of Sino-indian Medical Contacts', *Bulletin of the School of Oriental and African Studies*, 63/3: 370–88, ISSN: 0041-977X. DOI: 10.1017/s0041977x00008454.
- Emeneau, M. B. (1969), 'Sanskrit Syntactic Particles "kila, khalu, nūnam", *Indo-Iranian Journal*, 11/4: 241–68.
- Harimoto, Kengo (2011), 'In Search of the Oldest Nepalese Manuscript', *Rivista degli Studi Orientali*, 84/1–4: 85–106, ISSN: 0392-4866, URL, accessed 08/09/2019.
- —— (2014), 'Nepalese Manuscripts of the Suśrutasaṃhitā', *Journal of Indian and Buddhist Studies* (*Indogaku Bukkyogaku Kenkyu*), 62/3: 23–29 (1087-1093). DOI: 10.4259/ibk.62.3_1087, URL, accessed 08/09/2019.
- (pre-published), '[Preliminary Edition of the Nepalese MSS of the Su-śrutasaṃhitā, adhyāyas 1.1–3, 6.4]'; Unpublished document dated 2010.
- Hayashi, Takao (2017), 'The Units of Time in Ancient and Medieval India', *History of Science in South Asia*, 5/1: 1–116. DOI: 10.18732/h2ht0h.
- Jośī, Veṇīmādhavaśāstrī and Jośī, Nārāyaṇa Harī (1968), Ayurvedīya Mahākośaḥ arthāt Āyurvedīya Śabdakośaḥ Saṃskṛta—Saṃskṛta (Muṃbaī: Mahārāṣṭra Rājya Sāhityta āṇi Saṃskṛti Maṃḍaḷa), url.
- Klebanov, Andrey (2021*a*), 'On the Textual History of the Suśrutasaṃhitā (1): A Study of Three Nepalese Manuscripts', to be published in *eJIM*: Electronic Journal of Indian Medicine, URL, accessed 09/09/2019.

- Klebanov, Andrey (2021b), 'On the Textual History of the Suśrutasaṃhitā, (2): An Anonymous Commentary and its Identified Citations', in Toke Lindegaard Knudsen, Jacob Schmidt-Madsen, and Sara Speyer (eds.), Body and Cosmos: Studies in Early Indian Medical and Astral Sciences in Honor of Kenneth G. Zysk (Leiden, Boston: Brill), 110–39.
- Leffler, Christopher T. et al. (2020), 'The History of Cataract Surgery: From Couching to Phacoemulsification', *Annals of Translational Medicine*, 8/22: 1551–97, ISSN: 2305-5847. DOI: 10.21037/atm-2019-rcs-04, URL, accessed 02/11/2020.
- Lienhard, Siegfried (1978), 'On the Meaning and Use of the Word Indragopa', *Indologica taurinensia*, 6: 177–88, URL, accessed 06/02/2021; The indragopa is a 'red velvet mite'.
- Nadkarni, K. M. (1954), Dr. K. M. Nadkarni's Indian Materia Medica, with Ayurvedic, Unani-tibbi, Siddha, Allopathic, Homeopathic, Naturopathic & Home Remedies, Appendices & Indexes ... in Two Volumes, ed. A. K. Nadkarni, 2 vols. (3 ed., revised by A. K. Nadkarni, Bombay: Popular Prakashan), ark:/13960/t6rz4h160.
- Preisendanz, Karin (2007), 'The Initiation of the Medical Student in Early Classical Āyurveda: Caraka's Treatment in Context', in Birgit Kellner et al. (eds.), Pramāṇakīrtiḥ. Papers Dedicated to Ernst Steinkellner on the Occasion of His 70th Birthday. Part 2, ii, 2 vols. (Wiener Studien zur Tibetologie und Buddhismuskunde, 70.2; Wien: Arbeitskreis für Tibetische Und Buddhistische Studien Universität Wien), 629–68, ISBN: 9783902501097, URL.
- Sastri, P. P. S. (1933), A Descriptive Catalogue of the Sanskrit Manuscripts in the Tanjore Maharaja Serfoji's Sarasvati Mahal Library Tanjore: Natya, Sangita, Kamasastra, Vaidya & Jyotisa, nos. 10650 11737 (Srirangam: Sri Vani Vilas Press), ark:/13960/t3nw8bc12.
- Sharma, Priya Vrat (1982), *Dalhaṇa and his Comments on Drugs* (Delhi: Munshiram Manoharlal).
 - (1999–2001), Suśruta-Saṃhitā, with English Translation of Text and Ḥal-haṇa's Commentary Alongwith (sic) Critical Notes, 3 vols. (Haridas Ayurveda Series, 9; Varanasi: Chaukhambha Visvabharati).
- Singh, Thakur Balwant and Chunekar, K. C. (1972), Glossary of Vegetable Drugs in Brhattrayī (Varanasi: Chowkhamba Sanskrit Series Office).

- Sivarajan, V. V. and Balachandran, Indira (1994), *Ayurvedic Drugs and Their Plant Sources* (New Delhi, Bombay, Calcutta: Oxford & IBH Publishing).
- Velankar, H. D (1925–30), Descriptive Catalogue of the Sanskṛta and Prākṛta Manuscripts in the Library of the Bombay Branch of the Royal Asiatic Society (Bombay: Royal Asiatic Society, Bombay), ark:/13960/t53g00h0n; Biswas #0115.
- Watt, George (1889–96), A Dictionary of the Economic Products of India (Calcutta: Dept. Revenue and Agriculture, Government of India), URL, accessed 28/04/2021.
- —— (1908), The Commercial Products of India, Being an Abridgement of "the Dictionary of the Economic Products of India" (London: John Murray), ark:/13960/t9t14xh3x.
- Wujastyk, Dagmar (2012), Well-mannered Medicine: Medical Ethics and Etiquette in Classical Ayurveda (New York: Oxford University Press). DOI: 10.1093/acprof:0s0/9780199856268.001.0001.
- —— (2019), 'Iron Tonics: Tracing the Development from Classical to Iatrochemical Formulations in Ayurveda', *HIMALAYA*, the Journal of the Association for Nepal and Himalayan Studies, 39/1, ISSN: 2471-3716, URL, accessed 23/07/2019.
- Wujastyk, Dominik (2004), 'Agni and Soma: A Universal Classification', *Studia Asiatica: International Journal for Asian Studies*, IV–V, ed. Eugen Ciurtin: 347–70, ISSN: 1582–9111, URL.
- —— (2013), 'New Manuscript Evidence for the Textual and Cultural History of Early Classical Indian Medicine', in *Medical Texts and Manuscripts in Indian Cultural History*, ed. Dominik Wujastyk, Anthony Cerulli, and Karin Preisendanz (New Delhi: Manohar), 141–57, URL.

Glossary

nipatācāra accumulation 23 sañcaya: 10 affect: 10 regimen: 8 abhayā adhisthāna "same ācārika chebulic collyrium" located: 8 myrobalan: medical samāñjana: 20 *advice*: 15 adhyāya

	sections: 11	entrails: 21	āyur	śonita: 21
	affect	ants	life,	Blood-bile
	nipat-: 10	pipīlika: 9	longevity: 5	śonita-pitta,
	āgantu .	арāṅgа	āyurveda	rakta-pitta:
	external	edge of the	the science	21
	factors: 11	hole: 16	of life: 5	blood-letting
	āhāra	apatānaka	1 111	sirāvedha:
	diet: 8	convul-	baddham	18
	ahorātra	sions: 13	bound,	bloodshot
	day and	apramatta	connected:	blindness
	night: 9	diligent: 17	1 7 balā	rāgin timira:
	aids	ārā		2 3
	aṅga: 21	awl: 13	country mallow: 22	blue lotus
	ālepa	arṇavamala	bala	utpala: 19
	liniment:	cuttle fish:	strength: 8	bones
	18	20	balm	asthi: 10
	alleviated	asādhya	tarpaṇa: 18,	born from eggs
	уāруа: 21	incurable:	ALC: I	aṇḍaja: 9
	alleviation	18	23 bandha	born in in a caul
	pratīkāra:	aśoka	bindings:	jarāyuja: 9
	10	Asoka tree:	15	born of sweat
	Along these	19	beautyberry	svedaja: 9
	lines	āśoka	priyanıgu:	bound,
	evam: 10	grief: 8	19	connected
	āmalaka	Asoka tree	bhāvita	baddham:
	emblic: 19	aśoka: 19	infused: 19	17
	amra	āśrayin	bhedya	box myrtle
	mango: 19	substrate: 8	splitting:	kaṭphala: 20
	aṇḍaja	asthi	15	bṛṃhaṇa
	born from	bones: 10	bile	nourish-
	eggs: 9	asūyā	pitta: 21	ment: 8
	anga	jealousy: 8	bindings	bulbs
	aids: 21	atibalā	bandha: 15	kanda: 9
	parts: 10	strong	black pepper	
	anger	mallow: 22	marica: 18	cardamom
	krodha: 8	ātmaka	black soot	elā: 2 0
	angry	nature: 8	maṣī: 1 8	carman
	saṃrambha:	awl	blessings	pelt: 9
	16	ārā: 13	pronounced	carnivore
	animals	ayana	svastivācana:	kravyabhuj:
\\	paśu: 9	half-year:	13	22
	añjana	10	blink of the eye	castor oil
V, O.	collyrium:	āyatta	nimeșa: 9	pañcāṅgula-
	18	depends	blood	taila: 21
\) '	antra	on: 8	rudhira: 9	castor oil tree
			20	

				.1
	gandharva-	convulsions	decanted liquor	ducts
	hasta: 13	apatānaka:	surāmaṇḍa:	sirā: 10, 15
	caturvarga	13	1 <u>5</u>	duhkha
	fourfold	copper sulphate	deer	suffering: 8
	grouping:	tuttha: 23	ena: 22	dușța
	10	cotton	depends on	tainted: 15
	catuștaya	picu: 15	āyatta: 8	dvesa
	four	counteraction	depression	hatred: 8
	factors: 10	pratiședha:	viṣāda: 8	natearo
	caused by wind	18	desire	earthen
	pavan-	country mallow	icchā: 8	products
	odbhava: 21	balā: 22	dhānyāmla	pārthiva: 9f
	chebulic	Cow's flesh	fermented	edge of the hole
	myrobalan	gomāṃsa:	rice-water: 15	apāṅga: 16
	abhayā: 20	18	dhātrī	elā
	chedya	cow's urine	emblic: 20	cardamom:
	cutting: 15	gomūtra: 20	dhūmadarśin	20
	excision: 11	cow-dung	seeing	elixir salve
	clusters	gośakṛt: 19	smoke: 18	rasāñjana:
	samplava: 9	creepy-crawlies	diet	19, 23
	cock	sarīsṛpa: 6,	āhāra: 8	Elixir-salve
	tāmracūḍa:	9	dilator	rasāñjana:
	22	curable	pravard-	19
	collection	sādhya: 18	hanaka: 13	elixir-salve
	varga: 10	cutting	diligent	śīta: 19
	collyrium	chedya: 15	apramatta:	emblic
	аñjana: 18	cutting with a	17	āmalaka: 19
	combined	blade	disease	dhātrī: 20
	upahita: 21	śastrakṣata:	vyadhi: 10	еṇа
	comfort	18 cuttle fish	doṣa	deer: 22
	sukha : 10		humours:	enclosed
	complexion 🗸	arṇavamala:	10	roasting
	varṇa: <mark>8, 24</mark>	cuttlefish bone	dravāñjana	puṭākhya:
	compounds	samudraphena:	liquid	22
	yoga: 18	20	collyrium:	energy
	compressed	20	23	ojas: 24
	saṃkṣipta:	dainya	dravya	entrails
	14 f	misery: 8	substance:	antra: 21
	Compressed	dais	24	envy
	saṃkṣipta:	pīṭha: 14	dried ginger	īrṣyā: 8
	14	dārvī	nāgara: 20	errhine
OT OIL	congested	tree	dṛṣṭi	nasya: 22
	humours	turmeric: 19	pupil: 18	essence
	sannipāta:	day and night	duct	sāra: 9
\ \ \ \ '	11	ahorātra: 9	sirā: 13	evam
e.		31		

					A 4
	Along	vanaspati: 9	hareņu: 19f	vidagdha:	
	these lines:	fruits		18	-1
			harṣa ovoroycito-	infused	7
	10	phala: 9	overexcite-		
	excision	gāḍha	ment: 8	bhāvita: 19	
	chedya: 11		hatred	inherent factors	
	expressed juice	pinched: 15	dveṣa: 8	svabhāva: 11	
	svarasa: 19	gairika	herbs	inherent	
	external factors	ochre: 18f	oṣadhi: 9	svābhāvika:	
	āgantu: 11	gandharvahasta	hīna	8	
	extract of rohu	castor oil	reduced:	intended	
	carp	tree: 13	17	vyākhyāta:	
	rauhita: 19	gauze	honey	11	
	,	prota: 15	collyrium	irregularities	
	Fat	ghee	kṣaudrāñ-	vaiṣamya: 8	
	vasā: 22	sarpis: 18	jana: 20	irrigation	
	fermented	godhā		seka: 18	
	barley	monitor	honey		
	sauvīraka:	lizard: 21	kṣaudra: 19	irritation	
			madhu: 19	prakopa: 10	
	19 formantad	gomāṇṇsa Carri	human being	īrṣyā	
	fermented	Cow's	puruṣa: 8,	envy: 8	
	rice-water	flesh: 18	10	items created	
	dhānyāmla:	gomūtra	humours	by time	
	15	cow's	doṣa: 10	kālakṛta: 9f	
	Filaments	urine: 20			
	kiñjalka: 19	gośakṛt	icchā	Jambu	
	flavours	cow-dung:	desire: 8	jambū: 19	
	rasa: 8, 24	19	illness	jambū	
	flesh	juice of	ruj: 20	Jambu: 19	
	māṃsa: 10	cow-dung:	in those cases	jaṅgama	
	vadhra: 17	19	tatra: 21	moving: 9f	
	flowering trees	granthi	incurable	jarāyuja	
	vṛkṣa: 9		asādhya: 18	born in in a	
	flowers	lumps: 13	Indian lotus		
	/ \	granthita		caul: 9	
	puṣpa: 9	lumpy: 14	nalina: 19	jealousy	
	fortnight	greed	Indian madder	аѕӣуā: 8	
	pakṣa: 10	lobha: 8	mañjiṣṭhā:	joins	
	four factors	grief	13	sandhāna:	
	catuștaya:	āśoka: 8	Indian	13	
	10	guḍikā	sarsaparilla	sandhi: 14	
	fourfold	pill: 19	kālānusāriva:	joints	
	grouping	r 7	20	sandhi: 10	
(X)	caturvarga:	half-year	sāriva: 20	juice extract	
X	10	ayana: 10	indragopa	svarasa: 9	
O Y	frogs	ē .	red velvet	juice of	
A. O.	<u> </u>	hareņu		,	
	таṇḍūka: 9 fruit trees	hareṇu: 19f hareṇu	mites: 9 inflamed	cow-dung <i>gośakṛt</i> : 19	

	juices	kriyā	leaves	lust
	rasa: 22	proced-	patra: 9	kāma: 8
	1 1-	ures: 7 f, 11	lekhana	lūtā
	kalā 	treatment:	Scarifica-	spiders: 6
	minutes: 9	10	tion: 8	lye
	kālakṛta 	kriyākāla	lekhya	kṣāraka: 22
	items	the time for	scarifica-	
	created by	therapies: 10	tion: 15	madhu
	time: 9f	kṛmi	life, longevity	honey: 19
	kālānusāriva	Worms: 9	āyur: 5	madhuka
	Indian	krodha	liniment	liquorice:
	sarsaparilla:	anger: 8	ālepa: 18	19
	20	kṛṣṇā	liquid	madhūka
	kāma	long	collyrium	mahua: 22f
	lust: 8	pepper: 18	dravāñjana:	madirā
	kanda	kṛtamaṅgala		spirits: 20
	bulbs: 9	received a	23 liquorice	māgadhī
	kapālacūrņa	benediction:	madhuka:	long
	powdered			pepper: 20
	earthenware	13 kaana dān dhua	19	māgadhi
	crockery: 15	kṣaṇadāndhya	liver extract	long
	kapittha	night	yakṛdrasa:	pepper: 21
	wood	blindness:	20	māgadhī
	apple: 19	20	liver	long
	karman	kṣāraka	yakṛt: 20f	pepper: 22
	therapies:	lye: 22	lobha	maĥua
	11	kṣaudra	greed: 8	madhūka:
	kārśmarī	honey: 19	located	22 f
	white teak:	kṣaudrāñjana	adhiṣṭhāna:	malice
	19	honey	8	mātsarya: 8
	kāṣṭhā	collyrium:	lodh tree	māṃsa
	trice: 9	20	lodhra: 19	flesh: 10
	kaṭphala 🔥	kṣīṇa	lodhra	manahśilā
	box myrtle:	wasted: 16	lodh tree:	realgar: 19,
	20	kṣīra	19	23
	kiñjalka	sap: 9	long pepper	red arsenic:
	Filaments:	kunta	kṛṣṇā: 18	18, 20
	19	small	māgadhī:	mānasa
	knowledge	insects: 9	20, 22	mental: 8
	veda: 5	kupyaka	māgadhi: 21	maṇḍūka
	kohl	metal: 19	pippali: 19	frogs: 9
(.X.,	srotas: 22	kuśa grass	lumps	mango
	srotoja: 20	kuśa: 22	granthi: 13	amra: 19
	kravyabhuj	kuśa	lumpy	mañjiṣṭhā
~ 0	carnivore:	kuśa grass:	granthita:	Indian
	22	22	14	madder: 13
			***	inducti 1)
Y				
		2	13	

				.1
	manyāstambhā	godhā: 21	nivāta	castor oil:
	paralysis of	month	no wind: 9	21
	the nape of	māsa: 10	no wind	paralysis of the
	the neck: 13	moving	nivāta: 9	nape of the
	mardita	jaṅgama: 9f	nourishment	neck
		muhūrta	bṛṃhaṇa: 8	manyāstambhā:
	massaged:	three-	บ กุกุกเนกุน. 0	
	marica	quarters of	-1tt 11	13 pārthiva
		an hour: 9	obstructed by	· ·
	black	mūla	blood	earthen
	pepper: 18	root: 8	raktabaddha:	products: 9f
	māsa		. 15	partial
	month: 10	roots: 9	ochre	blindness
	mașī	mūṣika	gairika: 18f	timira: 21
	black soot:	rodents: 6	off his hand	particulars
	18	myrobalan	sapāṇa: 21	vikalpa: 10
	massaged	pathyā: 19	oil	parts
	mardita: 16	nadīja	sneha: 9	aṅga: 10
	mātsarya	salt: 19	ojas	paśu
	malice: 8	nāgara	energy: 24	animals: 9
	matured	dried	vital	pathyā
	vipakva: 19	ginger: 20	energy: 8	myrobalan:
	may repair	nalina	options	19
	yojayed: 17	Indian	vikalpa: 14	patra
	medical advice	lotus: 19	oṣadhi	leaves: 9
	ācārika: 15	nasal medicines	herbs: 9	pavanodbhava
	medicines	nasya: 18	remedies:	caused by
	cooked in a		10	wind: 21
	crucible	nasya errhine: 22	oṣadhī-	pelt
	puṭapāka:	nasal	remedies: 8	carman: 9
	18	medicines:	overexcitement	periploca of the
	mental	18	harṣa: 8	woods
	mānasa: 8	nature	***************************************	meṣaviṣāṇa:
	meṣaviṣāṇa	ātmaka: 8	pacification	21
	periploca	night blindness	saṃśamana:	phala
	of the	ksanadānd-	8	fruits: 9
	woods: 21	• •	upaśama: 10	physical
	metal	hya: 20 nimeṣa	pain and injury	śārīravad:
	kupyaka: 19	blink of the	vedanābhi-	10
	minutes		ghāta: 5	picu
	kalā: 9	eye: 9	pāka	cotton: 15
cx	misery	niryāsa	•	
X	dainya: 8	resin: 9	septic: 15	piercing
α	· ·	nișevita	pakṣa fortnight:	vyadhana:
TA. O	mitigatible	prepared:	fortnight:	15
	yāpya: 18	22	10	pill
	monitor lizard	used: 21	pañcāṅgulataila	guḍikā: 19
		2/	1	

pinched	prayojanavat	bloodshot	oṣadhī-: 8
gāḍha: 15	practical	blindness:	remedy
pipīlika	purposes: 10	23	pratīkāra:
ants: 9	prepared	rainy seasons	18
pippali	nișevita: 22	varṣā: 9	resin
long	prepared with	rajana .	niryāsa: 9
pepper: 19	tilvaka	turmerics:	rodents
pīṭha	tailvaka: 18	19f	mūṣika: 6
dais: 14	prepared with	raktabaddha	root
pitta	turpeth	obstructed	mūla: 8
bile: 21	traivṛta: 18	by blood: 15	roots
plīhan	priyaṃgu	rasa	mūla: 9
•	beauty-	flavours: 8,	rtu
spleen: 21	berry: 19		season: 10
powdered	procedures	24	rudhira
earthenware	kriyā: 7f, 11	juices: 22	blood: 9
crockery	prota	the blood	ruj
kapālacūrṇa:	gauze: 15	of birds and	illness: 20
15	puffed up	animals: 19	1111655. 20
practical		rasāñjana	sādhubaddha
purposes	śopha: 16	elixir salve:	well joined:
pray-	pupil	19, 23	17
ojanavat: 10	dṛṣṭi: 18	Elixir-	sādhya
pragāḍha	purification	salve: 19	curable: 18
steeped: 22	saṃśo-	rauhita	saindhava
prakopa	dhana: 8	extract of	Sind salt:
irritation:	puruṣa	rohu carp:	18, 2 0
10	human	19	Sindh salt:
prakṛti	being: 8, 10	realgar	
tempera-	риѕра	manaḥśilā:	22 Sal tree
ment: 8	flowers: 9	19, 23	
pratīkāra	put it back	received a	śālā: 19
alleviation:	together	benediction	śālā
	pratisandhā-	kṛtamaṅgala:	Sal tree: 19
10	: 17		salt
remedy: 18	puṭāhvaya	13	nadīja: 19
pratisandhā-	taken hot:	red arsenic	samāñjana
put it back	23	manaḥśilā:	"same
together: 17	puṭākhya	18, 20	collyrium":
pratiședha	enclosed	red velvet mites	23
counterac-	roasting: 22	indragopa: 9	saṃkṣipta
tion: 18	puṭapāka	reduced	Com-
pratuda	medicines	hīna: 17	pressed: 14
scavenging:	cooked in a	regimen	com-
16	crucible: 18	ācāra: 8	pressed: 14f
pravardhanaka	cracioic. 10	remedies	samplava
dilator: 13	rāgin timira	oṣadhi: 10	clusters: 9

saṃrambha	sarpis	sirā	suppura-
angry: 16	ghee: 18	duct: 13	tion: 16
samśamana	śastrakṣata	ducts: 10,	śreyas
pacifica-	cutting	15	welfare: 5
tion: 8	with a	sirāvedha	srotas
saṃśodhana	blade: 18	blood-	kohl: 22
purifica-	sauvīraka	letting: 18	srotoja
tion: 8	fermented	siris	kohl: 20
samudraphena	barley: 19	śirīṣa: 18	stabdha
cuttlefish	Scarification	śirīṣa	stiff: 14f
bone: 20	lekhana: 8	siris: 18	stalk
saṃvatsara	scarification	śīta	vṛnta: 19
year: 10	lekhya: 15	elixir-salve:	stationary
sañcaya	scavenging	19	sthāvara: 8,
accumula-	pratuda: 16	skin	10
tion: 10	scramberry	tvak: 9f	steeped
sandal	tālīśa: 19	slice of flesh	pragāḍha:
sugandhi:	tālīśapatra:	vadhra: 17	22
21	20	small insects	sthāvara
sandhāna	season	kunta: 9	stationary:
joins: 13	ṛtu: 10	-	8, 10
sandhi	sections	รกลิ่งน	stiff
joins: 14	adhyāya: 11	sinews: 10	stabdha: 14f
joints: 10	seed-eating		strength
sannipāta	vișkira: 16	oil: 9	bala: 8
congested	seeing smoke	śonita	strong mallow
humours: 11	dhūmadarśin:	blood: 21	atibalā: 22
sap	18	śonita-pitta,	substance
kṣīra: 9	seka	rakta-pitta	dravya: 24
sapāṇa	irrigation:	Blood-bile:	substrate
off his	18	21	āśrayin: 8
hand: 21	septic	śopha	suffering
sāra	pāka: 1 <u>5</u>	puffed up:	duḥkha: 8
essence: 9	shoots	16	sugandhi
śārīravad	udbhid: 9	spiders	sandal: 21
physical:	shrubs	lūtā: 6	sukha
10	vīrudh: 9	spirits	comfort: 10
sarīsṛpa	Sind salt	madirā: 20	sunivișța
creepy-	saindhava:	spleen	very intent:
crawlies: 6,	18, 20	plīhan: 21	17
9	Sindh salt	splitting	suppurating
crawlies: 6, 9 sāriva Indian sarsaparilla:	saindhava:	bhedya: 15	srāva: 15
Indian	. 22	srāva	suppuration
_	sinews	suppurat-	srāva: 16
20	snāyu: 10	ing: 15	surāmaṇḍa
•		36	

	decanted	scram-	treatment	varga	
	liquor: 15	berry: 20	kriyā: 10	collection:	
	svabhāva	tāmracūḍa	tree turmeric	10	
	inherent	cock: 22	dārvī: 19	varṇa	
	factors: 11	tarpaṇa	trice	complex-	
	svābhāvika	balm: 18,	kāṣṭhā: 9	ion: 8, 24	
	inherent: 8	23	triphalā	varṣā	
	svarasa	tatra	three	rainy	
	expressed	in those	fruits: 18, 20	seasons: 9	
	juice: 19	cases: 21	trivṛt	varti	
	juice	temperament	turpeth:	wick: 13	
	extract: 9	prakṛti: 8	2 1f	vasā	
	svastivācana	the blood of	turmerics	Fat: 22	
	blessings	birds and	rajana: 19f	veda	
	pro-	animals	turpeth	knowledge:	
	nounced: 13	rasa: 19	trivṛt: 21f	5	
	svayaṃgupta	the fragrant one	tuttha	vedanābhighāta	
	velvet	in oil	copper	pain and	
	bean: 19	tailasug-	sulphate: 23	injury: 5	
	śvayathu	andhi: 21	tvak	velvet bean	
	swelling:	the science of	skin: 9f	svay-	
	13	life		aṃgupta: 19	
	svedaja	āyurveda: 5	udbhid	very intent	
	born of	the three spices	shoots: 9	sunivișța:	
	sweat: 9	vyoṣa: 20	upahita	17	
	swelling	the time for	combined:	vidagdha	
	śvayathu:	therapies	21	inflamed:	
	13	kriyākāla:	ираśата	18	
	(-:1	10	pacifica-	vikalpa	
	tailasugandhi	therapies	tion: 10	options: 14	
	the	karman: 11	used	particulars:	
	fragrant one	three fruits	nișevita: 21	10	
	in oil: 21	triphalā: 18,	utpala	vipakva	
	tailvaka	20	blue lotus:	matured:	
	prepared		19	19	
	with tilvaka:	three-quarters of an hour	ma dlana	vīrudh	
	18	muhūrta: 9	vadhra	shrubs: 9	
	tainted		flesh: 17	viṣāda	
	dușța: 15	timira	slice of		
	taken hot	partial	flesh: 17	depression: 8	
CX	puṭāhvaya:	blindness:	vaiṣamya :		
X	23 tālīća	21	irregularit-	vișkira	
	tālīśa	traivṛta	ies: 8	seed-eating:	
A OFFI	scram-	prepared	vanaspati	16	
	berry: 19	with	fruit trees:	vital energy	
) '	tālīśapatra	turpeth: 18	9	ojas: 8	

```
vrksa
                            animals: 9
                                                      varti: 13
                                                                               mitigatible:
                                                 wild animals
                                                                              18
    flowering
                        vyosa
                             the three
                                                      vyāla: 9
   trees: 9
                                                                          year
                                                 wood apple
                            spices: 20
vrnta
                                                                               samvatsara:
                                                      kapittha: 19
    stalk: 19
                                                                              10
                         wasted
                                                 Worms
vyadhana
                                                                          yoga
                             kṣīṇa: 16
                                                      kṛmi: 9
    piercing:
                                                                               com-
                         welfare
                                                                              pounds: 18
   15
                                                 yakṛdrasa
                             śreyas: 5
vyadhi
                                                                          yojayed
                         well joined
                                                      liver
    disease: 10
                                                                               may repair:
                             sādhubaddha:
                                                     extract: 20
vyākhyāta
                            17
                                                 yakrt
    intended:
                         white teak
                                                      liver: 20f
   11
                                                                               yuga: 10
                             kārśmarī:
                                                 уāруа
vyāla
                                                                          уида
                            19
                                                      alleviated
    wild
                        wick
                                                                               yuga: 10
```

Index of Manuscripts

The numbers after the colon refer to pages in this document.

Kathmandu, KL 699: 1 Mumbai, AS B.D.109: 4
Kathmandu, NAK 1-1079: 1 Mumbai, AS B.I.3: 4

Kathmandu, NAK 5-333: 1 Thanjavur TMSSML 10773: 25