

A Translation of the New Edition of the
Suśrutasaṃhitā

Jason Birch and Dominik Wujastyk

Draft of 22nd September 2021

© Jason Birch and Dominik Wujastyk

Draft of September 22, 2021 for private study only

/home/dom/Dropbox/localtexmf/tex/graphics/CCSA-license-88x31.png

© Dominik Wujastyk. I am distributing this pre-publication draft under a
Creative Commons Attribution-ShareAlike 4.0 International License.
For details, see <http://creativecommons.org/licenses/by-sa/4.0/>

Abstract

The [Suśruta Project](#) is producing a new Sanskrit text edition of the *Suśrutasaṃhitā* based on the early Nepalese manuscripts.¹ As we gradually transcribe and edit the manuscripts, we are producing this new translation of the classic work.

¹ MS Kathmandu KL 699, MS Kathmandu NAK 1-1079, and MS Kathmandu NAK 5-333.

Contents

The manuscripts and editions used in the vulgate editions by Yā-	
davaśarman Trivikrama Ācārya	5
The sources of the 1915 edition	5
The sources of the 1931 edition	5
The sources of the 1938 edition	6
Evaluation	7
The 1939 edition	8
For the Bhānumatī	8
For the Suśrutasaṃhitā	10
Evaluation	10
Features of the manuscript transmission	12
Palaeographical features	12
Chart of characters	12
Sūtrasthāna, adhyāya 1	13
Sūtrasthāna, adhyāya 2	20
Literature	20
Sūtrasthāna, adhyāya 17	21
Sūtrasthāna, adhyāya 28	30
Kalpasthāna, adhyāya 1	31
Literature	31
Manuscript notes	31
Translation	32
[Threats to the king]	32
Uttaratantra, adhyāya 16 (17 in the vulgate)	39
Literature	39
Translation	39
[Complications]	48
[Characteristics of the probe]	49
[Complications]	49

Abbreviations	51
Index of Manuscripts	53
References	54
Glossary	62
On digital critical editions	78

The manuscripts and editions used in the vulgate editions by Yādavaśarman Trivikrama Ācārya

Yādavaśarman Trivikrama Ācārya produced three successive editions of the *Suśrutasaṃhitā* with the commentary of Ḍalhaṇa, in 1915, 1931 and 1938. These editions, especially the last, are generally considered the most scholarly and reliable editions of the work, and have been constantly reprinted up to the present day.²

The 1915 edition was based on three manuscripts. The 1931 edition used another seven plus two printed editions. For his final 1938 edition, Ācārya used a further three manuscripts.³ These sources are described as follow, with an overview in Table 1.

The sources of the 1915 edition

- 1 Calcutta, Royal Asiatic Society. Covers the *sūtra*, *nidāna*, *śārīra* and *kalpa sthānas*.
- 2 Jaipur, Pandit Gaṅgādharaḥṭṭaśarman, lecturer at the Royal Sanskrit University. Covers the *cikitsāsthāna* and the *uttaratantra*.
- 3 Bundi, my great friend the royal physician Paṃ. Śrīprasādaśarman. Covers the *uttaratantra*.

The sources of the 1931 edition

- 1 Vārāṇasī, professor of literature, the great Gaurīnāthapāṭhaka. With the *Nibandhasaṅgraha*. Covers the *nidānasthāna* and *uttaratantra*.
- 2 Ahmedabad. My friend Sva. Vā. Vaidya Raṇachodālāla Motīlālaśarman. With the *Nibandhasaṅgraha*. Covers the *śārīrasthāna*.
- 3 From the personal library of my great friend Sva. Vā. Vaidya Murārājīśarman. Extremely old. No commentary. Covers the *śārīrasthāna*.
- 4 Pune, BORI library. With the *Nibandhasaṅgraha*. Covers the *śārīrasthāna*.⁴

2 See also the study of these editions by Klebanov (2021a: §1.2) and Wujastyk (2013: 143–144).

3 The following account of the sources is paraphrased from **susr-trikamjī**’s own account of his sources (**susr-trikamjī**).

4 Not one of the three MSS of the *śārīrasthāna* described in H. D. Sharma 1939.

- 5 Pune, BORI library. With the *Nibandhasaṅgraha*. Complete. With some damaged folia.
- 6 Bombay, Asiatic Society. Incomplete.⁵
- 7 Varanasi, the private library of Vaidya Tryambakaśāstrī. Covers the *cikitsāsthāna*. The variant readings of this MS were compiled by Prof.
- 8 A printed edition together with the commentary *Suśrutasaṁdīpana-bhāṣya* by Professor Hārāṇacandra Cakravārtti. Complete work. This is the 1910 Calcutta edition numbered “t” by Meulenbeld (HIML: IB, 312).⁶
- 9 A printed edition of the first 43 chapters of the *sūtrasthāna*, printed in Bengali script, with the commentaries *Bhānumatī*, *Nibandhasaṅgraha*, edited by Vijayaratnasena and Niśikāntasena. This is the 1886 Calcutta edition numbered “g” by Meulenbeld (HIML: IB, 311).⁷

The sources of the 1938 edition

- 1 Gwalior, from the library of my great friend Paṁ. Rāmeśvaraśāstrin Śukla. Covers the *sūtra*, *nidāna*, *śārīra*, *cikitsā* and *kalpasthānas*.
- 2 Bikaner, from the library of the Royal Palace, supplied by Paṁ. Candraśekharaśāstrin. Contains the commentary *Nyāy-acandrikāpañjikāvyaṅkyā* by Gayadāsa. Covers the *nidānasthāna*. This is almost certainly MS Bikaner Anup 4390.⁸
- 3 Kathmandu, located in the private library of the Royal Guru Hemarāja Śarman. An extremely old palm-leaf manuscript. Readings from this MS were compiled by Paṁ Nityānandaśarman Jośī and sent to Ācārya. Covers from the beginning of the work to the end of the ninth chapter of the *cikitsāsthāna*. The siglum for this manuscript in footnotes was ता for तालपत्रपुस्तके.

5 Possibly MS Mumbai AS B.I.3 or MS Mumbai AS B.D.109 (Velankar 1925–30: v. 1, # 212 and 213). But both these have the *Nibandhasaṅgraha*. The first covers only the *śārīrasthāna*; the second may be complete, but Velankar calls it only “disorderly.”

6 Bhaṭṭācārya 1910–7.

7 Sena et al. 1886–93.

8 See Dominik Wujastyk, “MS Bikaner AnupLib 4390.” *Pandit*. <<http://panditproject.org/entity/108068/manuscript>>.

Manuscripts (●) and print editions (○)															
edition sthāna	1915			1931									1938		
	1	2	3	1	2	3	4	5	6	7	8	9	1	2	3
sū.	●							●	?		○	○ ⁽¹⁻⁴³⁾	●		●
nī.	●			●				●	?		○		●	●	●
śā.	●				●	●	●	●	?		○		●		●
cī.		●						●	?	●	○		●		● ⁽¹⁻⁹⁾
ka.	●							●	?		○		●		
utt.		●	●	●				●	?		○				

Table 1: The sources of Yādavaśarman T. Ācārya's three vulgate editions.

Evaluation

Estimates show that there are approximately 230 extant manuscript witnesses for the *Suśrutasaṃhitā*.⁹ Many of these manuscripts cover only one or more of its chapters. Nevertheless, this is an order of magnitude more evidence than was considered by Ācārya for his vulgate editions.

While the descriptions provided by Ācārya of his source materials seems at first to be moderately comprehensive, Table 1 reveals the real paucity of textual basis for these editions. Apparently, fifteen manuscripts were consulted. However, we quickly find that two of the sources were other people's printed editions, and one of those covered less than a quarter of the work. That reduces the manuscript base to 13 manuscripts. Ācārya does not appear to have seen two of the manuscripts at all, having been sent collations prepared for him by others (7 of 1931 and 3 of 1938). Thus, Ācārya's final edition was based on the personal consultation of eleven manuscripts. One of them, no. 6 of 1931, remains mysterious. Only a single manuscript covers the whole of the *Suśrutasaṃhitā*, no. 5 of the 1931 edition. Manuscript 1 of 1938 is the next most complete, but it omits the *uttaratantra*, which comprises a third of the work. Manuscript 1 of the 1915 edition is next, but it still omits both of the longest chapters, and thus offers less than half the work. For the rest, the evidence is spotty, with each part of the work being supported by only between four and eight

⁹ This figure is arrived at by summing the MSS mentioned in [NCC](#) and in the [NGMCP](#). The real figure could be many scores higher.

manuscripts, excluding the printed editions.

Two sources stand out for their historical importance. The first is no. 3 of 1931, which Ācārya calls “extremely old.” It covered the *śārīrasthāna* only, and unfortunately we know nothing of the later history of this manuscript. The second is no. 3 of 1938, which is one of the important Nepalese manuscripts being considered in the present project. Ācārya’s remarks and references to Hemarājaśarman’s introduction to the *Kāśyapasaṃhitā* allow us to identify this manuscript as MS Kathmandu NAK 5-333.¹⁰ But that manuscript covers the whole work, not just up to the ninth chapter of the *cikitsāsthāna* as **susr-trikamji3** stated.¹¹ Perhaps the editors only received collations for this portion of the manuscript and did not know that it was a witness for the whole work.

The 1939 edition

In 1939, Yādavaśarman Trivikrama Ācārya and Nandakiśora Śarman co-edited an edition of the *sūtrasthāna* of the *Suśrutasamhitā* that was published by the Swami Laxmi Ram ayurvedic centre in Jaipur, and printed at the famous Nirṇayasāgara Press in Mumbai.¹² The text was edited on the basis of the following sources.

For the Bhānumatī

1. A printed edition. Covered the *Bhānumatī* up to chapter Su.sū.40. The siglum was 𑀓 for *mudrita*.¹³
2. A manuscript in the India Office Library library provided through

¹⁰ **susr-trikamji3**Hemarāja Śarman 1938: 56–57. Discussed by Klebanov (2021a: §1.1, 2.3). See also HIML: IIB, 25–41; Wujastyk 2003: 161–169.

¹¹ **susr-trikamji3**.

¹² Su 1939. The description of the sources below is based on Yādavaśarman T. Ācārya’s remarks in his introduction (pp. 3–4).. See also the remarks on this edition by Klebanov (2021b: 7). On the Swami Laxmi Ram centre, see Hofer 2007

¹³ **sena-1893**. The manuscript on which this edition was based is probably in the library of the Calcutta Sanskrit College, and described in H. Sastri and Gui 1895–1917: v. X.1, which is not available to me. See also HIML: IB, 495, n. 57 for mention of this manuscript. The reference at Rama Rao et al. 2005: 217 to CSCL accession number 97 in Bengali script may be this manuscript.



Figure 1: A page of the 1939 *Bhānumatī* edition, showing the variant readings in the footnotes.

the Bhandarkar Oriental Research Institute in Pune.¹⁴ This manuscript covered the *Bhānumatī* b up to the end of the *sūtrasthāna*. The siglum was ह for हस्तलिखित.¹⁵

For the *Suśrutasaṃhitā*

1. A palm leaf manuscript from Hemarājaśarman's personal library.¹⁶ The siglum was ता for ताडपत्र.
2. His own published edition. The siglum was ड for डल्हणसंमतः पाठः.¹⁷
3. Hārānacandra Cakravartī's published edition with his own commentary.¹⁸ The siglum was हा.

Evaluation

The main innovation of this publication was to present the only surviving part of the commentary on the *Suśrutasaṃhitā* by the great eleventh-century medical scholar Cakrapāṇidatta, namely the *Bhānumatī*.¹⁹ A secondary purpose was to present the text of the *sūtrasthāna* as read in MS Kathmandu NAK 5-333, that had recently been brought to the editors' attention. In their judgement, the Kathmandu manuscript presented a text that was closer to what Cakrapāṇidatta had before him than the text according to Ḍalhaṇa. This was the first *Suśrutasaṃhitā* edition in which Ācārya used sigla to identify the sources from which variant readings were reported, so while it has limitations, it for the first time enables us to get some idea of origins of the text (see Figure 1).

Ācārya noted in his introduction that the manuscripts containing the Ḍalhaṇa's commentary all came together with the root-text of the *Suśrutasaṃhitā*, and thus the main *Suśrutasaṃhitā* text reflected the readings chosen by Ḍalhaṇa. But the manuscripts of the *Bhānumatī* contained the commentary alone, without the root-text, and had many explanations

14 At this time, manuscripts from Britain were routinely lent to scholars in India and vice versa.

15 MS London BL H. T. Colebrooke 908 ([PanditProject #109978](#), consulted on July 03, 2021).

16 I.e., MS Kathmandu NAK 5-333.

17 **susr-trikamji3**. It is noteworthy that Ācārya refers to his 1938 edition as representing "the Ḍalhaṇa recension."

18 Bhaṭṭācārya 1910-7.

19 [HIML](#): IA, 374-375 and IB, 495-496.

based on different readings of the root-text than those of Ḍalhaṇa. In many of these cases it was hard to know what the text that Cakrapāṇidatta had before him. But Ācārya noted that Cakrapāṇidatta had a text before him that had much in common with the text of the Nepalese manuscript.²⁰

There is compelling evidence that Cakrapāṇidatta's *Bhānumatī* commentary once covered the whole text of the *Suśrutasamhitā*.²¹ The loss of the rest of the work ranks amongst the greatest disasters in Āyurvedic literature. Remarkably, the whole *Bhānumatī* may still have existed in the early twentieth century. In 1903, Palmyr Cordier reported being privately informed of a complete copy of the work in a personal manuscript collection in Benares.²²

²⁰ Su 1939: 3–4. See discussion by Klebanov (201b: 7).

²¹ HIML: IA, 375.

²² Cordier 1903: 332.

Features of the manuscript transmission

Palaeographical features

- śrita for śṛta.
- ś and s in KL 699.

Chart of characters

[[[Put a chart from QuickPalaeographer here.]]]

Sūtrasthāna, adhyāya 1

- 1 Now I shall narrate the chapter on the origin of this knowledge.²³
 - 2 Now, as is well-known, Aupadhenava, Vaitaraṇa, Aurabhra, Puṣkalāvata, Karavīra, Gopurarakṣita, Bhoja, Suśruta and others addressed Lord Divodāsa, king of Kāśi, the best of the immortals, who was in his ashram surrounded by an entourage of sages.²⁴
 - 3 “O Lord, distress arose in our minds after witnessing people thrashing about with cries, assailed by different kinds of pain and injury (*vedanā-bhīghāta*), feeling helpless in spite of having friends, because of diseases arising from the body, the mind and external sources.
 - 4 “To quell the illnesses of those who seek happiness and for our own purpose of prolonging life, we desire the science of life (*āyurveda*) that is being taught. Welfare, both in this world and in the next, depends upon it. Therefore, we have come to the Lord in pupillage.”
 - 5 The Lord said to them:
“Welcome to you! My children, all of you are beyond reproach and worthy to be taught.
 - 6 “As is well known, Ayurveda is the name of what is said to be the subsidiary part of the Atharvaveda. Before creating people, Svayambhū composed it in hundreds of thousands of verses and a thousand chapters and, after observing the short lifespan and low intelligence of people, he presented it again in eight parts.²⁵
 - 7 “Surgery, treatment of body parts above the clavicle, general medicine, knowledge of spirits, care of children, and the disciplines of antidotes,
-
- 23 Ḍalhaṇa understood the word “knowledge (*veda*)” as specifically “medical knowledge.” He said that the word “longevity” (*āyur*) had been elided. After this opening statement, later manuscripts and commentaries include the attribution, “as the venerable Dhanvantari stated.” The absence of this statement in the early Nepalese manuscripts is highly significant because it removes the outer narrative frame of the *Suśrutasaṃhitā* (Wujastyk 2013: 148; Klebanov 2021a: § 3.1.2; Rai 2019; Birch et al. 2021). On the figure of Dhanvantari in medical literature, see HIML: IA 358–361.
 - 24 On these persons, see HIML: IA 361–363, 369 ff. The authority Bhoja does not appear in the list as published in the vulgate edition (Su 1931: 1), and was not included in HIML amongst “authorities mentioned in the *Suśrutasaṃhitā*.” Meulenbeld gathered textual evidence about Bhoja at HIML: IA 690–691. Klebanov (2021b) has discussed these authors in the context of an anonymous commentary on the *Suśrutasaṃhitā* that cites them.
 - 25 Svayambhū is another name for Brahmā, the creator.

- rejuvenation and aphrodisiacs.
- 8 “Now, a collection of the characteristics of each component of Āyurveda.
- 9 “Among them, [the component] called surgery has the goal of extracting various grasses, wood, stone, dust, iron (?), soil, bone, hair, nails, discharge of pus, malignant wounds and foreign bodies inside the womb, and of determining the application of surgical instruments, knives, caustics and fire by means of sixty definitions.
- 10 “[The component] named the doctrine of treating body parts above the clavicles has the aim of curing diseases situated above clavicles that is, diseases located in ears, eyes, mouth, nose and so on.
- 11 “[The component] called general medicine has the goal of curing illnesses established in the whole body and [diseases] such as fever, tumour, swelling, hemorrhagic disorders, insanity, epilepsy, urinary diseases, diarrhoea and the like.
- 12 “[The component] called knowledge of spirits is for appeasing demons by pacification rites and making food offerings for those whose minds have been possessed by gods, their enemies,²⁶ Gandharvas, Yakṣas, demons, deceased ancestors, Piśācas, Vināyakas, ²⁷ Nāgas and evil spirits that possess children.
- 13 “[The component] called care of children is for bearing children and purifying defects in a wet-nurse’s milk, and curing diseases that have arisen from bad breast milk and demons.
- 14 “[The component] called the discipline of toxicology is for [knowing] the signs of poison from snake and insect bites and for neutralising various combinations of poisons.²⁸
- 15 “[The component] called the discipline of rejuvenation is maintaining youth, bringing about a long life and mental vigour and for curing diseases.

26 Dānavas. The insertion marks (*kākapadas*) below the text at this point appears to be by the original scribe.

27 The vulgate doesn’t have *vināyakas* but does add *asuras*, probably under the influence of Ḍaḷhaṇa. Cite Paul Courtright, Ganesha book.

28 The scribal insertion marks (crosses) above the line at this point in MS K appear to be in a later hand and their referent is lost in the damaged part of the folio. Although MSS MS Kathmandu NAK 1-1079 and MS Kathmandu NAK 5-333 include spiders (*lūtā*) and creepy-crawlies (*sarīsrpa*) in the list, it does seem that MS K had a shorter list, and the vulgate edition adds rodents (*mūṣika*).

- 16 "[The component] called the discipline of aphrodisiacs brings about the increase, purity, accumulation and production of semen for those whose semen is minimal, bad, depleted, and dry [respectively] and for inducing an erection.
- 17 "Thus, this Āyurveda is taught with eight components."
"Among these [components], tell us which is for whom."
- 18 They said, "After you have conveyed the knowledge of surgery, teach us everything."
- 19 He said, "so be it."
- 20 They then said, "Having considered the view of all of us, when we are unanimous, Suśruta will question you. We too will learn what is being taught to him."
- 21 He said, "so be it."
- 22 "Now, as is well-known, the aim of Āyurveda is eliminating the disease of one who have been assailed by disease and protecting the healthy; āyurveda is [that knowledge] in which they find a long life, or that by which long life is known. Learn its best component (i.e., surgery), which is being taught in accordance with tradition, perception, inference and analogy.
- 23 "For this component is first, the most important, because it is referred to first; it cures wounds and joins together the most important thing, Yajña's head. For, just as it has been said of old, 'the head that had been cut off by Rudra was joined again by the two Aśvins.'
- 24 "And also, of the eight disciplines of Āyurveda, [surgery] alone is the best because of the quick action of its procedures (*kriyā*), its application of blunt instruments, knives, caustics and fire, and it is common to all disciplines.
- 25 "Therefore, [surgery] is eternal, meritorious, leads to heaven, brings renown, bestows a long life, and affords a livelihood.
- 26 "Brahmā said this, 'Prajāpati learned it. From him, the Aśvins. From the Aśvins, Indra. From Indra, I. In this world, I will transmit to those who desire it for the benefit of people.'
[There a verse about this].²⁹
- 27 *For, I (i.e., Brahmā) am Dhanvantari, the first god, the remover of old age, pain and death of mortals.*

29 This is an expansion of the scribe's abbreviation *bha* for *bhavati cātra ślokaḥ* "There is a verse about this" (sometimes plural).

Having understood surgery, the best of the great knowledge systems, I arrived on earth again to teach it here.

- 28 In this context, as far as this discipline is concerned, a human being (*puruṣa*) is called an amalgam of the five elements and the embodied soul. This is where procedures (*kriyā*) apply. This is the locus.

Why?

Because of the duality of the world, the world is twofold: the stationary and the moving. Its nature (*ātmaka*) is twofold, depending on the preponderance of Agni and Soma.³⁰ Alternatively, it can be considered as being fivefold. The multitude of beings in it are fourfold: they are termed “sweat-born, stone-born, caul-born and egg-born”.³¹ Where they are concerned, the human being is the main thing; others are his support. Therefore, the human being (*puruṣa*) is the locus.

- 29 Diseases are said to be the conjunction of the person and suffering (*duḥkha*). There are four of them: invasive, bodily, mental and inherent. The invasive ones are caused by an injury. The bodily ones are based on food, caused by irregularities (*vaiṣamya*) in wind, bile, phlegm and blood.³²

The mental (*mānasa*) ones, caused by desire (*icchā*) and hatred (*dveṣa*), include: anger (*krodha*), grief (*āśoka*), misery (*dainya*), overexcitement (*harṣa*), lust (*kāma*), depression (*viśāda*), envy (*īrṣyā*), jealousy (*asūyā*), malice (*mātsarya*), and greed (*lobha*).

The inherent (*svābhāvika*) ones are hunger, thirst, old age, death, sleep and those of the temperament (*prakṛti*).

These too are located (*adhiṣṭhāna*) in the mind and body.

Scarification (*lekhana*), nourishment (*bṛṇhana*), purification (*saṃśodhana*), pacification (*saṃśamana*), diet (*āhāra*) and regimen (*ācāra*), properly employed, bring about their cure.

- 30 Furthermore, food is the root (*mūla*) of living beings as well as of strength (*bala*), complexion (*varṇa*) and vital energy (*ojas*). It depends on (*āyatta*) the six flavours (*rasa*). Flavours, furthermore, have substances as their substrate (*āśrayin*). And substances are remedies (*oṣadhī*).³³ There are two types: stationary (*sthāvara*) and moving

30 See Wujastyk 2004.

31 This fourfold classification of beings is paralleled with closely-related vocabulary in *Bhelasamhitā* 4.4.4 (Bhela 2000: 206; Bhela 1921: 81).

32 Note that four humoral substances are assumed here.

33 Pāṇini 6.3.132 provides that the final vowel of the noun *oṣadhi* may be lengthened

- (*jaṅgama*).
- 31 Of these, there are four types of stationary ones: fruit trees (*vanaspati*), flowering trees (*vrkṣa*), herbs (*oṣadhi*) and shrubs (*vīrudh*).³⁴ Amongst these, the “fruit trees” have fruit but no flowers.³⁵ The “flowering trees” have flowers and fruit. The “herbs” die when the fruit is ripe. “Shrubs” put out shoots.
- 32 As is well known, moving remedies are also of four types: those born in in a caul (*jarāyuja*), those born from eggs (*aṇḍaja*), those born of sweat (*svedaaja*), and shoots (*udbhid*). Amongst these, those born in a caul include animals (*paśu*), humans, and wild animals (*vyāla*). Birds, creepy-crawlies (*sarīrpa*) and snakes are “born of eggs.” Worms (*kṛmi*), small insects (*kunta*) and ants (*pipīlika*) and others are born of sweat.³⁶ Shoots include red velvet mites (*indragopa*) and frogs (*maṇḍūka*).³⁷
- 33 In this context, among the stationary remedies, skin (*tvak*), leaves (*patra*), flowers (*puṣpa*), fruits (*phala*), roots (*mūla*), bulbs (*kanda*), sap (*kṣīra*), resin (*niryāsa*), essence (*sāra*), oil (*sneha*), and juice extract (*svarasa*)³⁸ are useful; among the moving remedies pelt (*carman*), hair, nails, and blood (*rudhira*) and so forth.
- 34 And earthen products (*pārthiva*) include gold and silver.³⁹
- 35 The items created by time (*kālakṛta*) are clusters (*samplava*) as far as wind and no wind (*nivāta*), heat and shade, darkness and light and the cold, hot and rainy seasons (*varṣā*) are concerned. The divisions of

(→*oṣadhī*) under certain conditions. These conditions require that the word be used in a Vedic mantra and not in the nominative. Neither condition is met in this passage, yet the author uses the form *oṣadhī*. This form is in fact not uncommon in medical literature as well as in epics, purāṇas, smṛtis, and other parts of Sanskrit literature.

34 Ca.sū.1.71–72 also describes these four types of medicinal plant in similar terms but with slightly differing names: *oṣadhi* is a plant that ends after fruiting, *vīrudh* is a plant that branches out, *vanaspati* is a tree with fruit, and *vānaspatya* is a tree with fruit and flowers.

35 The MSS agree in reading *phalavantyaḥ* “having flowers” which is grammatically non-standard. This form is also found in the *Viṣṇudharmottarapurāṇa* (1.92.27, 1.92.27 *Viṣṇudh.*: 56r).

36 The word *kunta*, though marked as “lexical” in most dictionaries, is in fact found in literature, commonly as a compound with *pipīlika*; the compound sometimes seems to be understood a type of ant (*tatpuruṣa* compound) rather than as a pair of insects (*dvandva* compound).

37 On *indragopa*, see Lienhard 1978.

38 On juice extract (*svarasa*) see CS 1.1.73, 1.4.7; Ḍalhaṇa on 4.10.12 (*Su* 1938: 450).

39 The flow of concepts in the treatise seems to be interrupted here.

time are the blink of the eye (*nimeṣa*), a trice (*kāṣṭhā*), minutes (*kalā*), three-quarters of an hour (*muḥūrta*), a day and night (*ahorātra*), a fortnight (*pakṣa*), a month (*māsa*), a season (*ṛtu*), a half-year (*ayana*), a year (*saṃvatsara*), and yuga (*yuga*).⁴⁰

36 These naturally cause accumulation (*sañcaya*), irritation (*prakopa*), pacification (*upaśama*) and alleviation (*pratīkāra*) of the humours (*doṣa*). And they have practical purposes (*prayojanavat*).

[There are verses about this:]⁴¹

37 *This fourfold category is taught by physicians as a cause for the agitation and quelling of bodily diseases.*⁴²

38 *There are two kinds of invasive diseases. Some certainly⁴³ affect (ni√pat) the mind, others the body. Their treatment (kriyā) is of two kinds too.*

39 *For those that affect the body there is physical (śārīravād) therapy, whereas for those that affect the mind there is the collection (varga) of desirable sensory experiences like sound that bring comfort (sukha).*

40 Along these lines (*evam*), this brief explanation of the four factors (*caturṣṭaya*) is given:

- human being (*puruṣa*),
- disease (*vyadhi*),
- remedies (*oṣadhi*),
- the time for therapies (*kriyākāla*).

In this context,

- from the mention of the word “human,” the collection of substances that arise from it, such as the elements, and the particulars (*vikalpa*) of its major and minor parts (*aṅga*) such as skin (*tvak*),

40 These units are presented at 1.6.5 (Su 1938: 24) and discussed by Hayashi (2017: § 59).

41 See footnote 29.

42 On the topic of the “group of four,” the commentator Ḍalhaṇa considers them to be “food, behaviour, earthen products and items created by time.” He refers to the author of the lost commentary entitled *Pañjikā*, and to Jejjāṭa (HIML: IA, 372–3, 192). In his view, these early commentators do not agree that the fourfold grouping (*caturvarga*) refers to the quartet of stationary (*sthāvara*), moving (*jaṅgama*), earthen products (*pārthiva*) and items created by time (*kālakṛta*) (Su 1938: 9a).

43 The text uses an archaic interjection here, *ha*.

flesh (*māṃsa*), ducts (*sirā*), sinews (*snāyu*), bones (*asthi*) and joints (*sandhi*) are meant.

- From the mention of “diseases,” all diseases caused by wind, bile, phlegm, congested humours (*sannipāta*), external factors (*āgantū*) and inherent factors (*svabhāva*) are intended (*vyākhyāta*).
- From the mention of “remedies,” there is the teaching of substances, tastes, potencies, post-digestive tastes.
- From the mention of “procedures (*kriyā*),” therapies (*karman*) such as oiling and excision (*chedya*) are taught.
- From the mention of the word “time,” every single teaching about the times for procedures is meant.

[There is a verse about this:]⁴⁴

41 *This seed of medicine has been declared in brief. Its explanation will be given in one hundred and twenty chapters.*⁴⁵

42 There are one hundred and twenty chapters in five sections (*adhyāya*).⁴⁶
In that regard, having divided them, according to their subject matter, into the Ślokaśthāna, the Nidāna, the Śārīra, the Cikitsita and the Kalpa, we shall mention this in the Uttaratantra.⁴⁷

[There is a verse about this:]⁴⁸

43 *Someone who reads this eternal proclamation of the King of Kāśī, that was declared by Svayambhu, will have good karma on earth, will be respected by kings and upon death will achieve the world of Śakra.*

44 See footnote 29.

45 This is the number of chapters in the first five sections of the work, namely the *Sūtra*-, *Nidāna*-, *Śārīra*-, *Cikitsā*- and *Kalpa*-*sthānas*. These have 46, 16, 10, 40 and 8 chapters respectively. The *Uttaratantra* has 66 chapters.

46 On *viṃśa* in the sense of “greater by 20” see P.5.2.46 *śadantaviṃśateś ca*.

47 The end of this sentence reads oddly. The vulgate edition adds an object: “[we shall mention] the remaining topics [in the Uttara]” which smooths out the difficulty, but this is supported in none of the Nepalese MSS. At the start of the *Uttaratantra* (**susr-trikamjī**) there is indeed a statement that picks up the point about there being 120 chapters.

48 See footnote 29.

Sūtrasthāna, adhyāya 2

Literature

[HIML](#): IA, 204; Preisendanz [2007](#); Wujastyk [2012](#): 82–83, *et passim*.

1

Sūtrasthāna, adhyāya 17

- 1 Now we shall expound the method for piercing the ear.⁴⁹
- 2 One may pierce a child's ears for the purpose of preserving and decorating. On renowned days, half days, hours and constellations during the first half of the sixth or seventh lunar month, the boy who has received a benediction (*kṛtamaṅgala*), – blessings pronounced (*svastivācana*)⁵⁰ – should be placed on the lap of a wet-nurse.⁵¹ Then, while pacifying him and having pulled his ear with the left hand, the physician should use his right hand to pierce the ear straight through at a naturally occurring cleft.⁵² For a boy, do the right ear first; for a girl, do the left one. Use a

-
- 49 The topic of piercing the ear (*kaṛṇavyadha*) is not discussed in the *Carakasamhitā* (HIML: IB, 326, n. 175), but it is mentioned in some texts that followed the *Suśruta-samhitā*, such as the *Kaśāpyasamhitā* (HIML: IIA, 30). Also, the instrument for piercing the ear is described in the *Aṣṭāṅgahṛdayasūtra* 1.26.26 (Ah 1902: 153). In the versions of the text known to Ḍalhaṇa (Su 1938: 76) and Cakrapāṇidatta (Su 1939: 125), the heading of this chapter is *kaṛṇavyadhabandhavidhi* ('the method of piercing and joining the ear'), instead of the Nepalese version's *kaṛṇavyadha*. The topic of *kaṛṇabandha* is discussed in passages 17–20 of the Nepalese version. However, it appears that only subsequent redactors reflected its importance by including it in chapter headings. The Nepalese version also omits the opening remark on Dhanvantari that appears in subsequent versions. For a discussion of the frame story in the Nepalese version, see Birch et al. 2021. Ḍalhaṇa (Su 1938: 76) and Cakrapāṇidatta (Su 1939: 125) state that only the ears of healthy people should be pierced, and they quote Bhoja to affirm this: 'When piercing the ears of children who are free of disease at these times, their ear flaps and apertures, as well as limbs, increase' (for the Sanskrit, see Su 1938: 76).
- 50 The syntax here is unclear. The expression *svastivācana* may have been a gloss inserted into the text at an earlier period to clarify *maṅgala*. But as it stands, it is not syntactically connected to the rest of the sentence. In the versions of 1.16.3 known to Cakrapāṇidatta (Su 1939: 126) and Ḍalhaṇa (Su 1938: 76), the words are united in a compound that reads more naturally.
- 51 The versions of 1.16.3 known to Cakrapāṇidatta (Su 1939: 126) and Ḍalhaṇa (Su 1938: 76) have the additional compound *kumāradharāṇike* ('on the lap of one who holds the child') after *dhātṛyaṇike*. The gender of *kumāradhara* is made clear by Ḍalhaṇa's gloss 'a man who holds the child'. Also, both versions add *bālakṛīḍanakaiḥ pralobhya* ('having enticed with children's toys') to indicate that the child should be enticed with toys to stay on the assistant's lap. According to Ḍalhaṇa on 1.16.3 (Su 1938: 76), the toys include replica elephants, horses, bulls and parrots. Ḍalhaṇa further mentions that others read *bhakṣyaviśeṣair vā* ('or by special treats') before *bālakṛīḍanakaiḥ*.
- 52 The versions of 1.16.3 of Cakrapāṇidatta (Su 1939: 126) and Ḍalhaṇa (Su 1938: 76) add *ādityakarāvabhāsite* to clarify that this naturally occurring cleft is illuminated by sun-

- needle on a thin ear; an awl (*ārā*) on a thick one.⁵³
- 3 If there is excess blood or pain one should know that it was pierced in the wrong place. The absence of side-effects is a sign that it has been pierced in the right place.⁵⁴
 - 4 In this context, if an ignorant person accidentally pierces a duct (*sirā*) there will be fever, burning, swelling (*śvayathu*), pain, lumps (*granthi*), paralysis of the nape of the neck (*manyāstambhā*), convulsions (*apatānaka*), headache or sharp pain in the ear.⁵⁵
 - 5 Having removed the wick (*vartī*) in the hole because of the aggravation of humours or a culpable piercing,⁵⁶ one should smear it with a paste of the roots of barley, liquorice, Indian madder (*mañjiṣṭhā*), and the castor oil tree (*gandharvahaṣṭa*), thickened with honey and ghee. When it has healed well, one should pierce it again.
 - 6 One should treat the properly-pierced ear by sprinkling it with raw sesame oil. After every three days one should apply a thicker wick (*vartī*)

shine.

- 53 Ḍalhaṇa on 1.16.3 (Su 1938: 76) clarifies that the awl is a shoe-maker's knife for piercing leather.
- 54 At this point, MS Kathmandu KL 699 is missing a folio, so the rest of this chapter is constructed on the basis of witnesses MS Kathmandu NAK 5-333 and MS Kathmandu NAK 1-1079.
- 55 This passage is significantly augmented in 1.16.4 of Cakrapāṇidatta's version (Su 1939: 126) and 1.16.5 of Ḍalhaṇa's (Su 1938: 77) to outline the specific problems caused by piercing three ducts called *kālikā*, *marmikā* and *lohitikā*. In fact, the order of the problems mentioned in the Nepalese version has been retained in the other versions and divided between each duct. Cakrapāṇidatta's commentary on 1.16.4 (Su 1939: 126) cites several verses attributed to Bhoja on the problems caused by piercing these three ducts in the ear flap: '*Lohitikā*, *marmikā* and the black ones are the ducts situated in the earflaps. Listen in due order to the problems that arise when they are pierced. Paralysis of the nape of the neck and convulsions, or sharp pain arise from piercing *lohitikā*. Pain and lumps are thought to arise from piercing *marmikā*. Piercing *kālikā* gives rise to swelling, fever and burning.'
- 56 In addition to these reasons, 1.16.5 of Cakrapāṇidatta's version (Su 1939: 126–127) and 1.16.6 of Ḍalhaṇa's (Su 1938: 77) add *kliṣṭajihmāpraśastasūcīvyadhāt* ('because of piercing with a painful, crooked and unrecommended needle') and *gāḍhataravartitvāt* ('because of a wick that is too thick'). Ḍalhaṇa was aware of the reading in the Nepalese version because he notes in his commentary on 1.16.6 (Su 1938: 77) that some read 'because of the accumulation of humours' rather than 'because of piercing with a painful, crooked and unrecommended needle or because of a wick that is too thick.' On the meaning of *samudāya*, see ?? and Meulenbeld 1992: 1–5 (ADD PRIMARY REF).

- and sprinkle oil right on it.⁵⁷
- 7 Once the ear is free from humours or side-effects, one should loosen it with a light dilator (*pravardhanaka*) in order to enlarge it.⁵⁸
- 8 A person's ear enlarged in this way can split in two, either as a result of the humours⁵⁹ or a blow. Listen to me about the joins (*sandhāna*) it can have.
- 9 Here, there are, in brief, fifteen ways of mending the ear flap.⁶⁰ They are as follows: Rim-join (*nemīsandhānakaḥ*), Lotus-splittable (*utpalabhedyaka*), Dried Flesh (*vallūraka*), Fastening (*āsaṅgima*), Cheek-ear (*gaṇḍakarṇa*), Take away (*āhārya*), Ready-Split (*nirvedhima*), Multi-joins (*vyāyojima*), Door-hinge (*kapāṭasandhika*), Half door-hinge (*ardhakapāṭasandhika*), Compressed (*saṁkṣipta*), Reduced-ear (*hīnakarṇa*), Creeper-ear (*vallīkarṇa*), Stick-ear (*yaṣṭīkarṇa*), and Crow's lip (*kākaṣṭha*).⁶¹

In this context, among these,

“Rim-join” (*nemīsandhānaka*): both flaps are wide, long, and equal.

“Lotus-splittable” (*utpalabhedyaka*): both flaps are round, long, and equal.

“Dried flesh” (*vallūraka*): both flaps are short, round, and equal.

“Fastening” (*āsaṅgima*): one flap is longer on the inside.

- 57 The manuscripts support the reading *sthūlatarīm* that is either a non-standard form or a scribal error.
- 58 Cakrapāṇidatta on 1.16.6 (Su 1939: 127) and Ḍalhaṇa on 1.16.8 (Su 1938: 77) point out that the dilator can be made of wood, such as that of the prickly chaff flower (*apāmarga*), the neem tree (*nimba*) and the cotton plant (*kārpāsa*). Ḍalhaṇa adds that it can also be made of lead (*sīsaka*) and should have the shape of the datura flower (*dhattūrapuṣpa*).
- 59 Ḍalhaṇa on 1.16.9 (Su 1938: 77) notes that the word *doṣa* here can refer to either a humour, such as wind (*vāta*), as we have understood it, or a disease generated from a humour.
- 60 The Nepalese version uses the word *sandhāna* to refer to joining a split in an ear flap, which is consistent with the terminology in the verse cited above (8). However, 1.16.10 of Ḍalhaṇa's version (Su 1938: 77) uses the term *bandha* here and at the very beginning of the chapter (i.e., 1.16.1) to introduce the topic of repairing the ear.
- 61 For an artist's impression of these different kinds of joins in the ear flap, see Majno 1975: 290 (reproduced as Figure 3.2 in Wujastyk 2003: 154).

“Cheek-ear” (*gaṇḍakarna*): one flap is longer on the outside.⁶²

“Take-away” (*āhārya*): the flaps are missing, in fact, on both sides.

“Ready-split” (*nirvedhima*): the flaps are like a dais (*pīṭha*).

“Multi-joins” (*vyāyojima*): one flap is small, the other thick, one flap is equal, the other unequal.

“Door-hinge” (*kapāṭasandhika*): the flap on the inside is long, the other is small.

“Half door-hinge” (*ardhakapāṭasandhika*): the flap on the outside is long, the other is small.

“These ten options (*vikalpa*) for joins (*sandhi*) of the ear should be bound. They can mostly be explained as resembling their names.⁶³ The five from compressed (*saṃkṣipta*) on are incurable.⁶⁴ Among these, “compressed” has a dry ear canal and the other flap is small. “Reduced ear” has flaps that have no base and have wasted flesh on their edges. “Creeper-ear” has flaps that are thin and uneven. “Stick-ear” has lumpy (*granthita*) flesh and the flaps are stretched thin and have stiff (*stabdha*) ducts (*sirā*). “Crow-lip” has a flap without flesh with compressed (*saṃkṣipta*) tips and little blood. Even when they are bound up, they do not heal because they are hot, inflamed, suppurating (*srāva*), or swollen.⁶⁵

62 For an artist’s impression of this join, see Majno 1975: 291 (reproduced as Figure 3.3 in Wujastyk 2003: 155).

63 Cakrapāṇidatta on 1.16.9–13 (Su 1939: 128–129) and Ḍalhaṇa on 1.16.10 (Su 1938: 77–78) provide examples of how the names of these joins describe their shapes. For example, the rim-join (*nemīsandhānaka*) is similar to the join of the rim of a wheel (*cakradhārā*).

64 Ḍalhaṇa on 1.16.10 (Su 1938: 77–78) mentions that some do not read the statement that only five are incurable, and they understand the causes of unsuccessful joins given below (i.e., heat, inflammation, suppuration and swelling) as also pertaining to the first ten when they do heal.

65 The version of 1.16.11–13 known to Ḍalhaṇa (Su 1938: 78) has four verses (*śloka*) at this point that are not in the Nepalese manuscripts. The additional verses iterate the types of joins required for ear flaps that are missing, elongated, thick, wide, etc. All four verses were probably absent in the version of the *Suśrutasaṃhitā* known to Cakrapāṇidatta. He cites the verses separately in his commentary, the *Bhānumatī* (Su 1939: 128–129), introducing each one as ‘some people read’ (*ke cit paṭhanti*). How-

- 10 A person wishing to perform any of these joins should therefore gather together the supplies prepared according to the recommendations of the ‘Preparatory Supplies’ chapter.⁶⁶ And in particular, he should gather decanted liquor (*surāmaṇḍa*), milk, water, fermented rice-water (*dhānyāmla*), and powdered earthenware crockery (*kapālacūrṇa*).⁶⁷ Next, he should prepare the woman or man, who have had the ends of their hair tied up, have eaten lightly, and are firmly supported by qualified attendants. Then, he should ready the bindings (*bandha*) and carry out the procedure with cutting (*chedya*), splitting (*bhedya*), scarification (*lekhyā*), or piercing (*vyadhana*). Then, he should examine the blood of the ear to know whether it is tainted (*duṣṭa*) or not. If it is tainted by wind, the ear should be bathed with fermented rice-water (*dhānyāmla*) and water; if tainted by choler, then cold water and milk should be used; if tainted by phlegm, then decanted liquor (*surāmaṇḍa*) and water should be used, and then he should scarify it again. Then, arranging the join in the ear so that it is neither proud, depressed, nor uneven, one should make the join. Having seen that the blood has stopped, one should anoint it with honey and ghee, bandage each ear with cotton (*picu*) and gauze (*prota*), and bind it up with a thread, neither too tightly nor too loosely. Then, the earthenware powder should be sprinkled on, and medical advice (*ācārika*) given. And he should supplement with food as taught in the ‘Two Wound’ chapter.⁶⁸
- 11 One should avoid rubbing, sleeping during the day, exercise, overeating, sex, getting hot by a fire, or the effort of speaking.
- 12 One should not make a join when the blood is too pure, too copious, or too thin.⁶⁹ For when the ear is tainted by wind, then it is obstruc-

ever, in Trikamajī Ācārya’s edition of the *Sūtrasthāna* of the *Bhānumatī*, the root text is largely identical to the one commented on by Ḍalhaṇa (Su 1938), even in instances like this where Cakrapāṇidatta’s commentary indicates that he was reading a different version of the *Suśrutasamhitā*.

66 *Suśrutasamhitā* 1.5 (Su 1938: 18–23).

67 The term *kapālacūrṇa* is unusual. Ḍalhaṇa (Su 1938: 79) defines it as the powder of fragments of fresh earthen pots and Cakrapāṇidatta (Su 1939: 129) as the powder of earthenware vessels.

68 *Suśrutasamhitā* 4.1 (Su 1938: 396–408).

69 1.16.17 of Ḍalhaṇa’s version (Su 1938: 79) reads “impure” for the Nepalese “too pure,” which would appear to make better medical sense. Emending the text to *nāśuddha-* for *nātīśuddha-* in the Nepalese recension would yield the same meaning as the Ḍalhaṇa’s

ted by blood (*raktabaddha*), unhealed and will peel. When tainted with choler, it becomes pinched (*gāḍha*), septic (*pāka*) and red. When tainted by phlegm, it will be stiff (*stabdha*) and itchy. It has excessively copious suppuration (*srāva*) and is *śopha* (*puffed up*). It has a small amount of wasted (*kṣīṇa*) flesh and it will not grow.⁷⁰

13 When the ear is properly healed and there are no complications, one may very gradually start to expand it. Otherwise, it may be inflamed (*saṃrambha*), burning, septic or painful. It may even split open again.

14 Now, massage for the healthy ear, in order to enlarge it. One should gather as much as one can the following: a monitor lizard (*godhā*⁷¹), scavenging (*pratuda*) and seed-eating (*viṣkira*) birds, and creatures that live in marshes or water,⁷² fat, marrow, milk, and sesame oil, and white mustard oil.⁷³ Then cook the oil with an admixture (*prativāpa*) of the following: purple calotropis (*arka*⁷⁴), white calotropis (*alarka*⁷⁵), country mallow (*balā*⁷⁶), ‘strong Indian mallow’ (*atibalā*⁷⁷), country sarsaparilla (*anantā*⁷⁸) beggarweed (*vidāri*⁷⁹), liquorice (*madhuka*), hornwort (*jalaśūka* → *jalanīlikā*⁸⁰), items having the ‘sweet’

version.

70 In his edition of *Suśrutasaṃhitā*, Ācārya (Su 1938: 79 n. 1) includes in parentheses the following treatment for these conditions, which according to a footnote is not found in the palm-leaf manuscript he used: ‘One should sprinkle it with raw sesame oil for three days and one should renew the cotton bandage after three days’ (*āmatailena trirātram pariṣecayet trirātrāc ca picuṃ parivartayet*).

71 *Varanus bengalensis*, Schneider (Daniel 1983:58)

72 For such classifications, see Zimmermann (1999) and Smith (1994).

73 1.16.19 of Ḍalhaṇa’s version (Su 1938: 79) includes ghee (*sarpis*). However, Ḍalhaṇa’s remarks on 1.16.19 and Cakrapāṇidatta’s on 1.16.18 (Su 1939: 130) indicate that they knew a version of this recipe (perhaps, similar to the Nepalese) that does not have ghee. Ḍalhaṇa also notes that others simply read four oils, beginning with fat and without milk, whereas Cakrapāṇidatta says some read that it is made with four oils and milk.

74 *Calotropis gigantea*, (L.) R. Br. (ADPS 52, AVS 1.341, NK #427, Potter 57, ID 306)

75 *Calotropis procera*, (Ait.) R. Br. (NK #428, GIMP 46b, ID 306)

76 *Sida cordifolia*, L. (ADPS 71, NK #2297)

77 *Abutilon indicum*, (L.) Sweet; *Sida rhombifolia*, L.? (NK #11, IGP ,4 1080; NK #2300)

78 *Hemidesmus indicus*, (L.) R. Br. (ADPS 434, AVS 3.141–5, NK #1210)

79 *Desmodium gangeticum* (L.) DC (Dymock 1.428, GJM 602, cf. NK #1192; ADPS 382, 414 and IMP 2.319, 4.366 are confusing)

80 *Ceratophyllum demersum*, L. (IMP 2371, AVS 2.56, IGP 232). This name is not certain. In fact, Ḍalhaṇa on 1.16.19 (Su 1938: 79) notes that some people interpret it as a poisonous, hairy, air-breathing, underwater creature.

- savour (*madhuravarga*⁸¹) and ‘milk flower’ (*payasyā* → *vidāri*⁸²). This should then be deposited in a well-protected spot.
- 15 The wise man who has been sweated should rub the massaged (*ma-
rdita*) ear with it. Then it will be free of complications, and will enlarge
properly and be strong.⁸³
- 16 Ears which do not enlarge even when sweated and oiled, should be
scarified at the edge of the hole (*apāṅga*), but not outside it.⁸⁴
- 17 In this tradition, experts know countless repairs to ears. So a physi-
cian who is very intent (*suniviṣṭa*) on working in this way may repair
(*yojayed*) them.⁸⁵
- 18 If an ear has grown hair, has a nice hole, a firm join, and is strong and
even, well-healed, and free from pain, then one can enlarge it slowly.⁸⁶
- 19 Now I shall describe the proper method of repairing a severed nose.
First, take from the trees a leaf the same size as the man’s nose and

81 The items which exemplify the ‘sweet’ savour (*madhuravarga*) are enumerated at SS.1.42.11.

82 *Pueraria tuberosa* (Willd.) DC. (ADPS 510, IMP 1.792f., AVS 4.391; not Dymock 1.424f. See GJM supplement 444, 451, IMP 1.187, but IMP 3.1719 = *Ipomoea mauritiana*, Jacq.). The version of 1.16.19 known to Ḍalhaṇa (Su 1938: 79) adds several ingredients to this admixture, including *apāmārga*, *aśvagandhā*, *kṣīraśuklā*, *madhuravarga* and *payasyā*. Also, it has *vidāriḡandhā* instead of *vidāri*. When commenting on 1.16.19, Ḍalhaṇa (Su 1938: 79) notes that some do not read *madhuravarga* and *payasyā*. Therefore, there were probably other versions of this recipe with fewer ingredients, as seen in the Nepalese version.

83 For these aims (i.e., healing and enlarging the ear), the text known to Ḍalhaṇa (Su 1938: 79) has an additional verse and a half describing an ointment for rubbing the ear (*udvartana*) and sesame oil (*taila*) cooked with various medicines for massage. Cakrapāṇidatta (Su 1939: 131) does not comment on these verses, nor verse 15 of the Nepalese version, and so the version of the *Suśrutasaṃhitā* known to him may not have included them.

84 Ḍalhaṇa’s version of 1.16.23 adds another hemistich that states more explicitly that the scarification should not be done on the outside of hole as it will cause derangement.

85 After verse 17, the 1938 edition of Ācārya (Su 1938: 80) has in parentheses nineteen verses on diseases of the ear lobes, treatments and complications. It is possible that these verses were in some of the witnesses used by Ācārya to construct the text as they occur in other manuscripts, such as MS Hyderabad Osmania 137-3 (b). However, Cakrapāṇidatta (Su 1939: 132) and Ḍalhaṇa (Su 1938: 80) state that some read about the diseases of the ear lobes in this chapter whereas others read about them in the chapter on various treatments (*miśrakacikitsa*) (SS 5.25), which does indeed begin with a discussion of the disease *paripota*. Ḍalhaṇa goes on to say that some believe that these verses were not composed by sages and, therefore, do not read them.

86 The order of verses 17 and 18 are reversed in Ḍalhaṇa’s version (Su 1938: 80).

- hang it on him.
- 20 Next, having cut a slice of flesh (*vadhra*)⁸⁷ with the same measurements off the cheek, the end of the nose is then scarified.⁸⁸ Then the diligent (*apramatta*) physician, should quickly put it back together so that it is well joined (*sādhubaddha*).
- 21 Having carefully observed that it has been well sown up, two tubes should be fixed in place.⁸⁹ Then, having lifted them up,⁹⁰ the powder of sappanwood (*pattāṅga*⁹¹), liquorice (*yaṣṭīmadhuka*⁹²), and Indian barberry⁹³ should be applied to it.
- 22 The wound should be covered properly with cotton (*picu*) and should be moistened repeatedly with sesame oil. Ghee should be given to the man to drink. His digestion being complete, he should be oiled and purged in accordance with the instructions specific to him.⁹⁴
- 23 And once healed and really come together, what is left of that slice of flesh (*vadhra*) should then be trimmed. If it is reduced (*hīna*), however, one should make an effort to stretch it, and one should make its

añjana

- 87 The version of 1.16.28b known to Ḍalhaṇa (*Su 1938*: 81) reads bound, connected (*baddham*) instead of slice of flesh (*vadhra*). This is a critical variant from the surgical point of view. If the slice remains connected, it will have a continuing blood supply. This is one of the effective techniques that so astonished surgeons witnessing a similar operation in Pune in the eighteenth century (see Wujastyk 2003: 67–70).
- 88 Or 1.16.20 could be mean, ‘... off the cheek, it is fixed to the end of the nose, which has been scarified.’ Unfortunately, the Sanskrit of the Nepalese version is not unambiguous on the important point of whether or not the flap of grafted skin remains connected to its original site on the cheek. However, Ḍalhaṇa (*Su 1938*: 81) clarifies the meaning of the vulgate here by stating that one should supply the word ‘flesh’ when reading ‘connected,’ thus indicating that he understood the flesh to be connected to the face.
- 89 Ḍalhaṇa on 1.16.21 (*Su 1938*: 81) notes that the two tubes should be made of reed (*nala*) or the stalk of the leaf of castor oil plant (*eraṇḍapatranāla*). They should not be made of lead or betel nut because the weight will cause them to slip down.
- 90 The Sanskrit term *unnāmayitoā* in 1.16.21 is non-Pāṇinian.
- 91 *Caesalpinia sappan*, L. (AVS 1.323, IMP 2.847f.). For *pattāṅga* there are manuscript variants *pattrāṅga* (MS H) and *pattāṅga* (N). Also, MS K (f. 14r:1) has *pattrāṅga* in a verse in 1.14 (cf. 1.14.36, *Su 1938*: 66). In the text known to Ḍalhaṇa (*Su 1938*: 81), 1.16.29 has *pataṅga*, and this term is propagated in modern dictionaries.
- 92 *Glycyrrhiza glabra*, L. (AVS 3.84, NK #1136)
- 93 *Berberis aristata*, DC (Dymock 1.65, NK #685, GJM 562, IGP 141). Ḍalhaṇa (*Su 1938*: 81) understands it as Elixir salve (*rasāñjana*).
- 94 The expression *svayathopadeśa* is ungrammatical but supported in all available witnesses.

overgrown flesh smooth.⁹⁵

⁹⁵ Ḍalhaṇa ([Su 1938](#): 81) accepts a verse following this, which points out that the procedure for joining the nose is similar to that of joining the lips without fusing the ducts. He notes that earlier teachers did not think this statement on the nose and lips was made by sages, but includes it because it was accepted by Jejjāṭa, Gayadāsa and others. However, Cakrapāṇidatta ([Su 1939](#): 133) does not comment on this additional verse, which suggests that either he did not know of it or was not inclined to accept it.

Sūtrasthāna, adhyāya 28

- 1 Thus, living creatures and their strength, complexion (*varṇa*) and energy (*ojas*) are rooted in food. That (food) depends on the six flavours (*rasa*). Thus, the flavours depend on substance (*dravya*), and substances depend on medicinal herbs. There are two kinds of them (herbs): stationary and mobile.⁹⁶

⁹⁶ 1.1.28 (Su 1938: 7), tr. P. V. Sharma 1999–2001: I, 21.

Kalpasthāna, adhyāya 1

Literature

A brief survey of this chapter's contents and a detailed assessment of the existing research on it to 2002 was provided by Meulenbeld.⁹⁷ Translations of this chapter since 2000 have appeared by Wujastyk (2003: 131–139), P. V. Sharma (1999–2001: 3, 1–15), and Srikantha Murthy (2000–2).⁹⁸

More recently, a discussion of the fourth chapter of this section in the light of the Nepalese manuscripts was published by Harimoto.⁹⁹ After a close comparative reading of lists of poisonous snakes, Harimoto concluded that, “the Nepalese version is internally consistent while the [vulgate] editions are not.” Harimoto showed how the vulgate editions, had been adjusted textually to smooth over inconsistencies, and gave insights into these editorial processes.¹⁰⁰

Manuscript notes

- MS Kathmandu NAK 5-333 has foliation letter numerals, for example on f. 323a, that are similar to MS Cambridge Add. 1693,¹⁰¹ dated to 1165 CE noted in Bendall's chart of Nepalese letter-numerals Bendall 1883: Lithograph V, after p. 225

97 [HIML](#): IA, 289–290.

98 For a bibliography of translations to 2002, including Latin (1847), English (1877), Gujarati (1963) and Japanese (1971), see [HIML](#): IB, 314–315.

99 Harimoto 2011: 101–104.

100 The two editions that Harimoto noted, *susr-trikamji3* and *Su 1889*, present identical texts.

101 Scan at cudl.lib.cam.ac.uk/view/MS-ADD-01693/1.

Translation

- 1–2 And now I shall explain the procedures for safeguarding food and drink, as were declared by the Venerable Dhanvantari.¹⁰²
- 3 Divodāsa, the king of the earth, was the foremost supporter of religious discipline and virtue. With unblemished instruction he taught his students, of whom Suśruta was the leader.¹⁰³

[Threats to the king]

- 4–5 Evil-hearted enemies who have plucked up their courage, may seek to harm the king, who knows nothing of it. He may be assailed with poisons by or by his own people who have been subverted, wishing to pour the poison of their anger into any vulnerability they can find.¹⁰⁴
- 6 Therefore, a king should always be protected from poison by a physician.
- 7 The racehorse-like fickleness of men's minds is well known. And for this reason, a king should never trust anyone.¹⁰⁵
- 8–11 He should employ a doctor in his kitchen (*mahānasa*) who is respected

¹⁰² MS H adds in the margin अथ खलु वत्स सुश्रुतः “Now begins Vatsa Suśruta.” This phrase has been copied here by the scribe from the beginning of the *Suśrutasamhitā* chapter in the *sūtrasthāna* on the rules about food and drink (1.46.3 (Su 1938: 214)). The scribe presumably felt, not unreasonably, that this section had common subject matter with the present chapter. Further, SS 1.46.3 is the only place in the Nepalese transmission of the *Suśrutasamhitā* that names Dhanvantari and integrates him into the narrative of the *Suśrutasamhitā* as the teacher of Suśruta.

The mention of Dhanvantari here is the only other time in the Nepalese transmission that this authority is cited as the source of Ayurvedic teaching, and the unique occurrence of this actual phrase, “as was declared by the Venerable Dhanvantari.” See the discussion by Klebanov (2021a: 28–32), who concludes that the earliest recoverable recension of the *Suśrutasamhitā* may have had the phrase only at this point and not elsewhere in the work.

¹⁰³ This is a quite different statement from the vulgate (*susr-trikamjī*) that has Dhanvantari as the teacher, and calls him the Lord of Kāśī (*kāśīpati*). Dalhaṇa followed the vulgate but explicitly noted the reading before us with small differences: दिवोदासः क्षितिपतिस्तपोधर्मश्रुताकरः “Divodāsa, the king of the earth, was a mine of traditions about discipline and virtue.”

¹⁰⁴ Verses about the use of Venemous Virgins as a weapon do not appear in the Nepalese manuscripts. Cf. Wujastyk 2003: 81 f., 132. This material is present in the commentary of Gayadāsa.

¹⁰⁵ The verb √śvas is conjugated as a first class root in the Nepalese manuscripts.

- by experts, who belongs to a good family, is orthodox, sympathetic, not emaciated, and always busy.
- 12–13 The kitchen should be constructed at a recommended location and orientation. It should have a lot of light,¹⁰⁶ have clean utensils and be staffed by men and women who have been vetted.¹⁰⁷
- 17–18ab The chefs, bearers (*voḍhāra*), and makers of boiled rice soups and cakes and whoever else might be there, must all be under the strict control of the doctor.¹⁰⁸
- 18cd–19ab An expert knows people’s body language (*iṅgita*) through abnormalities in voice, movement and facial expression. He should be able to identify a poisoner by the following signs.
- 19cd–23 Wanting to speak, he gets confused, when asked a question, he never arrives at an answer, and he talks a lot of confused nonsense, like a fool. He laughs for no reason, cracks his knuckles and scratches at the ground. He gets the shakes and glances nervously from one person to another. His face is drained of colour, he is grimy (*dhyāma*) and he cuts at things with his nails.¹⁰⁹ A poisoner goes the wrong way and is absent-minded.
- 25–27 I shall explain the signs to look for in toothbrush twigs, in food and drink as well as in massage oil (*abhyāṅga*) and combs (*avalekhana*); in dry rubs (*utsādana*) and showers, in decoctions (*kaṣāya*) and massage ointment (*anulepana*); in garlands (*sraja*), clothes, beds, armour and ornaments; in slippers and footstools, and on the backs of elephants and horses; in nasya (*snuff*), inhaled smoke (*dhūma*), eye make-up (*añjana*), etc., and any other things which are commonly poisoned. Then, I shall also explain the remedy.
- 28 Flies or crows or other creatures that eat a poisonous morsel (*bali*) served from the king’s portion, die on the spot.

Cf.
Arthaśāstra
1.21.8.

106 We read महच्छुचिः with the Nepalese manuscripts and against the vulgate’s महच्छुचि. We understand शुचिस् as a neuter noun meaning “light” following Apte (1992: 1050a).

107 Verses detailing the ideal staff are omitted in the Nepalese manuscripts. Cf. **susr-trikamji** Wujastyk 2003: 132.

108 The word सौपोदनैकपूपिक “chefs for the boiled rice soups and cakes” is grammatically interesting. The term सूपोदन (as opposed to sūpaudana) is attested in the *Bodhāyanīya-grhyasūtra* 2.10.54 (Shastri 1920: 68). More pertinently, perhaps, सूपोदन is attested in the Bower Manuscript, part II, leaf 11r, line 3 (Hoernle 1893–1912: vol. 1, p. 43).

109 The word ध्याम is glossed by Ḍalhaṇa (in a variant reading) as someone who is the colour of dirty clothes 5.1 (Su 1938: 560).

- 29 Such food makes a fire crackle violently, and gives it an overpowering colour like a peacock's throat.
- 30–33 After a chukar partridge looks at food which has poison mingled with it, its eyes are promptly drained of colour; a peacock pheasant drops dead. A koel changes its song and the common crane rises up excitedly.¹¹⁰ It will excite a peacock and the terrified parakeet and the hill myna screech. The swan trembles very much, and the racket-tailed drongo churrs.¹¹¹ The chital deer sheds tears and the monkey releases excrement.¹¹²
- 34 Vapour rising from tainted food gives rise to a pain in the heart, it makes the eyes roll, and it gives one a headache.¹¹³
- 35, 36cd In such a case, an errhine and a collyrium that are costus, *lāmajja* grass (*lāmajja*), spikenard (*nalada*) and honey (*madhus*);¹¹⁴ a paste of sandalwood on the heart may also provide relief.¹¹⁵

110 The verb अर्च्छति “rises up” is a rare form best known from epic Sanskrit (see Oberlies 2003: 212, §7.6.1). The transmitted form क्रौञ्च is obviously a colloquial version of Sanskrit क्रौञ्च. Commenting on 1.7.10 (Su 1938: 31), Ḍalhaṇa interestingly gives the colloquial versions of several Sanskrit bird names, even singling out pronunciation in the specific location of Kānyakubja. For क्रौञ्च he says that people pronounce it कुरञ्च and कौचि. The form क्रौञ्च is found in Pāli (see Cone 2001: 731, who notes that Ardhamāgadhī has the same form). Elsewhere, Ḍalhaṇa calls the bird क्रौञ्चिर, क्रौञ्चि, and कैचर (1.46.105 (Su 1938: 223), 6.31.154 (Su 1938: 684) and (6.58.44 (Su 1938: 790) respectively).

111 Ḍalhaṇa seemed confused about the racket-tailed drongo (भृङ्गराज). He called it a generic drongo (भ्रमरक), a word that can also mean “bee,” (Dave 1985: 62), and then said that it is like the black drongo (धूम्याट) (for a nice explanation of this name, see Dave 1985: 62–63) and that people call it “the king of birds.”

112 MS Kathmandu KL 699 reads bull (वृषभ) for Chital deer (पृषत). The latter may perhaps be mistaken for the former in the Newa script, although the reading of MS Kathmandu KL 699 is hard to read at this point.

113 “Tainted” translates उपक्षिप्त. The word’s semantic field includes “to hurl, throw against,” and especially “to insult verbally, insinuate, accuse.” The commentator Ḍalhaṇa glossed the term as, “spoiled food given to be eaten” (विदूषितस्यान्नस्य भोक्तुं दत्तस्य), but he noted that some people read “उखाक्षिप्त” or “thrown into a pan.” Other translators have commonly translated it as “served,” perhaps influenced by Ḍalhaṇa’s “given (दत्त).”

114 The vulgate supplies another phrase and verb at this point that is not present in the Nepalese transmission, but that makes the text flow more easily.

115 Singh and Chuneekar (1972: 350) discussed the difficulties in identifying लामज्ज, a plant cited more often in the *Suśrutasamhitā* than in the *Carakasamhitā*; Ḍalhaṇa adopted the common view that it is a type of *uśīra* or vetiver grass. The grammatical

- 37 Held in the hand, it makes the hand burn, and the nails fall out. In such a case, the ointment (*pralepa*) is beautyberry (*śyāmā*), velvet-mite (*indragopa*), soma and water-lily (*utpala*).¹¹⁶
- 38–39 If he eats that food, through inattention or by mistake, then his tongue will feel like a pebble (*aṣṭhīlā*) and it will lose its sense of taste. It stings and burns, and his saliva (*śleṣman*) dribbles out.¹¹⁷ In such a case, he should apply the treatment prescribed above for vapour, and what will be stated below under “toothbrush twigs”.¹¹⁸
- 40 On reaching his stomach, it causes stupor (*mūrcchā*), vomiting, the hair stands on end, there is distension, a burning feeling and an impairment of the senses.¹¹⁹
- 41 In this case, vomiting must quickly be induced using the fruits of emetic nut (*madana*), bitter gourd (*alābu*), red gourd (*bimbī*), and luffa (*koṣṭi-*

neuter form मधुस् “sweetness” of the Nepalese manuscripts is less common than neuter मधु “honey, sweetness, liquorice.”

116 “Beautyberry” (*Callicarpa macrophylla* Vahl.) is one identification of श्यामा, but vaidyas and commentators have different ideas about the plant’s identity (see Singh and Chuneekar 1972: 410; Warriar et al. 1994–6: 1: 334; Nadkarni 1954: #420). On translating इन्द्रगोप as “velvet-mite,” see Lienhard 1978. Ḍalhaṇa’s remarks show that he had a reading इन्द्रगोपा before him, and he tries to explain इन्द्रा and गोपा as separate plants. But he also says that some people read इन्द्रगोप. Ḍalhaṇa curiously parses the name सोमा (f.) out of the compound; this feminine noun is almost unknown to Ayurvedic literature. Some dictionaries and commentators consider it a synonym for गुडूची, others for ब्राह्मी or चन्द्रतरु. Ḍalhaṇa also mentions that some people think the word refers to the soma creeper (सोमलता), which might explain his choice to take the word as feminine. But the compounded word is far more likely to be सोम (m.), the well-known mystery plant (see Wujastyk 2003: 76–78, 125). If this can be taken as rue (*Ruta graveolens*, L.), as some assert, one can point to a pleasing passage in Dioscorides where rue plays an antitoxic role: “...it is a counterpoison of serpents, the stinging of Scorpions, Bees, Hornets and Wasps; and it is reported that if a man be anointed with the juice of the Rue, these will not hurt him; and that the serpent is driven away at the smell thereof when it is burned; insomuch that when the weasel is to fight with the serpent she armeth herself by eating Rue, against the might of the serpent.” (cited from Wren 1956: 262; not found in Osbaldeston and Wood 2000).

117 The word अष्टील is normally feminine. The Nepalese manuscripts read it with a short अ- ending. Gayadāsa noticed that some manuscripts read अष्टील with a short -अ ending (MS Bikaner RORI 5157, f. 5v:7–8) and Ḍalhaṇa reproduced his observation. The vulgate reading “from his mouth (चास्यात्)” is more obvious (*lectio facillior*), but is not attested in the Nepalese manuscripts.

118 Poisoned toothbrushes are discussed in verses 48 ff. below.

119 I translate मूर्च्छा in the light of the metaphors discussed by Meulenbeld (2011), that include thickening and losing consciousness.

- takī*), taken with milk and watered buttermilk (*udaśvit*), or alternatively with rice-water.
- 42 Reaching the intestines (*pakvāśaya*), it causes a burning feeling, stupor, diarrhoea, thirst, impairment of the senses, flatulence (*āṭopa*) and it makes him pallid and thin.
- 43 In such a case, purgation with the fruit of indigo (*nīlī*), together with ghee, is best. And 'slow-acting poison antidote (*dūṣṭviṣāri*)' should be drunk with honey and curds (*dadhi*).¹²⁰
- 44 When poison is in any liquid substances such as milk, wine or water, there are various streaks, and foam and bubbles form.
- 45 And no reflections are visible or, however, if they can be seen once more, they are distorted, fractured, or tenuous and distorted too.¹²¹
- 46 Vegetables, soups, food and meat are soggy and tasteless. They seem to go stale suddenly, and they have no aroma.
- 47 All edibles lack aroma, colour or taste. Ripe fruits rapidly rot (*prā√kuth*) and unripe ones ripen.¹²²
- 48 When a toothbrush twig has poison on it, the bristles are corroded and the flesh of the tongue, gums and lips swells up.¹²³
- 49 Then, once his swelling is lanced, one should rub (*pratisāraṇa*) it with fire-flame bush flowers (*dhātakīpuṣpa*), jambul (*jambū*), mango stones (*āmṛāsthī*) and chebulic myrobalan (*harītakī*) fruit mixed with honey.¹²⁴
- 50 Alternatively, the rubbing (*pratisāraṇa*) can be done with either the roots of sage-leaved alangium (*aṅkollā*), the bark of blackboard tree (*saptachada*) or siris seeds (*śirīṣamāṣaka*).¹²⁵

I'm still unhappy about this verse.

Mention this in the introduction as an example of the scribe knowing the vulgate.

fn about sadyas+

120 The 'slow-acting poison' is discussed at 5.2.25 ff. (Su 1938: 565).

121 Both Nepalese witnesses read distorted (*vikṛta*) twice, which is tautologous. In the first occurrence both read विकृता without proper termination. One might read the sandhi in the second occurrence as or not distorted (*vāvikṛtā*), but this gives no better sense. The scribe of MS Kathmandu NAK 5-333, apparently the original hand, added in the margin the alternate reading "double (*yamalā*)" as in the vulgate. Perhaps the scribe too was troubled by the tautology. It is also evidence that he was aware of a witness with variant readings similar to the vulgate. We emend for grammar but retain the *lectio difficilior*.

122 The root *√कुथ्* "stink, putrify, rot" is apparently known only from its few uses in the *Suśrutasaṃhitā*.

123 Gayadāsa and Ḍalhaṇa point out that "enclosure of a tooth (दन्तवेष्ट)" and "flesh of the tooth (दन्तमांस)" have the same meaning (2.16.14–26 (Su 1938: 331–332)).

124 This recipe is different from the vulgate.

125 The spelling of the name अङ्गोल्ल varies अङ्गोट, अङ्गोठ, अङ्गोल (Singh and Chunekar

- 51ab One should give advice about a poisoned tongue-scraper or mouth-wash (*kavala*) in the same way as for a toothbrush twig.
- 51cd Massage oil that has been laced with poison is slimy, thick and discoloured.
- 52 When the massage oil has been contaminated with poison, boils arise, pain, a discharge (*srāva*), inflammation of the skin, and sweating.¹²⁶ And the flesh (*māṃsa*) splits open.
- 53–54 In such a case, sandalwood, Indian rose-bay (*tagara*),¹²⁷ costus, and vetiver grass (*uśīra*), bamboo leaves (*veṇupatrikā*), heart-leaved moonseed (*somavallī*) and calamine (*amṛtā*), white clitoria (*śvetā*), sacred lotus (*padma*), and Indian barberry (*kālīyaka*) should be made into an ointment (*anulepana*) for the patient, who has been sprinkled with cold water. That is also recommended as a drink with the juice and leaves of wood apple (*kapittha*).¹²⁸
- 55 In the case of a dry rub (*utsādana*), a shower (*parīṣeka*), an infusion, a massage ointment (*anulepana*), or in beds, clothes, or armour, the physician should understand that it is the same as for massage (*abhyāṅga*).¹²⁹
- 56–58 When a comb has poison in it, the hair falls out, the head aches, and blood oozes from the pores on the head where lumps (*granthi*) appear. In such a case, one should repeatedly apply an ointment of black earth soaked with bear's bile,¹³⁰ ghee, 'going-to-my-darling' (*śyāmā* → *priyaṅgu*) black creeper (*pālindī*),¹³¹ and amaranth (*taṇḍulīyaka*). Good alternatives are either the fluid extract of cow-dung, or the juice of jasmine (*mālatī*), the juice of purging nut (*mūṣikaparṇī* → *dravantī*), or

1972: 5); Ḍalhaṇa notes that the form अङ्गोल is a colloquialism (1.37.12 (Su 1938: 161)). The sentence is awkward and we have emended शिरीषमाषक to be a plural, as in the vulgate, rather than the ablative singular of the Nepalese witnesses. We follow Ḍalhaṇa in interpreting the compound to refer to the distinctive bean-like siris seeds, rather than to mung beans (माषक) (5.1.50 (Su 1938: 562)).

126 The feminine स्फोट for "boils" is unattested.

127 Some say तगर is Indian valerian, but there remain many historical questions about the ancient and regional identities of this plant (see, e.g., Singh and Chuneekar 1972: 173–174)[334]avs.

128 This compound could be interpreted as "wood apple juice and cassia cinnamon (*pa-tra*).” Note that this recipe is differs from that of the vulgate, which requires urine.

129 See verse 52 above.

130 Ḍalhaṇa comments here that 'bile is that fluid which goes along inside the tube attached to the liver' (कालखण्डलग्नलिकामध्यगतजलं पित्तम्) 5.1.57 (Su 1938: 562).

131 These plant identifications are based on Ḍalhaṇa's glosses.

some soot from the chimney.

Uttaratantra, adhyāya 16 (17 in the vulgate)

Literature

Survey of this chapter and the existing research on it to 2002: [HIML](#): IA, 305–306.

History of couching in India: Scott [1817](#); Breton [1826](#); Jack [1884](#); Hendley [1895](#); Elliot [1918](#); Parshwanath Shastri [1940](#); Deshpande [1999](#); [2000](#); Wujastyk [2019](#); Leffler et al. [2020](#), Wujastyk [2003](#): 65–67.

Translation

- 1 Now I shall explain the counteraction (*pratiṣedha*) of diseases located in the pupil (*drṣṭi*).
- 2 There are three curable (*sādhya*), three incurable (*asādhya*), and six mitigatable (*yāpya*) diseases located in peoples eyes. Among these, three are curable (*sādhya*). Amongst these three, the remedy (*pratīkāra*) has been stated for the one called “seeing smoke (*dhūmadarśin*)”.¹³²
- 3–5ab When the eye is inflamed (*vidagdha*) by bile and when it is inflamed by phlegm, one should apply the method for removing bile and phlegm, using nasal medicines (*nasya*), irrigation (*seka*), application of collyrium (*añjana*), liniment (*ālepa*), and medicines cooked in a crucible (*puṭapāka*), together with a balm (*tarpaṇa*),¹³³ but not cutting with a blade (*śastrakṣata*).¹³⁴
One should drink ghee (*sarpis*) prepared with the three fruits (*triphalā*) and in the first [case where the problem is bile], and prepared with turpeth (*trivṛta*) in the latter [case, of phlegm].
And ghee prepared with tilvaka (*tailvaka*) is wholesome in both cases, or else aged ghee on its own.
- 5cd–7ab In a collyrium, these four compounds (*yoga*) are beneficial in both cases:
 - ochre (*gairika*), Sind salt (*saindhava*), long pepper (*kṛṣṇā*) and the black soot (*maṣī*) from cow’s teeth;

where is cutting with a knife related to removing bile or phlegm.

maṣī
burned charcoal.
Find refs.

¹³² This disease and its cure are described earlier (SS.6.7.39 and SS.6.10.16 ([Su 1938](#): 609 and 614) respectively). The latter part of this verse is hard to construe and the text here may have been altered at an early period.

¹³³ These therapies are described in SS.6.18 ([Su 1938](#): 633–640).

¹³⁴ Dalhaṇa interprets this as blood-letting (*sirāvedha*), which is discussed in SS.1.14 ([Su 1938](#)).

- Cow's flesh (*gomāṃsa*), black pepper (*marica*), siris (*śirīṣa*) and red arsenic (*manahśilā*);
 - stalk (*vr̥nta*) from a wood apple (*kapittha*) with honey (*madhu*);¹³⁵
 - or the the fruits of the velvet bean (*svayam̐gupta*).
- 8 The physician should make a collyrium with ground up metal (*ku-pyaka*),¹³⁶ Asoka tree (*aśoka*), Sal tree (*śālā*), mango (*amra*), beauty-berry (*priyam̐gu*), Indian lotus (*nalina*), blue lotus (*utpala*), together with hareṇu (*hareṇu*), emblic (*āmalaka*), myrobalan (*pathyā*), long pepper (*pippali*). It should be combined with ghee and honey (*kṣaudra*).
- 9–10 Also, when bile and phlegm have developed, the physician should apply hareṇu (*hareṇu*) with the expressed juice (*svarasa*) of the flowers from mango (*amra*) and Jambu (*jambū*) trees. Then this collyrium, matured (*vipakva*) with ghee and honey (*kṣaudra*), should then be applied.
- 10–11ab Filaments (*kiñjalka*) of Indian lotus (*nalina*) and blue lotus (*utpala*), with ochre (*gairika*), and the juice of cow-dung (*gośakṛt*) are a collyrium in the form of a pill (*guḍikā*). This is good for both day and night blindness.
- 11cd–12ab Elixir-salve (*rasāñjana*), honey (*kṣaudra*), ghee, scrambleberry (*tālīśa*), together with gold and ochre, with the juice of cow-dung (*gośakṛt*) are for an eye afflicted with bile.
- 12cd–13 Alternatively, wise physician should first grind together elixir-salve (*śīta*) and stibnite (*sauvīraka*), infused (*bhāvita*) with the blood of birds and animals (*rasa*).¹³⁷ Then he mixes it with the bile of a tortoise or with extract of rohu carp (*rauhita*). It should always be used with powdered collyrium to quell the bile.
- 14 Thus, a collyrium of white teak (*kārśmarī*) flowers, liquorice (*madhuka*), tree turmeric (*dārvī*), lodh tree (*lodhra*) and elixir salve (*rasāñjana*) is always good as a collyrium in this case.
- 15 Alternatively, for those who cannot see during the day, this pill (*guḍikā*), with sandalwood, is recommended: salt (*nadīja*), conch shell and

¹³⁵ Wood apple (कपित्थ) in this verse is ablative singular or accusative plural, neither of which construe obviously.

¹³⁶ A metal other than gold or silver, according to V. Joṣī and N. H. Joṣī 1968: 1.217. Perhaps lead, which is used in making contemporary collyrium.

¹³⁷ This is Ḍaḷhaṇa's preferred interpretation of *rasa* "juice" in this context. He also notes that some take elixir-salve (*śīta*) to be camphor.

- the three spices, collyrium, realgar (*manahṣilā*), the two turmeric (*ra-jana*)¹³⁸ and liver extract (*yakṛdrasa*).¹³⁹
- 16 One should grind up kohl (*srotoja*),¹⁴⁰ and Sind salt (*saindhava*) and long pepper and also hareṇu (*hareṇu*). Such wicks with goats urine are good in a collyrium for night blindness (*kṣaṇadāndhya*).
- 17–18ab Alternatively, in such a case, grind together Indian sarsaparilla (*kālā-nusāriva*)¹⁴¹ long pepper, dried ginger (*nāgara*) and honey, the leaf of the scramberry (*tālīśapatra*), the two turmeric (*rajana*), a conch shell and liver extract (*yakṛdrasa*). Then shade-dried wicks take away illness (*ruj*).
- 18cd–19ab Wicks made of red arsenic (*manahṣilā*), chebulic myrobalan (*abhayā*), the three spices (*vyoṣa*). Indian sarsaparilla (*sāriva*), cuttlefish bone (*sa-mudraphena*), combined with goat's milk are good.
- 19cd–21ab One should cook a honey collyrium (*kṣaudrāñjana*) either in the juices of cow's urine (*gomūtra*), and bile, spirits (*madirā*), liver (*yakṛt*), and emblic (*dhātṛī*) or else in the juice of the liver (*yakṛt*) of something different, or else with the extract of the three fruits (*triphalā*). One of these should be mixed with cow urine, ghee and cuttle fish (*aṇṇavamala*)¹⁴² with long pepper, honey and box myrtle (*kaṭṭphala*). It is placed in sea salt and stored in a bamboo tube.
- 21cd–22 One should cook the liver of a sheep, the ghee of a goat, with long pepper and Sindh salt, honey and the juice of emblics. Then one should store it properly in a catechu box. Prepared thus, the honey collyrium is good.
- 23 Alternatively, a collyrium that is hareṇu (*hareṇu*) mixed with long pepper (*māgadhi*), the bone and the marrow of a goat, cardamom (*elā*) and

138 Turmeric (*Curcuma longa* Linn.) and tree turmeric (*Berberis aristata* DC). The term *rajana* is unusual; the normal term is *rajanī*. *Rajana* occurs in *Suśrutaniḥṣaṇṭu* 158 in the sense of *Ferula asafoetida*, Linn.

139 This verse appears as no. 27 in the vulgate.

140 Glossed by Ḍalhaṇa as a kind of collyrium. Cf. Nadkarni 1954: 2.M13 and P. V. Sharma 1982: 197–198

141 There are two forms of *sārivā* mentioned widely in Āyurvedic literature, the white and the black. Ideas on the identity of the black form are particularly fluid. See Sivarajan and Balachandran (1994: 434–438) for a clear discussion.

142 At SS 6.12.31, Ḍalhaṇa glossed *aṇṇavamala* as cuttlefish bone (*samudraphena*). It may be worth considering whether the unusual term *aṇṇavamala* “ocean-filth” might refer to ambergris.

- liver, together with liver extract, is good for eyes afflicted by phlegm.¹⁴³
- 24 Over a fire, one should cook the liver (*yakṛt*) of a monitor lizard (*godhā*) prepared with entrails (*antra*) and stuffed with long pepper (*māgadhi*). As is well known, liver (*yakṛt*) which is used (*niṣevita*) with collyrium certainly destroys night blindness.
- 25 After preparing both a spleen (*plīhan*) and a liver on a spit, one should eat them both with ghee and oil.¹⁴⁴
- 25cd–26ab As is well known, there are six diseases that can be alleviated (*yāpya*); in those cases (*tatra*) one should release the blood by bloodletting. And for the sake of wellbeing one should also purge using aged ghee combined (*upahita*) with purgative aids (*aṅga*).
- 26cd–27 When an eye-disease is caused by wind (*pavanodbhava*) they say that castor oil (*pañcāṅgulataila*) mixed with milk is good.¹⁴⁵ In the case of diseases of blood (*śonita*) and bile (*pitta*), one should drink ghee with the three fruits; it is particularly cleansing.¹⁴⁶ In the case of phlegm, a purgative by means of turpeth (*trivṛt*) is recommended. In the case of all three humours, sandal (*sugandhi*) in oil is prepared with it (turpeth).¹⁴⁷
- 28 In cases of partial blindness (*timira*), aged ghee is recommended. It is good if it is kept in an iron vessel.
- 28cd–29ab One should know that ghee with the three mylobalans is always good, and it is made with what is called periploca of the woods (*meṣaviṣāṇa*).

143 On the identities of *elā* and *hareṇu*, Watt (1908: 511 ff) described the former as “true” or “lesser” or “Malabar” cardamom, *Elettaria cardamomum*, Maton & White. In contrast, the “greater” cardamom is *Amomum subulatum* (that Watt discussed on p. 65) that is commonly used as an inferior substitute for *E. cardamomum*. Singh and Chuneekar (1972: 467 f) provided an interesting discussion of *hareṇu*, noting that the term refers to two substances, first the *satīna* pulse (*Pisum sativum*, Linn.), and second an unknown fruit such as perhaps a *Vitex*. They noted, “None of the text commentators have attempted to disclose the nature of its source plant,” although Ḍalhaṇa described it as aromatic and identical to *reṇukā* (SS.ci.2.75).

144 We read the locative as if an instrumental; if the locative were intended then it would be the spit that would be coated with oil and ghee.

145 Ḍalhaṇa says that the unexpressed topic of this recipe is partial blindness (*timira*).

146 Blood-bile (*śonita-pitta*, *rakta-pitta*) is a widely-recognized disease in ayurveda, but the compound here is definitely dual, which rules out that interpretation. One would expect blood-bile because the previous verse

147 The expression “the fragrant one in oil (*tailasugandhi*)” is puzzling. The word *sugandhi* has different referents in the *Nighaṇṭu* literature but is not common as a noun in the extant literature. “Sandal” is just one of its possible meanings.

- A man who is suffering from partial blindness should lick the finely-ground three fruits mixed with ghee off his hand (*sapāṇa*).¹⁴⁸
- 29cd Alternatively, someone afflicted by phlegm should apply them (the three fruits) mixed with oil and steeped (*pragāḍha*) in honey.
- 30 The very best oil, well-cooked with a decoction of cow-dung, is good in cases of partial blindness, taken as an errhine.
In cases caused by bile, ghee by itself is good, as is oil when it arises from wind and blood.
- 31 And in the case of wind one should apply turpeth (*trivṛt*) based on strong mallow (*atibalā*), and country mallow (*balā*) in an errhine (*na-sya*).¹⁴⁹
Ghee which has been extracted from milk cooked with the meat of aquatic creatures and those from marshlands should be prescribed.
- 32 †An enclosed roasting (*puṭākhyā*) with Sindh salt and the product of the meat of a carnivore (*kravyabhuj*) and a deer (*eṇa*), is combined with honey and ghee.¹⁵⁰
Fat (*vasā*) from a horse, a vulture, a snake, and a cock (*tāmracūḍa*), combined with mahua (*madhūka*) is always good in a collyrium.†¹⁵¹
- 33 Having prepared (*niṣevita*) a collyrium made of kohl (*srotas*) and gradually combine it with juices (*rasa*), milk and ghee.¹⁵²

148 “Off his hand” translates the adverbial *sapāṇam*, an unusual word. Ḍalhaṇa reproduces a reading close to the Nepalese recension but says that Jejjāta rejects it and so he also does (**susr-trikamjī**).

149 “Based on” translates *-āśrita* “depending on” which does not construe easily here. The vulgate has *śṛta* “cooked” which makes easier sense but is not supported by the Nepalese MSS.

150 Ḍalhaṇa notes (**Su 1938**: 628a) that *puṭāhvaya* (see verse 35 below) is a synonym for *puṭapāka*, and that the process is described in the *Kriyākālpa* chapter, i.e., SS.6.18.33–38 (**Su 1938**: 635). On the *puṭa* process in the *Suśrutasaṃhitā*, which is earlier and different than that of *rasaśāstra* literature, see the discussion by Wujastyk (**2019**: 83):

The term ‘enclosed roasting’ (*puṭapāka*) does occur in the *Suśrutasaṃhitā* in the context of eye treatments, but designates a method of obtaining juice from substances by wrapping them in leaves pasted with earth and cooking the bolus on charcoal to finally extract a juice.

151 This verse contain irresolvable difficulties. There are no significant variants in the Nepalese MS transmission, but the text is ungrammatical. The vulgate reads substantially differently but we have nevertheless made some emendations in line with it and read the verse as two sentences.

152 Ḍalhaṇa specifies that the juices are meat soups of various animals (**Su 1938**: 628).

- For thirty days, this collyrium is put in the mouth of a black snake that is covered with kuśa grass (*kuśa*).
- 34 Next, a collyrium that is milk containing long pepper (*māgadhi*), lye (*kṣāraka*) and Sindh salt (*saindhava*) that has been repeatedly prepared with the mouth of a black snake, is good in the case of bloodshot blindness (*rāgin timira*).¹⁵³
- 35 They say that ghee may be produced from that and combined with sweet herbs is good as an errhine for eye-diseases caused by bile. And here, a balm (*tarpaṇa*) is good that is a combination that is the flesh of wild animals taken hot (*puṭāhvaya*).¹⁵⁴
- 36 And realgar (*manaḥśilā*) mixed with elixir salve (*rasāñjana*) and honey is a liquid collyrium (*dravāñjana*) which is, in this case, combined with mahua (*madhūka*).¹⁵⁵
- Alternatively, experts on this say that finely ground blue vitriol (*tuttha*) extracted from a gold mine is the “same collyrium (*samāñjana*)”.¹⁵⁶
- 37 Conch mixed with equal parts of sheep’s horn and stibnite (*añjana*) removes the impurity of the glassy opacity (*kāca*) because of the application of collyrium (*añjana*).¹⁵⁷
- The extracts (*rasa*) produced from aflame of the forest (*palāśa*), Rohīta tree (*rohīta*),¹⁵⁸ mahua (*madhūka*), ground with the supernatant layer (*agra*) of the spirits (*madira*) is applied.
- 38 Alternatively, one should cook an errhine with cuscus grass (*uśīra*), lodh tree (*lodhra*), the three fruits (*triphalā*), beauty berry (*priyaṅgu*)

153 Ḍalhaṇa describes this blindness as a type of *kāca* disease caused by wind (**susr-trikamji3**). The expression “bloodshot blindness” is an attempt to capture the idea of a blind eye that is dyed or coloured (not colour-blindness). This verse is quite different from the vulgate and also syntactically challenging.

154 The expression taken hot (*puṭāhvaya*) is a guess.

155 The expression liquid collyrium (*dravāñjana*) is only known from Ḍalhaṇa’s comments on SS.6.17.11ab (Su 1938: 626). The recipe in the present collyrium is different from that discussed by Ḍalhaṇa.

156 On *tuttha*, which may also be identified with zinc oxide or as crushed sea-urchin shells, see Falk (1991: 112 ff.); zinc oxide is a component of skin-balms but is not recommended for application in the eyes themselves. The expression “same collyrium (*samāñjana*)” is a hapax legomenon glossed inexplicably by Ḍalhaṇa as “a collyrium with an equal amount of fermented barley” (*tulyasauvīrāñjana*) (Su 1938: 628).

157 The ablative “from collyrium” is hard to construe, but Ḍalhaṇa uses this term and phrase in his commentary on 6.17.41ab (Su 1938: 629).

158 Probably *Soyimida febrifuga* A. Juss.

to pacify eye diseases caused by phlegm.¹⁵⁹

One should apply smoke of the bark of embelia (*vidaṅga*), velvet leaf (*pāthā*), white siris (*kinihī*), and desert date (*iṅgudī*); and cuscus grass (*uśīra*) alone.

- 39 A ghee that is cooked (*bhāvita*) from a decoction of a non-flowering tree (*vanaspati*)¹⁶⁰ as well as turmeric (*haridrā*) and spikenard (*nalada*) is good in a balm (*tarpaṇa*).

Alternatively, one may have an enclosed roasting (*puṭapāka*) done with arid-land animals (*jāṅgala*)¹⁶¹ and a plentiful amount of long pepper (*māgadha*), Sindh salt and honey.

- 40 A treatment (*kriyā*) with realgar (*manaḥśilā*), the three spices, conch, honey, along with Sindh salt, green vitriol (*kāsīsa*) and elixir salve (*rasāñjana*).¹⁶²

They say that an elixir salve (*rasāñjana*) combined with myrobalans, treacle and dried ginger is good.¹⁶³

- 41 Alternatively, a collyrium that has been prepared many times in the eight types of urine¹⁶⁴ is put into water with the three fruits. Having stored it in the mouth of a nocturnal creature (*niśācara*)¹⁶⁵ one should place it in a conch (*salilotthita*) for two months.¹⁶⁶

- 42 One should apply that collyrium together with the flowers of mahua (*madhūka*) and horseradish tree (*śigru*) when [the disease] is caused by all [the humours].

But alternatively, all treatments apply when blood is the cause. The procedure that removes bile is good when there is blue dot cataract

159 Ḍalhaṇa invokes a general rule (*paribhāṣā*) to indicate that this mixture should be cooked with sesame oil.

160 These are fig trees. The *Sauśrutaniḥṣaṇṭu* (252) specifies the Uḍumbara. Cf. the classification in CS.1.1.71–72, 1.8, *et passim*.

161 On this term, see SS.1.35.42 (Su 1938: 157) and the discussion by Zimmermann (1999: 25–31).

162 Ḍalhaṇa glosses treatment (*kriyā*) specifically as inspissation (*rasakriyā*) (Su 1938: 629).

163 We emend *hite* to *hitam*, against the MSS.

164 See SS *mūtravarga*

165 Ḍalhaṇa glosses nocturnal creature (*niśācara*) as “vulture,” although elsewhere in the SS it is more commonly interpreted as a spirit or demon. In the present context, following verses 33 and 34, it is probably a snake.

166 We interpret “water-born (*salilotthita*)” as “conch” in line with *jalodbhava*, but the term is uncertain.

- (*mlāyin*).¹⁶⁷
- 43 For one who has a humour, the physician should consider the rule in all humoral cases and then smear the ointment on the face.¹⁶⁸
The treatment that is good for removing watery eye (*syanda*) should be properly applied in all these humoral cases, according to the individual.¹⁶⁹
- 44 The physician should not employ substances in errhines etc., when the humours intensify, and also when disease spreads. And further, in the *Kalpa*, there is a good deal more said about collyriums, and that should be considered and then applied.¹⁷⁰
- 45 Someone who uses matured ghee, the three fruits, wild asparagus (*śa-tāvarī*), as well as mung beans (*mudga*), emblic and barley has nothing to fear from cases of severe blindness (*timira*).
- 46 Blindness is dispelled by milk prepared with wild asparagus or in emblics, or again cooked barley (*yavaudana*) followed by the water of three fruits with plenty of ghee.
- 47 When there is bloodshot blindness (*rāgiṇi timire*), the wise physician should not cut a vein. A humour injured (*utpīḍita*) by the instrument rapidly destroys vision.
- 48 Non-bloodshot blindness (*araga timira*) in the first layer (*paṭala*) is treatable. And bloodshot blindness (*rāgiṇi timire*) in the second layer, with difficulty. And in the third layer it is mitigable (*yāpya*).
- 49 I shall explain the therapy for success when there is a cataract (*liṅga-nāśa*) caused by phlegm. It may be white, like a full moon, an umbrella, a pearl (*muktā*) or a spiral (*āvarta*).
- 50 Or it may be uneven, thin in the middle, streaked or have excessive shine (*prabha*). A humour (*doṣa*) in the pupil may be characterized as being painful or having blood.¹⁷¹

Check out these refs.

167 The vulgate follows Ḍaḥaṇa in glossing *mlāyin* as *parimlāya*. The description of this condition at SS.6.7.27–28 appears to refer to “blue dot” or “cerulean” cataract. √*mlai* derivatives can mean “dark” or “black.”), which is normally a different ailment.

168 The vulgate edition omits part of this verse (ab) combining earlier and later passages.

169 The term watery eye (*syanda*) refers to the specific disease *abhiṣyanda*. See SS.6.6.5, 1.46.51, etc.

170 Ḍaḥaṇa notes that *Kalpa* means the Uttaratantra adhyāya 18 (Su 1938: 633 ff).

171 In the vulgate, and in parallel passages in the AS, the reading “it may be (*bhavet*)” is replaced with the negative “if, then not (*na ced*)” (cf. As utt.17.1–3 (As 1980: 712)). These characteristics are then read as conditions that preclude surgery; for the Nepalese recension, they are simply descriptions of the appearance of a cataract.

51–52 At a time that is neither too hot or too cold, the patient who has been oiled and sweated is restrained and seated, looking symmetrically at his own nose.

The wise physician should separate (*muktvā*) two white sections from the black part (*kṛṣṇa*) and from the outer corner of the eye (*apāṅga*). Having pīḍ- (*pressed*) properly into the eye,¹⁷² at the naturally occurring (*daivakṛte*) hole (*chidra*) with the probe (*śalākā*) made of copper or iron, with a tip like a barley-corn that is held by a steady hand with the middle finger, forefinger and thumb, the left one with the right hand and the other one contrariwise.

When the piercing is done, there is the simultaneous issue of a drop of liquid and a sound.¹⁷³

55 The expert should moisten the exact place of piercing with a woman's breast-milk. Then he should scratch the circuit of the pupil (*dṛṣṭimaṇḍala*) with the tip of the probe (*śalākā*).¹⁷⁴

56 Without injuring, gently pushing the phlegm in the circuit of the pupil against the nose, he should remove it by means of sniffing (*ucchiṅgana*).¹⁷⁵

57 Whether the humour is solid (*styāna*) or liquid (*cala*), one should apply sweating to the eye externally, with leaves (*bhaṅga*) that remove wind, after fixing the needle (*sūcī*) properly.¹⁷⁶

58 But if the humour cannot be destroyed or if it comes back, one should apply the piercing (*vyadha*) once again, with appropriate oils and so on.

59 Now the pupil (*dṛṣṭi*) shines like the sun (*hari*) in a cloudless sky; then, when objects become visible, one may slowly remove the probe (*śalākā*).¹⁷⁷

172 We understand the locative *nayane* as the place of pressing; other interpreters take it as an accusative dual. The idea is that the eye is held steady by the surgeon.

173 Ḍalhaṇa interprets simultaneous (*samyak*) rather as "proper," referring to the proper kind of incision.

174 The anatomy of the eye is described in 6.1.14–16 (*Su 1938*: 596) The disks or *maṇḍalas* are the circuits or disks of the eye.

175 Ḍalhaṇa describes sniffing (*ucchiṅgana*) at 6.19.8 (*Su 1938*: 641), clearly intending inward sniffing.

176 We interpret *bhaṅga* as leaves, following the usage elsewhere in this sthāna 4.32.9, 6.11.5 (*Su 1938*: 513, 614) where *bhaṅga* means shoots (*pallava*). A similar procedure is described at *As* 6.17.25 (*As 1980*: 716a), where sweating of the eye is done by means of the leaves of a castor-oil plant.

177 There are many problems with the MS readings and interpretation of this half-verse.

- 60 Having smeared ghee on the eye, one should cover it with a bandage. Then, he must lie down supine in a house free from disturbances.¹⁷⁸
- 61 At that time, he should not belch, cough, sneeze, spit or shiver. Afterwards there should be restrictions (*yantraṇā*) as in the case of someone who has drunk oil.¹⁷⁹
- 62 Every three days one should wash it with decoctions (*kaṣāya*) that remove wind. After three days, one should sweat the eye externally because of the danger of wind.
- 63 Having restrained himself in this way for ten days he should thereafter take a beneficial regimen (*karma*) that clears the pupil (*drṣṭi*) and also he should take light food in measure.

[Complications]

- 64 When there is a misshapen eyeball (*vilocana*), the eye may fill because of the release of blood from a vein.¹⁸⁰
A hard probe leads to shooting pain (*śūla*), a thin to unsteadiness of the humours (*doṣapariplava*),¹⁸¹
- 65 a thick-tipped probe leads to a large wound, and a sharp one may cause harm in many ways; a very irregular one may cause a discharge of water, a rigid (*sthirā*) one brings about a loss of function (*kriyāsaṅga*).¹⁸²
- 66 Therefore, one should make a good probe that is free from these defects.

We have inferred “sky” and emended from “free from the point (*agramukta*)” to “free from clouds (*abhramukta*)”. The latter meaning is supported (in different words) by the vulgate and occurs elsewhere in Sanskrit literature.

178 Ḍalhaṇa explains disturbances specifically as dust, smoke, drafts and sunlight 6.17.67 (Su 1938: 631a).

179 Ḍalhaṇa glosses “restrictions (*yantraṇā*)” as having a controlled diet and the other restrictions appropriate to someone who is taking oil as a preparation before further therapy (6.17.68 (Su 1938: 631)). These restrictions are also described at 6.18.28 (Su 1938: 635) and Ah 1.16.25cd (Ah 1902: 249).

180 The condition of “misshapen eye” is referred to briefly in 6.61.9 (Su 1938: 800), where Ḍalhaṇa glosses it as “bent brow and eye (*vakrabhrūnetra*).” The vulgate’s reading of “with blood (*śonitena*)” is easier to construe.

181 There is a medically significant difference here from the vulgate, which reads “a rough (*khara*) probe” not a “thin” probe.

182 This translation of loss of function (*kriyāsaṅga*) is given on the basis of Ḍalhaṇa’s gloss of *kriyāsaṅgakarī* as “causing the destruction of actions such as moving (*gamanādikriyāvināśakarī*)” at 3.8.19 (Su 1938: 382).

[Characteristics of the probe]

The probe should be eight finger-breadths long and in the middle it is wrapped with thread and is as thick as a thumb joint. It is shaped like a bud at both ends (*vaktra*).

- 67 A commendable probe should be made of silver, iron or gold (*śātaku-mbhī*).¹⁸³

[Complications]

Redness, swelling, lumps, driness (*coṣa*), bubbling (*budbuda*),¹⁸⁴ pigs' eye (*sūkarākṣitā*),¹⁸⁵ irritation (*adhimantha*), etc. and other diseases arise from faults in the piercing,

- 69–70 or even from bad behaviour. One should treat them each accordingly. Listen to me once again about compounds for painful red eyes. Red chalk (*gairikaḥ*), Indian sarsaparilla (*śārivā*), panic grass (*dūrvā*), and ghee ground with barley.
- 71 This face ointment is to be used for quelling pain and redness. Or else it may be taken combined with the juice of citron (*mātuluṅga*) with sesame gently fried, mixed with white mustard (*siddhārthaka*).¹⁸⁶ This is immediately beneficial when someone is looking for relief.
- 72 A paste with *Holostemma* (*payasyā*),¹⁸⁷ Indian sarsaparilla (*śārivā*), cassia cinnamon (*patra*), Indian madder (*mañjiṣṭhā*), and liquorice (*madhukair*) stirred with goat's milk, pleasantly warmed, is said to be healthy.¹⁸⁸

183 The vulgate reads "copper (*tāmra*)" in place of "silver."

184 Ḍalhaṇa glosses "bubbling (*budbuda*)" as "prolapse (*māṃsanirgama*) that looks like bubbles."

185 The expression "pigs' eye" appears to be a *hapax*. It is glossed as "downward vision (*adhodṛṣṭitva*)" by Ḍalhaṇa.

186 On the adverbial use of gently (*mṛdu*), see Gombrich 1979.

187 The identity of *payasyā* is debated (Singh and Chunekar 1972: 538), and was already in doubt at the time of Ḍalhaṇa but likely candidates may be those suggested by Ḍalhaṇa, who suggests either *arkapuṣpī* or *kṣīrakākoli*, that may be *Holostemma adakodien* Schult. and *Leptadenia reticulata* (Retz.) Wight & Arn. (Sivarajan and Balachandran 1994: 195–196). The *Sauśrutaniḥṣaṇṭu* glosses it as *kṣīrikā* or *arkapuṣpikā* (Suvedī and Tivārī 2000: v. 307).

188 The expression "stirred with goat's milk (*ajākṣīrārdita*)" is difficult. It may be connected with the rare root *ard* documented by Whitney (1885: 15). Cf. \sqrt{ard} *gatau* (*Dhātupāṭha* 1.56).

- 73 Alternatively, it can be made in this way with Himalayan cedar, Himalayan cherry (*padmaka*) and dried ginger. Or, in the same way, with grapes, liquorice and the Lodh tree mixed with Sindh salt.
- 74 Alternatively, goats' milk with the Lodh tree, Sindh salt, red grapes and liquorice, cooked, should be used in irrigation because it removes pain and redness.
- 75 Having cooked it with liquorice, water-lily, and costus, mixed with grapes (*drākṣā*), lac (*lākṣā*), white sugar (*sitā*), with wild asparagus, Hare Foot Uraria (*pr̥thakparṇī*),¹⁸⁹ nutgrass (*mustā*), liquorice, Himalayan cherry (*padmaka*), and Sindh salts, one should apply it [irrigation] gently warm.
- 76cd–77ab Ghee that has been cooked in four times the amount of milk that has itself been cooked with drugs that destroy wind.¹⁹⁰ This has an admixture of cottony jujube (*kākolī*) etc., should be prescribed in all treatments.¹⁹¹
- 77cd–78ab If pain does not end in this way, one should administer blood-letting to the vein of someone who has previously been oiled and sweated. Then the wise physician should apply cauterization in the advised manner.¹⁹²
- 78cd–80ab Now listen to two excellent collyriums for making the pupils clear. After grinding the flowers of perploca of the woods (*meṣaśṛṅga*), siris (*śirīṣa*), axelwood (*dhava*) royal jasmine (*jātī*), pearl and beryl (*vaidūrya*) with goat's milk, one should put it in a copper pot for seven days.
- 80cd–81 Having made it into wicks (*vartti*), the physician should apply it as a collyrium. Alternatively, one should make kohl (*srotoja*), coral (*vi-druma*), cuttlefish bone (*phena*), and realgar (*manaḥśilā*) and peppers into wicks as before. One should apply these wicks, which are good in a collyrium, to steady the pupil.
- 82 I shall again discuss the foremost collyriums at length in the *Kriyākālpa* section. Those various methods may be applied here too.

¹⁸⁹ Suvedī and Tivārī 2000: 18.

¹⁹⁰ Ḍalhaṇa mentions that these drugs include Deodar (*bhadradāru*) and other wind-destroying drugs. The *vātasamśamana* group is listed in *Suśrutasaṃhitā sūtrasthāna* 1.39.7.

¹⁹¹ Ḍalhaṇa notes that this would include errhines, ointments, etc.

¹⁹² The vulgate reads *vāpi* for *cāpi*, so Ḍalhaṇa sees blood-letting and cautery as alternatives, not a sequence of treatments. Ḍalhaṇa lists the places that cauterization may be applied, such as the brow, forehead, etc.

Abbreviations

- Ah 1902 Kumṭe, Ananta Moreśvara and Navare, Kṛṣṇasāstrī Rāmacandra (1902) (eds.), श्रीमद्वाग्भटविरचितम् अष्टाङ्गहृदयम्, सूत्र-शारीर-निदान-चिकित्सा-कल्प-उत्तरस्थानविभक्तम् श्रीमदरुणदत्तप्रणीतया सर्वाङ्गसुन्दर्याख्यया व्याख्यया समलंकृतम् (Kṛṣṇadāsa Āyurveda Sīrīja, 3; Mum̐bayyām: Nirṇayasāgara Press).
- Anup *Anup Sanskrit Library* (n.d.).
- AS *Asiatic Society* (n.d.).
- As 1980 Āṭhavale, Ananta Dāmodara (1980) (ed.), *Aṣṭāṅgasan̐grahaḥ. Śrīmad Vṛddhavāgbhaṭaviracitaḥ Induvyākhyāsahitaḥ* (Pune: Maheśa Ananta Āṭhavale, Śrīmad Ātreya Prakāśanam), [ark : / 13960/t9773bb9z](https://nopr.scribd.org/ark:/13960/t9773bb9z).
- Bhela 1921 Mookerjee, Ashutosh and Ananta Krishna Shastri, Vedantabisharad (1921) (eds.), *The Bhela Samhita. Sanskrit Text* (Calcutta: University of Calcutta), [ark : / 13960 / t3sv3157j](https://nopr.scribd.org/ark:/13960/t3sv3157j); Based on two copies made of the Thanjavur codex unicus (MS Thanjavur TMSSML 10773, Burnell 1880: 63–4, P. P. S. Sastri 1933: #11085).
- Bhela 2000 Krishnamurthy, K. H. (2000), *Bhela-saṃhitā. Text with English Translation, Commentary and Critical Notes* (Haridas Ayurveda Series, 8; Varanasi: Chaukhambha Visvabharati).
- BL *British Library* (n.d.).
- HIML Meulenbeld, Gerrit Jan (1999–2002), *A History of Indian Medical Literature*, 5 vols. (Groningen: E. Forsten), ISBN: 9069801248.
- KL *Kaiser Library* (n.d.).
- NAK *National Archives of Kathmandu* (n.d.).
- NCC Raghavan, V. et al. (1949–), *New Catalogus Catalogorum, an Alphabetical Register of Sanskrit and Allied Works and Authors*, 39 vols. (Madras University Sanskrit Series; Madras: University of Madras); v.1: revised edition, 1968.

- NGMCP NGMCP (2014), 'Nepal-german Manuscript Cataloguing Project. Online Title List and Descriptive Catalogue', Universität Hamburg and Deutsche Forschungsgemeinschaft, [URL](#).
- RORI *Rajasthan Oriental Research Institute* (n.d.).
- Su 1889 Bhaṭṭācāryya, Jīvānanda Vidyāsāgara (1889) (ed.), सुश्रुतः सूत्र-निदान-शारीर-चिकित्सा-कल्पोत्तर-तन्त्र-कल्पित आयुर्वेद. भगवता धन्वन्तरिणोपदिष्टः सुश्रुतनामधेयेन तच्छिष्येण विरचितः (3rd edn., Calcutta: Saratī Press), [ark : / 13960 / t1nh6j09c](#); [HIML](#): IB, 311, edition b.
- Su 1915 Ācārya, Yādavaśarma Trivikrama (1915) (ed.), सुश्रुतसंहिता, सुश्रुतेन विरचिता, वैद्यवरश्रीडल्हणाचार्यविरचितया निबन्धसंग्रहाख्यव्याख्यया समुल्लसिता, आचार्योपाह्वेन त्रिविक्रमात्मजेन यादवशर्मणा संशोधिता = *The Sushrutasamhita of Sushruta, the Nibandhasangraha Commentary of Shri Dalhanāchārya* (Mumbayyām: Nirṇayasāgaramudrāyantrālaye), [ark : / 13960 / t3sv0mt50](#), accessed 29/07/2020; [HIML](#): IB, 312 edition *v.
- Su 1931 Ācārya, Yādavaśarma Trivikrama (1931) (ed.), सुश्रुतसंहिता, वैद्यवरश्रीडल्हणाचार्यविरचितया निबन्धसंग्रहाख्यव्याख्यया समुल्लसिता, महर्षिणा सुश्रुतेन विरचिता, सूत्र-निदान-शारीर-चिकित्सा-कल्पस्थानोत्तरतन्त्रात्मकः. आचार्योपाह्वेन त्रिविक्रमात्मजेन यादवशर्मणा संशोधिता = *The Sushrutasamhitā of Sushruta with the Nibandhasangraha Commentary of Shree Dalhanāchārya* (2nd edn., Mumbayyām: Pāṇḍuraṅga Jāvajī at the Nirṇayasāgaramudrāyantrālaye), [ark : / 13960 / t9j41sg94](#), accessed 09/06/2020; [HIML](#): IB, 312 edition *v.
- Su 1938 Ācārya, Yādavaśarma Trivikrama and Ācārya, Nārāyaṇa Rāma (1938) (eds.), श्रीडल्हणाचार्यविरचितया निबन्धसंग्रहाख्यव्याख्यया निदानस्थानस्य श्रीगयदासाचार्यविरचितया न्यायचन्द्रिकाख्यपञ्जिकाव्याख्यया च समुल्लसिता महर्षिणा सुश्रुतेन विरचिता सुश्रुतसंहिता (3rd edn., Bombay: Nirṇayasāgara Press), [ark : / 13960 / t09x0sk1h](#); [HIML](#): IB, 313, edition cc ('the vulgate').
- Su 1938² Ācārya, Yādavaśarma Trivikrama and Ācārya, Nārāyaṇa Rāma (2004) (eds.), महर्षिणा सुश्रुतेन विरचिता सुश्रुतसंहिता, श्रीडल्हणाचार्यविरचितया निबन्धसंग्रहाख्यव्याख्यया निदानस्थानस्य श्रीगयदासाचार्यविरचितया न्यायचन्द्रिकाख्यपञ्जिकाव्याख्यया च समुल्लसिता

- (Vārāṇasī: Caukhambhā Kṛṣṇadāsa Akādamī); Reprint of the third, 1938 edition ([Su 1938](#)).
- Su 1939 Ācārya, Yādavaśarma Trivikrama and Śarman, Nandakiśora (1939) (eds.), सुश्रुतसंहितायाः सूत्रस्थानम्. श्रीचक्रपाणिदत्तविरचितया भानुमतीव्याख्याया समेतम् = *Sushrut-saṁhitā (sūtra Sthān) with Bhānumatī Commentary by Chakrapāṇi Datta with Introduction by Gaṇanāth Sen* (Śrīsvāmī Lakṣmīrāma Nidhi Granthamālā = Shrī Swāmī Lakshmī Rām Trust Series, 1; [Jaipur]: Śyāmasundara Śarman), [ark : / 13960 / t54g0d12m](#); Printed at the Nirṇayasāgara Press, Bombay.
- Su 1945 Ācārya, Yādavaśarma Trivikramācārya and Ācārya, Nārāyaṇa Rāma (1945) (eds.), महर्षिणा सुश्रुतेन विरचिता सुश्रुतसंहिता (मूलमात्रा). पाठान्तर-परिशिष्टादिभिः संवलितः = *the Suśrutasaṁhitā of Suśruta with Various Readings, Notes and Appendix etc.* (Mumbāi: Nirṇayasāgarākhyamudraṇālaye), [URL](#).
- TMSSML *Tanjore Maharaja Serfoji Saraswati Mahal Library* (n.d.).
- Viṣṇudh. Śarman, Madhusūdāna and Śarman, Mādhavaprasāda (1912) (eds.), विष्णुधर्मोत्तरपुराणम् = [*Viṣṇudharmottarapurāṇa*] (Mumbai: Khemarāja Śrīkṛṣṇadāsa at the Śrīveṅkaṭeśvara Steam Press), [ark : / 13960 / t6qz6fr23](#); Lithograph format. Edited on the basis of a manuscript belonging to the astrologer Śudhākaraśarman of the Varanasi Sanskrit Pāṭhaśālā.

Index of Manuscripts

The numbers after the comma refer to pages in this document.

Bikaner Anup 4390 [6](#)

Bikaner RORI 5157 [35](#)

Cambridge Add. 1693 [31](#)

Kathmandu KL 699 [2](#), [22](#), [34](#)

Kathmandu NAK 1-1079 [2](#), [14](#), [22](#)

Kathmandu NAK 5-333 [2](#), [8](#), [10](#), [14](#), [22](#),
[31](#), [36](#)

London BL H. T. Colebrooke 908 [10](#)

Mumbai AS B.D.109 [6](#)

Mumbai AS B.I.3 [6](#)

Thanjavur TMSSML 10773 [51](#)

References

- Ācārya, Yādavaśarma Trivikramācārya and Ācārya, Nārāyaṇa Rāma (1945) (eds.), महर्षिणा सुश्रुतेन विरचिता सुश्रुतसंहिता (मूलमात्रा). पाठान्तर-परिशिष्टादिभिः संवलिता = *the Suśrutasaṃhitā of Suśruta with Various Readings, Notes and Appendix etc.* (Mumbāi: Nirṇayasāgarākhyamudraṇālaye), [URL](#).
- Adriaensen, Rob C. R., Barkhuis, Roelf, and Ruijters, Jean-Louis (1984), 'An English Translation of Suśrutasaṃhitā, Nidānasthāna 1, 1–39, Together with Gayadāsa's Nyāyacandrikā', in Gerrit Jan Meulenbeld (ed.), *Proceedings of the International Workshop on Priorities in the Study of Indian Medicine* (Groningen: Forsten), 277–310.
- Apte, Vaman Shivaram (1992), *The Practical Sanskrit-English Dictionary* (Kyoto: Rinsen Book Company), ISBN: 4-653-00038-7; Reprinted from **gode-apte**.
- Bausi, Alessandro et al. (2015), *Comparative Oriental Manuscript Studies. An Introduction* (Hamburg: Tredition). DOI: [10.5281/ZENODO.46784](#).
- Bendall, Cecil (1883), *Catalogue of the Buddhist Sanskrit, Manuscripts in The, University Library, Cambridge: With Introductory Notices and Illustrations of the Palaeography and Chronology of Nepal and Bengal* (Cambridge: University Press), [ark:/13960/t03x8vz7b](#).
- Bhaṭṭācārya, Candrakānta (1910–7) (ed.), सुश्रुतसंहिता प्रथमखण्डम् सूत्रस्थानात्मकम्...हाराणचन्द्रचक्रवर्तिकविराजविरचितसुश्रुतार्थसन्दीपनभाष्य-समेतम्...चन्द्रकान्त भट्टाचार्य-प्रमुखैः संशोधितम् = [The Suśrutasaṃhitā with the Commentary Suśrutārthasandīpanabhāṣya by Hārāṇacandra Cakravartī] (Kalikātā: Satya Press); Edition "t" in [HIML](#): IB, 312.
- Birch, Jason et al. (2021), 'Further Insight into the Role of Dhanvantari, the Physician to the Gods, in the Suśrutasaṃhitā', *Academia Letters*. DOI: [10.20935/AL2992](#).
- Breton, P. (1826), 'On the Native Mode of Couching', *Transactions of the Medical and Physical Society of Calcutta*, 2: 341–82, [ark : / 13960 / t3dz8nn5t](#), [URL](#), accessed 02/06/2021.
- Bronkhorst, Johannes (2021), 'Patañjali's Āryāvarta = Śuṅga realm?', *Academia Letters*. DOI: [10.20935/al291](#); Article 291.

- Burghart, Marjorie (2016), 'The TEI Critical Apparatus Toolbox: Empowering Textual Scholars through Display, Control, and Comparison Features', *Journal of the Text Encoding Initiative*, 10/Issue 10. DOI: [10.4000/jtei.1520](https://doi.org/10.4000/jtei.1520), URL, accessed 12/12/2017.
- (2017), 'Textual Variants', in Marjorie Burghart, James Cummings, and Elena Pierazzo (eds.), *Digital Editing of Medieval Texts: A Textbook* (DEMM), URL, accessed 04/07/2021.
- Burnell, Arthur Coke (1880), *A Classified Index to the Sanskrit Mss. in the Palace at Tanjore* (London: Trübner), [ark:/13960/t4xh86j61](https://nbn-resolving.org/urn:nbn:de:hbz:5:1-3960-p0041-9); Bhelaṣaṃhitā described on pp. 67 ff.
- Cone, Margaret (2001), *A Dictionary of Pāli* (Oxford: The Pali Text Society), ISBN: 0 86013 394 x.
- Cordier, P. (1903), 'Récentes découvertes de mss. médicaux sanscrits dans l'Inde (1898–1902)', *Muséon, Nouvelle Série*, 4: 321–52, [ark:/13960/t26b2j457](https://nbn-resolving.org/urn:nbn:de:hbz:5:1-3960-p0041-9), accessed 02/01/2020; Reprinted in Roṣu 1989: 539–70.
- Dave, K. N. (1985), *Birds in Sanskrit Literature* (Delhi: Motilal Banarsidass), ISBN: 0-89581-676-8, [ark:/13960/t2c94cv80](https://nbn-resolving.org/urn:nbn:de:hbz:5:1-3960-p0041-9).
- Deshpande, Vijaya (1999), 'Indian Influences on Early Chinese Ophthalmology: Glaucoma As a Case Study', *Bulletin of the School of Oriental and African Studies*, 62: 306–22. DOI: [10.1017/S0041977X00016724](https://doi.org/10.1017/S0041977X00016724).
- (2000), 'Ophthalmic Surgery: A Chapter in the History of Sino-indian Medical Contacts', *Bulletin of the School of Oriental and African Studies*, 63/3: 370–88, ISSN: 0041-977X. DOI: [10.1017/s0041977x00008454](https://doi.org/10.1017/s0041977x00008454).
- Elliot, Robert Henry (1918), *The Indian Operation of Couching for Cataract: Incorporating the Hunterian Lectures Delivered before the Royal College of Surgeons of England on February 19 and 21, 1917* (London: H. K. Lewis).
- Emeneau, M. B. (1969), 'Sanskrit Syntactic Particles – "kila, khalu, nūnam"', *Indo-Iranian Journal*, 11/4: 241–68.
- Falk, Harry (1991), 'Silver, Lead and Zinc in Early Indian Literature', *South Asian Studies*, 7/1: 111–7. DOI: [10.1080/02666030.1991.9628430](https://doi.org/10.1080/02666030.1991.9628430).
- Fan, Ka Wai (2005), 'Couching for Cataract and Sino-indian Medical Exchange From the Sixth to the Twelfth Century AD', *Clinical and Experimental Ophthalmology*: 188–90. DOI: [10.1111/j.1442-9071.2005.00978.x](https://doi.org/10.1111/j.1442-9071.2005.00978.x); Unaware of Deshpande 1999; 2000.

- Gombrich, Richard (1979), ‘‘He cooks softly’ : dverbs in Sanskrit grammar’, *Bulletin of the School of Oriental and African Studies*, 42/2 (June): 244–56. DOI: [10.1017/s0041977x0014580x](https://doi.org/10.1017/s0041977x0014580x).
- Harimoto, Kengo (2011), ‘In Search of the Oldest Nepalese Manuscript’, *Rivista degli Studi Orientali*, 84/1–4: 85–106, ISSN: 0392-4866, [URL](#), accessed 08/09/2019.
- (2014), ‘Nepalese Manuscripts of the Suśrutasaṃhitā’, *Journal of Indian and Buddhist Studies (Indogaku Bukkyogaku Kenkyu)*, 62/3: 23–29 (1087-1093). DOI: [10.4259/ibk.62.3_1087](https://doi.org/10.4259/ibk.62.3_1087), [URL](#), accessed 08/09/2019.
- (pre-published), ‘[Preliminary Edition of the Nepalese MSS of the Suśrutasaṃhitā, adhyāyas 1.1–3, 6.4]’; Unpublished document dated 2010.
- Hayashi, Takao (2017), ‘The Units of Time in Ancient and Medieval India’, *History of Science in South Asia*, 5/1: 1–116. DOI: [10.18732/h2ht0h](https://doi.org/10.18732/h2ht0h).
- Hemarāja Śarman (1938) (ed.), काश्यपसंहिता (वृद्धजीवकीयं तन्त्रं वा) महर्षिणा मारीचकश्यपेनोपदिष्टा ... हेमराजशर्मणा लिखितेन विस्तृतेन उपोद्धातेन सहिता ... सत्यपाल भिषगा कृतया विद्योतिनी हिन्दीव्याख्यया ... समुल्लसिता (1st edn., Mumba: Nirṇayasāgara Press), [URL](#), accessed 02/02/2018.
- Hendley, T. Holbein (1895), *A Medico-topographical Account of Jeypore, Based on the Experience of Twenty Years’ Service As a Residency Surgeon and Thirteen As Superintendent of Dispensaries at Jeypore, Rajputana* (Calcutta: Calcutta Central Press Company).
- Hoernle, A. F. Rudolf (1893–1912) (ed.), *The Bower Manuscript: Facsimile Leaves, Nagari Transcript, Romanised Transliteration and English Translation with Notes* (New Imperial Series, 22; Calcutta: Government of India and under the patronage of the Bengali Government, Archaeological Survey of India), [ark:/13960/t05z1bg4q](https://nbn-resolving.org/urn:nbn:de:hbz:5:1-3960-t05z1bg4q).
- Hofer, Theresia (2007), ‘Swami Laxmi Ram’s Ayurvedic Pharmacy in Jaipur, India’, *Wellcome History*, 34: 2–3, [URL](#), accessed 01/07/2021.
- Jack, David Morton (1884), ‘A Thesis on Cataract in India: Its Pathology and Treatment’, Wellcome Library, London, MS.3007, [URL](#), accessed 02/06/2021.
- Joṣī, Veṇīmādhavaśāstrī and Joṣī, Nārāyaṇa Harī (1968), *Āyurvedīya Mahākośaḥ arthāt Āyurvedīya Śabdakośaḥ Saṃskṛta–Saṃskṛta* (Mumbaī: Mahārāṣṭra Rājya Sāhitya āṇi Saṃskṛti Maṃḍala), [URL](#).

- Klebanov, Andrey (2021a), 'On the Textual History of the Suśrutasamhitā (1): A Study of Three Nepalese Manuscripts', to be published in *eJIM: Electronic Journal of Indian Medicine*, [URL](#), accessed 09/09/2019.
- (2021b), 'On the Textual History of the Suśrutasamhitā, (2): An Anonymous Commentary and its Identified Citations', in Toke Lindegaard Knudsen, Jacob Schmidt-Madsen, and Sara Speyer (eds.), *Body and Cosmos: Studies in Early Indian Medical and Astral Sciences in Honor of Kenneth G. Zysk* (Leiden, Boston: Brill), 110–39.
- Leffler, Christopher T. et al. (2020), 'The History of Cataract Surgery: From Couching to Phacoemulsification', *Annals of Translational Medicine*, 8/22: 1551–97, ISSN: 2305-5847. DOI: [10.21037/atm-2019-rs-04](#), [URL](#), accessed 02/11/2020.
- Lienhard, Siegfried (1978), 'On the Meaning and Use of the Word Indragopa', *Indologica taurinensia*, 6: 177–88, [URL](#), accessed 06/02/2021; The indragopa is a 'red velvet mite'.
- Majno, Guido (1975), *The Healing Hand. Man and Wound in the Ancient World* (Cambridge, MA: Harvard University Press), [URL](#), accessed 26/08/2021.
- Masai, François (1950), 'Principes et conventions de l'édition diplomatique', *Scriptorium*, 4: 177–93. DOI: [10.3406/scrip.1950.2294](#).
- Meulenbeld, Gerrit Jan (1992), 'The Characteristics of a Doṣa', *Journal of the European Āyurvedic Society*, 2/1: 1–5, [URL](#), accessed 31/08/2021.
- (2011), 'The Relationships between Doṣas and Dūṣyas: A Study on the Meaning(s) of the Root Murch-/mūrca', *eJournal of Indian Medicine*, 4/2: 35–135, [URL](#), accessed 13/10/2017.
- Moureau, Sébastien. (2015), 'The Apparatus Criticus', in Alessandro Bausi et al. (eds.), *Comparative Oriental Manuscript Studies: An Introduction* (Hamburg: Tredition), 348–52, ISBN: 978-3-7323-1768-4, [URL](#), accessed 04/07/2021.
- Nadkarni, K. M. (1954), *Dr. K. M. Nadkarni's Indian Materia Medica, with Ayurvedic, Unani-tibbi, Siddha, Allopathic, Homeopathic, Naturopathic & Home Remedies, Appendices & Indexes ... in Two Volumes*, ed. A. K. Nadkarni, 2 vols. (3 ed., revised by A. K. Nadkarni, Bombay: Popular Prakashan), [ark:/13960/t6rz4h160](#).

- Nadkarni, K. M. (1982), *Dr. K. M. Nadkarni's Indian Materia Medica, with Ayurvedic, Unani-tibbi, Siddha, Allopathic, Homeopathic, Naturopathic & Home Remedies, Appendices & Indexes ... in Two Volumes*, ed. A. K. Nadkarni, 2 vols. (3 ed., revised and enlarged by A. K. Nadkarni, Bombay: Popular Prakashan), ISBN: 8171541429, [URL](#).
- NGMCP (2014), 'Nepal-german Manuscript Cataloguing Project. Online Title List and Descriptive Catalogue', Universität Hamburg and Deutsche Forschungsgemeinschaft, [URL](#).
- Oberlies, Thomas (2003), *A Grammar of Epic Sanskrit* (Indian Philology and South Asian Studies, 5; Berlin: De Gruyter), ISBN: 9783110144482. DOI: [10.1515/9783110899344](#).
- Osbaldeston, Tess Anne and Wood, R. P. A. (2000), *Dioscorides. De Materia Medica. Being an Herbal with Many Other Medicinal Materials Written in Greek in the First Century of the Common Era. a New Indexed Version in Modern English* [Introductory Notes by R. P. Wood] (Johannesburg: IBIDIS Press), ISBN: 0-620-23435-0, [URL](#).
- Pandey, Anshuman (2012), 'Proposal to Encode the Newar Script in ISO/IEC 10646', [URL](#).
- Parshwanath Shastri, Vardhaman (1940) (ed.), *The Kalyāṇa-kārikā of Ugrādityacharya, Edited with Introduction, Translation, Notes, Indexes and Dictionary* (Sakharam Nemchand Granthamala; Sholapur).
- Pass, Gregory (2003), *Descriptive Cataloging of Ancient, Medieval, Renaissance, and Early Modern Manuscripts* (Chicago: American Library Association), ISBN: 0-8389-8218-2, [URL](#).
- Preisendanz, Karin (2007), 'The Initiation of the Medical Student in Early Classical Āyurveda: Caraka's Treatment in Context', in Birgit Kellner et al. (eds.), *Pramāṇakīrtiḥ. Papers Dedicated to Ernst Steinkellner on the Occasion of His 70th Birthday. Part 2*, ii, 2 vols. (Wiener Studien zur Tibetologie und Buddhismuskunde, 70.2; Wien: Arbeitskreis für Tibetische Und Buddhistische Studien Universität Wien), 629–68, ISBN: 9783902501097, [URL](#).
- Price, Kenneth M. (2013), 'Electronic Scholarly Editions', in Ray Siemens and Susan Schreiban (eds.), *A Companion to Digital Literary Studies* (Chichester, UK: John Wiley & Sons, Ltd), 434–50. DOI: [10.1002/9781405177504.ch24](#), [URL](#), accessed 04/07/2021.

- Rai, Saurav Kumar (2019), 'Invoking 'Hindu' Ayurveda: Communalisation of the Late Colonial Ayurvedic Discourse', *The Indian Economic & Social History Review*, 56/4: 411–26. doi: [10.1177/0019464619873820](https://doi.org/10.1177/0019464619873820); Online first.
- Rama Rao, B. et al. (2005), *Sanskrit Medical Manuscripts in India* (New Delhi: Central Council for Research in Ayurveda & Siddha), [ark : / 13960 / t88h7763b](https://nopr.scribd.com/document/13960/t88h7763b).
- Rhys Davids, Thomas William and Stede, William (1921–5), *The Pali Text Society's Pali-English Dictionary* (London: The Pali Text Society), [URL](https://www.palitext.com/).
- Roşu, Arion (1989), *Un demi-siècle de recherches āyurvédiques. Gustave Liétard et Palmyr Cordier: Travaux sur l'histoire de la médecine indienne* (Paris: Institut de Civilisation Indienne).
- Sastri, Hrishikesh and Gui, Siva Chandra (1895–1917), *A Descriptive Catalogue of Sanskrit Manuscripts in the Library of Calcutta Sanskrit College* (Calcutta: Baptist Mission Press).
- Sastri, P. P. S. (1933), *A Descriptive Catalogue of the Sanskrit Manuscripts in the Tanjore Maharaja Serfoji's Sarasvati Mahal Library Tanjore: Natya, Sangita, Kamasutra, Vaidya & Jyotisa, nos. 10650–11737* (Srirangam: Sri Vani Vilas Press), [ark: / 13960 / t3nw8bc12](https://nopr.scribd.com/document/13960/t3nw8bc12).
- Scott, H. (1817), 'Some Remarks on the Arts of India, with Miscellaneous Observations on Various Subjects', *Journal of Science and the Arts*, 2: 67–72, ill. after 133, [ark : / 13960 / t9870jt4g](https://nopr.scribd.com/document/13960/t9870jt4g); Breton 1826: 358–363 cites Scott's description of cataract couching.
- Sena, Gaṅgāprasād et al. (1886–93) (eds.), *सुश्रुतसंहिता...दल्लनाचार्य-कृत-निबन्ध-संग्रह, चक्रपाणिदत्त-कृत-भानुमती-टीका...वङ्गानुवाद...इंरेजि प्रतिशब्द* (Calcutta: Maṇirāma Press); Edition "g" in [HIML](https://www.himl.org/): IB, 311.
- Sharma, Har Dutt (1939), *Descriptive Catalogue of the Government Collections of Manuscripts Deposited at the Bhandarkar Oriental Research Institute, Vol. XVI, Part I, Vaidyaka* (Descriptive Catalogue of Manuscripts in the Government Manuscripts Library; Pune: Bhandarkar Oriental Research Institute), [ark: / 13960 / t0ms6rc70](https://nopr.scribd.com/document/13960/t0ms6rc70), accessed 23/10/2019.
- Sharma, Priya Vrat (1982), *Dalhana and his Comments on Drugs* (Delhi: Munshiram Manoharlal).

- Sharma, Priya Vrat (1999–2001), *Suśruta-Saṃhitā, with English Translation of Text and Dalhaṇa's Commentary Alongwith (sic) Critical Notes*, 3 vols. (Haridas Ayurveda Series, 9; Varanasi: Chaukhambha Visvabharati).
- Shastri, R. Shama (1920) (ed.), बोधायनगृह्यसूत्रम् *The Bodhāyana Grihyasutra* (Mysore: University of Mysore), [ark:/13960/t2t492622](https://nopr.scribd.org/13960/t2t492622).
- Singh, Thakur Balwant and Chuneekar, K. C. (1972), *Glossary of Vegetable Drugs in Brhatrayi* (Varanasi: Chowkhamba Sanskrit Series Office).
- Sivarajan, V. V. and Balachandran, Indira (1994), *Ayurvedic Drugs and Their Plant Sources* (New Delhi, Bombay, Calcutta: Oxford & IBH Publishing).
- Smith, Brian K. (1994), *Classifying the Universe: The Ancient Indian Varṇa System and the Origins of Caste* (New York, Oxford: Oxford University Press), ISBN: 0-19-508498-5.
- Srikantha Murthy, K. R. (2000–2), *Illustrated Suśruta Saṃhitā: Text, English Translation, Notes, Appendices and Index* (Jaikrishnadas Ayurveda Series, 102; 1st edn., Varanasi: Chaukhambha Orientalia).
- Suvedī, K. S. and Tivārī, N. (2000) (eds.), *Sauśrutaniḥaṇṭuḥ: granthāḍau viśṭṛtena granthavaiśiṣṭyaparakāśakenopodghātena avasāne ca dravyāṇām anekabhāṣānām āvalī- paryāyasaṅgrahābhyām samalaṅkṛtaḥ Suśrutasaṃhitāyām prayuktānām auśadhadravyāṇām paryāya-guṇakarmavarnātmako pūrvagranthaḥ* (Belajhūṇḍī, Dāñ: Mahendrasaṃskṛtaviśvavidyālayaḥ).
- The Unicode Consortium (1991–2020), 'The Unicode Standard 13.0, NewaRange: 11400–1147F', [URL](https://unicode.org/versions/13.0/), accessed 20/07/2021.
- Velankar, H. D (1925–30), *Descriptive Catalogue of the Sanskr̥ta and Prākṛta Manuscripts in the Library of the Bombay Branch of the Royal Asiatic Society* (Bombay: Royal Asiatic Society, Bombay), [ark:/13960/t53g00h0n; Biswas #0115](https://nopr.scribd.org/13960/t53g00h0n;Biswas%20115).
- Warrier, P. K., Nambiar, V. P. K., and Ramankutty, C. (1994–6) (eds.), *Indian Medicinal Plants: A Compendium of 500 Species. Vaidyaratnam P. S. Varier's Arya Vaidya Sala, Kottakal* (Madras: Orient Longman).
- Watt, George (1889–96), *A Dictionary of the Economic Products of India* (Calcutta: Dept. Revenue and Agriculture, Government of India), [URL](https://www.india.gov.in/publications/13960/t53g00h0n;Biswas%20115), accessed 28/04/2021.

- Watt, George (1908), *The Commercial Products of India, Being an Abridgement of "the Dictionary of the Economic Products of India"* (London: John Murray), [ark:/13960/t9t14xh3x](https://nopr.scribd.org/ark:/13960/t9t14xh3x).
- Whitney, William Dwight (1885), *The Roots, Verb-forms, and Primary Derivatives of the Sanskrit Language. A Supplement to his Sanskrit Grammar* (Leipzig: Breitkopf and Härtel), [ark:/13960/t3qv3p906](https://nopr.scribd.org/ark:/13960/t3qv3p906).
- Wren, R. C. (1956), *Potter's New Cyclopaedia of Botanical Drugs and Preparations*, ed. R. W. Wren (Rustington, Sussex: Health Science Press), [ark:/13960/t14n65c9g](https://nopr.scribd.org/ark:/13960/t14n65c9g).
- Wujastyk, Dagmar (2012), *Well-mannered Medicine: Medical Ethics and Etiquette in Classical Ayurveda* (New York: Oxford University Press).
DOI: [10.1093/acprof:oso/9780199856268.001.0001](https://doi.org/10.1093/acprof:oso/9780199856268.001.0001).
- (2019), 'Iron Tonics: Tracing the Development from Classical to Iatrochemical Formulations in Ayurveda', *HIMALAYA, the Journal of the Association for Nepal and Himalayan Studies*, 39/1, ISSN: 2471-3716, [URL](https://doi.org/10.1093/himalaya/39.1.1), accessed 23/07/2019.
- Wujastyk, Dominik (2003), *The Roots of Ayurveda: Selections from Sanskrit Medical Writings* (Penguin Classics; 3rd edn., London, New York, etc.: Penguin Group), ISBN: 0-140-44824-1.
- (2004), 'Agni and Soma: A Universal Classification', *Studia Asiatica: International Journal for Asian Studies*, IV–V, ed. Eugen Ciurtin: 347–70, ISSN: 1582-9111, [URL](https://doi.org/10.1093/asiasat/34.4.347).
- (2013), 'New Manuscript Evidence for the Textual and Cultural History of Early Classical Indian Medicine', in *Medical Texts and Manuscripts in Indian Cultural History*, ed. Dominik Wujastyk, Anthony Cerulli, and Karin Preisendanz (New Delhi: Manohar), 141–57, [URL](https://doi.org/10.1093/asiasat/34.4.347).
- Zimmermann, F. (1983), 'Suśrutasamhita. Essay review.', *Bulletin of the History of Medicine*, 57/2: 291–3, ISSN: 00075140, [URL](https://doi.org/10.1093/bhms/57.2.291).
- Zimmermann, Francis (1999), *The Jungle and the Aroma of Meats* (2nd edn., Delhi: Motilal Banarsidass), ISBN: 8120816188.

Glossary

‘going-to-my-darling’
śyāmā → priyaṅgu
37

abhayā
chebulic
myrobalan 41
abhramukta
free from clouds 48

abhyaṅga
massage 37
massage oil 33

ācāra
regimen 16

ācārīka
medical advice 25

accumulation
sañcaya 18

adhimantha
irritation 49

adhiṣṭhāna
located 16

adhodṛṣṭitva
downward vision
49

adhyāya
sections 19

admixture
prativāpa 26

āgantva
external factors 19

agra
supernatant layer
44

agramukta
free from the point
48

āhāra
diet 16

āhārya
take away 23

ahorātra
day and night 18

aids

aṅga 42
ajākṣīrārdita
stirred with goat’s
milk 49

alābu
bitter gourd 35

ālepa
liniment 39

alleviated
yāpya 42

alleviation
pratīkāra 18

along these lines
evam 18

āmālaka
emblic 40

amaranth
taṇḍulīyaka 37

amra
mango 40

āmṛāsthī
mango stones 36

amṛtā
calamine 37

aṇḍaja
born from eggs 17

aṅga
aids 42
parts 18

anger
krodha 16

animals
paśu 17

añjana
application of
collyrium 39, 44

eye make-up 33

stibnite 44

aṅkollā
sage-leaved

alangium 36

antra
entrails 42

ants

pipīlika 17

anulepana

massage ointment
33, 37

ointment 37

apāmarga
prickly chaff flower

23

apāṅga
edge of the hole 27

outer corner of the
eye 47

apatānaka

convulsions 22

application of collyrium
añjana 39, 44

apramatta
diligent 28

ārā

awl 22

araga timira

non-bloodshot
blindness 46

ardhakapāṭasandhika
half door-hinge 23

arid-land animals

jāṅgala 45

arṇavamala

cuttle fish 41

asādhya

incurable 39

āsāṅgima

fastening 23

aśoka

asoka tree 40

āśoka

grief 16

asoka tree

aśoka 40

āśrayin

substrate 16

asthi

bones 19
aṣṭhīlā
 pebble 35
asūyā
 jealousy 16
atibalā
 strong mallow 43
ātmaka
 nature 16
āṭopa
 flatulence 36
avalekhana
 combs 33
āvarta
 spiral 46
 awl
ārā 22
 axelwood
dhava 50
ayana
 half-year 18
āyatta
 depends on 16
āyur
 life, longevity 13
āyurveda
 the science of life 13
baddham
 bound, connected
 28
balā
 country mallow 43
bala
 strength 16
bali
 morsel 33
 balm
tarpaṇa 39, 44f
 bamboo leaves
veṇupatrikā 37
bandha
 bindings 25
 bearers
voḍhāra 33
 beauty berry

priyaṅgu 44
 beautyberry
priyaṅgu 40
śyāmā 35
 bent brow and eye
vakrabhrūnetra 48
 beryl
vaidūrya 50
bhadradāru
 deodar 50
bhaṅga
 leaves 47
bhavet
 it may be 46
bhāvita
 cooked 45
 infused 40
bhedyā
 splitting 25
bhramaraka
 drongo 34
bhṛṅgarāja
 racket-tailed
 drongo 34
 bile
pitta 42
bimbī
 red gourd 35
 bindings
bandha 25
 bitter gourd
alābu 35
 black creeper
pālindī 37
 black drongo
dhūmyāta 34
 black part
kṛṣṇa 47
 black pepper
marica 40
 black soot
maṣī 39
 blackboard tree
saptachada 36
 blessings pronounced

svastivācana 21
 blindness
timira 46
 blink of the eye
nimeṣa 18
 blood
rudhira 17
śonita 42
 blood-bile
śonita-pitta,
rakta-pitta 42
 blood-letting
sirāvedha 39
 bloodshot blindness
rāgin timira 44
rāgiṇi timire 46
 blue dot cataract
mlāyin 46
 blue lotus
utpala 40
 blue vitriol
tuttha 44
 body language
īṅgita 33
 bones
asthi 19
 born from eggs
aṇḍaja 17
 born in in a caul
jarāyujā 17
 born of sweat
svedaja 17
 bound, connected
baddham 28
 box myrtle
kaṭphala 41
bṛmhaṇa
 nourishment 16
 bubbling
budbuda 49
budbuda
 bubbling 49
 bulbs
kanda 17
 bull

vr̥ṣabha 34
cakradhārā
 rim of a wheel 24
cala
 liquid 47
calamine
amṛtā 37
cardamom
elā 41
carman
 pelt 17
carnivore
kravyabhuj 43
cassia cinnamon
patra 37, 49
castor oil
pañcāṅgulatāila 42
castor oil tree
gandharvahaṣṭa 22
cāsyāt
 from his mouth 35
cataract
liṅganāśa 46
caturvarga
 fourfold grouping
 18
catuṣṭaya
 four factors 18
caused by wind
pavanodbhava 42
causing the destruction
of actions such as
moving
gamanādikriyāv-
ināśakārī 48
chebulic myrobalan
abhayā 41
harītakī 36
chedya
 cutting 25
 excision 19
cheek-ear
gaṇḍakārṇa 23
chidra
 hole 47

chital deer
pr̥ṣata 34
 circuit of the pupil
dṛṣṭimanḍala 47
 citron
mātuluṅga 49
 clusters
samplava 17
 cock
tāmracūḍa 43
 collection
varga 18
 combined
upahita 42
 combs
avalekhana 33
 comfort
sukha 18
 complexion
varṇa 16, 30
 compounds
yoga 39
 compressed
saṃkṣipta 24
 compressed
saṃkṣipta 23
 conch
salilotthita 45
 congested humours
sannipāta 19
 convulsions
apatānaka 22
 cooked barley
yavaudana 46
 cooked
bhāvita 45
 copper
tāmra 49
 coral
vidruma 50
coṣa
 driness 49
 cotton
picu 25
 cotton plant

kārpāsa 23
 cottony jujube
kākolī 50
 counteraction
pratiṣedha 39
 country mallow
balā 43
 cow's flesh
gomāṃsa 40
 cow's urine
gomūtra 41
 cow-dung
gośakṛt 40
 creeper-ear
vallikārṇa 23
 creepy-crawlies
sarīsrpa 14, 17
 crow's lip
kākauṣṭha 23
 curable
sādhya 39
 curds
dadhi 36
 cuscus grass
uśīra 44f
 cutting
chedya 25
 cutting with a blade
śāstrakṣata 39
 cuttle fish
aṇṇavamala 41
 cuttlefish bone
phena 50
samudraphena 41
dadhi
 curds 36
dainya
 misery 16
 dais
pīṭha 24
daivakṛte
 naturally occurring
 47
dantamāṃsa
 flesh of the tooth 36

dantaveṣṭa
 enclosure of a tooth
 36
dārvi
 tree turmeric 40
datta
 given 34
datura flower
dhattūrapuṣpa 23
 day and night
ahorātra 18
 decanted liquor
surāmaṇḍa 25
 decoctions
kaṣāya 33, 48
 deer
eṇa 43
 deodar
bhadradāru 50
 depends on
āyatta 16
 depression
viṣāda 16
 desert date
iṅgudī 45
 desire
icchā 16
dhānyāmla
 fermented
 rice-water 25
dhātakīpuṣpa
 fire-flame bush
 flowers 36
dhātrī
 emblic 41
dhattūrapuṣpa
 datura flower 23
dhava
 axelwood 50
dhūma
 inhaled smoke 33
dhūmadarśin
 seeing smoke 39
dhūmyāṭa
 black drongo 34

dhyāma
 grimy 33
 diet
āhāra 16
 dilator
pravardhanaka 23
 diligent
apramatta 28
 discharge
srāva 37
 disease
vyadhi 18
 distorted
vikṛta 36
 door-hinge
kapāṭasandhika 23
doṣa
 humour 46
 humours 18
doṣapariplava
 unsteadiness of the
 humours 48
 double
yamalā 36
 downward vision
adhodṛṣṭitva 49
drākṣā
 grapes 50
dravāñjana
 liquid collyrium 44
dravya
 substance 30
 dried flesh
vallūraka 23
 dried ginger
nāgara 41
 driness
coṣa 49
 drongo
bhramaraka 34
drṣṭi
 pupil 39, 47f
drṣṭimaṇḍala
 circuit of the pupil
 47

dry rub
utsādana 37
 dry rubs
utsādana 33
 duct
sirā 22
 ducts
sirā 19, 24
duḥkha
 suffering 16
dūrvā
 panic grass 49
dūṣiṣāri
 slow-acting poison
 antidote 36
duṣṭa
 tainted 25
dveṣa
 hatred 16
 earthen products
pārthiva 17f
 edge of the hole
apāṅga 27
elā
 cardamom 41
 elixir salve
rasāñjana 40, 44f
 elixir salve
rasāñjana 28
 elixir-salve
rasāñjana 40
 elixir-salve
śīta 40
 embelia
vidaṅga 45
 emblic
āmalaka 40
dhātrī 41
 emetic nut
madana 35
eṇa
 deer 43
 enclosed roasting
puṭākhyā 43
puṭapāka 45

enclosure of a tooth
dantaveṣṭa 36
 ends
vaktra 49
 energy
ojas 30
 entrails
antra 42
 envy
īrṣyā 16
eraṇḍapatranāla
 stalk of the leaf of
 castor oil plant 28
 errhine
nasya 43
 essence
sāra 17
evam
 along these lines 18
 excision
chedya 19
 expressed juice
svarasa 40
 external factors
āgantū 19
 extract of rohu carp
rauḥita 40
 extracts
rasa 44
 eye make-up
añjana 33
 fastening
āsaṅgima 23
 fat
vasā 43
 fermented rice-water
dhānyāmla 25
 filaments
kiñjalka 40
 fire-flame bush flowers
dhātakīpuṣpa 36
 flame of the forest
palāśa 44
 flatulence
āṭopa 36

flavours
rasa 16, 30
 flesh
māṃsa 19, 37
 flesh of the tooth
dantamāṃsa 36
 flowering trees
vṛkṣa 17
 flowers
puṣpa 17
 fortnight
pakṣa 18
 four factors
catuṣṭaya 18
 fourfold grouping
caturvarga 18
 free from clouds
abhramukta 48
 free from the point
agramukta 48
 frogs
maṇḍūka 17
 from his mouth
cāsyāt 35
 fruit trees
vanaspati 17
 fruits
phala 17
gāḍha
 pinched 26
gairika
 ochre 39f
gairikaḥ
 red chalk 49
gamanādikriyāvināśakarī
 causing the
 destruction of
 actions such as
 moving 48
gaṇḍakarna
 cheek-ear 23
gandharvahaṣṭa
 castor oil tree 22
 garlands
sraj 33

gauze
prota 25
 general rule
paribhāṣā 45
 gently
mṛdu 49
 ghee
sarpis 26, 39
 given
datta 34
 glassy opacity
kāca 44
godhā
 monitor lizard 42
 gold
śātakumbhī 49
gomāṃsa
 cow's flesh 40
gomūtra
 cow's urine 41
gośakṛt
 cow-dung 40
 juice of cow-dung
 40
granthi
 lumps 22, 37
granthita
 lumpy 24
 grapes
drākṣā 50
 greed
lobha 16
 green vitriol
kāsīsa 45
 grief
āśoka 16
 grimy
dhyāma 33
guḍikā
 pill 40
 half door-hinge
ardhakaṇṭhasandhika
 23
 half-year
ayana 18

hare foot uraria
pr̥thakparṇī 50
hareṇu
 hareṇu 40
hareṇu
 hareṇu 41
hareṇu
 hareṇu 41
hareṇu
 hareṇu 40
hareṇu
 hareṇu 40
hareṇu
 hareṇu 40f
hareṇu
 hareṇu 41
hari
 sun 47
haridrā
 turmeric 45
haritakī
 chebulic
 myrobalan 36
harṣa
 overexcitement 16
 hatred
 dveṣa 16
 heart-leaved moonseed
 somavallī 37
 herbs
 oṣadhi 17
 himalayan cherry
 padmaka 50
hīna
 reduced 28
hīnakarṇa
 reduced-ear 23
 hole
 chidra 47
 holostemma
 payasyā 49
 honey collyrium
 kṣaudrāñjana 41
 honey
 kṣaudra 40

madhu 40
madhus 34
 horseradish tree
 śigru 45
 human being
 puruṣa 16, 18
 humour
 doṣa 46
 humours
 doṣa 18
icchā
 desire 16
 if, then not
 na ced 46
 illness
 ruj 41
 in those cases
 tatra 42
 incurable
 asādhya 39
 indian barberry
 kālīyaka 37
 indian lotus
 nalina 40
 indian madder
 mañjiṣṭhā 22, 49
 indian rose-bay
 tagara 37
 indian sarsaparilla
 kālānusāriṣa 41
 sāriṣa 41
 śāriṣa 49
 indigo
 nīlī 36
indragopa
 red velvet mites 17
 velvet-mite 35
 inflamed
 saṃrambha 26
 vidagdha 39
 infused
 bhāvita 40
īṅgita
 body language 33
īṅgudī

 desert date 45
 inhaled smoke
 dhūma 33
 inherent factors
 svabhāva 19
 inherent
 svābhāvika 16
 injured
 utpīḍita 46
 inspissation
 rasakriyā 45
 intended
 vyākhyāta 19
 intestines
 pakvāśaya 36
 irregularities
 vaiṣamya 16
 irrigation
 seka 39
 irritation
 adhimantha 49
 prakopa 18
īrṣyā
 envy 16
 it may be
 bhavet 46
 items created by time
 kālakṛta 17f
 jambu
 jambū 40
jambū
 jambu 40
 jambul 36
jambul
 jambū 36
jāṅgala
 arid-land animals
 45
jaṅgama
 moving 17f
jarāyuja
 born in in a caul 17
 jasmine
 mālatī 37
jātī

royal jasmine 50
 jealousy
 asūyā 16
 joins
 sandhāna 23
 sandhi 24
 joints
 sandhi 19
 juice extract
 svarasa 17
 juice of cow-dung
 gośakṛt 40
 juices
 rasa 43

kāca
 glassy opacity 44
kākaustha
 crow's lip 23
kākolī
 cottony jujube 50
kalā
 minutes 18
kālakṛta
 items created by
 time 17f
kālānusārīva
 indian sarsaparilla
 41
kālīyaka
 indian barberry 37
kāma
 lust 16
kanda
 bulbs 17
kapālacūrṇa
 powdered
 earthenware
 crocery 25
kapāṭasandhika
 door-hinge 23
kapittha
 wood apple 40
 wood apple 40
 wood apple 37
karma

regimen 48
karman
 therapies 19
kaṇnavyadha
 piercing the ear 21
kārpāsa
 cotton plant 23
kārśmarī
 white teak 40
kaṣāya
 decoctions 33, 48
kāśīpati
 lord of kāśī 32
kāsīsa
 green vitriol 45
kāṣṭhā
 trice 18
kaṭphala
 box myrtle 41
kavala
 mouthwash 37
khara
 rough 48
kinihī
 white siris 45
kiñjalka
 filaments 40
 kitchen
 mahānasa 32
 knowledge
 veda 13
 kohl
 srotas 43
 srotoja 41, 50
koṣṭikā
 luffa 36
kravyabhuj
 carnivore 43
kriyā
 procedures 15f, 19
 treatment 18, 45
kriyākāla
 the time for
 therapies 18
kriyāsaṅga

loss of function 48
kṛmi
 worms 17
krodha
 anger 16
kṛṣṇa
 black part 47
kṛṣṇā
 long pepper 39
kṛtamaṅgala
 received a
 benediction 21
kṣaṇadāndhya
 night blindness 41
kṣāraka
 lye 44
kṣaudra
 honey 40
kṣaudrāñjana
 honey collyrium 41
kṣīṇa
 wasted 26
kṣīra
 sap 17
kunta
 small insects 17
kupyaka
 metal 40
kuśa grass
 kuśa 44
kuśa
 kuśa grass 44

 lac
 lākṣā 50
lākṣā
 lac 50
lāmajja grass
 lāmajja 34
lāmajja
 lāmajja grass 34
 layer
 paṭala 46
 lead
 sīsaka 23
 leaves

bhaṅga 47
patra 17
lekhaṇa
 scarification 16
lekhyā
 scarification 25
 life, longevity
 āyur 13
liṅganāśa
 cataract 46
 liniment
 ālepa 39
 liquid
 cala 47
 liquid collyrium
 dravāṇjana 44
 liquorice
 madhuka 40
 madhukair 49
 liver extract
 yakṛdrasa 41
 liver
 yakṛt 41f
lobha
 greed 16
 located
 adhiṣṭhāna 16
 lodh tree
 lodhra 40, 44
lodhra
 lodh tree 40, 44
 long pepper
 kṛṣṇā 39
 māgadha 45
 māgadhi 41
 māgadhi 42
 māgadhi 44
 pippali 40
 lord of kāsī
 kāśipati 32
 loss of function
 kriyāsaṅga 48
 lotus-splittable
 utpalabhedyaka 23
 luffa

koṣṭikā 36
 lumps
 granthi 22, 37
 lumpy
 granthita 24
 lust
 kāma 16
lūtā
 spiders 14
 lye
 kṣāraka 44
madana
 emetic nut 35
madhu
 honey 40
madhuka
 liquorice 40
madhūka
 mahua 43ff
madhukair
 liquorice 49
madhus
 honey 34
madira
 spirits 44
madirā
 spirits 41
māgadha
 long pepper 45
māgadhi
 long pepper 44
māgadhi
 long pepper 42
māgadhi
 long pepper 41
mahānasa
 kitchen 32
 mahua
 madhūka 43ff
mālatī
 jasmine 37
 malice
 mātsarya 16
māṃsa
 flesh 19, 37

māṃsanirgama
 prolapse 49
manaḥśilā
 realgar 41, 44f, 50
 red arsenic 40f
mānasa
 mental 16
maṇḍūka
 frogs 17
 mango
 amra 40
 mango stones
 āmraṣṭhi 36
mañjiṣṭhā
 indian madder 22, 49
manyāstambhā
 paralysis of the
 nape of the neck 22
mardita
 massaged 27
marica
 black pepper 40
māsa
 month 18
māṣaka
 mung beans 37
maṣī
 black soot 39
 massage
 abhyāṅga 37
 massage oil
 abhyāṅga 33
 massage ointment
 anulepana 33, 37
 massaged
 mardita 27
mātsarya
 malice 16
mātuluṅga
 citron 49
 matured
 vipakva 40
 may repair
 yojayed 27

medical advice
 ācārika 25
 medicines cooked in a
 crucible
 puṭapāka 39
 mental
 mānasa 16
meṣaśṛṅga
 periploca of the
 woods 50
meṣaviṣāṇa
 periploca of the
 woods 42
 metal
 kupyaka 40
 minutes
 kalā 18
 misery
 dainya 16
miśrakacikitsa
 various treatments
 27
 misshapen eyeball
 vilocana 48
 mitigable
 yāpya 46
 mitigatable
 yāpya 39
mlāyin
 blue dot cataract 46
 monitor lizard
 godhā 42
 month
 māsa 18
 morsel
 bali 33
 mouthwash
 kavala 37
 moving
 jaṅgama 17f
mṛḍu
 gently 49
mudga
 mung beans 46
muhūrta

three-quarters of
 an hour 18
muktā
 pearl 46
muktvā
 separate 47
mūla
 root 16
 roots 17
 multi-joins
 vyāyojima 23
 mung beans
 māṣaka 37
 mudga 46
mūrcchā
 stupor 35
mūṣika
 rodents 14
mūṣikaparṇī → *dravantī*
 purging nut 37
mustā
 nutgrass 50
 myrobalan
 pathyā 40
na ced
 if, then not 46
nadīja
 salt 40
nāgara
 dried ginger 41
nala
 reed 28
nalada
 spikenard 34, 45
nalina
 indian lotus 40
 nasal medicines
 nasya 39
nasya
 errhine 43
 nasal medicines 39
nasya
 snuff 33
 naturally occurring
 daivakṛte 47

nature
 ātmaka 16
 needle
 sūcī 47
 neem tree
 nimba 23
nemīsandhānaka
 rim-join 24
nemīsandhānakaḥ
 rim-join 23
 night blindness
 kṣaṇadāndhya 41
nīlī
 indigo 36
nimba
 neem tree 23
nimeṣa
 blink of the eye 18
nirvedhima
 ready-split 23
niryāsa
 resin 17
niśācara
 nocturnal creature
 45
niṣevita
 prepared 43
 used 42
nivāta
 no wind 17
 no wind
 nivāta 17
 nocturnal creature
 niśācara 45
 non-bloodshot
 blindness
 araga timira 46
 non-flowering tree
 vanaspati 45
 nourishment
 bṛṃhaṇa 16
 nutgrass
 mustā 50
 obstructed by blood
 raktabaddha 26

ochre
 gairika 39f
 off his hand
 sapāṇa 43
 oil
 sneha 17
 ointment
 anulepana 37
 ointment for rubbing
 the ear
 udvartana 27
 ointment
 pralepa 35
 ojas
 energy 30
 vital energy 16
 options
 vikalpa 24
 or not distorted
 vāvikṛtā 36
 oṣadhi
 herbs 17
 remedies 18
 oṣadhī-
 remedies 16
 outer corner of the eye
 apāṅga 47
 overexcitement
 harṣa 16
 pacification
 saṁśamana 16
 upaśama 18
 padma
 sacred lotus 37
 padmaka
 himalayan cherry
 50
 pain and injury
 vedanābhighāta 13
 pāka
 septic 26
 pakṣa
 fortnight 18
 pakvāśaya
 intestines 36

palāśa
 flame of the forest
 44
pālindī
 black creeper 37
pallava
 shoots 47
pañcāṅgulataila
 castor oil 42
 panic grass
 dūrva 49
 paralysis of the nape of
 the neck
 manyāstambhā 22
paribhāṣā
 general rule 45
parīṣeka
 shower 37
pārthiva
 earthen products
 17f
 partial blindness
 timira 42
 particulars
 vikalpa 18
 parts
 aṅga 18
paśu
 animals 17
paṭala
 layer 46
pāthā
 velvet leaf 45
pathyā
 myrobalan 40
patra
 cassia cinnamon
 37, 49
 leaves 17
pavanodbhava
 caused by wind 42
payasyā
 holostemma 49
 pearl
 muktā 46

pebble
 aṣṭhīlā 35
 pelt
 carman 17
 periploca of the woods
 meṣaviṣāṇa 42
 perploca of the woods
 meṣaśṛṅga 50
phala
 fruits 17
phena
 cuttlefish bone 50
 physical
 śārīravada 18
picu
 cotton 25
pīḍ-
 pressed 47
 piercing the ear
 kaṛṇavyadha 21
 piercing
 vyadha 47
 vyadhana 25
 pigs' eye
 sūkarākṣitā 49
 pill
 guḍikā 40
 pinched
 gāḍha 26
pipīlika
 ants 17
pippali
 long pepper 40
pīṭha
 dais 24
pitta
 bile 42
plīhan
 spleen 42
 powdered earthenware
 crocery
 kapālacūrṇa 25
pra√kuth
 rot 36
prabha

shine 46
 practical purposes
 prayojanavat 18
pragāḍha
 steeped 43
prakopa
 irritation 18
prakṛti
 temperament 16
pralepa
 ointment 35
pratikāra
 alleviation 18
 remedy 39
pratisāraṇa
 rub 36
 rubbing 36
pratiśedha
 counteraction 39
prativāpa
 admixture 26
pratuda
 scavenging 26
pravardhanaka
 dilator 23
prayojanavat
 practical purposes
 18
 prepared
 niṣevita 43
 prepared with tilvaka
 tailvaka 39
 prepared with turpeth
 traivṛta 39
pressed
 pīḍ- 47
 prickly chaff flower
 apāmarga 23
priyaṃgu
 beautyberry 40
priyaṅgu
 beauty berry 44
 probe
 śalākā 47
 procedures

kriyā 15f, 19
 prolapse
 māṃsanirgama 49
prota
 gauze 25
prṣata
 chital deer 34
prthakparṇī
 hare foot uraria 50
puffed up
 śopha 26
 pupil
 drṣṭi 39, 47f
 purging nut
 mūṣikaparṇī →
 dravanti 37
 purification
 saṃśodhana 16
puruṣa
 human being 16, 18
puṣpa
 flowers 17
puṭāhvaya
 taken hot 44
puṭākhyā
 enclosed roasting
 43
puṭapāka
 enclosed roasting
 45
 medicines cooked
 in a crucible 39
 racket-tailed drongo
 bhṛṅgarāja 34
rāgin timira
 bloodshot
 blindness 44
rāgiṇi timire
 bloodshot
 blindness 46
 rainy seasons
 varṣā 17
rajana
 turmeric 41
raktabaddha

obstructed by
 blood 26
rasa
 extracts 44
 flavours 16, 30
 juices 43
 the blood of birds
 and animals 40
rasakriyā
 insipidation 45
rasāñjana
 elixir salve 40, 44f
 elixir salve 28
 elixir salve 45
 elixir-salve 40
rauhita
 extract of rohu carp
 40
 ready-split
 nirvedhima 23
 realgar
 manaḥśilā 41, 44f,
 50
 received a benediction
 kṛtamaṅgala 21
 red arsenic
 manaḥśilā 40f
 red chalk
 gairikaḥ 49
 red gourd
 bimbī 35
 red velvet mites
 indragopa 17
 reduced
 hīna 28
 reduced-ear
 hīnakarṇa 23
 reed
 nala 28
 regimen
 ācāra 16
 karma 48
 remedies
 oṣadhi 18
 oṣadhī- 16

remedy	curable 39	joins 23
<i>pratīkāra</i> 39	sage-leaved alangium	<i>sandhi</i>
resin	<i>aṅkolla</i> 36	joins 24
<i>niryāsa</i> 17	<i>saindhava</i>	joints 19
restrictions	sind salt 39, 41	<i>sannipāta</i>
<i>yantraṇā</i> 48	sindh salt 44	congested
rigid	sal tree	humours 19
<i>sthira</i> 48	<i>śālā</i> 40	sap
rim of a wheel	<i>śālā</i>	<i>kṣīra</i> 17
<i>cakradhārā</i> 24	sal tree 40	<i>sapāṇa</i>
rim-join	<i>śālākā</i>	off his hand 43
<i>nemīsandhānaka</i> 24	probe 47	<i>saptachada</i>
rim-join	<i>salilotthita</i>	blackboard tree 36
<i>nemīsandhānakāḥ</i> 23	conch 45	<i>sāra</i>
rodents	water-born 45	essence 17
<i>mūṣika</i> 14	saliva	<i>śārīravat</i>
<i>rohita</i>	<i>śleṣman</i> 35	physical 18
rohita tree 44	salt	<i>sarīrpa</i>
<i>rohita</i> 44	<i>nadīja</i> 40	creepy-crawlies 14,
root	<i>samāñjana</i>	17
<i>mūla</i> 16	same collyrium 44	<i>sāriva</i>
roots	same collyrium	indian sarsaparilla
<i>mūla</i> 17	<i>samāñjana</i> 44	41
rot	<i>saṃkṣipta</i>	<i>śārīvā</i>
<i>pra√kuth</i> 36	compressed 23	indian sarsaparilla
rough	compressed 24	49
<i>khara</i> 48	<i>samplava</i>	<i>sarpis</i>
royal jasmine	clusters 17	ghee 26, 39
<i>jātī</i> 50	<i>saṃrambha</i>	<i>śastrakṣata</i>
<i>ṛtu</i>	inflamed 26	cutting with a
season 18	<i>saṃśamana</i>	blade 39
rub	pacification 16	<i>śātakumbhī</i>
<i>pratisāraṇa</i> 36	<i>saṃśodhana</i>	gold 49
rubbing	purification 16	<i>śātāvarī</i>
<i>pratisāraṇa</i> 36	<i>samudraphena</i>	wild asparagus 46
<i>rudhira</i>	cuttlefish bone 41	<i>sauvīraka</i>
blood 17	<i>saṃvatsara</i>	stibnite 40
<i>ruj</i>	year 18	scarification
illness 41	<i>samyak</i>	<i>lekhaṇa</i> 16
sacred lotus	simultaneous 47	scarification
<i>padma</i> 37	<i>sañcaya</i>	<i>lekhyā</i> 25
<i>sādhubaddha</i>	accumulation 18	scavenging
well joined 28	sandal	<i>pratuda</i> 26
<i>sādhya</i>	<i>sugandhi</i> 42	scramberry
	<i>sandhāna</i>	<i>tālīśa</i> 40

tālīśapatra 41
 season
 ṛtu 18
 sections
 adhyāya 19
 seed-eating
 viṣkīra 26
 seeing smoke
 dhūmadarśin 39
seka
 irrigation 39
 separate
 muktvā 47
 septic
 pāka 26
 sesame oil
 taila 27
 shine
 prabha 46
 shooting pain
 śūla 48
 shoots
 pallava 47
 udbhīd 17
 shower
 parīśeka 37
 shrubs
 vīrudh 17
siddhārthaka
 white mustard 49
śīgru
 horseradish tree 45
 simultaneous
 samyak 47
 sind salt
 saindhava 39, 41
 sindh salt
 saindhava 44
 sinews
 snāyu 19
sirā
 duct 22
 ducts 19, 24
sirāvedha
 blood-letting 39

siris seeds
 śīrīṣamāṣaka 36
 siris
 śīrīṣa 40, 50
 śīrīṣa
 siris 40, 50
 śīrīṣamāṣaka
 siris seeds 36
sīsaka
 lead 23
śīta
 elixir-salve 40
sitā
 white sugar 50
 skin
 tvak 17f
śleṣman
 saliva 35
 slice of flesh
 vadhra 28
 slow-acting poison
 antidote
 dūṣīviṣāri 36
 small insects
 kunta 17
snāyu
 sinews 19
sneha
 oil 17
 sniffing
 ucchiṅgana 47
snuff
 nasya 33
 solid
 styāna 47
 soma creeper
 somalatā 35
somalatā
 soma creeper 35
somavallī
 heart-leaved
 moonseed 37
śonita
 blood 42
śonita-pitta, rakta-pitta

blood-bile 42
śonitena
 with blood 48
śopha
 puffed up 26
 spiders
 lūtā 14
 spikenard
 nalada 34, 45
 spiral
 āvarta 46
 spirits
 madirā 41
 madira 44
 spleen
 plīhan 42
 splitting
 bhedya 25
sraja
 garlands 33
srāva
 discharge 37
 suppurating 24
 suppuration 26
śreyas
 welfare 13
srotas
 kohl 43
srotoja
 kohl 41, 50
stabdha
 stiff 24, 26
 stalk of the leaf of castor
 oil plant
 eraṇḍapatranāla 28
 stalk
 vṛnta 40
 stationary
 sthāvara 16, 18
 steeped
 pragāḍha 43
sthāvara
 stationary 16, 18
sthirā
 rigid 48

stibnite
añjana 44
sauvīraka 40
 stick-ear
yaṣṭīkarna 23
 stiff
stabdha 24, 26
 stirred with goat's milk
ajākṣīrārdita 49
 strength
bala 16
 strong mallow
atibālā 43
 stupor
mūrcchā 35
styāna
 solid 47
 substance
dravya 30
 substrate
āśrayin 16
sūcī
 needle 47
 suffering
duḥkha 16
sugandhi
 sandal 42
sūkarākṣitā
 pigs' eye 49
sukha
 comfort 18
śūla
 shooting pain 48
 sun
hari 47
sunivīṣṭa
 very intent 27
 supernatant layer
agra 44
 suppurating
srāva 24
 suppuration
srāva 26
surāmaṇḍa
 decanted liquor 25

svabhāva
 inherent factors 19
svābhāvika
 inherent 16
svarasa
 expressed juice 40
 juice extract 17
svastivācana
 blessings
 pronounced 21
svayamigupta
 velvet bean 40
śvayathu
 swelling 22
svedaja
 born of sweat 17
śvetā
 white clitoria 37
 swelling
śvayathu 22
śyāmā → *priyaṅgu*
 'going-to-my-darling' 37
śyāmā
 beautyberry 35
syanda
 watery eye 46
tagara
 indian rose-bay 37
taila
 sesame oil 27
tailasugandhi
 the fragrant one in
 oil 42
tailvaka
 prepared with
 tilvaka 39
 tainted
duṣṭa 25
 take away
āhārya 23
 taken hot
puṭāhvaya 44
tālīśa
 scrambleberry 40

tālīśapatra
 scrambleberry 41
tāmra
 copper 49
tāmracūḍa
 cock 43
taṇḍulīyaka
 amaranth 37
tarpaṇa
 balm 39, 44f
tatra
 in those cases 42
 temperament
prakṛti 16
 the blood of birds and
 animals
rasa 40
 the fragrant one in oil
tailasugandhi 42
 the science of life
āyurveda 13
 the three fruits
triphalā 44
 the three spices
vyoṣa 41
 the time for therapies
kriyākāla 18
 therapies
karman 19
 three fruits
triphalā 39, 41
 three-quarters of an
 hour
muhūrta 18
timira
 blindness 46
 partial blindness 42
traivṛta
 prepared with
 turpeth 39
 treatment
kriyā 18, 45
 tree turmeric
dārvi 40
 trice

kāṣṭhā 18
triphalā
 the three fruits 44
 three fruits 39, 41
trivṛt
 turpeth 42f
 turmeric
haridrā 45
 turmeric
rajana 41
 turpeth
trivṛt 42f
tuttha
 blue vitriol 44
tvak
 skin 17f
ucchiṅgana
 sniffing 47
udaśvit
 watered buttermilk
 36
udbhid
 shoots 17
udvartana
 ointment for
 rubbing the ear 27
 unsteadiness of the
 humours
doṣapariplava 48
upahita
 combined 42
upaśama
 pacification 18
 used
niṣevita 42
uśīra
 cuscus grass 44f
 vetiver grass 37
utpala
 blue lotus 40
 water-lily 35
utpalabhedyaka
 lotus-splittable 23
utpīḍita
 injured 46

utsādana
 dry rub 37
 dry rubs 33
vadhra
 slice of flesh 28
vaiḍūrya
 beryl 50
vaiṣaṃya
 irregularities 16
vakrabhrūnetra
 bent brow and eye
 48
vaktra
 ends 49
vallīkarṇa
 creeper-ear 23
vallūraka
 dried flesh 23
vanaspati
 fruit trees 17
 non-flowering tree
 45
varga
 collection 18
 various treatments
miśrakacikitsa 27
varṇa
 complexion 16, 30
varṣā
 rainy seasons 17
varti
 wick 22
vartti
 wicks 50
vasā
 fat 43
vāta
 wind 23
vāvikṛtā
 or not distorted 36
veda
 knowledge 13
vedanābhigāta
 pain and injury 13
 velvet bean

svayaṃgupta 40
 velvet leaf
pāthā 45
 velvet-mite
indragopa 35
veṇupatrikā
 bamboo leaves 37
 very intent
sunivīṣṭa 27
 vetiver grass
uśīra 37
vidagdha
 inflamed 39
vidaṅga
 embelia 45
vidruma
 coral 50
vikalpa
 options 24
 particulars 18
vikṛta
 distorted 36
vilocana
 misshapen eyeball
 48
vipakva
 matured 40
vīrudh
 shrubs 17
viśāda
 depression 16
viṣkira
 seed-eating 26
 vital energy
ojas 16
voḍhāra
 bearers 33
vṛkṣa
 flowering trees 17
vṛnta
 stalk 40
vṛṣabha
 bull 34
vyadha
 piercing 47

vyadhana
 piercing 25
vyadhi
 disease 18
vyākhyāta
 intended 19
vyāla
 wild animals 17
vyāyojima
 multi-joins 23
vyoṣa
 the three spices 41
 wasted
kṣīṇa 26
 water-born
salilotthita 45
 water-lily
utpala 35
 watered buttermilk
udaśvit 36
 watery eye
syanda 46
 welfare
śreyas 13
 well joined
sādhubaddha 28
 white clitoria

śvetā 37
 white mustard
siddhārthaka 49
 white siris
kinihī 45
 white sugar
sitā 50
 white teak
kārśmarī 40
 wick
varti 22
 wicks
vartti 50
 wild animals
vyāla 17
 wild asparagus
śatāvarī 46
 wind
vāta 23
 with blood
śonitena 48
 wood apple
kapittha 40
 wood apple
kapittha 37, 40
 worms
kṛmi 17

yakṛdrasa
 liver extract 41
yakṛt
 liver 41f
yamalā
 double 36
yantraṇā
 restrictions 48
yāpya
 alleviated 42
 mitigable 46
 mitigatable 39
yaṣṭīkarṇa
 stick-ear 23
yavaudana
 cooked barley 46
 year
saṃvatsara 18
yoga
 compounds 39
yojayed
 may repair 27
 yuga
yuga 18
yuga
 yuga 18

Appendix

On digital critical editions

- Price, Kenneth M. (2013), 'Electronic Scholarly Editions', in Ray Siemens and Susan Schreibman (eds.), *A Companion to Digital Literary Studies* (Chichester, UK: John Wiley & Sons, Ltd), 434–50. doi: [10.1002/9781405177504.ch24](https://doi.org/10.1002/9781405177504.ch24), URL, accessed 04/07/2021.
A survey of the field in 2013, with a focus on the presentation of electronic texts rather than on critical editing as such.
- Moureau, Sébastien. (2015), 'The Apparatus Criticus', in Alessandro Bausi et al. (eds.), *Comparative Oriental Manuscript Studies: An Introduction* (Hamburg: Tredition), 348–52, ISBN: 978-3-7323-1768-4, URL, accessed 04/07/2021.
Useful discussion about the *apparatus criticus* in general, and an evaluation of the plus and minus points of positive and negative apparatuses.
- Burghart, Marjorie (2016), 'The TEI Critical Apparatus Toolbox: Empowering Textual Scholars through Display, Control, and Comparison Features', *Journal of the Text Encoding Initiative*, 10/Issue 10. doi: [10.4000/jtei.1520](https://doi.org/10.4000/jtei.1520), URL, accessed 12/12/2017.
Discussion of a software tool, including the handling of positive and negative apparatus. Makes the assumption that online displays are notational variants only.
- Burghart, Marjorie (2017), 'Textual Variants', in Marjorie Burghart et al. (eds.), *Digital Editing of Medieval Texts: A Textbook* (DEMM), URL, accessed 04/07/2021.
Discussion of how to express various kinds of apparatus in TEI.
- Bausi, Alessandro et al. (2015), *Comparative Oriental Manuscript Studies. An Introduction* (Hamburg: Tredition). doi: [10.5281/ZENODO.46784](https://doi.org/10.5281/ZENODO.46784).
A huge book that disappointingly says nothing at all about Sanskrit manuscripts. Nevertheless there are many interesting case studies and remarks applicable to the Indian manuscript tradition.

Todo list

■ añjana	28
■ Cf. Arthaśāstra 1.21.8.	33
■ I'm still unhappy about this verse.	36
■ Mention this in the introduction as an example of the scribe knowing the vulgate.	36
■ fn about sadyas+	36
■ where is cutting with a knife related to removing bile or phlegm.	39
■ maṣī burned charcoal. Find refs.	39
■ find ref.	45
■ Check out these refs.	46
■ or a dual?	50

Draft of September 22, 2021 for private study only

Todo list