A Translation of the New Edition of the Suśrutasaṃhitā

Jason Birch and Dominik Wujastyk

Draft of 1st September 2021 © Jason Birch and Dominik Wujastyk

Abstract

The Suśruta Project is producing a new Sanskrit text edition of the Su-śrutasaṃhitā based on the early Nepalese manuscripts. As we gradually transcribe and edit the manuscripts, we are producing this new translation of the classic work.

 $_{\rm 1}$ $\,$ MS Kathmandu KL 699, MS Kathmandu NAK 1-1079, and MS Kathmandu NAK 5-333.

Contents

The manuscripts and editions used in the vulgate editions by Yā-	
davaśarman Trivikrama Ācārya	5
The sources of the 1915 edition	5
The sources of the 1931 edition	5
The sources of the 1938 edition	6
Evaluation	7
The 1939 edition	8
For the Bhānumatī	8
For the Suśrutasaṃhitā	10
Evaluation	10
Features of the manuscript transmission	12
Palaeographical features	12
Palaeographical features	12
Sūtrasthāna, adhyāya 1	13
Sūtrasthāna, adhyāya 2	20
Literature	2 0
Sūtrasthāna, adhyāya 17	21
Sūtrasthāna, adhyāya 28	29
Kalpasthāna, adhyāya 1	30
Literature	30
Manuscript notes	30
Translation	31
[Threats to the king]	31
Uttaratantra, adhyāya 16 (17 in the vulgate)	36
Literature	36
Translation	36
[Complications]	45
[Characteristics of the probe]	46
[Complications]	46

Abbreviations			48	
References On digital co	ritical editions		 . 74	
		4		

The manuscripts and editions used in the vulgate editions by Yādavaśarman Trivikrama Ācārya

Yādavaśarman Trivikrama Ācārya produced three successive editions of the *Suśrutasaṃhitā* with the commentary of Dalhaṇa, in 1915, 1931 and 1938. These editions, especially the last, are generally considered the most scholarly and reliable editions of the work, and have been constantly reprinted up to the present day.²

The 1915 edition was based on three manuscripts. The 1931 edition used another seven plust two printed editions. For his final 1938 edition, Ācārya used a further three manuscripts.³ These sources are described as follow, with an overview in Table 1.

The sources of the 1915 edition

- 1 Calcutta, Royal Asiatic Society. Covers the *sūtra*, *nidāna*, *śārīra and kalpa sthānas*.
- 2 Jaipur, Pandit Gaṅgādharabhaṭṭaśarman, lecturer at the Royal Sanskrit University. Covers the *cikitsāsthāna* and the *uttaratantra*.
- 3 Bundi, my great friend the royal physician Pam. Śrīprasādaśarman Covers the *uttaratantra*.

The sources of the 1931 edition

- 1 Vārāṇasī, professor of literature, the great Gaurīnāthapāṭhaka. With the *Nibandhasaṅgraha*. Covers the *nidānasthāna* and *uttaratantra*.
- 2 Ahmedabad. My friend Sva. Vā. Vaidya Raṇachoḍalāla Motīlālaśarman. With the *Nibandhasaṅgraha*. Covers the *śārīrasthāna*.
- 3 From the personal library of my great friend Sva. Vā. Vaidya Murārajīśarman. Extremely old. No commentary. Covers the śārīrasthāna.
- 4 Puṇe, BORI library. With the *Nibandhasaṅgraha*. Covers the śārīra-sthāna.⁴

² See also the study of these editions by Klebanov (2021a: §1.2) and Wujastyk (2013: 143–144).

The following account of the sources is paraphrased from Y. T. Ācārya and N. R. Ācārya's own account of his sources (Su 1938: 22).

⁴ Not one of the three MSS of the śārīrasthāna described in H. D. Sharma 1939.

- 5 Puṇe, BORI library. With the *Nibandhasaṅgraha*. Complete. With some damaged folia.
- 6 Bombay, Asiatic Society. Incomplete.⁵
- 7 Varanasi, the private library of Vaidya Tryambakaśāstrī. Covers the *cikitsāsthāna*. The variant readings of this MS were compiled by Prof.
- 8 A printed edition together with the commentary *Suśrutasandīpana-bhāṣya* by Professor Hārāṇacandra Cakravārtti. Complete work. This is the 1910 Calcutta edition numbered "t" by Meulenbeld (HIML: IB, 312).⁶
- 9 A printed edition of the first 43 chapters of the *sūtrasthāna*, printed in Bengali script, with the commentaries *Bhānumatī*, *Nibandhasaṅgraha*, edited by Vijayaratnasena and Niśikāntasena. This is the 1886 Calcutta edition numbered "g" by Meulenbeld (HIML: IB, 311).⁷

The sources of the 1938 edition

- 1 Gwalior, from the library of my great friend Pam. Rāmeśvaraśāstrin Śukla. Covers the *sūtra*, *nidāna*, *śārīra*, *cikitsā and kalpasthānas*.
- 2 Bikaner, from the library of the Royal Palace, supplied by Pam. Candraśekharaśāstrin. Contains the commentary *Nyāy-acandrikāpañjikāvyākhyā* by Gayadāsa. Covers the *nidānasthāna*. This is almost certainly MS Bikaner Anup 4390.⁸
- 3 Kathmandu, located in the private library of the Royal Guru Hemarāja Śarman. An extremely old palm-leaf manuscript. Readings from this MS were compiled by Paṃ Nityānandaśarman Jośī and sent to Ācārya. Covers from the beginning of the work to the end of the ninth chapter of the *cikitsāsthāna*. The siglum for this manuscript in footnotes was ता for तालपत्रपुस्तके.

Possibly MS Mumbai AS B.I.3 or MS Mumbai AS B.D.109 (Velankar 1925–30: v. 1, # 212 and 213). But both these have the *Nibandhasaṅgraha*. The first covers only the *śārīrasthāna*; the second may be complete, but Velankar calls it only "disorderly."

⁶ Bhaṭṭācārya 1910–7.

⁷ Sena et al. 1886–93.

⁸ See Dominik Wujastyk, "MS Bīkāner AnupLib 4390." Pandit. http://panditproject.org/entity/108068/manuscript.

Manuscripts (●) and print editions (∘)															
edition	1915				•		19	31					19	38	
sthāna	1	2	3	1	2	3	4	5	6	7	8	9	1	2	3
sū.	•							•	?		0	o(1-43)	•		•
ni.	•			•				•	?		0		•	•	•
śā.	•				•	•			?		0		•		
ci.									?	•	0				● (1 - 9)
ka.	•								?		0				
utt.			•						?		0		('0		

Table 1: The sources of Yādavaśarman T. Ācārya's three vulgate editions.

Evaluation

Estimates show that there are approximately 230 extant manuscript witnesses for the *Suśrutasaṃhitā*. Many of these manuscripts cover only one or more or its chapters. Nevertheless, this is an order of magnitude more evidence than was considered by Ācārya for his vulgate editions.

While the descriptions provided by Ācārya of his source materials seems at first to be moderately comprehensive, Table 1 reveals the real paucity of textual basis for these editions. Apparently, fifteen manuscripts were consulted. However, we quickly find that two of the sources were other people's printed editions, and one of those covered less than a quarter of the work. That reduces the manuscript base to 13 manuscripts. Acārya does not appear to have seen two of the manuscripts at all, having been sent collations prepared for him by others (7 of 1931 and 3 of 1938). Thus, Ācārya's final edition was based on the personal consultation of eleven manuscripts. One of them, no. 6 of 1931, remains mysterious. Only a single manuscript covers the whole of the Suśrutasaṃhitā, no. 5 of the 1931 edition. Manuscript 1 of 1938 is the next most complete, but it omits the uttaratantra, which comprises a third of the work. Manuscript 1 of the 1915 edition is next, but it still omits both of the longest chapters, and thus offers less than half the work. For the rest, the evidence is spotty, with each part of the work being supported by only between four and eight

⁹ This figure is arrived at by summing the MSS mentioned in NCC and in the NGMCP. The real figure could be many scores higher.

manuscripts, excluding the printed editions.

Two sources stand out for their historical importance. The first is no. 3 of 1931, which Ācārya calls "extremely old." It covered the śārīrasthāna only, and unfortunately we know nothing of the later history of this manuscript. The second is no. 3 of 1938, which is one of the important Nepalese manuscripts being considered in the present project. Ācārya's remarks and references to Hemarājaśarman's introduction to the *Kāśyapasaṃhitā* allow us to identify this manuscript as MS Kathmandu NAK 5-333. ¹⁰ But that manuscript covers the whole work, not just up to the ninth chapter of the *cikitsāsthāna* as Y. T. Ācārya and N. R. Ācārya stated. ¹¹ Perhaps the editors only received collations for this portion of the manuscript and did not know that it was a witness for the whole work.

The 1939 edition

In 1939, Yādavaśarman Trivikrama Ācārya and Nandakiśora Śarman coedited an edition of the *sūtrasthāna* of the *Suśrutasaṃhitā* that was published by the Swami Laxmi Ram ayurvedic centre in Jaipur, and printed at the famous Nirṇayasāgara Press in Mumbai.¹² The text was edited on the basis of the following sources.

For the Bhānumatī

- 1. A printed edition. Covered the *Bhānumatī* up to chapter Su.sū.40. The siglum was Ḥ for *mudrita*.¹³
- 2. A manuscript in the India Office Library library provided through

¹⁰ Su 1938: 22; Hemarāja Śarman 1938: 56–57. Discussed by Klebanov (2021*a*: §1.1, 2.3). See also HIML: IIB, 25–41; Wujastyk 2003: 161–169.

¹¹ Su 1938: 22.

¹² Su 1939. The description of the sources below is based on Yādavaśarman T. Ācārya's remarks in his introduction (pp. 3–4).. See also the remarks on this edition by Klebanov (2021*b*:7). On the Swami Laxmi Ram centre, see Hofer 2007

¹³ sena-1893. The manuscript on which this edition was based is probably in the library of the Calcutta Sanskrit College, and described in H. Sastri and Gui 1895–1917: v. X.1, which is not available to me. See also HIML: IB, 495, n. 57 for mention of this manuscript. The reference at Rama Rao et al. 2005: 217 to CSCL accession number 97 in Bengali script may be this manuscript.

चरके—''लाभोपायो हि शस्तानां रसावीनां रसायनम्'' (च.चि. अ. १ पा. १)। पारिशेष्याद्वाजीकरणतन्त्रम् । अवाजिनं वाजीकुर्वेन्ति येन तद्वाजीकरणम् । 'अन्येषामिष दृश्यते' (पा. अ. ६।३।१३७) इति वीर्घलम् । येन वाऽत्यर्थं स्त्रीषु व्यज्यते तद्वाजी-करणम् । तद्वकं चरके—''येन नारीषु सामध्यं वाजिवल्लमते नरः । वजेचाप्यधिकं येन वाजीकरणमेव तत्'' (च. चि. अ. २, पा. ४) इति ॥ ५॥

अथास्य प्रत्येकाङ्गलक्षणसमासः—तत्र, शल्यं नाम विविधत्णकाष्टपाषाणपांशुलोहलोष्टास्थिवालनलपूयास्रावदुष्ट्रवणान्तर्गर्भशल्योद्धरणाथ षष्ट्या विधानैः, यन्त्रशल्यक्षाराग्निप्रणिधानवणविनिश्चयार्थं चः शालाक्यं नामोध्वेजन्नगतानां श्रवणनयनवद्नन्नाणादिसंश्रितानां व्याधीनामुपशमनार्थः, कायचिकित्सा नाम सेवाङ्मसंश्रितानां व्याधीनां ज्वररक्तपित्तशोषोन्मादापसारक्रप्टमेहातिसारादीनामुपशमनार्थः, भूतविद्या नाम देवासुरगन्धवेयक्षरक्षःपितृपिशाचनागत्रहाद्यपस्ट्रघ्चेतसां
शान्तिकर्मविहरणादिश्रहोपशमनार्थः, कौमारभृत्यं नाम कुमारमरणधात्रीक्षीरदोपसंशोधनार्थं दुएस्तन्यग्रहसमुत्थिनां च व्याधीनामुपशमनार्थमः, अगदतन्त्रं नाम सपैकीटल्लामूषकादिद्प्रविषव्यक्षनार्थं
विविधविपसंयोगोपशमनार्थं चः, रसायनतन्त्रं नाम वयःस्थापनमार्थ्याः
विविधविपसंयोगोपशमनार्थं चः, वाजीकरणतन्त्रं नामाह्यदुप्रक्षीणशुकरेतसामाप्यायनप्रसादोपचयजननिसित्तं प्रहर्षणजननार्थं च ॥ ६॥

शस्याङ्गविशेषात्र् शातुं प्रतिलक्षणं संक्षेपेणाह्—अथास्यस्यादि । एकमेकमङ्गं प्रति लक्ष-णानां समासः संक्षेपः प्रत्यकाङ्गलक्षणसमासः । तृणादीनां, तथा दुष्टवणस्य, तथाऽन्त-र्गत(भेशस्य)स्य उद्धरणार्थमिति प्रत्येकमुद्धरणशब्दः संवध्यते । दुष्टवणस्यान्तस्तृणाद्या-हरणार्थमित्यन्ये । षष्ट्या विधानिरिति द्विवणीयोक्तैरपतर्पणावै रक्षाविधानान्तैः; इत्थंभूतलक्षणे तृतीया । जतु प्रीवामूलं, जतुण उद्धवमूद्ध्वेजतु । प्राणादीत्यादिप्रहणान्छिरःकपालादिप्रह-णम् । उत्तरतन्त्रे प्रतिपादितकमप्राप्त्या ज्वरानन्तरमतीसारः पठितः, तस्यान्ते पाठोऽतिसा-रस्य सर्वाङ्गीणदोपार्व्यवाद्, अन्येपामि तन्मध्यपाठेन सर्वाङ्गीणदोषार्व्यवप्रतिपादना-ध्यतिकमं वदन्ति । शान्तिकमं बिष्टहरणादिना प्रहाणां देवादीनामुपशमो यस्तदर्थः, यदि वा ग्रहृणं ग्रहो देवानामावेशस्तदुपशमार्थम् । दुष्टस्तन्यमहसमुत्यितानामिति दुष्टस्तन्यन

Figure 1: A page of the 1939 $Bh\bar{a}numat\bar{\iota}$ edition, showing the variant readings in the footnotes.

१ 'सर्वशरीरावस्थितानी न्याचीनामुपश्चमकरणार्थ ज्वरश्चोफगुरमरक्तिपत्तोनमादापसार-प्रमेदातीसारादीनां च' इति ता. । २ 'देवदानव' इति ता. । ३ 'विनायकनागग्रहोप-सप्टचेतसां' इति ता. । ४ 'विषयेगोपश्मनार्थ' इति ता. । ५ 'शुक्राप्यायन' इति ता. । ६ 'स्णादीनां श्रस्यान्तानां' इति मु. ७ 'अन्ये तु तस्यान्ते पाठेन' इति पा० । ८ 'म्रहणाद्व' इति मु. ।

the Bhandarkar Oriental Research Institute in Pune. ¹⁴ This manuscript covered the *Bhānumatī* b up to the end of the *sūtrasthāna*. The siglum was ह for हस्तिलिखित. ¹⁵

For the Suśrutasamhitā

- A palm leaf manuscript from Hemarājaśarman's personal library.¹⁶
 The siglum was ता for ताडपत्र.
- 2. His own published edition. The siglum was ड for डल्हणसंमतः पाठः.¹७
- 3. Hārāṇacandra Cakravarti's published edition with his own commentary. 18 The siglum was हा.

Evaluation

The main innovation of this publication was to present the only surviving part of the commentary on the *Suśrutasaṃhitā* by the great eleventh-century medical scholar Cakrapāṇidatta, namely the *Bhānumatī*.¹⁹ A secondary purpose was to present the text of the *sūtrasthāna* as read in MS Kathmandu NAK 5-333, that had recently been brought to the editors' attention. In their judgement, the Kathmandu manuscript presented a text that was closer to what Cakrapāṇidatta had before him than the text according to Palhaṇa. This was the first *Suśrutasaṃhitā* edition in which Ācārya used sigla to identify the sources from which variant readings were reported, so while it has limitations, it for the first time enables us to get some idea of origins of the text (see Figure 1).

Ācārya noted in his introduction that the manuscripts containing the Palhaṇa's commentary all came together with the root-text of the *Suśrutasaṃhitā*, and thus the main *Suśrutasaṃhitā* text reflected the readings chosen by Palhaṇa. But the manuscripts of the *Bhānumatī* contained the commentary alone, without the root-text, and had many explanations

¹⁴ At this time, manuscripts from Britain were routinely lent to scholars in India and vice versa.

MS London BL H. T. Colebrooke 908 (PanditProject #109978, consulted on July 03, 2021).

¹⁶ I.e., MS Kathmandu NAK 5-333.

¹⁷ Su 1938. It is noteworthy that Ācārya refers to his 1938 edition as representing "the Dalhaṇa recension."

¹⁸ Bhattācārya 1910-7.

¹⁹ HIML: IA, 374–375 and IB, 495–496.

based on different readings of the root-text than those of Dalhaṇa. In many of these cases it was hard to know what the text that Cakrapāṇidatta had before him. But Ācārya noted that Cakrapāṇidatta had a text before him that had much in common with the text of the Nepalese manuscript.²⁰

There is compelling evidence that Cakrapāṇidattas's *Bhānumatī* commentary once covered the whole text of the *Suśrutasaṃhitā*.²¹ The loss of the rest of the work ranks amongst the greatest disasters in Āyurvedic literature. Remarkably, the whole *Bhānumatī* may still have existed in the early twentieth century. In 1903, Palmyr Cordier reported being privately informed of a complete copy of the work in a personal manuscript collection in Benares.²²

²⁰ Su 1939: 3–4. See discussion by Klebanov (2021*b*:7).

²¹ HIML: IA, 375.

²² Cordier 1903: 332.

Features of the manuscript transmission

Palaeographical features

- śrita for śrta.
- ś and s in KL 699.

Chart of characters

[[[Put a chart from QuickPalaeographer here.]]]

Sūtrasthāna, adhyāya 1

- 1 Now I shall narrate the chapter on the origin of this knowledge.²³
- 2 Now, as is well-known, Aupadhenava, Vaitaraṇa, Aurabhra, Puṣkalāvata, Karavīra, Gopurarakṣita, Bhoja, Suśruta and others addressed Lord Divodāsa, king of Kāśi, the best of the immortals, who was in his ashram surrounded by an entourage of sages.²⁴
- "O Lord, distress arose in our minds after witnessing people thrashing about with cries, assailed by different kinds of pain and injury (*vedanā-bhighāta*), feeling helpless in spite of having friends, because of diseases arising from the body, the mind and external sources.
- 4 "To quell the illnesses of those who seek happiness and for our own purpose of prolonging life, we desire the science of life (āyurveda) that is being taught. Welfare, both in this world and in the next, depends upon it. Therefore, we have come to the Lord in pupillage."
- 5 The Lord said to them:
 - "Welcome to you! My children, all of you are beyond reproach and worthy to be taught.
- "As is well known, Ayurveda is the name of what is said to be the subsidiary part of the Atharvaveda. Before creating people, Svayambhū composed it in hundreds of thousands of verses and a thousand chapters and, after observing the short lifespan and low intelligence of people, he presented it again in eight parts.²⁵
- 7 "Surgery, treatment of body parts above the clavicle, general medicine, knowledge of spirits, care of children, and the disciplines of antidotes,
- 23 Dalhaṇa understood the word "knowledge (veda)" as specifically "medical knowledge." He said that the word "longevity" (āyur) had been elided. After this opening statement, later manuscripts and commentaries include the attribution, "as the venerable Dhanvantari stated." The absence of this statement in the early Nepalese manuscripts is highly significant because it removes the outer narrative frame of the Suśrutasaṃhitā (Wujastyk 2013: 148; Klebanov 2021a: § 3.1.2; Rai 2019; Birch et al. 2021). On the figure of Dhanvatari in medical literature, see HIML: IA 358–361.
- 24 On these persons, see HIML: IA 361–363, 369 ff. The authority Bhoja does not appear in the list as published in the vulgate edition (Su 1931:1), and was not included in HIML amongst "authorities mentioned in the Suśrutasaṃhitā." Meulenbeld gathered textual evidence about Bhoja at HIML: IA 690–691. Klebanov (2021b) has discussed these authors in the context of an anonymous commentary on the Suśrutasaṃhitā that cites them.
- 25 Svayambhū is another name for Brahmā, the creator.

- rejuvenation and aphrodisiacs.
- 8 "Now, a collection of the characteristics of each component of Āyurveda.
- 9 "Among them, [the component] called surgery has the goal of extracting various grasses, wood, stone, dust, iron (?), soil, bone, hair, nails, discharge of pus, malignant wounds and foreign bodies inside the womb, and of determining the application of surgical instruments, knives, caustics and fire by means of sixty definitions.
- "[The component] named the doctrine of treating body parts above the clavicles has the aim of curing diseases situated above clavicles that is, diseases located in ears, eyes, mouth, nose and so on.
- "[The component] called general medicine has the goal of curing illnesses established in the whole body and [diseases] such as fever, tumour, swelling, hemorrhagic disorders, insanity, epilepsy, urinary diseases, diarrhoea and the like.
- "[The component] called knowledge of spirits is for appeasing demons by pacification rites and making food offerings for those whose minds have been possessed by gods, their enemies, ²⁶ Gandharvas, Yakṣas, demons, deceased ancestors, Piśācas, Vināyakas, ²⁷ Nāgas and evil spirits that possess children.
- "[The component] called care of children is for bearing children and purifying defects in a wet-nurse's milk, and curing diseases that have arisen from bad breast milk and demons.
- "[The component] called the discipline of toxicology is for [knowing] the signs of poison from snake and insect bites and for neutralising various combinations of poisons.²⁸
- "[The component] called the discipline of rejuvenation is maintaining youth, bringing about a long life and mental vigour and for curing diseases.

Dānavas. The insertion marks ($k\bar{a}kapadas$) below the text at this point appears to be by the original scribe.

²⁷ The vulgate doesn't have *vināyaka*s but does add *asuras*, probably under the influence of Palhaṇa. Cite Paul Courtright, Ganesha book.

The scribal insertion marks (crosses) above the line at this point in MS K appear to be in a later hand and their referent is lost in the damaged part of the folio. Although MSS MS Kathmandu NAK 1-1079 and MS Kathmandu NAK 5-333 include spiders $(l\bar{u}t\bar{t}a)$ and creepy-crawlies $(sar\bar{t}srpa)$ in the list, it does seem that MS K had a shorter list, and the vulgate edition adds rodents $(m\bar{u}sika)$.

- "[The component] called the discipline of aphrodisiacs brings about the increase, purity, accumulation and production of semen for those whose semen is minimal, bad, depleted, and dry [respectively] and for inducing an erection.
- "Thus, this Āyurveda is taught with eight components."
 "Among these [components], tell us which is for whom."
- 18 They said, "After you have conveyed the knowledge of surgery, teach us everything."
- 19 He said, "so be it."
- They then said, "Having considered the view of all of us, when we are unanimous, Suśruta will question you. We too will learn what is being taught to him."
- 21 He said, "so be it.
- "Now, as is well-known, the aim of Āyurveda is eliminating the disease of one who have been assailed by disease and protecting the healthy; āyurveda is [that knowledge] in which they find a long life, or that by which long life is known. Learn its best component (i.e., surgery), which is being taught in accordance with tradition, perception, inference and analogy.
- "For this component is first, the most important, because it is referred to first; it cures wounds and joins together the most important thing, Yajña's head. For, just as it has been said of old, 'the head that had been cut off by Rudra was joined again by the two Aśvins.'
- "And also, of the eight disciplines of \bar{A} yurveda, [surgery] alone is the best because of the quick action of its procedures ($kriy\bar{a}$), its application of blunt instruments, knives, caustics and fire, and it is common to all disciplines.
- "Therefore, [surgery] is eternal, meritorious, leads to heaven, brings renown, bestows a long life, and affords a livelihood.
- 26 "Brahmā said this, 'Prajāpati learned it. From him, the Aśvins. From the Aśvins, Indra. From Indra, I. In this world, I will transmit to those who desire it for the benefit of people.'

[There a verse about this.].²⁹

For, I (i.e., Brahmā) am Dhanvantari, the first god, the remover of old age, pain and death of mortals.

This is an expansion of the scribe's abbreviation *bha* for *bhavati cātra ślokaḥ* "There is a verse about this" (sometimes plural).

Having understood surgery, the best of the great knowledge systems, I arrived on earth again to teach it here.

In this context, as far as this discipline is concerned, a human being (puru
otin a) is called an amalgam of the five elements and the embodied soul. This is where procedures (kriy
otan) apply. This is the locus. Why?

Because of the duality of the world, the world is twofold: the stationary and the moving. Its nature ($\bar{a}tmaka$) is twofold, depending on the preponderance of Agni and Soma.³⁰ Alternatively, it can be considered as being fivefold. The multitude of beings in it are fourfold: they are termed "sweat-born, stone-born, caul-born and egg-born".³¹ Where they are concerned, the human being is the main thing; others are his support. Therefore, the human being (puruṣa) is the locus.

Diseases are said to be the conjunction of the person and suffering (duḥ-kha). There are four of them: invasive, bodily, mental and inherent. The invasive ones are caused by an injury. The bodily ones are based on food, caused by irregularities (vaiṣamya) in wind, bile, phlegm and blood.³²

The mental $(m\bar{a}nasa)$ ones, caused by desire $(icch\bar{a})$ and hatred (dveṣa), include: anger (krodha), grief $(\bar{a}śoka)$, misery (dainya), overexcitement (harṣa), lust $(k\bar{a}ma)$, depression $(viṣ\bar{a}da)$, envy $(\bar{v}rṣy\bar{a})$, jealousy $(as\bar{u}y\bar{a})$, malice $(m\bar{a}tsarya)$, and greed (lobha).

The inherent (*svābhāvika*) ones are hunger, thirst, old age, death, sleep and those of the temperament (*prakṛti*).

These too are located (adhisthāna) in the mind and body.

Scarification (lekhana), nourishment (bṛṃhaṇa), purification (saṃśo-dhana), pacification (saṃśamana), diet ($\bar{a}h\bar{a}ra$) and regimen ($\bar{a}c\bar{a}ra$), properly employed, bring about their cure.

Furthermore, food is the root $(m\bar{u}la)$ of living beings as well as of strength (bala), complexion (varna) and vital energy (ojas). It depends on $(\bar{a}yatta)$ the six flavours (rasa). Flavours, furthermore, have substances as their substrate $(\bar{a}\acute{s}rayin)$. And substances are remedies $(o\rlap.sadh\bar{\iota}-)$.³³ There are two types: stationary $(sth\bar{a}vara)$ and moving

³⁰ See Wujastyk 2004.

This fourfold classification of beings is paralleled with closely-related vocabulary in *Bhelasaṃhitā* 4.4.4 (Bhela 2000: 206; Bhela 1921: 81).

³² Note that four humoral substances are assumed here.

³³ Pāṇini 6.3.132 provides that the final vowel of the noun oṣadhi may be lengthened

- (jaṅgama).
- Of these, there are four types of stationary ones: fruit trees (*vanaspati*), flowering trees (*vṛkṣa*), herbs (*oṣadhi*) and shrubs (*vīrudh*).³⁴ Amongst these, the "fruit trees" have fruit but no flowers.³⁵ The "flowering trees" have flowers and fruit. The "herbs" die when the fruit is ripe. "Shrubs" put out shoots.
- As is well known, moving remedies are also of four types: those born in in a caul (*jarāyuja*), those born from eggs (*aṇḍaja*), those born of sweat (*svedaja*), and shoots (*udbhid*). Amongst these, those born in a caul include animals (*paśu*), humans, and wild animals (*vyāla*). Birds, creepycrawlies (*sarīṣṛpa*) and snakes are "born of eggs." Worms (*kṛmi*), small insects (*kunta*) and ants (*pipīlika*) and others are born of sweat.³⁶ Shoots include red velvet mites (*indragopa*) and frogs (*maṇḍūka*).³⁷|
- In this context, among the stationary remedies, skin (tvak), leaves (patra), flowers (puṣpa), fruits (phala), roots ($m\bar{u}la$), bulbs (kanda), sap ($kṣ\bar{t}ra$), resin ($niry\bar{a}sa$), essence ($s\bar{a}ra$), oil (sneha), and juice extract (svarasa)³⁸ are useful; among the moving remedies pelt (carman), hair, nails, and blood (rudhira) and so forth.
- 34 And earthen products (*pārthiva*) include gold and silver.³⁹
- The items created by time ($k\bar{a}lakr_ta$) are clusters (samplava) as far as wind and no wind ($niv\bar{a}ta$), heat and shade, darkness and light and the cold, hot and rainy seasons ($vars\bar{a}$) are concerned. The divisions of
 - $(\rightarrow o \bar{s} a d h \bar{\iota})$ under certain conditions. These conditions require that the word be used in a Vedic mantra and not in the nominative. Neither condition is met in this passage, yet the author uses the form $o \bar{s} a d h \bar{\iota}$. This form is in fact not uncommon in medical literature as well as in epics, purāṇas, smṛtis, and other parts of Sanskrit literature.
- 34 Ca.sū.1.71–72 also describes these four types of medicinal plant in similar terms but with slightly differing names: *oṣadhi* is a plant that ends after fruiting, *vīrudh* is a plant that branches out, *vanaspati* is a tree with fruit, and *vānaspatya* is a tree with fruit and flowers.
- 35 The MSS agree in reading *phalavantyaḥ* "having flowers" which is grammatically non-standard. This form is also found in the *Viṣṇudharmottarapurāṇa* (1.92.27, 1.92.27 Viṣṇudh.: 56r).
- 36 The word *kunta*, though marked as "lexical" in most dictionaries, is in fact found in literature, commonly as a compound with *pipīlika*; the compound sometimes seems to be understood a type of ant (*tatpuruṣa* compound) rather than as a pair of insects (*dvandva* compound).
- 37 On *indragopa*, see Lienhard 1978.
- 38 On juice extract (*svarasa*) see CS 1.1.73, 1.4.7; Dalhana on 4.10.12 (Su 1938²: 450).
- 39 The flow of concepts in the treatise seems to be interrupted here.

time are the blink of the eye (nimeṣa), a trice ($k\bar{a}ṣṭh\bar{a}$), minutes ($kal\bar{a}$), three-quarters of an hour ($muh\bar{u}rta$), a day and night ($ahor\bar{a}tra$), a fort-night (pakṣa), a month ($m\bar{a}sa$), a season (rtu), a half-year (ayana), a year (samvatsara), and yuga (yuga).

These naturally cause accumulation (*sañcaya*), irritation (*prakopa*), pacification (*upaśama*) and alleviation (*pratīkāra*) of the humours (*doṣa*). And they have practical purposes (*prayojanavat*).

[There are verses about this:]⁴¹

- This fourfold category is taught by physicians as a cause for the agitation and quelling of bodily diseases.⁴²
- There are two kinds of invasive diseases. Some certainly⁴³ affect (ni\sqrt{pat}) the mind, others the body. Their treatment (kriyā) is of two kinds too.
- For those that affect the body there is physical (śārīravad) therapy, whereas for those that affect the mind there is the collection (varga) of desirable sensory experiences like sound that bring comfort (sukha).
- 40 Along these lines (*evam*), this brief explanation of the four factors (*catuṣtaya*) is given:
 - human being (puruṣa),
 - disease (vyadhi),
 - remedies (oṣadhi),
 - the time for therapies (*kriyākāla*).

In this context,

• from the mention of the word "human," the collection of substances that arise from it, such as the elements, and the particulars (*vikalpa*) of its major and minor parts (*aṅga*) such as skin (*tvak*),

⁴⁰ These units are presented at 1.6.5 ($Su 1938^2$: 24) and discussed by Hayashi (2017: § 59).

⁴¹ See footnote 29.

⁴² On the topic of the "group of four," the commentator Dalhana considers them to be "food, behaviour, earthen products and items created by time." He refers to the author of the lost commentary entitled *Pañjikā*, and to Jejjaṭa (HIML: IA, 372–3, 192). In his view, these early commentators do not agree that the fourfold grouping (*caturvarga*) refers to the quartet of stationary (*sthāvara*), moving (*jaṅgama*), earthen products (*pārthiva*) and items created by time (*kālakṛta*) (Su 1938²: 9a).

⁴³ The text uses an archaic interjection here, ha.

- flesh $(m\bar{a}msa)$, ducts $(sir\bar{a})$, sinews $(sn\bar{a}yu)$, bones (asthi) and joints (sandhi) are meant.
- From the mention of "diseases," all diseases caused by wind, bile, phlegm, congested humours (*sannipāta*), external factors (*āgantu*) and inherent factors (*svabhāva*) are intended (*vyākhyāta*).
- From the mention of "remedies," there is the teaching of substances, tastes, potencies, post-digestive tastes.
- From the mention of "procedures (*kriyā*)," therapies (*karman*) such as oiling and excision (*chedya*) are taught.
- From the mention of the word "time," every single teaching about the times for procedures is meant.

[There is a verse about this:]44

- This seed of medicine has been declared in brief. Its explanation will be given in one hundred and twenty chapters.⁴⁵
- There are one hundred and twenty chapters in five sections (*adhyāya*). In that regard, having divided them, according to their subject matter, into the Ślokasthāna, the Nidāna, the Śārīra, the Cikitsita and the Kalpa, we shall mention this in the Uttaratantra. 47

[There is a verse about this:]⁴⁸

Someone who reads this eternal proclamation of the King of Kāśī, that was declared by Svayambhu, will have good karma on earth, will be respected by kings and upon death will achieve the world of Śakra.

⁴⁴ See footnote 29.

This is the number of chapters in the first five sections of the work, namely the *Sūtra-, Nidāna-, Śārīra-, Cikitsā-* and *Kalpa-sthānas*. These have 46, 16, 10, 40 and 8 chapters respectively. The *Uttaratantra* has 66 chapters.

⁴⁶ On viṃśa in the sense of "greater by 20" see P.5.2.46 śadantaviṃśateś ca.

The end of this sentence reads oddly. The vulgate edition adds an object: "[we shall mention] the remaining topics [in the Uttara]" which smooths out the difficulty, but this is supported in none of the Nepalese MSS. At the start of the Uttaratantra (Su 1938: 1.3–4ab) there is indeed a statement that picks up the point about there being 120 chapters.

⁴⁸ See footnote 29.

Sūtrasthāna, adhyāya 2

Literature

HIML: IA, 204; Preisendanz 2007; Wujastyk 2012: 82–83, et passim.

1

Sūtrasthāna, adhyāya 17

- Now we shall expound the method for piercing the ear.⁴⁹
- 2 One may pierce a child's ears for the purpose of preserving and decorating. On renowned days, half days, hours and constellations during the first half of the sixth or seventh lunar month, the boy who has received a benediction (*kṛtamaṅgala*), blessings pronounced (*svastivācana*)⁵⁰ should be placed on the lap of a wet-nurse.⁵¹ Then, while pacifying him and having pulled his ear with the left hand, the physician should use his right hand to pierce the ear straight through at a naturally occurring cleft.⁵² For a boy, do the right ear first; for a girl, do the left one. Use a
- The topic of piercing the ear (*kaṛṇavyadha*) is not discussed in the *Carakasaṃhitā* (HIML: IB, 326, n. 175), but it is mentioned in some texts that followed the *Suṣrutasaṃhitā*, such as the *Kaṣāpyasaṃhitā* (HIML: IIA, 30). Also, the instrument for piercing the ear is described in the *Aṣṭāṅgaḥṛdayasūtra* 1.26.26 (Ah 1902: 153). In the versions of the text known to Dalhaṇa (Su 1938²: 76) and Cakrapāṇidatta (Su 1939: 125), the heading of this chapter is *kaṛṇavyadhabandhavidhi* ('the method of piercing and joining the ear'), instead of the Nepalese version's *kaṛṇavyadhavidhi*. The topic of *kaṛṇabandha* is discussed in passages 17–20 of the Nepalese version. However, it appears that only subsequent redactors reflected its importance by including it in chapter headings. The Nepalese version also omits the opening remark on Dhanvantari that appears in subsequent versions. For a discussion of the frame story in the Nepalese version, see Birch et al. 2021. Dalhaṇa (Su 1938²: 76) and Cakrapāṇidatta (Su 1939: 125) state that only the ears of healthy people should be pierced, and they quote Bhoja to affirm this: 'When piercing the ears of children who are free of disease at these times, their ear flaps and apertures, as well as limbs, increase' (for the Sanskrit, see Su 1938²: 76).
- 50 The syntax here is unclear. The expression *svastivācana* may have been a gloss inserted into the text at an earlier period to clarify *maṅgala*. But as it stands, it is not syntactically connected to the rest of the sentence. In the versions of 1.16.3 known to Cakrapāṇidatta (Su 1939: 126) and Dalhaṇa (Su 1938²: 76), the words are united in a compound that reads more naturally.
- The versions of 1.16.3 known to Cakrapāṇidatta (Su 1939: 126) and Dalhaṇa (Su 1938²: 76) have the additional compound kumāradharānike ('on the lap of one who holds the child') after dhātryanike. The gender of kumāradhara is made clear by Dalhaṇa's gloss 'a man who holds the child'. Also, both versions add bālakrīḍanakaiḥ pralobhya ('having enticed with children's toys') to indicate that the child should be enticed with toys to stay on the assistant's lap. According to Dalhaṇa on 1.16.3 (Su 1938²: 76), the toys include replica elephants, horses, bulls and parrots. Dalhaṇa further mentions that others read bhakṣyaviśeṣair vā ('or by special treats') before bālakrīḍanakaiḥ.
- The versions of 1.16.3 of Cakrapāṇidatta (Su 1939: 126) and Dalhaṇa (Su 1938²: 76) add *ādityakarāvabhāsite* to clarify that this naturally occurring cleft is illuminated by

- needle on a thin ear; an awl $(\bar{a}r\bar{a})$ on a thick one.⁵³
- 3 If there is excess blood or pain one should know that it was pierced in the wrong place. The absence of side-effects is a sign that it has been pierced in the right place.⁵⁴
- In this context, if an ignorant person accidentally pierces a duct ($sir\bar{a}$) there will be fever, burning, swelling ($\acute{s}vayathu$), pain, lumps (granthi), paralysis of the nape of the neck ($many\bar{a}stambh\bar{a}$), convulsions ($apat\bar{a}-naka$), headache or sharp pain in the ear.⁵⁵
- 5 Having removed the wick (*varti*) in the hole because of the aggravation of humours or a culpable piercing, ⁵⁶ one should smear it with a paste of the roots of barley, liquorice, Indian madder (*mañjiṣṭhā*), and the castor oil tree (*gandharvahasta*), thickened with honey and ghee. When it has healed well, one should pierce it again.
- 6 One should treat the properly-pierced ear by sprinkling it with raw sesame oil. After every three days one should apply a thicker wick (*varti*)

sunshine.

- This passage is significantly augmented in 1.16.4 of Cakrapāṇidatta's version (Su 1939: 126) and 1.16.5 of Palhaṇa's (Su 1938²:77) to outline the specific problems caused by piercing three ducts called *kālikā*, *marmikā* and *lohitikā*. In fact, the order of the problems mentioned in the Nepalese version has been retained in the other versions and divided between each duct. Cakrapāṇidatta's commentary on 1.16.4 (Su 1939: 126) cites several verses attributed to Bhoja on the problems caused by piercing these three ducts in the ear flap: *'Lohitikā*, *marmikā* and the black ones are the ducts situated in the earflaps. Listen in due order to the problems that arise when they are pierced. Paralysis of the nape of the neck and convulsions, or sharp pain arise from piercing *lohitikā*. Pain and lumps are thought to arise from piercing *marmikā*. Piercing *kālikā* gives rise to swelling, fever and burning.'
- In addition to these reasons, 1.16.5 of Cakrapāṇidatta's version (Su 1939: 126–127) and 1.16.6 of Palhaṇa's (Su 1938²:77) add kliṣṭajihmāpraśastasūcīvyadhāt ('because of piercing with a painful, crooked and unrecommended needle') and gāḍhataravartitvāt ('because of a wick that is too thick'). Palhaṇa was aware of the reading in the Nepalese version because he notes in his commentary on 1.16.6 (Su 1938²:77) that some read 'because of the accummulation of humours' rather than 'because of piercing with a painful, crooked and unrecommended needle or because of a wick that is too thick.' On the meaning of samudāya, see ?? and Meulenbeld 1992: 1–5 (ADD PRIMARY REF).

Dalhaṇa on 1.16.3 ($Su 1938^2$: 76) clarifies that the awl is a shoe-maker's knife for piercing leather.

At this point, MS Kathmandu KL 699 is missing a folio, so the rest of this chapter is constructed on the basis of witnesses MS Kathmandu NAK 5-333 and MS Kathmandu NAK 1-1079.

- and sprinkle oil right on it.57
- 7 Once the ear is free from humours or side-effects, one should loosen it with a light dilator (*pravardhanaka*) in order to enlarge it.⁵⁸
- 8 A person's ear enlarged in this way can split in two, either as a result of the humours⁵⁹ or a blow. Listen to me about the joins (*sandhāna*) it can have.
- Here, there are, in brief, fifteen ways of mending the ear flap. They are as follows: Rim-join (nemīsandhānakaḥ), Lotus-splittable (utpalabhedyaka), Dried Flesh (vallūraka), Fastening (āsaṅgima), Cheek-ear (gaṇḍakarṇa), Take away (āhārya), Ready-Split (nirvedhima), Multi-joins (vyāyojima), Door-hinge (kapāṭasandhika), Half door-hinge (ardhakapāṭasandhika), Compressed (saṃkṣipta), Reduced-ear (hīnakarṇa), Creeper-ear (vallīkarṇa), Stick-ear (yaṣṭīkarṇa), and Crow's lip (kākauṣṭha).

In this context, among these,

"Rim-join" (*nemīsandhānaka*): both flaps are wide, long, and equal.

"Lotus-splittable" (*utpalabhedyaka*): both flaps are round, long, and equal.

"Dried flesh" (vallūraka): both flaps are short, round, and equal.

"Fastening" (āsaṅgima): one flap is longer on the inside.

⁵⁷ The manuscripts support the reading *sthūlatarīm* that is either a non-standard form or a scribal error.

Cakrapāṇidatta on 1.16.6 (Su 1939: 127) and Dalhaṇa on 1.16.8 (Su 1938²:77) point out that the dilator can be made of wood, such as that of the prickly chaff flower ($ap\bar{a}marga$), the neem tree (nimba) and the cotton plant ($k\bar{a}rp\bar{a}sa$). Dalhaṇa adds that it can also be made of lead ($s\bar{s}saka$) and should have the shape of the datura flower ($dhatt\bar{u}rapuṣpa$).

Dalhaṇa on 1.16.9 (Su 1938²:77) notes that the word *doṣa* here can refer to either a humour, such as wind $(v\bar{a}ta)$, as we have understood it, or a disease generated from a humour.

The Nepalese version uses the word *sandhāna* to refer to joining a split in an ear flap, which is consistent with the terminology in the verse cited above (8). However, 1.16.10 of Dalhaṇa's version (Su 1938²:77) uses the term *bandha* here and at the very beginning of the chapter (i.e., 1.16.1) to introduce the topic of repairing the ear.

For an artist's impression of these different kinds of joins in the ear flap, see Majno 1975: 290 (reproduced as Figure 3.2 in Wujastyk 2003: 154).

- "Cheek-ear" (gaṇḍakarṇa): one flap is longer on the outside. 62
- "Take-away" ($\bar{a}h\bar{a}rya$): the flaps are missing, in fact, on both sides.
- "Ready-split" (nirvedhima): the flaps are like a dais ($p\bar{\imath}tha$).
- "Multi-joins" (*vyāyojima*): one flap is small, the other thick, one flap is equal, the other unequal.
- "Door-hinge" (*kapāṭasandhika*): the flap on the inside is long, the other is small.
- "Half door-hinge" (ardhakapāṭasandhika): the flap on the outside is long, the other is small.

These ten options (*vikalpa*) for joins (*sandhi*) of the ear should be bound. They can mostly be explained as resembling their names.⁶³ The five from compressed (*saṃkṣipta*) on are incurable.⁶⁴ Among these, "compressed" has a dry ear canal and the other flap is small. "Reduced ear" has flaps that have no base and have wasted flesh on their edges. "Creeper-ear" has flaps that are thin and uneven. "Stick-ear" has lumpy (*granthita*) flesh and the flaps are stretched thin and have stiff (*stabdha*) ducts (*sirā*). "Crow-lip" has a flap without flesh with compressed (*saṃkṣipta*) tips and little blood. Even when they are bound up, they do not heal because they are hot, inflamed, suppurating (*srāva*), or swollen.⁶⁵

⁶² For an artist's impression of this join, see Majno 1975: 291 (reproduced as Figure 3.3 in Wujastyk 2003: 155).

⁶³ Cakrapāṇidatta on 1.16.9–13 (Su 1939: 128–129) and Dalhaṇa on 1.16.10 (Su 1938²: 77–78) provide examples of how the names of these joins describe their shapes. For example, the rim-join (nemīṣandhānaka) is similar to the join of the rim of a wheel (cakradhārā).

⁶⁴ Palhaṇa on 1.16.10 (Su 1938²:77–78) mentions that some do not read the statement that only five are incurable, and they understand the causes of unsuccessful joins given below (i.e., heat, inflammation, suppuration and swelling) as also pertaining to the first ten when they do heal.

⁶⁵ The version of 1.16.11–13 known to Dalhaṇa (Su 1938²:78) has four verses (śloka) at this point that are not in the Nepalese manuscripts. The additional verses iterate the types of joins required for ear flaps that are missing, elongated, thick, wide, etc. All four verses were probably absent in the version of the *Suśrutasaṃhitā* known to Cakrapāṇidatta. He cites the verses separately in his commentary, the *Bhānumatī* (Su 1939: 128–129), introducing each one as 'some people read' (*ke cit paṭhanti*). How-

A person wishing to perform any of these joins should therefore gather together the supplies prepared according to the recommendations of the 'Preparatory Supplies' chapter. And in particular, he should gather decanted liquor (surāmaṇḍa), milk, water, fermented rice-water (dhānyāmla), and powdered earthenware crockery (kapālacūrṇa). Next, he should prepare the woman or man, who have had the ends of their hair tied up, have eaten lightly, and are firmly supported by qualified attendants.

Then, he should ready the bindings (bandha) and carry out the procedure with cutting (chedya), splitting (bhedya), scarification (lekhya), or piercing (vyadhana). Then, he should examine the blood of the ear to know whether it is tainted (duṣṭa) or not. If it is tainted by wind, the ear should be bathed with fermented rice-water (dhānyāmla) and water; if tainted by choler, then cold water and milk should be used; if tainted by phlegm, then decanted liquor (surāmaṇḍa) and water should be used, and then he should scarify it again.

Then, arranging the join in the ear so that it is neither proud, depressed, nor uneven, one should make the join. Having seen that the blood has stopped, one should anoint it with honey and ghee, bandage each ear with cotton (picu) and gauze (prota), and bind it up with a thread, neither too tightly nor too loosely. Then, the earthenware powder should be sprinkled on, and medical advice ($\bar{a}c\bar{a}rika$) given. And he should supplement with food as taught in the 'Two Wound' chapter.⁶⁸

- One should avoid rubbing, sleeping during the day, exercise, overeating, sex, getting hot by a fire, or the effort of speaking.
- One should not make a join when the blood is too pure, too copious, or too thin.⁶⁹ For when the ear is tainted by wind, then it is obstruc-

ever, in Trikamajī Ācārya's edition of the $S\bar{u}trasth\bar{u}na$ of the $Bh\bar{u}numat\bar{\iota}$, the root text is largely identical to the one commented on by Dalhaṇa (Su 1938²), even in instances like this where Cakrapāṇidatta's commentary indicates that he was reading a different version of the $Su\acute{s}rutasamhit\bar{u}$.

⁶⁶ Suśrutasaṃhitā 1.5 (Su 1938²: 18–23).

⁶⁷ The term <code>kapālacūrṇa</code> is unusual. Dalhaṇa (Su 1938²:79) defines it as the powder of fragments of fresh earthen pots and Cakrapāṇidatta (Su 1939:129) as the powder of earthenware vessels. However, it seems possible that it could be some sort of bonemeal made from a skull.

⁶⁸ Suśrutasamhitā 4.1 (Su 1938²: 396–408).

^{69 1.16.17} of Dalhaṇa's version (Su 1938²:79) reads "impure" for the Nepalese "too pure," which would appear to make better medical sense. Emending the text to

- ted by blood (raktabaddha), unhealed and will peel. When tainted with choler, is becomes pinched ($g\bar{a}dha$), septic ($p\bar{a}ka$) and red. When tainted by phlegm, it will be stiff (stabdha) and itchy. It has excessively copious suppuration ($sr\bar{a}va$) and is śopha ($puffed\ up$). It has it has a small amount of wasted ($ks\bar{i}na$) flesh and it will not grow.
- When the ear is properly healed and there are no complications, one may very gradually start to expand it. Otherwise, it may be inflamed (saṃrambha), burning, septic or painful. It may even split open again.
- Now, massage for the healthy ear, in order to enlarge it. One should gather as much as one can the following: a monitor lizard $(godh\bar{a}^{71})$, scavenging (pratuda) and seed-eating (viskira) birds, and creatures that live in marshes or water,⁷² fat, marrow, milk, and sesame oil, and white mustard oil.⁷³ Then cook the oil with an admixture $(prativ\bar{a}pa)$ of the following: purple calotropis $(arka^{74})$, white calotropis $(alarka^{75})$, country mallow $(bal\bar{a}^{76})$, 'strong Indian mallow' $(at-ibal\bar{a}^{77})$, country sarsaparilla $(anant\bar{a}^{78})$ beggarweed $(vid\bar{a}ri^{79})$, liquorice (madhuka), hornwort $(jalas\bar{u}ka \rightarrow jalan\bar{\imath}lik\bar{a}^{80})$, ⁸¹ items having the 'sweet'

nāśuddha- for nātiśuddha- in the Nepalese recension would yield the same meaning as the Palhaṇa's version.

- 70 In his edition of *Suśrutasaṃhitā*, Ācārya (Su 1938²: 79 n. 1) includes in parentheses the following treatment for these conditions, which according to a footnote is not found in the palm-leaf manuscript he used: 'One should sprinkle it with raw sesame oil for three days and one should renew the cotton bandage after three days' (āmatailena trirātraṃ pariṣecayet trirātrāc ca picuṃ parivartayet).
- 71 Varanus bengalensis, Schneider (Daniel 1983:58)
- 72 For such classifications, see Zimmermann (1999) and Smith (1994).
- 73 1.16.19 of Dalhaṇa's version (Su 1938²:79) includes ghee (*sarpis*). However, Dalhaṇa's remarks on 1.16.19 and Cakrapāṇidatta's on 1.16.18 (Su 1939:130) indicate that they knew a version of this recipe (perhaps, similar to the Nepalese) that does not have ghee. Dalhaṇa also notes that others simply read four oils, beginning with fat and without milk, whereas Cakrapāṇidatta says some read that it is made with four oils and milk.
- 74 Calotropis gigantea, (L.) R. Br. (ADPS 52, AVS 1.341, NK #427, Potter 57, ID 306)
- 75 Calotropis procera, (Ait.) R. Br. (NK #428, GIMP 46b, ID 306)
- 76 Sida cordifolia, L. (ADPS 71, NK #2297)
- 77 Abutilon indicum, (L.) Sweet; Sida rhombifolia, L.? (NK #11, IGP ,4 1080; NK #2300)
- 78 Hemidesmus indicus, (L.) R. Br. (ADPS 434, AVS 3.141–5, NK #1210)
- 79 Desmodium gangeticum (L.) DC (Dymock 1.428, GJM 602, cf. NK #1192; ADPS 382, 414 and IMP 2.319, 4.366 are confusing)
- 80 Ceratophyllum demersum, L. (IMP 2371, AVS 2.56, IGP 232)
- 81 This name is not certain. In fact, <code>Dalhaṇa</code> on 1.16.19 (Su 1938²:79) notes that some

- savour ($madhuravarga^{82}$) and 'milk flower' ($payasy\bar{a} \rightarrow vid\bar{a}r\bar{\imath}^{83}$). ⁸⁴ This should then be deposited in a well-protected spot.
- The wise man who has been sweated should rub the massaged (*mardita*) ear with it. Then it will be free of complications, and will enlarge properly and be strong.⁸⁵
- 16 Ears which do not enlarge even when sweated and oiled, should be scarified at the edge of the hole ($ap\bar{a}nga$), but not outside it.⁸⁶
- In this tradition, experts know countless repairs to ears. So a physician who is very intent (*suniviṣṭa*) on working in this way may repair (*yojayed*) them.
- 18 If an ear has grown hair, has a nice hole, a firm join, and is strong and even, well-healed, and free from pain, then one can enlarge it slowly.
- 19 Now I shall describe the proper method of repairing a severed nose. First, take from the trees a leaf the same size as the man's nose and hang it on him.
- Next, having cut a slice of flesh $(vadhra)^{87}$ with the same measurements

people interpret it as a poisonous, hairy, air-breathing, underwater creature.

- 82 The items which exemplify the 'sweet' savour (*madhuravarga*) are enumerated at SS.1.42.11.
- 83 Pueraria tuberosa (Willd.) DC. (ADPS 510, IMP 1.792f., AVS 4.391; not Dymock 1.424f. See GJM supplement 444, 451, IMP 1.187, but IMP 3.1719 = Ipmoea mauritiana, Jacq.)
- 84 The version of 1.16.19 known to Dalhaṇa (Su 1938²:79) adds several ingredients to this admixture, including apāmārga, aśvagandhā, kṣīraśuklā, madhuravarga and payasyā. Also, it has vidārigandhā instead of vidāri. When commenting on 1.16.19, Dalhaṇa (Su 1938²:79) notes that some do not read madhuravarga and payasyā. Therefore, there were probably other versions of this recipe with fewer ingredients, as seen in the Nepalese version.
- 85 For these aims (i.e., healing and enlarging the ear), the text known to Dalhana (Su 1938²:79) has an additional verse and a half describing an ointment for rubbing the ear (*udvartana*) and sesame oil (*taila*) cooked with various medicines for massage. Cakrapāṇidatta (Su 1939: 131) does not comment on these verses, nor verse 15 of the Nepalese version, and so the version of the *Suśrutasaṃhitā* known to him may not have included them.
- Dalhaṇa's version of 1.16.23 adds another hemistich that states more explicitly that the scarification should not be done on the outside of hole as it will cause derangement.
- 87 The version of 1.16.28b known to Dalhana (Su 1938²:81) reads bound, connected (*baddham*) instead of slice of flesh (*vadhra*). This is a critical variant from the surgical point of view. If the slice remains connected, it will have a continuing blood supply. This is one of the effective techniques that so astonished surgeons witnessing a similar operation in Pune in the eighteenth century (see Wujastyk 2003: 67–70).

- off the cheek, the end of the nose is then scarified. Then the diligent (apramatta) physician, should quickly put it back together (pratisandhā-) so that it is well joined ($s\bar{a}dhubaddha$).
- Having carefully observed that it has been well sown up, two tubes should be fixed in place. Then, having lifted them up,⁸⁹ the powder of sappanwood (*pattāṅga*⁹⁰),⁹¹ liquorice (*yaṣṭīmadhuka*⁹²), and Indian barberry (*añjana*⁹³) should be applied to it.
- The wound should be covered properly with cotton (picu) and should be moistened repeatedly with sesame oil. Ghee should be given to the man to drink. His digestion being complete, he should be oiled and purged in accordance with the instructions specific to him.⁹⁴
- And once healed and really come together, what is left of its flesh (*vadhra*) should then be trimmed. If it is reduced (*hīna*), however, one should make an effort to stretch it, and one should make its overgrown flesh smooth.

añjana

⁸⁸ Or 1.16.20 could be mean, '... off the cheek, it is fixed to the end of the nose, which has been scarified'. Unfortunately, the Sanskrit text is not unambiguous on the important point of whether or not the flap of grafted skin remains connected to its original site on the cheek.

⁸⁹ The Sanskrit term *unnāmayitvā* in 1.16.21 is non-Pāṇinian.

⁹⁰ Caesalpinia sappan, L. (AVS 1.323, IMP 2.847f.)

⁹¹ For pattāṅga there are manuscript variants pattrāṅga (MS H) and pattaṅga (N). Also, MS K (f. 14r:1) has pattrāṅga in a verse in 1.14 (cf. 1.14.36, Su 1938²:66). In the text known to Dalhaṇa (Su 1938²:81), 1.16.29 has pataṅga, and this term is propagated in modern dictionaries.

⁹² Glycyrrhiza glabra, L. (AVS 3.84, NK #1136)

⁹³ Berberis aristata, DC. (Dymock 1.65, NK #685, GJM 562, IGP 141)

⁹⁴ The expression *svayathopadeśa* is ungrammatical but supported in all available witnesses.

Sūtrasthāna, adhyāya 28

Thus, living creatures and their strength, complexion (*varṇa*) and energy (*ojas*) are rooted in food. That (food) depends on the six flavours (*rasa*). Thus, the flavours depend on substance (*dravya*), and substances depend on medicinal herbs. There are two kinds of them (herbs): stationary and mobile.⁹⁵

^{95 1.1.28 (}Su 1938²:7), tr. P. V. Sharma 1999–2001: I, 21.

Kalpasthāna, adhyāya 1

Literature

A brief survey of this chapter's contents and a detailed assessment of the existing research on it to 2002 was provided by Meulenbeld.⁹⁶ Translations of this chapter since 2000 have appeared by Wujastyk (2003: 131–139), P. V. Sharma (1999–2001: 3, 1–15), and Srikantha Murthy (2000–2).⁹⁷

More recently, a discussion of the fourth chapter of this section in the light of the Nepalese manuscripts was published by Harimoto. After a close comparative reading of lists of poisonous snakes, Harimoto concluded that, "the Nepalese version is internally consistent while the [vulgate] editions are not." Harimoto showed how the vulgate editions, had been adjusted textually to smooth over inconsistencies, and gave insights into these editorial processes. 99

Manuscript notes

 MS Kathmandu NAK 5-333 has foliation letter numerals, for example on f. 323a, that are similar to MS Cambridge Add. 1693,¹⁰⁰ dated to 1165 ce noted in Bendall's chart of Nepalese letter-numerals Bendall 1883: Lithograph V, after p. 225

⁹⁶ HIML: IA, 289-290.

⁹⁷ For a bibliography of translations to 2002, including Latin (1847), English (1877), Gujarati (1963) and Japanese (1971), see HIML: IB, 314–315.

⁹⁸ Harimoto 2011: 101–104.

⁷⁹⁹ The two editions that Harimoto noted, Su 1938 and Su 1889, present identical texts. 100 Scan at cudl.lib.cam.ac.uk/view/MS-ADD-01693/1.

Translation

- 1–2 And now I shall explain the procedures for safeguarding food and drink, as were declared by the Venerable Dhanvantari. 101
 - 3 Divodāsa, the king of the earth, was the foremost supporter of religious discipline and virtue. With unblemished instruction he taught his students, of whom Suśruta was the leader.¹⁰²

[Threats to the king]

- 4–5 Evil-hearted enemies who have plucked up their courage, may seek to harm the king, who knows nothing of it. He may be assailed with poisons by or by his own people who have been subverted, wishing to pour the poison of their anger into any vulnerability they can find. 103
 - 6 Therefore, a king should always be protected from poison by a physician.
 - 7 The racehorse-like fickleness of men's minds is well known. And for this reason, a king should never trust anyone. 104
- 8–11 He should employ a doctor in his kitchen (*mahānasa*) who is respected
 - 101 MS H adds in the margin अथ खलु वत्स सुश्रतः "Now begins Vatsa Suśruta." This phrase has been copied here by the scribe from the beginning of the Suśrutasaṃhitā chapter in the sūtrasthāna on the rules about food and drink (1.46.3 (Su 1938²: 214)). The scribe presumably felt, not unreasonably, that this section had common subject matter with the present chapter. Further, SS 1.46.3 is the only place in the Nepalese transmission of the Suśrutasaṃhitā that names Dhanvantari and integrates him into the narrative of the Suśrutasaṃhitā as the teacher of Suśruta.
 - The mention of Dhanvantari here is the only other time in the Nepalese transmission that this authority is cited as the source of Ayurvedic teaching, and the unique occurrence of this actual phrase, "as was declared by the Venerable Dhanvantari." See the discussion by Klebanov (2021a: 28–32), who concludes that the earliest recoverable recension of the *Suśrutasaṃhitā* may have had the phrase only at this point and not elsewhere in the work.
 - 102 This is a quite different statement from the vulgate (Su1938: 559) that has Dhanvantari as the teacher, and calls him the Lord of Kāśī (kāśipati). Dalhaṇa followed the vulgate but explicitly noted the reading before us with small differences: दिवोदासः क्षितिपतिस्तपोधर्मश्रुताकरः "Divodāsa, the king of the earth, was a mine of traditions about discipline and virtue."
 - 103 Verses about the use of Venemous Virgins as a weapon do not appear in the Nepalese manuscripts. Cf. Wujastyk 2003: 81 f., 132. This material is present in the commentary of Gayadāsa.
 - 104 The verb \sqrt{svas} is conjugated as a first class root in the Nepalese manuscripts.

- by experts, who belongs to a good family, is orthodox, sympathetic, not emaciated, and always busy.
- 12–13 The kitchen should be constructed at a recommended location and orientation. It should have a lot of light, 105 have clean utensils and be staffed by men and women who have been vetted. 106
- 17–18ab The chefs, bearers (*voḍhāra*), and makers of boiled rice soups and cakes and whoever else might be there, must all be under the strict control of the doctor.¹⁰⁷
- 18cd–19ab An expert knows people's body language (*iṅgita*) through abnormalities in voice, movement and facial expression. He should be able to identify a poisoner by the following signs.

Wanting to speak, he gets confused, when asked a question, he never arrives at an answer, and he talks a lot of confused nonsense, like a fool. He laughs for no reason, cracks his knuckles and scratches at the ground. He gets the shakes and glances nervously from one person to another. His face is drained of colour, he is grimy (*dhyāma*) and he

cuts at things with his nails. 108 A poisoner goes the wrong way and is

absent-minded.

- I shall explain the signs to look for in toothbrush twigs, in food and drink as well as in massage oil (abhyaṅga) and combs (avalekhana); in dry rubs (utsādana) and showers, in decoctions (kaṣāya) and massage ointment (anulepana); in garlands (sraj), clothes, beds, armour and ornaments; in slippers and footstools, and on the backs of elephants and horses; in nasya (snuff), inhaled smoke (dhūma), eye make-up (añjana), etc., and any other things which are commonly poisoned. Then, I shall also explain the remedy.
 - 28 Flies or crows or other creatures that eat a poisonous morsel (*bali*) served from the king's portion, die on the spot.

Cf. Arthaśāstra 1.21.8.

¹⁰⁵ We read महच्छुचिः with the Nepalese manuscripts and against the vulgate's महच्छुचि. We understand शुचिस् as a neuter noun meaning "light" following Apte (1992: 1050a).

¹⁰⁶ Verses detailing the ideal staff are omitted in the Nepalese manuscripts. Cf. Su 1938: 560; Wujastyk 2003: 132.

¹⁰⁷ The word सौपोदनैकपूपिक "chefs for the boiled rice soups and cakes" is grammatically interesting. The term सूपोदन (as opposed to sūpaudana) is attested in the *Bodhāyanīya-gṛhyasūtra* 2.10.54 (Shastri 1920: 68). More pertinently, perhaps, सूपोदन is attested in the Bower Manuscript, part II, leaf 11r, line 3 (Hoernle 1893–1912: vol. 1, p. 43).

¹⁰⁸ The word ध्याम is glossed by Dalhana (in a variant reading) as someone who is the colour of dirty clothes 5.1 (Su 1938²: 560).

- 29 Such food makes a fire crackle violently, and gives it an overpowering colour like a peacock's throat.
- 30–33 After a chukar partridge looks at food which has poison mingled with it, its eyes are promptly drained of colour; a peacock pheasant drops dead. A koel changes its song and the common crane rises up excitedly.¹⁰⁹ It will excite a peacock and the terrified parakeet and the hill myna screech. The swan trembles very much, and the racket-tailed drongo churrs.¹¹⁰ The chital deer sheds tears and the monkey releases excrement.¹¹¹
 - Vapour rising from tainted food gives rise to a pain in the heart, it makes the eyes roll, and it gives one a headache. 112
- 35, 36cd In such a case, an errhine and a collyrium that are costus, lāmajja grass (*lāmajja*), spikenard (*nalada*) and honey (*madhus*);¹¹³ a paste of sandalwood on the heart may also provide relief.¹¹⁴
 - 109 The verb अच्छिति "rises up" is a rare form best known from epic Sanskrit (see Oberlies 2003: 212, §7.6.1). The transmitted form क्रोञ्च is obviously a colloquial version of Sanskrit क्रोञ्च. Commenting on 1.7.10 (Su 1938²: 31), Dalhaṇa interestingly gives the colloquial versions of several Sanskrit bird names, even singling out pronunciation in the specific location of Kāṇyakubja. For क्रोञ्च he says that people pronounce it कुरञ्ज and कोंचि. The form कोञ्च is found in Pāli (see Cone 2001: 731, who notes that Ardhamāgadhī has the same form). Elsewhere, Dalhaṇa calls the bird क्रोञ्चर, क्रोञ्च, and केंचर (1.46.105 (Su 1938²: 223), 6.31.154 (Su 1938²: 684) and (6.58.44 (Su 1938²: 790) respectively).
 - 110 Dalhaṇa seemed confused about the racket-tailed drongo (भृङ्गराज). He called it a generic drongo (भ्रमरक), a word that can also mean "bee," (Dave 1985: 62), and then said that it is like the black drongo (धूम्याट) (for a nice explanation of this name, see Dave 1985: 62–63) and that people call it "the king of birds."
 - 111 MS Kathmandu KL 699 reads bull (বৃषभ) for Chital deer (पृषत). The latter may perhaps be mistaken for the former in the Newa script, although the reading of MS Kathmandu KL 699 is hard to read at this point.
 - "Tainted" translates उपक्षिप्त. The word's semantic field includes "to hurl, throw against," and especially "to insult verbally, insinuate, accuse." The commentator Dalhaṇa glossed the term as, "spoiled food given to be eaten" (विदूषितस्यान्नस्य भोक्तुं दत्तस्य), but he noted that some people read "उखाक्षिप्त" or "thrown into a pan." Other translators have commonly translated it as "served," perhaps influenced by Dalhaṇa's "given (दत्त)."
 - 113 The vulgate supplies another phrase and verb at this point that is not present in the Nepalese transmission, but that makes the text flow more easily.
 - 114 Singh and Chunekar (1972: 350) discussed the difficulties in identifying लामज्ज, a plant cited more often in the *Suśrutasaṃhitā* than in the *Carakasaṃhitā*; Dalhaṇa adopted the common view that it is a type of *uśīra* or vetiver grass. The grammatical

- 37 Held in the hand, it makes the hand burn, and the nails fall out. In such a case, the ointment (*pralepa*) is beautyberry (*śyāmā*), velvet-mite (*indragopa*), soma and water-lily (*utpala*).¹¹⁵
- 38–39 If he eats that food, through inattention or by mistake, then his tongue will feel like a pebble $(asthīl\bar{a})$ and it will lose its sense of taste. It stings and burns, and his saliva $(\acute{slesman})$ dribbles out. In such a case, he should apply the treatment prescribed above for vapour, and what will be stated below under "toothbrush twigs". It
 - On reaching his stomach, it causes stupor $(m\bar{u}rcch\bar{a})$, vomiting, the hair stands on end, there is distension, a burning feeling and an impairment of the senses.¹¹⁸
 - In this case, vomiting must quickly be induced using the fruits of emetic nut (*madana*), bitter gourd (*alābu*), red gourd (*bimbī*), and luffa (*koṣī*-

neuter form मधुस् "sweetness" of the Nepalese manuscripts is less common than neuter मधु "honey, sweetness, liquorice."

- 115 "Beautyberry" (Callicarpa macrophylla Vahl.) is one identification of श्यामा, but vaidyas and commentators have different ideas about the plant's identity (see Singh and Chunekar 1972: 410; Warrier et al. 1994-6:1: 334; Nadkarni 1954: #420). On translating इन्द्रगोप as "velvet-mite," see Lienhard 1978. Dalhana's remarks show that he had a reading इन्द्रागोपा before him, and he tries to explain इन्द्रा and गोपा as separate plants. But he also says that some people read इन्द्रगोप. Dalhana curiously parses the name सोमा (f.) out of the compound; this feminine noun is almost unknown to Ayurvedic literature. Some dictionaries and commentators consider it a synonym for गुडूची, others for ब्राह्मी or चन्द्रतरु. Dalhana also mentions that some people think the word refers to the soma creeper (सोमलता), which might explain his choice to take the word as feminine. But the compounded word is far more likely to be सोम (m.), the well-known mystery plant (see Wujastyk 2003: 76–78, 125). If this can be taken as rue (Ruta graveolens, L.), as some assert, one can point to a pleasing passage in Dioscorides where rue plays an antitoxic role: "...it is a counterpoison of serpents, the stinging of Scorpions, Bees, Hornets and Wasps; and it is reported that if a man be anointed with the juice of the Rue, these will not hurt him; and that the serpent is driven away at the smell thereof when it is burned; insomuch that when the weasel is to fight with the serpent she armeth herself by eating Rue, against the might of the serpent." (cited from Wren 1956: 262; not found in Osbaldeston and Wood 2000).
- 116 The word সম্বীলা is normally feminine. The Nepalese manuscripts read it with a short अ- ending. Gayadāsa noticed that some manuscripts read সম্বীল with a short अ ending (MS Bikaner RORI 5157, f. 5v:7–8) and Dalhaṇa reproduced his observation. The vulgate reading "from his mouth (चास्यात्)" is more obvious (lectio facilior), but is not attested in the Nepalese manuscripts.
- 117 Poisoned toothbrushes are discussed in verses 48 ff. below.
- 118 I translate मूर्च्छा in the light of the metaphors discussed by Meulenbeld (2011), that include thickening and losing consciousness.

- $tak\bar{\imath}$), taken with milk and watered buttermilk ($uda\acute{s}vit$), or alternatively with rice-water.
- Reaching the intestines ($pakv\bar{a}\acute{s}aya$), it causes a burning feeling, stupor, diarrhoea, thirst, impairment of the senses, flatulence ($\bar{a}\acute{t}opa$) and it makes him pallid and thin.
- In such a case, purgation with the fruit of indigo $(n\bar{\imath}l\bar{\imath})$, together with ghee, is best. And 'slow-acting poison antidote $(d\bar{\imath}u\bar{\imath}vi\bar{\imath}ari)$ ' should be drunk with honey and curds (dadhi).¹¹⁹
- When poison is in any liquid substances such as milk, wine or water, there are various streaks, and foam and bubbles form.
- 45 Also, no reflections are visible or, however, if they can be seen, they are distorted, fractured, or tenuous and not distorted. 120
- Vegetables, soups, food and meat are soggy and tasteless. They seem to go stale suddenly, and they have no aroma. a

47 All edibles lack aroma, colour or taste. Ripe fruits rapidly go bad, and unripe ones ripen.

- When a toothbrush twig has poison on it, the bristles are damaged and the flesh of the tongue, teeth and lips swells up.
- Then, once the swelling is lanced, a dressing (*pratisāraṇa*) made with fire-flame bush (*dhātakī*) flowers, jambul (*jambū*), mango (*āmra*) stones and harītakī (*chebulic myrobalan*) fruit mixed with honey should be applied.¹²¹

50

Mention this in the introduction as an example of the scribe knowing the vulgate.

¹¹⁹ The 'slow-acting poison' is discussed at 5.2.25 ff. (Su 1938²: 565).

¹²⁰ Both Nepalese witnesses read distorted (*vikṛta*) twice, which seems tautologous. We have read the sandhi as or not distorted (*vāvikṛtā*). The scribe of MS Kathmandu NAK 5-333, apparently the original hand, has added the alternate reading in the margin "double (*yamalā*)," as in the vulgate. Perhaps the scribe too was troubled by the possible tautology. It is also evidence that he may have had a witness with variant readings in it similar to the vulgate. We retain the *lectio difficilior*.

¹²¹ This recipe is different from the vulgate.

Uttaratantra, adhyāya 16 (17 in the vulgate)

Literature

Survey of this chapter and the existing research on it to 2002: HIML: IA, 305–306.

History of couching in India: Scott 1817; Breton 1826; Jack 1884; Hendley 1895; Elliot 1918; Parshwanath Shastri 1940; Deshpande 1999; 2000; Wujastyk 2019; Leffler et al. 2020, Wujastyk 2003: 65–67.

Translation

- 1 Now I shall explain the counteraction (*pratiṣedha*) of diseases located in the pupil (*dṛṣṭi*).
- There are three curable $(s\bar{a}dhya)$, three incurable $(as\bar{a}dhya)$, and six mitigatible $(y\bar{a}pya)$ diseases located in peoples eyes. Among these, three are curable $(s\bar{a}dhya)$. Amongst these three, the remedy $(prat\bar{\imath}k\bar{a}ra)$ has been stated for the one called "seeing smoke $(dh\bar{\imath}madarsin)$ ". 122
- 3–5ab When the eye is inflamed (vidagdha) by bile and when it is inflamed by phlegm, one should apply the method for removing bile and phlegm, using nasal medicines (nasya), irrigation (seka), application of collyrium ($a\tilde{n}jana$), liniment ($\bar{a}lepa$), and medicines cooked in a crucible ($putap\bar{a}ka$), together with a balm (tarpana), 123 but not cutting with a blade (sastraksata). 124

One should drink ghee (sarpis) prepared with the three fruits ($triphal\bar{a}$) and in the first [case where the problem is bile], and prepared with turpeth (traivrta) in the latter [case, of phlegm].

And ghee prepared with tilvaka (*tailvaka*) is wholesome in both cases, or else aged ghee on its own.

5cd-7ab In a collyrium, these four compounds (*yoga*) are beneficial in both cases:

• ochre (*gairika*), Sind salt (*saindhava*), long pepper (*kṛṣṇā*) and the black soot (*maṣī*) from cow's teeth;

where is cutting with a knife related to removing bile or phlegm.

maṣī burned charcoal. Find

¹²² This disease and its cure are described earlier (SS.6.7.39 and SS.6.10.16 ($\frac{\text{Su 1938}^2}{\text{609}}$ and 614) respectively). The latter part of this verse is hard to construe and the text here may have been altered at an early period.

¹²³ These therapies are described in SS.6.18 ($Su 1938^2$: 633–640).

¹²⁴ Dalhaṇa interprets this as blood-letting ($sir\bar{a}vedha$), which is discussed in SS.1.14 (Su 1938²).

- Cow's flesh (*gomāṃsa*), black pepper (*marica*), siris (*śirīṣa*) and red arsenic (*manahśilā*);
- stalk (vṛnta) from a wood apple (kapittha) with honey (madhu);125
- or the the fruits of the velvet bean (*svayamgupta*).
- 8 The physician should make a collyrium with ground up metal (*ku-pyaka*), ¹²⁶ Asoka tree (*aśoka*), Sal tree (*śālā*), mango (*amra*), beautyberry (*priyaṃgu*), Indian lotus (*nalina*), blue lotus (*utpala*), together with hareṇu (*hareṇu*), emblic (*āmalaka*), myrobalan (*pathyā*), long pepper (*pippali*). It should be combined with ghee and honey (*kṣaudra*).
- 9–10 Also, when bile and phlegm have developed, the physician should apply harenu (harenu) with the expressed juice (svarasa) of the flowers from mango (amra) and Jambu (jambū) trees.

 Then this collyrium, matured (vipakva) with ghee and honey (kṣaudra), should then be applied.
- Filaments ($ki\tilde{n}jalka$) of Indian lotus (nalina) and blue lotus (utpala), with ochre (gairika), and the juice of cow-dung ($go\acute{s}akrt$) are a collyrium in the form of a pill ($gu\acute{q}ik\bar{a}$). This is good for both day and night blindness.
- 11cd–12ab Elixir-salve (*rasāñjana*), honey (*kṣaudra*), ghee, scramberry (*tālīśa*), together with gold and ochre, with the juice of cow-dung (*gośakṛt*) are for an eye afflicted with bile.
 - Alternatively, wise physician should first grind together elixir-salve (\hat{sita}) and stibnite $(sauv\bar{t}raka)$, infused $(bh\bar{a}vita)$ with the blood of birds and animals (rasa). Then he mixes it with the bile of a tortoise or with extract of rohu carp (rauhita). It should always be used with powdered collyrium to quell the bile.
 - Thus, a collyrium of white teak ($k\bar{a}r\acute{s}mar\bar{\iota}$) flowers, liquorice (madhuka), tree turmeric ($d\bar{a}rv\bar{\iota}$), lodh tree (lodhra) and elixir salve ($ras\bar{a}\tilde{n}jana$) is always good as a collyrium in this case.
 - Alternatively, for those who cannot see during the day, this pill ($gu-dik\bar{a}$), with sandalwood, is recommended: salt ($nad\bar{\imath}ja$), conch shell and

¹²⁵ Wood apple (कपित्थ) in this verse is ablative singular or accusative plural, neither of which construe obviously.

¹²⁶ A metal other than gold or silver, according to V. Jośī and N. H. Jośī 1968: 1.217. Perhaps lead, which is used in making contemporary collyrium.

¹²⁷ This is Palhaṇa's preferred interpretation of rasa "juice" in this context. He also notes that some take elixir-salve ($s\bar{\imath}ta$) to be camphor.

- the three spices, collyrium, realgar ($mana h sil \bar{a}$), the two turmerics (ra-jana)¹²⁸ and liver extract (yakrdrasa).¹²⁹
- One should grind up kohl (*srotoja*),¹³⁰ and Sind salt (*saindhava*) and long pepper and also harenu (*harenu*). Such wicks with goats urine are good in a collyrium for night blindness (*kṣaṇadāndhya*).
- 17–18ab Alternatively, in such a case, grind together Indian sarsaparilla ($k\bar{a}l\bar{a}$ - $nus\bar{a}riva$)¹³¹ long pepper, dried ginger ($n\bar{a}gara$) and honey, the leaf of the scramberry ($t\bar{a}l\bar{i}sapatra$), the two turmerics (rajana), a conch shell and liver extract (yakrdrasa). Then shade-dried wicks take away illness (ruj).
- 18cd–19ab Wicks made of red arsenic ($mana h sil \bar{a}$), chebulic myrobalan ($abhay \bar{a}$), the three spices (vyo sa). Indian sarsaparilla (sariva), cuttlefish bone (samudraphena), combined with goat's milk are good.
- One should cook a honey collyrium (*kṣaudrāñjana*) either in the juices of cow's urine (*gomūtra*), and bile, spirits (*madirā*), liver (*yakṛt*), and emblic (*dhātrī*) or else in the juice of the liver (*yakṛt*) of something different, or else with the extract of the three fruits (*triphalā*). One of these should be mixed with cow urine, ghee and cuttle fish (*arṇavamala*)¹³² with long pepper, honey and box myrtle (*kaṭphala*). It is placed in sea salt and stored in a bamboo tube.
 - One should cook the liver of a sheep, the ghee of a goat, with long pepper and Sindh salt, honey and the juice of emblics. Then one should store it properly in a catechu box. Prepared thus, the honey collyrium is good.
 - Alternatively, a collyrium that is harenu (harenu) mixed with long pepper ($m\bar{a}gadh\bar{\iota}$), the bone and the marrow of a goat, cardamom ($el\bar{a}$) and

¹²⁸ Turmeric (Curcuma longa *Linn*.) and tree turmeric (Berberis aristata DC). The term *rajana* is unusual; the normal term is *rajanī*. *Rajana* occurs in *Suśrutanighaṇṭu* 158 in the sense of Ferula asafoetida, Linn.

¹²⁹ This verse appears as no. 27 in the vulgate.

¹³⁰ Glossed by Palhaṇa as a kind of collyrium. Cf. Nadkarni 1954: 2.M13 and P. V. Sharma 1982: 197–198

¹³¹ There are two forms of *sārivā* mentioned widely in Āyurvedic literature, the white and the black. Ideas on the identity of the black form are particularly fluid. See Sivarajan and Balachandran (1994: 434–438) for a clear discussion.

¹³² At SS 6.12.31, Dalhaṇa glossed *arṇavamala* as cuttlefish bone (*samudraphena*). It may be worth considering whether the unusual term *arṇavamala* "ocean-filth" might refer to ambergris.

- liver, together with liver extract, is good for eyes afflicted by phlegm.¹³³
- Over a fire, one should cook the liver (*yakṛt*) of a monitor lizard (*godhā*) prepared with entrails (*antra*) and stuffed with long pepper (*māgadhi*). As is well known, liver (*yakṛt*) which is used (*niṣevita*) with collyrium certainly destroys night blindness.
- 25 After preparing both a spleen (*plīhan*) and a liver on a spit, one should eat them both with ghee and oil.¹³⁴
- As is well known, there are six diseases that can be alleviated (*yāpya*); in those cases (*tatra*) one should release the blood by bloodletting. And for the sake of wellbeing one should also purge using aged ghee combined (*upahita*) with purgative aids (*aṅga*).
 - When an eye-disease is caused by wind (pavanodbhava) they say that castor oil (pañcāṅgulataila) mixed with milk is good. In the case of diseases of blood (śonita) and bile (pitta), one should drink ghee with the three fruits; it is particularly cleansing. In the case of phlegm, a purgative by means of turpeth (trivṛt) is recommended. In the case of all three humours, sandal (sugandhi) in oil is prepared with it (turpeth).
 - 28 In cases of partial blindness (*timira*), aged ghee is recommended. It is good if it is kept in an iron vessel.
- 28cd–29ab One should know that ghee with the three mylobalans is always good, and it is made with what is called periploca of the woods (meṣaviṣāṇa).

or "lesser" or "Malabar" cardamom, Elettaria cardamomum, Maton & White. In contrast, the "greater" cardamom is Amomum subulatum (that Watt discussed on p. 65) that is commonly used as an inferior substitute for *E. cardamomum*. Singh and Chunekar (1972: 467 f) provided an interesting discussion of hareņu, noting that the term refers to two substances, first the satīna pulse (Pisum sativum, Linn.), and second an unknown fruit such as perhaps a Vitex. They noted, "None of the text commentators have attempted to disclose the nature of its source plant," although Dalhaṇa described it as aromatic and identical to reṇukā (SS.ci.2.75).

¹³⁴ We read the locative as if an instrumental; if the locative were intended then it would be the spit that would be coated with oil and ghee.

¹³⁵ Palhana says that the unexpressed topic of this recipe is partial blindness (timira).

¹³⁶ Blood-bile (*śonita-pitta*, *rakta-pitta*) is a widely-recognized disease in ayurveda, but the compound here is definitely dual, which rules out that interpretation. One would expect blood-bile because the previous verse

¹³⁷ The expression "the fragrant one in oil (*tailasugandhi*)" is puzzling. The word *sugandhi* has different referents in the *Nighaṇṭu* literature but is not common as a noun in the extant literature. "Sandal" is just one of its possible meanings.

- A man who is suffering from partial blindess should lick the finely-ground three fruits mixed with ghee off his hand $(sap\bar{a}na)$.¹³⁸
- 29cd Alternatively, someone afflicted by phlegm should apply them (the three fruits) mixed with oil and steeped (*pragāḍha*) in honey.
 - The very best oil, well-cooked with a decoction of cow-dung, is good in cases of partial blindness, taken as an errhine.

 In cases caused by bile, ghee by itself is good, as is oil when it arises from wind and blood.
 - And in the case of wind one should apply turpeth (trivrt) based on strong mallow $(atibal\bar{a})$, and country mallow $(bal\bar{a})$ in an errhine (nasya). 139
 - Ghee which has been extracted from milk cooked with the meat of aquatic creatures and those from marshlands should be prescribed.
 - †An enclosed roasting (puṭākhya) with Sindh salt and the product of the meat of a carnivore (kravyabhuj) and a deer (eṇa), is combined with honey and ghee.¹⁴⁰
 - Fat $(vas\bar{a})$ from a horse, a vulture, a snake, and a cock $(t\bar{a}mrac\bar{u}da)$, combined with mahua $(madh\bar{u}ka)$ is always good in a collyrium. † 141
 - Having prepared (*niṣevita*) a collyrium made of kohl (*srotas*) and gradually combine it with juices (*rasa*), milk and ghee.¹⁴²
 - 138 "Off his hand" translates the adverbial *sapāṇam*, an unusual word. Dalhaṇa reproduces a reading close to the Nepalese recention but says that Jejjaṭa rejects it and so he also does (Su 1938: 627).
 - "Based on" translates -āśrita "depending on" which does not construe easily here. The vulgate has śṛṭa "cooked" which makes easier sense but is not supported by the Nepalese MSS.
 - 140 Palhaṇa notes (Su 1938²: 628a) that puṭāhvaya (see verse 35 below) is a synonym for puṭapāka, and that the process is described in the Kriyākalpa chapter, i.e., SS.6.18.33–38 (Su 1938²: 635). On the puṭa process in the Suśrutasaṃhitā, which is earlier and different than that of rasaśāstra literature, see the discussion by Wujastyk (2019: 83):
 - The term 'enclosed roasting' (puṭapāka) does occur in the Suśrutasaṃhitā in the context of eye treatments, but designates a method of obtaining juice from substances by wrapping them in leaves pasted with earth and cooking the bolus on charcoal to finally extract a juice.
 - 141 This verse contain irresolvable difficulties. There are no significant variants in the Nepalese MS transmission, but the text is ungrammatical. The vulgate reads substantially differently but we have nevertheless made some emendations in line with it and read the verse as two sentences.
 - 142 Palhana specifies that the juices are meat soups of various animals (Su 1938²: 628).

- For thirty days, this collyrium is put in the mouth of a black snake that is covered with kuśa grass (kuśa).
- Next, a collyrium that is milk containing long pepper $(m\bar{a}gadh\bar{\iota})$, lye $(k \bar{s}araka)$ and Sindh salt (saindhava) that has been repeatedly prepared with the mouth of a black snake, is good in the case of bloodshot blindness $(r\bar{a}gin\ timira)$.¹⁴³
- They say that ghee may be produced from that and combined with sweet herbs is good as an errhine for eye-diseases caused by bile. And here, a balm (*tarpaṇa*) is good that is a combination that is the flesh of wild animals taken hot (*puṭāhvaya*).¹⁴⁴
- 36 And realgar (*manaḥśilā*) mixed with elixir salve (*rasāñjana*) and honey is a liquid collyrium (*dravāñjana*) which is, in this case, combined with mahua (*madhūka*).¹⁴⁵
 - Alternatively, experts on this say that finely ground blue vitriol (*tuttha*) extracted from a gold mine is the "same collyrium (*samāñjana*)". 146
- Conch mixed with equal parts of sheep's horn and stibnite ($a\tilde{n}jana$) removes the impurity of the glassy opacity ($k\bar{a}ca$) because of the application of collyrium ($a\tilde{n}jana$).¹⁴⁷
 - The extracts (rasa) produced from aflame of the forest $(pal\bar{a}sa)$, Rohīta tree $(roh\bar{\imath}ta)$, 148 mahua $(madh\bar{\imath}ka)$, ground with the supernatant layer (agra) of the spirits (madira) is applied.
- Alternatively, one should cook an errhine with cuscus grass (uśīra), lodh tree (lodhra), the three fruits (triphalā), beauty berry (priyaṅgu)

¹⁴³ Dalhana describes this blindness as a type of $k\bar{a}ca$ disease caused by wind (Su 1938: 628). The expression "bloodshot blindness" is an attempt to capture the idea of a blind eye that is dyed or coloured (not colour-blindness). This verse is quite different from the vulgate and also syntactically challenging.

¹⁴⁴ The expression taken hot (puṭāhvaya) is a guess.

¹⁴⁵ The expression liquid collyrium (*dravāñjana*) is only known from Dalhaṇa's comments on SS.6.17.11ab (Su 1938²: 626). The recipe in the present collyrium is different from that discussed by Dalhaṇa.

¹⁴⁶ On *tuttha*, which may also be identified with zinc oxide or as crushed sea-urchin shells, see Falk (1991: 112 ff.); zinc oxide is a component of skin-balms but is not recommended for application in the eyes themselves. The expression "same collyrium (*samā-ñjana*)" is a hapax legomenon glossed inexplicably by Dalhaṇa as "a collyrium with an equal amount of fermented barley" (*tulyasauvīrāñjana*) (Su 1938²: 628).

¹⁴⁷ The ablative "from collyrium" is hard to construe, but <code>Dalhana</code> uses this term and phrase in his commentary on 6.17.41ab (Su $1938^2:629$).

¹⁴⁸ Probably Soymida febrifuga A. Juss.

- to pacify eye diseases caused by phlegm. 149
- One should apply smoke of the bark of embelia ($vida\dot{n}ga$), velvet leaf ($p\bar{a}th\bar{a}$), white siris ($kinih\bar{\iota}$), and desert date ($i\dot{n}gud\bar{\iota}$); and cuscus grass ($u\dot{s}\bar{\imath}ra$) alone.
- 39 A ghee that is cooked ($bh\bar{a}vita$) from a decoction of a non-flowering tree (vanaspati)¹⁵⁰ as well as turmeric ($haridr\bar{a}$) and spikenard (nalada) is good in a balm (tarpaṇa).
 - Alternatively, one may have an enclosed roasting ($puṭap\bar{a}ka$) done with arid-land animals ($j\bar{a}\dot{n}gala$)¹⁵¹ and a plentiful amount of long pepper ($m\bar{a}gadha$), Sindh salt and honey.
- 40 A treatment ($kriy\bar{a}$) with realgar ($mana \dot{p} \dot{s} i l \bar{a}$), the three spices, conch, honey, along with Sindh salt, green vitriol ($k\bar{a}s\bar{\iota}sa$) and elixir salve ($ras\bar{a}njana$). 152
 - They say that an elixir salve ($ras\bar{a}\tilde{n}jana$) combined with myrobalans, treacle and dried ginger is good.¹⁵³
- Alternatively, a collyrium that has been prepared many times in the eight types of urine¹⁵⁴ is put into water with the three fruits. Having stored it in the mouth of a nocturnal creature (*niśācara*)¹⁵⁵ one should place it in a conch (*salilotthita*) for two months.¹⁵⁶

One should apply that collyrium together with the flowers of mahua $(madh\bar{u}ka)$ and horseradish tree $(\acute{s}igru)$ when [the disease] is caused by all [the humours].

But alternatively, all treatments apply when blood is the cause. The procedure that removes bile is good when there is blue dot cataract

find ref.

¹⁴⁹ Dalhaṇa invokes a general rule $(paribh\bar{a}s\bar{a})$ to indicate that this mixture should be cooked with sesame oil.

¹⁵⁰ These are fig trees. The *Sauśrutanighaṇṭu* (252) specifies the Uḍumbara. Cf. the classification in CS.1.1.71–72, 1.8, *et passim*.

¹⁵¹ On this term, see SS.1.35.42 ($\frac{\text{Su}_{1938}^2}{\text{su}_{1939}}$:157) and the discussion by Zimmermann ($\frac{1999:25-31}{\text{su}_{1938}}$).

¹⁵² Palhaṇa glosses treatment $(kriy\bar{a})$ specifically as inspissation $(rasakriy\bar{a})$ $(Su 1938^2:629)$.

¹⁵³ We emend *hite* to *hitam*, against the MSS.

¹⁵⁴ See SS mūtravarga

¹⁵⁵ Palhaṇa glosses nocturnal creature (niśācara) as "vulture," although elsewhere in the SS it is more commonly interpreted as a spirit or demon. In the present context, following verses 33 and 34, it is probably a snake.

¹⁵⁶ We interpret "water-born (salilotthita)" as "conch" in line with jalodbhava, but the term is uncertain.

 $(ml\bar{a}yin)$. 157

Check out these refs

- For one who has a humour, the physician should consider the rule in all humoral cases and then smear the ointment on the face. The treatment that is good for removing watery eye (*syanda*) should be properly applied in all these humoral cases, according to the individual. The state of the individual.
- The physician should not employ substances in errhines etc., when the humours intensify, and also when disease spreads. And further, in the *Kalpa*, there is a good deal more said about collyriums, and that should be considered and then applied.¹⁶⁰
- Someone who uses matured ghee, the three fruits, wild asparagus ($\hat{s}a$ - $t\bar{a}var\bar{\imath}$), as well as mung beans (mudga), emblic and barley has nothing to fear from cases of severe blindness (timira).
- Blindness is dispelled by milk prepared with wild asparagus or in emblics, or again cooked barley (*yavaudana*) followed by the water of three fruits with plenty of ghee.
- When there is bloodshot blindness (*rāgiṇi timire*), the wise physician should not cut a vein. A humour injured (*utpīḍita*) by the instrument rapidly destroys vision.
- 48 Non-bloodshot blindness (*araga timira*) in the first layer (*paṭala*) is treatable. And bloodshot blindness (*rāgiṇi timire*) in the second layer, with difficulty. And in the third layer it is mitigable (*yāpya*).
- I shall explain the therapy for success when there is a cataract ($li\dot{n}ga-n\bar{a}\dot{s}a$) caused by phlegm. It may be white, like a full moon, an umbrella, a pearl ($mukt\bar{a}$) or a spiral ($\bar{a}varta$).
- Or it may be uneven, thin in the middle, streaked or have excessive shine (*prabha*). A humour (*doṣa*) in the pupil may be characterized as being painful or having blood.¹⁶¹

¹⁵⁷ The vulgate follows Þalhaṇa in glossing mlāyin as parimlāya. The description of this condition at SS.6.7.27−28 appears to refer to "blue dot" or "cerulean" cataract. √mlai derivatives can mean "dark" or "black."), which is normally a different ailment.

¹⁵⁸ The vulgate edition omits part of this verse (ab) combining earlier and later passages.

¹⁵⁹ The term watery eye (*syanda*) refers to the specific disease *abhiṣyanda*. See SS.6.6.5, 1.46.51, etc.

¹⁶⁰ Palhaṇa notes that *Kalpa* means the Uttaratantra adhyāya 18 (Su 1938²: 633 ff).

¹⁶¹ In the vulgate, and in parallel passages in the AS, the reading "it may be (bhavet)" is replaced with the negative "if, then not (na ced)" (cf. As utt.17.1–3 (As 1980: 712)). These characteristics are then read as conditions that preclude surgery; for the Nepalese recension, they are simply descriptions of the appearance of a cataract.

51–52 At a time that is neither too hot or too cold, the patient who has been oiled and sweated is restrained and seated, looking symmetrically at his own nose.

The wise physician should separate $(muktv\bar{a})$ two white sections from the black part (krsna) and from the outer corner of the eye $(ap\bar{a}nga)$. Having pīḍ- (pressed) properly into the eye, 162 at the naturally occurring (daivakre) hole (chidra) with the probe $(sal\bar{a}k\bar{a})$ made of copper or iron, with a tip like a barley-corn that is held by a steady hand with the middle finger, forefinger and thumb, the left one with the right hand and the other one contrariwise.

When the piercing is done, there is the simultaneous issue of a drop of liquid and a sound. 163

- The expert should moisten the exact place of piercing with a woman's breast-milk. Then he should scratch the circuit of the pupil (drstimandala) with the tip of the probe ($śal\bar{a}k\bar{a}$).¹⁶⁴
- Without injuring, gently pushing the phlegm in the circuit of the pupil against the nose, he should remove it by means of sniffing (ucchingana). 165
- 57 Whether the humour is solid ($sty\bar{a}na$) or liquid (cala), one should apply sweating to the eye externally, with leaves ($bha\dot{n}ga$) that remove wind, after fixing the needle ($s\bar{u}c\bar{\iota}$) properly. 166
- But if the humour cannot be destroyed or if it comes back, one should apply the piercing (*vyadha*) once again, with appropriate oils and so on.
- Now the pupil (drsti) shines like the sun (hari) in a cloudless sky; then, when objects become visible, one may slowly remove the probe $(\acute{s}a-l\bar{a}k\bar{a})$. ¹⁶⁷

¹⁶² We understand the locative *nayane* as the place of pressing; other interpreters take it as an accusative dual. The idea is that the eye is held steady by the surgeon.

¹⁶³ Dalhana interprets simultaneous (*samyak*) rather as "proper," referring to the proper kind of incision.

¹⁶⁴ The anatomy of the eye is described in 6.1.14-16 (Su 1938^2 : 596) The disks or *maṇḍalas* are the circuits or disks of the eye.

¹⁶⁵ Palhaṇa describes sniffing (*ucchingana*) at 6.19.8 (Su 1938²: 641), clearly intending inward sniffing.

¹⁶⁶ We interpret *bhaṅga* as leaves, following the usage elsewhere in this sthāna 4.32.9, 6.11.5 (Su 1938²: 513, 614) where *bhaṅga* means shoots (*pallava*). A similar procedure is described at As 6.17.25 (As 1980: 716a), where sweating of the eye is done by means of the leaves of a castor-oil plant.

¹⁶⁷ There are many problems with the MS readings and interpretation of this half-verse.

- Having smeared ghee on the eye, one should cover it with a bandage. Then, he must lie down supine in a house free from disturbances. 168
- At that time, he should not belch, cough, sneeze, spit or shiver. Afterwards there should be restrictions $(yantranaa \bar{a})$ as in the case of someone who has drunk oil.¹⁶⁹
- 62 Every three days one should wash it with decoctions (*kaṣāya*) that remove wind. After three days, one should sweat the eye externally because of the danger of wind.
- Having restrained himself in this way for ten days he should thereafter take a beneficial regimen (*karma*) that clears the pupil (*dṛṣṭi*) and also he should take light food in measure.

[Complications]

- When there is a misshapen eyeball (*vilocana*), the eye may fill because of the release of blood from a vein.¹⁷⁰
 - A hard probe leads to shooting pain (\hat{sula}) , a thin to unsteadiness of the humours (dosapariplava), 171
- a thick-tipped probe leads to a large wound, and a sharp one may cause harm in many ways; a very irregular one may cause a discharge of water, a rigid (*sthirā*) one brings about a loss of function (*kriyāsaṅga*).¹⁷²
- 66 Therefore, one should make a good probe that is free from these defects.
 - We have inferred "sky" and emended from "free from the point (*agramukta*)" to "free from clouds (*abhramukta*)". The latter meaning is supported (in different words) by the vulgate and occurs elsewhere in Sanskrit literature.
- 168 <code>Dalhaṇa</code> explains disturbances specifically as dust, smoke, drafts and sunlight 6.17.67 (Su 1938^2 : 631a).
- 169 Palhaṇa glosses "restrictions (*yantraṇā*)" as having a controlled diet and the other restrictions appropriate to someone who is taking oil as a preparation before further therapy (6.17.68 (Su 1938²:631)). These restrictions are also described at 6.18.28 (Su 1938²:635) and Ah 1.16.25cd (Ah 1902:249).
- 170 The condition of "misshapen eye" is referred to briefly in 6.61.9 (Su 1938²: 800), where Dalhaṇa glosses it as "bent brow and eye (*vakrabhrūnetra*)." The vulgate's reading of "with blood (*śonitena*)" is easier to construe.
- 171 There is a medically significant difference here from the vulgate, which reads "a rough (*khara*) probe" not a "thin" probe.
- 172 This translation of loss of function ($kriy\bar{a}sanga$) is given on the basis of Dalhaṇa's gloss of $kriy\bar{a}sangakarin$ as "causing the destruction of actions such as moving ($gaman\bar{a}dikriy\bar{a}vin\bar{a}\acute{s}akar\bar{i}$)" at 3.8.19 (Su 1938²: 382).

[Characteristics of the probe]

The probe should be eight finger-breadths long and in the middle it is wrapped with thread and is as thick as a thumb joint. It is shaped like a bud at both ends (*vaktra*).

67 A commendable probe should be made of silver, iron or gold (*śātaku-mbhī*).¹⁷³

[Complications]

Redness, swelling, lumps, driness (coṣa), bubbling (budbuda), '74 pigs' eye $(s\bar{u}kar\bar{a}kṣit\bar{a})$, '75, irritation (adhimantha), etc. and other diseases arise from faults in the piercing,

- or even from bad behaviour. One should treat them each accordingly. Listen to me once again about compounds for painful red eyes. Red chalk (*gairikaḥ*), Indian sarsaparilla (*śārivā*), panic grass (*dūrvā*), and ghee ground with barley.
 - 71 This face ointment is to be used for quelling pain and redness. Or else it may be taken combined with the juice of citron (*mātuluṅga*) with sesame gently fried, mixed with white mustard (*siddhārthaka*).¹⁷⁶ This is immediately beneficial when someone is looking for relief.
 - 72 A paste with Holostemma (payasyā), ¹⁷⁷ Indian sarsaparilla (śārivā), cassia cinnamon (patra), Indian madder (mañjiṣṭhā), and liquorice (madhukair) stirred with goat's milk, pleasantly warmed, is said to be healthy. ¹⁷⁸

¹⁷³ The vulgate reads "copper (tāmra)" in place of "silver."

¹⁷⁴ Palhaṇa glosses "bubbling (budbuda)" as "prolapse (māṃsanirgama) that looks like bubbles."

¹⁷⁵ The expression "pigs' eye" appears to be a *hapax*. It is glossed as "downward vision (*adhodrstitva*)" by Dalhana.

¹⁷⁶ On the adverbial use of gently (*mrdu*), see Gombrich 1979.

¹⁷⁷ The identity of *payasyā* is debated (Singh and Chunekar 1972: 538), and was already in doubt at the time of Dalhaṇa but likely candidates may be those suggested by Dalhaṇa, who suggests either *arkapuṣpī* or *kṣīrakākolī*, that may be *Holostemma adakodien* Schult. and *Leptadenia reticulata* (Retz.) Wight & Arn. (Sivarajan and Balachandran 1994: 195-196). The *Sauśrutanighaṇṭu* glosses it as *kṣīrikā* or *arkapuṣpikā* (Suvedī and Tīvārī 2000: v. 307).

¹⁷⁸ The expression "stirred with goat's milk (*ajākṣīrārdita*)" is difficult. It may be connected with the rare root *ard* documented by Whitney (1885:15). Cf. √*ard gatau* (*Dhātupātha* 1.56).

- Alternatively, it can be made in this way with Himalayan cedar, Himalayan cherry (*padmaka*) and dried ginger. Or, in the same way, with grapes, liquorice and the Lodh tree mixed with Sindh salt.
- Alternatively, goats' milk with the Lodh tree, Sindh salt, red grapes and liquorice, cooked, should be used in irrigation because it removes pain and redness.
- Having cooked it with liquorice, water-lily, and costus, mixed with grapes (*drākṣā*), lac (*lākṣā*), white sugar (*sitā*), with wild asparagus, Hare Foot Uraria (*pṛthakparṇī*),¹⁷⁹ nutgrass (*mustā*), liquorice, Himalayan cherry (*padmaka*), and Sindh salts, one should apply it [irrigation] gently warm.
- 76cd–77ab Ghee that has been cooked in four times the amount of milk that has itself been cooked with drugs that destroy wind. This has an admixture of cottony jujube $(k\bar{a}kol\bar{\iota})$ etc., should be prescribed in all treatments. 181
- 77cd–78ab If pain does not end in this way, one should administer blood-letting to the vein of someone who has previously been oiled and sweated. Then the wise physician should apply cauterization in the advised manner. 182
- 78cd–80ab Now listen to two excellent collyriums for making the pupils clear. After grinding the flowers of perploca of the woods (meṣaśṛṅga), siris (śirīṣa), axelwood (dhava) royal jasmine (jātī), pearl and beryl (vaiḍūrya) with goat's milk, one should put it in a copper pot for seven days.
 - 8ocd–81 Having made it into wicks (*vartti*), the physician should apply it as a collyrium. Alternatively, one should make kohl (*srotoja*), coral (*vidruma*), cuttlefish bone (*phena*), and realgar (*manaḥśilā*) and peppers into wicks as before. One should apply these wicks, which are good in a collyrium, to steady the pupil.
 - 82 I shall again discuss the foremost collyriums at length in the *Kriyākalpa* section. Those various methods may be applied here too.

or a dual?

¹⁷⁹ Suvedī and Tīvārī 2000: 18.

¹⁸⁰ Palhaṇa mentions that these drugs include Deodar (*bhadradāru*) and other wind-destroying drugs. The *vātasaṃśamana* group is listed in *Suśrutasaṃhitā sūtrasthāna* 1.39.7.

¹⁸¹ Dalhana notes that this would include errhines, ointments, etc.

¹⁸² The vulgate reads *vāpi* for *cāpi*, so Dalhaṇa sees blood-letting and cautery as alternatives, not a sequence of treatments. Dalhaṇa lists the places that cauterization may be applied, such as the brow, forehead, etc.

Abbreviations

Ah 1902 Kumte, Ananta Moreśvara and Navare, Kṛṣṇaśāstrī

Rāmacandra (1902) (eds.), श्रीमद्वाग्भटविरचितम् अष्टाङ्गहृदयम्, सूत्र-शारीर-निदान-चिकित्सा-कल्प-उत्तरस्थानविभक्तम् श्रीमदरुणदत्तप्रणी-तया सर्वांगसुंदर्याख्यया व्याख्यया समलंकृतम् (Kṛṣṇadāsa Āyurveda Sīrīja, 3; Muṃbayyām: Nirṇayasāgara Press).

Anup Anup Sanskrit Library (n.d.).

AS Asiatic Society (n.d.).

As 1980 Ațhavale, Anamta Dāmodara (1980) (ed.), Aṣṭāṅgasaṅgrahaḥ.

Śrīmad Vṛddhavāgbhaṭaviracitaḥ Induvyākhyāsahitaḥ (Puṇe: Maheśa Anaṃta Āṭhavale, Śrīmad Ātreya Prakāśanam), ark:/

13960/t9773bb9z.

Bhela 1921 Mookerjee, Ashutosh and Ananta Krishna Shastri, Ved-

antabisharad (1921) (eds.), *The Bhela Samhita. Sanskrit Text* (Calcutta: University of Calcutta), ark:/13960/t3sv3157j; Based on two copies made of the Thanjavur codex unicus (MS Thanjavur TMSSML 10773, Burnell 1880:63–4, P. P. S.

Sastri 1933: #11085).

Bhela 2000 Krishnamurthy, K. H. (2000), Bhela-saṃhitā. Text with English

Translation, Commentary and Critical Notes (Haridas Ayurveda

Series, 8; Varanasi: Chaukhambha Visvabharati).

BL British Library (n.d.).

HIML Meulenbeld, Gerrit Jan (1999–2002), A History of Indian

Medical Literature, 5 vols. (Groningen: E. Forsten), ISBN:

9069801248.

KL Kaiser Library (n.d.).

NAK National Archives of Kathmandu (n.d.).

NCC Raghavan, V. et al. (1949–), New Catalogus Catalogorum, an Alphabetical Register of Sanskrit and Allied Works and Authors,

39 vols. (Madras University Sanskrit Series; Madras: Univer-

sity of Madras); v.1: revised edition, 1968.

NGMCP (2014), 'Nepal-german Manuscript Cataloguing Project. Online Title List and Descriptive Catalogue', Universität Hamburg and Deutsche Forschungsgemeinschaft, URL.

RORI Rajasthan Oriental Research Institute (n.d.).

Su 1889 Bhaṭṭācāryya, Jīvānanda Vidyāsāgara (1889) (ed.), सुश्रुतः. सूत्र-निदान-शारीर-चिकित्सा-कल्पोत्तर-तन्त्र-कल्पित आयुर्वेद. भगवता धन्वन्तरिणोपदिष्टः सुश्रुतनामधेयेन तच्छिष्येण विरचितः (3rd edn., Calcutta: Saratī Press), ark:/13960/t1nh6j09c; HIML:IB, 311, edition b.

Ācārya, Yādavaśarma Trivikrama (1915) (ed.), सुश्रुतसंहिता, सु-श्रुतेन विरचिता, वैद्यवरश्रीडल्हणाचार्यविरचितया निबन्धसंग्रहाख्यव्याख्यया समुष्लसिता, आचार्योपाह्वेन त्रिविक्रमात्मजेन यादवशर्मणा संशोधिता = The Sushrutasamhita of Sushruta, the Nibandhasangraha Commentary of Shri Dalhaṇāchārya (Mumbayyāṃ: Nirṇayasāgaramudrāyantrālaye), ark:/13960/t3sv0mt50, accessed 29/07/2020; HIML: IB, 312 edition *v.

Ācārya, Yādavaśarma Trivikrama (1931) (ed.), सुश्रुत-संहिता, वैद्यवरश्रीडल्हणाचार्यविरचितया निबन्धसंग्रहाख्यव्याख्यया समुष्लसिता, महर्षिणा सुश्रुतेन विरचिता, सूत्र-निदान-शारीर-चिकित्सा-कल्पस्थानोत्तरतन्त्रात्मकः. आचार्योपाह्वेन त्रिविक्रमात्मजेन यादवशर्मणा संशोधिता = The Sushrutasaṃhitā of Sushruta with the Nibandhasangraha Commentary of Shree Dalhaṇāchārya (2nd edn., Mumbayyāṃ: Pāṇḍuraṅga Jāvajī at the Nirṇayasāgaramudrāyantrālaye), ark:/13960/t9j41sg94, accessed 09/06/2020; HIML: IB, 312 edition *v.

Acārya, Yādavaśarma Trivikrama and Ācārya, Nārāyaṇa Rāma (1938) (eds.), श्रीडल्हणाचार्यविरचितया निबन्धसंग्रहाख्य-व्याख्यया निदानस्थानस्य श्रीगयदासाचार्यविरचितया न्यायचन्द्रिकाख्यप- ज्ञिकाव्याख्यया च समुल्लसिता महर्षिणा सुश्रुतेन विरचिता सुश्रुतसंहिता (3rd edn., Bombay: Nirṇayasāgara Press); HIML: IB, 313 edition cc.

Su 1938² Ācārya, Yādavaśarma Trivikrama and Ācārya, Nārāyaṇa Rāma (2004) (eds.), महर्षिणा सुश्रुतेन विरचिता सुश्रुतसंहिता, श्रीडल्हणाचार्यविरचितया निबन्धसंग्रहाख्यव्याख्यया निदानस्थानस्य श्री- गयदासाचार्यविरचितया न्यायचन्द्रिकाख्यपञ्जिकाव्याख्यया च समुल्लसिता

(Vārāṇasī: Caukhambhā Kṛṣṇadāsa Akādamī); Reprint of the third, 1938 edition (Su 1938), with changed pagination.

Su 1939 Ācārya, Yādavaśarma Trivikrama and Śarman, Nandakiśora (1939) (eds.), सुश्रुतसंहितायाः सूत्रस्थानम्. श्रीचक्रपाणिदत्तविरचितया भानुमतीव्याख्याया समेतम् = Sushrut-sañhitā (sūtra Sthān) with Bhānumatī Commentary by Chakrapāṇi Datta with Introduction by Gaṇanāth Sen (Śrīsvāmi Lakṣmīrāma Nidhi Granthamālā = Shrī Swāmī Lakṣhmī Rām Trust Series, 1; [Jaipur]: Śyāmasundara Śarman), ark:/13960/t54g0d12m; Printed at

the Nirṇayasāgara Press, Bombay.

Su 1945 Acārya, Yādavaśarma Trivikramācārya and Acārya, Nārāyaņa Rāma (1945) (eds.), महर्षिणा सुश्रुतेन विरचिता सुश्रुतसंहिता (मूलमात्रा). पाठान्तर-परिशिष्टादिभिः संविलता = the Suśrutasaṃhitā of Suśruta with Various Readings, Notes and Appendix etc. (Mumbāi: Nirṇayasāgarākhyamudraṇālaye), url.

TMSSML Tanjore Maharaja Serfoji Saraswati Mahal Library (n.d.).

Viṣṇudh. Śarman, Madhusūdana and Śarman, Mādhavaprasāda (1912) (eds.), विष्णुधर्मोत्तरपुराणम् = [Viṣṇudharmottarapurāṇa] (Mumbai: Khemarāja Śrīkṛṣṇadāsa at the Śrīveṅkaṭeśvara Steam Press), ark:/13960/t6qz6fr23; Lithograph format. Edited on the basis of a manuscript belonging to the astrologer Śudhākaraśarman of the Varanasi Sanskrit Pāṭhaśālā.

Index of Manuscripts

The numbers after the comma refer to pages in this document.

Bikaner Anup 4390, 6
Bikaner RORI 5157, 34

Cambridge Add. 1693, 30

Kathmandu KL 699, 2, 22, 33

Kathmandu NAK 1-1079, 2, 14, 22

Kathmandu NAK 5-333, 2, 8, 10, 14, 22, 30, 35

London BL H. T. Colebrooke 908, 10

Mumbai AS B.D.109, 6 Mumbai AS B.I.3, 6

Thanjavur TMSSML 10773, 48

References

- Acārya, Yādavaśarma Trivikramācārya and Acārya, Nārāyaṇa Rāma (1945) (eds.), महर्षिणा सुश्रुतेन विरचिता सुश्रुतसंहिता (मूलमात्रा). पाठान्तर-परिशिष्टादिभिः संवलिता = the Suśrutasaṃhitā of Suśruta with Various Readings, Notes and Appendix etc. (Mumbāi: Nirṇayasāgarākhyamudraṇālaye), URL.
- Adriaensen, Rob C. R., Barkhuis, Roelf, and Ruijters, Jean-Louis (1984), 'An English Translation of Suśrutasaṃhitā, Nidānasthāna 1, 1–39, Together with Gayadāsa's Nyāyacandrikā', in Gerrit Jan Meulenbeld (ed.), *Proceedings of the International Workshop on Priorities in the Study of Indian Medicine* (Groningen: Forsten), 277–310.
- Apte, Vaman Shivaram (1992), *The Practical Sanskrit-English Dictionary* (Kyoto: Rinsen Book Company), ISBN: 4-653-00038-7; Reprinted from **gode-apte**.
- Bausi, Alessandro et al. (2015), *Comparative Oriental Manuscript Studies. An Introduction* (Hamburg: Tredition). DOI: 10.5281/ZENODO.46784.
- Bendall, Cecil (1883), Catalogue of the Buddhist Sanskrit, Manuscripts in The, University Library, Cambridge: With Introductory Notices and Illustrations of the Palaeography and Chronology of Nepal and Bengal (Cambridge: University Press), ark:/13960/t03x8vz7b.
- Bhaṭṭācārya, Candrakānta (1910–7) (ed.), सुश्रुतसंहिता प्रथमखण्डम् सूत्रस्थानात्मकम्...हाराणचन्द्रचक्रवर्तिकविराजविरचितसुश्रुतार्थसन्दीपनभाष्य- समेतम्...चन्द्रकान्त भट्टाचार्य्य-प्रमुखैः संशोधितम् = [The Suśrutasaṃhitā with the Commentary Suśrutārthasandīpanabhāṣya by Hārāṇacandra Cakravarti] (Kalikātā: Satya Press); Edition "t" in HIML: IB, 312.
- Birch, Jason et al. (2021), 'Further Insight into the Role of Dhanvantari, the Physician to the Gods, in the Suśrutasaṃhitā', *Academia Letters*. DOI: 10.20935/AL2992.

- Breton, P. (1826), 'On the Native Mode of Couching', *Transactions of the Medical and Physical Society of Calcutta*, 2: 341–82, ark:/13960/t3dz8nn5t, URL, accessed 02/06/2021.
- Bronkhorst, Johannes (2021), 'Patañjali's Āryāvarta = Śuṅga realm?', *Academia Letters*. DOI: 10.20935/al291; Article 291.
- Burghart, Marjorie (2016), 'The TEI Critical Apparatus Toolbox: Empowering Textual Scholars through Display, Control, and Comparison Features', *Journal of the Text Encoding Initiative*, 10/Issue 10. DOI: 10.4000/jtei.1520, URL, accessed 12/12/2017.
- —— (2017), 'Textual Variants', in Marjorie Burghart, James Cummings, and Elena Pierazzo (eds.), *Digital Editing of Medieval Texts: A Textbook* (DEMM), URL, accessed 04/07/2021.
- Burnell, Arthur Coke (1880), *A Classified Index to the Sanskrit Mss. in the Palace at Tanjore* (London: Trübner), ark:/13960/t4xh86j61; Bhelasamhitā described on pp. 67 ff.
- Cone, Margaret (2001), *A Dictionary of Pāli* (Oxford: The Pali Text Society), ISBN: 0 86013 394 x.
- Cordier, P. (1903), 'Récentes découvertes de mss. médicaux sanscrits dans l'Inde (1898–1902)', *Muséon, Nouvelle Série*, 4: 321–52, ark:/13960/t26b2j457, accessed 02/01/2020; Reprinted in Roşu 1989: 539–70.
- Dave, K. N. (1985), *Birds in Sanskrit Literature* (Delhi: Motilal Banarsidass), ISBN: 0-89581-676-8, ark:/13960/t2c94cv80.
- Deshpande, Vijaya (1999), 'Indian Influences on Early Chinese Ophthal-mology: Glaucoma As a Case Study', *Bulletin of the School of Oriental and African Studies*, 62: 306–22. DOI: 10.1017/S0041977X00016724.
- —— (2000), 'Ophthalmic Surgery: A Chapter in the History of Sino-indian Medical Contacts', *Bulletin of the School of Oriental and African Studies*, 63/3: 370–88, ISSN: 0041-977X. DOI: 10.1017/s0041977x00008454.
- Elliot, Robert Henry (1918), The Indian Operation of Couching for Cataract: Incorporating the Hunterian Lectures Delivered before the Royal College of Surgeons of England on February 19 and 21, 1917 (London: H. K. Lewis).
- Emeneau, M. B. (1969), 'Sanskrit Syntactic Particles "kila, khalu, nūnam", *Indo-Iranian Journal*, 11/4: 241–68.

- Falk, Harry (1991), 'Silver, Lead and Zinc in Early Indian Literature', *South Asian Studies*, 7/1: 111–7. DOI: 10.1080/02666030.1991.9628430.
- Fan, Ka Wai (2005), 'Couching for Cataract and Sino-indian Medical Exchange Fromthe Sixth to the Twelfth Century Ad', *Clinical and Experimental Ophthalmology*: 188–90. DOI: 10.1111/j.1442-9071.2005.00978.x; Unaware of Deshpande 1999; 2000.
- Gombrich, Richard (1979), "He cooks softly': dverbs in Sanskrit grammar', Bulletin of the School of Oriental and African Studies, 42/2 (June): 244–56. DOI: 10.1017/s0041977x0014580x.
- Harimoto, Kengo (2011), 'In Search of the Oldest Nepalese Manuscript', *Rivista degli Studi Orientali*, 84/1–4: 85–106, ISSN: 0392-4866, URL, accessed 08/09/2019.
- —— (2014), 'Nepalese Manuscripts of the Suśrutasaṃhitā', *Journal of Indian and Buddhist Studies* (*Indogaku Bukkyogaku Kenkyu*), 62/3: 23–29 (1087-1093). DOI: 10.4259/ibk.62.3_1087, URL, accessed 08/09/2019.
- (pre-published), '[Preliminary Edition of the Nepalese MSS of the Su-śrutasaṃhitā, adhyāyas 1.1–3, 6.4]'; Unpublished document dated 2010.
- Hayashi, Takao (2017), 'The Units of Time in Ancient and Medieval India', *History of Science in South Asia*, 5/1: 1–116. DOI: 10.18732/h2ht0h.
- Hemarāja Śarman (1938) (ed.), काश्यपसंहिता (वृद्धजीवकीयं तन्त्रं वा) महर्षिणा मा-रीचकश्यपेनोपदिष्टा ... हेमराजशर्मणा लिखितेन विस्तृतेन उपोद्धातेन सहिता ... सत्यपाल भिषगा कृतया विद्योतिनी हिन्दीव्याख्यया ... समुल्लसिता (1st edn., Mumba: Nirṇayasāgara Press), url, accessed 02/02/2018.
- Hendley, T. Holbein (1895), A Medico-topographical Account of Jeypore, Based on the Experience of Twenty Years' Service As a Residency Surgeon and Thirteen As Superintendent of Dispensaries at Jeypore, Rajputana (Calcutta: Calcutta Central Press Company).
- Hoernle, A. F. Rudolf (1893–1912) (ed.), *The Bower Manuscript: Facsimile Leaves, Nagari Transcript, Romanised Transliteration and English Translation with Notes* (New Imperial Series, 22; Calcutta: Government of India and under the patronage of the Bengali Government, Archaeological Survey of India), ark:/13960/t05z1bg4q.
- Hofer, Theresia (2007), 'Swami Laxmi Ram's Ayurvedic Pharmacy in Jaipur, India', *Wellcome History*, 34: 2–3, URL, accessed 01/07/2021.

- Jack, David Morton (1884), 'A Thesis on Cataract in India: Its Pathology and Treatment', Wellcome Library, London, MS.3007, URL, accessed 02/06/2021.
- Jośī, Veṇīmādhavaśāstrī and Jośī, Nārāyaṇa Harī (1968), *Āyurvedīya Mahākośaḥ arthāt Āyurvedīya Śabdakośaḥ Saṃskṛta–Saṃskṛta* (Muṃbaī: Mahārāṣṭra Rājya Sāhityta āṇi Saṃskṛti Maṃḍaḷa), url.
- Klebanov, Andrey (2021*a*), 'On the Textual History of the Suśrutasaṃhitā (1): A Study of Three Nepalese Manuscripts', to be published in *eJIM: Electronic Journal of Indian Medicine*, URL, accessed 09/09/2019.
- —— (2021*b*), 'On the Textual History of the Suśrutasaṃhitā, (2): An Anonymous Commentary and its Identified Citations', in Toke Lindegaard Knudsen, Jacob Schmidt-Madsen, and Sara Speyer (eds.), *Body and Cosmos: Studies in Early Indian Medical and Astral Sciences in Honor of Kenneth G. Zysk* (Leiden, Boston: Brill), 110–39.
- Leffler, Christopher T. et al. (2020), 'The History of Cataract Surgery: From Couching to Phacoemulsification', *Annals of Translational Medicine*, 8/22: 1551–97, ISSN: 2305-5847. DOI: 10.21037/atm-2019-rcs-04, URL, accessed 02/11/2020.
- Lienhard, Siegfried (1978), 'On the Meaning and Use of the Word Indragopa', *Indologica taurinensia*, 6: 177–88, URL, accessed 06/02/2021; The indragopa is a 'red velvet mite'.
- Majno, Guido (1975), *The Healing Hand. Man and Wound in the Ancient World* (Cambridge, MA: Harvard University Press), URL, accessed 26/08/2021.
- Masai, François (1950), 'Principes et conventions de l'édition diplomatique', *Scriptorium*, 4: 177–93. DOI: 10.3406/scrip.1950.2294.
- Meulenbeld, Gerrit Jan (1992), 'The Characteristics of a Doṣa', *Journal of the European Āyurvedic Society*, 2/1: 1–5, URL, accessed 31/08/2021.
- (2011), 'The Relationships between Doṣas and Dūṣyas: A Study on the Meaning(s) of the Root Murch-/mūrch', eJournal of Indian Medicine, 4/2: 35–135, URL, accessed 13/10/2017.
- Moureau, Sébastien. (2015), 'The Apparatus Criticus', in Alessandro Bausi et al. (eds.), *Comparative Oriental Manuscript Studies: An Introduction* (Hamburg: Tredition), 348–52, ISBN: 978-3-7323-1768-4, URL, accessed 04/07/2021.

- Nadkarni, K. M. (1954), Dr. K. M. Nadkarni's Indian Materia Medica, with Ayurvedic, Unani-tibbi, Siddha, Allopathic, Homeopathic, Naturopathic & Home Remedies, Appendices & Indexes ... in Two Volumes, ed. A. K. Nadkarni, 2 vols. (3 ed., revised by A. K. Nadkarni, Bombay: Popular Prakashan), ark:/13960/t6rz4h160.
- NGMCP (2014), 'Nepal-german Manuscript Cataloguing Project. Online Title List and Descriptive Catalogue', Universität Hamburg and Deutsche Forschungsgemeinschaft, URL.
- Oberlies, Thomas (2003), *A Grammar of Epic Sanskrit* (Indian Philology and South Asian Studies, 5; Berlin: De Gruyter), ISBN: 9783110144482. DOI: 10.1515/9783110899344.
- Osbaldeston, Tess Anne and Wood, R. P. A. (2000), Dioscorides. De Materia Medica. Being an Herbal with Many Other Medicinal Materials Written in Greek in the First Century of the Common Era. a New Indexed Version in Modern English [Introductory Notes by R. P. Wood] (Johannesburg: IBIDIS Press), ISBN: 0-620-23435-0, URL.
- Pandey, Anshuman (2012), 'Proposal to Encode the Newar Script in ISO/IEC 10646', URL.
- Parshwanath Shastri, Vardhaman (1940) (ed.), *The Kalyāṇa-kārakam of Ugrādityacharya*, *Edited with Introduction, Translation, Notes, Indexes and Dictionary* (Sakharam Nemchand Granthamala; Sholapur).
- Pass, Gregory (2003), Descriptive Cataloging of Ancient, Medieval, Renaissance, and Early Modern Manuscripts (Chicago: American Library Association), ISBN: 0-8389-8218-2, URL.
- Preisendanz, Karin (2007), 'The Initiation of the Medical Student in Early Classical Āyurveda: Caraka's Treatment in Context', in Birgit Kellner et al. (eds.), *Pramāṇakīrtiḥ. Papers Dedicated to Ernst Steinkellner on the Occasion of His 70th Birthday. Part 2*, ii, 2 vols. (Wiener Studien zur Tibetologie und Buddhismuskunde, 70.2; Wien: Arbeitskreis für Tibetische Und Buddhistische Studien Universität Wien), 629–68, ISBN: 9783902501097, URL.
- Price, Kenneth M. (2013), 'Electronic Scholarly Editions', in Ray Siemens and Susan Schreibman (eds.), *A Companion to Digital Literary Studies* (Chichester, UK: John Wiley & Sons, Ltd), 434–50. DOI: 10 . 1002 / 9781405177504.ch24, URL, accessed 04/07/2021.

- Rai, Saurav Kumar (2019), 'Invoking 'Hindu' Ayurveda: Communalisation of the Late Colonial Ayurvedic Discourse', *The Indian Economic & Social History Review*, 56/4: 411–26. DOI: 10.1177/0019464619873820; Online first.
- Rama Rao, B. et al. (2005), Sanskrit Medical Manuscripts in India (New Delhi: Central Council for Research in Ayurveda & Siddha), ark:/13960/t88h7763b.
- Rhys Davids, Thomas William and Stede, William (1921–5), *The Pali Text Society's Pali-English Dictionary* (London: The Pali Text Society), URL.
- Roşu, Arion (1989), *Un demi-siècle de recherches āyurvédiques. Gustave Liétard et Palmyr Cordier: Travaux sur l'histoire de la médecine indienne* (Paris: Institut de Civilisation Indienne).
- Sastri, Hrishikesh and Gui, Siva Chandra (1895–1917), *A Descriptive Catalogue of Sanskrit Manuscripts in the Library of Calcutta Sanskrit College* (Calcutta: Baptist Mission Press).
- Sastri, P. P. S. (1933), A Descriptive Catalogue of the Sanskrit Manuscripts in the Tanjore Maharaja Serfoji's Sarasvati Mahal Library Tanjore: Natya, Sangita, Kamasastra, Vaidya & Jyotisa, nos. 10650 11737 (Srirangam: Sri Vani Vilas Press), ark:/13960/t3nw8bc12.
- Scott, H. (1817), 'Some Remarks on the Arts of India, with Miscellaneous Observations on Various Subjects', *Journal of Science and the Arts*, 2: 67–72, ill. after 133, ark:/13960/t9870jt4g; Breton 1826: 358–363 cites Scott's description of cataract couching.
- Sena, Gaṅgāprasād et al. (1886–93) (eds.), सुश्रुतसंहिता...दल्लनाचार्य्य-कृत-निवन्ध-संग्रह, चक्रपाणिदत्त-कृत-भानुमती-टीका...वङ्गानुवाद...इरेजि प्रतिशब्द (Calcutta: Maṇirāma Press); Edition "g" in HIML: IB, 311.
- Sharma, Har Dutt (1939), Descriptive Catalogue of the Government Collections of Manuscripts Deposited at the Bhandarkar Oriental Research Institute, Vol. XVI, Part I, Vaidyaka (Descriptive Catalogue of Manuscripts in the Government Manuscripts Library; Pune: Bhandarkar Oriental Research Institute), ark:/13960/t0ms6rc70, accessed 23/10/2019.
- Sharma, Priya Vrat (1982), *Dalhaṇa and his Comments on Drugs* (Delhi: Munshiram Manoharlal).

- Sharma, Priya Vrat (1999–2001), Suśruta-Saṃhitā, with English Translation of Text and Dalhaṇa's Commentary Alongwith (sic) Critical Notes, 3 vols. (Haridas Ayurveda Series, 9; Varanasi: Chaukhambha Visvabharati).
- Shastri, R. Shama (1920) (ed.), बोधायनगृह्यसूत्रम् *The Bodhāyana Grihyasutra* (Mysore: University of Mysore), ark:/13960/t2t492622.
- Singh, Thakur Balwant and Chunekar, K. C. (1972), *Glossary of Vegetable Drugs in Brhattrayī* (Varanasi: Chowkhamba Sanskrit Series Office).
- Sivarajan, V. V. and Balachandran, Indira (1994), *Ayurvedic Drugs and Their Plant Sources* (New Delhi, Bombay, Calcutta: Oxford & IBH Publishing).
- Smith, Brian K. (1994), Classifying the Universe: The Ancient Indian Varṇa System and the Origins of Caste (New York, Oxford: Oxford University Press), ISBN: 0-19-508498-5.
- Srikantha Murthy, K. R. (2000–2), *Illustrated Suśruta Saṃhitā: Text, English Translation, Notes, Appendices and Index* (Jaikrishnadas Ayurveda Series, 102; 1st edn., Varanasi: Chaukhambha Orientalia).
- Suvedī, K. S. and Tīvārī, N. (2000) (eds.), Sauśrutanighaṇṭuḥ: granthādau vistṛtena granthavaiśiṣṭyaprakāśakenopodghātena avasāne ca dravyāṇām anekabhāṣānām āvalī- paryāyasaṅgrahābhyāṃ samalaṅkrtaḥ Suśrutas-aṃhitāyāṃ prayuktānām auṣadhadravyāṇāṃ paryāya-guṇakarmavarṇātmako pūrvagranthaḥ (Belajhuṇḍī, Dāṅ: Mahendrasaṃskrūtaviśvavidyālayaḥ).
- The Unicode Consortium (1991–2020), 'The Unicode Standard 13.0, NewaRange: 11400–1147F', URL, accessed 20/07/2021.
- Velankar, H. D (1925–30), Descriptive Catalogue of the Sanskṛta and Prākṛta Manuscripts in the Library of the Bombay Branch of the Royal Asiatic Society (Bombay: Royal Asiatic Society, Bombay), ark:/13960/t53g00h0n; Biswas #0115.
- Warrier, P. K., Nambiar, V. P. K., and Ramankutty, C. (1994–6) (eds.), *Indian Medicinal Plants: A Compendium of 500 Species. Vaidyaratnam P. S. Varier's Arya Vaidya Sala, Kottakal* (Madras: Orient Longman).
- Watt, George (1889–96), A Dictionary of the Economic Products of India (Calcutta: Dept. Revenue and Agriculture, Government of India), URL, accessed 28/04/2021.

- Watt, George (1908), The Commercial Products of India, Being an Abridgement of "the Dictionary of the Economic Products of India" (London: John Murray), ark:/13960/t9t14xh3x.
- Whitney, William Dwight (1885), *The Roots, Verb-forms, and Primary De-rivatives of the Sanskrit Language. A Supplement to his Sanskrit Grammar* (Leipzig: Breitkopf and Härtel), ark:/13960/t3qv3p906.
- Wren, R. C. (1956), *Potter's New Cyclopaedia of Botanical Drugs and Preparations*, ed. R. W. Wren (Rustington, Sussex: Health Science Press), ark:/13960/t14n65c9g.
- Wujastyk, Dagmar (2012), Well-mannered Medicine: Medical Ethics and Etiquette in Classical Ayurveda (New York: Oxford University Press). DOI: 10.1093/acprof:0s0/9780199856268.001.0001.
- —— (2019), 'Iron Tonics: Tracing the Development from Classical to Iatrochemical Formulations in Ayurveda', *HIMALAYA*, the Journal of the Association for Nepal and Himalayan Studies, 39/1, ISSN: 2471-3716, URL, accessed 23/07/2019.
- Wujastyk, Dominik (2003), *The Roots of Ayurveda: Selections from Sanskrit Medical Writings* (Penguin Classics; 3rd edn., London, New York, etc.: Penguin Group), ISBN: 0-140-44824-1.
- —— (2004), 'Agni and Soma: A Universal Classification', Studia Asiatica: International Journal for Asian Studies, IV–V, ed. Eugen Ciurtin: 347–70, ISSN: 1582–9111, URL.
- —— (2013), 'New Manuscript Evidence for the Textual and Cultural History of Early Classical Indian Medicine', in *Medical Texts and Manuscripts in Indian Cultural History*, ed. Dominik Wujastyk, Anthony Cerulli, and Karin Preisendanz (New Delhi: Manohar), 141–57, URL.
- Zimmermann, F. (1983), 'Suśrutasamhita. Essay review.', *Bulletin of the History of Medicine*, 57/2: 291–3, ISSN: 00075140, URL.
- Zimmermann, Francis (1999), *The Jungle and the Aroma of Meats* (2nd edn., Delhi: Motilal Banarsidass), ISBN: 8120816188.

Lexical Index

abhayā	stirred with goat's	outer corner of the
chebulic	milk, 46	eye, 44
myrobalan, 38	alābu	apatānaka
abhramukta	bitter gourd, 34	convulsions, 22
free from clouds,	ālepa	application of collyrium
45	liniment, 36	añjana, 36, 41
abhyanga	alleviated	apramatta
massage oil, 32	уāруа, 39	diligent, 28
ācāra	alleviation	ārā
regimen, 16	pratīkāra, 18	awl, 22
ācārika	Along these lines	araga timira
medical advice, 25	evam, 18	Non-bloodshot
accumulation	āmalaka	blindness, 43
sañcaya, 18	emblic, 37	ardhakapāṭasandhika
adhimantha	āmra	Half door-hinge, 23
irritation, 46	mango, 35, 37	arid-land animals
adhiṣṭhāna	aṇḍaja	jāṅgala, <mark>42</mark>
located, 16	born from eggs, 17	arṇavamala
adhodṛṣṭitva		cuttle fish, 38
downward vision,	aṅga aids, 39	asādhya
46		incurable, 36
	parts, 18	āsaṅgima
adhyāya	anger	Fastening, 23
sections, 19	krodha, 16	aśoka
admixture	animals	Asoka tree, 37
prativāpa, 26	paśu, 17	grief, 16
āgantu	añjana	Asoka tree
external factors, 19	application of	aśoka, <mark>37</mark>
agra	collyrium, 36, 41	āśrayin
supernatant layer,	eye make-up, 32	substrate, 16
41	stibnite, 41	asthi
agramukta	antra	bones, 19
free from the point,	entrails, 39	aṣṭhīlā
45	ants	pebble, 34
āhāra	pipīlika, 1 7	asūyā
diet, 16	anulepana	jealousy, 16
āhārya	massage ointment,	atibalā
Take away, 23	3 2	strong mallow, 40
ahorātra	apāmarga	ātmaka
day and night, 18	prickly chaff	nature, 16
aids	flower, 23	āṭopa
aṅga, <u>39</u>	apāṅga	flatulence, 35
ajākṣīrārdita	edge of the hole, 27	avalekhana

combs, 32	bhāvita	blue lotus
āvarta	cooked, 42	utpala, 37
spiral, 43	infused, 37	blue vitriol
awl	bhedya	tuttha, 41
ārā, 22	splitting, 25	body language
axelwood	bhramaraka	iṅgita, 32
dhava, 47	drongo, 33	bones
ayana	bhṛṅgarāja	asthi, 19
half-year, 18	racket-tailed	born from eggs
āyatta	drongo, 33	aṇḍaja, 17
depends on, 16	bile	born in in a caul
āyur	pitta, 39	jarāyuja, 17
life, longevity, 13	bimbī	born of sweat
āyurveda	red gourd, 34	svedaja, 17
the science of life,	bindings	bound, connected
13	bandha, 25	baddham, 27
	bitter gourd	box myrtle
baddham	alābu, 34	kaṭphala, 38
bound, connected,	black drongo	bṛṃhaṇa
27		nourishment, 16
balā	dhūmyāṭa, 33	bubbling
country mallow, 40	black part	budbuda, 46
strength, 16	kṛṣṇa, 44	budbuda
bali	black pepper	bubbling, 46
morsel, 32	<i>marica</i> , 37	bulbs
balm	black soot	kanda, 17
tarpaṇa, 36, 41, 42	таṣī, 36	bull
bandha	blessings pronounced	vṛṣabha, 33
bindings, 25	svastivācana, 21	-: +, 33
bearers	blindness	cakradhārā
voḍhāra, 32	timira, 43	rim of a wheel, 24
beauty berry	blink of the eye	cala
priyangu, <mark>41</mark>	nimeṣa, 18	liquid, 44
beautyberry	blood	cardamom
priyaṃgu, <mark>37</mark>	rudhira, 17	elā, <u>3</u> 8
śyāmā, <mark>34</mark>	śonita, 39	carman
bent brow and eye	Blood-bile	pelt, 17
vakrabhrūnetra, 45	śonita-pitta,	carnivore
beryl	rakta-pitta, 39	kravyabhuj, 40
vaiḍūrya, 47	blood-letting	cassia cinnamon
bhadradāru	sirāvedha, 36	patra, 46
Deodar, 47	bloodshot blindness	castor oil
bhaṅga	rāgin timira, <mark>41</mark>	pañcāṅgulataila, 39
leaves, 44	rāgiņi timire, 43	castor oil tree
bhavet	blue dot cataract	gandharvahasta, 22
it may be 40	mlānin 10	cācuāt

from his mouth, 34	compounds	sādhya, <mark>36</mark>
cataract	yoga, 36	curds
liṅganāśa, 43	Compressed	dadhi, 35
caturvarga	saṃkṣipta, 23	cuscus grass
fourfold grouping,	compressed	uśīra, 41, 42
18	saṃkṣipta, 24	cutting
catuṣtaya	conch	chedya, 25
four factors, 18	salilotthita, 42	cutting with a blade
caused by wind	congested humours	śastrakṣata, 36
pavanodbhava, 39	sannipāta, 19	cuttle fish
causing the destruction	convulsions	arṇavamala, 38
of actions such as	apatānaka, 22	cuttlefish bone
moving	cooked	phena, 47
gamanādikriyāv-	bhāvita, 42	samudraphena, 38
ināśakarī, 45	cooked barley	
chebulic myrobalan	yavaudana, 43	dadhi
abhayā, 38		curds, 35
	copper	dainya
harītakī, 35	tāmra, 46	misery, 16
chedya	coral	dais
cutting, 25	vidruma, 47	pīṭha, 24
excision, 19	coṣa	daivakṛte
Cheek-ear	driness, 46	naturally
gaṇḍakarṇa, 23	cotton	occurring, 44
chidra	picu, 2 5	dārvī
hole, 44	cotton plant	tree turmeric, 37
chital deer	kārpāsa, 23	datta
pṛṣata, 33	cottony jujube	given, 33
circuit of the pupil	kākolī, 47	datura flower
dṛṣṭimaṇḍala, 44	counteraction	dhattūrapuṣpa, 23
citron	pratiședha, 36	day and night
mātuluṅga, 46	country mallow	ahorātra, 18
clusters	balā, 4 0	decanted liquor
samplava, 17	cow-dung	surāmaṇḍa, 25
cock	gośakṛt, 37	decoctions
tāmracūḍa, 40	Cow's flesh	kaṣāya, 32, 45
collection	gomāṇsa, 37	deer
varga, 18	cow's urine	eṇa, 4 0
combined	gomūtra, 38	Deodar
upahita, 39	Creeper-ear	bhadradāru, 47
combs	vallīkarna, 23	depends on
avalekhana, 32	creepy-crawlies	āyatta, 16
comfort	sarīsṛpa, 14, 17	depression
sukha , 18	Crow's lip	viṣāda, 16
complexion	kākauṣṭha, 23	desert date
varṇa, 16, 29	curable	ingudī, 42
ourim, 10, 29	Carabic	111×1111, 42

desire	dravāñjana	rasāñjana, 37
icchā, 16	liquid collyrium, 41	elixir-salve
dhānyāmla	dravya	śīta, 37
fermented	substance, 29	embelia
rice-water, 25	dressing	vidaṅga, <mark>42</mark>
dhātakī	pratisāraṇa, 35	emblic
fire-flame bush, 35	Dried Flesh	āmalaka, 37
dhātrī	vallūraka, <mark>23</mark>	dhātrī, 38
emblic, 38	dried ginger	emetic nut
dhattūrapuṣpa	nāgara, 38	madana, <mark>34</mark>
datura flower, 23	driness	eṇa
dhava	coṣa, 46	deer, 40
axelwood, 47	drongo	enclosed roasting
dhūma	bhramaraka, 33	puṭākhya, 40
inhaled smoke, 32	dṛṣṭi	puṭapāka, 42
dhūmadarśin	pupil, 36, 44, 45	ends
seeing smoke, 36	dṛṣṭimaṇḍala 🌎 🔝	vaktra, 46
dhūmyāṭa	circuit of the pupil,	energy
black drongo, 33	44	ojas, <mark>29</mark>
dhyāma	dry rubs	entrails
grimy, 32	utsādana, 32	antra, 39
diet	duct	envy
āhāra, 16	sirā, <mark>22</mark>	īrṣyā, 16
dilator	ducts	errhine
pravardhanaka, 23	sirā, 19, 24	nasya, 40
diligent diligent	duḥkha	essence
apramatta, 28	suffering, 16	sāra, 1 <mark>7</mark>
disease	dūrvā	evam
vyadhi, 18	panic grass, 46	Along these lines,
distorted	dūṣīviṣāri	18
vikṛta, 35	slow-acting poison	excision
	antidote, 35	chedya, 19
Door-hinge kapāṭasandhika, 23	dușța	expressed juice
	tainted, 25	svarasa, 37
doșa	dveṣa	external factors
humour, 43	hatred, 16	āgantu, 19
humours, 18		extract of rohu carp
doṣapariplava	earthen products	rauhita, 37
unsteadiness of the	pārthiva, 17, 18	extracts
humours, 45	edge of the hole	rasa, 41
double	apāṅga, 2 7	eye make-up
yamalā, 35	elā	añjana, <mark>32</mark>
downward vision	cardamom, 38	г.,
adhodṛṣṭitva, 46	elixir salve	Fastening
drākṣā	rasāñjana, 37, 41, 42	āsangima, 23
grapes, 47	Elixir-salve	Fat

vasā, 40	causing the	āśoka, 16
fermented rice-water	destruction of	grimy
dhānyāmla, 25	actions such as	dhyāma, 32
Filaments	moving, 45	guḍikā
kiñjalka, 37	gaṇḍakarṇa	pill, 37
fire-flame bush	Cheek-ear, 23	
dhātakī, 35	gandharvahasta	Half door-hinge
flame of the forest	castor oil tree, 22	ardhakapāṭas-
palāśa, 41	garlands	andhika, 23
flatulence	sraj, 32	half-year
āṭopa, 35	gauze	ayana, 18
flavours	prota, 25	Hare Foot Uraria
rasa, 16, 29	general rule	pṛthakparṇī, 47
flesh	paribhāṣā, 42	hareṇu
māṃsa, 19	gently	hareṇu, 37, 38
vadhra, 28	mṛdu, 46	hari
flowering trees	ghee	sun, 44
vṛkṣa, 17	sarpis, 26, 36	haridrā
flowers	given	turmeric, 42
puṣpa, 1 7	datta, 33	harītakī
fortnight	glassy opacity	chebulic myrobalan,
pakṣa, 18	kāca, 41	35
four factors	godhā	harṣa
catuștaya, 18	monitor lizard, 39	overexcitement, 16
fourfold grouping	gold	hatred
caturvarga, 18	śātakumbhī, 46	dveṣa, 16
free from clouds	gomāṃsa	herbs
abhramukta, 45	Cow's flesh, 37	oṣadhi, 17
free from the point	gomūtra	Himalayan cherry
agramukta, 45	cow's urine, 38	padmaka, 47
frogs	gośakṛt	hīna
maṇḍūka, 17	cow-dung, 37	reduced, 28
from his mouth	juice of cow-dung,	hīnakarṇa
cāsyāt, 34	,	Reduced-ear, 23 hole
fruit trees	37 granthi	
vanaspati, 17		chidra, 44
fruits	lumps, 22 granthita	Holostemma
phala, 17	lumpy, 24	payasyā, 46
gāḍha	- -	honey
	grapes <i>drākṣā,</i> 47	kṣaudra, 37
pinched, 26 gairika	greed	madhu, 37
O .	lobha, 16	madhus, 33
ochre, 36, 37 gairikaḥ	green vitriol	honey collyrium
guiriкuṇ Red chalk, 46	kāsīsa, 42	kṣaudrāñjana, 38 horseradish tree
gamanādikriyāvināśakarī		
zamanaaniyavinasakari	grief	śigru, <mark>42</mark>

human being	inspissation	gośakrt, 37
puruṣa, 16, 18	rasakriyā, 42	juices
humour	intended	rasa, 40
doṣa, 43	vyākhyāta, 19	7115u, 40
humours	intestines	kāca
doșa, 18	pakvāśaya, 35	glassy opacity, 41
uoșu, 10	irregularities	kākauṣṭha
icchā	vaiṣamya, 16	Crow's lip, 23
desire, 16	irrigation	kākolī
if, then not	seka, 36	cottony jujube, 47
na ced, 43	irritation	kalā
illness	adhimantha, 46	minutes, 18
ruj, 38	The state of the s	kālakṛta
in those cases	prakopa, 18	items created by
tatra, 39	īrṣyā	time, 17, 18
incurable	envy, 16	kālānusāriva
asādhya, 36	it may be	Indian sarsaparilla,
Indian lotus	bhavet, 43	38
nalina, 37	items created by time	kāma
Indian madder	kālakṛta, 17, 18	lust, 16
mañjiṣṭhā, 22, 46	Jambu	kanda
Indian sarsaparilla	jambū, 37	bulbs, 17
kālānusāriva, 38	jambū	kapālacūrņa
sāriva, 38, 46	Jambu, 37	powdered
indigo	jambul, 35	earthenware
ทเกียง	jambul	crockery, 25
indragopa	jambū, 35	kapāṭasandhika
red velvet mites, 17	jāṅgala	Door-hinge, 23
velvet-mite, 34	arid-land animals,	kapittha
inflamed		wood apple, 37
samrambha, 26	42 jaṅgama	wood apple, 37
vidagdha, 36	moving, 17, 18	karma
infused	jarāyuja	regimen, 45
bhāvita, 37		karman
	born in in a caul, 17 jātī	
iṅgita	,	therapies, 19
body language, 32	royal jasmine, 47	kaṛnavyadha
ingudī	jealousy	piercing the ear, 21
desert date, 42	asūyā, 16	kārpāsa
inhaled smoke	joins	cotton plant, 23
dhūma, 32	sandhāna, 23	kārśmarī
inherent	sandhi, 24	white teak, 37
svābhāvika, 16	joints	kaṣāya
inherent factors	sandhi, 19	decoctions, 32, 45
svabhāva, 19	juice extract	kāśipati
injured	svarasa, 17	Lord of Kāśī, 31
utpīḍita, 43	juice of cow-dung	kāsīsa

kāṣṭhā trice, 18 kandrānjana honey, 37 katlphala honey collyrium, box myrtle, 38 38 liver madhukair, 46 liver syakrd. 38, 39 liver extract wakrdrasa, 38 lobba serveda, 13 kunta Filaments, 37 kunta Filaments, 37 kunta mahānasa, 31 metal, 37 kunta mahānasa, 31 knowledge veda, 13 kusa grass, 41 kusa grass veda, 13 kohl srotas, 40 kusa grass, 41 lodhra lodhra lodh tree lodhra, 37, 41 lodhra srotas, 40 kusa, 41 long pepper krṣṇā, 36 magadhi, 42 magadhi, 38, 39, 41 pippali, 37 lanajja grass, 33 lamajja grass, 33 lamajja grass, 33 lamajja grass, 31 loss of function kriujāsanga leaves patala, 43 lead the time for therapies, 18 kriyāsanga loss of function, 45 krmi Worms, 17 krodha anger, 16 krṣṇā sarga loss of function, 45 bharaga, 44 patra, 17 lekhana scarification, 16 kryna scarification, 16 kryna scarification, 25 life, longevity āuur, 13 kandragala received a benediction, 21 linment alepa, 36 liquid honey, 37 madhūka liquorice madhukair, 46 liver wathet, 40 liver extract wakrdrasa, 38 lobaba sep. 10 loaded this adhiskair, 46 liver extract wakrdrasa, 38 lobaba sep. 10 loaded this adhiskair, 46 liver extract wakrdrasa, 38 lobaba sep. 10 loaded this adhiskair, 46 liver extract wakrdrasa, 38 lobaba sep. 10 loaded this adhiskair, 46 liver extract wakrdrasa, 38 lobaba sep. 10 loaded this adhiskair, 46 liver extract wakrdrasa, 38 lobaba sep. 10 loaded this adhiskair, 46 liver extract wakrdrasa, 38 lobaba sep. 10 loaded this adhiskair, 46 liver extract wakrdrasa, 38 lobaba sep. 10 loaded this adhiskair, 46 liver extract wakrdrasa, 38 lobaba sep. 10 loaded this adhiskair, 46 liver extract wakrdrasa, 38 lobaba sep. 10 loaded this adhiskair, 46 liver extract wakrdrasa, 38 lobaba sep. 10 loaded this adhiskair, 46 liver extract wakrdrasa, 38 lobaba sep. 10 loaded this adhis	green vitriol, 42	ksaudra	dravāñjana, 41
trice, 18 katphala box myrtle, 38 khara rough, 45 kiriliti white siris, 42 kiriliti Filaments, 37 kitchen mahānasa, 31 knowledge veda, 13 kohl srotas, 40 srotoja, 38, 47 koṣītakī luffa, 35 kravyabhuj carnivore, 40 kriyā procedures, 15, 16, 19 treatment, 18, 42 kriyākāla the time for therapies, 18 kriyāsanga loss of function, 45 kriyia Worms, 17 krodha anger, 16 krṣṇa loss of function, 45 kramangala received a benediction, 21 kṣaṇadāndhya night blindness, 38 liver extract yakyt, 38, 39 liver extract yakydasa, 38 lobha greed, 16 located adhiṣthāna, 16 located adhiṣthāna, 16 located lodh tree lodhra, 37, 41 loldhra located adhiṣthāna, 16 loch tree lodhra, 37, 41 long pepper kṛṣṇā, 36 māgadha, 42 māgadhī, 38, 39, 41 pippali, 37 Lord of Kāṣī kāṣipati, 31 loss of function kriŋisāniga kṣāraka, 41 luffa kṣāraka, 42 luffa koṣītakī, 35 lumps granthita, 24 lust kāma, 16 lutā spiders, 14 lye kṣāraka, 41 lye kṣāraka, 41 long pepper, 36 kṛtamangala received a benediction, 21 kṣanadāndhya night blindness, 38 liquid horev, 37 madhūka	_	•	*
katphala box myrtle, 38 38 liver box myrtle, 38 38 liver garanthi, 24			
box myrtle, 38			
khara rough, 45 kinilii white siris, 42 kiñjalka white siris, 42 kiñjalka kunta Filaments, 37 kitchen malamasa, 31 knowledge veda, 13 kohl srotas, 40 srotoja, 38, 47 luffa, 35 kravuyabhuj carnivore, 40 kriyā procedures, 15, 16, 19 treatment, 18, 42 kriyākāla the time for therapies, 18 kriyāsanga loss of function, 45 kṛmi Worms, 17 krodha anger, 16 kṛṣṇa black part, 44 long pepper, 36 kṛtamangala received a benediction, 21 kṣaṇadāndhya night blindness, 38 kiāna sap, 17 sap, 17 kunya sap, 17 kupyaka metal, 37 located adhiṣṭhāna, 16 lodh tree adhiṣṭhāna, 16 lodh tree sap, 14 long pepper kṛṣṇā, 36 miāgadha, 42 miāgadhī, 38, 39, 41 pippali, 37 Lord of Kāši kāšipati, 31 loss of function kriyāsaniga, 45 lotus-splittable utpalabhedyaka, 23 luffa kapana searification, 25 life, longevity ağur, 13 linganāša received a benediction, 21 kṣaṇadāndhya night blindness, 38 liqidi honey, 37 madhūka			
rough, 45 kinilit kṣīra	• -		
kinihī white siris, 42 sap, 17 sap, 17 lobha filaments, 37 kitchen kupyaka small insects, 17 kitchen greed, 16 located adhirphāna, 16 lodh tree lodhra, 37, 41 lodhra lodh tree, 37, 41 lodhra lodh tree, 37, 41 long pepper kṛṣṇā, 36 māgadha, 42 māgadha, 43 loss of function kriyāsanga, 45 Lotus-splittable utpalabhedyaka, 23 luffa ksiāpati, 31 loss of function kriyāsanga, 45 Lotus-splittable utpalabhedyaka, 23 luffa ksiāpati, 35 lumps grantliti, 22 lumpy grantlitia, 24 lust kāma, 16 lātā spiders, 14 lye long pepper, 36 kṛtamangala linganāša received a benediction, 21 kṣaṇadāndhya night blindness, 38 liquid night blindness, 38 liquid honey, 37 madhūka			· · · · · · · · · · · · · · · · · · ·
white siris, 42 kiñjalka Filaments, 37 kitchen mahāmasa, 31 knowledge veda, 13 kohl srotas, 40 srotoja, 38, 47 luffa, 35 kravyabhui carnivore, 40 kriyā procedures, 15, 16, 19 treatment, 18, 42 kriyākāla the time for therapies, 18 kriyāsanga loss of function, 45 kṛmi Worms, 17 krodha anger, 16 kṛṣṇa black part, 44 long pepper, 36 kṛtamangala received a night blindness, 38 kiāthan netal, 37 kusa metal, 37 kusa metal, 37 blocated adhiṣṭhāma, 16 lodhra lodhra lodhra lodhra lodhra lodhra lodhra albent, 37, 41 long pepper kṛṣṇā, 36 māgadha, 42 mā			
kiñjalka Filaments, 37 kitchen mahānasa, 31 knowledge veda, 13 kohl srotas, 40 srotoja, 38, 47 koṣitakī luffa, 35 kravyabhuj carnivore, 40 kriyā procedures, 15, 16, 19 treatment, 18, 42 kriyāsalīa the time for therapies, 18 krivūšanīga loss of function, 45 kṛmi Worms, 17 krodha anger, 16 kṛṣṇā black part, 44 long pepper, 36 kṛṣṇā black part, 44 long pepper, 36 kṛṭmanigala neght blindness, 38 liquid night blindness, 38 liquid kausa grass, 41 lodhra lodhtrae lodhtrae, 37, 41 lodhra lodhtree, 37, 41 long pepper kṛṣṇā, 36 māgadha, 42 māgadhā, 35 loss of function kriyāsaiga, 45 lotus-splitable utpalabhedyaka, 23 luffa koṣīlakī, 35 lumps granthita, 22 lumpy granthita, 24 lust kāma, 16 lūtā spiders, 14 lye kṣāraka, 41 long preper kṛṣṇā abenediction, 21 kamaaingal abenediction, 21 liniment alepa, 36 liquid honey, 37 madhūka			
Filaments, 37 kitchen			
kitchen mahānasa, 31 metal, 37 lodh tree mahānasa, 31 knowledge veda, 13 kuśa grass, 41 kuśa grass, 41 lodhra y, 41 lodhra lodhra y, 41 lodhra lodhra y, 41 long pepper sotoja, 38, 47 lac lakṣā, 47 lac lakṣā, 47 māgadhī, 38, 39, 41 pippali, 37 lac, 47 lamajja grass, 33 lamajja grass, 33 lamajja grass, 33 loss of function kriyā lāmajja grass, 33 loss of function kriyāsainga, 45 laver utpalabhedyaka, 23 luffa kriyāsainga lead kriyāsainga lead kriyāsainga lead kriyāsainga leaves granthi, 22 lumpy granthita, 24 lumpy granthita, 24 lust kriyāsainga leaves granthi, 22 lumpy granthita, 24 lust kriyāsainga leaves granthi, 22 lumpy granthita, 24 lust krāma, 16 lītā spiders, 14 long pepper, 36 kriyānaingala received a cataract, 43 linganāsa received a benediction, 21 kṣāṇadāndhya night blindness, 38 kṣārāka cala, 44 madhu honey, 37 madhūka	•		
mahānasa, 31		-	
knowledge veda, 13 kuśa grass, 41 kuśa grass, 41 lodhra kohl kuśa grass lodhra, 37, 41 lodhra srotas, 40 kuśa, 41 long pepper krynā, 36 mägadha, 42 mägadhi, 38, 39, 41 pippali, 37 kravyabhuj lac, 47 Lord of Kāśī kriyā lāmajja grass, 33 los of function the time for therapies, 18 kriyāsanga loss of function, 45 krmi Worms, 17 lekhana loss of function, 45 kryna lager, 16 lager, 16 kryna lager, 16 kryna lager, 16 kryna lager, 16 lager, 16 lager, 16 lager, 16 kryna lager, 16 kryna lager, 16 lager, 16 lager, 17 lager, 17 lager, 17 lager, 17 lager, 17 lager, 18 lager, 18 lager, 19 lager			T.
veda, 13 kuśa grass lodhra kohl kuśa grass lodh tree, 37, 41 srotas, 40 kuśa grass long pepper srotoja, 38, 47 lac kṛṣṇā, 36 koṣītakī lac māgadha, 42 luffa, 35 lākṣā pāgadha, 42 kravyabhuj lac, 47 Lord of Kāsī carnivore, 40 lāmajja grass, 33 loss of function kriyā lāmajja grass, 33 loss of function treatment, 18, 42 layer kriyāsaiga, 45 kriyāsāla paṭala, 43 luffa the time for lead koṣītakī, 35 the time for lead koṣītakī, 35 loss of function lead koṣītakī, 35 kriyāsaiga leaves granthi, 22 lumps granthi, 22 lumps granthita, 24 kymi patra, 17 granthita, 24 kyāna, 16 lekhna litā kyṣāraka received a cataract, 43 madana kyāraka, 41			
kohl srotas, 40 kuśa, 41 long pepper kṛṣṇā, 36 māgadha, 42 māgadha, 43 loss of function kriyāsanga, 45 loss of function the time for therapies, 18 kriyāsanga loss of function, 45 kṛmi worms, 17 lekhana loss of function, 45 kṛmi worms, 17 lekhana loss of function, 45 kṛṣṇa scarification, 16 kṛṣṇa scarification, 25 loss of pepper, 36 kṛṭamangala linganāša received a benediction, 21 kṣaṇadāndhya night blindness, 38 liquid sṣāraka cala, 44 madhūka cala, 44 madhūka	. 9		
srotas, 40 srotoja, 38, 47 koṣītlakī luffa, 35 kravyabhuj carnivore, 40 kriyā procedures, 15, 16, 19 treatment, 18, 42 kriyākāla the time for therapies, 18 kriyūsaniga loss of function, 45 krimi Worms, 17 krodha anger, 16 kṛṣṇa black part, 44 long pepper, 36 kṛtamaṅgala received a benediction, 21 kṣaṇadāndhya night blindness, 38 liuffa lac klāṣā, 47 lākṣā, 47 lakṣā, 43 lac nāgadha, 42 māgadha, 43 loss of function kriyāsānga, 45 losu of Kāšisata, 33 loss of function kriyāsānga, 45 lust koṣitakī, 35 lumps granthi, 22 lumpy granthi, 22 lumpy granthi, 22 lumpy granthi, 24 lust kāma, 16 lūtā kāmaja a loss of function kriyāsānga, 45 lust kaparada, 41 liga de sas māgada, 43 lust kaparada,		_	
srotoja, 38, 47 koṣītakī			
lac		kusu, 41	
koṣitaki luffa, 35		lac	· · · · · · · · · · · · · · · · · · ·
kravyabhuj carnivore, 40 kriyā procedures, 15, 16, 19 treatment, 18, 42 kriyākāla the time for therapies, 18 kriyāsanga loss of function, 45 krimi Worms, 17 krodha anger, 16 kriyā black part, 44 long pepper, 36 kṛṣṇa black part, 44 long pepper, 36 kṛṭamangala received a benediction, 21 kṣaṇadānāhya night blindness, 38 kriyā carnivore, 40 lāmajja grass, 33 loss of function kriyāsanga loss of function kriyāsanga, 45 lotus-splittable utpalabhedyaka, 23 luffa kriyāsanga, 45 lutus-splittable utpalabhedyaka, 23 lutusps granthi, 22 lumpy granthita, 24 lust kāma, 16 lūtā spiders, 14 lye kṣāraka, 41 litā honey, 37 madhūka	koṣītakī		
lac, 47 Lord of Kāśī kāśipati, 31 lamajja grass, 33 lāmajja grass, 33 lāmajja grass, 33 lāmajja grass, 33 loss of function kriyāsaṅga, 45 Lotus-splittable utpalabhedyaka, 23 luffa koṣītakī, 35 lumps granthita, 24 lust kriyāsaʾa leaves granthita, 24 lust kriyāna scarification, 25 lamaja kṛtamaṅgala liṅganāśa liṅganāśa liṅganāśa liniment kṣāṇadāṅdhya night blindness, 38 liquid linganāka liquid liquid lamajia grass, 33 loss of function kriyāsaṅga, 45 Lotus-splittable utpalabhedyaka, 23 luffa kriyāsaṅga, 45 Lotus-splittable utpalabhedyaka, 23 luffa kriyāsaṅga, 45 luffa koṣītakī, 35 lumps granthita, 25 lumps granthita, 24 lust kāma, 16 lust kāma, 16 lust kāma, 16 lutā lutā spiders, 14 lye kṣāraka, 41 lust kṣāṇadāndhya alepa, 36 madhu honey, 37 madhūka	luffa, 35		
kriyā lāmajja grass, 33 loss of function kriyāsariga, 45 lotus-splittable utpalabhedyaka, 23 luffa koṣītakī, 35 lumps granthi, 22 lumps granthi, 22 lumpy krmi patra, 17 lekhana scarification, 16 anger, 16 krṣṇa scarification, 25 black part, 44 long pepper, 36 krtamaigala received a benediction, 21 kṣāṇadāndhya night blindness, 38 kṣāraka a cala, 44 loss of function kriyāsariga, 1 loss of function kriyāsariga, 45 lotus-splittable utpalabhedyaka, 23 luffa kriyāsariga leaves granthi, 25 lumps granthii, 22 lumpy granthiia, 24 lust kāma, 16 litūta spiders, 14 lye kṣāraka, 41 liniment emetic nut, 34 madhu honey, 37 madhūka	kravyabhuj		
procedures, 15, 16, 19 lāmajja grass, 33 loss of function kriyāsanga, 45 lamajja, 33 loss of function kriyāsanga, 45 layer utpalabhedyaka, 23 luffa koṣītakī, 35 lumps granthi, 22 lumpy granthita, 24 lust kriyāsanga leeves granthi, 22 lumpy granthita, 24 lust krodha Scarification, 16 anger, 16 lekhya scarification, 25 lakek part, 44 long pepper, 36 kṛtamangala received a benediction, 21 liniment kṣāṇadāndhya night blindness, 38 liquid honey, 37 kṣāraka	carnivore, 40		
procedures, 15, 16, 19	kriyā	3.3	
treatment, 18, 42 layer utpalabhedyaka, 23 luffa the time for therapies, 18 sīsaka, 23 lumps lumps granthi, 22 lumpy granthita, 24 lust kṛmi patra, 17 granthita, 24 lust kāma, 16 lekhya scarification, 25 black part, 44 life, longevity long pepper, 36 kṛtamaṅgala received a benediction, 21 liniment kṣāṇaka roid signal signaka liquid honey, 37 kṣāraka layer utpalabhedyaka, 23 luffa ktotus-splittable utpalabhedyaka, 23 luffa luffa koṣītakī, 35 lumps granthit, 22 lumpy granthita, 24 lust kāma, 16 lūtā spiders, 14 lust kāma, 16 lūtā spiders, 14 lye long pepper, 36 received a cataract, 43 madana emetic nut, 34 madhu honey, 37 madhūka	procedures, 15, 16,	lāmaija grass	
treatment, 18, 42 kriyākāla the time for therapies, 18 kriyāsaṅga loss of function, 45 kṛmi Worms, 17 krodha anger, 16 kṛṣṇa black part, 44 long pepper, 36 kṛtamaṅgala received a benediction, 21 kṣṇaadāndhya night blindness, 38 kriyākā, 23 luffa koṣītakā, 35 lumps granthi, 22 lumpy granthita, 24 lust kōṣātaka, 41 lust kaṇadāndhya night blindness, 38 liquid head utpalabhedyaka, 23 luffa utpalabhedyaka, 23 luffa koṣītakī, 35 lumps granthit, 22 lumpy granthita, 24 lust kāma, 16 lūtā spiders, 14 lye kṣāraka, 41 utpalabhedyaka, 23 luffa koṣītakī, 35 lumps granthit, 22 lumpy granthita, 24 lust kāma, 16 lūtā spiders, 14 lye kṣāraka, 41 madana emetic nut, 34 madhūka	19		
the time for lead koṣītakī, 35 therapies, 18 sīsaka, 23 lumps loss of function, 45 bhaṅga, 44 lumpy Worms, 17 lekhana lust krodha Scarification, 16 kṛṣṇa scarification, 25 black part, 44 life, longevity long pepper, 36 kṛtamaṅgala liṅganāśa received a benediction, 21 kṣaṇadāndhya night blindness, 38 liquid khana lust kradha sīsaka, 23 lumps granthi, 22 lumpy granthita, 24 lust kōṣāraka, 41 lust kaṇadāna, 16 latā kāma, 16 litā kāma, 16 litā kṣāraka, 41 life, longevity lye kṣāraka, 41 liniment emetic nut, 34 madana honey, 37 madhūka	treatment, 18, 42	_	•
the time for therapies, 18 sīṣsaka, 23 lumps granthi, 22 lumpy granthita, 24 lust kṛmi patra, 17 granthita, 24 lust krodha anger, 16 lekhya lūtā kṛṣṇa scarification, 25 spiders, 14 long pepper, 36 received a benediction, 21 kṣaṇadāndhya night blindness, 38 ligam sīṣsaka, 23 lumps granthit, 22 lumpy granthita, 24 lust kāma, 16 lust kāma, 16 lūtā kāma, 16 lūtā kṣṣṇad scala, 44 madhūka	kriyākāla		
therapies, 18 kriyāsaṅga loss of function, 45 kṛmi patra, 17 Worms, 17 lekhana krodha scarification, 16 anger, 16 kṛṣṇa black part, 44 long pepper, 36 kṛtamaṅgala received a benediction, 21 kṣaṇadāndhya night blindness, 38 kriyāsaida leaves jeaves			
leaves granthi, 22 lumps leaves granthi, 22 lumpy kṛmi patra, 17 granthita, 24 lust krodha Scarification, 16 kāma, 16 lekhya lūtā kṛṣṇa scarification, 25 spiders, 14 long pepper, 36 āyur, 13 kṣāraka, 41 kṣaṇadāndhya ālepa, 36 madhu night blindness, 38 liquid honey, 37 kṣāraka cala, 44 madhūka	therapies, 18		
loss of function, 45 kṛmi patra, 17 Worms, 17 lekhana lust krodha Scarification, 16 anger, 16 lekhya lūtā kṛṣṇa scarification, 25 black part, 44 long pepper, 36 kṛtamaṅgala liṅganāśa received a benediction, 21 benediction, 21 kṣaṇadāndhya ālepa, 36 liquid honey, 37 kṣāraka cala, 44 limpy granthita, 24 lust kāma, 16 lūtā spiders, 14 lye kṣāraka, 41 linganāśa madana emetic nut, 34 madhūka	-	_	*
kṛmi patra, 17 granthita, 24 Worms, 17 lekhana lust krodha Scarification, 16 kāma, 16 anger, 16 lekhya lūtā kṛṣṇa scarification, 25 spiders, 14 long pepper, 36 āyur, 13 kṣāraka, 41 kṛtamaṅgala liṅganāśa received a cataract, 43 madana benediction, 21 liniment emetic nut, 34 kṣāṇadāndhya ālepa, 36 madhu night blindness, 38 liquid honey, 37 kṣāraka cala, 44 madhūka			,
Worms, 17 krodha Scarification, 16 anger, 16 kṛṣṇa Scarification, 25 black part, 44 long pepper, 36 kṛtamaṅgala received a benediction, 21 kṣaṇadāndhya night blindness, 38 kṛōama scarification, 25 spiders, 14 lye kṣāraka, 41 kṣāraka, 41 liniment emetic nut, 34 madhu honey, 37 kṣāraka cala, 44 madhūka		0 1	
krodha Scarification, 16 anger, 16 kṛṣṇa scarification, 25 black part, 44 life, longevity long pepper, 36 kṛṭamaṅgala received a benediction, 21 benediction, 21 kṣaṇadāndhya night blindness, 38 liquid kṣāraka scarification, 16 kāma, 16 litā kāma, 16 litā kāma, 16 liva kṣāraka liūta kṣāma, 16 liva kṣāraka, 41 live kṣāraka, 41 liniment emetic nut, 34 madhu honey, 37 kṣāraka cala, 44 madhūka	·	lokhana	
anger, 16 kṛṣṇa scarification, 25 black part, 44 life, longevity long pepper, 36 kṛṭamaṅgala liṅganāśa received a cataract, 43 benediction, 21 liniment emetic nut, 34 kṣaṇadāndhya ālepa, 36 night blindness, 38 liquid honey, 37 kṣāraka cala, 44 madhūka			
kṛṣṇa scarification, 25 spiders, 14 black part, 44 life, longevity lye long pepper, 36 āyur, 13 kṣāraka, 41 kṛtamaṅgala liṅganāśa received a cataract, 43 madana benediction, 21 liniment emetic nut, 34 kṣaṇadāndhya ālepa, 36 madhu night blindness, 38 liquid honey, 37 kṣāraka cala, 44 madhūka			
black part, 44 life, longevity lye lye kṣāraka, 41 kṛtamaṅgala liṅganāśa received a cataract, 43 madana benediction, 21 liniment emetic nut, 34 kṣaṇadāndhya ālepa, 36 madhu night blindness, 38 liquid honey, 37 kṣāraka cala, 44 madhūka			
long pepper, 36 kṛtamaṅgala liṅganāśa received a benediction, 21 kṣaṇadāndhya night blindness, 38 kṣāraka linganāśa madana emetic nut, 34 madhu night blindness, 38 liquid kṣāraka cala, 44 madhūka			
kṛtamaṅgala liṅganāśa received a cataract, 43 madana benediction, 21 liniment emetic nut, 34 kṣaṇadāndhya ālepa, 36 madhu night blindness, 38 liquid honey, 37 kṣāraka cala, 44 madhūka			
received a cataract, 43 madana benediction, 21 liniment emetic nut, 34 kṣaṇadāndhya ālepa, 36 madhu night blindness, 38 liquid honey, 37 kṣāraka cala, 44 madhūka			kṣāraka, 41
benediction, 21 liniment emetic nut, 34 kṣaṇadāndhya ālepa, 36 madhu night blindness, 38 liquid honey, 37 kṣāraka cala, 44 madhūka			madana
kṣaṇadāndhya ālepa, 36 madhu night blindness, 38 liquid honey, 37 kṣāraka cala, 44 madhūka			
night blindness, 38 liquid honey, 37 kṣāraka cala, 44 madhūka			
kṣāraka cala, 44 madhūka			
·			
lye, 41 liquid collyrium liquorice, 37	•		
	lye, 4 1	liquid collyrium	liquorice, 37

madhlukair liquorice, 46 madhus massage oil morsel moral morgana, 17, 18 mrdu gently, 46 muda muda muda muda muh üra muh three-quarters of an hour, 18 mukta mukta mukta mukta mukta mukta muktva muktva separate, 44 milla morsel morden morsel morden morden morden morden morden morsel morden morden morden morsel morden morden morden morden morsel morden morden morden muda muda muda muda muska muktva separate, 44 milla mousta muktva muktva separate, 44 milla mikeva roots, 17 multivoins vyāvojima, 23 mung beans munga, 45 mikeva moiter eversel muktva separate,	mahua, 40–42	black soot, 36	month
liquorice, 46 madhus honey, 33 madirā spirits, 38, 41 magadha long pepper, 42 magadhī long pepper, 38, 39, 41 mahārasa kitchen, 31 mahua madhūka, 40-42 malice malice malisarya, 16 manisarya malice malisarya, 16 manisarigama prolapse, 46 manislāla realgar, 38, 41, 42, 47 red arsenic, 37, 38 mānasa mental, 16 manadūka frogs, 17 mango āmra, 35, 37 mañjiṣṭhā Indian madder, 22, 46 manyāstambhā paralysis of the nape of the neck, 22 marica month, 18 massage ointment anulepana, 32 moving jangama, 17, 18 mydu mardita, 27 mudu mardita, 27 muduga mung beans, 43 muktā muktā peral vielecial advice acārāta, 25 medicines cooked in a crucible putapāka, 36 mental manasa, 16 mental, 16 mosods, 47 mesaisrāga metal nudua, 35 minutes kalā, 18 misshapen eyeball vilocana, 45 marica black pepper, 37 māsa month, 18 monitor lizard morse bali, 32 moving jangama, 17, 18 mudu mudga mung beans, 43 muktā muktā peral, 43 muktā peral, 43 muktvā separate, 44 mūkla muktā nuktā peral, 43 muktā peral, 43 muktā peral, 43 muktvā separate, 44 mūkla muktā peral, 43 muktā nuktvā separate, 44 mūkla root, 16 roots, 17 Multi-joins vijāvah, 36 mitigale voods, 39 mūrcchā stupor, 34 mūgina nutgrass, 47 myrobalan pathyā, 37 marigam nutgrass, 47 myrobalan pathyā, 37 mitigatible salt, 37 nadīja naliaa lindian lotus, 37 nasal medicines			
madhus honey, 33 madirā massaged spirits, 38, 41 māgadha long pepper, 42 māgadhī long pepper, 38, 39, 41 mahānasa kitchen, 31 mahlua malhūka, 40-42 malice mātisarya, 16 mātisarya, 16 māmisa prolapse, 46 manaḥṣilā realgar, 38, 41, 42, 47 red arsenic, 37, 38 mānasa mental, 16 mental, 16 mandūka muldūta manktvā manduktvā mandukta mandasa, 16 mandūka, 36 mandukta mandasa, 16 mandasa, 16 mandūka, 36 mandukta mandasa, 16 mandasa, 16 mandukta mandukta mandasa, 16 mandukta mandasa mundukta mandasa mundukta mandu			
madirā masaged massaged pargama, 17, 18 magadha long pepper, 42 malice, 16 mudga long pepper, 42 malice, 16 mudga long pepper, 83, 39, 41 mahānasa vijayed, 27 medical advice malitārarya, 16 medical advice malisarya, 16 medical advice malimsa crucible manāmsan prolapse, 46 manāmsan prolapse, 46 manāmsa mental, 16 mesasrīga perploca of the woods, 47 red arsenic, 37, 38 manasa mental, 16 mental, 16 mesavīsāna periploca of the woods, 47 mesavīsāna mental, 16 manāmsan frogs, 17 mango manījisṭhā mander, 22, 46 manalysisto the nape of the paralica month, 18 monitor lizard monitor lizard month, 18 malica, 12 malita, 27 malita massaged mandita, 27 medical advice ditron, 46 mudga munung beans, 43 muhitrā three-quarters of an hour, 18 muktrā muktrā pearl, 43 muktrā separate, 44 mūla root, 16 roots, 17 Multi-joins vyāņojima, 23 mung beans mudga, 43 mūrcchā stupor, 34 mūrcchā stupor, 34 mūsika rodents, 14 mustā nutgrass, 47 myrobalan pathyā, 37 māgara dried ginger, 38 nalada spikeard, 33, 42 nalāna lotus, 37 nasal medicines nasya, 36	-		
madirā spirits, 38, 41 mardita, 27 margadha spirits, 38, 41 mardita, 27 malgadha long pepper, 42 malice, 16 matulunga mung beans, 43 muhūra three-quarters of an hour, 18 muktā separate, 44 malice acārika, 25 medicines cooked in a crucible flesh, 19 manusanirgama prolapse, 46 manufislā mental forgs, 17 mango āmma, 35, 37 manjişthā mparatori prolapse dainya, 16 mitigalbe mape of the neck, 22 mardita massaged, 27 marica black pepper, 37 month, 18 monitor lizard massaged, 26 month, 18 massaged, 27 month of the mape of the pulap ka, 36 monitor lizard markina and three-quarters of an hour, 18 muktā muktā separate, 44 mikā separate, 44 mikā separate, 44 mikā roct, 16 roots, 17 Multi-joins vajāyojima, 23 mung beans vajayojima, 43 muktā separate, 44 mikā roct, 16 roots, 17 Multi-joins vajāyojima, 23 mung beans vajayojima, 24 muktā separate, 44 mikā roct, 16 roots, 17 Multi-joins vajāyojima, 23 mung beans vajayojima, 24 mikkā roct, 16 roots, 17 Multi-joins vajāyojima, 23 mung beans vajayojima, 24 mikkā roct, 16 roots, 17 Multi-joins vajāyojima, 23 mung beans vajayojima, 24 mikkā roct, 16 roots, 17 Multi-joins vajāyojima, 23 mung beans vajayojima, 24 mikkā roct, 16 roots, 17 mikkā root, 16 roots, 17 mikgatha, 36 mitigathe vajāyojima, 24 mikkā roct, 16 roots, 17 mikkā root, 16 roots, 17 mikkā root, 16 roots, 17 mikkā root, 16 roots, 17 mikgatha, 36 mitigatibe vajāyojima, 24 mikkā root, 16 roots, 17 mikkā root, 16 r			
spirits, 38, 41 māgadha long pepper, 42 māgadhī long pepper, 38, 39, 41 matured mātulunga matured mahānasa kitchen, 31 mahua madhūka, 40–42 malice mātsarya, 16 mātsarya, 16 mēticnes cooked in a crucible flesh, 19 mānysanirgama prolapse, 46 manhstīlā realgar, 38, 41, 42, 47 red arsenic, 37, 38 mānasa mental, 16 mannasa mental, 16 mannasa mandatāka mental, 16 mannasa metal musus mitigatibe mitigable manasa mitigatibe marica black pepper, 37 mannitasa month, 18 monitor lizard mitigatibe massaged, 27 marica month, 18 maritunga munung beans, 43 muhītra muktā mukta milay moot, 16 roots, 17 Multi-joins vijāyajima, 23 mung beans muktā muktā separate, 44 mūla mila milaga root, 16 roots, 17 Multi-joins vijāyajima, 23 mung beans muktā muktā separate, 44 mūla milata ntota, 45 milaga muktā muktā separate, 44 mūla milaga root, 16 roots, 17 Multi-joins vijāyajima, 23 mung beans muktā muktā muktā separate, 44 mūla milaga root, 16 roots, 17 Multi-joins vijāyajima, 23 mung beans muktā nota, 43 milata separate, 44 mūla milaga root, 16 roots, 17 malia milaga separate, 44 mūla mila milaga root, 16 roots, 17 milaga muktā muktā muktā mukta muktoā separate, 44 mūla mila notot, 16 roots, 17 milaga separate, 44 mūla mila notota, 43 milada nutgas separate, 44 mūla notota, 4	• • • •		
māgadha long pepper, 42 māgadhī long pepper, 38, 39, 41 mahānasa kitchen, 31 mahua madhūka, 40–42 malice mātsarya, 16 matured malicine malice mātsarya, 16 matured malicine malice mātsarya, 16 matured three-quarters of an hour, 18 muktā pearl, 43 muktvā separate, 44 mila root, 16 roots, 17 Multi-joins vyāyojima, 23 mung beans, mukta pearl, 43 muktvā separate, 44 mila mila root, 16 roots, 17 Multi-joins vyāyojima, 23 mung beans mukta pearl, 43 muktvā separate, 44 mila mila root, 16 roots, 17 Multi-joins vyāyojima, 23 mung beans, 43 muktvā separate, 44 mila mila root, 16 roots, 17 Multi-joins vyāyojima, 23 murgbeans mudga, 43 miturcd mila mingatila stupor, 34 mitistā nutgrass, 47 myrobalan pathyā, 37 marisa paralysis of the nape of the neck, 22 mardita massaged, 27 marica black pepper, 37 month, 18 matured three-quarters of an hour, 18 muktvā separate, 44 mila mila root, 16 roots, 17 Multi-joins vyāyojima, 23 murgbeans nuuktvā separate, 44 mila mitiga mung beans, 43 muktvā separate, 44 mila mila root, 16 roots, 17 Multi-joins vyāyojima, 23 miurcchā stupor, 34 miīstia nutgras, 47 miyrobalan pathyā, 37 nāgara dried ginger, 38 nalada spikenard, 33, 42 nalina Indian lotus, 37 nasal medicines nasal medicines			
long pepper, 42 magadhi long pepper, 38, 39, 41 mahānasa mitured malice matured malināka, 40–42 malice malice mātsarya, 16 maninsa prolapse, 46 mannahšilā realgar, 38, 41, 42, 47 red arsenic, 37, 38 mānasa mental, 16 mannadūka frogs, 17 mango mannago minutes mannago minutes mannago minutes mental mannago minutes minutes mannago minutes minu	-		·
māgadhī mātulunga mung beans, 43 long pepper, 38, 39, 41 matured three-quarters of an hour, 18 mahua vipakva, 37 maktā pearl, 43 mahūānasa vipakva, 27 mahua madhūka, 40–42 medical advice mātsarya, 16 mātsarya, 16 medicines cooked in a crucible flesh, 19 puṭapāka, 36 mānusa prolapse, 46 manahsilā meṣasringa perploca of the woods, 47 red arsenic, 37, 38 mesavisāṇa metal frogs, 17 mango manatuka frogs, 17 mango māma, 35, 37 manijiṣṭhā mesal ladia misshapen eyeball vilocana, 45 marida maraka paralysis of the nape of the neck, 22 mardīta massaged, 27 marica black pepper, 37 māsa month, 18 maratudinga mung beans, 43 muhūrta three-quarters of an hour, 18 muktā pearl, 43 muktā sumuktā pearl, 43 muktā separate, 44 muīla root, 16 roots, 17 multija pearl, 43 muktā separate, 44 muīla root, 16 roots, 17 multija pearl, 43 muktā separate, 44 muīla separate, 44 muīla muktā separate, 44 muīla root, 16 roots, 17 multija pearl, 43 muktā separate, 44 muīla muktā separate, 44 muīla root, 16 roots, 17 multija pearl, 43 muktā separate, 44 muīla muktā separate, 44 muīla root, 16 roots, 17 mutgas, 43 muīrcchā stupor, 34 mūrcchā stupor, 34 mūrcchā stupor, 34 mūrstā nutgrass, 47 myrobalan pathyā, 37 na aced if, then not, 43 nadīja salt, 37 nāgara dried ginger, 38 nalada spikenard, 33, 42 nalina lotus, 37 nasal medicines		· ·	
long pepper, 38, 39, 41 mahānasa vipakva, 37 mahua kitchen, 31 mahua madhūka, 40–42 malice māisarya, 16 māmsa flesh, 19 māmsanirgama prolapse, 46 manahšilā realgar, 38, 41, 42, 47 red arsenic, 37, 38 mānasa mental, 16 mandūka frogs, 17 mango māmasa irgashishā mental frogs, 17 mango māmajiṣṭhā manajiṣṭhā manajiṣṭhā manajiṣṭhā manajiṣṭhā manajiṣṭhā manajiṣṭhā manajiṣṭhā manajiṣṭhā manajiṣṭhā massaged, 27 marica black pepper, 37 māsa month, 18 matitra three-quarters of an hour, 18 muktā pearl, 43 muktvā separate, 44 mūla root, 16 roots, 17 Multi-joins vyāyojima, 23 mung beans muudga, 43 mūrcchā supyaka, 37 muigstha nutgrass, 47 mustā nutgrass, 47 myrobalan mistapa dainya, 16 if, then not, 43 nadīja salt, 37 naāgara dried ginger, 38 nalada spikenard, 33, 42 nalina Indian lotus, 37 nasal medicines nasya, 36			
## and matured wipakva, 37 ## medical advice separate, 44 ## multi-joins wipaka, 36 ## multi-joins wipaka, 37 ## multi-joins wipaka, 33 ## multi-joins wipaka, 34 ## multi-joins wipaka, 36 ## multi-joins	_	<u> </u>	
mahūnasa vipakva, 37 mahua yojayed, 27 mahua yojayed, 27 mahua yojayed, 27 mahūnaka, 40–42 malice ācārika, 25 malice ācārika, 25 malisarya, 16 mamisanirgama crucible roots, 17 māmisanirgama mental prolapse, 46 manahšilā messaringa mung beans mungka, 36 manahšilā messaringa mung beans mungka, 47 red arsenic, 37, 38 mānasa periploca of the woods, 47 red arsenic, 37, 38 manadūka mental, 16 mandūka mental, 16 manajishā misery mango āmira, 35, 37 manījishā misery na ced Indian madder, 22, dainya, 16 manyāstambhā vilocana, 45 mape of the neck, 22 mardīta mitigatibe massaged, 27 marica month, 18 may repair muktā mektā separale, 44 mūktā separale, 44 mūlla root, 16 roots, 17 Multi-joins vyāyojima, 23 mung beans mung beans munga, 43 mūrcchā stupor, 34 mūrcchā stupor, 34 mūsika rodents, 14 mustā nutgrass, 47 myrobalan pathyā, 37 marājia salt, 37 māgara dried ginger, 38 nalada spikenard, 33, 42 nalina Indian lotus, 37 nasal medicines month, 18			
kitchen, 31 may repair yojayed, 27 muktā pearl, 43 muktā madhūka, 40–42 medical advice scarīka, 25 separate, 44 mūla root, 16 roots, 17 mūla roots, 17 mūla root, 16 roots, 17 mūlut-joins yūjayojima, 23 mung beans mung beans munga, 43 murchā supor, 34 mūnsari gama periploca of the woods, 47 red arsenic, 37, 38 mesavisāņa mental, 16 woods, 49 mental, 16 mesavisāņa periploca of the mental, 16 mosods, 39 minutes frogs, 17 kupyaka, 37 marijishā misery mango amra, 35, 37 kalā, 18 misery mango findian madder, 22, 46 manyāstambhā vilocana, 45 mape of the neck, 22 mardita massaged, 27 marica black pepper, 37 missa month, 18 mositori lizard masya, 36 massya, 36 monitor lizard masya, 36 masya, 36 monitor lizard masya, 36 masya, 36 masya, 36 masya, 36	•		
mahua ma		•	
madhūka, 40–42 malice mātsarya, 16 matisarya, 16 medical advice mātsarya, 16 medical advice mātsarya, 16 medical advice mātsarya, 16 medical advice separate, 44 mūla root, 16 roots, 17 Multi-joins vyāyojima, 23 mung beans mudga, 43 mindsa realgar, 38, 41, 42, perploca of the woods, 47 red arsenic, 37, 38 mānasa mental, 16 maṇḍūka metal frogs, 17 mango minutes manna, 35, 37 mañjiṣṭhā misery Indian madder, 22, dainya, 16 manyāstambhā paralysis of the nape of the neck, 22 mardita massaged, 27 marica black pepper, 37 māsa month, 18 medical advice separate, 44 mūla root, 16 roots, 17 Multi-joins vyāyojima, 23 mung beans mudga, 43 mizgeans mugga, 43 mizgeans muggasas murg cans muggasas murg cans muggasas murg beans mudga, 43 mizgeans muggasas murg beans mudga, 43 mizgeans muggasas murg beans mudga, 43 mitgata mustā mustā nutgrass, 47 myrobalan pathyā, 37 mar ced if, then not, 43 madūja salt, 37 nāgara dried ginger, 38 malada spikenard, 33, 42 malina ladian lotus, 37 nasal medicines nasya, 36	-	7 -	
malice acarika, 25 separate, 44 mila separate, 44 mila root, 16 roots, 17 mila roots, 18 mila roots, 18 mila roots, 18 mila roots, 19 mila roots, 14 mila roots, 15 mila roots, 15 mila roots, 16 mila roots, 16 mila roots, 17 mila roots, 16 mila roots, 16 mila roots, 16 mila roots, 16 mila roots, 17 mila roots, 16 mila roots, 17 mila roots, 16 mila roots, 17 mila roots, 18 mila roots, 19 mila ro			
mātsarya, 16 māmsa recucible flesh, 19 māmsanirgama prolapse, 46 mesasinga realgar, 38, 41, 42, red arsenic, 37, 38 mandāka mental, 16 mandāka frogs, 17 mango manago minutes monitor lizard mailia mooth, 18 mallina root, 16 roots, 17 Multi-joins vyāyojima, 23 mung beans mudga, 43 müxchā mutgsia mutgsia mungbeans mudga, 43 müxchā mutgsia mutgsia mutgas, 47 myrobalan mutgrass, 47 myrobalan matea nutgrass, 47 myrobalan pathyā, 37 maced if, then not, 43 nadāja nadāja nadāja nadāja nalāda spikenard, 33, 42 nalina nalina lindain lotus, 37 nasal medicines masya, 36			
māṇisa crucible flesh, 19 puṭapāka, 36 mental vyāyojima, 23 mung beans mungda, 43 murchā voods, 47 red arsenic, 37, 38 mesaviṣāṇa mental mungda, 43 murchā stupor, 34 mustā nutgrass, 47 mango minutes frogs, 17 kapyaka, 37 mangiṣṭhā misery na ced manyāstambhā vilocana, 45 paralysis of the nape of the neck, 22 mardita massa massa massa massa massa massa massa massa munga, 43 murchā rodents, 14 mustā nutgrass, 47 misery na ced if, then not, 43 naātīja salt, 37 māgara dried ginger, 38 mardita mitigatible nape of the neck, 22 mardita mitigatible nalada spikenard, 33, 42 mañsa month, 18 monitor lizard nassa masya, 36		•	
flesh, 19 māṃsanirgama prolapse, 46 manaḥṣilā realgar, 38, 41, 42, red arsenic, 37, 38 manaḍūka frogs, 17 mango amra, 35, 37 manijṣṭhā Indian madder, 22, the manyāstambhā paralysis of the nape of the neck, 22 marica black pepper, 37 māṣsa masa mental flesh, 19 puṭapāka, 36 mental maṇānasa, 16 meṣaṣṛṅga perploca of the woods, 47 meṣaviṣāṇa meṣaviṣāṇa meṣaviṣāṇa meṣaviṣāṇa perploca of the woods, 39 minutes perploca of the woods, 39 minutes metal mustā nutgrass, 47 mustā nutgrass, 47 myrobalan pathyā, 37 ma ced if, then not, 43 nadīja salt, 37 nagara dried ginger, 38 nalada spikenard, 33, 42 nalina ladial blus, 37 nasal medicines month, 18 monitor lizard mental mustā nutgrass, 47 mitsiab rodents, 14 mustā nutgrass, 47 mitsiab nutgras nutgrass, 47 mitsiab nutgrass, 47 mitsia nutgrass, 47 mitsiab nu	· ·		
māmsanirgama mental manalsilā mesasiriga mental prolapse, 46 manalsilā mesasiriga mung beans mung beans munga, 43 mūrcchā stupor, 34 mūrcchā stupor, 34 mūsika rodents, 14 mustā nutgrass, 47 mango minutes kalā, 18 misery mangistambhā misshapen eyeball manyāstambhā paralysis of the nape of the neck, 22 mardita massaged, 27 marica black pepper, 37 māsis month, 18 mental mismasa mental, 18 mismasa mental manasa periploca of the woods, 39 minutes woods, 39 minutes mango minutes mustā nutgrass, 47 myrobalan pathyā, 37 marica mlāyin salt, 37 masal medicines massaged, 27 māsis month, 18 monitor lizard Multi-joins vyāyojima, 23 mung beans mung beans mung beans mung supakuyā, 23 mung beans mung beans mung beans mung supakuyā, 23 mung beans mundga, 43 münga, 23 mung beans mundga, 43 müngaha, 43 mung beans mundga, 43 müngaha, 23 mung beans mundga, 43 müng beans mundga, 43 müngaha, 43 müngaha, 43 müngaha, 43 mingaha, 43 nasal medicines masya, 36	· ·		
prolapse, 46 manalysilā realgar, 38, 41, 42, 47 red arsenic, 37, 38 mānasa meṣasiṣṇa meṣasiṣṇa meṣaviṣāṇa meṣaviṣāṇa meṣaviṣāṇa meṣaviṣāṇa mung beans mudga, 43 mūrcchā stupor, 34 mūṣisika rodents, 14 mustā nutgrass, 47 myrobalan nutgrass, 47 myrobalan pathyā, 37 mañjiṣṭhā Indian madder, 22, 46 manyāstambhā paralysis of the nape of the neck, 22 mardita massaged, 27 marica polack pepper, 37 mānasa polack pepper, 37 polack pepper, 37 monitor lizard minasa, 16 meṣasiṣṇa meṣaviṣāṇa mung beans mudga, 43 muscchā stupor, 34 miṣsika rodents, 14 mustā nutgrass, 47 myrobalan pathyā, 37 marica jif, then not, 43 nadīja salt, 37 nāgara dried ginger, 38 nalada spikenard, 33, 42 malina lodicines nasya, 36			•
manaḥṣilā meṣaṣṛṇṇa mung beans realgar, 38, 41, 42, perploca of the woods, 47 stupor, 34 mānasa periploca of the mandūka metal mustā frogs, 17 kupyaka, 37 mango minutes āmra, 35, 37 mañjiṣṭhā misery na ced Indian madder, 22, dainya, 16 manyāstambhā vilocana, 45 salt, 37 paralysis of the nape of the neck, 22 yāpya, 43 marica month, 18 mesaviṣāṇa mung beans mudga, 43 mūrcchā stupor, 34 mūṣika rodents, 14 mustā nutgrass, 47 myrobalan pathyā, 37 marotal if, then not, 43 nadūja nadāja nadāja nadāja nadāja salt, 37 nāgara dried ginger, 38 malada spikenard, 33, 42 malina lotus, 37 nasal medicines month, 18 monitor lizard masya, 36 masya, 36 masya, 36 masya, 36			
realgar, 38, 41, 42, 47 red arsenic, 37, 38 mānasa periploca of the woods, 47 red arsenic, 37, 38 meṣaviṣāṇa mental, 16 manḍūka frogs, 17 mango āmra, 35, 37 mañjiṣṭhā Indian madder, 22, 46 manyāstambhā paralysis of the nape of the neck, 22 mardita massaged, 27 marica black pepper, 37 māsa red arsenic, 37, 38 meṣaviṣāṇa meeṣaviṣāṇa meeṣaviṣāṇa periploca of the woods, 47 meṣaviṣāṇa meeṣaviṣāṇa stupor, 34 mūṣiṣka rodents, 14 mustā nutgrass, 47 myrobalan pathyā, 37 myrobalan nutgrass, 47 myrobalan nutgrass, 47 myrobalan natigals na ced if, then not, 43 nadīja salt, 37 nagara dried ginger, 38 malada spikenard, 33, 42 malina black pepper, 37 blue dot cataract, māsa month, 18 monitor lizard nasa massaged, 26 marajan nasa medicines masya, 36			
red arsenic, 37, 38 mānasa meṣaviṣāṇa mental, 16 mental, 16 metal frogs, 17 mango minutes minutes minutes minutes minutes minitigable nape of the neck, 22 mardita massaged, 27 marica month, 18 meṣaviṣāṇa meṣaviṣāṇa meṣaviṣāṇa meṣavods, 39 meṣaviṣāṇa metal nutgrass, 47 mustā nutgrass, 47 myrobalan nated if, then not, 43 salt, 37 naāgara dried ginger, 38 nalada spikenard, 33, 42 nalina lotus, 37 nasal medicines month, 18 monitor lizard nasya, 36	•		
red arsenic, 37, 38 mānasa mental, 16 mental, 16 maṇḍūka frogs, 17 mango amra, 35, 37 mañjiṣṭhā Indian madder, 22, Indian madder, 22, paralysis of the nape of the neck, 22 mardita massaged, 27 marica modents, 14 mustā nutgrass, 47 myrobalan pathyā, 37 ma ced if, then not, 43 nadīja nalada spikenard, 33, 42 malina black pepper, 37 blue dot cataract, māsa month, 18 monitor lizard stupor, 34 mūṣika rodents, 14 mustā nutgrass, 47 myrobalan pathyā, 37 mared na ced if, then not, 43 nadīja nadīja nadīja dried ginger, 38 nalada spikenard, 33, 42 nalina Indian lotus, 37 nasal medicines nasya, 36	_		
mānasa periploca of the mental, 16 woods, 39 metal rodents, 14 mustā nutgrass, 47 myrobalan pathyā, 37 mango minutes afinanyāṣṭhā misery na ced if, then not, 43 manyāṣṭambhā vilocana, 45 salt, 37 paralysis of the nape of the neck, 22 yāpya, 43 marica massaged, 27 masal medicines month, 18 metal mustā nutgrass, 47 myrobalan pathyā, 37 masal medicines nasya, 36 manyāṣṭambhā vilocana, 45 salt, 37 masal medicines nasya, 36 mandīṇa spikenard, 33, 42 marica mlāyin nasal medicines nasya, 36 masya, 36 manyāṣṭambh, 18 monitor lizard masya, 36 nasal medicines nasya, 36			
mental, 16 woods, 39 metal rodents, 14 mustā nutgrass, 47 myrobalan pathyā, 37 mango minutes pathyā, 37 mañjiṣṭhā misery na ced if, then not, 43 manyāstambhā vilocana, 45 salt, 37 mardita massaged, 27 yāpya, 36 mitigatible marica black pepper, 37 monto lizard rodents, 14 mustā nutgrass, 47 myrobalan pathyā, 37 misery na ced if, then not, 43 misshapen eyeball nadīja salt, 37 magara dried ginger, 38 malada spikenard, 33, 42 malina black pepper, 37 blue dot cataract, Indian lotus, 37 masal medicines month, 18 monitor lizard nasya, 36			
mandūka metal nutgrass, 47 mango minutes mosery maced Indian madder, 22, dainya, 16 if, then not, 43 46 misshapen eyeball nadīja salt, 37 paralysis of the nape of the neck, 22 yāpya, 43 mitigatible massaged, 27 yāpya, 36 mitigatible marica month, 18 metal nutgrass, 47 metal nutgrass, 47 myrobalan pathyā, 37 ma ced if, then not, 43 if, then not, 43 misshapen eyeball nadīja salt, 37 madīja salt, 37 miagara dried ginger, 38 mitigatible nalada spikenard, 33, 42 marica mlāyin nalina black pepper, 37 blue dot cataract, Indian lotus, 37 masa nasal medicines month, 18 monitor lizard nasya, 36		1 1	·
manana kupyaka, 37 mutgrass, 47 myrobalan mango minutes pathyā, 37 mañsa kupyaka, 37 myrobalan pathyā, 37 marida mango, kalā, 18 misery na ced Indian madder, 22, dainya, 16 if, then not, 43 misshapen eyeball nadīja salt, 37 māsa paralysis of the mitigable nape of the neck, 22 yāpya, 43 dried ginger, 38 mitigatible nalada spikenard, 33, 42 marica mitigatible nalada spikenard, 33, 42 marica black pepper, 37 blue dot cataract, massal medicines month, 18 monitor lizard nasya, 36			-
mango minutes pathyā, 37 mañjiṣṭhā misery na ced Indian madder, 22, dainya, 16 if, then not, 43 46 misshapen eyeball nadīja manyāstambhā vilocana, 45 salt, 37 paralysis of the nape of the neck, 22 yāpya, 43 dried ginger, 38 mardita mitigatible nalada massaged, 27 yāpya, 36 spikenard, 33, 42 marica mlāyin nalina black pepper, 37 blue dot cataract, māsa 43 nasal medicines month, 18 monitor lizard nasya, 36			
mango			
mañjiṣṭhā misery na ced Indian madder, 22, dainya, 16 if, then not, 43 46 misshapen eyeball nadīja manyāstambhā vilocana, 45 salt, 37 paralysis of the mitigable nāgara nape of the neck, 22 yāpya, 43 dried ginger, 38 mardita mitigatible nalada massaged, 27 yāpya, 36 spikenard, 33, 42 marica mlāyin nalina black pepper, 37 blue dot cataract, Indian lotus, 37 māsa 43 nasal medicines month, 18 monitor lizard nasya, 36			•
Indian madder, 22, dainya, 16 if, then not, 43 46 misshapen eyeball nadīja manyāstambhā vilocana, 45 salt, 37 paralysis of the mitigable nāgara nape of the neck, 22 yāpya, 43 dried ginger, 38 mardita mitigatible nalada massaged, 27 yāpya, 36 spikenard, 33, 42 marica mlāyin nalina black pepper, 37 blue dot cataract, Indian lotus, 37 māsa 43 nasal medicines month, 18 monitor lizard nasya, 36			. ,
manyāstambhā vilocana, 45 salt, 37 paralysis of the mitigable nagara nape of the neck, 22 yāpya, 43 dried ginger, 38 mardita mitigatible nalada massaged, 27 yāpya, 36 spikenard, 33, 42 marica mlāyin nalina black pepper, 37 blue dot cataract, Indian lotus, 37 māsa 43 nasal medicines month, 18 monitor lizard nasya, 36			
manyāstambhā vilocana, 45 salt, 37 paralysis of the mitigable nāgara nape of the neck, 22 yāpya, 43 dried ginger, 38 mardita mitigatible nalada massaged, 27 yāpya, 36 spikenard, 33, 42 marica mlāyin nalina black pepper, 37 blue dot cataract, Indian lotus, 37 māsa 43 nasal medicines month, 18 monitor lizard nasya, 36		· ·	
paralysis of the mitigable nāgara dried ginger, 38 mardita massaged, 27 yāpya, 36 spikenard, 33, 42 marica mlāyin nalina black pepper, 37 blue dot cataract, Indian lotus, 37 māsa 43 nasal medicines month, 18 monitor lizard nasya, 36			
nape of the neck, 22 yāpya, 43 dried ginger, 38 mardita mitigatible nalada massaged, 27 yāpya, 36 spikenard, 33, 42 marica mlāyin nalina black pepper, 37 blue dot cataract, Indian lotus, 37 māsa 43 nasal medicines month, 18 monitor lizard nasya, 36			salt, 37
mardita mitigatible nalada massaged, 27 yāpya, 36 spikenard, 33, 42 marica mlāyin nalina black pepper, 37 blue dot cataract, Indian lotus, 37 māsa 43 nasal medicines month, 18 monitor lizard nasya, 36			
massaged, 27 yāpya, 36 spikenard, 33, 42 marica mlāyin nalina black pepper, 37 blue dot cataract, Indian lotus, 37 māsa 43 nasal medicines month, 18 monitor lizard nasya, 36			
marica mlāyin nalina black pepper, 37 blue dot cataract, Indian lotus, 37 māsa 43 nasal medicines month, 18 monitor lizard nasya, 36		_	
black pepper, 37 blue dot cataract, Indian lotus, 37 māsa 43 nasal medicines month, 18 monitor lizard nasya, 36		* · · ·	
māsa 43 nasal medicines month, 18 monitor lizard nasya, 36		· ·	
month, 18 monitor lizard nasya, 36		blue dot cataract,	
maṣī godhā, 39 nasya			nasya, <mark>36</mark>
	maṣī	godhā, 39	nasya

bṛṇhaṇa, 16 tgrass mustā, 47 structed by blood raktabaddha, 26 are gairika, 36, 37 his hand sapāṇa, 40 sneha, 17 tment pralepa, 34 tment for rubbing the ear udvartana, 27 s energy, 29 vital energy, 16 tions vikalpa, 24 not distorted vāvikṛtā, 35 dhi herbs, 17 remedies, 18	intestines, 35 palāśa flame of the forest, 41 pallava shoots, 44 pañcāṅgulataila castor oil, 39 panic grass dūrvā, 46 paralysis of the nape of the neck manyāstambhā, 22 paribhāṣā general rule, 42 pārthiva earthen products, 17, 18 partial blindness timira, 39 particulars vikalpa, 18 parts aṅga, 18
mustā, 47 structed by blood raktabaddha, 26 nre gairika, 36, 37 his hand sapāṇa, 40 sneha, 17 tment pralepa, 34 tment for rubbing the ear udvartana, 27 s energy, 29 vital energy, 16 cions vikalpa, 24 not distorted vāvikṛtā, 35 dhi herbs, 17	palāśa flame of the forest, 41 pallava shoots, 44 pañcāṅgulataila castor oil, 39 panic grass dūrvā, 46 paralysis of the nape of the neck manyāstambhā, 22 paribhāṣā general rule, 42 pārthiva earthen products, 17, 18 partial blindness timira, 39 particulars vikalpa, 18 parts aṅga, 18
structed by blood raktabaddha, 26 hre gairika, 36, 37 his hand sapāṇa, 40 sneha, 17 tment pralepa, 34 tment for rubbing the ear udvartana, 27 s energy, 29 vital energy, 16 hions vikalpa, 24 hot distorted vāvikṛtā, 35 dhi herbs, 17	flame of the forest, 41 pallava shoots, 44 pañcāṅgulataila castor oil, 39 panic grass dūrvā, 46 paralysis of the nape of the neck manyāstambhā, 22 paribhāṣā general rule, 42 pārthiva earthen products, 17, 18 partial blindness timira, 39 particulars vikalpa, 18 parts aṅga, 18
raktabaddha, 26 nre gairika, 36, 37 his hand sapāṇa, 40 sneha, 17 tment pralepa, 34 tment for rubbing the ear udvartana, 27 s energy, 29 vital energy, 16 cions vikalpa, 24 not distorted vāvikṛtā, 35 dhi herbs, 17	41 pallava shoots, 44 pañcāngulataila castor oil, 39 panic grass dūrvā, 46 paralysis of the nape of the neck manyāstambhā, 22 paribhāṣā general rule, 42 pārthiva earthen products, 17, 18 partial blindness timira, 39 particulars vikalpa, 18 parts aṅga, 18
sneha, 17 tment pralepa, 34 tment for rubbing the ear udvartana, 27 senergy, 29 vital energy, 16 cions vikalpa, 24 not distorted vāvikṛtā, 35 dhi herbs, 17	pallava shoots, 44 pañcāṅgulataila castor oil, 39 panic grass dūrvā, 46 paralysis of the nape of the neck manyāstambhā, 22 paribhāṣā general rule, 42 pārthiva earthen products, 17, 18 partial blindness timira, 39 particulars vikalpa, 18 parts aṅga, 18
gairika, 36, 37 his hand sapāṇa, 40 sneha, 17 tment pralepa, 34 tment for rubbing the ear udvartana, 27 s energy, 29 vital energy, 16 tions vikalpa, 24 not distorted vāvikṛtā, 35 dhi herbs, 17	pañcāṅgulataila castor oil, 39 panic grass dūrvā, 46 paralysis of the nape of the neck manyāstambhā, 22 paribhāṣā general rule, 42 pārthiva earthen products, 17, 18 partial blindness timira, 39 particulars vikalpa, 18 parts aṅga, 18
his hand sapāṇa, 40 sneha, 17 tment pralepa, 34 tment for rubbing the ear udvartana, 27 s energy, 29 vital energy, 16 tions vikalpa, 24 not distorted vāvikṛtā, 35 dhi herbs, 17	castor oil, 39 panic grass dūrvā, 46 paralysis of the nape of the neck manyāstambhā, 22 paribhāṣā general rule, 42 pārthiva earthen products, 17, 18 partial blindness timira, 39 particulars vikalpa, 18 parts aṅga, 18
sapāṇa, 40 sneha, 17 tment pralepa, 34 tment for rubbing the ear udvartana, 27 s energy, 29 vital energy, 16 tions vikalpa, 24 not distorted vāvikṛtā, 35 dhi herbs, 17	panic grass dūrvā, 46 paralysis of the nape of the neck manyāstambhā, 22 paribhāṣā general rule, 42 pārthiva earthen products, 17, 18 partial blindness timira, 39 particulars vikalpa, 18 parts aṅga, 18
sneha, 17 tment pralepa, 34 tment for rubbing the ear udvartana, 27 s energy, 29 vital energy, 16 cions vikalpa, 24 not distorted vāvikṛtā, 35 dhi herbs, 17	dūrvā, 46 paralysis of the nape of the neck manyāstambhā, 22 paribhāṣā general rule, 42 pārthiva earthen products, 17, 18 partial blindness timira, 39 particulars vikalpa, 18 parts aṅga, 18
tment pralepa, 34 tment for rubbing the ear udvartana, 27 energy, 29 vital energy, 16 cions vikalpa, 24 not distorted vāvikṛtā, 35 dhi herbs, 17	paralysis of the nape of the neck manyāstambhā, 22 paribhāṣā general rule, 42 pārthiva earthen products, 17, 18 partial blindness timira, 39 particulars vikalpa, 18 parts aṅga, 18
tment pralepa, 34 tment for rubbing the ear udvartana, 27 energy, 29 vital energy, 16 cions vikalpa, 24 not distorted vāvikṛtā, 35 dhi herbs, 17	the neck manyāstambhā, 22 paribhāṣā general rule, 42 pārthiva earthen products, 17, 18 partial blindness timira, 39 particulars vikalpa, 18 parts aṅga, 18
pralepa, 34 thment for rubbing the ear udvartana, 27 s energy, 29 vital energy, 16 tions vikalpa, 24 not distorted vāvikṛtā, 35 dhi herbs, 17	manyāstambhā, 22 paribhāṣā general rule, 42 pārthiva earthen products, 17, 18 partial blindness timira, 39 particulars vikalpa, 18 parts aṅga, 18
the ear udvartana, 27 energy, 29 vital energy, 16 tions vikalpa, 24 not distorted vāvikṛtā, 35 dhi herbs, 17	paribhāṣā general rule, 42 pārthiva earthen products, 17, 18 partial blindness timira, 39 particulars vikalpa, 18 parts aṅga, 18
the ear udvartana, 27 energy, 29 vital energy, 16 tions vikalpa, 24 not distorted vāvikṛtā, 35 dhi herbs, 17	general rule, 42 pārthiva earthen products, 17, 18 partial blindness timira, 39 particulars vikalpa, 18 parts aṅga, 18
energy, 29 vital energy, 16 cions vikalpa, 24 not distorted vāvikṛtā, 35 dhi herbs, 17	pārthiva earthen products, 17, 18 partial blindness timira, 39 particulars vikalpa, 18 parts aṅga, 18
energy, 29 vital energy, 16 cions vikalpa, 24 not distorted vāvikṛtā, 35 dhi herbs, 17	earthen products, 17, 18 partial blindness timira, 39 particulars vikalpa, 18 parts aṅga, 18
energy, 29 vital energy, 16 cions vikalpa, 24 not distorted vāvikṛtā, 35 dhi herbs, 17	17, 18 partial blindness timira, 39 particulars vikalpa, 18 parts aṅga, 18
vital energy, 16 cions vikalpa, 24 not distorted vāvikṛtā, 35 dhi herbs, 17	partial blindness timira, 39 particulars vikalpa, 18 parts aṅga, 18
vikalpa, 24 not distorted vāvikṛtā, 35 dhi herbs, 17	timira, 39 particulars vikalpa, 18 parts aṅga, 18
vikalpa, 24 not distorted vāvikṛtā, 35 dhi herbs, 17	particulars vikalpa, 18 parts aṅga, 18
not distorted vāvikṛtā, 35 dhi herbs, 17	vikalpa, 18 parts aṅga, 18
vāvikṛtā, 35 dhi herbs, 17	parts aṅga, 18
dhi herbs, 17	aṅga, 18
herbs, 17	
•	,
	paśu
dhī-	animals, 17
	paṭala
	layer, 43
•	pāthā
	velvet leaf, 42
	pathyā
•••••	myrobalan, 37
cification	patra
saṃśamana, <mark>16</mark>	cassia cinnamon,
upaśama, 18	46
lmaka	leaves, 17
Himalayan cherry,	pavanodbhava
47	caused by wind, 39
n and injury	payasyā
vedanābhighāta, <mark>13</mark>	Holostemma, 46
ra	pearl
septic, 26	muktā, 43
șa	pebble
fortnight, 18	aṣṭhīlā, 34
	saṃśamana, 16 upaśama, 18 lmaka Himalayan cherry, 47 n and injury vedanābhighāta, 13 a septic, 26 ṣa

pelt	steeped, 40	māṃsanirgama, 46
carman, 17	prakopa ¯	prota
periploca of the woods	irritation, 18	gauze, 25
meṣaviṣāṇa, 39	prakṛti	pṛṣata
perploca of the woods	temperament, 16	chital deer, 33
meṣaśṛṅga, 47	pralepa ¹	pṛthakparṇī
phala	ointment, 34	Hare Foot Uraria,
fruits, 17	pratīkāra	47
phena	alleviation, 18	puffed up
cuttlefish bone, 47	remedy, 36	sopha, 26
physical	pratisandhā-	pupil
śārīravad, 18	put it back	dṛṣṭi, 36, 44, 45
picu	together, 28	purification
cotton, 25	pratisāraņa	saṃśodhana, 16
pīḍ-	dressing, 35	purusa
pressed, 44	pratiședha	human being, 16,
piercing	counteraction, 36	18
vyadha, 44	prativāpa	риѕра
vyadhana, 25	admixture, 26	flowers, 17
piercing the ear	pratuda	put it back together
karnavyadha, 21	scavenging, 26	pratisandhā-, 28
pigs' eye	pravardhanaka	puṭāhvaya
sūkarākṣitā, 46	dilator, 23	taken hot, 41
pill	prayojanavat	puṭākhya
guḍikā, 37	practical purposes,	enclosed roasting,
pinched	18	40
gāḍha, 26	prepared	puṭapāka
pipīlika	nișevita, 40	enclosed roasting,
ants, 17	prepared with tilvaka	42
pippali	tailvaka, 36	medicines cooked
long pepper, 37	prepared with turpeth	in a crucible, 36
pīṭha	traivṛta, 36	=== == ================================
dais, 24	pressed	racket-tailed drongo
pitta	pīḍ-, 44	bhṛṅgarāja, 33
bile, 39	prickly chaff flower	rāgin timira
plīhan	apāmarga, 23	bloodshot
spleen, 39	priyamgu	blindness, 41
powdered earthenware	beautyberry, 37	rāgiņi timire
crockery	priyangu	bloodshot
kapālacūrņa, 25	beauty berry, 41	blindness, 43
prabha	probe	rainy seasons
shine, 43	śalākā, 44	varṣā, 17
practical purposes	procedures	rajana
prayojanavat, 18	kriyā, 15, 16, 19	turmerics, 38
pragāḍha	prolapse	raktabaddha
pinguim	prompac	inninonnnim

abatuu eta dibaa		1:1(11-:)
obstructed by	niryāsa, 17	salilotthita
blood, 26	restrictions	conch, 42
rasa	yantraṇā, 45	water-born, 42
extracts, 41	rigid	saliva
flavours, 16, 29	sthirā, 45	śleṣman, 34
juices, 40	rim of a wheel	salt
the blood of birds	cakradhārā, 24	nadīja, 37
and animals, 37	Rim-join	samāñjana
rasakriyā	nemīsandhānakaḥ,	same collyrium, 41
inspissation, 42	23	same collyrium
rasāñjana	rim-join	samāñjana, 41
elixir salve, 37, 41,	nemīsandhānaka, 24	saṃkṣipta
42	rodents	Compressed, 23
Elixir-salve, 37	mūṣika, 14	compressed, 24
rauhita	rohīta	samplava
extract of rohu	Rohīta tree, 41	clusters, 17
carp, <u>37</u>	Rohīta tree	saṃrambha
Ready-Split	rohīta, 41	inflamed, 26
nirvedhima, 23	root	saṃśamana
realgar	mūla, 16	pacification, 16
manaḥśilā, 38, 41,	roots	saṃśodhana
42, 47	mūla, 17	purification, 16
received a benediction	rough	samudraphena
kṛtamaṅgala, 21	khara, 45	cuttlefish bone, 38
red arsenic	royal jasmine	saṃvatsara
manaḥśilā, 37, 38	jātī, 47	year, 18
Red chalk	ŗtu	samyak
gairikaļı, 46	season, 18	simultaneous, 44
red gourd	rudhira	sañcaya
bimbī, 34	blood, 17	accumulation, 18
red velvet mites	ruj	sandal
indragopa, 17	illness, 38	sugandhi, 39
reduced	sādhubaddha	sandhāna
hīna, 2 8	well joined, 28	joins, 23
Reduced-ear	sādhya	sandhi
hīnakarṇa, 23	curable, 36	joins, 24
regimen	saindhava	joints, 19
ācāra, 16	Sind salt, 36, 38	sannipāta
karma, 45	Sindh salt, 41	congested
remedies	Sal tree	humours, 19
osadhi, 18	śālā, 37	sap
oṣadhī-, 16	śālā	kṣīra, 17
remedy	Sal tree, 37	sapāṇa
pratīkāra, 36	śalākā	off his hand, 40
resin	probe, 44	sāra
TC5III	p1000, 44	оти
	69	

essence, 17	shine	kunta, 17
śārīravad	prabha, 43	snāyu
physical, 18	shooting pain	sinews, 19
sarīsṛpa	śūla, 45	sneha
creepy-crawlies, 14,	shoots	oil, 17
17	pallava, 44	sniffing
sāriva	udbhid, 17	ucchiṅgana, 44
Indian sarsaparilla,	shrubs	snuff
38, 46	vīrudh, 17	nasya, 32
sarpis	siddhārthaka	solid
ghee, 26, 36	white mustard, 46	styāna, 44
śastrakṣata	śigru	soma creeper
cutting with a	horseradish tree, 42	somalatā, 34
blade, 36	simultaneous	somalatā
śātakumbhī	samyak, 44	soma creeper, 34
gold, 46	Sind salt	śonita
śatāvarī	saindhava, 36, 38	blood, 39
wild asparagus, 43	Sindh salt	śonita-pitta, rakta-pitta
sauvīraka	saindhava, 41	Blood-bile, 39
stibnite, 37	sinews	śonitena
Scarification	snāyu, 19	with blood, 45
lekhana, 16	sirā	śopha
scarification	duct, 22	puffed up, 26
lekhya, 25	ducts, 19, 24	spiders
scavenging	sirāvedha	lūtā, 14
pratuda, 26	blood-letting, 36	spikenard
scramberry	siris	nalada, 33, 42
tālīśa, 37	śirīṣa, 37, 47	spiral
tālīśapatra, 38	śirīṣa	āvarta, 43
season	siris, 37, 47	spirits
ṛtu, 18	sīsaka	madirā, 38, 41
sections	lead, 23	spleen
adhyāya, 19	sitā	plīhan, 39
seed-eating	elixir-salve, 37	splitting
vișkira, <mark>26</mark>	white sugar, 47	bhedya, 25
seeing smoke	skin	sraj
dhūmadarśin, 36	tvak, 17, 18	garlands, 32
seka	śleșman	srāva
irrigation, 36	saliva, 34	suppurating, 24
separate	slice of flesh	suppuration, 26
muktvā, 44	vadhra, 27	śreyas
septic	slow-acting poison	welfare, 13
pāka, 26	antidote	srotas
sesame oil	dūṣīviṣāri, 35	kohl, 40
taila, 27	small insects	srotoja
• • • • • • • • • • • • • • • • • • •		,

kohl, 38, 47	shooting pain, 45	Take away
stabdha		
	sun hari 44	āhārya, 23
stiff, 24, 26	hari, 44	taken hot
stalk	sunivișța	puṭāhvaya, 41
vṛnta, 37	very intent, 27	tālīśa
stationary	supernatant layer	scramberry, 37
sthāvara, 16, 18	agra, 41	tālīśapatra
steeped	suppurating	scramberry, 38
pragāḍha, 40	srāva, 24	tāmra
sthāvara	suppuration	copper, 46
stationary, 16, 18	srāva, <mark>26</mark>	tāmracūḍa
sthirā	surāmaṇḍa	cock, 40
rigid, 45	decanted liquor, 25	tarpaṇa
stibnite	svabhāva	balm, 36, 41, 42
añjana, 41	inherent factors, 19	tatra
sauvīraka, 37	svābhāvika	
Stick-ear	inherent, 16	in those cases, 39
	svarasa	temperament
yaṣṭīkarṇa, 23	expressed juice, 37	prakṛti, 16
stiff	juice extract, 17	the blood of birds and
stabdha, 24, 26	svastivācana	animals
stirred with goat's milk		rasa, 37
ajākṣīrārdita, 46	blessings	the fragrant one in oil
strength	pronounced, 21	tailasugandhi, 39
bala, 16	svayaṃgupta	the science of life
strong mallow	velvet bean, 37	āyurveda, 13
atibalā, 40	śvayathu	the three fruits
stupor	swelling, 22	triphalā, 41
mūrcchā, 34	svedaja	the three spices
styāna	born of sweat, 17	vyoṣa, 38
solid, 44	swelling	
substance	śvayathu, <mark>22</mark>	the time for therapies
	śyāmā	kriyākāla, 18
dravya, 29	beautyberry, 34	therapies
substrate	syanda	karman, 19
āśrayin, 16	watery eye, 43	three fruits
sūcī	110027 -7-7 13	triphalā, 36, 38
needle, 44	taila	three-quarters of an
suffering	sesame oil, 27	hour
duḥkha, 16	tailasugandhi	muhūrta, 18
sugandhi	the fragrant one in	timira
sandal, 39	oil, 39	blindness, 43
sūkarākṣitā	tailvaka	partial blindness,
pigs' eye, 46	prepared with	39
sukha	tilvaka, 36	traivṛta
comfort, 18	tainted	·
		prepared with
śūla	duṣṭa, 25	turpeth, 36

treatment	utpalabhedyaka	pain and injury, 13
kriyā, 18, 42	Lotus-splittable, 23	velvet bean
tree turmeric	utpīdita	svayaṃgupta, <mark>37</mark>
dārvī, 37	injured, 43	velvet leaf
trice	utsādana	pāthā, 42
kāṣṭhā, 18	dry rubs, 32	velvet-mite
triphalā	,	indragopa, 34
the three fruits, 41	vadhra	very intent
three fruits, 36, 38	flesh, 28	sunivișța, 27
trivṛt	slice of flesh, 27	vidagdha
turpeth, 39, 40	vaiḍūrya	inflamed, 36
turmeric	beryl, 47	
haridrā, 42	vaiṣamya	vidanga
turmerics	irregularities, 16	embelia, 42
rajana, 38	vakrabhrūnetra	vidruma
turpeth	bent brow and eye,	coral, 47
trivṛt, 39, 40	45	vikalpa
tuttha	vaktra	options, 24
	ends, 46	particulars, 18
blue vitriol, 41 tvak	vallīkarņa	vikṛta
	Creeper-ear, 23	distorted, 35
skin, 17, 18	vallūraka	vilocana
ucchiṅgana	Dried Flesh, 23	misshapen eyeball,
sniffing, 44	vanaspati	45
udaśvit	fruit trees, 17	vipakva
watered	non-flowering tree,	matured, 37
buttermilk, 35	_	vīrudh
udbhid	42	shrubs, 17
	varga	viṣāda
shoots, 17 udvartana	collection, 18	depression, 16
	varņa	vișkira
ointment for	complexion, 16, 29	seed-eating, 26
rubbing the ear, 27	varṣā	vital energy
unsteadiness of the	rainy seasons, 17	ojas, 16
humours	varti	vodhāra
doṣapariplava, 45	wick, 22	•
upahita	vartti	bearers, 32
combined, 39	wicks, 47	vṛkṣa
upaśama	vasā	flowering trees, 17
pacification, 18	Fat, 40	vṛnta
used	vāta	stalk, 37
nișevita, 39	wind, 23	vṛṣabha
นร์īra	vāvikṛtā	bull, 33
cuscus grass, 41, 42	or not distorted, 35	vyadha
utpala	veda	piercing, 44
blue lotus, 37	knowledge, 13	vyadhana
restor liby 04	zvodanāhhiahāta	niorcing at

vyadhi disease, 18 vyākhyāta intended, 19 vyāla wild animals, 17 vyāyojima Multi-joins, 23 vyoṣa the three spices, 38 wasted kṣīṇa, 26 water-born salilotthita, 42 watered buttermilk udaśvit, 35 water-lily utpala, 34 watery eye syanda, 43 welfare śreyas, 13 well joined sādhubaddha, 28 white mustard	siddhārthaka, 46 white siris kinihī, 42 white sugar sitā, 47 white teak kārśmarī, 37 wick varti, 22 wicks vartti, 47 wild animals vyāla, 17 wild asparagus śatāvarī, 43 wind vāta, 23 with blood śonitena, 45 wood apple kapittha, 37 wood apple kapittha, 37 Worms kṛmi, 17	yakṛdrasa liver extract, 38 yakṛt liver, 38, 39 yamalā double, 35 yantraṇā restrictions, 45 yāpya alleviated, 39 mitigable, 43 mitigatible, 36 yaṣṭīkarṇa Stick-ear, 23 yavaudana cooked barley, 43 year saṃvatsara, 18 yoga compounds, 36 yojayed may repair, 27 yuga yuga, 18
	73	

Appendix

On digital critical editions

- Price, Kenneth M. (2013), 'Electronic Scholarly Editions', in Ray Siemens and Susan Schreibman (eds.), *A Companion to Digital Literary Studies* (Chichester, UK: John Wiley & Sons, Ltd), 434–50.
 DOI: 10.1002/9781405177504.ch24, URL, accessed 04/07/2021.
 A survey of the field in 2013, with a focus on the presentation of electronic texts rather than on critical editing as such.
- Moureau, Sébastien. (2015), 'The Apparatus Criticus', in Alessandro Bausi et al. (eds.), Comparative Oriental Manuscript Studies: An Introduction (Hamburg: Tredition), 348–52, ISBN: 978-3-7323-1768-4, URL, accessed 04/07/2021.
 Useful discussion about the apparatus criticus in general, and an evaluation of the plus and minus points of positive and negative apparatuses.
- Burghart, Marjorie (2016), 'The TEI Critical Apparatus Toolbox: Empowering Textual Scholars through Display, Control, and Comparison Features', Journal of the Text Encoding Initiative, 10/Issue 10. DOI: 10.4000/jtei.1520, URL, accessed 12/12/2017.
 Discussion of a software tool, including the handling of positive and negative apparatus. Makes the assumption that online displays are notational variants only.
- Burghart, Marjorie (2017), 'Textual Variants', in Marjorie Burghart et al. (eds.), Digital Editing of Medieval Texts: A Textbook (DEMM), URL, accessed 04/07/2021.
 - Discussion of how to express various kinds of apparatus in TEI.
- Bausi, Alessandro et al. (2015), Comparative Oriental Manuscript Studies. An Introduction (Hamburg: Tredition). DOI: 10.5281/ZENODO. 46784.
 - A huge book that disappointingly says nothing at all about Sanskrit manuscripts. Nevertheless there are many interesting case studies and remarks applicable to the Indian manuscript tradition.