A Translation of the Nepalese Text of the Suśrutasaṃhitā

Jason Birch Dominik Wujastyk Andrey Klebanov Lisa A. Brooks Paras Mehta Madhusudan Rimal Deepro Chakraborty Harshal Bhatt Jane Allred et alii

> Draft of 19th June 2024 © The Authors

Part 1. Sūtrasthāna	11
Sūtrasthāna 1: The Origin of Medical Knowledge	13
Literature	13
Translation	13
Sūtrasthāna 2: The Initiation of a Student	21
Literature	21
Translation	21
Sūtrasthāna 3: The Table of Contents	23
Literature	23
Translation	23
Sūtrasthāna 13: On Leeches	25
Literature	25
Translation	25
Sūtrasthāna 14: On Blood	33
Previous scholarship	33
Translation	33
Sūtrasthāna 16: Repairing Pierced Ears	41
Previous literature	41
Translation	41
Sūtrasthāna 28: Unfavourable Prognosis in Patients with Sores	51
Literature	-
Translation	51

Part 2. Nidānasthāna	53
Nidānasthāna 1: The Diagnosis of Diseases Caused by Wind Literature Subject matter Translation	55 55 55
Part 3. Śārīrasthāna	65
Śārīrasthāna 2: On Semen and Menstrual Fluid Literature Translation Diagnosis by humours Therapies for menstrual blood During menstruation Śārīrasthāna 3: On Conception and the Development of the Embryo Literature Translation	67 67 68 71 72 75 75
Part 4. Cikitsāsthāna	83
Cikitsāsthāna 4: On the Treatment of Wind Diseases Literature	85 85 85 93
Literature	93 93
Cikitsāsthāna 15: On Difficult Delivery Literature	-

Part 5. Kalpasthāna	109
Kalpasthāna 1: Protecting the King from Poison	111
Introduction	111
Literature	
Manuscript notes	112
Translation	113
[Threats to the king]	113
Kalpasthāna 2: Poisonous Plants	123
Introduction	123
Literature	124
Translation	124
The effects of poisons	128
Slow-acting poison	131
The invincible ghee	136
Curing the 'slow-acting' poison	136
Kalpasthāna 3: Poisonous Insects and Animals	137
Literature	137
Translation	137
The origin of poison	141
Patients beyond help	143
Kalpasthāna 4: Snakes and Envenomation	145
Introduction	145
Literature	146
The Seven Stages of Toxic Shock	147
Translation	148
[The Taxonomy of Snakes]	148
[Behaviours]	149
[Enumeration of Snakes]	
[Breeding and Gender]	
[Symptoms of snakebite]	
[Summary Verses]	158

Kalpasthāna 5: Therapy for those Bitten by Snakes	161
Introduction	. 161
Literature	. 161
Translation	. 162
The application of mantras	
Blood letting	_
Internal medications	
Therapies at each pulse of toxic reaction	
Kalpasthāna 6: Beating Drums	171
Introduction	. 171
Kalpasthāna 8: Poisonous insects	173
Introduction	. 173
Literature	. 173
Translation	. 173
Part 6. Uttaratantra	175
Uttaratantra 17: Preventing Diseases of the Pupil	177
Literature	. 177
Translation	. 177
[Complications]	. 187
[Characteristics of the probe]	. 187
[Complications]	. 187
Uttaratantra 38: Diseases of the Female Reproductive System	191
Introduction	. 191
Literature	. 191
Placement of the Chapter	. 191
Parallels	. 193
Philological notes	. 194
Metrical alterations	
The original opening verses	
Translation	

Uttaratantra 65: Rules of Interpretation	199
Literature	199
Early Sources	199
The Arthaśāstra	200
The Yuktidīpikā	200
Tamil literature	200
The <i>Viṣṇudharmottarapurāṇa</i>	201
The Saddanīti	202
Āyurvedic literature	207
Tantrayukti-inventories	213
Earlier Listing	214
Later Listing	214
Terminology	
1. adhikaraṇa	
2. yoga	217
3. padārtha	220
3. hetvartha	224
5–6. uddeśa and nirdeśa	226
Notes on Significant Variants	
द्वितीयेँ पादे	
यत्र तु स्नेहस्वेदाभ्यञ्जनेषुपूर्वापरयोगसिद्धो भवति ।	
सामवेदादयश्च वेदाः	227
विद विन्द इत्येतयोश्च धात्वोः	227
धात्वोरेकार्थः। पश्चात् पदं भवति	229
यदुक्तं साधनं भवति स हेत्वर्थः	230
तथा माषदुग्धप्रभृतिभिर्व्रणः क्लिद्यते	231
समासवचनं समुद्देशः	231
Characteristics of the Manuscript Transmission	
Translation	
Editions and Abbreviations	239
Index of Manuscripts	247
Bibliography	249

Materia Medica Abbreviations	284
Glossary	299

Hello world.



Sūtrasthāna 1: The Origin of Medical Knowledge

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002.¹

Translation

- 1 Now I shall narrate the chapter on the origin of this knowledge.²
- 2 Now, as is well-known, Aupadhenava, Vaitaraṇa, Aurabhra, Puṣkalāvata, Karavīra, Gopurarakṣita, Bhoja, Suśruta and others addressed Lord Divodāsa, king of Kāśi, the best of the immortals, who was in his ashram surrounded by an entourage of sages.³
- 1 HIML: IA, 203-204.
- 2 Dalhaṇa understood the word "knowledge (veda)" as specifically "medical knowledge." He said that the word "longevity" (āyur) had been elided. After this opening statement, later manuscripts and commentaries include the attribution, "as the venerable Dhanvantari stated." The absence of this statement in the early Nepalese manuscripts is highly significant because it removes the outer narrative frame of the Suśrutasaṃhitā (Wujastyk 2013b: 148; Klebanov 2021a: § 3.1.2; Rai 2019; Birch, Wujastyk, Klebanov, Parameswaran, et al. 2021). On the figure of Dhanvatari in medical literature, see HIML: IA 358–361.
- 3 On these persons, see HIML: IA 361–363, 369 ff. The authority Bhoja does not appear in the list as published in the vulgate edition (Su 1931: 1), and was not included in HIML amongst "authorities mentioned in the Suśrutasaṃhitā." Meulenbeld gathered textual evidence about Bhoja at HIML: IA 690–691. Klebanov (2021b) has discussed these authors in the context of an anonymous commentary on the Suśrutasaṃhitā that cites them.

- 3 "O Lord, distress arose in our minds after witnessing people thrashing about with cries, assailed by different kinds of pain and injury (*vedanābhighāta*), feeling helpless in spite of having friends, because of diseases arising from the body, the mind and external sources.
- 4 "To quell the illnesses of those who seek happiness and for our own purpose of prolonging life, we desire the science of life (āyurveda) that is being taught. Welfare, both in this world and in the next, depends upon it. Therefore, we have come to the Lord in pupillage."
- The Lord said to them:
 "Welcome to you! My children, all of you are beyond reproach and worthy to be taught.
- 6 "As is well known, Ayurveda is the name of what is said to be the subsidiary part of the Atharvaveda. Before creating people, Svayambhū composed it in hundreds of thousands of verses and a thousand chapters and, after observing the short lifespan and low intelligence of people, he presented it again in eight parts.⁴
- 7 "Surgery, treatment of body parts above the clavicle, general medicine, knowledge of spirits, care of children, and the disciplines of antidotes, rejuvenation and aphrodisiacs.
- 8 "Now, a collection of the characteristics of each component of Āyurveda.
- 9 "Among them, [the component] called surgery has the goal of extracting various grasses, wood, stone, dust, iron (?), soil, bone, hair, nails, discharge of pus, malignant wounds and foreign bodies inside the womb, and of determining the application of surgical instruments, knives, caustics and fire by means of sixty definitions.
- "[The component] named the doctrine of treating body parts above the clavicles has the aim of curing diseases situated above clavicles that is, diseases located in ears, eyes, mouth, nose and so on.
- "[The component] called general medicine has the goal of curing illnesses established in the whole body and [diseases] such as fever, tumour, swelling, hemorrhagic disorders, insanity, epilepsy, urinary diseases, diarrhoea and the like.
- "[The component] called knowledge of spirits is for appeasing demons by pacification rites and making food offerings for those whose minds

⁴ Svayambhū is another name for Brahmā, the creator.

have been possessed by gods, their enemies,⁵ Gandharvas, Yakṣas, demons, deceased ancestors, Piśācas, Vināyakas, ⁶ Nāgas and evil spirits that possess children.

- "[The component] called care of children is for bearing children and purifying defects in a wet-nurse's milk, and curing diseases that have arisen from bad breast milk and demons.
- "[The component] called the discipline of toxicology is for [knowing] the signs of poison from snake and insect bites and for neutralising various combinations of poisons.
- "[The component] called the discipline of rejuvenation is maintaining youth, bringing about a long life and mental vigour and for curing diseases.
- "[The component] called the discipline of aphrodisiacs brings about the increase, purity, accumulation and production of semen for those whose semen is minimal, bad, depleted, and dry [respectively] and for inducing an erection.
- "Thus, this Āyurveda is taught with eight components."
 "Among these [components], tell us which is for whom."
- 18 They said, "After you have conveyed the knowledge of surgery, teach us everything."
- 19 He said, "So be it."
- They then said, "Having considered the view of all of us, when we are unanimous, Suśruta will question you. We too will learn what is being taught to him."
- 21 He said, "So be it."
- "Now, as is well-known, the aim of Āyurveda is eliminating the disease of one who have been assailed by disease and protecting the healthy; Āyurveda is [that knowledge] in which they find a long life, or that by which long life is known. Learn its best component (i.e., surgery),

Dānavas. The insertion marks ($k\bar{a}kapadas$) below the text at this point appears to be by the original scribe.

⁶ The vulgate doesn't have *vināyaka*s but does add *asura*s, probably under the influence of Palhaṇa. Cite Paul Courtright, Ganesha book.

⁷ The scribal insertion marks (crosses) above the line at this point in MS K appear to be in a later hand and their referent is lost in the damaged part of the folio. Although MSS MS Kathmandu NAK 1-1079 and MS Kathmandu NAK 5-333 include spiders $(l\bar{u}t\bar{a})$ and creepy-crawlies $(sar\bar{i}srpa)$ in the list, it does seem that MS K had a shorter list, and the vulgate edition adds rodents $(m\bar{u}sika)$.

- which is being taught in accordance with tradition, perception, inference and analogy.
- "For this component is first, the most important, because it is referred to first; it cures wounds and joins together the most important thing, Yajña's head. For, just as it has been said of old, 'the head that had been cut off by Rudra was joined again by the two Aśvins.'
- "And also, of the eight disciplines of Ayurveda, [surgery] alone is the best because of the quick action of its procedures ($kriy\bar{a}$), its application of blunt instruments, knives, caustics and fire, and it is common to all disciplines.
- "Therefore, [surgery] is eternal, meritorious, leads to heaven, brings renown, bestows a long life, and affords a livelihood.
- 26 "Brahmā said this, 'Prajāpati learned it. From him, the Aśvins. From the Aśvins, Indra. From Indra, I. In this world, I will transmit to those who desire it for the benefit of people.'

[There a verse about this.].8

- For, I (i.e., Brahmā) am Dhanvantari, the first god, the remover of old age, pain and death of mortals.
 - Having understood surgery, the best of the great knowledge systems, I arrived on earth again to teach it here.⁹
- In this context, as far as this discipline is concerned, a human being $(puru \not = a)$ is called an amalgam of the five elements and the embodied soul. This is where procedures $(kriy \bar{a})$ apply. This is the locus. Why?

Because of the duality of the world, the world is twofold: the stationary and the moving. Its nature ($\bar{a}tmaka$) is twofold, depending on the preponderance of Agni and Soma. Alternatively, it can be considered as being fivefold. The multitude of beings in it are fourfold: they are termed "sweat-born, stone-born, caul-born and egg-born". Where they are concerned, the human being is the main thing; others are his

⁸ This is an expansion of the scribe's abbreviation *bha* for *bhavati cātra ślokaḥ* "There is a verse about this" (sometimes plural).

⁹ Note that this verse about the origin of surgery is the first place that the name 'Dhanvantari' is introduced in the Nepalese version of the work. Dhanvantari is here identified with Brahmā, the creator of the world.

¹⁰ See Wujastyk 2004.

¹¹ This fourfold classification of beings is paralleled with closely-related vocabulary in *Bhelasaṃhitā* 4.4.4 (Bhela 2000: 206; Bhela 1921: 81).

support. Therefore, the human being (puruṣa) is the locus.

Diseases are said to be the conjunction of the person and suffering (duḥkha). There are four of them: invasive, bodily, mental and inherent. The invasive ones are caused by an injury. The bodily ones are based on food, caused by irregularities (vaiṣamya) in wind, bile, phlegm and blood.¹²

The mental $(m\bar{a}nasa)$ ones, caused by desire $(icch\bar{a})$ and hatred (dveṣa), include: anger (krodha), grief $(\bar{a}śoka)$, misery (dainya), overexcitement (harṣa), lust $(k\bar{a}ma)$, depression $(viṣ\bar{a}da)$, envy $(\bar{i}rṣy\bar{a})$, jealousy $(as\bar{u}y\bar{a})$, malice $(m\bar{a}tsarya)$, and greed (lobha).

The inherent $(sv\bar{a}bh\bar{a}vika)$ ones are hunger, thirst, old age, death, sleep and those of the temperament (prakrti).

These too are located (adhiṣṭhāna) in the mind and body.

Scarification (*lekhana*), nourishment (*bṛṃḥaṇa*), purification (*saṃśo-dhana*), pacification (*saṃśamana*), diet (*āhāra*) and regimen (*ācāra*), properly employed, bring about their cure.

- Furthermore, food is the root $(m\bar{u}la)$ of living beings as well as of strength (bala), complexion (varna) and vital energy (ojas). It depends on $(\bar{a}yatta)$ the six flavours (rasa). Flavours, furthermore, have substances as their substrate $(\bar{a}\acute{s}rayin)$. And substances are remedies $(o\dot{s}adh\bar{i}-)$. There are two types: stationary $(sth\bar{a}vara)$ and moving $(ja\dot{n}gama)$.
- Of these, there are four types of stationary ones: fruit trees (*vanaspati*), flowering trees (*vṛkṣa*), herbs (*oṣadhi*) and shrubs (*vīrudh*). Amongst these, the "fruit trees" have fruit but no flowers. The "flowering trees" have flowers and fruit. The "herbs" die when the fruit is ripe. "Shrubs"

¹² Note that four humoral substances are assumed here.

¹³ Pāṇini 6.3.132 provides that the final vowel of the noun oṣadhi may be lengthened $(\to oṣadh\bar{\imath})$ under certain conditions. These conditions require that the word be used in a Vedic mantra and not in the nominative. Neither condition is met in this passage, yet the author uses the form $oṣadh\bar{\imath}$. This form is in fact not uncommon in medical literature as well as in epics, purāṇas, smṛtis, and other parts of Sanskrit literature.

¹⁴ Ca.sū.1.71–72 also describes these four types of medicinal plant in similar terms but with slightly differing names: *oṣadhi* is a plant that ends after fruiting, *vīrudh* is a plant that branches out, *vanaspati* is a tree with fruit, and *vānaspatya* is a tree with fruit and flowers.

The MSS agree in reading *phalavantyaḥ* "having flowers" which is grammatically non-standard. This form is also found in the *Viṣṇudharmottarapurāṇa* (1.92.27, 1.92.27 Viṣṇudh.: 56r).

put out shoots.

- As is well known, moving remedies are also of four types: those born in in a caul (*jarāyuja*), those born from eggs (*aṇḍaja*), those born of sweat (*svedaja*), and shoots (*udbhid*). Amongst these, those born in a caul include animals (*paśu*), humans, and wild animals (*vyāla*). Birds, creepycrawlies (*sarīṣṛpa*) and snakes are "born of eggs." Worms (*kṛmi*), small insects (*kunta*) and ants (*pipīlika*) and others are born of sweat. ¹⁶ Shoots include red velvet mites (*indragopa*) and frogs (*maṇḍūka*). ¹⁷|
- In this context, among the stationary remedies, skin (tvak), leaves (patra), flowers (puṣpa), fruits (phala), roots ($m\bar{u}la$), bulbs (kanda), sap ($kṣ\bar{u}ra$), resin ($niry\bar{u}sa$), essence ($s\bar{u}ra$), oil (sneha), and juice extract (svarasa)¹⁸ are useful; among the moving remedies pelt (carman), hair, nails, and blood (rudhira) and so forth.
- 34 And earth products (*pārthiva*) include gold and silver. 19
- The items created by time $(k\bar{a}lakrta)$ are clusters (samplava) as far as wind and no wind $(niv\bar{a}ta)$, heat and shade, darkness and light and the cold, hot and rainy seasons $(vars\bar{a})$ are concerned. The divisions of time are the blink of the eye (nimesa), a trice $(k\bar{a}sth\bar{a})$, minutes $(kal\bar{a})$, three-quarters of an hour $(muh\bar{u}rta)$, a day and night $(ahor\bar{a}tra)$, a fortnight (paksa), a month $(m\bar{a}sa)$, a season (rtu), a half-year (ayana), a year (samvatsara), and yuga (yuga).
- These naturally cause accumulation (*sañcaya*), irritation (*prakopa*), pacification (*upaśama*) and alleviation (*pratīkāra*) of the humours (*doṣa*). And they have practical purposes (*prayojanavat*).

[There are verses about this:]²¹

This fourfold category is taught by physicians as a cause for the agitation and quelling of bodily diseases.²²

¹⁶ The word *kunta*, though marked as "lexical" in most dictionaries, is in fact found in literature, commonly as a compound with *pipīlika*; the compound sometimes seems to be understood a type of ant (*tatpuruṣa* compound) rather than as a pair of insects (*dvandva* compound).

¹⁷ On *indragopa*, see Lienhard 1978.

¹⁸ On juice extract (*svarasa*) see CS 1.1.73, 1.4.7; Dalhana on 4.10.12 (Su 1938: 450).

¹⁹ The flow of concepts in the treatise seems to be interrupted here.

²⁰ These units are presented at 1.6.5 (Su 1938: 24) and discussed by Hayashi (2017: § 59).

²¹ See footnote 8.

²² On the topic of the "group of four," the commentator Dalhana considers them to be "food, behaviour, earthen products and items created by time." He refers to

There are two kinds of invasive diseases. Some certainly²³ affect ($ni\sqrt{pat}$) the mind, others the body. Their treatment (kriyā) is of two kinds too.

- For those that affect the body there is physical (śārīravad) therapy, whereas for those that affect the mind there is the collection (varga) of desirable sensory experiences like sound that bring comfort (sukha).
- 40 Along these lines (*evam*), this brief explanation of the four factors (*catuṣtaya*) is given:
 - human being (*puruṣa*),
 - disease (vyadhi),
 - remedies (oṣadhi),
 - the time for therapies (*kriyākāla*).

In this context,

- from the mention of the word "human," the collection of substances that arise from it, such as the elements, and the particulars (*vikalpa*) of its major and minor parts (*aṅga*) such as skin (*tvak*), flesh (*māṃsa*), ducts (*sirā*), sinews (*snāyu*), bones (*asthi*) and joints (*sandhi*) are meant.
- From the mention of "diseases," all diseases caused by wind, bile, phlegm, congested humours (sannipāta), external factors (āgantu) and inherent factors (svabhāva) are intended (vyākhyāta).
- From the mention of "remedies," there is the teaching of substances, tastes, potencies, post-digestive tastes.
- From the mention of "procedures $(kriy\bar{a})$," therapies (karman) such as oiling and excision (chedya) are taught.
- From the mention of the word "time," every single teaching about the times for procedures is meant.

[There is a verse about this:]²⁴

the author of the lost commentary entitled $Pa\~njik\=a$, and to Jejjaṭa (HIML: IA, 372–3, 192). In his view, these early commentators do not agree that the fourfold grouping (caturvarga) refers to the quartet of stationary ($sth\=avara$), moving ($ja\~ngama$), earthen products ($p\=arthiva$) and items created by time ($k\=alakṛta$) (Su 1938: 9a).

The text uses an archaic interjection here, ha.

²⁴ See footnote 8.

- This seed of medicine has been declared in brief. Its explanation will be given in one hundred and twenty chapters.²⁵
- There are one hundred and twenty chapters in five sections (*adhyāya*).²⁶ In that regard, having divided them, according to their subject matter, into the Ślokasthāna, the Nidāna, the Śārīra, the Cikitsita and the Kalpa, we shall mention this in the Uttaratantra.²⁷

[There is a verse about this:]²⁸

Someone who reads this eternal proclamation of the King of Kāśī, that was declared by Svayambhu, will have good karma on earth, will be respected by kings and upon death will achieve the world of Śakra.

This is the number of chapters in the first five sections of the work, namely the *Sūtra-, Nidāna-, Śārīra-, Cikitsā-* and *Kalpa-sthānas*. These have 46, 16, 10, 40 and 8 chapters respectively. The *Uttaratantra* has 66 chapters.

²⁶ On viṃśa in the sense of "greater by 20" see P.5.2.46 śadantaviṃśateś ca.

²⁷ The end of this sentence reads oddly. The vulgate edition adds an object: "[we shall mention] the remaining topics [in the Uttara]" which smooths out the difficulty, but this is supported in none of the Nepalese MSS. At the start of the Uttaratantra (Su 1938: 1.3–4ab) there is indeed a statement that picks up the point about there being 120 chapters.

²⁸ See footnote 8.

Sūtrasthāna 2: The Initiation of a Student

Literature

HIML: IA, 204; Preisendanz 2007; Wujastyk 2012: 82–83, *et passim*.

Translation

1

Sūtrasthāna 3: The Table of Contents

Literature

Translation

54 ²⁹

Sūtrasthāna 13: On Leeches

a

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of studies on Indian leeches and their application.³⁰

A Persian version of this chapter of the *Suśrutasaṃhitā* was included in *Sikandar Shāh's Mine of Medicine (Ma'din al-<u>shifā'</u> i Sikandar-<u>Sh</u>āhī) composed in 1512 by Miyān Bhūwah b. <u>Kh</u>awāṣṣ <u>Kh</u>ān.³¹*

More recently, Brooks has explored the sense of touch in relation to leeching and patient-physician interactions.³²

Translation

- 1 And now we shall explain the chapter about leeches.
- 2 [3] The leech is for the benefit of kings, rich people, delicate people, children, the elderly, fearful people and women. It is said to be the most gentle means for letting blood.
 - 4 In relation to that, one should let blood that is corrupted by wind, bile or phlegm with a horn, a leech, or a gourd, respectively. Or, each kind can be made to flow by any of them in their particular way.³³

³⁰ HIML: IA, 209; IB, 324, n. 131.

³¹ Siddiqi 1959: 96–109; Azeez Pasha 1971; Storey 1971: 231–232; HIML: IB, 324, n. 128; Speziale 2019: 8–9.

³² Brooks 2020*a*,*b*; 2021*a*,*b*.

³³ This sentence is hard to construe grammatically, although its meaning seems clear. In place of विशेषस्तु, Cakrapāṇidatta and Dalhaṇa both read विशेषतस्, which helps in-

5 And there are the following about this:

A cow's horn is praised for being unctuous, smooth, and very sweet. Therefore, when wind is troubled, that is good for bloodletting.³⁴

- A horn shaped like a half-moon, with a large body the length of seven fingers, should first be placed on the incision. A strong person should suck with the mouth.³⁵
- A leech lives in the cold, is sweet and is born in the water. So when someone is afflicted by bile, they are suitable for bloodletting.³⁶
- 7 A gourd is well known for being pungent, dry and sharp. So when someone is afflicted by phlegm it is suitable for bloodletting.
- 8 In that context, at the scarified location one should let blood using a horn wrapped in a covering of a thin bladder, or with a gourd with a flame inside it because of the suction.³⁷
- 9 Leeches are called "jala-āyu-ka" because their life ($\bar{a}yu$ -) is in water (jala).³⁸ "Home" (okas) means "dwelling;" their home is water, so they are called "water-dwellers (jalaukas)."

terpretation (Su 1939: 95, Su 1938: 55). It is notworthy that the critical syllable $\mbox{\em K}_3$ is smudged or corrected in both MS Kathmandu NAK 1-1079 and in 1-1146, a much later Devanāgarī manuscript.

There is an insertion in the text, printed in parentheses in the vulgate at 1.13.4 (Su 1938: 55) as विशेषतस्तु विस्राव्यं शृङ्गजलौकालाबुभिर्गृह्णीयात्. This insertion is not included in the earlier edition of the vulgate, but is replaced by स्मिथ्शीतरूक्षत्वात् (Su 1931: 54). Dalhaṇa noted that, "this reading is discussed to some extent by some compilers (निबन्धकार), but it is definitely rejected by most of them, including Jejjhaṭa."

- 34 The vulgate replaced "smooth" with "hot."
- This passage is not found in the vulgate, but it is similar to the passage cited by Palhaṇa at 1.13.8 (Su 1938: 56) and attributed to Bhāluki. Bhāluki was the author of a *Bhālukitantra* that may have predated Jejjaṭa and might even have been one of the sources for the *Suśrutasaṇhitā* (HIML: IA, 689–690 *et passim*). The editor Ācārya was aware of this reading in the Nepalese manuscripts; see his note 4 on 1.13.5 (Su 1938: 55, note 4).
- 36 Note that the particular qualities (*guṇas*) of the leech in this and the following verses counteract the quality of the affliction. See Brooks 2018: 113, table 1.
- 37 There are questions about the wrapping or covering of the horn. Other versions of the text, and the commentator, propose that there may be two coverings, or that cloth may be a constituent. Our understanding of this verse is that the bladder material is used to cover the mouthpiece and then to block it, in order to preserve suction in the horn for a few minutes while the blood is let.
- 38 The lexeme -āyu- is known almost exclusively from the *Rgveda*.

There are twelve of them: six are venomous and just the same number are non-venomous.

- 11 Here is an explanation of the venomous ones, together with the therapy:
 - Black (kṛṣṇā)
 - Mottled (karburā)
 - Sting-gush (alagardā)³⁹
 - Rainbow (*indrāyudhā*)
 - Oceanic (*sāmudrikā*)
 - Cow-praising (*govandanā*)⁴⁰

Among these,

- The one called a Black is the colour of kohl and has a broad head;
- The one called Mottled is like the Indian mottled eel, long with a segmented (*chinna*), humped belly.
- The one called Sting-gush is hairy, has large sides and a black mouth.
- The one called Rainbow is coloured like a rainbow, with vertical stripes.
- The one called Oceanic is slightly blackish-yellow, and is covered with variegated flower patterns.
- The one called Govandana is like a cow's testicles, having a bifurcated appearance on the lower side, and a tiny mouth.

When someone is bitten by them, the symptoms are: a swelling at the site of the bite, excessive itching and fainting, fever, a temperature, and vomiting. In that context the Great Antidote ($mah\bar{a}gada$) should be applied in drinks and liniments ($\bar{a}lepana$), etc.⁴¹ A bite by the Rainbow leech is not treatable. These venomous ones have been explained together with their remedies.

12 Now the ones without venom.⁴²

³⁹ Treating गर्दा as गल्दा and translating as in RV 8.1.20, with Jamison and Brereton (2014:1023, verse 20 and cf. commentary). But if गर्द is to be taken from $\sqrt{\eta}$ then we might have "crying from the sting."

⁴⁰ The manuscripts all read गोवन्दना against the vulgate's गोचन्दना.

⁴¹ Palhaṇa and the vulgate included errhines in the list of therapies, and Palhaṇa added that "etc." indicated sprinkling and immersion too. The "Great Antidote" is described in the Kalpasthāna, at 5.5.61–63ab (Su 1938: 578).

⁴² The translations of the names of these leeches are slightly whimsical, but give a sense of the original; सावरिका remains etymologically puzzling.

- Tawny (kapilā)
- Ruddy (pingalā)
- Dart-mouth (*śankumukhī*)
- Mouse (*mūsikā*)
- Lotus-mouth (pundarīkamukhī)
- Sāvarikā (sāvarikā)

Among these,

- The one called Tawny has sides that look as if they are dyed with realgar and is the colour of glossy mung beans on the back.⁴³
- The one called Ruddy is a bit red, has a round body, is yellowish, and moves fast.
- The one called Dart-mouth is the colour of liver, drinks fast and has a long mouth.
- The one called Mouse is the colour and shape of a mouse and has an undesirable smell.
- The one called Lotus is the colour of mung beans and has a mouth that looks like a lotus.
- The one called Sāvarikā has the colour of a lotus leaf and is eighteen centimetres long. But that one is used when the purpose is an animal.

The non-venomous ones have been explained.

13 Their lands are Yavana, Pāṇḍya, Sahya, Potana and so on.44 Those in

Some scholars have identified the name with modern Bodhan in Telangana (Sircar

⁴³ The compound स्निग्धमुद्भवर्णा is supported by all the manuscript witnesses and is translated here. Nevertheless, the reading of the vulgate, that separates स्निग्धा, f., "slimy" as an adjective for the leech, seems more plausible: "it is slimy and the colour of a mung bean."

This passage is discussed by Karttunen (2015: 109–110, 388–389). At the time of the composition of the *Suśrutasaṃhitā*, Yavana would most likely have referred the Hellenistic Greek diaspora communities in Bactria and India (Law 1984: 136–137; Mairs 2013; 2014). Unproblematically, the Pāṇḍya country is the extreme south-eastern tip of the Indian subcontinent (Schwartzberg, Bajpai, et al. 1978: E8, p. 20 et passim), and Sahya refers to the Western Ghats (Schwartzberg, Bajpai, et al. 1978: D5–7, p. 20 et passim). The vulgate reading "Pautana" is not a known toponymn. Potana was the ancient capital of the Aśmaka Mahājanapada mentioned in Pali sources and in inscriptions at Ajāntā and elsewhere, and identified by Law (1984: 142, 179) and P. Gupta (1989: 18) with Pratiṣṭhāna, modern Paithan on the Godavarī river. The recurring ancient epithet describing the Aśmaka kingdom is that it was on the Godāvarī, and Paithan is flanked to the south west and south east by this river.

particular have large bodies and are strong, they drink rapidly, consume a lot, and are without venom.

- In reference to that, venomous leeches are those originating in decomposing venomous insects, frogs, urine, feces and in polluted water. Non-venomous ones originate in decomposing sacred lotus, blue water-lily, white water-lily, fragrant lotus, pondweed and in pure waters.
- 15 There is a verse on this:

These ones move about in sweet-smelling habitats that abound in water. Tradition teaches that they do not behave in a confused manner or lie in the mud.⁴⁶

- 16 They can be caught with a fresh hide or one may catch them by other means.⁴⁷
- 17 Then these should be put into a large new pot furnished with mud and the water from lakes or wells. One should provide what they need to

1971: 189; Schwartzberg, Bajpai, et al. 1978: E6, p. 14, 140 *et passim*; Sen 1988: 102), but this implausible identification is traceable to a speculative suggestion by Raychaudhuri (1953: 89, n. 5, 143) based on a variant form "Podana" found in some early manuscripts of the *Mahābhārata*: "This name reminds one of Bodhan in the Nizam's dominions," "possibly to be identified with Bodhan."

Dalhaṇa on 1.13.13 (Su 1938: 57) anachronistically identified "Yavana" as the land of the Turks (নুকজ) and "Pautana" as the Mathurā region. He also noted, as did Cakrapāṇidatta (Su 1939: 97), that this passage was not included by some authorities on the grounds that the habitats of poisonous and non-poisonous creatures are defined by other criteria.

- 45 The vulgate on 4.13.14 (Su 1938: 57) includes fish in this list.
- 46 Dalhaṇa on 1.13.14 (Su 1938: 57) discussed why non-venomous leeches would not "behave in a confused manner" (सङ्कीर्णचारिन्), saying that they do not "eat a diet that is contra-indicated because of poison etc." (विषादिविरुद्धाहारभुजः). On the use of the term विरुद्ध in the sense of "incompatible," see 4.23.4 (Su 1938: 485). Dalhaṇa there noted that such foods are explained in the chapter on wholesome and unwholesome foods (हिताहिताध्याय, 1.20 (Su 1938: 94–99)).
- 47 "Fresh hide" (आर्द्रचर्मन्) may suggest that the animal skin still includes meat or blood that is attractive to a leech.

Dalhaṇa on 1.13.15 (Su 1938: 57) quoted "another treatise" (तन्त्रान्तरवचनात्) that said that autumn is the time to collect leeches. He also explained that "other methods" of collecting leeches included smearing a leg or other limb with cream, butter or milk, etc., or using a piece of flesh from a freshly killed animal.

The Nepalese witnesses all read गृहीत्वा "having (been) caught" for the vulgate's गृही-यात् "one may grasp (by other means)." The Nepalese reading is hard to construe and we have emended to the vulgate's reading. eat. One should grind up pondweed, dried meat, and aquatic tubers, and one should give them grass and aquatic leaves to lie on, and every three days water and food. After seven nights one should transfer them to a different pot.

18 And on this:

One should not nurture those that are thick in the middle, that are injured,⁴⁸ or small, those that are not born in the proper habitat, those that will not attach, that drink little or those that are venomous.

- First of all, if the patient has an ailment that is treatable by bloodletting with leeches, get them to sit or lie down. Then, dry any diseased opening with powders of earth and cow-dung.⁴⁹

 Then the leeches, free from impurities, with their bodies smeared with Indian mustard and turmeric, moving about in the middle of a cup of water, should be made to attach to the site of the ailment. Now, for one that is not attaching, one should provide a drop of milk or a drop of blood. Alternatively, one should make some marks with a knife (śastrapada).⁵⁰ And if it still will not attach, make a different one attach.
- One can know that it is attached when it fixes on, making its mouth like a horse's hoof and hunching its neck. Then, one should cover it with a wet cloth and keep it there.
- Now, if one knows, from the arising of pricking and itching at the bite, that clean blood is being taken, one should take it off. Then, if it does not release because of the scent of blood one should sprinkle its mouth with powdered rock salt.
- Then one should coat it with rice-grain chaff, rub its mouth with sesame oil and salt and cause it to vomit by holding its tail in the left hand and very slowly rubbing it with the thumb and finger of the right hand in

⁴⁸ Pace Dalhaṇa on 1.13.18 (Su 1938: 57) who glossed परिक्रिष्ट "injured" as अमनोज्ञदर्शन "disagreeable looking."

⁴⁹ Dalhaṇa on 1.13.19 (Su 1938: 57) read अरुजम् (n.), against the vulgate's अरुजः; Cakra-pāṇidatta on this verse (Su 1939: 98) read अरुजः. Both commentators specified that the Suśrutasaṃhitā said this procedure should only be applied when there is no wound or opening, for fear of exacerbating the condition. The Nepalese text is saying, differently, that the dessicating powders should be applied to a diseased wound.

⁵⁰ On पद as a "mark," "imprint," or "place of application," cf. 4.1.29 (Su 1938: 399), 5.4.15 (Su 1938: 571), etc. See footnote 462.

the proper direction, as far as the mouth, until it is properly purged.⁵¹ A properly purged leech placed in a goblet of water moves about, wanting to eat. If it sinks down, not moving, it is badly purged; one should make it vomit once again.

A badly purged leech develops an incurable disease called Indrapada.⁵²

One that protects its deflated head with its body, suddenly curls up and makes the water warm is traditionally said to have Indrapada.⁵³

Thus, one should keep such a one as before.⁵⁴

- After observing the proper or improper flow of the blood, one should rub the opening made by the leech with honey.⁵⁵ Alternatively, one may bind it up and smear it with ointments that are astringent, sweet, oily and cold.
- 24 And about this there is the following:

When the leeches have just drunk, one should pour ghee on it. And one should pour on to the blood things that are capable of stopping the blood.

25 Someone who knows habitats, the capture, feeding and bloodletting of leeches is worthy to treat a king.

⁵¹ The expression शालितण्डुलकाण्डन, "rice-grain chaff" could be read as "paddy rice, rice grains and chaff" but this seems unlikely in the context.

⁵² At this point, the Nepalese witnesses read इन्द्रपद/इन्द्रापद, but the vulgate reads इन्द्रपद, a term that is found in other texts such as the *Mānasollāsa* 6.641 (vol. 1, 87), where it is a fever affecting fish, and the *Garuḍapurāṇa* 1.147.3 (tr. A Board of Scholars 1957: 2, 425) where it is fever affecting clouds; see further Brooks forthcoming.

⁵³ At this point, witness H, the latest MS, reads इन्द्रपद as before, but the older witnesses K and N have muddled readings, इदमदः and इद्रमदः. The scribes may have been responding to a -पद।-मद confusion about the name of this condition.

⁵⁴ The vulgate includes "well purged" as the object in this sentence, which makes better sense.

⁵⁵ In the Nepalese witnesses, the object of this passage is जलोकामुखम् "the mouth of the leech," that we have interpreted, perhaps freely, as "opening made by the leech." Logically and as transmitted in the vulgate, this passage should be about managing the wound on the patient that has been made by the leech.

Sūtrasthāna 14: On Blood

Previous scholarship

Meulenbeld offered both an annotated summary of this chapter as well as a study specifically on the place of blood in Ayurvedic theory.⁵⁶

Translation

1 Now we shall declare the chapter about blood.

2

- Food is of four types.⁵⁷ It is endowed with six tastes and is made of the five elements.⁵⁸ It has either two or eight potencies, and is endowed with many qualities. ⁵⁹ Chyle (*rasa*) is the most intangible essence of this food that is properly transformed. It is of the nature of fire. Chyle is situated in the heart. From the heart, it enters into the twenty-four arteries—ten upward arteries, ten downward, and four
- 56 HIML: IA, 209–201 and Meulenbeld 1991. Meulenbeld's footnotes on this chapter in HIML: IB, 325 ff. refer often to "Hoernle's note." This appears to be a reference to Hoernle's copious notes to his translation of this chapter (Hoernle 1897: 87–98). Meulenbeld (1990) also discussed Sanskrit veterinary texts in the light of their standard theory of four humours, including blood.
- 57 Dalhaṇa on 1.14.3 (Su 1938: 59) said that the four types of food are those that can be drunk, licked, eaten and chewed (पेयलेह्यभोज्यभक्ष्य). The main text of the Carakasaṃhitā is explicit about these categories at 4.3.4(1) (Ca 1941: 308): पानाशनभक्ष्यलेह्य। "things drunk, eaten, chewed or licked." Yagi (1994) discussed the distinction between भक्ष्य and भोज्य; for further Indological background on foods, see the studies by Olivelle (1995; 2001) and the classic reference works by Achaya (1994; 1998). The long, final adhyāya of the Suśrutasaṃhitā's sūtrasthāna (ch. 46) is a treatise on food in āyurveda.
- 58 Idem, Earth, water, fire, air, space
- 59 Dalhaṇa related these qualities to the twenty standard गुण of āyurveda; see, e.g., their listing by Vāgbhaṭa, translated by Wujastyk (2003b: 207).

sideways—and doing so day after day owing to the reaction of past activities that are caused by the invisible,⁶⁰ it satisfies the entire body, enlivens it, prolongs it,⁶¹ and makes it grow. The motion of the entity that flows throughout the body should be understood by inference. That motion causes deterioration and growth.

With regards to the chyle that flows through all the limbs, humours, body tissues, and impurities of the body, the question arises, "Is it moist or is it fiery?" It is understood to be moist because of its fluidity while flowing⁶² and due to attributes such as mobility, lubrication, enlivening, satisfaction, and supporting.⁶³

- 4 That watery chyle is then reddened after reaching the liver and spleen.
- 5 There are verses about this.

Experts know that blood is the untransformed fluid that is reddened by the pure fire element within the bodies of living beings.

- It is only due to chyle that women's blood called menses exists. It increases from the twelfth year and decreases after the fiftieth year.
- 7 The menstrual blood, however, is called fiery.⁶⁴ That is due to the embryo being fiery and moist.⁶⁵
- 8 Others state that the embryo as constituted of the five elements and the preceptors call it the living blood.
- 9 There are verses about this.

That is because blood exhibits the qualities of earth, etc. such as a fleshy smell, fluidity, redness, pulsation and thinness.

⁶⁰ সহস্ত (unseen): Doing any righteous or unrighteous action produces good merit and demerit respectively. This good merit and demerit are called সহস্ত (invisible) because it cannot be directly known but can only be assumed through logical deduction.

⁶¹ In the sense of prolonging its lifespan

⁶² The vulgate emends अनुसरणे to अनुसरण- against the Nepalese MSS. This is logical because mobility would seem to be one of the attributes. Although it is awkward, we read अनुसरणे as a locative absolute "while flowing."

The duality being discussed here is that of the essential qualities of Fire and of Soma (*agni* and *soma*). See further discussion by Wujastyk (2004) and Angermeier (2021).

⁶⁴ Dalhana commented that this is to distinguish the menstrual blood from regular blood that is gentle.

⁶⁵ Dalhaṇa commented here that the embryo is called such because the menstrual blood is fiery and the semen is gentle (सौम्य). On the fiery/moist distinction (आग्नेय।सौम्य), see Wujastyk 2004; Angermeier 2021.

- Blood is formed from chyle, flesh from blood, lymph from flesh, bone from lymph, marrow from bone, semen from marrow, and progeny from semen.
- 11 There, the essence (chyle) of food and drink is the nourisher of these body tissues.
- 12 There is a verse about this.

A living being should be known as born from chyle. One should diligently preserve⁶⁶ chyle by administering food and drink, being nicely disciplined with food⁶⁷.

- 13 The verbal root *rasa* means movement.⁶⁸ Because it keeps moving day after day, it is called *rasa* (chyle).⁶⁹
- 14 Chyle stays in every body tissue for 2548 ((25*100)+48) *kalās* and nine *kāṣṭhas*. As such, it becomes semen after a month. For women, it becomes menses.
- 15 Here are verses about this.

According to similar and dissimilar treatises, the quantity of kalās in this group⁷⁰ is 18,090.

This is the particular transformation period regarding chyle that lasts for a person with mild fire⁷¹. For a person with developed fire, one should know it to last for the exact same time⁷²

Resembling the expanse of sound, flame, and water, that entity moves along in a minute manner throughout the entire body⁷³.

⁶⁶ All three manuscripts have रक्षेत which is an incorrect form. रक्षेत् is the correct form.

⁶⁷ आहरिण - The third case is used. The semantic property of the third case used here is unclear. Unclear regarding if there is any rule in the Aṣṭādhyāyī justifying this usage.

⁶⁸ kunj-1907

⁶⁹ In the list of verbal roots of Pāṇini, the verbal root रस(rasa) means taste and moistening. It does not mean movement.

⁷⁰ duration of chyle in all the body tissues as a whole

⁷¹ Perhaps this refers to the digestive fire.

⁷² Although the vulgate does not have this verse, there is an argument presented in Palhaṇa's commentary on 1.14.16 (Su 1938:63) that for a person with intense fire, chyle becomes semen after eight days, and for a person with mild fire, chyle becomes semen after a month. Palhaṇa said that this opinion is refuted by Gayadāsa Ācārya in many different ways. Palhaṇa continued that the proper understanding is that for a person with a strong fire, chyle becomes blood in a little less than a month, and for a person with a mild fire, chyle becomes blood in a little more than a month.

⁷³ Dalhana comments (Su 1938: 63) that the expanse of sound indicates the sideways

- 17 The aphrodisiac medicines, however, being used like a purgative due to their excessively strong characteristics, evacuate the semen.
- Just as it cannot be said that the fragrance in a flower bud is present in it or not, but accepting that there is the manifestation of existing entities⁷⁴, it,⁷⁵ however, is not experienced only due to its intangibility. That same entity is experienced at another time in the blossomed flower. In the same way regarding children also, the manifestation of semen happens because of the advancement of age⁷⁶. For women, the manifestation is different as rows of hair, menses, etc.
- 19 That very essence of food does not nourish very old people due to their decaying bodies.
- These entities are called body tissues ($dh\bar{a}tu$ -s) because they bear the body⁷⁷.
- Their decay and growth are due to blood. Therefore, I will speak about blood. In that regard: The blood that is foamy, tawny, black, rough, thin, quick-moving, and non-coagulating is vitiated by air. The blood that is dark green, yellow, green, brown, sour-smelling, and unpleasant to ants and flies is vitiated by bile. The blood that is orange, unctuous, cool, dense, slimy, flowing, and resembling the colour of flesh-muscles is vitiated by phlegm. The blood having all these characteristics is vitiated by the combination of all three of them. The blood that is extremely black is vitiated by blood⁷⁸ just as bile. The blood that has the combined characteristics of vitiations of two humours is vitiated by two humours.
- The blood that is of the colour of insect cochineal, not thick, and not discoloured should be understood to be in its natural state.
- 23 I will speak of the types of blood that should be let out in another sec-

movement of chyle, the expanse of flame indicates the upward movement of chyle, and the expanse of water indicates the downward movement of chyle.

⁷⁴ This is the doctrine of pre-existence of the effect (सत्कार्यवाद, satkāryavāda) first propunded by Sāṅkhya philosophers.

⁷⁵ fragrance

⁷⁶ Since chyle becomes semen in a month's time, a question arises "Why then is semen absent in young children?". The reply is given in this passage.

⁷⁷ The etymological meaning of the Sanskrit word धातु (dhātu) is "that which bears [the body]". Thus, the body tissues are called dhātu-s because they bear the body. This means that the body tissues are the elements that make up the body and sustain it.

⁷⁸ Y. T. Ācārya and N. R. Ācārya (Su 1938: 64) quote Cakrapāṇidatta in a footnote: "This is the symptom when the blood vitiated in one part of the body vitiates the blood in another part."

tion.

- Now, I speak of those that should not be let out. The swelling appearing in all the limbs of the body of a weak person that happens due to consuming sour food. The swellings of people with jaundice, piles, large abdomen, emaciation, and those of pregnant women.
- In that regard, one should quickly insert the surgical instrument that is simple, not very close, fine, uniform, not deep, and not shallow.
- One should not insert the instrument into the heart, lower belly, anus, navel, waist, groins, eyes, forehead, palms, and soles.
- 26b In the case of swellings filled with pus, one should treat them in the same way as stated earlier.
- 27-27a There, when the swelling is not pierced properly, when phlegm and air have not been sweated out, after having a meal, and due to thickness, the blood does not ooze out or oozes out less. Here is a verse regarding it.

28ab-cd Blood does not ooze out of humans when in contact with air, passing stool or urine, and when intoxicated, unconscious, fatigued, sleeping, or in cold surroundings.

- 29 That vitiated blood when not taken out increases the disease.
- The blood that is let by an ignorant physician in cases of very hot surroundings, profuse perspiration, and excessive piercing, flows excessively. That profuse bleeding causes the appearance of acute headache, blindness, and partial blindness, or it quickly causes subsequent wasting, convulsions, tremors, hemiplegia, paralysis in a limb, hiccups, coughing, panting, jaundice, or death.
- 31ab-cd The physician should let out the blood when the weather is not very hot or cold, when the patient is not perspiring or heated up, and after the patient has had a sufficient intake of gruel.
- 32ab-cd After coming out properly, when the blood stops automatically, one should know that blood to be pure and drained properly.
- 33ab-cd The symptoms of the proper drainage of blood are the experience of lightness, alleviation of pain, a complete end of the intensity of the disease, and satisfaction of the mind.
- 34ab-cd Defects of the skin, tumours, swellings, and all diseases caused by blood never arise for those who regularly drain their blood.
 - When the blood does not flow out, the physician should rub cardamom and camphor on the opening of the boil with three or four or all among crêpe ginger (Cheilocostus speciosus), butterfly gardenia (Ervatamia

coronaria Stapf), velvet-leaf, deodar, embelia, leadwort, the three spices (black pepper, long pepper, and dry ginger), soot from the chimney ($\bar{a}g\bar{a}radh\bar{u}ma$), turmeric, sprouts of purple calotropis, and fruit of the Indian beech, according to availability, with excessive salt. By doing so, the blood flows out properly.

When there is an excessive flow of blood, the physician should sprinkle the opening of the boil with dry powders of lodh tree, liquorice, foxtail millet, sappanwood, red chalk, elixir salve, seashell, barley, green gram, wheat, and resin of the Sāla tree, and then press it with the tip of a finger. One should tightly bind it with powdered barks of Sāla, white dammer tree, arjun, white babool, granthi, axlewood, and dhanvana (Camelthorn), or a linen cloth⁷⁹, or vadhyāsita, or bone of cuttlefish, or powdered lac, along with the binding materials mentioned. After the piercing, the physician should pierce it again. The physician should serve cool clothing, food, a dwelling place, a bath, cooling ointments, and plastering. Or, one can cauterize it with heat. Or, as mentioned, one should give a decoction of kākolī, etc. sweetened by sugar and honey to drink. Or, one should consume the blood of black buck, deer, ram, buffalo, rabbit, or pig, accompanied by milk, green gram soup and meat soup⁸⁰. The physician should treat the pains as mentioned.

36a Here are verses about this.

When blood flows out due to the decay of body tissue, fire becomes weak⁸¹ and the wind becomes highly agitated because of that endeavour.

38ab-cd The physician should serve the patient food that is not very cold, light in digestion, unctuous, increases blood, slightly sour or not sour at all.

39ab-cd This is the four-fold method of hindering blood: joining, coagulation, haemostasis. and cauterization.

40ab-cd The astringent substance joins the opening, the cold substance coagulates the blood, the ash stops the blood, and cauterization contracts the blood vessel.

41ab-cd *If the blood does not coagulate, the physician should employ joining.*

⁷⁹ Su 1938: 66 has क्षौमेण वा ध्मापितेन - "with linen reduced to ashes". Presumably, it is this ash that is also referred to in item 40.

⁸⁰ Based on Dalhana's comment as found in Su 1938: 66

⁸¹ This refers to the digestive fire.

Can't be "sedation"

	If the blood does not stop by joining the opening then he should employ haemostasis.
42ab-cd	The physician should endeavour by employing these three methods according to the procedure. If these methods are unsuccessful then cauterization is highly desirable.
43ab-cd	If the blood remains impure, the disease does not aggravate. The physician should then make the blood pure ⁸² and not drain blood in excess.
44ab-cd	Blood is the basis of the body. It is sustained by blood only.
44ef	Blood is called life. One should therefore save blood.
45ab-cd	If the air in the person who underwent blood-letting is aggravated due to a cold shower, etc., the swelling with pricking pain should be sprinkled with lukewarm clarified butter.

⁸² Dalhaṇa comments (Su 1938: 66) that one should purify the blood again by sedation, etc.

Sūtrasthāna 16: Repairing Pierced Ears

Previous literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002.⁸³ A book on this topic, arising out of the present project, with edition, translation and discussion of the Nepalese transmission is published by Wujastyk, Birch, Klebanov, et al. 2023.

Translation

1 Now we shall expound the method for piercing the ear. 84

The Nepalese version also omits the opening remark on Dhanvantari that appears in subsequent versions of the text. For a discussion of the frame story in the Nepalese version, see Birch, Wujastyk, Klebanov, Parameswaran, et al. 2021.

When commenting on this statement, Dalhana (Su 1938:76) and Cakrapānidatta (Su 1939:125) observed that only the ears of healthy people should be pierced, and they quoted the lost authority Bhoja to affirm this: "When piercing the ears of chil-

⁸³ HIML: IA, 211–212317.

⁸⁴ The topic of piercing the ear (kaṛnavyadha) is not discussed in the Carakasaṃhitā (HIML: IB, 326, n. 175), but it is mentioned in some texts that followed the Suśrutasaṃhitā, such as the Kaśāpyasaṃhitā (HIML: IIA, 30). Also, the instrument for piercing the ear is described in the Aṣṭāṅgahṛdayasaṃhitā 1.26.26 (Ah 1939: 321). In the versions of the text known to Dalhaṇa (Su 1938: 76) and Cakrapāṇidatta (Su 1939: 125), the heading of this chapter is "the method of piercing and joining the ear" (कर्णव्यधबन्धविधि), instead of the Nepalese version's "the method of piercing the ear" (कर्णव्यधविधि). The topic of joining the ear (कर्णबन्ध) is discussed in passages 17–20 of the Nepalese version. However, it appears that only subsequent redactors reflected its importance by including it in chapter headings.

- One may pierce a child's ears for the purpose of preserving and decorating. During the bright fortnight, when the child is in the sixth or seventh month, on renowned days, half days, hours and constellations, the physician, with a calming presence, sits the boy, who has received a benediction and the recitation of a blessing, so n the lap of a wetnurse. Then, he should pull the ear with his left hand and pierce straight through with his right hand at a naturally-occurring cleft. For a boy, do the right ear first; for a girl, do the left one. Use a needle on a thin ear; an awl on a thick one. So
- 3 One may know that it was pierced in the wrong place if there is excess blood or too much pain. The absence of side-effects is a sign that it has been pierced in the right place.⁸⁹

dren who are free of disease at these times, their ear flaps and apertures, as well as limbs, increase" (1.16.1 (Su 1938:76)).

Some texts use the adjective कर्ण-वेधनी rather than •व्यधनी.

- 85 The causative form व्यथित is known in Classical Sanskrit (Whitney 1885: 166). The compound कृतमङ्गलस्वस्तिवाचनं "who has received a benediction and the recitation of a blessing" is an emendation based on the similar text at 3.2.25 (Su 1938: 346). Cf. also 3.10.8, 24 (Su 1938: 388, 390) that have slightly different formulations.
- 86 The versions of 1.16.3 known to Cakrapāṇidatta (Su 1939:126) and Dalhaṇa (Su 1938:76) have the additional compound कुमारधराङ्के ("on the lap of one who holds the child") after धात्र्यङ्के. The gender of कुमारधर is made clear by Dalhaṇa's gloss "a man who holds the child." Also, both versions add बालक्रीडनकैः प्रलोभ्य ("having enticed with children's toys") to indicate that the child should be tempted with toys to stay on the assistant's lap. According to Dalhaṇa on 1.16.3 (Su 1938:76), the toys include replica elephants, horses, bulls and parrots. Dalhaṇa further mentions that others read भक्ष्यविशेषैर्वा ("or by special treats") before बालक्रीडनकैः, but we see no trace of these small kindnesses in our witnesses.
- 87 The versions of 1.16.3 of Cakrapāṇidatta (Su 1939: 126) and Ḍalhaṇa (Su 1938: 76) add that this naturally-occurring cleft is illuminated by a ray of sunshine (आदित्यकरावभा-सिते).
 - The syntax of this slightly long sentence is unusual because of the dual object নী "the two (ears)" at the start of the sentence, which is remote from the main verb. The other singular accusatives referring to the ear being pierced are governed by absolutives.
- 88 Dalhaṇa on 1.16.3 (Su 1938: 76) clarifies that the awl is a shoe-maker's knife for piercing leather. He also cites the authority of "the notes of Lakṣmaṇa" (Lakṣmaṇa-ṭippaṇaka) on the issue of the thickness of the needle. The Notes of Lakṣmaṇa is not known from any earlier or contemporary sources and was presumably a collection of glosses on the Suśrutasaṃhitā that was available to Dalhaṇa in twelfth-century Bengal. See Meulenbeld (HIML: IA, 386).
- 89 At this point, MS Kathmandu KL 699 is missing a folio, so the rest of this chapter is

In this context, if an ignorant person randomly pierces a duct there will be fever, burning, swelling, pain, lumps, paralysis of the nape of the neck, convulsions, headache or sharp pain in the ear.⁹⁰

- 5 Having removed the wick (*vartti*) because of the accumulation of humours or an unsatisfactory piercing at that location,⁹¹ he should smear it with barley, liquorice, Indian madder, and the root of the castor oil tree, thickened with honey and ghee. And when it has healed well, he should pierce it again.⁹²
- 6 He should treat the properly-pierced ear by sprinkling it with raw sesame oil. After every three days one should make a thicker wick and do the very same sprinkling.⁹³
- 7 Once the ear is free from humours or side-effects, one should put in a light dilator (*pravardhanaka*) in order to enlarge it enough.⁹⁴

constructed on the basis of witnesses MS Kathmandu NAK 5-333 and MS Kathmandu NAK 1-1079.

- 90 This passage is significantly augmented in Cakrapāṇidatta's and Dalhaṇa's versions, to outline the specific problems caused by piercing three ducts called कालिका, मर्मिका and लोहितिका (1.16.4 (Su 1939: 126) and 1.16.5 (Su 1938: 77) respectively). In fact, the order of the problems mentioned in the Nepalese version has been retained in the other versions and divided between each duct. Cakrapāṇidatta's commentary on 1.16.4 (Su 1939: 126) cites several verses attributed to Bhoja on the problems caused by piercing these three ducts in the ear flap: 'लोहितिका, मर्मिका and the black ones are the ducts situated in the earflaps. Listen in due order to the problems that arise when they are pierced. Paralysis of the nape of the neck and convulsions, or sharp pain arise from piercing लोहितिका. Pain and lumps are thought to arise from piercing मर्मिका. Piercing कालिका gives rise to swelling, fever and burning.'
- 91 In addition to these reasons, Dalhaṇa at 1.16.6 (Su 1938:77) added "because of piercing with a painful, crooked and unsatisfactory needle" (क्लिष्टजिह्माप्रशस्तसूचीव्यधात्) and "because of a wick that is too thick" (गाढतरवर्तित्वात्). Dalhaṇa was aware of the reading in the Nepalese version because in his commentary on 1.16.6 (Su 1938:77) he noted that some read "because of the accummulation of humours" rather than "because of piercing with a painful, crooked and unsatisfactory needle or because of a wick that is too thick." On the concept of humoral accumulation (samudāya), see the important analysis by Meulenbeld (1992).
- 92 The description of the drug is ambigious: the word "root" could be taken with each plant, or just with the last. The vulgate reads just "castor oil root" so we assume that is the traditional interpretation.
- 93 Describing ear and nose operations similar to those here, Celsus described the use of a quill (Latin *pinna*) where the Sanskrit authors use a cotton wick (*De Medicina* VII ¶10–11, Spencer 1935–38: 3, 366–367).
- 94 Cakrapāṇidatta on 1.16.6 (Su 1939: 127) and Dalhaṇa on 1.16.8 (Su 1938: 77) pointed out that the dilator can be made of wood, such as that of the prickly chaff-flower,

- 8 A person's ear enlarged in this way can split in two, either as a result of the humours⁹⁵ or a blow.
 - Listen to me about the ways of joining it can have.
- 9 Here, there are, in brief, fifteen ways of mending the ear flap. They are as follows: Rim-join (nemīsandhānaka), Lotus-splittable (utpalabhedyaka), Dried Flesh (vallūraka), Fastening (āsaṅgima), Cheek-ear (gaṇḍakarṇa), Take away (āhārya), Ready-Split (nirvedhima), Multi-joins (vyāyojima), Door-hinge (kapāṭasandhika), Half door-hinge (ardhakapāṭasandhika), Compressed (saṇkṣipta), Reduced-ear (hīnakarṇa), Creeper-ear (vallīkarṇa), Stick-ear (yaṣṭīkarṇa), and Crow's lip (kākauṣṭha).

In this context, among these,

Rim-join: both flaps are wide, long, and equal.

Lotus-splittable: both flaps are round, long, and equal.

Dried flesh: both flaps are short, round, and equal.

Fastening: one flap is longer on the inside. Cheek-ear: one flap is longer on the outside.⁹⁸

Take-away: the flaps are missing, in fact, on both sides.

Ready-split: the flaps are like a dais (*pīṭha*).

Multi-joins: one flap is small, the other thick, one flap is

equal, the other unequal.

Door-hinge: the flap on the inside is long, the other is small. Half door-hinge: the flap on the outside is long, the other is small.

the neem tree and tree cotton. Dalhaṇa added that it can also be made of lead and should have the shape of the datura flower. The manuscripts have variant readings for लघुप्रवर्धनकमामुञ्जेत् at this point that include a scribal emendation, none of which construe plausibly. It is possible that the unusual verb form आ+√मुच् puzzled the scribes and caused the implausible scribal readings and emendations.

⁹⁵ Dalhaṇa on 1.16.9 (Su 1938: 77) notes that the word दोष here can refer to either a humour, such as wind, as we have understood it, or a disease generated from a humour.

⁹⁶ The Nepalese version uses the word सन्धान to refer to joining a split in an ear flap, which is consistent with the terminology in the verse cited above (8). However, 1.16.10 of Dalhaṇa's version (Su 1938:77) uses the term बन्ध here and at the very beginning of the chapter (i.e., 1.16.1) to introduce the topic of repairing the ear.

⁹⁷ For an artist's impression of these different kinds of joins in the ear flap, see Majno 1975: 290 (reproduced as Figure 3.2 in Wujastyk 2003*b*: 154).

⁹⁸ For an artist's impression of this join, see Majno 1975: 291 (reproduced as Figure 3.3 in Wujastyk 2003*b*: 155).

These ten options for joins of the ear should be bound. They can mostly be explained as resembling their names.⁹⁹ The five from compressed (saṃkṣipta) on are incurable.¹⁰⁰ Among these, "Compressed" has a dry ear canal and the other flap is small. "Reduced ear" has flaps that have no base and have wasted flesh on their edges. "Creeper-ear" has flaps that are thin and uneven. "Stick-ear" has lumpy flesh and the flaps are stretched thin and have stiff ducts. "Crow-lip" has a flap without flesh with compressed tips and little blood. Even when they are bound up, they do not heal because they are hot, inflamed, suppurating, or swollen.¹⁰¹

A person wishing to perform a join of any of these should therefore have supplies specially prepared according to the recommendations of the "Preparatory Supplies" chapter. And in this regard, he should particularly gather to player of fermented liquor, milk, water, fermented rice-water, and powdered earthenware crockery (kapālacūrṇa).

⁹⁹ Cakrapāṇidatta on 1.16.9–13 (Su 1939: 128–129) and Dalhaṇa on 1.16.10 (Su 1938: 77–78) provide examples of how the names of these joins describe their shapes. For example, the rim-join (nemīṣandhānaka) is similar to the join of the rim of a wheel (cakradhārā).

¹⁰⁰ Palhaṇa on 1.16.10 (Su 1938: 77–78) mentions that some do not read the statement that only five are incurable, and they understand the causes of unsuccessful joins given below (i.e., heat, inflammation, suppuration and swelling) as also pertaining to the first ten when they do heal.

¹⁰¹ The version of 1.16.11–13 known to Dalhaṇa (Su 1938: 78) has four verses (रलोक) at this point that are not in the Nepalese manuscripts. The additional verses iterate the types of joins required for ear flaps that are missing, elongated, thick, wide, etc. All four verses were probably absent in the version of the *Suśrutasaṃhitā* known to Cakrapāṇidatta. He cites the verses separately in his commentary, the *Bhānumatī* (Su 1939: 128–129), introducing each one as 'some people read' (के चित्पठित्त). However, in Trikamajī Ācārya's edition of the *Sūtrasthāna* of the *Bhānumatī*, the root text is largely identical to the one commented on by Dalhaṇa (Su 1938), even in instances like this where Cakrapāṇidatta's commentary indicates that he was reading a different version of the *Suśrutasaṃhitā*. See further the discussion on p.?? above.

¹⁰² *Suśrutasaṃhitā* 1.5 (Su 1938: 18–23), probably verse 6 especially, that lists the equipment and medications that a surgeon should have ready.

¹⁰³ The reading in the Nepalese manuscripts of विशेषतश्चाग्रोपहरणीयात् has been emended to विशेषतश्चात्रोपहरेत् to make sense of the list of ingredients, which is in the accusative case. Also, the repetition of अग्रोपहरणीयात् in the Nepalese version suggests that its second occurrence, which does not make good sense here, is a dittographic error.

¹⁰⁴ The term कपालचूर्ण is unusual. Dalhaṇa (Su 1938: 79) defines it as the powder of fragments of fresh earthen pots and Cakrapāṇidatta (Su 1939: 129) as the powder of earth-

Next, having made the woman or man tie up the ends of their hair, eat lightly and be firmly held by qualified attendants, the physician considers the joins and then applies them by means of cutting, splitting, scarification, or piercing.¹⁰⁵ Next, he should examine the blood of the ear to know whether it is tainted or not. If it is tainted by wind, the ear should be bathed with fermented rice-water and water; if tainted by choler, then cold water and milk should be used; if tainted by phlegm, then top layer of fermented liquor and water should be used, and then he should scarify it again.

After arranging the join in the ear so that it is neither proud, depressed, nor uneven, and observing that the blood has stopped, one should anoint it with honey and ghee, bandage each ear with tree cotton and gauze (plota), and bind it up with a thread, neither too tightly nor too loosely. Then, the physician should sprinkle earthenware powder on it and provide medical advice ($\bar{a}c\bar{a}rika$). And he should supplement with food as taught in the "Two Wound" chapter.¹⁰⁶

- One should avoid rubbing, sleeping during the day, exercise, overeating, sex, getting hot by a fire, or the effort of speaking.
- One should not make a join when the blood is too pure, too copious, or too thin. For when the ear is tainted by wind, then it is obstructed by blood, unhealed and will peel. When tainted with choler, is becomes pinched $(g\bar{a}dha)$, septic and red. When tainted by phlegm, it will be stiff and itchy. It has excessively copious suppuration and is swollen. It has a small amount of wasted $(k\bar{s}\bar{n}a)$ flesh and it will not grow. 108
- When the ear is properly healed and there are no complications, one may very gradually start to expand it. Otherwise, it may be inflamed

105 There are syntactic difficulties in this sentence. We have adopted the reading in Dalhaṇa's version (Su 1938: 78), which has च कृत्वा following सुपरिगृहीतं. It is likely that a verb, such as कृत्वा, dropped out of the Nepalese transmission.

enware vessels.

¹⁰⁶ Suśrutasaṃhitā 4.1 (Su 1938: 396–408).

^{107 1.16.17} of Dalhaṇa's version (Su 1938: 79) reads "impure" for the Nepalese "too pure," which would appear to make better medical sense. Emending the text to नाशुद्ध- for नातिशुद्ध- in the Nepalese version would yield the same meaning as Dalhaṇa's version.

¹⁰⁸ In his edition of Suśrutasaṃhitā, Ācārya (Su 1938: 79 n. 1) includes in parentheses the following treatment for these conditions, which according to a footnote is not found in the palm-leaf manuscript he used: 'One should sprinkle it with raw sesame oil for three days and one should renew the cotton bandage after three days' (आमतैलेन त्रिरात्रं परिषेचयेन्निरात्राञ्च पिचुं परिवर्तयेत्).

(saṃrambha), burning, septic or painful. It may even split open again.

- Now, massage for the healthy ear, in order to enlarge it. One should gather as much as one can the following: a ??, scavenging and seed-eating birds, and creatures that live in marshes or water, fat, marrow, milk, and sesame oil, and white mustard oil. Then cook the oil with an admixture of the following: purple calotropis, white calotropis, heart-leaf sida, country mallow, country sarsaparilla, Indian kudzu, liquorice, and hornwort. This should then be deposited in a well-protected spot.
- 15 The wise man who has been sweated should rub the massaged ear with it. Then it will be free of complications, and will enlarge properly and be strong.¹¹²
- 16 Ears which do not enlarge even when sweated and oiled, should be scarified at the edge of the hole, but not outside it.¹¹³
- 17 In this tradition, experts know countless repairs to ears. So a physician who is very intent on working in this way may repair them.¹¹⁴
- 109 For such classifications, see the analyses by Zimmermann (1999) and B. K. Smith (1994).
- 110 Palhaṇa's version of 1.16.19 (Su 1938: 79) includes ghee. However, Palhaṇa's remarks on this passage and Cakrapāṇidatta's on 1.16.18 (Su 1939: 130) indicate that they knew a version of this recipe, perhaps similar to the Nepalese one, that did not include ghee. Palhaṇa also noted that others simply read four oils, beginning with fat and without milk, whereas Cakrapāṇidatta said that some say it is made with four oils and milk.
- 111 The version of of this verse known to Dalhaṇa (vulgate (Su 1938:79)) adds several ingredients to this admixture, including prickly chaff-flower, Withania, milk-white, sweet plants and Indian ipecac. Also, it has beggarweed instead of Indian kudzu. When commenting on 1.16.19, Dalhaṇa (Su 1938:79) noted that some do not read sweet plants and Indian ipecac. Therefore, at his time there were other versions of this recipe circulating, with fewer ingredients, as seen in the Nepalese version.
- 112 For these aims (i.e., healing and enlarging the ear), the text known to Dalhana (Su 1938:79) had an additional verse and a half describing an ointment for rubbing the ear and sesame oil cooked with various medicines for massage. Cakrapāṇidatta (Su 1939:131) did not comment on these verses, nor verse 15 of the Nepalese version, and so the version of the *Suśrutasaṃhitā* known to him may not have included them.
- 113 Dalhaṇa's version of 1.16.23 (Su 1938:79–80) added another hemistich that stated more explicitly that the scarification should not be done on the outside of hole as it will cause derangement.
- 114 After verse 17, the 1938 edition of Ācārya (Su 1938:80) has in parentheses nineteen verses on diseases of the ear lobes, treatments and complications. It is possible that these verses were in some of the witnesses used by Ācārya to construct the text as they occur in other manuscripts, such as MS Hyderabad Osmania 137-3(b). However, Cakrapāṇidatta (Su 1939:132) and Palhaṇa (Su 1938:80) stated that some read

- 18 If an ear has grown hair, has a nice hole, a firm join, and is strong and even, well-healed, and free from pain, then one can enlarge it slowly.¹¹⁵
- 19 Now I shall describe the proper method of making a repair when a nose is severed. First, take from the trees a leaf the same size as the man's nose and hang it on him.
- Next, having cut a slice of flesh (vadhra),¹¹⁶ with the same measurements, off the cheek, the end of the nose is then scarified.¹¹⁷ Then the undistracted physician, should quickly put it back together so that it is well joined.
- Having carefully observed that it has been sewn up properly, he should then fasten it along with two tubes. Having caused it to be raised, the powder of sappanwood, liquorice and Indian barberry should be sprinkled on it.
- The wound should be covered properly with tree cotton and should be moistened repeatedly with sesame oil. Ghee should be given to the man to drink. His digestion being complete, he should be oiled and purged in accordance with the

about the diseases of the ear lobes in this chapter whereas others read about them in the chapter on various treatments (*miśrakacikitsa*) (SS 5.25), which does indeed begin with a discussion of the disease परिपोट. Dalhaṇa went on to say that some believe that these verses were not composed by sages and, therefore, do not read them.

¹¹⁵ The order of verses 17 and 18 is reversed in Dalhana's version (Su 1938: 80).

¹¹⁶ The version of 1.16.28b known to Dalhaṇa (Su 1938: 81) reads "bound, connected (bad-dham)" instead of "slice of flesh (vadhra)." This is a critical variant from the surgical point of view. If the slice remains connected, it will have a continuing blood supply. This is one of the effective techniques that so astonished surgeons witnessing a similar operation in Pune in the eighteenth century (see Wujastyk 2003b: 67–70).

¹¹⁷ Or 1.16.20 could be mean, '... off the cheek, it is fixed to the end of the nose, which has been scarified.' Unfortunately, the Sanskrit of the Nepalese version is not unambiguous on the important point of whether or not the flap of grafted skin remains connected to its original site on the cheek. However, Dalhana (Su 1938:81) clarified the meaning of the vulgate here by stating that one should supply the word "flesh" when reading "connected," thus indicating that he understood the flesh to be connected to the face.

¹¹⁸ Dalhaṇa noted that the two tubes should be made of reed or the stalk of the leaf of the castor-oil plant (on 1.16.21 (Su 1938:81)). They should not be made of lead or betel nut because the weight will cause them to slip down.

¹¹⁹ The Sanskrit term उन्नामयित्वा in 1.16.21 is non-Pāṇiṇian.

¹²⁰ For पत्ताङ्ग (sappanwood), there are manuscript variants पत्ताङ्ग (MS Kathmandu NAK 5-333) and पत्तङ्ग (MS Kathmandu NAK 1-1079). Also, MS Kathmandu KL 699 (f. 14r:1) has पताङ्ग in a verse in 1.14 (cf. 1.14.36 (Su 1938:66)). The text known to Dalhaṇa has पतङ्ग (1.16.29 (Su 1938:81)) and this term is propagated in modern dictionaries.

¹²¹ Dalhaṇa glossed अञ्चन as रसाञ्चन, elixir salve (Su 1938: 81).

instructions specific to him. 122

And once healed and really come together, what is left of that slice of flesh (vadhra) should then be trimmed.¹²³ If it is reduced, however, one should make an effort to stretch it, and one should make its overgrown flesh smooth.¹²⁴

122 The expression स्वयथोपदेश is ungrammatical but supported in all available witnesses.

¹²³ The vulgate transmission has lost the word ব্য and replaced it with अर्ध "half," which makes little sense in this surgical context.

¹²⁴ Dalhaṇa accepted a verse following this, 1.16.32 (Su 1938:81), which pointed out that the procedure for joining the nose is similar to that of joining the lips without fusing the ducts. He noted that earlier teachers did not think this statement on the nose and lips was made by sages, but he included it because it was accepted by Jejjaṭa, Gayadāsa and others, although they did not comment on it because it was easy to understand. Cakrapāṇidatta also did not comment on this additional verse (Su 1939: 133).

Sūtrasthāna 28: Unfavourable Prognosis in Patients with Sores

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002.¹²⁵

Goswami studied the commentaries of Dalhana and Cakrapāṇidatta on this and the following adhyāyas up to 32, focussing on the topic of omens (ariṣṭa). He concluded that both authors were influenced by the Indriyas-thāna of the Carakasaṇihitā in their commentaries on this topic. 126

Translation

Thus, living creatures and their strength, complexion (*varṇa*) and energy (*ojas*) are rooted in food. That (food) depends on the six flavours (*rasa*). Thus, the flavours depend on substance (*dravya*), and substances depend on medicinal herbs. There are two kinds of them (herbs): stationary and mobile.¹²⁷

¹²⁶ Goswami 2011.



Nidānasthāna 1: The Diagnosis of Diseases Caused by Wind

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002. 128

Subject matter

The present chapter describes the diseases caused by vitiated wind and wind's mixing with other humours. Contemporary ayurvedic physicians consider these diseases to include rheumatism.

Translation

- 1 And now we shall explain the chapter about the aetiology of wind diseases.
- 3 After holding the feet of Dhanvantari, the foremost of the upholders of righteousness who emerged out of nectar, Suśruta makes this enquiry.129
- 4 O King! O best of orators! Explain the location and types of diseases of the wind, whether in its natural state or disordered.¹³⁰.

add refs to

- 128 HIML: IA, 234. (Ruben 1954b) studied the wind doctrines in the *Carakasaṃhitā*. 129 Explain the nectar myth.
- 130 MSS H and N both read भूपते instead of कोपनै: in the vulgate: instead of addressing the king, the vulgate is saying "by irritations of the wind...." The vulgate also has

5–9 On hearing his words, the venerable sage spoke. This lordly wind is declared to be self-born because it is independent, constant and omnipresent. It is worshipped by the whole world. Amongst all beings, it is the self of all. During creation, continued existence and destruction, it is the cause of beings.

It is unmanifest though its actions are manifest; it is cold, dry, light, and mobile. It moves horizontally, has two attributes and is full of dust (rajas). It has inconceivable power. It is the leader of the humours and the ruler of the multitude of diseases.

It moves fast, it moves constantly, it is located in the stomach and in the rectum. 133

- 9cd Now, learn from me the characteristics of wind as it moves inside the body.¹³⁴
 - Wind connects the senses and the sense objects; unvitiated, it maintains a state of equality between the humours (doṣa), the bodily tissues $(dh\bar{a}tu)$ and heat (agni) and the rightness $(\bar{a}nulomya)$ of actions. ¹³⁵
 - Just as the five types of fire have been described based on their name, place and their actions, similarly, one type of air is of five types based on name, place, action and diseases.
 - 12 Five types of wind:
 - 1. Vital wind (*prāṇa*)
 - 2. udāna
 - 3. samāna
 - 4. vyāna
 - 5. apāna

Suśruta asking about कर्म, whereas in the Nepalese version he asks only about the types of diseases. Note that Dhanvantari is here addressed as king, a title associated elsewhere with Divosdāsa.

- 131 According to Dalhaṇa on 2.1.8 (Su 1938: 257), the two qualities are sound and tangibility. The word रजस् could also refer to the quality of activity in the three-quality (guṇa) theory, which is how Dalhaṇa interpreted it.
- 132 Dalhaṇa on 2.1.8 (Su 1938: 257) interpreted नेता "leader" as प्रेरक "impeller."
- 133 MS H read आशुचारी, which we have translated ("moves fast"), but MS N and the commentators of the vulgate read आशुकारी, "quick-acting."
- 134 Palhaṇa and Cakrapāṇidatta both interpreted मे as an ablative (2.1.8 (Su 1938: 258)).
- 135 According to Dalhaṇa, सम्पत्तिः=सम्पन्नता at 1.6.3 (Su1938:23). According to Dalhaṇa, Gayadāsa read इन्द्रियार्थोपसंप्राप्तिं but Dalhaṇa did not accept this on the grounds that it was too verbose: गयदासाचार्यस्तु इमं श्लोकं 'इन्द्रियार्थोपसंप्राप्तिऽ इत्यादि कृत्वा पठित, स च विस्तरभयान्न लिखितः । But H and N MSS suggest 'इन्द्रियार्थोपसम्पत्तिः'

above five types of wind remain in their equilibrium and hold the $body^{136}$.

- The wind that flows through the mouth is called the vital wind (prāṇa), which holds the body. It propels down food inside the stomach and engages with the gastric fluid¹³⁷. Vitiated Vital wind mostly causes hiccups, asthma etc. diseases.
- The wind which flows upwards in the body, the best among all five winds is called udāna. Singing, speech etc. individual things done by the same wind. Vitiated udāna wind mostly causes diseases above the collar bone e.g., nose, eyes, head and ears¹³⁸.
- The samāna wind flows in stomach and duodenum. It helps in the digestion of food and separates the substances produced from it e.g., chyle, impurities, urine and feces. Vitiated samāna wind causes diseases like a chronic enlargement of spleen (gulma) with अग्निसङ्ग, and diarrhea etc.
- 17cd–18 The vyāna wind moves inside the whole body and circulates chyle and expels sweat and blood outside the body. It helps in the movements of limbs in every way. Contaminated vyāna wind causes all terrible diseases related to abdomen and anus.
- 19–20ab Staying in the abdomen, the apāna wind propels wind of body, feces, urine, semen, womb and menstruation to come out of the body at their proper time. Contaminated apāna wind causes terrible diseases that occur in the bladder and anus.
- 20cd-21ab Contaminated vyāna and apāna wind causes defect of semen and gonorrhea, while simultaneous contamination of all the five winds surely leads to death.
- 21cd-22ab I shall therefore describe all the diseases caused by the contamination of winds staying in the various places of the body.
- 22cd-24ab Contaminated wind in the stomach causes disease like vomiting, loss of consciousness, fainting, thirst, heart-seizure, pain in lateral sides of stomach. It also causes rumbling of the bowels, acute pain, inflated

¹³⁶ Dalhaṇa suggests स्थान=साम्य, यापयन्ति=धारयन्ति (The manuscripts all read प्राणोदानः स-मानश्च व्यानोपानस्तथैव च . against the vulgate's प्राणोदानौ समानश्च व्यानश्चापान एव च .)

¹³⁷ Dalhaṇa suggests head, chest, throat and nose are places of prāṇa. (Sus1938:259) Gayadāsa reads अग्नि for प्राण.

¹³⁸ Dalhaṇa suggests it also causes diseases like cough etc. (चकारादन्यादिप प्राणोदानौ, व्या-नापानौ कासादीन् करोति .)

- belly, pain while discharging urine and feces, suppression of urine and pain in the loins.
- 24cd Contaminated wind residing in the ear causes loss of function of the Newa senses.
- Residing in the skin, ¹³⁹ contaminated wind causes discoloration of skin, throbbing of parts of the body, dryness, numbness, itching, pricking pain, swelling. It being inherent in the flesh of body causes swelling with pain and being inherent with the fat of the body causes swelling with slight pain but do not become wound. ¹⁴⁰
 - Residing in the artery it causes acute pain, contraction and filling up of the artery. It stuns, vibrates and destroys the muscle tissues by residing in the muscle. Residing in the joints it causes pain and swelling. Residing in the bone it causes fracture and dryness of bones which also cause to acute pain and, in the marrow, it dries up marrow which may never be cured. Residing in the semen it causes non-production and distorted production of semen. 143
- 30–31ab Contaminated wind moves from the hand, foot, head, then it may be omnipresent or pervade the entire body of men and causes stiffness, convulsion, numbness and acute pain.
- 31cd-32ab Wind (5 types) mixed with other doṣas (bile etc.) in the places mentioned above produces mixed types of pains.
- 34cd-35ab Prāṇa wind surrounded by bile causes vomiting and burning sensation, by phlegm it causes weakness, exhaustion, laziness and bad taste.
- 35cd–36ab Udāna wind surrounded by bile causes loss of consciousness, stupor, dizziness and fatigue, by phlegm it causes absence of perspiration, slowness of digestion, sensation of coldness.
- 36cd-37ab Samāna wind surrounded by bile causes perspiration, a burning sensation, heat and stupor, association with phlegm it causes erection in

¹³⁹ Dalhaṇa and Gayadāsa both suggest त्वक्=रस. Gayadāsa explained that chyle stays in the skin and therefore, in the verse त्वक्थ should be read as रसस्य as we read secondary meaning in the sentences like गङ्गायां घोषः.

¹⁴⁰ The MS H does not read व्रणांश्च रक्तगो ग्रन्थीन् सशूलान् मांससंश्रितः . against the vulgate. (Su 1938: 261).

¹⁴¹ According to Dalhana सिराकुञ्चनं is also known as कुटिला सिरा (Su 1938: 262)

¹⁴² Palhaṇa and Gayadāsa both suggest the meaning of हन्ति for being not capable of both stretching and contraction. सन्धिगतः संधीन् हन्ति प्रसारणाकुञ्चनयोरसामर्थ्यं करोति (Su 1938: 262) ...

¹⁴³ Dalhaṇa and Gayadāsa both suggest that a distorted production विकृतां प्रवृत्तिम् is too fast, too slow, knotty and discolored.

- urine, feces and limbs.
- 37cd–38ab Apāna wind associated with bile causes a burning sensation, heat and the voiding of blood with urine, with phlegm it causes a feeling of heaviness in the lower part of the body and coldness.
- 38cd-39ab Vyāna wind surrounded by bile causes a burning sensation, tossing of the limbs and fatigue, by phlegm it causes stiffening limbs, uddaņḍaka? and pain in the swelling.
 - Persons who are of delicate nature, follow faulty diet and lifestyle, also afflicted with intoxicating drinks, sexual enjoyment, exercise causes vitiation of wind and blood.??
 - Riding elephant, horse and camel, lifting great weights, consuming vegetables which are pungent, hot, sour, alkali and being frequently distressed situation causes contamination of wind.
 - Blood flowing in the body blocks the passage of contaminated wind which moves quickly in the body. Excessively irritated wind-being contaminated by wind and dominance of wind, it is called वातरक्त Gout¹⁴⁴.
 - Vātarakta causes pricking pain, dryness, loos of sensation in the feet. Contaminated Bile mixed with blood causes sharp burning sensation, excessive heat and soft swelling with red color in the feet. Contaminated Phlegm mixed with the blood causes itching in the feet. It makes feet white, cold, dry, thick and hard. All defects ¹⁴⁵ in the blood contaminated by humours (wind, bile, phlegm) manifest their symptoms in the feet.
 - 48 This disease spreads all over the body like rat poison by staying in feet or sometimes hands.
 - Gout spreads in the knee and the skin bursts and starts bleeding makes it incurable. It is mitigatable if it is of a year's old.
 - 50–51 When vitiated wind enters in the all arteries it causes quickly convulsions again and again and because of frequent contractions ($\bar{a}k sepa$) it is called convulsions ($\bar{a}k sepaka$).
 - 52–56 Because in this situation a person often sees darkness and fall, it calls spasmodic contraction ($apat\bar{a}naka$) ¹⁴⁶ . If wind mixed with phlegm

¹⁴⁴ In the medical term वातरक्त is known as Gout. Cakrapāṇi called it आढ्यरोगः Caraka-saṃhitā sū.14.18 and ci.28.66

¹⁴⁵ Gayadāsa suggests सर्वे दुष्टाः शोणितं चापि nominative plural instead of locative singular.

¹⁴⁶ Gayadāsa accepted the Nepalese reading ताम्यते which vulgate does not read. Gaya-

stays excessively in the arteries, it stiffs body like a staff and it is called दण्डापतानकः epilepsy with convulsions. Vitiated wind entered in the arteries and bends the body like a bow, it is called धनुःस्तम्भ Tetanus. When vitiated wind accumulated in the regions of finger, ancle, abdomen, heart, chest, and throat swiftly attack on the group of vain and ligaments, it gets a person's eyes stuck, chin stuns, side breaks and vomiting phlegm he moves inwards like a bow and this situation is known as emprosthotonos (antarāyāma). When vitiated wind attacks on outside ligaments, body of a person will stretch forward like a bow. In this situation, if the chest, hip or thigh break, wise men call it incurable.

- 58 Aggravated phlegm and bile mixed with wind or only vitiated wind causes fourth convulsive disease due to trauma.
- Convulsions due to miscarriage, excessive bleeding, and injury are incurable ¹⁴⁷.
- 60–62 When excessively agitated and strong wind flows in the arteries which spread downward, upward, and sideways, it loses the joints and kills the other side of body. The best of physicians calls it paralysis (pakṣāghāta). ¹⁴⁸ Then half of his entire body becomes inefficient and unconscious. Afflicted by wind he suddenly falls or dies.
 - 62.1 Bile integrates with wind causes burning sensation, affliction, and infatuation. When it integrates with phlegm causes coldness, morbid swelling, and heaviness. ¹⁴⁹.
 - 63 A paralysis (*pakṣāghāta*) caused by wind ¹⁵⁰ is curable with most difficulty. It becomes curable when caused by bile and phlegm mix with the wind. It becomes incurable when caused by the loss of bodily constituents.
- 64–66 Verses from 64–66 are not found in the Nepalese manuscripts. These verses discuss the term spasmodic contradiction (*āpatantraka*) which is

dāsa gives definition of अपतानक as येनापताम्यते means a situation in that a person sees the dark

¹⁴⁷ According to Dalhaṇa convulsion (ākṣepaka) is also known as अपतानक (Su 1938:266). He further mentions that even if fortunately, it is cured, it cripples the limb.

¹⁴⁸ In the ca.6.28.55 पक्षाघात is described as monoplegia (ekāṅgaroga). In that case it damages one of the limbs. In the medical terms paralysis (apakṣāghāta) is known as hemiplegia.

¹⁴⁹ This verse is not available in vulgate. It deals with the symptoms when bile and phlegm mix with the wind. It is already discussed in su.2.1.38.

¹⁵⁰ Here the term যুদ্ধবান suggests the meaning of the wind that is devoid of bile and phlegm.

the same as अपतानक. Dalhaṇa commented on ni.1.64-66 (Su 1938:267) that because of having the similar condition in both situations, some scholars do not read the अपतन्त्रक. In the verse ni.1.59 Dalhaṇa commented that the आक्षेपक and अपतानक is same (Su 1938:266) and again he suggested that the अपतानक and अपतन्त्रक both are similar condition. Therefore, आक्षेपक, अपतानक and अपतन्त्रक should be the same. Gayadāsa further commented that the Caraka has not read आक्षेपक as अपतानक and therefore described the अपतन्त्रक separately (Su 1938:267).

- This verse also not found in the Nepalese Manuscripts. The verse describes rigidity of neck (*manyāsthambha*). According to Dalhaṇa, rigidity of neck is a prior symptom of spasmodic contradiction.
- 68–72 By speaking very loudly, eating hard foods, excessively laughing and yawning, lifting heavy loads and sleeping in an awkward position, vitiated wind lodges into face painfully and produces paralysis of the jawbones (*ardita*) disease. In that case, half of the face and neck become curved, head trembles, speech hindrances, deformity occurs in the eys, eyebrows and cheeks.¹⁵¹ Experts in diseases call this disease spasm of the jaw-bones (*ardita*).
 - Spasm of the jawbones cannot be cured when it stays in a person for three years, who is very weak, stays without blinking, trembles, and constantly speaks gibberish.
 - Arteries of Heel and toes stricken by vitiated wind prevents stretching of thighs. This disease is known as sciatica ($grdhras\bar{i}$).
 - Arteries which run to the tips of fingers from behind the roots of the upper arm affected by vitiated wind terminates all activities of arms and back. This disease is called paralysis of arms and back (*viśvañci*).

 152
 - 76 Vitiated wind and blood in the joint of knee causes synovitis of knee join (*kroṣṭukaśīrṣa*). In this extremely painful situation, the shape of swelling in knee joints seems like a head of Jackal.
 - 77 Vitiated wind resides in the waist attacks on the arteries of thigh causes limpness (*khañja*) and when it attacks on both the thighs a person becomes lame (*paṅgu*).
 - 78 A person who trembles at the beginning of walking or walks

¹⁵¹ Dalhaṇa suggests नेत्रादीनाम् इत्यादि शब्दात् भूगण्डादि उपसङ्ग्रहः

¹⁵² Both the MSS N and H read विश्वञ्च instead of the vulgate reading विश्वाची. There is no such word found in other Āyurveda texts.

- limping and whose foot joint has become loose is called lathyrism (kalāyakhañja).
- 79 Vitiated wind residing in the ankle-joint causes pain when one steps on uneven ground. This disease occurs is called वातकण्टक.
- 80 Vitiated wind mixed with bile and blood cause burning sensation in feet. It should be declared as burning sensation in feet (*pādadāha*).
- 81 A person whose feet tingle and become insensible due to vitiation of phlegm and wind is called पादहर्ष.
- 82 Vitiated wind lying in the shoulder dries the shoulder joints and it is called अंसशोष. It also bends the arteries of shoulder, and this disease is called अवबाहुक. 153
- 83 Vitiated wind singly or mixed with phlegm cover the channel of ears causes deafness.
- Vitiated wind saturated with phlegm covering the arteries which conduct the sound of speech makes a person inactive (akriya), dumb ($m\bar{u}ka$). He mumbles (mimmira) through the nose and stammers (gadgad). ¹⁵⁴
- 85 Vitiated wind penetrating into the cheekbones, temporal bones, head and neck causes piercing pain in the ears. It is called ear-ache (karṇaśūla).¹55
- 86–87 The pain that arises from the bladder or feces goes down as if it were breaking the rectum and......? is called त्नी, whereas the pain, rising upward from the rectum extending up to the region of the intestines, is called प्रतित्नी.
- Retention of vitiated wind inside abdomen causes distension of the stomach and flatulence and intense pain and rumbling inside, is called tympanites (ādhmāna). Vitiated wind mixed with phlegm causes সুন্যাध्मान. It rises in the stomach and causes pain in the heart and sides.
- 90–91 A knotty stone-like tumour caused by wind appearing in the stomach having an elevated shape and stretched upward direction which ob-

¹⁵³ Dalhaṇa and Gayadāsa both have defined two diseases i.e., अंसशोष and अवबाहुक respectively.

¹⁵⁴ Nepalese Manuscripts read मिर्मिर instead of the Vulgate's reading मिन्मिण. Dictionary of MW suggests the meaning of मिर्मिर = having fixed unwinking eyes which is not relevant to the disease of tongue.

¹⁵⁵ In the medical terms, this disease is known as Otitis.

¹⁵⁶ There's an addition in MS N. नाभेरधस्तात् संजातः संचारी यदि वाऽचलः

structing the passage of faeces and urine should be known as বানাষ্ঠীলা. A tumour of similar shape rose obliquely in the abdomen obstructing the passage of wind, faeces and urine should be known as স্বেষ্ঠীলা. Names of diseases discussed in the chapter 2.1

Gout (*vātarakta*) convulsion (*ākṣepāka*) paralysis of one side (*pakṣāghāta*) paralysis of the jaw-bones (*ardita*) sciatica (*gṛdhrasī*) paralysis of arms and back (*viśvañci*) synovitis of knee join (*kroṣṭukaśīrṣa*) lathyrism (*kalāyakhañja*) (*vātakaṇṭaka*) (*avabāhuka*) (*tūnī*) (*pratitūnī*) tympanites (*ādhmāna*) (*pratyādhmāna*) (*vātāṣṭhīlā*) (*pratyaṣṭhīla*)

Part 3. Śārīrasthāna

Śārīrasthāna 2: On Semen and Menstrual Fluid

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002. ¹⁵⁷ Das (2003: chs 6–8) also studied topics of this chapter and in chapter 13 provided an overview of the conceptual background of ayurveda on the topics discussed in this chapter.

Translation

- 1 We shall now explain the anatomy that is the purification of sperm (*śukra*) and blood (*śoṇita*).
- 3 Semen (*retas*)¹⁵⁸ is incompetent to produce offspring if it is [characterized by] wind, bile, phlegm, blood (śοṇita),¹⁵⁹ decomposition (kuṇapa), clumps (granthi),¹⁶⁰ stinking pus (pūtipūya), low volume (kṣīṇa), urine, or feces.

¹⁵⁷ HIML: IA, 244-246.

¹⁵⁸ The Nepalese version has -रेतांसि "semen" (in the plural) as the subject of the sentence: "seeds are unable to produce offspring...." In the vulgate, -रेतसः is a masculine bahuvrīhi, making "men whose semen has..." the subject of the sentence.

¹⁵⁹ Note that the list begins with the four entities, wind, bile, phlegm and blood, hinting at a four-humour system (see Wujastyk 2000: 485–486).

¹⁶⁰ Modern Establishment Medicine (MEM) understands that normal ejaculate contains coagula which, however, dissolve after about half an hour. But coagula that do not dissolve may sometimes be a sign of an underlying disorder (see, e.g., Lamming and Marshall 1990: 2, 614–615; Cohen 1990).

Diagnosis by humours

- When the dysfunction is caused by wind, there is a colour and a type of pain that typically goes with wind problems.
 - If caused by bile the colour and the pain are typical of bile afflictions. If caused by phlegm the discolouration and suffering are characteristic for phlegm disease.
 - And if caused by blood (*śoṇita*) there will be a colouration due to blood and a sensation of a bile affliction. Moreover, when caused by blood (*rakta*) there is the smell of decomposition (*kuṇapa*). ¹⁶¹
 - Phlegm with wind causes the appearance of clumps.
 - Bile with blood (*śoṇita*) causes the appearance of foul-smelling pus (*pūtipūya*).
 - Bile with wind (*māruta*) cause a weakening of semen.
 - Humoral colligation (sannipāta) causes the smell of urine and feces.¹⁶²

Cases of foul-smelling sperm, sperm with clumps, and when it reeks of pus are hard to treat. But when sperm contains urine or faeces there is no treatment.¹⁶³

Moreover, seasonal blood ($\bar{a}rtava$) too can become afflicted (upasṛṣṭa), seedless ($ab\bar{i}ja$) because of the three humours, and blood as the fourth, taken individually, in pairs or triples or all together. ¹⁶⁴

This can also be known by means of the humour, colour and pain. In these cases, that which displays decomposition (kuṇ apa), clumps and the putrid smell of pus is incurable ($as\bar{a}dhya$). And otherwise it is curable ($s\bar{a}dhya$).

Among these, the kind which shows decomposition, or coagula, or pu-

¹⁶¹ Note that the text mentions both शोणित and रक्त. This raises the question of whether the author considered these to be different, or whether it is an artefact of textual transmission

¹⁶² The expression "humoral colligation," translating

[•] सन्निपात, refers to the simultaneous

[•] disorder of three humors at the same time, a condition that is difficult to treat (see Wujastyk 2016: 38 *et passim*).

¹⁶³ Note that the above characterizations presuppose the direct inspection of an ejaculate. The process of collection is not described in the sources in this chapter.

¹⁶⁴ This translates the text of the oldest surviving witness, N, and the vulgate. But MS H, that normally follows K very closely, has a negative particle, ¬¬, reversing the sense of the sentence.

trid pus is incurable. The other types, however, can be treated.

6 And there is a verse on this.

An expert should overcome the first three of these sperm pathologies with special treatments such as unction and sweating, as well as by means of a urethral instillation (uttarabasti). 165

find out about uttarabasti

Therapies by humour

- 6.1 In that context, when the sperm is of the nature of wind, there is an enema (āsthāpana) consisting of Bengal quince, Indian kudzu and milk. 166 In the urethral instillations one should use sesame oil well cooked with mahua, grey orchid, deodar, and chir pine. One can also make the patient drink clarified butter with ripe pomegranate, citron fruit, rock salt, a caustic (kṣāra), and two kinds of salt. 167
- 6.2 When the sperm is of the nature of bile, there is an enema of milk cooked with curds, Malay beechwood and liquoricek. One should also apply a paste (*kalka*) of white dammer tree and axlewood in the vagina. There is an oily enema (*anuvāsana*) of sesame oil cooked with liquorice; in the same way, it should only be applied as a urethral instillation. One should make him swallow ghee cooked with wild sugar cane, common smilax, heart-leaved moonseed, white teak, false daisy, and the five roots.
- 6.3 When the sperm is of the nature of phlegm, there is an enema (ās-thāpana) consisting of a decoction (kaṣāya) of golden shower tree. And one should also apply an oily enema (anuvāsana) of sesame oil cooked with long pepper, embelia and honey; and it should only be applied as a urethral instillation.

¹⁶⁵ Dalhaṇa on 3.2.6 (Su 1938: 345) noted that "unction and sweating" indicates the "five treatements": वमन, विरेचन, अनिरूह, अनुवासन and उत्तरबस्ति. He noted that the explicit mention of urethral enema in the verse was for the purpose of highlighting its priority. However, a natural reading of the verse does not suggest that these distinctions were in the author's mind.

¹⁶⁶ These three recipes are not present in the vulgate text of the *Suśrutasaṃhitā*.

^{167 -}विपक्क "well cooked with..." might be interpreted as "with ripe...".

¹⁶⁸ By specifying "upper (i.e., urethral) instillation" the author is clarifying that this is not a rectal enema.

One should make him drink a ghee cooked with hairy bergenia, white teak, emblic myrobalan, long pepper, bearded premna, and prickly chaff-flower.

3.2.7 And there are verses about this.

When there is blood in the sperm, the physician should give the person ghee cooked with flowers of the fire-flame bush, catechu, pomegranate, and arjun.

- 3.2.8 When it smells like a corpse, he should drink ghee cooked with the sal group of trees. †When clumps appear, it is cooked with stones, or also in ash from a flame-of-the-forest. 169
 - 9 And also, when it resembles pus, it is treated with items such as phalsa and banyan. When the sperm is deficient it should be treated as was stated before and also as will be described.¹⁷⁰
 - 10 When it looks like feces, he should be made to drink ghee together with leadwort, cuscus grass and devil's dung.
 - 10.1 In these six cases, a wise person should carry out the sequence of oleation and so on.¹⁷¹
- As a result of not having sex with women as well as from the use of actions, and from overusing the drugs that are astringent, spicy and sharp,

10.4

to what?

10.5

10.6

10.7

10.8

10.9

10.10

¹⁶⁹ The Nepalese text and translation of this sentence are uncertain. The vulgate text reads, 3.2.8 (Su 1938: 345): ग्रन्थिभूते शटीसिद्धं पालाशे वा ऽपि भस्मिन "If clumps appear, it is cooked with śaṭī or in ash from a palāśa." The vulgate edition notes in a footnote that some vulgate manuscripts add an extra line, स्नेहादिश्च क्रमः षद्वेतासु विजानता. The Nepalese manuscripts read this line two verses further down.

¹⁷⁰ Dalhaṇa on 3.2.9 (Su 1938: 345) noted that "what was stated before" refers to the स्व-योनिवर्धन section, i.e., Suśrutasaṃhitā 1.15.10 (Su 1938: 69), and that "what will be described" refers to Suśrutasaṃhitā 4.26 (Su 1938: 496), the chapter on weakness and strength (क्षीणबलीय).

¹⁷¹ The six cases probably refer to

10.11

10.12 And there is a verse about this@

To purify the menstrual blood (ārtava), one should apply the procedure that finishes with a urethral installation.

From

Therapies for menstrual blood

For purifying the menstrual blood one should follow the procedure, the last of which is a urethral instillation (*uttarabasti*).¹⁷²

- One should use a paste (kalka) as well as cloths and a salutary lavages ($\bar{a}camana$).¹⁷³
- In case of a bad smell and the appearance of pus, or the appearance of marrow in the blood.
- 15 He should drink a decoction (kvātha) of white sandalwood or a decoction of red sandalwood.¹⁷⁴
- 14ab When clumps (*granthi*) appear, he should drink velvet-leaf, three heating spices, and Indrajao. ¹⁷⁵
- 14a He should drink a a decoction (niḥkvātha) that is the extracted juice (surasa) of a caustic (kṣāra), dried ginger, and devil's dung.
- 24 Thus a man has unblemished semen and a woman has pure menstrual blood.

172 The "procedure ending with a urethral instillation" probably refers to verse 6 above (see page 69).

¹⁷³ The word आचमन, normally "sipping water from the palm" is here translated "lavage" following the context and Dalhaṇa on 3.2.13 (Su 1938: 345), who described it as "water for washing the vagina" (योनिप्रक्षालनोदक). This treatment may be intended for the condition mentioned in 12cd, but in the vulgate text there is a preceding half verse stating that the treatment is for the "four disorders of menstrual blood."

¹⁷⁴ The name चन्दन may refer to several types of sandalwood; presumably one is meant here that is different from white sandalwood, i.e., perhaps Pterocarpus santalinus Linn. f. The vulgate has an extra half-śloka here.

¹⁷⁵ On ग्रन्थि, see note 160.

During menstruation

During the season (rtu), starting from the first day onwards, the chaste woman ($brahmac\bar{a}rin\bar{\iota}$) foregoes bathing, anointments, ornaments and grooming (vilekhana). The She should abstain from sleeping during the day, collyriums, weeping tears ($a\acute{s}rup\bar{a}ta$), massages, cutting her nails, taking showers, laughing, telling stories, hearing too much noise and from exertion. The same stories are stories and the same stories are same stories.

For what reason? By sleeping during the day, the fetus becomes deaf. From collyrium he becomes blind. From weeping, his vision is impaired. From bathing and anointing, he becomes badly behaved. From massage with oil he gets a pallid skin disease (kuṣṭha). From cutting the nails he gets ugly nails (kunakha). From smearing an unguent he becomes bald. From habitually exercising in the open air he goes mad. For this reason one should avoid these.

For three days of ritual food, the husband should protect (\sqrt{rak}) the woman. She lies on a layer of halfa grass, and eats a different kind of food from the palm of her hand, or from a plate or from a leaf. ¹⁸⁰

On the forth day, one should show to the husband the woman who has had a purifying bath, is wearing unstitched clothes, is ornamented and who has chanted a benediction and recited a blessing.¹⁸¹

What is the reason for that?

26 And there is a verse on this.

A woman has a bath after her period. The type of man she sees after that determines the type of son to whom she will give birth. She may then show her son to her husband.

¹⁷⁶ The word ऋतु "season" in āyurvedic texts can, according to context, refer either to the period of menstruation or else to the period of fecundity following menstruation (Das 2003: 15 ff., note 27, et passim). Dalhaṇa on 3.2.25 (Su 1938: 347) noted that the woman's abstention should last three days from the first appearence of her menses.

¹⁷⁷ On the similar prohibitions relating to a menstruating woman as described in Dharmaśāstra literature, as well as the similar defects accruing from disobedience (see Leslie 1989: 284–287).

¹⁷⁸ Here, the vulgate reads स्वप्नशीलः "he tends to sleep."

¹⁷⁹ On translating কুম্ব in Āyurvedic texts, see Emmerick 1984: 96 ff.

¹⁸⁰ This sentence is hard to construe because हविष्यं "ritual food" cannot agree with - भोजिनीं.

¹⁸¹ See Wujastyk, Birch, Klebanov, et al. 2023: 58 and fn. 167.

Next, the priest (upādhyāya) should perform the appropriate ritual for producing a son. At the end of the ritual, the expert (vicakṣaṇa) should anticipate the following procedure.

- Next, after the man has eaten a rice porridge with ghee and milk in the afternoon, having been celibate for a month, at night he should sexually approach the woman who has had a diet rich in oil and mung beans. He then soothes her in a friendly way and he may go to her optionally on the fourth, sixth, eighth, tenth or twelfth day.
- Henceforth, he should approach after a month [At this point there is a misplaced folio in MS N]
- And when conception has occurred in this way

During one of these nights, the pregnant woman should press three or four drops of juice from one or other of the following: convolvulus, banyan, Indian bat tree, country mallow, carray cheddie. Then she should administer them in the right nostril if she desires a son and in the left if she wants a girl, and she should not sneeze them out.¹⁸²

- For certain, in the presence of these four, a fetus that follows the rules will come into being, just like a sprout is from a combination of field, seed, water and grass.¹⁸³
- Children born in this manner are beautiful, of noble character and enjoy long lives. 184 They provide release from obligation (ṛṇa) and they themselves have children, benefitting their parents. 185

29, 30 missing?



¹⁸² There is a textual problem at the start of this passage.

¹⁸³ The Nepalese version reads क्षेत्रबीजोदकत्णाम् "of field, seed, water and grass" in contrast to the vulgate's ऋतुक्षेत्रामुबीजानाम् "of season, field, water and seed." This gives the two versions quite different meanings. In the Nepalese version, the author is referring to the four plants mentioned in the previous verse, convolvulus, banyan, Indian bat tree, country mallow, and carray cheddie. Then the author presents a simple agricultural simile. In the vulgate version, the words of the compound each have a double meaning: they can refer to the agricultural simile, but they can also be construed to mean "menstrual season, womb, nourishing bodily fluids, and male and female semen," a parallelism not present in the Nepalese transmission. This is how Dalhana interpreted the verse.

¹⁸⁴ We translate महासत्त्वाः as "noble character;" Dalhaṇa, commenting on the vulgate reading सत्त्ववन्तः, refers to the गुणस्, interpreting the expression as "not strongly influenced by रजस् and तमस्."

¹⁸⁵ Children born in this manner fulfil their parent's obligation to have children and they themselves have children, thus continuing the family. The three debts are normally understood as being to the gods, the ancestors and to sages. But Dalhaṇa's phrasing is odd in that he says पितृणामृणत्रयमोक्षणशीलाः "behaving so as to provide release from

In that context, the element of heat (*tejas*) is the most important factor as far as complexion (*varṇa*) is concerned. That being granted, at the moment the fetus is formed, when the food has water as its chief element, then the fetus is fair. When earth is the predominant element, it is dark (*kṛṣṇa*). When earth and ether are the chief elements, it is dark brown (*śyāma*). The some people say that the newborn (*prasava*) has the same colour as the colour of the food that the pregnant woman commonly eats. Similarly, creatures like snakes, scorpions and large geckos that inhabit black, yellow or white habitats are black, yellow or white. In that context, congenital blindness (*jātyandha*) is caused by the element of brilliance (*tejas*) not reaching the location of eye (*dṛṣṭi*). Similarly, red eyes are a consequence of blood, white eyes are a consequence of phlegm, yellow eyes are a consequence of bile, and misaligned eyes (*vikṛtākṣa*) are a consequence of wind.

the three debts to the ancestors."

¹⁸⁶ The food of the mother, that is.

¹⁸⁷ The terms कृष्ण and रयाम often mean more or less the same, a dark blue or black colour. The latter can shade into brown or dark green.

¹⁸⁸ Cf. also n., p. 173.

Śārīrasthāna 3: On Conception and the Development of the Embryo

First draft, by Jan Gerris, 2023-12-19.

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002. 189 Das (2003: ch 8) also studied topics of this chapter.

Translation

- 1 We are now about to begin to explain how the embryo is conceived, nestles and develops* once it arrives in the body.
- 3 Sperm from the male absorbs heat whereas eggs from the female release heat. With respect to this aspect, the way the different basic elements of matter behave depends on how the elements specifically react with one another and how they form bonds with one another.
- 4 The wind aggravates the heat caused by the bodily frictions during sexual intercourse between husband and wife. Hence heat and wind colligate and displace the sperm towards the

189 HIML: IA, 247-247.

vagina. There it gets combined with the female element, thanks to the matrimonial fusion of agni and saumya, and is confined towards the uterus, its new realm where it is respectfully known by many names and synonymous descriptions such as he who touches, smells, looks and sees, hears, tastes, as the animating principle of all living beings, as he who wanders, observes and witnesses, the creator, he who remains incomprehensible even though eternal. So it claimed. Because of the connection with the divine, the conceptus subsequently makes its entry into the reproductive organs, where it remains exempt from decay, imperishable and to be meditated upon, the soul of all beings that exist, marked by the concomitance of the three states-of-mind, the sattvic, the rajasic and the tamasic, and of the different Devas and Asuras, enraptured as it is by Vāyu.

- 5 When there is an excess of male sperm, boys originate. When there is an excess of the female element, girls. And when there is a balance between both, the sex of the child remains unclear.*
- 6 A boy is conceived when on the first day of the period of twelve days of the cycle* the desire for sexual intercourse is not endlessly postponed. It should not be disregarded that a woman who is definitely pregnant may suffer a miscarriage; a second pregnancy can miscary as well and even in a third gestation, the body can be incomplete either in form or in number of limbs, and both the strength and the life expectancy can be limited. This is the reason why one should avoid three-nightly intervals. There are also patients who do not exhibit produce menstrual periods or have no sperm production and who do not return to normality.* For that reason, if sperm production has to be observed, a man should avoid the habit of three-nightly advances. In such cases, even after having observed there periods of twelve nights, yet there is no ovulation proper.** Some state that these are amenorrhoeic.***
- 7 Here are some more verses.
- 8 Lacking
- 9 As surely as by rule of nature the night-lotus folds its

- leaves, so truly a woman's yoni by law of nature is also closing*.
- 9A The face of a woman becomes swollen, lively and because of transudation moist like that of an elephant, she longs for intimate contact with a man, talks sweetly, her belly drooping and her head let down/uncared for,...
- 9B ... her arms, breasts, hips, loins, thighs, her abdomen around the navel, her bottom and buttocks, all are trembling. And she experiences intense happiness and satisfaction, you can tell her a woman after her courses.
- 10 The Vāyu then guides the mentrual discharge that comes after being heaped up for a month through the two channels towards the opening of the yoni.
- 11 Menstruation becomes a regular feat from twelve years onwards and owing to the natural decay of functions it ends from about fifty years onwards.
- 12 So, if a man desires children, he should have intercourse with his wife during the fertile period of the cycle* and for that particular purpose he should visit her on even days in order to beget a boy and on uneven days for a girl.**
- 13 In this context, fatigue, lassitude, thirst, a feeling of exhaustion in the thighs, flatulence, an arrest of the menses and of sperm from the yoni* with a sensation of shaking heat all suggest that a pregnancy has been obtained very recently.
- 14 Here are some more verses. It is claimed that a typical early sign of pregnancy is the nipples turning darker*, the appearance, on the midline of the abdomen, of a coloured stripe, (resembling hair)** and sudden vomiting.
- 15 Lacking
- 16 From the very beginning of pregnancy the woman should avoid sexual intercourse, exertion, excessive exercise, sleeping by day and waking at night, being terrified, sitting for too long in one position, being all alone, Sneha-krama and other treatments as well as blood-letting at an inappropriate time.
- 17 Lacking
- 18 So then, in the first month a kalala arises. In the second

month a ghana develops that has arisen thanks to blood, ritual oblations and by wind and has become mature with the five essential elements. If there is a lump-like structure, it will be a male. If the structure is oblong or peśī, a girl; if there is a bud-shaped structure or arbbuda, an individual with undifferentiated external sexual features.* In the third month five protrusions (of hands, feet and head) result from the process of development. All limbs and all minor body parts become distinguishable (though still) very minute. In the fourth month all limbs and minor body parts become manifest. In the fifth month all limbs and minor body parts become even more individualized. Owing to the formation of an individualized fetal heart, consciousness becomes a distinct separate constituent which is why during the fourth month, that foetus, from the appearance of that organ onwards, forms desires from (all five) objects of sense. Henceforth the lady becomes the double-hearted (or pregnant) one and she makes her desires known. The two-hearted/pregnant one, (if) disrespected, causes a child to be born who is (kukukūnimsanrm), dwarfish, with eye defects, blind, desires (something) is also that by means of which she can be gratified. Having obtained (to be) pregnant, she causes a son to be born who is really strong and has a long life expectancy.

- 19 And here are some more verses. Indeed that pregnant woman desires (bhoktum) the objects of the senses during the course (of her pregnancy); for fear of injury to the foetus a physician, after having fetched these things, should give any desired object.
- 20 She should give birth to a son endowed with virtues; if the pregnant woman does not obtain (what she desires), he (the foetus?) (or she, the woman?) also becomes equally insecure him-/her-self.
- 21 With respect to all those desires of the senses in which the pregnant mother was slighted, she will give birth to a son who is defective in each of all those same corresponding

senses.

22 A king in an interview with whom a woman during her pregnancy wins and she gives birth to a son who is wealthy and is highly fortunate.*

- 23 A pregnant woman, dressed in fine cloth, wearing silk and other things, gives birth to a charming son decorated (alankā) resinam
- 24 If (she goes) to a hermitage, she brings forth someone who is self-restrained and a stone-pillar of religion, resembling a godhead and begotten in the utmost happiness. Upon seeing someone in a high position designed by birth, she gives birth to a stone-pillar of violence.
- 25 If she feels like eating the flesh of an Iguana (she produces) a son who is drowsy and who has the nature of a killer; by means of beef meat a son who is wild and who is powerful because he is savage in everything.
- 26 When from the pregnant woman (there is a wish for meat of) buffalo a son is produced who has fearful red-eyes and who looks shaggy.
- 27 Lacking
- 28 Hence, she who during her pregnancy considers what people eat, wishes for her offspring the same via the food habits of the body.
- 29 And that which has yet to happen again when the child is growing up, should be such that through divine intervention the pregnant woman should produce it during her pregnancy.
- 30 In the fifth (month of pregnancy) the mindbecomes more and more awakened; in the sixth intelligence (becomes awakened); in the seventh all the limbs and smaller body parts (are in place); if in the eighth (month) the ojas is not stable in that case the child does not live* he is provided with a share (of it) by the demons- so then strong excellent meat should be provided to him; if he is not yet caused to be born in the ninth, tenth, eleventh or twelfth (month), then there is something wrong.
- 31 Furthermore, the umbilical cord is securely fastened to both juice-carrying vessels of the mother and carries the power (energy?) of the essential juice coming from the food of

- the mother and what causes (the baby) to live is the distribution of the life juice,* over all the body parts of the not yet (existing) newborn, from the beginning of conception (?) (niḥṣekān), and over (all) the transportation channels, running in all directions because of that intimate connection of the vessels.
- 32 Mainly, the developments of the foetus are: śaunakasays says that the head develops first because it is at the basis of this (development). Krtavīryasaysit states is the heart (which is at the base) of both intellect and mind. Pārāsa' s son maintains instead that (it is) (deraha?-) of the body. Mārkkandeya presumes that hands and feet are first because they are at the basis of movement in the body of the foetus. Subhūti Gautama claims all the limbs and their smaller subparts develop because of their development because the development of all the moving limbs is irretrievably connected, all turned into one and the same direction (of the thorax) together. At the time of early pregnancy, due to their extreme minuteness, they cannot be perceived, like sprouts of bamboo or seeds of mango. Thus, in the manner mango fruits becomes ripe, or as the shine of the hair of the head, or the way marrow appears in bones, step by step these things are seen more accurately, e.g. as an increase of black colour, and they become gradually apparent as the body (takes shape). Due to their feature of being so subtle, the minuteness of the hair of the head (and other examples) makes the black become apparent in this way; just so the growth of bamboo is also explained. Similarly in the beginning of a pregnancy, precisely because of the minuteness in all limbs and smaller body parts which are present, these are not well perceived (but) because of their increasing degree of blackness they become apparent.
- 33 It is claimed (that this) is not the consequence of any previous or any (bad or) excellent fate but solely because of the minuteness they* are not being observed. In that context we shall explain features in the body that are paternal, maternal, connected with rasa, related to the soul, linked to the quietude of mind and relative to the

essence of being.** Keeping this in mind, the hair of the head, tears, teeth, nails, the hair of beard and moustache, things made of hard substance (cartilage?)*** are brought about as paternal (elements). Muscle, blood, fat, marrow, the heart, the umbilicus (= the placenta?)****, the liver, the spleen, the intestines, the anus are brought about as the soft maternal (elements). The increase in size of the body, the growth of the child and (its) outward appearance, the gain and loss of its erect attitude are caused by the rasa. The senses, consciousness, duration of life and the intensity of pleasure and pain are related to the spiritual element. We shall discuss later the satva-related things. Valour, healthfulness, strength, complexion and prudence depend on the existential disposition.**

- 35 And here is (more). Women who sit down to the gods and Brahmins, have the advantage of a ceremonially pure offspring. They produce children with great qualities. In the opposite case however, they have no qualities.
- 36 The development of the limbs and the smaller anatomical parts progresses precisely all according to its own nature. The development of these limbs and the smaller anatomical parts is dependent upon the qualities and conditions which could not be known of the foetus by religion and could not

be caused by religion.*
This is the third chapter of the <code>śarīra</code>.

Part 4. Cikitsāsthāna

Cikitsāsthāna 4: On the Treatment of Wind Diseases

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002.¹⁹⁰

Translation

- 1 Now we shall describe the treatment of wind diseases. weight
- When the wind enters the stomach, one should sequentially give to the patient, who has vomited, the formulation (*yoga*) with six-units (*ṣaḍ-laraṇa*), together with tepid water, for seven nights.¹⁹¹

191 The vulgate has the reading छर्दियत्वा which means "after making [him] vomit". Thus, vomiting is a part of the treatment. Whereas छर्दित in the H manuscript is ambiguous: vomiting may be part of the treatment or a symptom of the ailment.

The expression "six units" refers to the six ingredients listed in the next passage. Palhaṇa on 4.4.3 (Su 1938: 420) noted that धरण in this context means a particular weight characterized as equivalent to 21 medium-sized hyacinth beans. P. V. Sharma (1999–2001: 303) proposed that that the formulation contains six ingredients each the weight of a *dharaṇa*. See 4.31.7 (Su 1938: 508) where the term धरण is defined in terms of other weights. (In epigraphical Sanskrit, a धरण may be a silver or gold coin (Sircar 1966: 91).)

Aṣṭāṅgaḥṛdayasaṇḥitā 4.21.14 (Ah 1939: 723) is the same verse, mutatis mutandis, but the editor noted (f.n. 6) a variant reading षद्धरण in the commentary of Śrīkaṇṭha. There seems to be some confusion about this expression.

Dalhana also noted that सुखाम्ब ("pleasant water") means "slightly warm water."

¹⁹⁰ HIML: IA, 265-266.

- "Six-unit" is traditionally the formulation that is leadwort, Indrajao, velvet-leaf, kutki, Himalayan monkshood, and myrobalan. It cures serious diseases.
- 5 When the wind has entered the abdomen (*pakvāśa*) one should treat it with an oil purge. One should also treat it with cleansing enemas and very salty foods.
- 6 When the wind has entered the bladder, a cleansing enema method should be carried out. And once an inflamed wind is in the ears and the like, a procedure that destroys wind should be done.
- 7 When the wind has reached the skin, flesh, and blood, one should do an oil rub (*abhyaṅga*), apply a poultice (*upanāha*), rubbing (*mardana*) and ointments (*ālepana*). One should also perform blood-letting.¹⁹²
- 8 When the wind has got into the ligaments, joints, and bones, an expert should apply oleation (*sneha*), a poultice (*upanāha*), cauterization (*agnikarma*), binding, and rubbing (*unmardana*).
- When the wind is deep within the bone, then a strong physician should insert a tube $(n\bar{a}d\bar{i})$ into the bone, which has been split open by manual agitation $(p\bar{a}nimantha)$, and suck out the wind. 193
- 10ab When the wind has reached the semen, one should perform the treatment for the defects of the semen. 194
- When the wind has reached the whole body, an intelligent person should conquer it by means of immersion, sauna $(kut\bar{i})$, trench sweating $(kars\bar{u})$, blanket sweating (prastara), oil massage, enema, and blood-letting. Or, if is located in a single limb and is stuck there, a

¹⁹² On the translation of methods of medical touch, such as अभ्यङ्ग and संवाहन, see Brooks 2021b: 122–131. मर्दन, उन्मर्दन mean "pressing or vigorous rubbing." The vulgate includes ducts ($sir\bar{a}$) as an added place that wind can enter.

¹⁹³ The expression "which is split" could be construed with "wind." The word order is not obvious. Dalhana on 4.4.9 (Su 1938: 420) interpreted पाणिमन्य as the name of a particular awl and described the bone being pierced by this awl so that a double-headed tube can be inserted into the resulting opening. This verse is in *na* vipulā metre.

¹⁹⁴ Palhaṇa comments (Su 1938: 421) that this treatment for the defects of the semen is mentioned [earlier] as the शुक्रशोणितशुद्धि, the purification of the semen and the blood. This is the Śārīrasthāna Ch. 2, शुक्रशोणितिवशुद्धि.

¹⁹⁵ These forms of sweating treatment are described in the *Carakasaṃhitā* (1.14.39–63 (Ca 1941: 90–92)).

Regarding blood-letting, Dalhana on 4.4.11 (Su 1938: 421) commented that because the verse has the plural form सिरामोक्षेः, five blood vessels have to be drained of blood

- thoughtful physician may conquer it with cow-horns. 196
- Or, if it is mingled with phlegm (*balāsa*), bile, and blood, the physician should treat it with non-hostile remedies. However, when the wind is inactive, he should perform blood-letting many times. 198
- And one should lick the milk cooked in ?? together with salt and soot from the chimney ($\bar{a}g\bar{a}radh\bar{u}ma$), mixed with oil and also a juice (rasa) that has the sourness of a fruit.¹⁹⁹
- 14–15 Alternatively, cereal soup with a good amount of ghee is a wholesome food that repels wind. However, "Sālvala" is well-known to be a lukewarm and very salty substance that is the cottony jujube group combined with an item that repels wind and together with all the sour drugs and the meat of creatures from marshes and water that have all the oils.²⁰⁰
- 16ab One should always apply a bandage with that to people who are ill with wind.
- 16cd-18ab One should tightly bind someone who is bent, afflicted by pain, or whose limbs are stabdha (numb), with a paṭṭa ($strip\ of\ cloth$) made of bark, cotton or wool ($\bar{u}rna$).

Alternatively, one should put it into a skin sack

Or, after massaging the affected body part and applying the śālvala²⁰¹

if the wind is not pacified by oil massage, etc.

¹⁹⁶ প্রত্ন "cow-horns" refers to bloodletting by horn; see the description at *Suśrutasaṃhitā* 1.13.5 (Su 1938: 55).

¹⁹⁷ The word बलास is used here in the slightly unusual meaning "phlegm;" see Dalhana on 1.45.70, 6.61.33 (Su 1938: 202, 802) and *Mahākośa*: 553.

¹⁹⁸ We read सुप्तवाते with witness H, but Dalhana glosses सुप्ति-, the reading of the vulgate, "it is wind characterized by drowsiness (*supti*) caused by a covering of blood."

¹⁹⁹ The vulgate reading दिह्यात् for the Nepalese लिह्यात् changes the meaning to "one should smear."

Palhaṇa on 4.4.13 (Su 1938: 421) glossed पञ्चमूली as optionally the first or the second five roots. On this therapy, cf. Cakrapāṇi's commentary on 1.5.3 (Ca 1941: 36) for a similar therapy.

The "juice" (रस) was glossed by Dalhana as specifically being a meat broth (māṃsarasa). He said that the sourness may come from fruits such as pomegranate. रसाम्ल may mean a vinegar made from fruit (MW:70), so the expression फलाम्लो रसः in the text here may mean a vinegar made from sour fruit. Cf. धान्याम्ल.

²⁰⁰ Cf. साल्वण "sweat from a poultice" in *Mahākośa*: 898. *Aṣṭāṅgasaṅgraha* 1.26.3a (As 1980: 188) describes a poultice called "sālvala" made with numerous ingredients (the commentator Indu elaborates, p. 189).

²⁰¹ This seems to be the correct spelling as against the unclarity in the earlier verses.

poultice on it, one should insert it into a sack made of the hide of a cat, mongoose, $udra^{202}$, or deer.

- Vomiting and an errhine done skilfully alleviate the wind that has entered the chest, between the shoulder-blades (*trika*), the shoulders, or the nape of the neck.²⁰³ The wind located in the head is defeated by blood-letting and by the application of oil to the head (*śirobasti*).
- In that context, one should let the oil remain carefully for a one thousand measures $(m\bar{a}tr\bar{a})$. Only an enema (basti) can curtail the wind, whether it is throughout the whole body or in just one limb. Its force (vega) is like the wind. 205
- Oils, perspiration, oil massage, enema, unctuous purging of the bowels, *śirobasti*, oiling the head, unctuous smoke, gargling with lukewarm water, *nasya*, unctuous paste, milks, meats²⁰⁶, soups, oils²⁰⁷, any unctuous substance, unctuous and salty meals that are made sour by fruits, bathing with lukewarm water, massages, saffron, ??, cassia cinnamon, costus, cardamom, crape jasmine, garments made of silk, wool, and fur, soft cotton garments, inner rooms with sunlight, no wind flow, and a soft bed, taking the warmth of fire, and celibacy, etc. are to be collectively employed for patients with wind diseases.

Draft tr. from here 21cd-26

Perhaps kalka here could also mean the Terminalia Bellerica (विभीतक).

could also mean the

Terminalia

(विभीतक)

Oils, perspiration, oil massage, enema, unctuous purging of the bowels, $\dot{s}irobasti$, oiling the head, unctuous smoke, gargling with lukewarm water, nasya, unctuous paste, milks, meats²⁰⁸, soups, oils²⁰⁹, any unctuous substance, unctuous

²⁰² some aquatic animal

²⁰³ On त्रिक, see *Mahākośa*: 1, 387, citing Dalhaṇa on 3.6.26 (Su 1938: 374) "the junction between the shoulder-blades and the neck."

²⁰⁴ Palhaṇa on 4.2.20 (Su 1938: 422) interpreted मात्रा as a measure of time, citing an unattributed verse defining it as the time of a blink, a snap of the fingers or the utterance of a single vowel. The expression might possibly be taken to refer to a measure of the oil's volume.

²⁰⁵ This phrase is awkward. The idea here seems to be that an enema decisively stops the wind. The vulgate revised this to make it more obvious: "only an enema can block the force of the wind, like a mountain."

²⁰⁶ The plural indicates milk and meat from various animals.

²⁰⁷ This is the second occurrence of the word स्रेहाः in this sentence. This seems to be an anomaly.

²⁰⁸ The plural indicates milk and meat from various animals.

²⁰⁹ This is the second occurrence of the word स्रेहाः in this sentence. This seems to be an anomaly.

and salty meals that are made sour by fruits, bathing with lukewarm water, massages, saffron, ??, cassia cinnamon, costus, cardamom, crape jasmine, garments made of silk, wool, and fur, soft cotton garments, inner rooms with sunlight, no wind flow, and a soft bed, taking the warmth of fire, and celibacy, etc. are to be collectively employed for patients with wind diseases.

- One should take akṣa quantities of unguent pastes²¹⁰ of turpeth,²¹¹ ??, ??, ??, the three myrobalans, and embelia, a Bengal quince fruit equivalent measure of ??-root and ??, two pātra quantities of both triphalā-decoction²¹² and yogurt, and one pātra measure of ghee.²¹³ One should mix these ingredients all at once and cook the mixture properly. This (resultant) is ??-ghee. Unctuous purging of bowels is prescribed for treating wind disorders.²¹⁴
 This procedure of making ??-ghee should also be referred for making Asoka tree-ghee and ??-ghee.²¹⁵
- One should collect the wooden logs of the instruments that have been used for a long time for extracting oil from sesame seeds. One should then have them chopped into very tiny pieces and then pound those pieces. Next, one should put them in a big vessel, submerge them in water, and boil them. Thereafter, one should collect the oil from the surface of the water with a goblet or by hand. Thereafter, one should properly cook wind-alleviating herbs with this oil that was effectively cooked.²¹⁶ This is the anutaila

²¹⁰ केल्क also means an unguent paste. Refer to Apte's dictionary.

²¹¹ In H, perhaps it should have been त्रिवृद् instead of तृवृत्.

²¹² त्रिफलारस is here taken to mean a decoction of triphalā.

²¹³ The exact measurements of akṣa and $p\bar{a}tra$ are given in Palhaṇa's commentary in Su 1938: 422.

²¹⁴ It should be understood here that the unctuous substance to be used for purging the bowels is the ??-ghee.

²¹⁵ अशोक and रम्यक are the Ashoka and Chinaberry respectively.

²¹⁶ In H, the word दन्तप्रतीवायं in the compound word वातप्रोषधदन्तप्रतीवायं does not appear to make sense. Perhaps the syllable य should be प, thus making the word प्रतीवापं that refers to an admixture of substances to medicines either during or after decoction. Refer to Monier-Williams's Sanskrit dictionary.

(अनुतैल)²¹⁷ that is mentioned in wind disorders. It is called anutaila because it is produced from tiny oily objects. 218 29 Alternatively, one should burn a great amount of ??-wood on the ground for one night. When the fire gets extinguished the ash should be removed. Then, the ground that is relieved of the fire should be soaked with a hundred pots of oil cooked with ??, ??, and other herbs, and left in that condition for one night. Thereafter, one should take all the earth that is oily²¹⁹ in a big vessel and totally cover it with water. 220 The oil that rises up in that vessel should be taken out with both hands and kept nicely covered. Thereafter, one should properly cook that oil for as long as possible 221 with one thousand parts of each of the following --- a decoction of wind-alleviating herbs, meat soup, milk, and $k\bar{a}\tilde{n}jika^{222}$ ---and thus prepare the sahasra-pāka (that which is cooked with thousands). The admixture added to the oil contains the hemavata herbs²²³, herbs of the southern region, Withania, and other wind-alleviating ■ herbs.

While the oil is being cooked, conchshells should be blown loudly, umbrellas should be held, huge drums should be resounded, and whisk fans should be waved. Thereafter, the perfectly cooked oil should be poured into a golden or silver pot and stored. This $sahasra-p\bar{a}ka$ is the oil possessing undiminishing potency and is fit for kings.

²¹⁷ The न् should be read ण्.

²¹⁸ The word अनु in the compound word अनुतैलद्रव्येभ्यः should be read अण्.

²¹⁹ In H, the word यावन् should have been यावान्.

²²⁰ The reading in H, कटाहेभ्यः सिंचेत्, does not make sense here. Thus, we have accepted the vulgate reading कटाहे ऽभ्यासिंचेत् for the translation.

²²¹ The phrase "यावता कालेन राक्नुयात् पक्तुम्" appears as a part of a new sentence in H. But, we should take it to be a part of the earlier sentence for it to make proper sense.

²²² Dalhaṇa comments (Su 1938: 423) that the word अम्ल here means কাञ्जिक which is the water drained after boiling rice and is a little fermented. Refer Monier Willams's Sanskrit Dictionary.

²²³ The word should be हैमवताः as in the vulgate. It means "the herbs of the snowy mountains". Dalhaṇa comments (Su 1938: 423) that हैमवताः refers to the herbs that grow in the northern region.

²²⁴ These activities are a symbolic way of showing reverence.

Thus, that which is cooked with a thousand parts is called $sahasra-p\bar{a}ka$.

- 30 One should collect fresh leaves of castor oil tree, ??, ??, weaver's beam tree, Indian beech, ??, and leadwort. 225 These leaves should be completely pounded along with salt in a mortar. This mixture should be put in a pot filled with oil 226. It (pot) should be smeared 227 with cow-dung. Thereafter, the pot should be heated. This (resultant) is the patra-lavaṇa (leaf-salt) that is mentioned in wind disorders.
- 31 In the same way, one should pound the stalks of ?? and eggplants smeared with salt and fill a pot with it. 229
 In that pot, one should add ghee, oil, fat, and marrow.
 Then, one should smear it 230 and heat it as earlier. This (resultant) is the sneha-lavaṇa (fat-salt) that is mentioned in wind disorders.
- 32 One should collect the fresh fruits, roots, leaves, and branches of all the twenty [herbs]: ??, flame-of-the-forest, Tellicherry bark, Bengal quince, purple calotropis, ??, ??, ??, ??, ??, ??, ??, ??, ??, Indian beech, ??, poison berry, ??, marking-nut tree, Asoka tree, ??. One should then mix them with salt and heat them as earlier. The oil on top should be poured out completely with the salty mixture intact [at the bottom]. This mixture should be cooked thoroughly. The admixture added to it consists of long pepper, etc. This (resultant) is the salt called kalyāṇaka that is mentioned in wind disorders and in meals and drinks for the patients troubled by plīhāgnisaṃga,

225 In H, the ending नाम् should be णाम् due to sandhi.

Euphorbia Antiquorum (Antique spurge)

²²⁶ स्नेहघट can also mean a pot filled with ghee

²²⁷ The H or vulgate do not specify with words that it is the pot to be smeared. But, it is to be understood.

²²⁸ The word दाहयेत् usually refers to burning, but sometimes it can refer to heating.

²²⁹ In H, there should be a visarga after लवणा.

²³⁰ As earlier, the pot should be smeared with cow-dung.

²³¹ It is to be understood that all these fresh branches, leaves, fruits, and roots of the herbs should be completely pounded together with salt. The mixture should then be put into a pot filled with oil or ghee. The pot should be smeared with cow-dung and then heated.

indigestion, loss of appetite, and piles. Thus ends the fourth chapter on the treatment of wind diseases.

Cikitsāsthāna 5: On the Treatment of Serious Wind Diseases

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002.²³²

Translation

1 Now we shall describe the treatment of serious wind diseases.

2

- One group says that the blood afflicted by wind (wind-blood) (vāta-rakta) is of two types: spreading out over a surface (उत्तान) and deep (अवगाढ).²³³ However, this is not correct.²³⁴ Why? Just as leprosy, after spreading over a surface it (afflicted blood) becomes deeply situated. Therefore, its being of two different types is refuted.
- 4 When the wind is aggravated by fighting a strong person, etc.²³⁵, one's corrupted blood caused by eating heavy or hot food before the last meal is digested blocks the path of the aggravated wind. It then combines with the wind and simultaneously creates pain due to the wind-blood.

²³² HIML: IA, 266.

²³³ Dalhaṇa comments (Su 1938: 424) that उत्तान refers to being situated in the skin and flesh, and अवगाढ refers to being situated internally.

²³⁴ In H, the word तन् should be तत्.

²³⁵ These factors that aggravate the wind are mentioned in Nidānasthāna, Ch. 12, text 6.

This [condition] is called wind-blood ($v\bar{a}ta$ -śoṇita). At first, it is situated in the hands and feet. Later, it spreads throughout the body. Its early forms are pricking pain, burning, itching, ulcer, trembling roughness of the skin, pulsation in the blood vessels, tendons, and tubular vessels weakness of the thighs, as well as the sudden appearance of dark brown, tawny, or red spots on the soles of the feet, fingers, ankles, and wrists. The disease becomes fully manifest in the person who does not undertake the means to revert the disease or applies a wrong treatment. Its symptoms have been mentioned. Among them, weakness occurs for the one who does not counter the disease.

- 5 Generally, wind-blood occurs in those who are very delicate, those who eat the wrong foods and enjoy improperly, those who are fat, and even in those who indulge in pleasure.
- 6 In that regard, one should treat the patient who is not degenerating due to wasting of life air, thirst, fever, unconsciousness, dyspnea, trembling, and loss of appetite, is not oppressed by the contraction [of limbs], is strong, composed, and has the means.
- In the treatment, at the beginning itself one should do blood-letting of the wind-affected body part little by little and more than once. That (slow blood-letting) is because of the danger of further aggravation of wind. One should avoid doing blood-letting of the part hardened or weakened by excessive wind.²³⁹ Thereafter, one should make the patient do the remedies of vomiting, etc. If the wind that is mixed [with blood] or separated is very aggravated then one should make him consume aged ghee or goat-milk. Or, [one can give him] half a measure of oil added with an *akṣa* of liquorice and cooked with hare foot uraria²⁴⁰, or the oil that is sweetened by sugar and honey and cooked with dried ginger and bulrush. Or, one should boil milk with an eight times volume of the decoction of the following herbs: beautyberry, grey orchid, ??, hare foot uraria²⁴¹, ??, wild asparagus, ??, and ??. This milk should then be used to cook oil with the admixture of pastes of ??, ??,

²³⁶ In H, the word तन् should be तत्.

²³⁷ In H, there should not have been the स् after स्तम्भ.

²³⁸ In addition to blood vessels, it would also include the nerves.

²³⁹ In H, the reading अम्लान does not make sense given the context. Therefore, we have accepted the vulgate reading ম্লান for the translation.

²⁴⁰ Dalhaṇa glosses (Su 1938: 425) śṛgālavinnā as pṛśniparṇī.

²⁴¹ According to Dalhaṇa, śṛgālavinnā is pṛśniparṇī.

??, ??, deodar, sweet flag, and ??. This (resultant) should be utilised in drinks, etc. Or, one should use the oil that is cooked with a decoction of wild asparagus, prickly chaff-flower²⁴², ??, liquorice, giant potato, heart-leaf sida, country mallow, and ??²⁴³, with the admixture of cottony jujube, etc. Or, one should use the heart-leaf sida-oil that is cooked as śatapāka.²⁴⁴ Or, [the affected body part] should be moistened with milk that is boiled with the roots of wind-alleviating herbs, or it should be moistened with sour things.²⁴⁵ In that regard, five remedies prepared with milk are described. For preparing a poultice, milk should be cooked in ghee, oil, fat, marrow, and dugdha²⁴⁶ separately with each of these powdered grains or pulses—barley, wheat, sesame, mung beans, or green gram—that is mixed with unctuous pastes of cottony jujube, purple roscoea, ??, ??, heart-leaf sida, country mallow, hare foot uraria²⁴⁷, ??, sugar, bulrush²⁴⁸, ??, and sweet flag. Or, the essence of unctuous fruits²⁴⁹ can be used as a poultice. Or, a veśavāra²⁵⁰ prepared from the flesh of a fat *cilicima* fish²⁵¹ can be used instead. Or, [one

242 Dalhaṇa glosses (Su 1938: 425) mayūraka as apāmārga.

The webpage https://hindi.shabd.in/vairagya-shatakam-bhag-acharya-arjun-tiwari/post/117629 says that this verse belongs to the Nitiratua. I could not find this

²⁴³ Dalhana comments (Su 1938: 425) that halfa grass, ??, ??, halfa grass, ??, and ?? are called *tṛna* (grass).

²⁴⁴ Śatapāka seems to be an oil that is prepared with a hundred parts of some things similar to sahasrapāka that is prepared with one thousand parts of some herbs. Refer Cikitsāsthāna Ch. 4 text 29 for the preparation of sahasrapāka.

²⁴⁵ Dalhaṇa comments (Su 1938: 425) that the sour things (amla) are ??, Indian jujube, ??-water, etc. Surā is some kind of liquor, sauvīraka is perhaps the fruit of the jujube tree, and tuṣa is perhaps Terminalia Bellerica (विभीतक).

²⁴⁶ In the *Suśrutasaṃhitā*, the word for milk is *kṣīra* or *payas* but not *dugdha*. Therefore, the word *dugdha* here can mean the sap of plants or something that is extracted.

²⁴⁷ śrgālavinnā

²⁴⁸ For kaśerukā

²⁴⁹ Palhana comments (Su 1938: 425) that the unctuous fruits mentioned here are sesame, castor, flax, ??, etc.

²⁵⁰ In H, the reading वैशवारो does not make sense. It should have been वेशवारो, as shown in the vulgate, which is the reading we have accepted here.

Veśavāra is boneless meat minced, steamed, and added with spices, ghee, etc. Refer to 'Ayurveda Medical Dictionary' by Ranganayakulu Potturu.

Perhaps the word वैशवार is an earlier form of the word वेशवार.

²⁵¹ H has the compound word नलपीनमत्स्य. नलमीन is a particular fish known as *cilicima* (चिलिचिमः). See *Amarakośa*. Also, if the name is नलमत्स्य then the word पीन (fat) within the name is not according to proper Sanskrit. But, it can be allowed because the word मत्स्य (fish), instead of being a part of the name, can be considered to mean fish in general and thus the word पीन becomes its modifier. Thus, नलपीनमत्स्य can mean "a

can use] the poultice containing Bengal quince-rind²⁵², crape jasmine, deodar, ??, grey orchid, peas, costus, ??, liquor, yogurt, and whey. Or, [one can use] the ointment prepared by mixing citron, *amla*²⁵³, salt, and ghee with honey and horseradish tree-root. Or else, [one can use] the unctuous sesame paste.

8 When the [condition of wind-blood] has a predominance of bile, the patient should be made to drink a decoction of grapes, ??-fruit, Indian ipecac, liquorice, sandalwood, and white teak. This decoction is sweetened with honey and sugar before consumption. Or, the decoction of wild asparagus, pointed gourd, cassia cinnamon, *triphalā*, ??, and heart-leaved moonseed should be given. [The patient should be administered] ghee that is prepared with sweet, bitter, and astringent [remedies].²⁵⁴

[The patient] should be sprinkled with a decoction of ??, lotus stalk, sandalwood, and wild Himalayan cherry mixed with goat-milk²⁵⁵, or with rice water that is mixed with milk, sugarcane juice, honey, and sugar, or with whey and sour rice gruel mixed with a decoction of grapes and sugarcane. Or else, [the patient] should be sprinkled with ghee that is prepared with *jīvanīya*²⁵⁶ or sprinkled with ghee that is purified for one hundred times.

The poultice [to be applied] should be made of rice flour or of the paste of sour rice gruel mixed with ??, ??, scramberry²⁵⁷, ??, ??, turmeric, horned pondweed, sacred lotus, etc. The poultice should be mixed with ghee.

Dalhaṇa says in his comment (Su 1938: 425) that नलमीन is a type of रोहित (rohita). Monier Williams says that rohita is a kind of fish: Cyprinus Rohitaka. Regarding the rohita fish, there is a subhāṣita: अगाधजलसञ्चारी न गर्वं याति रोहितः | अङ्गुष्ठोदकमात्रेण शफरी फर्फरायते || This indicates that rohita is a deep water fish.

fat fish that is a ਜਲ (cilicima)".

²⁵² The word पेसिका in H should be read पेशिका.

²⁵³ Perhaps it could mean vinegar or sour curds. Refer to Monier Williams Sanskrit Dictionary.

²⁵⁴ Dalhana comments (Su 1938: 425) that the sweet remedies are cottony jujube, etc., bitter remedies are pointed gourd, etc., and astringent remedies are *triphalā*, etc.

²⁵⁵ The compound word ending with कषायेण is taken to be a bahuvrīhi for अजाक्षीरेण (goatmilk).

²⁵⁶ Jīvanīya seems to be a group of medicinal herbs. There is an Ayurvedic preparation called jīvanīya-ghrta. Refer to the Āyurvedīya Śabdakośa vol. 1.

²⁵⁷ तालीस should be read तालीश

9 The [condition of wind-blood] with a predominance of blood should be treated in the same way. Also, blood-letting should be done repeatedly.

However, when the [condition of wind-blood] has a predominance of phlegm, the patient should be made to consume a decoction of emblic myrobalan and turmeric that is sweetened with honey, or a decoction of *triphalā*, or a paste of liquorice, ??, chebulic myrobalan, and ??. He should be made to drink chebulic myrobalan with water mixed with a little urine. He should be sprinkled with oil, urine, salty water, and liquor that are acidic²⁵⁸. Or, he should be sprinkled with a decoction of golden shower tree, etc.

The patient should be massaged with ghee cooked with sour cream, urine, liquor, ??²⁵⁹, liquorice, ??²⁶⁰, and wild Himalayan cherry.

The poultice should be made of either the paste of white mustard, or the paste of sesame and Withania, or the paste of ??²⁶¹, selu plum, and wood apple, or the paste of honey, horseradish tree, and hogweed,²⁶² or the paste of dry ginger, long pepper, black pepper,²⁶³ hare foot uraria, and poison berry.²⁶⁴ These five poultices are prepared with salty water. Thus, they have been described.

In case of combined aggravation of two humours or simultaneous aggravation of all three humours, the stated methods of treating those aggravations should be combined.²⁶⁵

In all [aggravations], one should consume chebulic myrobalan with jaggery. Or, one should have a diet of rice cooked in milk for ten days and should drink a mixture of long peppers crushed in milk, with increasing by five long peppers each night. Then one should reduce them again by the order of five more [each night].²⁶⁶ In this way, one should

The provisional edition should be modified accordingly.

²⁵⁸ Reading the word सुक्त in H as शुक्त

²⁵⁹ Monier Williams states Rumex Vesicarius for śuktā

²⁶⁰ DCS has this entry: Cryptolepsis buchananii Roem. et Schult. (Surapāla (1988), 453) Decalepis hamiltonii Wight et Arn. (Surapāla (1988), 453)

²⁶¹ According to V. S. Apte, दारु can mean देवदारु.

²⁶² H has a short अ at the end instead of the long आ.

²⁶³ व्योषतिक्ता refers to the group of these three pungent spices. Also see Sūtrasthāna 14.35.

²⁶⁴ In H, the Sanskrit syntax does not match up with what the author is trying to say. The name of the fifth paste should also have been in the nominative case, as the other four pastes.

²⁶⁵ Ît means that the respective methods of treating the aggravation of individual humours should be combined.

²⁶⁶ In H, the letter ञ্ in भूयञ्च should have been য্.

[reduce] all the long peppers. This is called *Pippalīvarddhamānakam* (Increasing Long Peppers). It indeed cures wind-blood, intense fever, loss of appetite, jaundice, abdominal affection, piles, heavy breathing, cough, wasting disease, weak digestion, and heart disease.

The poultice is a paste of ??, sandalwood, rajmahal hemp, ??, wild asparagus, bulrush,²⁶⁸ country mallow, wild Himalayan cherry, liquorice, ??, ??, ??, heart-leaf sida, country mallow, and Holostemma creeper mixed with milk. Or it is a paste of white teak, liquorice, and ?? mixed with ghee and cream. Or it is olibanum cooked with milk that is mixed with ??, ??, ??, liquorice and the group of sweet herbs.

Old ghee that is cooked with emblic myrobalan and chir pine and sweetened with sugar and honey is for drinking. Old ghee that is cooked with *jīvanīya* or that is cooked with a decoction of ?? is for sprinkling. Cooked heart-leaf sida oil is for sprinkling, bathing, enema, and eating²⁶⁹. One should eat food preparations made of rice, ??, barley and wheat accompanied with milk, meat soup, or mung beans soup that is not sour. Blood-letting also [should be done]. The treatments of vomiting, purging of bowels, enema, and oily enema should be conducted when the humours are highly aggravated.

13

There are verses in this regard.²⁷⁰

There is immediate relief by the application of remedies such as these by which the physicians cure the chronic condition of wind-blood.

- Poultice, sprinkling [oil], plaster, oil massage,²⁷¹ spacious and comfortable rooms²⁷² with no wind, soft pillows, comfortable beds, and soft massages are recommended in the condition of wind-blood.
 - Exercise, mating, anger, eating hot, sour, or salty foods, sleeping during the day, and food that is slimy or heavy should be avoided.

²⁶⁷ Perhaps विषमज्वर could mean irregular fever.

²⁶⁸ H has कशेरुका.

²⁶⁹ Perhaps it means that one should eat foods cooked in that oil.

²⁷⁰ The word भवति in H should have been भवन्ति.

²⁷¹ In H, the part व्यजनानिलाः does not make proper sense in the verse. Emending it to व्यजनानि च could be a consideration, but fanning (व्यजन) a patient with wind-blood is not good, as understood from the recommendation that such a patient should stay in a non-windy room. Therefore, we have accepted the vulgate reading for the first half of this verse.

²⁷² In H, read the स सरणानि as श.

One should treat the person who is affected with spasmodic contraction, ²⁷³ who does not have droopy eyes and crooked eyebrows, whose fingers have not become rigid, who is not perspiring or trembling, who is not in a state of delirium, who is not bed-ridden, ²⁷⁴ and who is not restrained externally. There at the beginning itself, ²⁷⁵ after rubbing the patient with oil and making him perspire, one should treat him with a strong *avapīḍa*²⁷⁶ in order to clear his head. Then, the patient should be made to drink filtered ghee that is properly cooked with a decoction of beggarweed and other herbs, sugarcane juice, milk, and yogurt. In that way, the wind does not spread exceedingly.

Thereafter, one should gather wind-alleviating herbs such as deodar, etc. and other constituent parts, along with barley, ??, and horse gram, and the flesh of a freshwater aquatic creature all at one place and prepare a decoction of them. One should take this decoction and mix it properly with sour substances and milk, and then cook the *pratīvāpa*²⁷⁷ of liquorice in this mixture along with ghee, oil, body fat, and bone marrow. This is *trivṛt* that should be recommended in treatments of sprinkling, oil massage, applying a poultice, oral consumption, oily enema, and errhine for patients having spasmodic contractions.

The patient should then be made to sweat by the methods described earlier. If the wind is stronger then the patient should be immersed in [a vessel] filled with lukewarm fluid used for sprinkling (trivrt). Or he should be kept in the hot fireplace of a blacksmith.²⁷⁸ Or else he should be made to sweat by [a mixture of] ??, veśavara, veśavara, and milk.

Oil cooked with the juice of radish, ??, ??, and ?? should be used in

There,
Dalhaṇa
comments
that deliberation
on avapīḍa
had been
done earlier
when it
was mentioned.
Find that
description
to know
more details.

²⁷³ In H, the reading अपताकिनम् should have been अपतानकिनम्.

²⁷⁴ V. S. Apte has खद्वयति. The *Āyurvedīya Śabdakośa* has the entry खद्वापातिन् which means "one who is inclined to fall from bed." Perhaps the reading in H has an error of the letter या which should have been पा.

²⁷⁵ In H, प्रागैव should have been प्रागेव.

²⁷⁶ The Āyurvedīya Śabdakośa has the entry अवपीड that means administering an oily paste through the nose. Refer SS Cikitsāsthāna Ch. 40 text 44 for a better understanding of avapīḍa.

²⁷⁷ It refers to an admixture of substances to medicines either during or after decoction. Refer to Monier-Williams's Sanskrit dictionary.

²⁷⁸ H has the reading रथाकारचुल्ल्याम् that means "fireplace shaped like a chariot", but the vulgate reading रथकारचुल्ल्याम् makes more sense here. Thus, we have accepted it.

²⁷⁹ Refer the above text no.7 for *veśavāra*. In H, the syllable ਕੈ should have been ਕੇ.

sprinking, etc. for patients with spasmodic contractions.²⁸⁰ Sour yogurt mixed with black pepper and drunk on an empty stomach alleviates spasmodic contractions. Or else, ghee, oil, body fat, or bone marrow [can be consumed on an empty stomach].

This procedure of treatment thus described is for spasmodic contractions caused only by wind. When mixed humours cause it then the treatment should also be mixed. And when the spasms subside the patient should be given *avapīḍa*-s. One should also consider the fats of cock, crab, black fish, and porpoise.²⁸¹ Milk prepared with wind-alleviating medicines. Gruel prepared with barley, ??, horse gram, radish, yogurt, ghee, and oil.

One should treat this recurring spasm for ten nights with oil massage, purging of bowels, enemas, and oily enemas. One should also look up the treatment of diseases caused by wind. One should also undertake preventive measures.

One should treat the paralytic (hemiplegic) patient whose limbs are not languid, who is in pain, and who is self-composed. There, at the beginning itself the patient should be massaged with oil and made to sweat. After cleansing the patient with a mild purifier,²⁸² he should be administered with an oily enema and then a non-oily enema. Then at the appropriate time, he should be treated with special enemas of the brain and the head according to the method prescribed in the treatment of ākṣepaka.²⁸³ Anutaila should be used for massage.²⁸⁴ Sālvala should be used for poultice.²⁸⁵ heart-leaf sida oil should be used for oily enema. In this way, the unremitting patient should take the treatment for three to four months.

where the treatment of ākṣe-paka is described.

20

Search for

Make the first letter of sentence capital.

One should treat the patient with *ardita*²⁸⁶ who is strong and possesses

²⁸⁰ The word ਹੈਲਸ੍ is not present in H but is present in the vulgate. We have accepted it.

²⁸¹ H has the reading रसान् which means "juices". It seems unrealistic that juice would be extracted by crushing these whole animals. Vulgate has the reading वसाः instead of रसान् which appears to be the more probable reading. Thus, we have accepted it.

²⁸² According to P. V. Sharma, this refers to mild evacuatives (purgatives).

²⁸³ Refer Nidānasthāna 1.50-51 for ākṣepaka.

²⁸⁴ For the procedure of preparing anutaila, refer Cikitsāsthāna 4.28.

²⁸⁵ For the procedure of preparing *sālvala*, refer *Cikitsāsthāna* 4.14-15.

²⁸⁶ Refer Nidānasthāna 1.71-72 for ardita.

the means with the method prescribed in treating wind diseases. The unique thing is the treatment with enemas of the brain and the head, errhine, smoke, poultice, and steam bath through tubes. Then, one should take the great five roots ($pa\tilde{n}cam\bar{u}l\bar{\iota}$) with grass and prepare its decoction in milk mixed with twice the water. Then, the decoction with the milk remaining²⁸⁷ should be brought down [the stove] and filtered. It should then be mixed with a $prastha^{288}$ of oil and again placed over fire and cooked thoroughly. Then, the oil mixed with milk should be brought down [the stove] and then churned after it cools down. This is called $k\bar{s}\bar{\imath}rataila$ that should be used in drinks, etc. for patients with ardita.

- In the diseases of <code>gṛdhrasī</code>, <code>viścañcī</code>, <code>kroṣṭukaśīrṣa</code>, <code>paṅgukalāya</code>, lameness, <code>vātakaṇṭaka</code>, burning sensation in the foot, numbness of the foot, <code>avabāhuka</code>, deafness, and <code>dhamanīvāta</code>, one should pierce the blood vessel as described earlier and, barring the case of <code>avabāhuka</code>, one should look up the treatment for wind diseases.
- However, in the case of *karṇamūla*,²⁸⁹ lukewarm juice of ??²⁹⁰ mixed with liquorice, oil, and salt should be put into the ears.²⁹¹ Or else one can use goat urine, liquorice, and oil. Or else one can use oil that is cooked with citron, pomegranate, ?? juice, and urine.²⁹² Or else one can use oil that is cooked with sour liquor, buttermilk, and urine. One should also make the patient sweat with a steam bath through tubes. One should also look up the treatment for wind diseases. More will be said later.
- In the case of *tūnī* and *pratitūnī*, one should make the patient drink ghee and salt with hot water. Or else one should administer the powder of long pepper and other herbs with hot water. Or else one should make

²⁸⁷ It means that the water has evaporated.

²⁸⁸ Palhana comments (Su 1938: 425) that a *prastha* is a measure of weight that is equal to 32 *pala-s*.

²⁸⁹ The vulgate has the reading कर्णशूले which appears to be a more credible reading according to the context.

²⁹⁰ পূব্ধনাথ appears to be a name of ginger. Refer to the Sanskrit dictionary of Monier Williams.

²⁹¹ In H, the reading रसैः does not seem to make sense here. Hence we have accepted the vulgate reading रसम्.

²⁹² In H, the word ਹੈਲ should have been ਹੈਲਸ਼ to make proper sense. The vulgate has this reading. Thus we have accepted it.

- the patient drink ghee that is made thick with asafoetida and ??.²⁹³ One should also treat the patient with enemas.
- In the case of *ādhmāna*,²⁹⁴ however, one should do *avatarpaṇa*,²⁹⁵ heating the hands, *phalavartikriyā*,²⁹⁶ stimulation of digestion, and [administer] digestives. One should also employ the purging of bowels and enemas. In the case of *pratyādhmāna*,²⁹⁷ one should employ vomiting, fasting, and stimulation of digestion.
- 27 In the case of aṣṭhīlā and pratyaṣṭhīlā,²⁹⁸ the procedure is that of gulma and internal abscess.
- The beneficial asafoetida, the three pungent spices (long pepper, black pepper, and dry ginger), sweet flag, ?? grains, wild spider flower, pomegranate, ??, velvet-leaf, leadwort, ??, rock salt, ??, ??, ??, natron, long pepper root, ??, ??, ?? (juniper berry), and ?? (cumin seeds) should be powdered. This powder should be mixed with a lot of citron juice. Then it should be made into pills each weighing one akṣa. Thereafter the patient of wind disease should consume one pill every morning. This medicine indeed cures gulma, rapid breathing, cough, loss of appetite, heart disease, ādhmāna, pārśvodara, bastiśūla, anāhamūtra, painful piles, plīhodara, and pāṇḍuroga. Also, this medicine is excessively used in cases of tūnī and pratitūnī.
- 29 There are verses in this regard.

The wind that has entered into the body tissues should be correctly understood as either pure or vitiated by humours²⁹⁹ and should be

²⁹³ यवश्वार is an alkali prepared from the ashes of burnt green barleycorns. Refer to the Sanskrit dictionary of Monier Williams.

²⁹⁴ Refer to *Nidānasthāna* 1.88. V. S. Apte explains it as "swelling of the belly". P.V. Sharma has translated it as flatulence.

²⁹⁵ We are unclear about its meaning. The vulgate has the reading अपतर्पण that means fasting.

²⁹⁶ The entry फलवर्ति has the meaning "suppository" in the Sanskrit dictionary of Monier Williams. The Cambridge dictionary explains suppository as "a small, solid pill containing a drug that is put inside the anus, where it dissolves easily." Refer to the link https://dictionary.cambridge.org/dictionary/english/suppository. Last accessed 30-Oct-2023.

²⁹⁷ Refer to *Nidānasthāna* 1.89. According to the Sanskrit dictionary of Monier Williams, it is a kind of tympanites or wind-dropsy.

²⁹⁸ Refer to Nidānasthāna 1.90 and 1.91.

²⁹⁹ In H, the reading लक्षणोन्याम्ँश्च does not make sense. Hence I cannot translate it. Perhaps the correct reading could be लक्षणाभ्याञ्च. This would connect with the two con-

- cured accordingly.
- The wind that is accompanied by fat causes a swelling that is painful, hard, and cold. The physician should properly treat it like a treating a swelling.
- When the wind accompanied by phlegm and fat enters the thighs, it causes pain in and immobility of the thighs due to numbness, pain, and fever.
- Also, the thighs become pained, stiff, cold, and do not quiver due to sleep. They become heavy and as if belonging to someone else.³⁰⁰
- That is called ūrūstambha. Others call it āḍhyavāta. In that case, one should drink the ṣaṇḍharaṇa powder with cool water.
- 34 Similarly, consuming the powder of long pepper and other herbs with hot water is beneficial. Or else, one should consume the powder of triphalā with honey and kutki.
- Or else, one should drink the best Indian bdellium-tree or ?? with urine. Such a person cures the wind that is afflicted by phlegm and accompanied by fat, as well as heart disease, loss of appetite, gulma, and internal abscess.

One should employ salty urine [therapy], sudation, and hard rubbing. One should also apply [the paste of] mustard and ?? fruits mixed with urine.³⁰¹

One should eat old ??s, ??, etc. along with uncooked³⁰² flesh of wild animals and unsalted vegetables that are beneficial.

When the phlegm and fat become amply reduced one should again employ the treatment of oil massage, etc. for the patient.

ditions of the wind as stated in the verse.

³⁰⁰ In H, the verb वर्तते should have been in the dual. Also, the word आस्थिरौ does not make sense. The vulgate has the sensible reading अस्थिरौ which we have accepted here.

³⁰¹ The word दिहेत् in H is not a proper Sanskrit word. We have taken its proper form दिह्यात् as given in the vulgate.

³⁰² The vulgate has the reading अपृतैः that means without ghee.

Cikitsāsthāna 15: On Difficult Delivery

Literature

Meulenbeld offered an annotated overview of this chapter on fetal malpresentation and a bibliography of earlier scholarship to $2002.^{303}$ Das made observations about the afterbirth ($apar\bar{a}$) that is mentioned in 4.15.17 (Su 1938: 432).³⁰⁴ Selby has explored gyencological narratives in ayurveda.³⁰⁵

Translation

- 1 And now we shall explain the difficult delivery medically treated.
- Nothing else is more difficult than the extraction of a foetus since it has to be performed in the region of vagina, liver, spleen, intestines and the uterus. Actions like pushing up, pulling down, cutting off, incising, removing, pressing and straightening must be done using one hand, without hurting the foetus or the pregnant woman, Therefore, having considered that and obtaining permission, one should proceed with care.
- 4 Eight types of the positions of difficult foetus have earlier been mentioned briefly. Even if, in the natural birth process also the large / wrong way of the head, shoulders or hips of a foetus / child cling firmly in the passage.

³⁰³ HIML: IA, 271–272.

³⁰⁴ Das 2003: 517.

³⁰⁵ Selby 2005*a*,*b*.

- 5 In the case of a live foetus, the delivering ladies should attempt to deliver it. And, during this process, they should be made to hear the sacred verses repeatedly meant for expulsion of a foetus.
 - 6 O beautiful woman, may the divine nectar and the moon and the sun and Uccaiśravas reside icumbhalakan your house.
 - 7 O lady, may this nectar extracted from the water release this tiny foetus of yours. May the fire, wind, sun and Indra together with the ocean bestow upon you the peace.
- And, as mentioned before (3.10.16-20) the medicine should be administered. In the case of a dead fetus, (the physician) having inserted (his) hand lubricated with the dhanvaka, $mrttik\bar{a}$ – soil, the $s\bar{a}lmal\bar{\iota}$ - the seemul and ghee into the vagina of a woman lying on her back, whose thighs are bent with the elevated waist with the support of the cloth of *cumbhalaka* should take away the fetus. In the case, the fetus coming out with both the thighs, should be stretched out in a normal way. If the fetus has reached with only one thigh, spreading out its other thigh it should be taken out. If the fetus is coming out with its buttocks portion, squeezing the buttocks upward, spreading the thighs it should be taken out. A fetus having come in a transverse position like an oblique (तियेक्चीनस्य ?) iron club, lifting upward its half of the lower part from behind, straightening its half of the upper part, bringing it to the passage of vagina, it should be taken out. The last two positions of the dead fetus cannot be accomplished. Thus, in this state, instrument should be employed / surgery should be undertaken.
- But, the live fetus should not be torn apart in any case. As, the live fetus may kill the mother and self soon.
- Next, assuring safety to the lady, cutting the head of the fetus with the instrument that has disc on the top (मण्डलाग्र) or finger shaped instrument(अङ्गुलिशस्त्र); removing the skull, the fetus should be taken out holding the forceps at its chest and armpit. If the head of the fetus is not separated, the fetus should be drawn out from its orbital regions or cheek (with the forceps); if the shoulders are stuck up in the passage, the fetus should be taken out by cutting its arm / arms at the shoulder region; tearing the abdomen when bloated with wind just like a stretched leather bag used for holding water, casting off the intestine,

the loosened fetus should be taken out. Or else, if its thighs are adhered to the passage, the bones of the thighs should be cut and fetus is removed.

- 13 The fetus is adhered to the passage from whichever its body part, the physician by separating that part should remove the fetus carefully and by all means the woman should be protected.
- For, irritated wind causes different movements of the fetus. In this situation, the wise physician should act intelligently.
- And, the learned physician should not delay even for moment in removing the dead fetus as it kills mother in no time like a breathless animal.
 - If impacted with hip, the hip bones should be cut and then delivered.

Part 5. Kalpasthāna

Kalpasthāna 1: Protecting the King from Poison

Introduction

The first chapter of the Kalpasthāna of the *Suśrutasaṃhitā* addresses the topic of protecting a king from those who would assassinate him using poison. The king's kitchen is presented as the site of greatest vulnerability. The staff in the kitchen must be vetted carefully and watched for signs of dissimulation. The description of the body-language that tells a poisoner (verses 18–25) are engaging and vivid. These verses are closely parallel in sense to a passage in the *Arthaśāstra* that says,

The signs of a poisoner, on the other hand, are as follow: dry and dark look on the face, stuttering speech, excessive perspiration and yawning, trembling, stumbling, looking around while speaking, agitation while working, and not remaining in his place.³⁰⁶

Next, the text discusses the signs of poison in toothbrushes, in food, drink, massage oil and other items that are likely to come into physical contact with the king. In passages that are again paralleled in the *Arthaśāstra* the work describes how poisoned food kills insects and crackles in a fire, flashing blue and the reactions of various birds to poison are described.³⁰⁷

The work then moves on to the various symptoms experienced by the king after being poisoned, and remedies appropriate to each case. Poison

³⁰⁶ *Arthaśāstra* 1.21.8 (Kangle 1965*a*: 1, 30), translation by Olivelle (2013: 97). 307 Cf. *Arthaśāstra* 1.21.6, *ibid.*, Olivelle (2013: 96).

exhibits characteristic signs when added to milk and other drinks.³⁰⁸ Further forms of poisoning, their symptoms and treatments are described and finally the king is advised to live amongst trusted friends and to protect his heart by drinking various ghee compounds. He should eat the meat and soup made from various animals, including peacock, mongoose, alligator, deer. The chapter ends with the description of an emetic.

Literature

A brief survey of this chapter's contents and a detailed assessment of the existing research on it to 2002 was provided by Meulenbeld.³⁰⁹ Translations of this chapter since Meulenbeld's listing have appeared by Wujastyk (2003*b*: 131–139), P. V. Sharma (1999–2001: 3, 1–15), and Srikantha Murthy (2000–02).³¹⁰

Manuscript notes

 MS Kathmandu NAK 5-333 has foliation letter numerals, for example on f. 323a, that are similar to MS Cambridge CUL Add.1693,³¹¹ dated to 1165 CE.³¹²

³⁰⁸ Cf. *Arthaśāstra* 1.21.6 again.

³⁰⁹ HIML: IA, 289-290.

³¹⁰ For a bibliography of translations to 2002, including Latin (1847), English (1877), Gujarati (1963) and Japanese (1971), see HIML: IB, 314–315.

³¹¹ Scan at cudl.lib.cam.ac.uk/view/MS-ADD-01693/1.

³¹² See Bendall's chart of Nepalese letter-numerals (Bendall 1883: Lithograph V, after p. 225).

Translation

1–2 And now I shall explain the procedures for safeguarding food and drink, as were declared by the Venerable Dhanvantari.³¹³

3 Divodāsa, the king of the earth, was the foremost supporter of religious discipline and virtue. With unblemished instruction he taught his students, of whom Suśruta was the leader.³¹⁴

Is Dh. the teacher of Su. elsewhere?

[Threats to the king]

- 4–5 Evil-hearted enemies who have plucked up their courage, may seek to harm the king, who knows nothing of it. He may be assailed with poisons by or by his own people who have been subverted, wishing to pour the poison of their anger into any vulnerability they can find.³¹⁵
 - 6 Therefore, a king should always be protected from poison by a physician.
 - 313 MS H adds in the margin अथ खलु वत्स सुश्रुतः "Now begins Vatsa Suśruta." This phrase has been copied here by the scribe from the beginning of the Suśrutasaṃhitā chapter in the sūtrasthāna on the rules about food and drink (1.46.3 (Su 1938: 214)). The scribe presumably felt, not unreasonably, that this section had common subject matter with the present chapter. Further, SS 1.46.3 is one of the few places in the Nepalese transmission of the Suśrutasaṃhitā that names Dhanvantari and integrates him into the narrative of the Suśrutasaṃhitā as the teacher of Suśruta.
 - The mention of Dhanvantari here is one of the few times in the Nepalese transmission that this authority is cited as the source of Ayurvedic teaching, and the unique occurrence of this actual phrase, "as was declared by the Venerable Dhanvantari." See the discussion by Klebanov (2021a: 28–32), who concluded that the earliest recoverable recension of the *Suśrutasaṃhitā* may have had the phrase only at this point and not elsewhere in the work. See the further discussion by Birch, Wujastyk, Klebanov, Parameswaran, et al. (2021). "Dhanvantari" is mentioned in the Nepalese version at 1.1.21, 1.19.37, 1.46.3, 1.29.71, 1.34.1.1, 2.1.3, 2.7.3, 3.19.13.3, 4.2.3, (5.1.2, note), 5.4.3, 6.60.2, 6.64.84.
 - 314 This is a quite different statement from the vulgate which has Dhanvantari as the teacher, and calls him the Lord of Kāśī (kāśipati) (Su 1938: 559). Dalhaṇa followed the vulgate but explicitly noted the reading before us with small differences: दिवोदासः क्षितिपतिस्तपोधर्मश्रुताकरः "Divodāsa, the king of the earth, was a mine of traditions about discipline and virtue."
 - 315 Verses about the use of Venemous Virgins as a weapon do not appear in the Nepalese manuscripts. Cf. Wujastyk 2003*b*: 81 f., 132. This material is present in the commentary of Gayadāsa.

- 7 The racehorse-like fickleness of men's minds is well known. And for this reason, a king should never trust anyone.³¹⁶
- 8–11 He should employ a doctor in his kitchen (*mahānasa*) who is respected by experts, who belongs to a good family, is orthodox, sympathetic, not emaciated, and always busy.
- 12–13 The kitchen should be constructed at a recommended location and orientation. It should have a lot of light,³¹⁷ have clean utensils and be staffed by men and women who have been vetted.³¹⁸
- 17–18ab The chefs, bearers (*voḍhāra*), and makers of boiled rice soups and cakes and whoever else might be there, must all be under the strict control of the doctor.³¹⁹
- 18cd–19ab An expert knows people's body language (*iṅgita*) through abnormalities in voice, movement and facial expression. He should be able to identify a poisoner by the following signs.
 - Wanting to speak, he gets confused, when asked a question, he never arrives at an answer, and he talks a lot of confused nonsense, like a fool. He laughs for no reason, cracks his knuckles and scratches at the ground. He gets the shakes and glances nervously from one person to another. His face is drained of colour, he is grimy (*dhyāma*) and he cuts at things with his nails.³²⁰ A poisoner goes the wrong way and is absent-minded.
 - I shall explain the signs to look for in toothbrush twigs, in food and drink as well as in massage oil (abhyaṅga) and combs (avalekhana); in dry rubs (utsādana) and showers, in decoctions (kaṣāya) and massage ointment (anulepana); in garlands (sraj), clothes, beds, armour and ornaments; in slippers and footstools, and on the backs of elephants and horses; in snuff (nasya), inhaled smoke (dhūma), eye make-up (añjana), etc., and any other things which are commonly poisoned. Then, I shall

Arthaśāstra 1.21.8.

³¹⁶ The verb $\sqrt{\text{syas}}$ is conjugated as a first class root in the Nepalese manuscripts.

³¹⁷ We read महच्छुचिः with the Nepalese manuscripts and against the vulgate's महच्छुचि. We understand शुचिस् as a neuter noun meaning "light" following Apte (Apte: 1050a).

³¹⁸ Verses detailing the ideal staff are omitted in the Nepalese manuscripts. Cf. Su 1938: 560; Wujastyk 2003*b*: 132.

³¹⁹ The word सौपोदनैकपूपिक "chefs for the boiled rice soups and cakes" is grammatically interesting. The term सूपोदन (as opposed to सूपौदन) is attested in the *Bodhāyanīya-gṛhyasūtra* 2.10.54 (Shastri 1920: 68). More pertinently, perhaps, सूपोदन is attested in the Bower Manuscript, part II, leaf 11r, line 3 (Hoernle 1893–1912: vol. 1, p. 43).

³²⁰ The word ध्याम is glossed by Dalhaṇa (in a variant reading) as someone who is the colour of dirty clothes 5.1 (Su 1938: 560).

- also explain the remedy.
- 28 Flies or crows or other creatures that eat a poisonous morsel (*bali*) served from the king's portion, die on the spot.
- 29 Such food makes a fire crackle violently, and gives it an overpowering colour like a peacock's throat.
- 30–33 After a chukar partridge looks at food which has poison mingled with it, its eyes are promptly drained of colour; a peacock pheasant drops dead. A koel changes its song and the common crane rises up excitedly.³²¹ It will excite a peacock and the terrified parakeet and the hill myna screech. The swan trembles very much, and the racket-tailed drongo churrs.³²² The chital deer sheds tears and the monkey releases excrement.³²³
- Vapour rising from tainted food gives rise to a pain in the heart, it makes the eyes roll, and it gives one a headache.³²⁴
- 35, 36cd In such a case, an errhine and a collyrium that are costus, ??, spikenard and honey (*madhus*);³²⁵ a paste of sandalwood on the heart may also

³²¹ The verb अच्छित "rises up" is a rare form best known from epic Sanskrit (see Oberlies 2003: 212, §7.6.1). The transmitted form क्रोञ्च is obviously a colloquial version of Sanskrit क्रोञ्च. Commenting on 1.7.10 (Su 1938: 31), Dalhaṇa interestingly gives the colloquial versions of several Sanskrit bird names, even singling out pronunciation in the specific location of Kāṇyakubja. For क्रोञ्च he says that people pronounce it कुरञ्ज and कोंचि. The form कोञ्च is found in Pāli (see Cone 2001: 731, who notes that Ardhamāgadhī has the same form). Elsewhere, Dalhaṇa calls the bird क्रोञ्चिर, क्रोञ्च, and कैचर (1.46.105 (Su 1938: 223), 6.31.154 (Su 1938: 684) and (6.58.44 (Su 1938: 790) respectively).

³²² Dalhaṇa seemed confused about the racket-tailed drongo (भृङ्गराज). He called it a generic drongo (भ्रमरक), a word that can also mean "bee," (Dave 1985: 62), and then said that it is like the black drongo (धूम्याट) (for a nice explanation of this name, see Dave 1985: 62–63) and that people call it "the king of birds."

³²³ MS Kathmandu KL 699 reads "bull (বৃषभ)" for "Chital deer (पृषत)." The latter may perhaps be mistaken for the former in the Newa script, although the reading of MS Kathmandu KL 699 is hard to read at this point.

^{324 &}quot;Tainted" translates उपिक्षप्त. The word's semantic field includes "to hurl, throw against," and especially "to insult verbally, insinuate, accuse." The commentator Dalhaṇa glossed the term as, "spoiled food given to be eaten" (विदूषितस्यान्नस्य भोक्तुं दत्तस्य), but he noted that some people read "उखाक्षिप्त" or "thrown into a pan." Other translators have commonly translated it as "served," perhaps influenced by Dalhaṇa's "given (दत्त)."

³²⁵ The vulgate supplies another phrase and verb at this point that is not present in the Nepalese transmission, but that makes the text flow more easily.

- provide relief.326
- 37 Held in the hand, it makes the hand burn, and the nails fall out. In such a case, the ointment (*pralepa*) is beautyberry, velvet-mite, soma and blue water-lily.³²⁷
- 38–39 If he eats that food, through inattention or by mistake, then his tongue will feel like a pebble $(aṣṭh\bar{\imath}l\bar{a})$ and it will lose its sense of taste. It stings and burns, and his saliva $(\acute{s}le਼;man)$ dribbles out.³²⁸ In such a case, he should apply the treatment recommended above for vapour $(b\bar{a};pa)$, and what will be stated below under "toothbrush twigs".³²⁹
 - On reaching his stomach, it causes stupor $(m\bar{u}rcch\bar{a})$, vomiting, the hair stands on end, there is distension, a burning feeling and an impairment of the senses.³³⁰

- 328 The word अष्ठीला is normally feminine. The Nepalese manuscripts read it with a short अ- ending. Gayadāsa noticed that some manuscripts read अष्ठील with a short -अ ending (MS Bikaner RORI 5157, f. 5v:7–8) and Dalhana reproduced his observation. The vulgate reading चास्यात् "and from his mouth" is more obvious (*lectio facilior*), but is not attested in the Nepalese manuscripts.
- 329 Poisoned toothbrushes are discussed in verses 48 ff. below.
- 330 I translate मूच्छो in the light of the metaphors discussed by Meulenbeld (2011), that

³²⁶ **sing-1972** discussed the difficulties in identifying लामज्ज, a plant cited more often in the *Suśrutasaṃhitā* than in the *Carakasaṃhitā*; Dalhaṇa adopted the common view that it is a type of *uśīra* or vetiver grass. The grammatical neuter form मधुस् "sweetness" of the Nepalese manuscripts is less common than neuter मधु "honey, sweetness, liquorice."

^{327 &}quot;Beautyberry" (Callicarpa macrophylla Vahl.) is one identification of श्यामा, but vaidyas and commentators have different ideas about the plant's identity (see glossary). On translating इन्द्रगोप as "velvet-mite," see Lienhard 1978. Dalhana's remarks show that he had a reading इन्द्रागोपा before him, and he tries to explain इन्द्रा and गोपा as separate plants. But he also says that some people read इन्द्रगोप. Dalhana curiously parsed the name सोमा (f.) out of the compound; this feminine noun is almost unknown to Ayurvedic literature. Some dictionaries and commentators consider it a synonym for गुडूची, others for ब्राह्मी or चन्द्रतरु. Dalhana also mentioned that some people think the word refers to the soma creeper (सोमलता), which might explain his choice to take the word as feminine. But the compounded word is far more likely to be सोम (m.), the well-known mystery plant (see Wujastyk 2003b: 76–78, 125). If this can be taken as rue (Ruta graveolens, L.), as some assert, one can point to a pleasing passage in Dioscorides where rue plays an antitoxic role: "...it is a counterpoison of serpents, the stinging of Scorpions, Bees, Hornets and Wasps; and it is reported that if a man be anointed with the juice of the Rue, these will not hurt him; and that the serpent is driven away at the smell thereof when it is burned; insomuch that when the weasel is to fight with the serpent she armeth herself by eating Rue, against the might of the serpent" (cited from Potter: 262; not found in Osbaldeston and Wood 2000).

In this case, vomiting must quickly be induced using the fruits of emetic nut, gourd, red gourd, and luffa, taken with milk and watered buttermilk, or alternatively with rice-water.

- Reaching the intestines ($pakv\bar{a}\acute{s}aya$), it causes a burning feeling, stupor, diarrhoea, thirst, impairment of the senses, flatulence ($\bar{a}\rlap{t}opa$) and it makes him pallid and thin.
- In such a case, purgation with the fruit of indigo $(n\bar{\imath}l\bar{\imath})$, together with ghee, is best. And 'slow-acting poison antidote $(d\bar{\imath}u\bar{\imath}vi\bar{\imath}a\bar{\imath}i)$ ' should be drunk with honey and curds (dadhi).³³¹
- When poison is in any liquid substances such as milk, wine or water, there are various streaks, and foam and bubbles form.
- And no reflections are visible or, however, if they can be seen once more, they are distorted, fractured, or tenuous and distorted too.³³²
- Vegetables, soups, food and meat are soggy and tasteless. They seem to go stale suddenly, and they have no aroma.
- 47 All edibles lack aroma, colour or taste. Ripe fruits rapidly rot $(pra\sqrt{kuth})$ and unripe ones ripen.³³³
- When a toothbrush twig has poison on it, the bristles are corroded and the flesh of the tongue, gums and lips swells up.³³⁴
- Then, once his swelling is lanced, one should rub (*pratisāraṇa*) it with fire-flame bush flowers jambul, mango stones and chebulic myrobalan fruit mixed with honey.³³⁵
- 50 Alternatively, the rubbing (*pratisāraṇa*) can be done with either the roots of sage-leaved alangium, the bark of blackboard tree or siris

I'm still unhappy about this

Mention this in the introduction as an example of the scribe knowing the vulgate

fn about sadyas+

include thickening and losing consciousness.

³³¹ The 'slow-acting poison' is discussed at 5.2.25 ff. (Su 1938: 565).

³³² Both Nepalese witnesses read विकृत (distorted) twice, which is tautologous. In the first occurrence both read विकृता without proper termination. One might read the sandhi in the second occurrence as or not distorted (vāvikṛtā), but this gives no better sense. The scribe of MS Kathmandu NAK 5-333, apparently the original hand, added in the margin the alternate reading "double (yamalā)" as in the vulgate. Perhaps the scribe too was troubled by the tautology. It is also evidence that he was aware of a witness with variant readings similar to the vulgate. We emend for grammar but retain the lectio difficilior.

³³³ The root √कुथ् "stink, putrify, rot" is apparently known only from its few uses in the *Suśrutasaṃhitā*.

³³⁴ Gayadāsa and Dalhaṇa pointed out that "tooth socket (दन्तवेष्ट)" and "gum (दन्तमांस)" have the same meaning (2.16.14–26 (Su 1938: 331–332)).

³³⁵ This recipe is different from the vulgate.

seeds.336

- One should give advice about a poisoned tongue-scraper or mouthwash (*kavala*) in the same way as for a toothbrush twig.
- 51cd Massage oil that has been laced with poison is slimy, thick and discoloured.
 - When the massage oil has been contaminated with poison, boils arise, pain, a discharge $(sr\bar{a}va)$, inflammation of the skin, and sweating.³³⁷ And the flesh splits open.
- 53–54 In such a case, sandalwood, crape jasmine, costus, and cuscus grass, bamboo leaves, heart-leaved moonseed and heart-leaved moonseed, white clitoria, sacred lotus, and Indian barberry should be made into an ointment (*anulepana*) for the patient, who has been sprinkled with cold water. That is also recommended as a drink with the juice and leaves of wood apple.³³⁸
 - In the case of a dry rub (*utsādana*), a shower (*parīṣeka*), an infusion, a massage ointment (*anulepana*), or in beds, clothes, or armour, the physician should understand that it is the same as for oil massage (*abhy-aṅga*).³³⁹
- When a comb has poison in it, the hair falls out, the head aches and blood oozes from the follicles (*kha*) and lumps (*granthi*) appear on the head. In such a case, one should repeatedly apply an ointment of black earth soaked with bear's bile, ³⁴⁰ ghee, beautyberry, ³⁴¹ black creeper, and amaranth. Good alternatives are either the fluid extract of cow-dung, or the juice of jasmine, the juice of woodrose, or household soot. ³⁴²

Bear's bile instead of deer's bile.

³³⁶ The spelling of the name अङ्कोल varies अङ्कोट, अङ्कोठ, अङ्कोल (GVDB: 5); Dalhaṇa noted that the form अङ्कोल is a colloquialism (1.37.12 (Su 1938: 161)). The sentence is awkward and we have emended হিথিদাদক to be a plural, as in the vulgate, rather than the ablative singular of the Nepalese witnesses. We follow Dalhaṇa in interpreting the compound to refer to the distinctive bean-like siris seeds, rather than to mung beans (5.1.50 (Su 1938: 562)).

³³⁷ The feminine स्फोटा for "boils" is unattested.

³³⁸ This compound could be interpreted as "wood apple juice and cassia cinnamon." Note that this recipe is differs from that of the vulgate, which requires urine.

³³⁹ See verse 52 above.

³⁴⁰ Dalhaṇa comments here that 'bile is that fluid which goes along inside the tube attached to the liver' (कालखण्डलग्रनलिकामध्यगतजलं पित्तम्) 5.1.57 (Su 1938: 562).

³⁴¹ See note 327.

³⁴² The plant identifications in this passage follow Dalhana's glosses, although he noted

If either massage oil for the head, or a helmet for the head, in a wash, turban, or garlands that are contaminated with poison, then one should treat it in the same way as a comb.

60–61 When face make-up is poisoned, the face becomes dark and has the symptoms found with poisoned massage oil. It is covered with spots (kanṭaka) that are like lotus-spots (padminīkanṭaka).³⁴³ In this case, the drink is honey and ghee, and the ointment (pralepa) is sandalwood with ghee, curds, honey, verbena, scarlet mallow and hogweed.³⁴⁴

punarṇṇavā in the N & K MSS

- 62–63ab Elephants and the like become ill and they dribble saliva. And the rider gets spots (*sphoṭa*) and a discharge on his scrotum, penis, and rectum. In this case, one prescribes the same therapy as for poisoned massage oil for both the rider and the mount.
- 63cd–65ab When there is poison in snuff (nasya) or smoke, the symptom (linga) is blood coming out of the apertures of the head (kha), a headache, a flow of mucus (kapha) and impairment of the senses.

 In such a case, ghee of cows etc., boiled up with their milk and Himalayan monkshood, is prescribed, with henna, as a cold drink or er-

rhine.

śrita for śṛta

- Flowers lose their fragrance and colour, and wilt. On smelling them, he gets a headache and his eyes fill with water. In this case, the treatment is what was proposed above for vapour $(b\bar{a}spa)$ and that which is traditional for face make-up.
 - When it is in ear-oil, there is degeneration in the ear, and painful swelling. There is also a discharge from the ear and in such a case it needs to be irrigated (*pratipūraṇa*) promptly with ghee and honey. Extracted juice (*svarasa*) of wild asparagus and very cold juice of white cutch tree

a difference of opinion on the identity of woodrose (lit. "mouse-ear").

The expression धूमो वागारसंज्ञित: '...or the smoke termed "house" ' is commonly interpreted by translators and in Ayurvedic dictionaries as 'household soot,' and this does seem to be the meaning, in context. The term was comprehensively discussed by Meulenbeld (2008b: 443). Cf. note 436, p. 143.

³⁴³ See the description of this condition at 2.13.40 (Su 1938: 323), where the skin on the face is characterized as having pale circular patches that are itchy and have spots.

³⁴⁴ The common plant-name पुनर्नवा is read as पुनर्णवा in both Nepalese witnesses. This unusual form is technically-speaking legal according to Pāṇini 8.4.3, but is not attested in published texts. पुनर्णवा is found rarely in some other Nepalese manuscripts such as the *Brahmayāmala* (a.k.a. *Picumata*, 44.81, transcription thanks to Shaman Hatley), and elsewhere (e.g., in Gaṇapatiśāstrī 1920–25: 20, where it is the name of a constellation.

120

explain more

Medical difference from Sharma.

example where the vulgate clarifies that these should be used separately; appears to be a gloss inserted into the vulgate text. are also recommended as something good.345

- 69 When poison is mixed in with eye make-up (añjana), he gets tears and rheum (upadeha), with a burning feeling, pain, faulty vision (dṛṣtivibhrama), and possibly even blindness.³⁴⁶
- 70–71 In this case, one must immediately drink ghee and have it also in an eyewash (*tarpaṇa*) with long pepper. One should have an eye ointment (*añjana*) of the juice of periploca of the woods and have the extract (*niryāsa*) of three-leaved caper, wood apple and periploca of the woods and the flower of marking-nut tree.
- Because of poisoned slippers there will definitely be a swelling, numbness $(sv\bar{a}pa)$, a discharge $(sr\bar{a}va)$ and an outbreak of spots (sphota) on the feet. One should clean $(pra\sqrt{s\bar{a}dh})$ footstools together with slippers.
 - Ornaments lose their lustre, and they do not shine as they used to. They damage their respective locations with burning, sepsis $(p\bar{a}ka)$, and fissuring $(avad\bar{a}rana)$.³⁴⁷
- 75ab One should apply the stated procedure for massage oil (*abhyaṅga*) to poisoned slippers and ornaments.
- 75cd–76 In the case of the affliction (*upasarga*) by poison which has been described above, starting from 'vapour' and ending with 'ornaments,' the physician should observe the side-effects (*upadrava*) and then prescribe the therapy called the Great Fragrance (*mahāsugandha*) antidote, which I shall describe.³⁴⁸
- 77–78ab He should prescribe it in drinks, liniments ($\bar{a}lepana$), errhines (nasya), and in eye ointment ($a\tilde{n}jana$). Also, he should use sharp purgatives and emetics. If bleeding is present, he should have the indicated veins pierced.

78cd-79ab If either purging nut or a fern is tied on to the King's wrist, then all food

√ vyadh not √ vedh (also elsewhere and for the ears), causative optat-

- 345 The syntax of the Nepalese version is slightly unclear, but the vulgate has smoothed out the difficulties.
- 346 The term translated as "faulty vision" could also mean "rolling eyes." "Eye make-up" is normally made of Indian barberry.
- 347 The reading अवदारुण in MS Kathmandu KL 699 is not attested elsewhere in Sanskrit literature. On "sepsis" for पाक, see Wujastyk 2003b: xlv–xlvi.
- 348 This antidote is indeed described later, in dramatic terms, at 5.6.14–27 (Su 1938: 581). A recipe with eighty-five ingredients including cow's bile, it is praised as chief of all antidotes, one that can drag the patient back from the very jaws of death, from even the poisonous fangs of Vāsuki. A useful survery of the meanings of उपरां ("affliction") was given by HIML: IB, 332

Ine two uses of prāpta are hard to translate. prāptāḥ → kṣipram is an example of the vulgate banalizing the Sanskrit text to make sense of a difficult passage.

- that is mixed with poison will be rendered free of poison.³⁴⁹
- 79cd–80 He should always guard his heart when amongst people who are not his friends.³⁵⁰ Before eating, he should drink the kinds of ghee called "Invincible" and "Immortal".³⁵¹ He should drink ghee (*sarpiṣ*), honey, curds (*dadhi*), milk (*payas*), or cold water.
 - 81 He should consume monitor lizard, peacock, mongoose, chital deer, and blackbuck too, that destroy poison, and their juices.
 - 82 As discerning person should add well-crushed black creeper,³⁵² liquorice, and sugar to the meats of ??, mongoose and blackbuck too.
 - 83 Add sugar and Himalayan monkshood to peacock flesh, together with ginger. And for meat from a chital deer, he should add long pepper, with ginger.
 - 84ab A cold neem broth with honey and ghee is wholesome too.
 - 84cd A discerning person should partake of hard and soft foods that counteract poison.³⁵³
 - 85 If poison might have been drunk, a person who has protected his heart should make himself vomit using long pepper, liquorice, honey, sugar, sugar cane juice, and water.

The first chapter in the Kalpas.

³⁴⁹ In early Ayurvedic literature, the plant अजरहा is mentioned only here and its identity is unknown. It may be a fern of the Nephrodium family, according to T. B. Singh and Chunekar (GVDB:7). Dalhaṇa, on 5.1.78 (Su 1938: 563), cited a description of the two plants from the little-known authority Uśanas (HIML: IA, 660 et passim) who described अजरहा as a white root with spots on it that looks like collyrium when it is split; when drunk with sandalwood it causes poison to be digested.

³⁵⁰ The Carakasaṃhitā described "protecting the heart" (ह्रयावरण) as drinking several sweet, oily drinks to surround the heart and keep it safe (6.23.46 (Ca 1941: 574)). Dalhaṇa on 5.1.79–81 (Su 1938: 563) explained it as taking a number of anti-toxic medicines, including those listed in the present passage, in order to cover or hide (प्रच्छादन) the heart. Note that the Nepalese version reads the opposite of the vulgate: one should guard one's heart when amongst enemies, not friends. This is far more logical; it is also the reading known to the 1.8.89a (As 1980: 79).

³⁵¹ These ghee compounds are described in later chapters: see 5.2.47–49 (Su 1938: 566) and 5.6.13 (Su 1938: 581).

³⁵² Dalhana on 5.1.82 (Su 1938:563) equated this with turpeth.

³⁵³ On this expression, see Yagi 1994.

Kalpasthāna 2: Poisonous Plants

Introduction

This section begins with several lists of poisonous plants. The Sanskrit names for these plants are mostly not standard or familiar from anywhere in Sanskrit or ethnobotanical literature. It remains a historical puzzle why these particular names are so difficult to interpret. However, we are not the first to encounter these difficulties. In the twelfth century, the learned commentator on the text, Dalhaṇa, remarked,

In spite of having made the greatest effort, it has been impossible to identify these plants. In the Himalayan regions, Kirātas and Śabaras are able to identify them.³⁵⁴

Dalhaṇa also recorded variant readings of these poison names from the manuscripts that he consulted of the lost commentary of Gayadāsa (fl. c. ce 1000). The identities of these poisons have been in doubt for at least a thousand years. Identifications have in many cases been equally impossible for us today.

One path for exploration in this situation is to attempt to reverseengineer some identifications by considering the known toxic plants of India.³⁵⁶

³⁵⁴ After *Suśrutasaṃhitā, kalpasthāna* 2.5 (Su 1938: 564). From the view of Sanskrit authors, Kirāṭas and Śabaras were tribal peoples. The eleventh-century author Bhikṣu Govinda, however, cast his treatise as a dialogue with a Kirāṭa king called Madana who was a master of the alchemical art (HIML: IIA, 620).

³⁵⁵ See Wujastyk 2003*b*: 80–81.

³⁵⁶ Valuable reference sources on Indian plant toxicology in general include Pillay 2013; chs. 10, 11 and Barceloux 2008; parts 1.II, 3 and 4.

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002.³⁵⁷

Translation

- 1 And now I shall explain what should be known about stationary poisons.³⁵⁸
- 3 It is said that there are two kinds of poisons, stationary (*sthāvara*) and mobile (*jaṅgama*). The former dwells in ten sites, the latter in sixteen places.
- 4 Traditionally, the ten are: root, leaf, fruit, flower, bark, milky sap $(k \circ \bar{\imath} ra)$, pith $(s \bar{\imath} ra)$, resin $(niry \bar{\imath} sa)$, the elements $(dh \bar{\imath} tu)$, and the tuber.
- 5 In that context,
 - the eight root-poisons are:³⁵⁹
 - 1. liquorice (?),³⁶⁰
 - 2. sweet-scented oleander,³⁶¹
 - 3. jequirity,³⁶²
 - 4. false daisy,³⁶³

- 358 No reference is made to Dhanvantari (see Birch, Wujastyk, Klebanov, Parameswaran, et al. 2021). "Stationary" here is a term contrasted with "moving," and signifies plants as opposed to animals and insects.
- 359 Some South Asian plants with poisonous roots that we would have expected to see in this list include *Croton tiglium*, L., *Calotropis* spp., *Citrullus colocynthus* L. Schrad., and *Ricinus communis* L. (CIPP).
- 360 Liquorice eaten in excess can be poisonous, but it is unlikely to be the plant intended here. T. B. Singh and Chunekar (GVDB: 124) noted that the poisonous root mentioned in this passage, "remains to be identified."
- 361 The roots of sweet-scented oleander are highly toxic, as are most parts of the plant (Pillay and Sasidharan 2019).
- 362 Jequirity contains a dangerous toxin called Abrin in its seeds and to a lesser extent in its leaves, but apparently not in its roots or bulb. Abrin is not harmful if eaten, but an infusion of the bruised (not boiled) seeds injected or rubbed in the eyes can be fatal (NK:#6). The dose can be quite small.
- 363 The plant is usually called just *bhangurā* without the prefix *su-* "good." However, there is no reported toxicity associated with *E. prostrata*. The vulgate reads सुगन्धा (snakeroot).

³⁵⁷ HIML: IA, 290-291.

- 5. (?),³⁶⁴ and ending with
- 6. leadwort,³⁶⁵
- 7. country sarsaparilla (?),366 and
- 8. medhshingi,³⁶⁷
- the leaf-poisons include:
 - aconite leaf (?),
 - drum-giver (?),
 - thorn apple, and
 - big thorn apple;
- the fruits of items like: jequirity, marking-nut, and poison-altar (?) are
 - kumudavati (kumadavati)ⁱ,
 - renuka (?)ⁱⁱ,
 - kurūkaka (?)iii,
 - 'little bamboo' (veṇuka) iv, 368,

368 Not poisonous.

³⁶⁴ This poisonous root cannot at present be securely identified. Similar-sounding candidates include *karkaṭaka*, *karahāṭa* (emetic nut), and *karaghāṭa*, but since this is a prose passage, there would be no reason to alter the word to fit a metre. Monier-Williams et al. (MW: 255) cite an unknown lexical source that equates *karaṭa* (mn.) with safflower (*Carthamus tinctorius*, L.), but this plant does not have a poisonous root.

³⁶⁵ The roots of both rose and white leadwort are very toxic.

³⁶⁶ The text reads masculine *ananta*, which is not a plant name. Gayī's commentary on 5.2.5 (Su 1938: 564) noted a variant reading of feminine *anantā* in place of *gargaraka*, earlier in the compound. But the feminine *anantā*, country sarsaparilla, is not a poisonous plant.

³⁶⁷ Meulenbeld (1989: 61, n. 3) argued that our text reads a masculine or neuter noun *vijaya*, which never signifies cannabis. However, unlike the vulgate, the unanimous readings of the Nepalese manuscripts give feminine *vijayā*. Nevertheless, even the feminine form only started to signify *Cannabis sativa* L. after the end of the first millennium (Meulenbeld 1989; Wujastyk 2002; McHugh 2021). The *Sauśrutanighaṇṭu* gives a number of synonyms for *vijayā*, almost none of which have any poisonous parts (Suvedī and Tīvārī 2000: 5.77, 10.143). But one of them, *viṣāṇī* (also *meṣaśṛṅgī*), is sometimes equated with *Dolichandrone falcata* (*DC*.) *Seemann* (ADPS: 518), a plant used as an abortifacient and fish poison (NK: #862). This identification is tenuous.

i unknown; see?

ii ?; see Piper aurantiacum Wall. (NK: #1924) is not poisonous.

iii ?; see?

iv Bambusa bambos, Druce?; see NK #307

- thorn apple (*karambha*)^v,
- 'big thorn apple' (mahākarambha)^{vi},
- 'pleaser' (nandanā)^{vii},
- 'crow' (kāka) viii,
- the flower-poisons include those of:
 - rattan (*vetra*)^{ix},
 - wild chinchona (kādamba)^x,
 - black pepper $(vall\bar{\imath}ja \rightarrow marica)^{xi}$,
 - thorn apple (*karambha*)^{xii}, and
 - big thorn apple (mahākarambha)^{xiii};
- the seven bark, pith $(s\bar{a}ra)$ and resin $(niry\bar{a}sa)$ poisons are:
 - 'gutboiler' (antrapācaka) xiv,
 - 'blade' (kartarīya)^{xv},
 - wild mustard (saurīyaka)^{xvi},
 - emetic nut ($karagh\bar{a}ța \rightarrow karah\bar{a}ța? \rightarrow madana$) xvii ,
 - thorn apple (*karambha*)^{xviii},
 - wild asparagus ($nandana \rightarrow bahuputr\bar{a}$?) xix , and

v Datura metel, L.; see AVS 2.305 (cf. Abhidhānamañjarī), NK #796 ff., Potter 292 f., ADPS 132.

vi Datura metel, L.?; see AVS 2.305 (cf. Abhidhānamañjarī), NK #796 ff., Potter 292 f., ADPS 132.

vii ?; see?

viii ?; see?

ix Calamus rotang, L.; see AVS 1.330, NK #413

x Anthocephalus cadamba, Mig.; see NK #204

xi Piper nigrum, L.?; see NK #1929; Rā.6.115, Dha.4.85, Dha.2.88

xii Datura metel, L.; see AVS 2.305 (cf. Abhidhānamañjarī), NK #796 ff., Potter 292 f., ADPS 132.

xiii Datura metel, L.?; see AVS 2.305 (cf. Abhidhānamañjarī), NK #796 ff., Potter 292 f., ADPS 132.

xiv unknown; see?

xv unknown; see?

xvi Cleome viscosa, L.? (cf. Rā.4.144); see AVS 2.116, NK #615

xvii Randia dumetorum, Lamk.; see NK #2091

xviiiDatura metel, L.; see AVS 2.305 (cf. Abhidhānamañjarī), NK #796 ff., Potter 292 f., ADPS 132.

xix Asparagus racemosus, Willd.; see ADPS 441, AVS 1.218, NK #264, IGP 103, IMP 4.2499ff., Dymock 482ff.

- munj grass (nārācaka)^{xx};³⁶⁹
- the three milky sap $(k \le \bar{i} r a)$ -poisons are:
 - purple calotropis ($kumudaghn\bar{i} \rightarrow arka?$)^{xxi},³⁷⁰
 - oleander spurge (snuhī)*xii, and
 - 'web-milk' (jālaksīri) xxiii;
- the two element (*dhātu*)-poisons are:
 - 'foam-stone' (phenāśma) xxiv, and
 - orpiment (haritāla) xxv;371
- the thirteen tuber-poisons are:
 - jequirity (*kālakūṭa*)^{xxvi},³⁷²
 - wolfsbane (vatsanābha)^{xxvii},

369 The bark of wild asparagus (Asparagus racemosus, Willd.) is toxic.

- 371 Dutt (Dutt: 38–42) conjectured that 'foam-stone' may be impure white arsenic obtained by roasting orpiment.
- 372 The much later (perhaps sixteenth century) alchemical *Rasaratnasamuccaya* of pseudo-Vāgbhaṭa (21.14) says that the *kālakūṭa* poison, here translated as 'jequirity', is similar to '*kākacañcu*' or 'Crow's Beak', which is indeed a name for the plant jequirity or *Abrus precatorius*, L., more commonly called *guñjā* (not to be confused with *gañjā*). The black seed-pod is described as having a 'sharp deflexed beak' in botanical descriptions, so the Sanskrit name is quite graphic and appropriate. The poisonous scarlet seeds of *A. precatorius* can have a distinct black dot or tip, which could perhaps be translated '*kāla-kūṭa*', or 'Black Tip'.

The *Rājanighaṇṭupariśiṣṭa* (9.35) gives *kālakūṭaka* as a synonym for *kāraskara*, or *Strychnos nux-vomica*, L., whose seeds are notoriously poisonous.

```
xx Saccharum bengalense, Retz.?; see NK #2184
xxi Calotropis gigantea, (L.) R. Br.; see ADPS 52, AVS 1.341, NK #427, Potter 63
xxii Euphorbia neriifolia, L., or E. antiquorum, L.; see ADPS 448, AVS (2.388), 3.1, NK
#988, IGP 457b
xxiiiunknown; see ?
xxivunknown; see ?
xxv Arsenii trisulphidum; see NK v. 2, p. 20 ff.
xxviAbrus precatorius, L.? Cf. RRS 21.14.; see AVS 1.10, NK #6, Potter 168.
xxviAconitum napellus, L.; see AVS 1.47, NK #42, Potter 4 f.
```

³⁷⁰ The name of this poison, *kumuda-ghnī*, means 'lotus killer'. In Sanskrit literature, the *kumuda* lotus is associated with the moon, since it blossoms by night. Since the sun causes this lotus to close, it is therefore an 'enemy' of the lotus. One of the chief words for the sun, *arka*, is also the name of *Calotropis gigantea*, which indeed has a milky juice which is a violent purgative, poison and abortifacient.

- Indian mustard (sarṣapa) xxviii
- leadwort $(p\bar{a}laka \rightarrow citraka)^{xxix}$,
- 'muddy' (kardama)^{xxx}, the
- 'Virāṭa's plant' (vairāṭaka) xxxi,
- nutgrass (mustaka)^{xxxii},
- atis root (śrṅgīvisa) xxxiii
- sacred lotus (prapundarīka) xxxiv,
- radish (*mūlaka*)^{xxxv},
- 'alas, alas' (hālāhala) xxxvi,
- 'big poison' (mahāvisa) xxxvii, and
- galls (karkata) xxxviii.373

Thus, there are fifty-five stationary poisons.

6 There are believed to be four kinds of wolfsbane, two kinds of *mustaka*, and six kinds of Indian *sarsapa*. But the rest are said to be unique types.

The effects of poisons

7–10 People should know that root-poisons cause writhing (*udveṣṭana*), ranting (*pralāpa*), and delirium (*moha*), and leaf-poisons cause yawning,

```
xxviBrassica juncea, Czern. & Coss.; see AVS 1.301, NK #378
xxixPlumbago zeylanica (indica? rosea?), L.; see Rā. 6.124, ADPS 119, NK #1966, 1967
xxx unknown; see ?
xxxiunknown; see ?
xxxiCyperus rotundus, L.; see ADPS 316, AVS 2.296, NK #782
xxxiAconitum heterophyllum, Wall. ex Royle; see AVS 1.42, NK #39
xxxiNelumbo nucifera, Gaertn.; see Dutt 110, NK #1698
xxxxRaphanus sativus, L.; see NK #2098
xxxuinknown; see Cf. Soḍhalanighantu p.43 (sub bola) = stomaka = vatsanābha
xxxuinknown; see ?
xxxxRiius succedanea, L.; see NK #2136
```

³⁷³ Leadwort root is a powerful poison. Nutgrass is tuberous, but non-toxic. Atis has highly toxic tuberous roots. Neither sacred lotus nor galls are toxic. The 'alas, alas' poison (\$halahala\$) is the mythical poison produced from the churning of the ocean at the time of creation: it occurs in medical texts such as the present one, and commentators identify it with one or other of the lethal poisons such as wolfsbane or jequirity. Agrawal (1963: 126) makes the intriguing suggestion that the word \$halahala\$, possibly to be identified with Pāṇini's \$hailihila\$ (P.6.2.38), may be of Semitic origin, although his evidence seems uncertain (Steingass (1930: 1506a) cites Persian \$halahil\$ 'deadly (poison)' as a loan from Sanskrit). KEWA: iii.585 also cites a claim for an Austro-Asiatic origin for the word.

writhing, and wheezing (śvāsa).

Fruit-poisons cause swelling of the scrotum, a burning feeling and writhing. Flower-poisons will cause vomiting, distension ($\bar{a}dhm\bar{a}na$) and sleep ($sv\bar{a}pa$).

The consumption of poisons from bark, pith ($s\bar{a}ra$) and resin ($niry\bar{a}sa$) will cause foul breath, hoarseness ($p\bar{a}ru\bar{s}ya$), a headache, and a discharge of phlegm (kapha).³⁷⁴

The milky sap $(k \circ \bar{\imath} ra)$ -poisons make one froth at the mouth, cause loose stool, and make the tongue feel heavy.³⁷⁵ The element $(dh \bar{\imath} tu)$ -poisons give one a crushing pain in the chest, make one faint and cause a burning feeling on the palate.

These poisons are classified as ones which are generally speaking lethal after a period of time.

11-17 Symptoms of tuber poisoning

With sārṣapa ($s\bar{a}rṣapa$),³⁷⁶ the wind becomes defective ($v\bar{a}tavaiguṇya$), there is constipation ($\bar{a}n\bar{a}ha$), and lumps (granthi) start to appear. With leadwort ($p\bar{a}laka \rightarrow citraka$)^{xli}, there is weakness in the neck, and speech gets jumbled.³⁷⁷

³⁷⁴ At 1.2.6 (Su 1938: 11), Dalhaṇa glosses hoarseness (*pāruṣya*) as *vāgrūkṣatā*, "a rough, dry voice."

³⁷⁵ At 6.54.10 (Su 1938: 773), Dalhaṇa glosses loose stool (*viḍbheda*) as *dravapurīṣatā*, "having liquid stool."

³⁷⁶ Sārṣapa would normally mean "connected with mustard," and excessive consumption of mustard oil can be harmful. However, the Sauśrutanighaṇṭu (156) gives rakṣoghnā as a synonym for sarṣapā. This can be Semecarpus anacardium, L.f., which has some poisonous parts.

³⁷⁷ The verse in the Nepalese version ends with a plural verb that does not agree with the dual of the sentence subject.

xxxiAbrus precatorius, L.? Cf. RRS 21.14.; see AVS 1.10, NK #6, Potter 168.

xl Aconitum napellus, L.; see AVS 1.47, NK #38, Potter 4 f.

xli Plumbago zeylanica (indica? rosea?), L.; see Rā. 6.124, ADPS 119, NK #1966, 1967

With the one called 'muddy' $(kardama)^{xlii}$, there is a discharge (praseka), the faeces pour out, and the eyes turn yellow. The 'Virāṭa's plant' $(vairāṭaka)^{xliii}$ causes pain in the body and illness in the head. Paralysis of one's arms and legs and trembling are said to be caused by mustaka $(mustaka)^{.378}$

- 15b With great aconite (*mahāviṣa*) one's limbs grow weak, there is a burning feeling and swelling of the belly.³⁷⁹
- 16a With puṇḍarīka (puṇḍarīka), one's eyes go red, and one's belly becomes distended.³⁸⁰
- 16b With mūlaka ($m\bar{u}laka$), one's body is drained of colour and the limbs are paralysed.³⁸¹
- 17a With aconite ($h\bar{a}l\bar{a}hala$), a man turns a dark colour ($dhy\bar{a}ma$), and gasps.³⁸²
- With atis root $(\dot{srng\bar{\imath}viṣa})^{xliv}$, one gets violent knots (granthi) and stabbing pains in the heart.³⁸³
- 18a With markaṭa (*monkey*), one leaps up, laughs, and bites.³⁸⁴
 - 378 The substitution in MS NAK 5-333 affecting 15cd is caused by an eye-skip to the word *viṣeṇa* in 2.17. *Mustaka* commonly refers to Cyperus rotundus, L.; the root is used in āyurveda but is not poisonous. However other dictionaries list *mustaka* amongst serious poisons, for example *Rājanighaṇṭu* (22 v. 42) and *Rasaratnasamuccaya* 16, v. 80. However, its ancient identity is still doubtful.
 - 379 The poisonous root great poison (*mahāviṣa*) is not clearly identifiable, although *viṣa* is commonly aconite. Verse 6 above notes that there are several kinds of aconite.
 - 380 The word puṇḍarīka very commonly means sacred lotus, Nelumbo nucifera, Gaertn. The entire plant is edible and cannot be the poison intended here. T. B. Singh and Chunekar (GVDB: 252) noted that this poison is unidentified and that it is also listed as a poison in Carakasamhitāci.23.12.
 - 381 The word *mūlaka* very commonly means the radish, *Raphanus sativus*, L. The root is edible and cannot be the poison intended here. T. B. Singh and Chunekar (GVDB: 317) noted that this poison is unidentified.
 - 382 Identification of *hālāhala* is uncertain. It may simply be a mythical poison, or its specific identity may have been lost over the centuries. Late *nighaṇṭu*s identify it as *stomaka* = *vatsanābha*, i.e., *Aconitum napellus*, L. (*Soḍhalanighantu* p.43). Dalhaṇa on 5.2.17 (Su 1938: 564) interprets our "gasps" as "the man laughs and grinds his teeth." But this gloss is probably displaced and intended to apply to verse 2.18.
 - 383 T. B. Singh and Chunekar (GVDB: 407) noted that *vatsanābha* and *śṛṅgīviṣa* are two different varieties of poisonous Aconites that are difficult to distinguish.
 - 384 T. B. Singh and Chunekar (GVDB: 299) said of markata, "an unidentified vegetable

xlii unknown; see?

xliii unknown; see?

xliv Aconitum heterophyllum, Wall. ex Royle; see AVS 1.42, NK #39

-> ativișa

Look up the ca. reference.

18b-19a Experts have said that one should know that the thirteen highly potent tuber-poisons, which are mentioned here, have ten qualities (*guṇa*). 19b-20a The ten are:

- dry (rūkṣa),
- hot,
- sharp,
- rarified (*sūkṣma*),
- fast-acting,
- pervasive (vyavāyin),
- expansive (vikāsin),
- limpid (viśada),
- light, and
- indigestible.
- 20b Because of dryness, it may cause inflammation of the wind; because of heat it inflames the choler and blood. Because of the sharpness it unhinges the mind, and it cuts through the connections with the sensitive points (*marman*). Because it is rarified it can infiltrate and distort the parts of the body.³⁸⁵
 - Because it is fast-acting it kills quickly, and because of its pervasiveness it affects one's whole physical constitution (prakrti).³⁸⁶ Because of its expansiveness it enters into the humour (doṣa)s, bodily constituents $(dh\bar{a}tu)$ s, and even the impurities. Because it is limpid it overflows, and because it is light it is difficult to treat. Because it is indigestible it is hard to eliminate. Therefore, it causes suffering for a long time.
 - Any poison that is instantly lethal, whether it be stationary, mobile, or artificial, will be known to have all ten of these qualities.

Slow-acting poison

25cd–26 A poison that is old or destroyed by anti-toxic medicines, or else dried up by blazing fire, wind, or sunshine, or which has just lost its qualities

poison." Cf. Suvedī and Tīvārī 2000: v.36 for synonyms that lead to the non-toxic jujube tree.

³⁸⁵ We read the active *vikaroti* with Dalhana against the transmitted passive *vikriyeta*, since it must be the parts of the body that are distorted, not the poison.

³⁸⁶ Palhaṇa on 5.2.22 (Su 1938: 565) explained this as "takes the form of pervading the whole body (*akhiladehavyāptirūpam*)."

- by itself,³⁸⁷ becomes a slow-acting poison $(d\bar{u}$, \bar{s} \bar{v}).³⁸⁸ Because it has lost its potency it is no longer perceived. Because it is surrounded by phlegm (kapha) it has an aftermath that lasts for a very long time.
- 27 If he is suffering from this, the colour of his stools changes, he gets sourness and a bad taste with great thirst. Stammering and close to death, wandering about, he may feel faint, giddy, and aroused.³⁸⁹
- 28 If it lodges in his stomach (āmāśaya), he becomes sick because of wind and phlegm; if it lodges in his intestines (pakvāśaya), he becomes sick because of wind and choler. A man's hair and limbs fall away and he looks like a bird whose wings have been chopped off.
- 29a–c If it lodges in one of the body tissues such as chyle (*rasa*), it causes the diseases arising from the body tissues, that have been said to be wrong.³⁹⁰ and it rapidly becomes inflamed on days that are nasty because of cold and wind.
- 29d–31 Listen to its initial symptoms (*liṅga*): it causes heaviness due to sleep, yawning, disjunction (*viśleṣa*) and horripilation (*harṣa*) and a bruising of the limbs (*aṅgamarda*).³⁹¹ Next, it causes intoxication from food (*annamada*) and indigestion, loss of appetite (*arocaka*), the condition of having a skin disease (*koṭha*) with round blotches (*maṇḍala*),³⁹² dwindling away (*kṣaya*) of flesh, swelling of the feet, hands, and face, the fever called *pralepaka*, vomiting and diarrhoea.³⁹³ The slow-acting poison might cause wheezing, thirst and fever, and it might also cause distension of the abdomen.
 - These various disorders are of many different types: one poison may produce madness, while another one may cause constipation $(\bar{a}n\bar{a}ha)$, and yet another may ruin the semen. One may cause emaciation, while

³⁸⁷ Dalhana specified that this refers to the ten qualities that are mentioned above (5.2.26 (Su 1938: 565)).

³⁸⁸ Dalhaṇa cited this verse at 1.46.83 (Su 1938: 222) while explaining dūṣīviṣa.

³⁸⁹ Similar symptoms of slow-acting poison are described at 2.7.11–13 (Su 1938: 296) in the context of contamination dropsy (*duṣyodara*). This this may explain why the vulgate inserted reference to this disease at this point.

³⁹⁰ The expression *ayathāyathoktān* "stated to be unsuitable" is hard to understand here, but is clearly transmitted in the Nepalese version.

³⁹¹ Dalhana 5.2.30ab (Su 1938: 565) glossed "disjunction" as the loss of function of the joints in regard to movement.

³⁹² The last ailment could perhaps be ringworm.

³⁹³ The *pralepaka* fever was described by Dalhana, at 6.39.52 (Su 1938: 675), as an accumulation of phlegm in the joints. Its symptoms are described in 6.39.54

- another pallid skin disease (kuṣṭha).
- Something is "corrupted" by repetitively keeping to bad locations, times, foods, and sleeping in the daytime. Or, traditionally, "corrupting poison" (slow-acting poison $(d\bar{u}s\bar{i}-visa)$) is so called because it may corrupt $(d\bar{u}sayet)$ the body tissue $(dh\bar{a}tu)s$.

34- The stages of toxic shock

- In the first shock of having taken a stationary poison, a person's tongue becomes dark brown and stiff, he grows faint, and panics.
- In the second, he trembles, feels exhausted, has a burning feeling, as well as a sore throat. When the poison reaches the stomach $(\bar{a}m\bar{a}\hat{s}aya)$, it causes pain in the chest (hrd).
- In the third,his palate goes dry, he gets violent pain (\dot{sula}) in the stomach $(\bar{a}m\bar{a}\dot{s}aya)$, and his eyes become weak, swollen and yellow.
- In the fourth shock, it causes the intestines and stomach to be exhausted $(s\bar{a}da)$, he gets hiccups, a cough, a rumbling in the gut (antra), and his head becomes heavy too.
- In the fifth he dribbles phlegm (*kapha*), goes a bad colour, his ribs crack (*parśvabheda*), all his humours are irritated, and he also has a pain in his intestines (*pakvādhāna*).
- 39a In the sixth, he loses consciousness and he completely loses control of his bowels.
- 39b In the seventh, there are breaks in his shoulders, back and loins, and he stops breathing.³⁹⁴

Remedies for the stages of slow poisoning

- 40 In the first shock of the poison, the physician should make the man, who has vomited and been sprinkled with cold water, drink an antidote (agada) mixed with with honey and ghee.
- In the second, he should make the man who has vomited and been purged drink as before;

³⁹⁴ Here at 5.2.24 (Su 1938: 566) Dalhaṇa glossed sannirodha as "complete cessation, i.e., of breath" (sannirodhaḥ samyannirodhaḥ, ucchvāsasya iti śeṣaḥ). The manuscripts all read skanda where skandha must be intended; this confusion is known from Buddhist Hybrid Sanskrit (Edgerton 1953: 2, 608).

- on the third, drink an antidote and a beneficial nasal medicine (nasya) as well as an eye salve ($a\tilde{n}jana$).
- In the fourth, the physician should make him drink an antidote that is salt with a little oil.³⁹⁵
- In the fifth, he should be prescribed the antidote together with a decoction $(kv\bar{a}tha)$ of honey and liquorice.
 - In the sixth, the cure (siddhi) is the same as for diarrhoea. And in the seventh, he perishes.³⁹⁶
 - In between any one of these shocks, once the above treatment has been done, he should give the patient the following cold gruel $(yav\bar{a}g\bar{u})$ together with ghee and honey, that will take away the poison.
- 45–46 A gruel $(yav\bar{a}g\bar{u})$ made of the following items in a stewed juice $(nihk-v\bar{a}tha)$ destroys the two poisons: luffa gourd,³⁹⁷ wild celery,³⁹⁸ velvet-leaf, sunflower,³⁹⁹ heart-leaved moonseed, myrobalan siris, and selu
 - 395 At 6.52.30 (Su 1938: 769) Dalhana noted that *sindhu* can be interpreted as salt (*saindhava*).
 - 396 The vulgate text here is quite different, recommending that the patient have medicated powder blown up his nose. It may be possible to detect the evolution of the Nepalese अवसीदेत् to the vulgate's अवपीड्य. The vulgate version is hard to construe, and we see Dalhana struggling to interpret it in his commentary on 5.2.43ab (Su 1938: 566). This sternutatory is, however, recommended in the Nepalese version at 5.5.30ab (Su 1938: 576), for the seventh shock of poisoning by a striped snake (rājimat). It is possible the text migrated from that location to this.

 Another difference at this point is that the Nepalese version also does not support
 - Another difference at this point is that the Nepalese version also does not support the vulgate's passage on the crow's foot ($k\bar{a}kapada$) therapy (Wujastyk 2003b: 145, n. 106). The same is the case at 5.5.24 (Su 1938: 575) and the clear description at 5.5.45 (Su 1938: 577), in neither of which is the therapy supported in the Nepalese version. This therapy seems unknown to the Nepalese transmission. The therapy may have migrated into the vulgate $Su\acute{s}rutasamhit\bar{a}$ from the $Carakasamhit\bar{a}$ 6.23.66–67 (Ca 1941: 574).
 - 397 At 4.10.8 (Su 1938: 449) Dalhaṇa glossed कोशवती as देवदाली and at 4.18.20 (Su 1938: 472) as कटुकोशातकी, vocabulary pointing to Cucumis cylindrica, Cucumis actangula or Luffa echinata. See glossary under luffa.
 - 398 A plant often cited in <code>Suśrutasaṃhitā</code>, but rarely in <code>Carakasaṃhitā</code> (GVDB: 4). Dalhaṇa glossed it here, 5.2.45 (Su 1938: 566), as <code>ajamodā</code>, wild celery, but noted that others consider it to be <code>moraṭa</code>, rajmahal hemp. There is considerable complexity surrounding the identification of <code>moraṭa/mūrvā</code> and related synonyms (GVDB: 314-316). Taking <code>agnika</code> as a short reference to <code>agnimantha</code>, often identified as migraine tree, might be plausible, since that is antitoxic or anti-inflammatory, but such a short reference is not known elsewhere.
 - 399 At 5.2.45 (Su 1938: 566) Dalhaṇa said that this plant has leaves like the *paṭola*, pointed gourd, T. B. Singh and Chunekar (GVDB: 280, 443) argued plausibly that this is a syn-

plum, white siris, the two kinds of turmeric,⁴⁰⁰ and the two kinds of poison berry,⁴⁰¹ hogweed, peas, the three heating spices, the two kinds of Indian sarsaparilla⁴⁰² and blue water-lily.

onym for *arkapuṣpī*, panacea twiner, as Dalhaṇa also stated in 1.45.120 (Su 1938: 206), and the leaves of Holostemma and Trichosanthes are indeed strikingly similar. The appearance of the plant, a creeper with sun-like flowers, fits the name. But there remains much controversy about the identities of these candidates (e.g., ADPS: 195–198).

⁴⁰⁰ I.e., turmeric and Indian barberry.

⁴⁰¹ I.e., poison berry and yellow-berried nightshade.

⁴⁰² I.e., country sarsaparilla and black creeper.

The invincible ghee

There is a famous ghee called "Invincible" (*ajeya*). It rapidly destroys all poisons but is itself unconquered. It is prepared with a mash (*kalka*) of the following plants: liquorice, crape jasmine, costus, deodar, peas, Indian madder, cardamom and cherry, cobra's saffron, blue water-lily, sugar, embelia, sandalwood, cassia cinnamon, foxtail millet, rosha grass, the two turmerics,⁴⁰³ the two Indian nightshades,⁴⁰⁴ the two kinds of Indian sarsaparilla,⁴⁰⁵ beggarweed, and heart-leaf sida.

Curing the 'slow-acting' poison

50–52 Someone suffering from "slow-acting poison $(d\bar{u}_{\bar{s}}\bar{t}vi_{\bar{s}}a)$ " should be well sweated, and purged both top and bottom. Then he should be made to drink the following eminent antidote which removes "slow-acting poison:"

Take long pepper, rosha grass, spikenard, lodh tree, cardamom, natron, scented pavonia, red chalk, as well as gold, and pondweed.

This antitoxin, taken with honey, eliminates slow-acting poison. It is called the "enemy of slow-acting poison $(d\bar{u}_{\bar{s}\bar{t}vi\bar{s}\bar{a}ri})$," and it is not prohibited in other situations.

- If there are any other side-effects (*upadrava*), such as fever, a burning feeling, hiccups, constipation (*ānāha*), depletion of the semen, distension, diarrhoea, fainting, skin problems, bellyache (*jaṭhara*), madness, trembling, then one should treat each one in its own terms, using antitoxic medicines.
 - For a prudent person, the slow-acting poison can be cured $(s\bar{a}dhya)$ immediately. It is treatable $(y\bar{a}pya)$ if it is of a year's standing. Other than this, it should be avoided for the person who eats unwholesome things.

⁴⁰³ I.e., turmeric and Indian barberry.

⁴⁰⁴ I.e., poison berry and yellow-berried nightshade.

⁴⁰⁵ I.e., country sarsaparilla and black creeper.

Kalpasthāna 3: Poisonous Insects and Animals

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002.⁴⁰⁶

Translation

- 1 And now we shall explain the rule (*kalpa*) that is the required knowledge about mobile poisons.⁴⁰⁷
- 3 The full explanation about the sixteen carriers (*adhiṣṭhāna*) of the mobile poisons, that have been mentioned by me in brief, will be stated.⁴⁰⁸
- 4 In that context, they are:⁴⁰⁹
 - gaze and breath,
 - teeth, nails, and bites
 - urine and faeces,
 - menstrual blood,

- semen,
- tail,
- contact with saliva,
- nipping with the mouth

406 HIML: IA, 291–292.

Come back to the issue of "kalpa". Look up passages in the Kośa.

⁴⁰⁷ In contrast to stationary, plant poisons. No reference is made to Dhanvantari (see Birch, Wujastyk, Klebanov, Parameswaran, et al. 2021).

^{408 &}quot;Carrier" for base, foundation (*adhiṣṭhāna*) aims to capture the idea that the author will describe the creatures in which poisons inhere.

⁴⁰⁹ The content of this section is presented as a table, for clarity for the contemporary reader and mindful of the theoretical issues surrounding notational variation, including the "symbolic rewriting" and the modification of "expressive capacities" discussed by Sarukkai (2016: 321 ff). For further discussion, see Wujastyk 2021a: 81–83.

⁴¹⁰ This interpretation comes from Dalhana on 5.3.4 (Su 1938: 567), but he reads विशर्धित.

(mukhasamdamśā),

- fart (avaśardhita),⁴¹⁰
- anus,411
- bones,
- 5 In that context,

- bile,
- bristles ($\sin ka$), and
- corpses.

location of the poison	creatures ⁴¹²
in their breath and gaze	divine snakes
in their fangs	the ones on earth ⁴¹³
in their nails, mouths and fangs	cats, dogs, monkeys, men $(nara)$, 414 crocodiles, frogs, 'cook-fish' $(p\bar{a}kamatsya)$, 415 monitor lizards, cone snails $(\acute{s}amb\bar{u}ka)$, 'poisonous snakes' $(pracal\bar{a}ka)$, 416 geckos $(grhagodik\bar{a})$, 417 four-footed insects and others
in their urine and faeces	lice (kiṭipa), 'flat insects' (picciṭā), 'orange-dwellers' (kaṣāyavāsika), 'pepper snakes' (sarṣapaka), 'angry beetles' (toṭaka), dung beetles (varcaḥkīṭa), and 'pot insects' (kauṇḍinya)
in their semen	mice

⁴¹¹ Dalhaṇa on 5.3.4 (Su 1938: 567) noted this reading.

⁴¹² Many of these names are mere dubious placeholders.

⁴¹³ Dalhana on 5.3.5 (Su 1938: 567) cited the otherwise unknown authority Sāvitra on the topic of poisonous snakes (HIML: ???, ???).

⁴¹⁴ Probably dittography from the previous word, monkey (*vānara*). But it is supported in both Nepalese witnesses, so it must go back to an earlier exemplar.

⁴¹⁵ MS KL 699 separates the words पाक and मत्स्य with a daṇḍa, indicating that the scribe thought they were separate terms. Dalhaṇa thought this was a kind of fiery insect (5.3.5 (Su 1938: 567)).

⁴¹⁶ *Arthaśāstra* 14.1.14, 23 (Olivelle 2013: 448), where it might also be a chameleon; but the latter are not venomous.

⁴¹⁷ The scribe of MS Kathmandu NAK 5-333 noted in the margin that some of his sources read गलगोडिका, which is the name of a snake known also in the *Carakasaṃhitā* and elsewhere in literature (cf. note 188, p.??). Hemacandra's *Abhidhānacintāmaṇi* (4.364) mentions that गृहगोधिका and गृहगोलिका are synonyms (Rādhākāntā Deva 1876: 691a, sub māṇikyā).

location of the poison	creatures
in their stings (śūla)	scorpions, 'earth scorpions' (viśvambhara), wasps (varaki), ⁴¹⁸ fish, crabs (ucciṭiṅga), and 'wing-scorpions' (patravṛścika)
in their saliva, nails, urine, feces, blood, semen and fangs	spiders
in the bites of their mouths	flies, wasps (kaṇabha) and leeches
in the bites of their mouths, in their fangs, faces, †, farts, anuses and feces	'speckle-heads' (citraśīrṣa), 'lids' (śārava), 'bellied' (kukṣita), 'wood-enemies' (dārukāri), 'liquors' (medaka), and 'darts' (śārikā).

Table 2: Passage 5, expressed in tabular format.

- 6 The enemies of the king pollute the waters, roads and foodstuffs in enemy territory. The experienced physician, who has learned how to purify things, should clean up those polluted things.
- 7 Polluted water is slimy and smells of tears.⁴¹⁹ It is covered with froth and covered with streaks. The frogs and fish die, the birds are crazed and, along with the wetland creatures, they wander about aimlessly.
- 8 Men, horses and elephants who swim in it experience vomiting, delusion, fever, swelling and sharp pains.⁴²⁰ He should try to purify that

⁴¹⁸ वरटी is a wasp; वरिक in the Nepalese MSS may be an alternant of this word. Dalhana on 5.3.5 (Su 1938: 568) remarked that some interpreted वरिकमत्स्य as two items, "wasp and fish," others as a single one, "wasp-fish."

⁴¹⁹ अस normally means "tears," but rarely means "blood."

⁴²⁰ On the polysemy of elephant/snake (*nāga*), see Semeka-Pankratov 1979.

- polluted water, after curing their ailments.
- 9 And so, he should burn axlewood and garjan oil tree, as well as corky coral tree, with crimson trumpet-flower tree and small-flowered crape myrtle and weaver's beam tree, and with golden shower tree and white cutch tree. Then he should sprinkle that ash, cold, on the waters.
- And in the same way, putting a handful of the ash in a pot, one may also purify water that one wants.

 If any one of the limbs of cows, horses, elephants, men or women, touch a place on the ground that enemies have spoiled with poison, or a ford or rock or a flat surface, then it swells up and burns and its hair and nails fall out on that place.
 - In that situation, he should grind up country sarsaparilla together with all the aromatic items, with alcoholic drinks. And then he should sprinkle the paths that need to be used with waters mixed with mud.⁴²² And if there exists another path, he should go by that.⁴²³
 - When grasses and foods are polluted, people collapse, fall unconscious. And others vomit. They get loose stool (*viḍbheda*) or they die. One should apply to them the therapy as described.
- 14–15 Alternatively, one should wipe various musical instruments with antidotes that remove poison and then play them. What is called the most excellent paste for a musical instrument is certain minerals⁴²⁴ together with gold and sarsaparilla, and a portion of of nutgrass equal to that,

^{421 &}quot;Swells up" translates an unclear reading that was probably शूयित, which may be an irregular form of $\sqrt{2}$, श्वा, श्वि (see Whitney 1885: 175–176).

⁴²² Our "alcoholic drinks" translates सुरा. For a discussion of this term at our period see mchu-2021a.

⁴²³ Dalhaṇa on 5.3.12 (Su 1938: 568) cited a similar reading for the fourth pāda, but with a negative particle, "and if there is no other way, one should go by that."

^{424 &}quot;Certain minerals" translates तारावितार, the unanimous reading of the Nepalese witnesses. But the meaning of this expression is not clear and may even refer to plants, like the other ingredients. The vulgate reads तारः सुतारः, which is also not very clear. However, Dalhaṇa on 5.3.14 (Su 1938: 568) identified these as "silver" and "mercury." This is highly unlikely to be a correct understanding of the passage. Historically, mercury is not naturally present in the South Asian peninsula (Watt_{Dict}: 5, 233) and the word पारद that Dalhaṇa used is probably a loan-word from Persian (sub paranda, parranda Steingass 1930: 244b). Mercurial compounds are not reliably attested in South Asia until two or three centuries after the composition of the Suśrutasaṃhitā at the earliest. The currently available "śāstric" recension of the Arthaśāstra that is datable to 175–300 CE (Olivelle 2013: 29–31) does not mention mercury (ibid, 534). See further the study by Wujastyk (2013a: 17, et passim).

- together with the bile called "brown cow".⁴²⁵ By the sound of the musical instrument, even terrible poisons that may be present at that place are destroyed.
- 16 If there is smoke or wind that is affected by poison then birds are dazed and fall to the ground. People get coughs, colds, and head illnesses, and acute eye diseases.⁴²⁶
- 17 The smoke and air can be purified by putting into the air: lac, turmeric, Himalayan monkshood, and myrobalan, with Himalayan mayapple, costus, cardamom,⁴²⁷ and peas, and foxtail millet.

note: don't repeat ativiṣā; vulgate similar to H.

The origin of poison

- As it is told, the arrogant demon called Kaiṭabha created an obstacle for lotus-born Brahmā, at the very time that he was creating these creatures.⁴²⁸
- 19 Pitiless Fury took a body and burst out of the mouth of furious Brahmā's store of fiery energy.⁴²⁹
- 20 He burned that great, thundering, apocalyptic demon. Then, after bringing about the annihilation of that demon, his amazing fiery energy increased.
- And so, there was a sinking down $(vi \circ \bar{a}da)$ of the Daityas. Observing that, it was named "poison $(vi \circ a)$ " because of it's ability to produce a "sinking down."
- 22 After that, the Lord created beings and subsequently made that fury enter into creatures still and moving.
- 23–24 Water that falls from the sky to the earth has no obvious flavour. The savour of the different places it lands on enters into it. In the same way,

⁴²⁵ सुरेन्द्रगोप and कुरुविन्द are both uncertain, see index. Dalhana's opinion has been followed here, but it seems fair to say that all commentators were guessing.

⁴²⁶ The syntax of this verse is somewhat loose; the vulgate has regularized it, smoothing out the difficulties.

⁴²⁷

⁴²⁸ At this point, the text seems to make a new beginning to the topic of toxicology, as if starting a new chapter. It is notable that no reference is made here to the famous origin story of poison in the churning of the primal milk ocean; for discussion of the sources of this account, see Bedekar 1967. For reflections on this passage, connecting it with Rudra and the *Śatapathabrāhmaṇa*, see Mānasa-taraṅgiṇī 2019.

^{429 &}quot;Fury" is here anthropomorphised.

- whatever substance a poison reaches, it establishes itself there and by its nature it takes on that substance's savour.⁴³⁰
- Generally speaking, in a poison, all the qualities are really sharp. For this reason, every poison is known to irritate all of the humours.
- 26 Irritated and afflicted by the poison, they leave their natural functions. Poison does not get digested, so it blocks the breaths.⁴³¹
- 27 Breathing is obstructed because its pathway is blocked by phlegm. Even if life continues, a man remains without consciousness.
- Similar to semen, the poison of all angry snakes pervades the whole body, and goes to the limbs like semen because of being stirred up.
- The fang of snakes is like a hook. When it gets there, it sticks inside them. That is why the unagitated poison of a snake is not released.
- 30 Sprinkling with very cold water is traditional for all cases of poisoning, because poison is declared to be extremely hot and sharp.⁴³²
- Poison in insects is slow and not very hot, having a lot of wind and phlegm. So in cases of insect poisoning, sweating is not forbidden.
- 32cd In cases of a strike or a bite, the poison may, of its own accord, stay there.
- 33–35ab thaving come upon a body,⁴³³ in the case of corpses that that have been pierced by a poisoned arrow and bitten by a snake, someone who eats the poisoned flesh of a recent corpse out of carelessness will suffer with illness according to the poison, or even die. And therefore, the flesh of those should not be eaten when they have just died.
 - It is admissable after three quarters of an hour, but without the poisoned arrow and the snakebite.
 - [At this point an Upajāti verse is added in the margin of K but is not fully legible; the version of the text in H is also incomplete and not fully comprehensible.] 434

⁴³⁰ The scribal emendation in MS Kathmandu NAK 5-333 of नियच्छित to निगच्छित suggests that the scribe had more than one manuscript before him, one of them representing the reading of the vulgate recension.

⁴³¹ Probably a reference to the five breaths. Dalhana referred to winds (বার), but this does not seem correct since it is a reference to humours rather than breaths.

⁴³² The verb पठ् "is declared, read aloud" here could possibly suggest that the author is working within a written, not oral, tradition.

^{433 &}quot;Having come upon" translates সংল্ঞাঘ্য, which is hard to interpret unless it is a rare form connected with the sense "to see."

⁴³⁴ $M\bar{a}$ dhavanidāna, 69.20–21 (MN₁: 480) has verses that are directly parallel to this section:

darvīkarānām visam āśughāti sarvāni cosne dvigunībhavanti ajīrņapittātapapīditesu bālesu

35.3 tWhen, in a wound, the poison that is connected with these qualities runs, ...Therefore, not everything that is damaged by poison and eaten causes death.

435

- [ślokas in the MSS that aren't in the vulgate. The first line doesn't scan. Witness K adds a part of the start of this in the bottom margin. This material is repeated at 3.39.2 in MS H.]
- 35cd & 36cd One designates a person who has diarrhoea of feces looking like soot $(grhadh\bar{u}ma)$ with wind, 436 and who vomits foam, as "someone who has drunk poison."
 - 37 Therefore, fire burns a heart that is pervaded by poison. For, having pervaded of its own accord the location of consciousness, it abides.⁴³⁷

Patients beyond help

- Patients who should not be accepted include: those who have been bitten under a peepul tree, in a temple, in a cemetery, at an ant-hill, at dawn or dusk, at a crossroads, under Yama's asterism, 438 under the Great Bear and people who have been bitten in lethal spots.
- The poison of cobras kills rapidly. They all gain twice the intensity in those who have indigestion, those who are afflicted by bile or wind, old people, children and the hungry.
- 39.1 In those whose who are mad or intoxicated, or who suffer from anxiety, or who are unable to tolerate its various strengths, it becomes sharp. †...

39.2

vrddheşu bubhukşiteşu 20

kṣīṇakṣate mohini kuṣṭhayukte rūkṣe 'bale garbhavatīṣu cāpi

śastrakṣate yasya na raktam eti rājyo latābhiś ca na saṃbhavanti 21. This passage is the only occurrence in the ayurvedic text corpus that relates to the Nepalese version of the <code>Suśrutasaṃhitā</code> at this point. This suggests that Mādhavakara (fl. ca. 700, Bengal) knew and used the Nepalese version.

- 435 At this point, witness H inserts a marginal Indravajrā verse about diseases that afflict immoral women.
- 436 गृहधूम is not a plant in this context pace MW: 362. See the discussion in note 342, p. 119.
- 437 Dalhana said that someone who has died from drinking poison has a heart that cannot be burned because it is pervaded by poison (5.3.37 (Su 1938: 570)). But the sense of the Nepalese MSS is the opposite.
- 438 याम्ये means "southerly" but Dalhana on 5.3.38 (Su 1938: 570) interpreted it as "in Yama's direction" as "under the seventh asterism."

material corresponds to SS.1.45.205ab, where it describes how alcohol affects the body.

- 3.4ocd–3.41 One should reject someone overcome by poison who does not bleed when cut with a knife, where weals do not appear as a result of lashes,⁴³⁹ or where there is no horripilation because of cold water, whose mouth is crooked, whose hair is falling out of his head. A man who is fatigued and those who stammer,⁴⁴⁰
 - 3.42 one who has a black and red swelling at the site of the bite, with lockjaw, should be avoided. The same goes for someone who has a solid plug emerge from their mouth and someone who has blood running from above and below and
 - 3.43ab The physician should also avoid a person who has fangs that have not fallen out quickly.⁴⁴¹

⁴³⁹ Dalhaṇa, on 5.3.40 (Su 1938: 570), glossed लताभिस् "by means of whips," as "when the body is struck by whips."

⁴⁴⁰ nāsāvasāda & plural sakanthabhangāh

⁴⁴¹ The grammatical verb-form परिवर्जयीत "he should avoid," opt., 3rd, sg., is unusual. Renou (1940:10 ff) documented such forms from the *Aitareyabrāhmaṇa* onwards. Oberlies (2003: ¶6.3.3 "Peculiar optative endings", pp. 176–177) showed that the form is well-documented in *manuscripts* of the *Mahābhārata*, but has been edited out of the printed critical edition in almost all cases. Cf. also Kulikov 2006.

The concern about a patient who "has fangs that have not fallen out" is hard to understand. The word देष्ट्रा does not mean human teeth (दन्त). We therefore prefer to interpret this as a patient where the fangs of a venemous creature remain in the bitewound. This requires construing the expression as a bahuvrīhi compound: देष्ट्रा or देष्ट्र + अनिपातः.

Kalpasthāna 4: Snakes and Envenomation

Introduction

The fourth chapter of the Kalpasthāna of the Suśrutasamhitā addresses the topic of snake bites and snake venom. Exceptionally for the Nepalese version of the Suśrutasamhitā, the discussion is framed as a question from Suśruta to the wise Dhanvantari. Suśruta's questions are about the number of snakes, how they are classified, the symptoms of their bites and the pulses or stages of toxic shock experienced by a victim of snakebite and related topics. The taxonomy of snakes is presented in tabular form in Figures 1 and 2.442 The Carakasaṃhitā also addressed this topic of snake taxonomy, but only included the first three of the Suśrutasamhitā's types, namely Darvīkara, Maṇḍalī and Rājimān.443 These three categories of snakes are framed within a humoral scheme, aggravating wind, bile and phlegm respectively, a scheme that is carried forward into symptoms and therapy.⁴⁴⁴ The Suśrutasamhitā does not use this snake-humour parallelism. By contrast, the system of seven pulses or toxic shocks (*vega*) that is central to the Suśrutasamhitā's understanding of envenomation is absent from the Carakasamhitā. 445

⁴⁴² On the idea of notational variants in scientific translation, see Elshakry 2008; Sarukkai 2016; Wujastyk 2021*a*: 81–83.

^{443 6.23.124} ff. (Ca 1941: 577).

⁴⁴⁴ *Carakasaṃhitā* 6.23.165–176 (*Ca* 1941: 579). Note that the *Carakasaṃhitā* then described symptoms and therapies without reference to the three-humour scheme: 6.23.177–254 (*Ca* 1941: 579–582).

⁴⁴⁵ One mention of the term in the *Carakasaṃhitā* refers to the peak of a tertian fever (6.3.70 (Ca 1941: 404). In other contexts, it had the ordinary-language meaning of a natural "impulse" or "pressure" that should not be suppressed (1.25.40 et passim

Literature

A brief survey of this chapter's contents and a detailed assessment of the existing research on it to 2002 was provided by Meulenbeld.⁴⁴⁶ There also exists a substantial herpetological literature from colonial India as well as more recent studies of snakes in the context of cultural and religious life.

The ophiological literature of the colonial period began in the late nine-teenth century with the work of Fayrer, whose publication included striking colour paintings of snakes.⁴⁴⁷ Fayrer provided a biological taxonomy of snakes as well as chapters on mortality statistics during the nineteenth century, treatment and effects of poison, and experimental data. Ewart (1878) included descriptions of appearance and behaviour of poisonous snakes and sometimes their local names and reproducing Fayrer's illustrations.⁴⁴⁸ Wall (1913:75–124) provided a useful analysis of the medical effects of snake envenomation in India arranged by the varied symptomatology of different snakes. He also discussed the difference between the symptoms of toxicity and fright (69–75) and also the difficulties arising out of uncertainty about the effects of snake-bite (124–126). The *Suśruta-saṃhitā* too recognized the emotional and somatic effects of fright (see note 464 below). Wall (1921) provided a wealth of detail of the snakes of Sri Lanka, including line drawings.

Doniger (2015) provided a good survey of snakes as protagonists in religious literature from the *Atharvaveda* through the epics, *Purāṇas* and Buddhist literature. Semeka-Pankratov (1979) traced semiotics of the term *nāga* through Vedic, Pali and Sanskrit literature. Slouber (2016a: 31–33 *et passim*) discussed the *Suśrutasaṃhitā*'s *Kalpasthāna* as a precursor and influence on later Tantric traditions of snake-bite interpretation and therapy. In particular, the Tantric *Kriyākālaguṇottara* text that Slouber presented divided snakes into two basic categories, divine and mundane, as the *Su*-

⁽Ca 1941: 131–132)).

⁴⁴⁶ HIML: IA, 292–294. In addition to the translations mentioned by Meulenbeld (HIML: IB, 314–315), a translation of this chapter was included in P. V. Sharma 1999–2001: 3, 35–45. The classic work of Jolly (1951: ¶93) offered a short but accurate overview of Indian toxicology.

⁴⁴⁷ Fayrer 1874, first published in 1872.

⁴⁴⁸ Calling his work a supplement to Fayrer (1874), but also being cited by Fayrer, Ewart 1878 evidently also collected local indigenous knowledge from his "snakeman" (p. 22).

Literature 147

śrutasaṃhitā does.⁴⁴⁹ But unlike the *Suśrutasaṃhitā*, in the *Kriyākālaguṇottara* the chief taxonomic principle for both groups is the four *varṇas*.

A discussion of this chapter specifically in the light of the Nepalese manuscripts was published by Harimoto.⁴⁵⁰ After a close comparative reading of lists of poisonous snakes, Harimoto concluded that, "the Nepalese version is internally consistent while the [vulgate] editions are not." Harimoto showed how the vulgate editions had been adjusted textually to smooth over inconsistencies, and gave insights into these editorial processes.⁴⁵¹

The Seven Stages of Toxic Shock

A prominent feature the $Su\acute{s}rutasamhit\bar{a}'s$ interpretation of envenomation symptoms is the concept of seven successive stages or pulses (vega) of toxic shock after a bite. This is interestingly coordinated with the $Su\acute{s}rutasamhit\bar{a}'s$ concept of the $kal\bar{a}s$, which are either seven layers of skin that come into existence during embryonic development or seven interstitial tissues that separate the various parts of the body.

Contemporary clinical studies of snake envenomation and treatment do not show any awareness of such a seven-stage symptomology of traditional Indian medicine.⁴⁵³ Exceptionally, the studies by Barceloux and Özbulat et al., do identify and tabulate three stages of envenomation.⁴⁵⁴ The symptoms of these three stages are mainly characterized by increasing degrees

⁴⁴⁹ Slouber 2016a: 144–145.

⁴⁵⁰ Harimoto 2011: 101–104.

⁴⁵¹ The two editions that Harimoto noted, Su 1938 and Su 1889, present identical texts.

⁴⁵² The system of the কলা is described at 4.4.4–20 (Su 1938: 355–357). Cf. Mahākośa: 1, 183–184, Śabdasindhu: 227–228, Kutumbiah 1962: 6, HIML: 1, 247–248 and notes. This system of dermal and interstitial কলা was not known to the Carakasaṃhitā as such; rather, the Carakasaṃhitā mentioned six kinds of skin (অच्) (4.7.4 (Ca 1941: 337)), with different names and characteristics, a contradiction discussed by the commentator Cakrapāṇidatta (idem). It appears in later works such as the fourteenth-century Śārngadharasaṃhitā (1.1.60 (P. Śāstrī 1931: 15)).

⁴⁵³ E.g., Ellenhorn 1997; Weinstein et al. 2009; Pillay 2013: 1747–1749; WHO 2019: 19; Mehta and Sashindran 2002; Hamza et al. 2021; A. M. Deshpande et al. 2022.

⁴⁵⁴ Barceloux 2008: 1017, Table 176.3, and Özbulat et al. 2021: 7, and Table 1, broadly following Barceloux.

of edema. This differs from the *Suśrutasaṃhitā*'s detailed characterization of changes in skin colour etc.⁴⁵⁵

Translation

- 1 Now we shall explain the procedure (*kalpa*) that is what should be known concerning the venom in those who have been bitten by snakes.⁴⁵⁶
- 3 Suśruta, grasping his feet, questions the wise Dhanvantari, the expert in all the sciences.
- 4 "My Lord, please speak about the number of snakes, and their divisions, the symptoms of someone who has been bitten, and the knowledge about the toxic reactions of poisoning". 457

[The Taxonomy of Snakes]

On hearing his query, that distinguished physician spoke. "The venerable snakes such as Vāsukī and Takṣaka are uncountable."

6–9ab "They are snake-lords who support the earth, as bright as the ritual fire, ceaselessly roaring, raining and scorching. They hold up the earth, with its oceans, mountains and continents. If they are angered, they can destroy the whole world with a breath and a look. Honour to them. They have no role here in medicine.

"The ones that I shall enumerate in due order are those mundane ones with poison in their fangs who bite humans. 458

⁴⁵⁵ I am grateful to Prof. Jan Gerris (U. Ghent) and Prof. Jan Tytgat (KU Leuven) for assistance in finding relevant toxicological literature.

⁴⁵⁶ The Sarvāṅgasundarī, commenting on Aṣṭāṅgahṛdayasaṃhitā 1.16.17 (Ah 1939: 246), glossed कल्प as प्रयोग.

⁴⁵⁷ The expression "toxic reactions" translates वेग, which is other contexts may mean "(natural) urge." Here, it is rather the discrete stages or phases of physiological reaction to envenomation. Cf. the symptoms of cobra poisoning described by Wall (1913: 80).

⁴⁵⁸ The next few verses are discussed in detail by Harimoto (2011: 101–104), who shows that in the taxonomy of snakes, the Nepalese version of the *Suśrutasaṃhitā* has greater internal coherence than the vulgate recension.




Figure 1: The taxonomy of snakes in the vulgate, 5.4.9–13ab (Su 1938: 571).




Figure 2: The taxonomy of snakes in the Nepalese version.

- 9cd–10 "There are eighty kinds of snakes and they are divided in five ways: Darvīkaras, Maṇḍalins, Rājīmats, and Nirviṣas. And Vaikarañjas that are traditionally of three kinds.⁴⁵⁹
 - "Of those, there are twenty and six hooded snakes, and the same number of Maṇḍalins are known. There are thirteen Rājīmats.⁴⁶⁰
 - "There are said to be twelve Niriviṣas and, according to tradition, three Vaikarañjas.

[Behaviours]

13–14ef "If they are trodden on, ill-natured or provoked or even just looking for food, those very angry snakes will bite. And that is said to happen in three ways: serpented (*sarpita*), torn (*darita*) and thirdly without

Or "There are 20 phanins and 6 mandalins. The same number are known. There are 13 Rājīmats." Or even, "there are 20 Phanins and six of them are Mandalins." Are phanins really the same as darvikaras.

⁴⁵⁹ Harimoto (2011) translated these names as "hooded," "spotted," "striped," "harmless," and "hybrid." Figure 1 shows the taxonomy described in the vulgate text; Figure 2 shows the different and more logical division of the Nepalese version of the *Suśrutasamhitā*.

⁴⁶⁰ The phrasing of this śloka is awkward.

- venom (nirvi;a). Some experts on this want to add "hurt by the snake's body". 461
- "The physician can recognize the following as "ophidian (*sarpita*)": Where a rearing snake makes one, two or more puncture-marks of its teeth, when they are deep and without much blood, 462 accompanied by a little ring of spots (*cuñcumālaka*), 463 lead to degeneration, and are close together and swollen.
 - Where there are streaks with blood, whether it be blue or white, the physican should recognize that to be "torn (*darita*)," having a small amount of venom.
 - 18 The physician can recognize the locations of the bites of a person in a normal state as being free from poison, when the location is not swollen, and there is little corrupted blood.
 - 19 The wind of a timid person who has been touched by a snake can get irritated by fear. It causes swelling.⁴⁶⁴ That is "hurt by a snake's body."
 - Locations bitten by sick or frightened snakes are known to have little poison. Similarly, a site bitten by very young or old snakes has little poison.

Note that $\prescript{\P\Xi}$ "puncture-mark" (more literally, "footprint") is being used in the same sense as in 1.13.19 (Su 1938: 57) when describing the marks on the body where a knife scarifies the skin before leeching. See footnote 50.

- 463 The usual dictionary lexeme is चञ्च, not चुञ्च as in the Nepalese witnesses. We translate "spots" following Dalhana and Gayadāsa on 5.4.15 (Su 1938: 571), where they described a group of spots or swellings at the site of the bite. On the history of the word मालक, see Kieffer-Pülz 1996.
- 464 Wall (1913: 69) remarked on the difficulty of separating toxicity symptoms from the psychosomatic effects of terror:

The gravity of symptoms due to fright does not appear to me to be sufficiently recognised, though there is no doubt in my mind that fatal cases from this cause are abundant, especially among the timid natives of this country.

Wall went on to give several case studies in which patients experienced syncope or even died as a result of bites from toxicologically harmless creatures.

grammar

⁴⁶¹ This might refer to constriction. The phrase reads like a commentarial addition rather than the main text of the *Suśrutasaṃhitā*.

⁴⁶² The word उद्भृत "aroused" was glossed by Dalhaṇa at 5.4.15 (Su 1938: 571) as उच्चोट्य, a word not found as such in standard dictionaries (MW; KEWA; Mahākośa; Apte). Semantic considerations suggest that the word is not related to √muṭ "break" or mūta/mūṭa "woven basket." Perhaps it is related to the Tamil மோ்டி (mōṭi,) whose meanings include "arrogance, grandeur, display" (DED₂: #5133) or to faintly-documented forms like moṭyate "is twisted" (CDIAL: #10186). Dalhaṇa's उच्मोट्य may thus mean "twisting up" or "making an arrogant display."

Note that पढ़ "puncture-mark" (more literally, "footprint") is being used in the same

Poison does not progress in a place frequented by eagles, 465 gods, holy sages, spirits, and saints, or in places full of herbs that destroy poison. 466

[Characteristic Features of Snakes]

- 22 Darvīkara snakes are know to have hoods, to move rapidly, and to have rings, ploughs, umbrellas, crosses, and hooks on them.
- Maṇḍalin snakes are known for being large and slow-moving. They are decorated with many kinds of circles. They are like a flaming fire because of their poisons.
- Rājimat snakes are smooth and traditionally said to be, as it were, mottled with multicoloured streaks across and above.

[Classes of Snake]

- Snakes that are shine like pearls and silver, and that are amber and that shine like gold, and smell sweet are traditionally thought of as being of the Brāhmana caste.
- 26 Warrior snakes, however, are those that look glossy and get very angry. The have the mark of the sun, the moon, the earth, an umbrella and bitumen.
- 27 Merchant snakes may traditionally be black, shine like diamond or have a red colour or be grey like pigeons.
- Any snakes that are coloured like a buffalo and a tiger, with rough skin and different colours are known as servants.⁴⁶⁷

⁴⁶⁵ Palhaṇa on 5.4.21 (Su 1938: 571) identified the सुपर्ण as a गरुड. On the bird called सुपर्ण, Dave (1985: 72 ff, 514) too noted that it may be a synonym for Garuḍa, and in some contexts may refer to the Golden Eagle, Golden Oriole, Lammergeyer, etc. Dave (1985: 199 ff, 492) noted again that the Garuḍa is a mythical bird but may refer to the Himalayan Golden Eagle and other species of eagle. He pointed out that historically, The original physical basis for गरुड as the नागाशी (snake-eater) was most probably the Sea-Eagle who picks up sea-snakes from the sea or sand-beach and devours them on a nearby tree... (Dave 1985: 201).

Dave continued with interesting reference to Śrīharṣa's Nāgānanda.

⁴⁶⁶ For "spirits" the Nepalese version has भूत while the vulgate reads যপ্ত.

⁴⁶⁷ Presumably "different" from the earlier-mentioned castes.

The sequence of the following three verses is slightly different from the vulgate (5.4.29-31 (Su 1938:572)).

- All snakes that are variegated (Rājīmats) move about during the first watch of the night. The rest, on the other hand, the Maṇḍalins and the Darvīkaras, are diurnal.⁴⁶⁸
- 29 Wind is irritated by all hooded snakes; bile by Maṇḍalins and phlegm by those with many stripes.
- 30 Because of the two classes having greater, lesser or equal class, there is the characteristic of irritating two humours.
 - And he will explain the opposing view that is to be known as a result of the non-union of a male and female.⁴⁶⁹

[Enumeration of Snakes]

34.1 In that context, here are the Darvīkaras.

1.	The Black snake (kṛṣṇasarpa);		(mahāpadma);
2.	The Big Black (mahākṛṣṇa);	16.	The Grass Flower (apuspa);
3.	The Black Belly (kṛṣṇodara);	17.	The Curd Mouth
4.	The All Black (sarvakṛṣṇa); ⁴⁷⁰		(dadhimukha);
_	T1 1471-11 - D1	. 0	Th. I M 11-

- 5. The White Pigeon (śvetakapota);⁴⁷¹
- 6. The Rain Cloud (valāhako);
- 7. The Great Snake (mahāsarpa);
- 8. The Conch Keeper (śamkhapāla);
- 9. The Red Eye (lohitākṣa);
- 10. The Gavedhuka (*gavedhuka*);
- 11. The Snake Around (parisarpa);
- 12. The Break Hood (khaṇḍaphaṇa);
- 13. The Kūkuṭa (kūkuṭa);

The Lotus (padma);

15. The Great Lotus

- 18. The Lotus Mouth (pundarīkamukha);
- 19. The Brown Hut Mouth (babhrūkuṭīmukha);
- 20. The Variegated (*vicitra*);
- 21. The Flower Sprinkle Beauty (puṣpābhikīrṇnābha);
- **22.** The Mountain Snake (*girisarpa*);
- 23. The Straight Snake (*ṛjusarpa*);
- 24. The White Rip (*śvetadara*);
- 25. The Big Head (*mahāśīrṣa*); and
- 26. The Hungry Sting (*alagarda*);
- 468 The readings of the vulgate, that Rājīmats are active in the early night, the Maṇḍalins in the later night, and Darvīkaras in the day, seem clearer.

14.

⁴⁶⁹ The sense of the last phrase here is quite different from the vulgate, which says only that "details" will be explained below.

⁴⁷⁰ Not in vulgate.

⁴⁷¹ The vulgate adds The Big Pigeon (mahākapota).

The Mirror Ring The Morning Glory (ādarśamandala); (pālindaka); The White Ring The Stretch (tantuka); 14. (śvetamandala); The Pale as a Flower 15. The Red Ring (raktamandala); (puspapāndu); The Speckled (*pṛṣata*); 16. The Six Part (*sadanga*); The Gift of God (devadinna); The Flame (agnika); 17. The Pilindaka (*pilindaka*); The Brown (babhru); 18. The Big Cow Snout The Ochre (kasāya); 19. The Khaluşa (khaluşa); (vrddhagonasa); 20. 8. The Jackfruit (panasaka); The Pigeon (pārāvata); 21. The Big Jackfruit The Hand Decoration 22. (mahāpanasaka); (hastābharanaka);

23.

24.

25.

34.3 Here are the Rājīmats.⁴⁷⁴

11.

34.2 Here are the Mandalins

1. The Lotus (pundarīka);

The Bamboo Leaf

The Kid (*śiśuka*);

(venupatraka);

2. The Stripe Speckle (*rājicitra*);

The Intoxicator (*madanaka*);

- 3. The Finger Stripe (angulirāji);
- 4. The Two Finger Stripe (dvyangulirāji);
- 5. The Drop Stripe (bindurāji);
- 6. The Mud (*kardama*);

7. The Grass Drier (*tṛṇaśoṣaka*);

The Deer Foot (enīpada).473

8. The White Jaw (svetahanu);

The Tatra (tatra);472

The Mark (citraka);

- 9. The Grass Flower (darbhapuṣpa);⁴⁷⁵
- 10. The Red Eye (lohitākṣa);⁴⁷⁶
- 11. The Ringed (cakraka);
- 12. The Worm Eater (*kikkisāda*);

34.4 Here are the Nirviṣas.

⁴⁷² This seems implausible, but otherwise the list of Mandalins would be short.

⁴⁷³ The list is short by one item. Perhaps the one of the snakes named in the vulgate, *citramanḍala, gonasa* or *piṅgala*, should be considered here.

⁴⁷⁴ The following list is one item short. The vulgate text, however, has several names that do not appear in the Nepalese Rājīmat list, for example Sarṣapaka and Godhūmaka.

⁴⁷⁵ Also in the Darvīkara list.

⁴⁷⁶ Also in the Darvīkara list.

- The Rain Cloud (valāhako);⁴⁷⁷
- 2. Thei Snake Flag (ahipatāka);
- The White Leaf (śukapatra);
- 4. The Goat Swallower (ajagara);
- 5. The Stimulator (*dīpyaka*);
- 6. The Ilikinī (*ilikinī*);

- 7. The Year-Snake (*varṣāhīka*);
- 8. The Two-day (*dvyāhika*);
- 9. The Milk Flower (ksīrikāpuṣpa);
- 10. The Flower All ($puspasakal\bar{\iota}$);
- 11. The Chariot of Light (*jyotīratha*);
- 12. The Little Tree (*vrkṣaka*);

[Breeding and Gender]

- The Vaikarañjas originate out of contrary unions amongst the three colours.⁴⁷⁸ Thus:
 - The Mākuli (mākuli);
 - The Poṭa Throat (poṭagala);
 - 3. The Oil Stripe (*snigdharāji*);

Amongst those, the Mākuli (*mākuli*); is born when a male Black Snake mates with a female Cow Snout (*gonasa*), or the reverse. The Poṭa Throat (*poṭagala*) is born when a male Rājila mates with a female Cow Snout (*gonasa*) or the reverse. The Oily Stripe (*snigdharāji*) is born when a male Black Snake mates with a female Rājimat, or the reverse. Their poison is like that of their father, because it is the superior one out of the two; but others say it is like the mother. Thus eighty of these snakes have been described.

- Amongst them, males have large eyes, tongues and heads.⁴⁷⁹ Females have small eyes, tongues and heads. Neuters have both characteristics, and are slow to exert themselves or be angry.⁴⁸⁰
- 36 In that context we shall give instruction in a general way about the sign of having been bitten by any of the snakes. For what reason?



⁴⁷⁷ Also in the Darvīkara list.

⁴⁷⁸ The word *varṇa* in this chapter normally means "colour" not "class." ("Class is expressed by "jāti.") While *kṛṣṇasarpa* is clearly a colour-type, it is less obvious that *gonasī* is a special colour, and *rājimat* is a group of snakes.

⁴⁷⁹ The vulgate includes the snake's mouth in this and the next list.

⁴⁸⁰ The reading मन्दचेष्टाक्रोधा is an awkward compound; possibly the original reading was मन्दचेष्टाः + अक्रोधा and sandhi was applied twice.

Because poison acts quickly, like a fire with an oblation, a honed sword, or a thunderbolt.⁴⁸¹ And ignored for even a period of time, it can drag the patient away. There is not even an opportunity to follow the literature.⁴⁸²

And when the symptom of being bitten is stated, there will be three ways of treating it because there are three kinds of snake. Therefore we shall explain it in three ways. "For this is good for people who are ill, and it removes confusion and in this very case it prevents all symptoms".⁴⁸³

[Symptoms of snakebite]

In this context, the poison of a Darvīkara causes the skin, nails, eyes, mouth, urine, feces, and the bitemark to be black; there is driness, the joints hurt and the head feels heavy; the waist, back and neck feel weak; there is yawning, the voice becomes faint, there is gurgling, paralysis, dry throat, cough, wheezing, and hiccups; the wind goes upwards, the patient convulses with sharp pain, black saliva dribbles out, foam appears, the ducts (*srotas*) are blocked and every kind of pain that is due to wind.⁴⁸⁴

The poison of a Maṇḍalin causes the skin, nails, eyes, teeth, mouth, urine, feces, bitemark to be yellow; there is a desire for cold, a temperature, giving off fumes,⁴⁸⁵ a burning feeling, thirst, intoxication, fainting,

⁴⁸¹ Perhaps the image suggested by "a fire with an oblation" is that of the Pravargya, in which a large flame rises suddenly from the ritual fire.

⁴⁸² The idea seems to be that there is no time to consult the verbose āyurvedic teachings. The "extensive meaning of the collection of statements (वाक्समूहार्थविस्तार)" is singled out as one of Āyurveda's virtues in 5.8.142 (Su 1938: 594). Alternatively, perhaps the patient is unable to understand what the doctor is saying to him.

⁴⁸³ In the next passage, the symptoms of snake poisoning are indeed explained under three headings.

⁴⁸⁴ Cf. the similar symptoms of snake venom poisoning by the so-called Brahmin warriors of Harmatelia described by the classical author Diodorus Siculus (fl. ca. 30-60 BCE) (Eggermont 1975: 108).

⁴⁸⁵ The term "giving of fumes (परिधूपायन)" is not in MW: 596 as such, although परिधूपन, परिधूपन and परिधूपायन are cited and referred to the *Suśrutasaṃhitā*. "Giving off fumes (परिधूपन)" is listed at *Suśrutasaṃhitā* 2.6.13 (Su 1938: 291) amongst the symptoms of urinary disease caused by phlegm. The editors note a variant reading परिधूपायन but do not tell us in which manuscript (Su 1938: 291, n. 3). Dalhaṇa on 2.6.13 (Su 1938: 292) glossed परिधूपन as "hot all over (समन्ततस्तापः)" and in our current passage as "hot

fever, haemorrhaging (*śonitāgamana*), and the degeneration of the flesh and fat above and below. There is swelling, suppuration of the bite, metamorphopsia (*viparītadarśana*), anger caused by the suffering, and every kind of pain that is due to bile.⁴⁸⁶

The poison of a Rājīmat causes the skin, nails, eyes, teeth, mouth, urine, feces, and bitemark to be pale; there is a cold fever, the hair stands on end, there is stiffness and swelling of the limbs including the site of the bite. There is a discharge of viscous phlegm, vomiting, itchy eyes, and a rattling sound. The breath is obstructed and there is every kind of pain due to phlegm.

In that context, "someone bitten by a male gazes upwards, by a female horizontally, and by a neuter, downwards." One bitten by a pregnant snake has a pale face and becomes swollen (ādhmāta). One bitten by a recently-delivered snake is afflicted with abdominal pain and urinates with blood. One bitten by a hungry snake craves food. Those bitten by an old snake have delayed and slow reactions. And one bitten by a young snake is fast and keen. One bitten by a non-venomous snake has the characteristic mark of non-poisoning. Some that are bitten by a blind snake become blind. A constrictor (ajagara) is deadly because it swallows, not because of poison.

[toxic reactions]

39 In that context, all snake toxins have seven toxic reactions.⁴⁸⁸

[Darvīkaras] Thus, at the first pulse of the Darvīkaras the poison corrupts the blood. That corrupted blood turns black. Because of that, blackness and a feeling of ants crawling about on the body develop.⁴⁸⁹ In the second pulse, it corrupts the flesh. That causes extreme blackness and lumps.

over the whole body (सर्वाङ्गसन्तापः)" (Su 1938: 573). See also *Mahākośa*: 1, 429: धूमायन "अङ्गानां धूमोद्वमनमिव" citing the *Suśrutasaṃhitā*.

⁴⁸⁶ Ghosh et al. (2023) describes visual disturbances due to snake envenomation.

⁴⁸⁷ The grammar of अविषिलङ्गम् is not quite right; it should be a masculine or plural bahuvrīhi.

⁴⁸⁸ Cf. the same concept in the context of plants, at 133

⁴⁸⁹ Strictly, we would expect a dual verb here, instead of the plural of the witnesses.

In the third, it corrupts the fat. That causes a discharge at the bite, heaviness of the head and an eclipse of the vision.⁴⁹⁰

In the fourth, it penetrates the trunk of the body (*koṣṭha*). From there, it irritates the humors, particularly phlegm. That causes exhaustion and oozing phlegm, and dislocation of the joints.

In the fifth pulse, it penetrates the bones. That causes breaking of the joints, hiccups and burning.

In the sixth pulse, it penetrates the marrow. That causes humours in the seat of fire in the gut $(grahan\bar{\iota})$, heaviness of the limbs, diarrhoea, pain in the heart and fainting.⁴⁹¹

In the seventh, it penetrates the semen and greatly irritates the vyāna breath (*vyāna*), and causes the phlegm (*kapha*) to run imperceptibly out of the tubes (*srotas*). That causes the appearence of mucous (*śleṣman*), breaking of the hips, back and shoulders, impediment to all movements and shortness of breath.

[Mandalins] Thus, at the first pulse of the Mandalins, the poison corrupts the blood. Corrupted by that, it turns yellow. That causes a yellow appearance and a feeling of heat all over (*paridāha*).

In the second pulse, it corrupts the flesh. And that causes the limbs to be very yellow and an extreme feeling of heat all over $(parid\bar{a}ha)$, and swelling at the bite.

In the third, it corrupts the fat. That causes a discharge at the black bite and sweating.

In the fourth, it penetrates as before and brings on fever.

In the fifth, it causes heat in all the limbs.

In the sixth and seventh, it is the same as before.

[Rājīmats] Thus, in the first pulse of the Rājīmats, the poison corrupts the blood. Corrupted by that, it turns yellow. It causes a person to have hair standing on end and a pale appearance.

⁴⁹⁰ Dalhaṇa on 5.4.39 (Su 1938: 574) glossed the last expression as "blockage of the vision (दृष्ट्यवरोध)."

⁴⁹¹ The "seat of fire in the gut (ग्रहणी)" is an ayurvedic organ in the digestive tract that does not correspond to any specific organ known to contemporary anatomy. For discussion, see *Mahākośa*: v. 1, 304; Meulenbeld 1974*b*: 619; Das 2003: 544–545.

In the second pulse, it corrupts the flesh. That causes him to become pale and to become extremely benumbed $(j\bar{a}dya)$.

In the third, it corrupts the fat. That causes moistness of the bite and runny eyes and nose.

In the fourth, it is the same as before. After penetrating, it brings on stiffness of the neck (*manyāstambha*) and heaviness of the head.

In the fifth, speech is slurred and there is a cold fever.

In the sixth and seventh, it is the same as before.

[Summary Verses]

40 There are verses on this.

It is well known that there are seven interstitial layers (kalā) in between the bodily tissues (dhātu). Poison passing through these one by one produces the toxic reaction (vega).⁴⁹²

- The interval taken by the deadly substance (kālakalpa), propelled ($\sqrt{u}h$) by air (samīraṇa), to cut the layers of skin is known as the "pulse interval (vegāntara)".⁴⁹³
- In the first pulse, an animal has a swollen body, is distressed and broods. 494
 - In the second, it dribbles somewhat,⁴⁹⁵ the hair stands up on its body, and it has pain $(\sqrt{p}\bar{l}d)$ in the heart.
- The third stage brings headache and it breaks the ears and necks. 496
 In the fourth, the bewildered creature trembles and gnashing its teeth, it gives up life.
- 44–45 *Some experts say that elephants have three toxic reactions.* 497

⁴⁹² See note 452 above.

⁴⁹³ Dalhaṇa on 5.4.41 (Su 1938: 574) glossed कालकल्प as मृत्युसदृशं विषं "the poison resembles death."

⁴⁹⁴ The verb ्प्रध्ये "meditate, be thoughtful, brood" is unexpected here and in the second class, an epic form. Dalhaṇa on 5.4.42 (Su 1938: 574) noted that some manuscripts did not include the text about animals from this point on. The fact that these verses are present in the Nepales witnesses testifies to their antiquity.

⁴⁹⁵ The Nepalese witnesses use लालि-, not लाला-, for "saliva."

⁴⁹⁶ The scribe of MS H emended the text to read কण्ठग्रीव with the vulgate. Intransitive use of pass. भञ्ज.

⁴⁹⁷ On अन्तःस्वेद as "elephant," cf. Arthaśāstra 9.1.46 (Kangle 1965a: v. 1, 219; Olivelle 2013: 351): हस्तिनो ह्यन्तःस्वेदाः कुष्ठिनो भवन्ति ॥ ४६ ॥.

So, at the first toxic reaction, an bird becomes bewildered and is confused from that point on. At the second, the bird is distressed and, crying out, it dies.

Some people claim that where birds are concerned, there is really just a single toxic reaction (vega) and that amongst animals like cats and mongooses, poison does not take much effect.⁴⁹⁸

⁴⁹⁸ See on this subject: T. L. Brunton and Fayrer 1909: 39-40; S. A. Minton and M. R. Minton 1969: 88-89 (references taken from HIML: 1B, 399, n. 124).

Kalpasthāna 5: Therapy for those Bitten by Snakes

Introduction

Literature

A brief survey of this chapter's contents and a detailed assessment of the existing research on it to 2002 was provided by Meulenbeld.⁴⁹⁹

⁴⁹⁹ HIML: IA, 294–295. In addition to the translations mentioned by Meulenbeld (HIML: IB, 314–315), a translation of this chapter was included in P. V. Sharma 1999–2001: 3, 35–45.

Passage numbers refer to the canonical numbering of the vulgate edition (Su 1938).

- 1 Now we shall explain the procedure (*kalpa*) that is the therapy for someone bitten by a snake.⁵⁰⁰
- For a person bitten on a limb by any snake, one should first of all make a strong binding, at four fingers measure above the bite.⁵⁰¹
- 4 Poison does not move around into the body if it is prevented by bandages (*ariṣṭā*) or by any other soft items of cloth (*plota*), leather (*carmānta*) or bark.⁵⁰²
- 5 Where a bandage (*bandha*) is not suitable, one should raise the bite up and then cauterize it.⁵⁰³ Suction, cutting and cauterizing are recommended in all cases.
- 6 Suction will be good after filling the mouth with earth (*pāṃśu*).⁵⁰⁴ Alternatively, the snake should be bitten by the person who knows that they have just been bitten.⁵⁰⁵

⁵⁰⁰ On कल्प, see note 456.

⁵⁰¹ Application of a tourniquet is deprecated by modern establishment medicine, which relies on antivenom medications (e.g., Pillay 2013: 150–151 et passim in the literature). The vulgate introduces the word अरिष्ठा at this point. This may be a borrowing from Ci.23.251cd (Ca 1941: 582).

⁵⁰² It is hard to translate the word अरिष्ठा otherwise than "bandage," as referred to by ब-भीयात् in the previous verse, and apparently similar to items of cloth etc., and called a बन्ध in the next verse. But in general Sanskrit literature, including medical literature, the word (in masc. gender) means either "an alcoholic tonic" or "an omen of death," (1.30.3 (Su 1938: 137)), or is a plant name. This raises a question mark over its unique meaning in the present context. The Aṣṭāṅgaḥṛdayasaṃḥitā (Utt.36.42cd (Ah 1939: 910)) seems to be a gloss on अरिष्ठा, saying "An expert in mantras may bind using a braid made of silk etc., empowered with mantras" (see also 5.5.8 (Su 1938: 575)). On problems that can arise from tying a bandage too tightly, see 5.5.56 (Su 1938: 577) below.

⁵⁰³ The vulgate reads उत्कृत्य "having excised" rather than translate उद्धृत्य "having raised up."

⁵⁰⁴ The vulgate recommends cloth, not earth (5.5.6 (Su 1938: 574)).

⁵⁰⁵ The syntax is odd here, and the vulgate has removed the difficulties. Dalhana on 5.5.6 (Su 1938: 574) noted that one should hold the snake firmly and give a good bite to its head and tail (हस्ताभ्यामुपसंगृह्य पुच्छे वक्रे च सर्पः सम्यग् दष्टव्यः). Our colleague Dr Madhu K. Paramesvaran reports that this procedure is known in Malayalam viṣavaidya treatises and is practiced in Kerala, though rarely: "this practice has been described as one of

7 Now, one should in no way cauterize someone bitten by a Maṇḍalin. Because of the over-abundance of poison in the bile (*pittaviṣa*), that bite will be lethal as a result of cauterization.⁵⁰⁶

The application of mantras

- An expert in mantras should tie on a bandage $(ari \not = \bar{t}\bar{a})$ too, with mantras. But they say that a bandage that is tied on with cords and so on causes the poison to be purified.⁵⁰⁷
- 9 Mantrās prescribed by gods and holy sages (*brahmarṣi*), that are imbued with truth and religious power (*tapas*) are inexorable and they rapidly destroy intractable poison.
- Drugs cannot eliminate poison as quickly as the application of mantras imbued with religious power (*tapas*) and imbued with truth, holiness (*brahma*) and religious power.⁵⁰⁸
- The mantras should be received by a person who is abstaining from women, meat and mead (*madhu*), who has a restricted diet, and who is pure and lying on a bed of halfa grass.
- For the mantras to be successful, one should diligently worship the deity ($devat\bar{a}$) with perfume, garlands, and oblations ($upah\bar{a}ra$), as well as sacrificial offerings (bali), and with mantra repetition (japa) and rituals.⁵⁰⁹
 - the first-response cares for snakebite in most of the Malayalam texts of Vishavaidya. I have never seen this happening in real life and my teachers used to consider it to be a method (albeit a bit outrageously dangerous) for self-reassurance by the patient." (Paramesvaran 2023). Cf. the Viṣavaidya text edited by Mahādeva Śāstrī (1958).
- 506 Verses 5.4.29, and 37 above note that the venom of Mandalins particularly irritates the bile.
- 507 Palhaṇa on 5.5.8 (Su 1938: 575) clarified that on the one hand the bandage must be accompanied with mantras, but on the other hand, it may also be used without mantras. The verse seems to put two points of view.
- 508 Palhaṇa on 5.5.10 (Su 1938: 575) noted that mantras like "kurukullā" and "bheruṇḍā" are explained in other treatises and therefore not explained further in his commentary. These two mantras are the names of tantric Śaiva and Buddhist goddesses. For a study on this specific subject see Slouber (2016b). HIML: IIB, 151, n. 344 provides a bibliography to 2002 of studies on Kurukullā, who is mentioned in Māhuka's *Haramekhalā*, and Meulenbeld 2008a: 30–34 includes discussion of Bheruṇḍa as a bird, with related terms.
- 509 Dalhaṇa on 5.5.12 (Su 1938: 575) noted that उपहार includes incense, while बिल refers to sacrifice with an animal (सपश्नेवेद्य).

But mantras pronounced illicitly or that are deficient in accents (*svara*) and letters do not give success. So antitoxic (*agada*) procedures need to be employed.

Blood letting

- A skilled physician should puncture a duct (*sirā*) which is located on the limb (*śākhāśrayā*), and comes from the bite and the general area. If the poison has spread, one on the forehead should be pierced.
- 15 The blood being drawn out draws away all the poison. Therefore one should cause blood to flow, for that is his very best procedure.
- 16 After incising (*pracchāna*) the area around the bite, one should smear it with antidotes and sprinkle it with water infused with sandalwood and cuscus grass.⁵¹¹

Internal medications

- One should make him drink various antidotes together with milk, honey and ghee. If they are unavailable, the earth of black ants can be good.⁵¹²
- 18 Alternatively, he should consume orchid tree, siris and purple calotropis or white siris too. He should not drink sesame oil or horse gram, nor wine or Indian jujube.
- But after drinking any other liquid at all, he should throw up after drinking it. For on the whole, poison is easily removed by means of vomiting.

⁵¹⁰ The Nepalese version uses a present passive participle construction here, that is less common than the vulgate's locative absolute. The Nepalese version states that it is the blood coming out of the patient that carries away the venom; the vulgate text says merely that the venom emerges while the blood comes out.

⁵¹¹ प्रच्छान is the second of the two methods of blood letting described in the vulgate text of the *Suśrutasaṃhitā* at 1.14.25 (Su 1938: 64); this verse does not appear in the Nepalese version of the *Suśrutasaṃhitā*.

⁵¹² This refers to earth taken from an anthill. In South Asia, there is a long tradition of considering such earth to be beneficial and even holy (e.g., Irwin 1982).

Therapies at each pulse of toxic reaction

In the case of hooded snakes, when there is a toxic reaction (vega) first one should let blood. At the second, one should make him drink an antidote (agada) together with honey and ghee.⁵¹³

- 21 At the third one should use errhines and collyrium ($a\tilde{n}jana$) that destroy poison.⁵¹⁴ At the fourth, when he has vomited, the physician should make him drink a gruel ($yav\bar{a}g\bar{u}$) that destroys poison.
- At the fifth and sixth toxic reactions one should make the person drink something that aids cooling, that is cleansing and sharp $(t\bar{t}ks,na)$, and a well-regarded gruel too.
- But at the seventh, one should purge (\sqrt{sodh}) his head with a sharp sternutatory.⁵¹⁵

In the case of Mandalins

- 24 Amongst Maṇḍalins, the earliest toxic reaction (*vega*) should be treated in the same way as with Darvīkaras.⁵¹⁶
- 25 At the second, one should make him drink ghee and honey and then make him vomit.⁵¹⁷
- At the third, one should give the purged patient healthy gruel. At the fourth and the fifth too, one should do the same as for the Darvīkara.
- 513 This section reproduces some of the therapies from $Su\acute{s}rutasamhit\bar{a}$ 5.2.40–43 (Su 1938: 566) on the stages of slow poisoning $(d\bar{u}s\bar{v}isa)$ by plant poisons; see translation on p. 133 above.
- 514 The rare word नस्तः "from or into the nose" in नस्तःकर्म "errhine" is supported by both Nepalese manuscripts. The term is more common in the *Carakasaṃhitā*, occurring eleven times, e.g., at 1.20.13 (Ca 1941: 114), 2.1.36 (Ca 1941: 203), et passim. The *Carakasaṃhitā* describes how collyriums, especially रसाञ्चन, cause phlegm to flow, thus clearing the eyes (1.5.14–19 (Ca 1941: 38–39)). This could be appropriate in expelling poisons.
- 515 The vulgate adds a half-verse here recommending the application of a collyrium ($a\tilde{n}$ -jana) to a cut made on the patient's head.
- 516 The vulgate again adds a half-verse here, recommending the "crow's foot" incision on the patient's head. On this procedure, described in *Carakasaṃhitā* 6.23.66–67 (Ca 1941: 574), see Wujastyk 2003*b*: 145. This text is not supported here, as it was not in the Nepalese text at *Suśrutasaṃhitā* 5.2.43 (Su 1938: 566) either. See footnote 396, p. 134 above. As stated there, it appears that this procedure was known in the tradition of the *Carakasaṃhitā*, but not in the earliest text of the *Suśrutasaṃhitā*.
- 517 Again, the vulgate text differs substantively, adding another half-verse. But the general idea of the treatment is the similar.

At the sixth, wholesome things from the group of plants starting with cottony jujube should be drunk and a sweet antidote. And at the seventh, a wholesome antidote that destroys poison in a sternutatory (avapīḍa). 519

In the case of Rājimats

- 28 Now, Amongst Rājimats, one should let blood at the first toxic shock.⁵²⁰
- At the second, a patient who has vomited should be made to drink an antidote that destroys poison. At the third, fourth and fifth, the rule that applies to the Darvīkara is suitable.
- 30 At the sixth, use a very sharp collyrium (añjana), and at the seventh a sternutatory (avapīḍa). There is a prohibition on using blood-letting for pregnant women, children and the elderly.
- In those who are in pain because of poison, it is advised that the prescribed procedures be applied gently.

31ab In animals

In goats and sheep, bleeding and collyriums are the same as for people. 32cd In cows and horses, that is twice as much; three times as much for buffalos and camels, four times for elephants and simply (*kevala*) for all birds. 521522

write note on parișekān pradehāmś

⁵¹⁸ The "group of seventeen plants beginning with cottony jujube" (काकोल्यादि गण) is described at *Suśrutasaṃhitā* 1.38.35–36 (Su 1938: 167). These plants pacify the bile, blood and wind and increase phlegm, body-weight, semen and breastmilk.

⁵¹⁹ The अवपीड is described at Suśrutasaṃhitā 4.40.44–45 (Su 1938: 556), where it is also recommended for victims of snakebite. It is a type of head-evacuant. Commenting on that passage, Dalhaṇa cited "other treatises" as saying that अवपीड treatment was suitable for restoring the consciousness of those who have been poisoned. He also quoted a text by an authority called Videha, that says the same. Videha was an author known to Dṛḍhabala (according to Cakrapāṇidatta) and often cited in the Madhukośa on the topic of eye diseases (HIML: IA, 132 et passim). See also Mahākośa: 1, 62–63.

⁵²⁰ The vulgate text says that the blood-letting should be done with a gourd. It also has an extra half-verse here, prescribing an antitoxin to be drunk together with honey and ghee.

⁵²¹ Dalhaṇa on 5.5.32 (Su 1938: 576) explained "simply for all birds" as meaning that birds should receive just drugs, and not blood-letting or collyriums. See p. 158 for the toxic reactions in birds and other animals.

One should consider carefully with one's intellect the location, constitution (prakrti), suitability ($s\bar{a}tmya$), the season, the poison, and the strength or weakness of the toxic reaction and then proceed with therapy.⁵²³

- 47–48ab One should eliminate this poison completely. It is extremely hard to overcome. For even a small amount remaining can strongly bring about a toxic reaction.⁵²⁴
- 48cd–49 Or it may lead to dejection, pallor, fever, cough and headaches, dessication, swelling, catarrh, poor vision, disinterest in food (aruci) or rigidity ($j\bar{a}dyat\bar{a}$). And in such cases one should apply the cure as appropriate. 5^{26}
- One should also treat the secondary ailments (*upadrava*) of a poisoned patient each as appropriate.

 Now, after the bandage (*ariṣṭā*) has been removed and after the place marked by it has been quickly incised (*pracchāna*) one may see poison that has leaked out there, and a toxic reaction may strongly result.
 - 522 The vulgate includes several verses after this sentence that give a recipe and also a list of specific items like place and constitution that should be given careful consideration. Dalhaṇa on 5.5.33 (Su 1938: 576) cited the opinions of Gayadāsa and Jejjaṭa on this recipe but stated that he preferred to follow the contrasting opinions of Vṛddhavāgbhaṭa (1.25.24cd-25aba (As 1980: 184)) and Suśruta (4.31.29cd-30ab (Su 1938: 511)) on this topic, as well as several citations "another work" (तन्त्रान्तर) that is unidentified.
 - 523 The vulgate here has twelve verses not found in the Nepalese version. These verses explicitly switch subject away from assesments according to toxic reactions and to the treatment of both mobile and immobile poisons, starting from physical symptoms such as swelling and discolouration as well as humoral theory. At the point where the vulgate summarizes the extra verses, saying that cases should be treated "according to their humors" (यथादोषं), the Nepalese witnesses have "as is appropriate" (यथायोगं, 5.5.49cd (Su 1938: 577)). This suggests that the text has been edited to fit the insertion of the verses referring to humoral therapy. These verses also include therapies such as the crow's foot treatment (see footnotes 396 and 516, pp. 134, 165 above) and the beating of drums that have been smeared with antidotes, as discussed in Suśrutasaṃlhitā 5.6 (Su 1938: 580–582) (see p. 171 below).
 - 524 The word अवतिष्ठं "remaining" is hard to parse. It cannot be a णमुल् formation (Pāṇini 3.4.22 ff), because of the root's reduplication, and should not be a present participle because it is not neuter. However, lack of gender concord is not unknown in Epic Sanskrit; several of the examples cited by Oberlies (2003: § 10.2.1) even involve present participles without gender concord. Cf. Edgerton 1953: 1, § 6.12 for examples in BHS.
 - 525 Dalhaṇa on 5.5.49ab (Su 1938: 577) reported a reading from Jejjaṭa of स्तैमित्य "immobility" instead of प्रतिश्याय "catarrh."
 - 526 The vulgate introduces दोष theory here, which is absent in the Nepalese version.

- 52.1 Once the poison has disappeared one can conquer irritated wind using items that restrain the wind.⁵²⁷
 - One can conquer bile using substances that remove bile-fever (*pittajvara*), with decoctions, oleation and purges, combined with substances that remove poison, with the exception of sesame oil (*taila*), wine, horse gram, and mangosteen.⁵²⁸
 - One can conquer phlegm with the group that starts with golden shower tree, together with honey.⁵²⁹
 - If the the bandage (ariṣṭā) is bound tightly, or if it is incised (pracchita) with sharp ointment or with the remnants of the poison, then, when the limb swells up, the flesh weeps, smells a great deal and is is putrid (sīrṇa), it is designated "poison-stink (viṣapūti)."530
- One may be certain that a person has been struck by something poisoned (digdha) if their wound immediately starts to suppurate has black blood that flows and is inflamed, as well as having black, weeping and exceptionally foul-smelling flesh coming out of the wound and also someone who has thirst, fainting (mūrcchā), fever and a temperature.⁵³¹
- One who is known to have these exact symptoms may have poison in their wound that is † given by mistake.† And they may have a wound that has been hit by something poisoned (digdha) and is full of poison. And others are sick because of a wound that stinks because of poison. The wise person debrides the excess flesh of such people and then, after removing the blood by means of leeches and after removing the humours from above and below, he should irrigate with cold bark decoctions from milky trees. And he should ap-

⁵²⁷ This half-verse is is not present in the vulgate, but has broadly the same sense as 5.5.52cd (Su 1938: 577), that is not present in the Nepalese version.

⁵²⁸ The vulgate reads "fish" in place of "wine."

⁵²⁹ The आरंबधगण is listed at *Suśrutasaṃhitā* 1.38.6 (Su 1938: 164). These herbs are there explicitly said to pacify phlegm and to remove poison, etc. (1.38.7 (Su 1938: 164)).

⁵³⁰ *Suśrutasaṃhitā* 5.5.16 (Su 1938: 575) (p. 164 above) suggests smearing an incised area with antidotes.

⁵³¹ The Nepalese witnesses describe someone who has been struck or hurt (क्षत, आहत), while the vulgate describes someone who is pierced (विद्ध). Dalhana on 5.5.58ab (Su 1938: 576) interpreted the latter wording as being struck by a poison-smeared arrow.

> ply items that destroy poison such as cloths containing ointments together with cold liquids mixed with ghee.

When the bone is injured by poisons, the very same rule should be followed as for bile poison.

61cd-63ab The following items are powdered, mixed with honey and put in a horn: turpeth, weaver's beam tree, liquorice, the two kinds of turmeric, the Indian madder group,⁵³² and all kinds of salt.⁵³³ This antidote, taken with drinks, collyrium (añjana), oil rubs (abhyañjana), errhines and drugs, destroys poison.

With its relentless potency (vīrya) and as a destroyer of the toxic reaction (vega) to poison, it is called "The Great Antidote" and has great power.

Very fine embelia, velvet-leaf, the three myrobalans, wild celery, and 63cd-65ab devil's dung, as well as Himalayan mayapple and the three pungent drugs, the whole group of salts, together with leadwort and honey should be placed in a cow's horn and covered with something made of cow's horn. It should be set aside for two weeks. This antidote is called "Unbeaten" because it conquers both stationary and mobile

poisons.

One should make a fine powder of the following items and place them in a horn, together with honey: sacred lotus, deodar, grey orchid, black creeper, kutki, Himalayan yew, rosha grass, wild Himalayan cherry, Alexandrian laurel, scramberry, natron, sedge, cardamom, blue Indian symphorema, powdered ruffle lichen, costus, crape jasmine, foxtail millet, lodh tree, Indian bdellium-tree, red chalk, rock salt, long pepper, and dried ginger. This antidote (agada) is identified as "Garuda (tārksya)." It can even destroy the poison of the snake prince Takṣaka (takṣaka).

One should make powder of the following items and place it in a horn: spikenard, peas, the three myrobalans, horseradish tree, Indian madder, liquorice, wild Himalayan cherry, embelia, scramberry, Indian sarsaparilla, cardamom, cinnamon, costus, Himalayan mayapple, sandalwood, verbena, bitter gourd, white siris, velvet-leaf, colocynth, hare foot uraria, black creeper, Asoka

61ab

65cd-68ab

69cd-72ab

⁵³² There is no मञ्जिष्ठा group. There is a plant वक्र, so a reading मञ्जिष्ठवक्रे "Indian madder and Himalayan mayapple," instead of मञ्जिष्ठवर्गे, is conceivable.

⁵³³ There is a लवणवर्ग (1.46.313-321 (Su 1938: 236-237)).

tree, mulberry, toothed-leaf limonia, and the flower that is the blossom (prasūna) born from the fruit of the marking-nut.⁵³⁴ The bile derived from boars, monitor lizards, peacocks, and porcupines is to be added, with honey, and the products of civet, chital deer and mongoose.⁵³⁵

This properly-prepared antidote is called "Bull." Someone who has it in the house is called "Bull Amongst Men." There will be no snakes there, nor even insects: they lose their potency and their toxins too.

72cd-73ab

Drums and tabors smeared with this rapidly destroy poison when they are sounded. Smeared flags flags being looked upon easily and quickly overcome poison.

One should make a powder of the following items and place the collection in a cow's horn, mixed with turmeric, and mingled with honey and ghee. As before, there is a cover: lac, the two peass, spikenard, foxtail millet, Indian madder, liquorice and gummy gardenia. It should then be used with collyrium (añjana), drinks and errhines. This antidote is called "Resuscitator (sañjīvana)" because it causes brings to life the dead, whose breath is almost gone.

75cd–76ab Indian cherry,⁵³⁶ bayberry, citron, white clitoria, white siris, sugar,

 78^{537}

⁵³⁴ Palhaṇa on 5.5.70 (Su 1938: 579) glossed प्रसून more specifically as तुलसीपुष्प "the Tulasi flower."

⁵³⁵ All three animals produce musk. Dalhaṇa on 5.5.71 (Su 1938: 579) remarked that some people thought शिखी was a cock, not a peacock. He also here glossed पृषत as चित्तल.

⁵³⁶ Dalhana on 5.5.75 (Su 1938: 579) notes the common name बहुवार for श्लेष्पातकी.

⁵³⁷ After this verse, the vulgate text adds five verses, 79–83, that do not appear in the Nepalese version.

Kalpasthāna 6: Beating Drums

Introduction

Kalpasthāna 8: Poisonous insects

Introduction

Literature

Translation

28 iguana 29 ⁵³⁸



Uttaratantra 17: Preventing Diseases of the Pupil

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002.⁵³⁹

The history of couching in India has been discussed since the nineteenth century, 540

The therapies in this chapter make frequent use of collyrium ($a\tilde{n}jana$). This substance and its uses and variants are described in $Carakasamhit\bar{a}$ 1.5.14–19 (Ca 1941: 38–39). In the $Su\acute{s}rutasamhit\bar{a}$, they are included in the "group starting with $a\tilde{n}jana$ " ($a\tilde{n}jan\bar{a}digama$), that is listed at 1.38.41–42 (Su 1938: 167). They are described as valuable for counteracting blood-bile (raktapitta), poison and overheating ($d\bar{a}ha$).

Translation

- 1 Now I shall explain the counteraction (*pratiṣedha*) of diseases located in the pupil (*dṛṣṭi*).
- There are three curable $(s\bar{a}dhya)$, three incurable $(as\bar{a}dhya)$, and six mitigatible $(y\bar{a}pya)$ diseases located in peoples eyes. Among these, three are curable $(s\bar{a}dhya)$. Amongst these three, the remedy $(prat\bar{\imath}k\bar{a}ra)$ has been stated for the one called "seeing smoke $(dh\bar{\imath}madarsin)$ ".⁵⁴¹

⁵³⁹ HIML: IA, 305-306.

⁵⁴⁰ Scott 1817; Breton 1826; Jack 1884; Hendley 1895; Elliot 1918; V. P. Śāstrī 1940; V. Deshpande 1999; 2000; Wujastyk 2003*b*; Fan 2005; Leffler et al. 2020.

⁵⁴¹ This disease and its cure are described earlier (SS.6.7.39 and SS.6.10.16 (Su 1938: 609

with a knife related to ing bile or phlegm.

masī burned charcoal Find refs When the eye is inflamed (vidagdha) by bile and when it is inflamed by phlegm, one should apply the method for removing bile and phlegm, using nasal medicines (nasya), irrigation (seka), application of collyrium (añjana), liniment (ālepa), and medicines cooked in a crucible (puṭapāka), together with an eyewash (tarpaṇa),542 but not cutting with a blade (*śastrakṣata*).⁵⁴³

One should drink ghee (*sarpis*) prepared with the three fruits (*triphalā*) and in the first [case where the problem is bile], and prepared with turpeth (*traivrta*) in the latter [case, of phlegm].

And ghee prepared with tilvaka (tailvaka) is wholesome in both cases, or else aged ghee on its own.

5cd-7ab In a collyrium ($a\tilde{n}jana$), these four compounds (yoga) are beneficial in both cases:

- ochre (gairika), Sindh salt (saindhava), long pepper (kṛṣṇā) and the black soot (*maṣī*) from cow's teeth;
- Cow's flesh (gomāmsa), black pepper, siris and red arsenic (manahśilā);
- stalk (*vṛnta*) from a wood apple with honey (*madhu*);⁵⁴⁴
- or the the fruits of the ??.
- The physician should make a collyrium (añjana) with ground up metal (kupyaka),545 Asoka tree, sal tree, mango, foxtail millet, lotus, blue water-lily, together with peas, emblic myrobalan, myrobalans, long pepper. It should be combined with ghee and honey (kṣaudra).
- 9–10 Also, when bile and phlegm have developed, the physician should apply peas with the expressed juice (svarasa) of the flowers from mango and jambul trees.

and 614) respectively). The latter part of this verse is hard to construe and the text here may have been altered at an early period.

⁵⁴² These therapies are described in SS.6.18 (Su 1938: 633–640).

⁵⁴³ Dalhana interpreted this as blood-letting (sirāvedha), which is discussed in SS.1.14 (Su 1938).

⁵⁴⁴ Wood apple (कपित्थ) in this verse is ablative singular or accusative plural, neither of which construe obviously.

⁵⁴⁵ A metal other than gold or silver, according to V. Jośī and N. H. Jośī (*Mahākośa*: 1, 217) (on কুप्प). The Nepalese witnesses have the rare কুप्पक rather than the vulgate's কুত্সক, which makes no real sense. Perhaps lead, which is used in making contemporary collyrium.

Then this collyrium $(a\tilde{n}jana)$, matured (vipakva) with ghee and honey (k saudra), should then be applied.

- 10–11ab Filaments ($ki\tilde{n}jalka$) of lotus and blue water-lily, with ochre (gairika), and the juice of cow-dung ($go\acute{s}akrt$) are a collyrium ($a\~{n}jana$) in the form of a pill ($gu\rlap/qik\={a}$). This is good for both day and night blindness.
- Elixir-salve ($ras\bar{a}\tilde{n}jana$), honey (kṣaudra), ghee, scramberry, together with gold and ochre, with the juice of cow-dung (gośakṛt) are for an eye afflicted with bile.
 - Alternatively, wise physician should first grind together elixir-salve $(s\bar{\imath}ta)$ and stibnite $(sauv\bar{\imath}raka)$, infused $(bh\bar{a}vita)$ with the blood of birds and animals (rasa). Then he mixes it with the bile of a tortoise or with extract of rohu carp (rauhita). It should always be used with powdered collyrium $(a\tilde{\imath}jana)$ to quell the bile.
 - 14 Thus, a collyrium (añjana) of white teak flowers, liquorice, Indian barberry, lodh tree and elixir salve (rasāñjana) is always good as a collyrium in this case.
 - Alternatively, for those who cannot see during the day, this pill $(gudik\bar{a})$, with sandalwood, is recommended: salt $(nad\bar{\imath}ja)$, conch shell and the three spices, collyrium $(a\tilde{n}jana)$, realgar $(mana\dot{n}il\bar{a})$, the two turmerics $(rajana)^{547}$ and liver extract $(yakrdrasa)^{.548}$
 - One should grind up kohl (*srotoja*),⁵⁴⁹ and Sindh salt (*saindhava*) and long pepper and also harenu (*harenu*). Such wicks with goats urine are good in a collyrium (*añjana*) for night blindness (*kṣanadāndhya*).
 - Alternatively, in such a case, grind together Indian sarsaparilla $(k\bar{a}l\bar{a}nus\bar{a}riva)^{550}$ long pepper, dried ginger $(n\bar{a}gara)$ and honey, the leaf of the scramberry $(t\bar{a}l\bar{i}\acute{a}apatra)$, the two turmerics (rajana), a conch shell and liver extract (yakrdrasa). Then shade-dried wicks take away illness (ruj).

⁵⁴⁶ This was Palhaṇa's preferred interpretation of rasa "juice" in this context. He also noted that some take elixir-salve (\hat{sita}) to be camphor.

⁵⁴⁷ Turmeric (Curcuma longa *Linn*.) and tree turmeric (Berberis aristata DC). The term *rajana* is unusual; the normal term is *rajanī*. *Rajana* occurs in *Suśrutanighaṇṭu* 158 in the sense of Ferula asafoetida, Linn.

⁵⁴⁸ This verse appears as no. 27 in the vulgate.

⁵⁴⁹ Glossed by Palhaṇa as a kind of collyrium (*añjana*). Cf. **nadk-1954** and P. V. Sharma 1982: 197–198

⁵⁵⁰ There are two forms of *sārivā* mentioned widely in Āyurvedic literature, the white and the black. Ideas on the identity of the black form are particularly fluid. See Sivarajan and Balachandran (ADPS: 434–438) for a clear discussion.

- 18cd–19ab Wicks made of red arsenic ($mana h sil \bar{a}$), chebulic myrobalan ($abhay \bar{a}$), the three spices (vyo sa). Indian sarsaparilla (sariva), cuttlefish bone (samudraphena), combined with goat's milk are good.
- One should cook a honey collyrium (*kṣaudrāñjana*) either in the juices of cow's urine (*gomūtra*), and bile, spirits (*madirā*), liver (*yakṛt*), and emblic (*dhātrī*) or else in the juice of the liver (*yakṛt*) of something different, or else with the extract of the three fruits (*triphalā*). One of these should be mixed with cow urine, ghee and cuttle fish (*arṇavamala*)⁵⁵¹ with long pepper, honey and box myrtle (*kaṭphala*). It is placed in sea salt and stored in a bamboo tube.
 - One should cook the liver of a sheep, the ghee of a goat, with long pepper and Sindh salt, honey and the juice of emblics. Then one should store it properly in a catechu box. Prepared thus, the honey collyrium (añjana) is good.
 - Alternatively, a collyrium $(a\tilde{n}jana)$ that is harenu (harenu) mixed with long pepper $(m\bar{a}gadh\bar{\iota})$, the bone and the marrow of a goat, cardamom $(el\bar{a})$ and liver, together with liver extract, is good for eyes afflicted by phlegm.⁵⁵²
 - Over a fire, one should cook the liver (yakṛt) of a monitor lizard (godhā) prepared with entrails (antra) and stuffed with long pepper (māgadhi). As is well known, liver (yakṛt) which is used (niṣevita) with collyrium (añjana) certainly destroys night blindness.
 - 25 After preparing both a spleen (*plīhan*) and a liver on a spit, one should eat them both with ghee and oil.⁵⁵³
- 25cd–26ab As is well known, there are six diseases that can be alleviated (*yāpya*);

⁵⁵¹ At SS 6.12.31, Dalhaṇa glossed *arṇavamala* as cuttlefish bone (*samudraphena*). It may be worth considering whether the unusual term *arṇavamala* "ocean-filth" might refer to ambergris.

⁵⁵² On the identities of <code>elā</code> and <code>hareṇu</code>, Watt (Watt_Comm: 511 ff) described the former as "true" or "lesser" or "Malabar" cardamom, <code>Elettaria</code> cardamomum, Maton & White. In contrast, the "greater" cardamom is <code>Amomum</code> subulatum (that Watt discussed on p. 65) that is commonly used as an inferior substitute for <code>E. cardamomum</code>. T. B. Singh and Chunekar (GVDB: 467 f) provided an interesting discussion of <code>hareṇu</code>, noting that the term refers to two substances, first the <code>satīna</code> pulse (<code>Pisum sativum</code>, Linn.), and second an unknown fruit such as perhaps a <code>Vitex</code>. They noted, "None of the text commentators have attempted to disclose the nature of its source plant," although <code>Palhaṇa</code> described it as aromatic and identical to <code>reṇukā</code> (SS.ci.2.75).

⁵⁵³ We read the locative as if an instrumental; if the locative were intended then it would be the spit that would be coated with oil and ghee.

in those cases (*tatra*) one should release the blood by bloodletting. And for the sake of wellbeing one should also purge using aged ghee combined (*upahita*) with purgative aids (*aṅga*).

- When an eye-disease is caused by wind (pavanodbhava) they say that castor oil (pañcāṅgulataila) mixed with milk is good.⁵⁵⁴ In the case of diseases of blood (śonita) and bile (pitta), one should drink ghee with the three fruits; it is particularly cleansing.⁵⁵⁵ In the case of phlegm, a purgative by means of turpeth (trivṛt) is recommended. In the case of all three humours, sandal (sugandhi) in oil is prepared with it (turpeth).⁵⁵⁶
 - 28 In cases of partial blindness (*timira*), aged ghee is recommended. It is good if it is kept in an iron vessel.
- 28cd–29ab One should know that ghee with the three mylobalans is always good, and it is made with what is called periploca of the woods (meṣaviṣāṇa). A man who is suffering from partial blindess should lick the finely-ground three fruits mixed with ghee off his hand (sapāṇa).557
 - 29cd Alternatively, someone afflicted by phlegm should apply them (the three fruits) mixed with oil and steeped (*pragāḍha*) in honey.
 - The very best oil, well-cooked with a decoction of cow-dung, is good in cases of partial blindness, taken as an errhine.

 In cases caused by bile, ghee by itself is good, as is oil when it arises from wind and blood.
 - 31 And in the case of wind one should apply turpeth (trivrt) based on strong mallow $(atibal\bar{a})$, and country mallow $(bal\bar{a})$ in an errhine (nasya).⁵⁵⁸
 - Ghee which has been extracted from milk cooked with the meat of

⁵⁵⁴ Palhaṇa said that the unexpressed topic of this recipe is partial blindness (*timira*).

⁵⁵⁵ Blood-bile (*śonita-pitta, rakta-pitta*) is a widely-recognized disease in ayurveda, but the compound here is definitely dual, which rules out that interpretation. One would expect blood-bile because the previous verse

⁵⁵⁶ The expression "the fragrant one in oil (*tailasugandhi*)" is puzzling. The word *sugandhi* has different referents in the *Nighaṇṭu* literature but is not common as a noun in the extant literature. "Sandal" is just one of its possible meanings.

^{557 &}quot;Off his hand" translates the adverbial *sapāṇam*, an unusual word. Ḥalhaṇa reproduced a reading close to the Nepalese recension but says that Jejjaṭa rejects it and so he also does (Su 1938: 627).

^{558 &}quot;Based on" translates *-āśrita* "depending on" which does not construe easily here. The vulgate has *śṛṭa* "cooked" which makes easier sense but is not supported by the Nepalese MSS.

- aquatic creatures and those from marshlands should be prescribed.
- tAn enclosed roasting (puṭākhya) with Sindh salt and the product of the meat of a carnivore (kravyabhuj) and a deer (eṇa), is combined with honey and ghee.⁵⁵⁹
 - Fat $(vas\bar{a})$ from a horse, a vulture, a snake, and a cock $(t\bar{a}mrac\bar{u}da)$, combined with mahua $(madh\bar{u}ka)$ is always good in a collyrium $(a\tilde{n}jana)$. † 560
- Having prepared (nisevita) a collyrium ($a\tilde{n}jana$) made of kohl (srotas) and gradually combine it with juices (rasa), milk and ghee.⁵⁶¹ For thirty days, this collyrium ($a\tilde{n}jana$) is put in the mouth of a black snake that is covered with kuśa grass (kuśa).
- Next, a collyrium $(a\tilde{n}jana)$ that is milk containing long pepper $(m\bar{a}gadh\bar{\iota})$, lye $(k\!s\!\bar{a}raka)$ and Sindh salt (saindhava) that has been repeatedly prepared with the mouth of a black snake, is good in the case of bloodshot blindness $(r\bar{a}gin\ timira)$. 562
- They say that ghee may be produced from that and combined with sweet herbs is good as an errhine for eye-diseases caused by bile. And here, an eyewash (*tarpaṇa*) is good that is a combination that is the flesh of wild animals taken hot (*puṭāhvaya*).⁵⁶³
- 36 And realgar ($mana h sil \bar{a}$) mixed with elixir salve ($ras \bar{a} \tilde{n} jana$) and honey is a liquid collyrium ($drav \bar{a} \tilde{n} jana$) which is, in this case, combined with mahua ($madh \bar{u} ka$).⁵⁶⁴
- 559 Palhaṇa noted (Su 1938: 628a) that puṭāhvaya (see verse 35 below) is a synonym for puṭapāka, and that the process is described in the Kriyākalpa chapter, i.e., SS.6.18.33–38 (Su 1938: 635). On the puṭa process in the Suśrutasaṃhitā, which is earlier and different than that of rasaśāstra literature, see the discussion by Wujastyk (2019: 83):
 - The term 'enclosed roasting' (puṭapāka) does occur in the Suśrutasaṃhitā in the context of eye treatments, but designates a method of obtaining juice from substances by wrapping them in leaves pasted with earth and cooking the bolus on charcoal to finally extract a juice.
- 560 This verse contain irresolvable difficulties. There are no significant variants in the Nepalese MS transmission, but the text is ungrammatical. The vulgate reads substantially differently but we have nevertheless made some emendations in line with it and read the verse as two sentences.
- 561 Dalhana specified that the juices are meat soups of various animals (Su 1938: 628).
- 562 Palhaṇa described this blindness as a type of $k\bar{a}ca$ disease caused by wind (Su 1938: 628). The expression "bloodshot blindness" is an attempt to capture the idea of a blind eye that is dyed or coloured (not colour-blindness). This verse is quite different from the vulgate and also syntactically challenging.
- 563 The expression taken hot (puṭāhvaya) is a guess.
- 564 The expression liquid collyrium (dravāñjana) is only known from Dalhana's com-

Alternatively, experts on this say that finely ground blue vitriol (tuttha) extracted from a gold mine is the "same collyrium ($sam\bar{a}\tilde{n}jana$)". 565

- Conch mixed with equal parts of sheep's horn and stibnite ($a\tilde{n}jana$) removes the impurity of the glassy opacity ($k\bar{a}ca$) because of the application of collyrium ($a\tilde{n}jana$).⁵⁶⁶
 - The extracts (rasa) produced from aflame of the forest ($pal\bar{a}\acute{s}a$), Rohīta tree ($roh\bar{t}a$), 567 mahua ($madh\bar{u}ka$), ground with the supernatant layer (agra) of the spirits (madira) is applied.
- Alternatively, one should cook an errhine with cuscus grass ($u\acute{s}\bar{\imath}ra$), lodh tree (lodhra), the three fruits ($triphal\bar{a}$), beauty berry (priyangu) to pacify eye diseases caused by phlegm.⁵⁶⁸
 - One should apply smoke of the bark of embelia (vidanga), velvet leaf ($p\bar{a}th\bar{a}$), white siris ($kinih\bar{\iota}$), and desert date ($ingud\bar{\iota}$); and cuscus grass ($us\bar{\iota}ra$) alone.
- A ghee that is cooked ($bh\bar{a}vita$) from a decoction of a non-flowering tree (vanaspati)⁵⁶⁹ as well as turmeric ($haridr\bar{a}$) and spikenard (nalada) is good in a eyewash (tarpaṇa).
 - Alternatively, one may have an enclosed roasting ($puṭap\bar{a}ka$) done with arid-land animals ($j\bar{a}ngala$)⁵⁷⁰ and a plentiful amount of long pepper ($m\bar{a}gadha$), Sindh salt and honey.
- 40 A treatment (*kriyā*) with realgar (*manaḥśilā*), the three spices, conch, honey, along with Sindh salt, green vitriol (*kāsīsa*) and elixir salve (*rasāñjana*).⁵⁷¹

ments on 6.17.11ab (Su 1938:626). The recipe in the present collyrium is different from that discussed by <code>Dalhaṇa</code>.

⁵⁶⁵ On *tuttha*, which may also be identified with zinc oxide or as crushed sea-urchin shells, see Falk (1991: 112 ff.); zinc oxide is a component of skin-balms but is not recommended for application in the eyes themselves. The expression "same collyrium (*samāñjana*)" is a hapax legomenon glossed inexplicably by Þalhaṇa as "a collyrium with an equal amount of fermented barley" (*tulyasauvīrāñjana*) (Su 1938: 628).

⁵⁶⁶ The ablative "from collyrium" is hard to construe, but Dalhana used this term and phrase in his commentary on 6.17.41ab (Su 1938: 629).

⁵⁶⁷ Probably Soymida febrifuga A. Juss.

⁵⁶⁸ Dalhaṇa invoked a general rule $(paribh\bar{a}ṣ\bar{a})$ to indicate that this mixture should be cooked with sesame oil.

⁵⁶⁹ These are fig trees. The *Sauśrutanighanṭu* (252) specifies the Udumbara. Cf. the classification in CS.1.1.71–72, 1.8, *et passim*.

⁵⁷⁰ On this term, see SS.1.35.42 (Su 1938: 157) and the discussion by Zimmermann (1999: 25–31).

⁵⁷¹ Dalhaṇa glossed treatment (kriyā) specifically as inspissation (rasakriyā)

They say that an elixir salve ($ras\bar{a}\tilde{n}jana$) combined with myrobalans, treacle and dried ginger is good.⁵⁷²

- Alternatively, a collyrium ($a\tilde{n}jana$) that has been prepared many times in the eight types of urine⁵⁷³ is put into water with the three fruits. Having stored it in the mouth of a nocturnal creature ($nis\bar{a}cara$)⁵⁷⁴ one should place it in a conch (salilotthita) for two months.⁵⁷⁵
- One should apply that collyrium $(a\tilde{n}jana)$ together with the flowers of mahua $(madh\bar{u}ka)$ and horseradish tree $(\acute{s}igru)$ when [the disease] is caused by all [the humours].
 - But alternatively, all treatments apply when blood is the cause. The procedure that removes bile is good when there is blue dot cataract $(ml\bar{a}yin)$.⁵⁷⁶
- For one who has a humour, the physician should consider the rule in all humoral cases and then smear the ointment on the face. The treatment that is good for removing watery eye (*syanda*) should be properly applied in all these humoral cases, according to the individual. The state of the individual.
- The physician should not employ substances in errhines etc., when the humours intensify, and also when disease spreads. And further, in the *Kalpa*, there is a good deal more said about collyriums, and that should be considered and then applied.⁵⁷⁹
- Someone who uses matured ghee, the three fruits, wild asparagus, as well as mung beans, emblic and barley has nothing to fear from cases of severe blindness (*timira*).

find ref.

Check out these refs.

meaning of kalpa

⁽Su 1938: 629).

⁵⁷² We emend हिते to हितम्, against the MSS.

⁵⁷³ See Suśrutasaṃhitā mūtravarga

⁵⁷⁴ Þalhaṇa glossed nocturnal creature (niśācara) as "vulture," although elsewhere in the Suśrutasaṇhitā it is more commonly interpreted as a spirit or demon. In the present context, following verses 33 and 34, it is probably a snake.

⁵⁷⁵ We interpret "water-born (*salilotthita*)" as "conch" in line with *jalodbhava*, but the term is uncertain.

⁵⁷⁶ The vulgate follows Þalhaṇa in glossing mlāyin as parimlāya. The description of this condition at SS.6.7.27−28 appears to refer to "blue dot" or "cerulean" cataract. √mlai derivatives can mean "dark" or "black."), which is normally a different ailment.

⁵⁷⁷ The vulgate edition omits part of this verse (ab) combining earlier and later passages.

⁵⁷⁸ The term watery eye (*syanda*) refers to the specific disease *abhiṣyanda*. See SS.6.6.5, 1.46.51, etc.

⁵⁷⁹ Dalhaṇa noted that *Kalpa* means the Uttaratantra adhyāya 18 (Su 1938: 633 ff).

Blindness is dispelled by milk prepared with wild asparagus or in emblics, or again cooked barley (*yavaudana*) followed by the water of three fruits with plenty of ghee.

- When there is bloodshot blindness (*rāgiṇi timire*), the wise physician should not cut a vein. A humour injured (*utpīḍita*) by the instrument rapidly destroys vision.
- 48 Non-bloodshot blindness (*araga timira*) in the first layer (*paṭala*) is treatable. And bloodshot blindness (*rāgiṇi timire*) in the second layer, with difficulty. And in the third layer it can be mitigated (*yāpya*).⁵⁸⁰
- 49 I shall explain the therapy for success when there is a cataract (*liṅganāśa*) caused by phlegm. It may be white, like a full moon, an umbrella, a pearl (*muktā*) or a spiral (*āvarta*).
- Or it may be uneven, thin in the middle, streaked or have excessive shine (prabha). A humour (doṣa) in the pupil may be characterized as being painful or having blood.⁵⁸¹
- 51–52 At a time that is neither too hot or too cold, the patient who has been oiled and sweated is restrained and seated, looking symmetrically at his own nose.
 - The wise physician should separate $(muktv\bar{a})$ two white sections from the black part (kṛṣṇa) and from the outer corner of the eye $(ap\bar{a}nga)$. Then he should press $(p\bar{\imath}d-)$ properly into the eye, 582 at the naturally-occurring (daivakṛte) opening (chidra) with a probe $(śal\bar{a}k\bar{a})$ made of copper or iron, with a tip like a barley-corn, held by a steady hand with the middle finger, forefinger and thumb, the left one with the right hand and the other one contrariwise.
 - When the piercing is done properly, there is the issue of a drop of liquid and a sound.⁵⁸³
 - 55 The expert should moisten the exact place of piercing with a wo-

⁵⁸⁰ Although the text says with difficulty (krechra), the implication is that it is untreatable ($as\bar{a}dhya$) (cf. 6.17.2 (Su 1938: 625) above). The three categories, treatable, untreatable and possibly mitigated are standard categories of triage.

⁵⁸¹ In the vulgate, and in parallel passages in the AS, the reading "it may be (*bhavet*)" is replaced with the negative "if, then not (*na ced*)" (cf. utt.17.1–3a (As 1980: 712)). These characteristics are then read as conditions that preclude surgery; for the Nepalese recension, they are simply descriptions of the appearance of a cataract.

⁵⁸² We understand the locative *nayane* as the place of pressing; other interpreters take it as an accusative dual. The idea is that the eye is held steady by the surgeon.

⁵⁸³ <code>Palhaṇa</code> remarked on 6.17.61ab (Su 1938:630) that when the piercing is not correctly done, blood issues and there is no sound.

- man's breast-milk. Then he should scratch the circuit of the pupil (drstimandala) with the tip of the probe ($\frac{\dot{s}al\bar{a}k\bar{a}}{1.5}$).
- Without injuring, gently pushing the phlegm in the circuit of the pupil against the nose, he should remove it by means of sniffing (ucchingana).⁵⁸⁵
- Whether the humour is solid ($sty\bar{a}na$) or liquid (cala), one should apply sweating to the eye externally, with leaves ($bha\dot{n}ga$) that remove wind, after fixing the needle ($s\bar{u}c\bar{\imath}$) properly.⁵⁸⁶
- But if the humour cannot be destroyed or if it comes back, one should apply the piercing (*vyadha*) once again, with appropriate oils and so on.
- Now the pupil (drsti) shines like the sun (hari) in a cloudless sky; then, when objects become visible, one may slowly remove the probe $(sal\bar{a}k\bar{a}).^{587}$
- Having smeared ghee on the eye, one should cover it with a bandage. Then, he must lie down supine in a house free from disturbances.⁵⁸⁸
- At that time, he should not belch, cough, sneeze, spit or shiver. Afterwards there should be restrictions (yantrana) as in the case of someone who has drunk oil.⁵⁸⁹
- 62 Every three days one should wash it with decoctions (*kaṣāya*) that remove wind. After three days, one should sweat the eye externally because of the danger of wind.
- Having restrained himself in this way for ten days he should thereafter

⁵⁸⁴ The anatomy of the eye is described in 6.1.14-16 (Su 1938: 596). The disks or *maṇḍalas* are the circuits or disks of the eye.

⁵⁸⁵ Palhaṇa described sniffing (*ucchingana*) at 6.19.8 (Su 1938: 641), clearly intending inward sniffing.

⁵⁸⁶ We interpret *bhanga* as leaves, following the usage elsewhere in this sthāna 4.32.9, 6.11.5 (Su 1938: 513, 614) where *bhanga* means shoots (*pallava*). A similar procedure is described at 6.17.25a (As 1980: 716a), where sweating of the eye is done by means of the leaves of a castor-oil plant.

⁵⁸⁷ There are many problems with the MS readings and interpretation of this half-verse. We have inferred "sky" and emended from "free from the point (*agramukta*)" to "free from clouds (*abhramukta*)". The latter meaning is supported (in different words) by the vulgate and occurs elsewhere in Sanskrit literature.

⁵⁸⁸ Dalhaṇa explained disturbances specifically as dust, smoke, drafts and sunlight 6.17.67 (Su 1938: 631a).

⁵⁸⁹ Dalhaṇa glossed "restrictions (*yantraṇā*)" as having a controlled diet and the other restrictions appropriate to someone who is taking oil as a preparation before further therapy (6.17.68 (Su 1938: 631)). These restrictions are also described at 6.18.28 (Su 1938: 635) and 1.16.25cd (Ah 1939: 249).

take a beneficial regimen (karma) that clears the pupil (drsti) and also he should take light food in measure.

[Complications]

- When there is a misshapen eyeball (*vilocana*), the eye may fill because of the release of blood from a vein.⁵⁹⁰
 - A hard probe leads to shooting pain $(s\bar{u}la)$, a thin to unsteadiness of the humours (dosapariplava), 591
- a thick-tipped probe leads to a large wound, and a sharp one may cause harm in many ways; a very irregular one may cause a discharge of water, a rigid (*sthirā*) one brings about a loss of function (*kriyāsaṅga*).⁵⁹²
- 66 Therefore, one should make a good probe that is free from these defects.

[Characteristics of the probe]

The probe should be eight finger-breadths long and in the middle it is wrapped with thread and is as thick as a thumb joint. It is shaped like a bud at both ends (*vaktra*).

67 A commendable probe should be made of silver, iron or gold (\dot{satak} - $umbh\bar{\iota}$). 593

[Complications]

Redness, swelling, lumps, driness (*coṣa*), bubbling (*budbuda*),⁵⁹⁴ pigs' eye (*sūkarākṣitā*),⁵⁹⁵, irritation (*adhimantha*), etc. and other diseases arise

⁵⁹⁰ The condition of "misshapen eye" is referred to briefly in 6.61.9 (Su 1938: 800), where Dalhaṇa glossed it as "bent brow and eye (vakrabhrūnetra)." The vulgate's reading of "with blood (śonitena)" is easier to construe.

⁵⁹¹ There is a medically significant difference here from the vulgate, which reads "a rough (*khara*) probe" not a "thin" probe.

⁵⁹² This translation of loss of function (*kriyāsaṅga*) is given on the basis of Dalhaṇa's gloss of *kriyāsaṅgakarin* at 3.8.19 (Su 1938: 382) as "causing the destruction of actions such as moving (*gamanādikriyāvināśakarī*)."

⁵⁹³ The vulgate reads "copper (tāmra)" in place of "silver."

⁵⁹⁴ Palhaṇa glossed "bubbling (budbuda)" as "prolapse (māṃsanirgama) that looks like bubbles."

⁵⁹⁵ The expression "pigs' eye" appears to be a *hapax*. It was glossed as "downward vision (*adhodṛṣṭitva*)" by Dalhaṇa.

from faults in the piercing,

- or even from bad behaviour. One should treat them each accordingly. Listen to me once again about compounds for painful red eyes. Red chalk (gairikah), Indian sarsaparilla (śariva), panic grass (darva), and ghee ground with barley.
 - 71 This face ointment is to be used for quelling pain and redness. Or else it may be taken combined with the juice of citron (*mātuluṅga*) with sesame gently fried, mixed with white mustard (*siddhārthaka*).⁵⁹⁶ This is immediately beneficial when someone is looking for relief.
 - 72 A paste with Holostemma ($payasy\bar{a}$),⁵⁹⁷ Indian sarsaparilla ($ś\bar{a}riv\bar{a}$), cassia cinnamon (patra), Indian madder ($ma\tilde{n}jisth\bar{a}$), and liquorice (madhukair) stirred with goat's milk, pleasantly warmed, is said to be healthy.⁵⁹⁸
 - Alternatively, it can be made in this way with Himalayan cedar, Himalayan cherry (*padmaka*) and dried ginger. Or, in the same way, with grapes, liquorice and the Lodh tree mixed with Sindh salt.
 - Alternatively, goats' milk with the Lodh tree, Sindh salt, red grapes and liquorice, cooked, should be used in irrigation because it removes pain and redness.
 - Having cooked it with liquorice, water-lily, and costus, mixed with grapes (*drākṣā*), lac (*lākṣā*), white sugar (*sitā*), with wild asparagus, Hare Foot Uraria (*pṛthakparṇī*),⁵⁹⁹ nutgrass (*mustā*), liquorice, Himalayan cherry (*padmaka*), and Sindh salts, one should apply it [irrigation] gently warm.
- 76cd-77ab Ghee that has been cooked in four times the amount of milk that has itself been cooked with drugs that destroy wind. This has an ad-

⁵⁹⁶ On the adverbial use of gently (*mṛdu*), see Gombrich 1979.

⁵⁹⁷ The identity of *payasyā* is debated (GVDB: 538), and was already in doubt at the time of Palhaṇa but likely candidates may be those suggested by Palhaṇa, who suggests either *arkapuṣpī* or *kṣīrakākolī*, that may be *Holostemma adakodien* Schult. and *Leptadenia reticulata* (Retz.) Wight & Arn. (ADPS: 195-196). The *Sauśrutanighaṇṭu* glosses it as *kṣīrikā* or *arkapuṣpikā* (Suvedī and Tīvārī 2000: v. 307).

⁵⁹⁸ The expression "stirred with goat's milk (*ajākṣīrārdita*)" is difficult. It may be connected with the rare root *ard* documented by Whitney (1885:15). Cf. √*ard gatau* (*Dhātupāṭha* 1.56).

⁵⁹⁹ Suvedī and Tīvārī 2000: 18.

⁶⁰⁰ Palhaṇa mentioned that these drugs include Deodar (*bhadradāru*) and other wind-destroying drugs. The *vātasaṃśamana* group is listed in *Suśrutasaṃhitā sūtrasthāna* 1.39.7.

mixture of cottony jujube $(k\bar{a}kol\bar{\iota})$ etc., should be prescribed in all treatments.⁶⁰¹

- 77cd–78ab If pain does not end in this way, one should administer blood-letting to the vein of someone who has previously been oiled and sweated. Then the wise physician should apply cauterization in the advised manner. 602
- 78cd–80ab Now listen to two excellent collyriums for making the pupils clear. After grinding the flowers of perploca of the woods (meṣaśṛṅga), siris (śirīṣa), axelwood (dhava) royal jasmine (jātī), pearl and beryl (vaiḍūrya) with goat's milk, one should put it in a copper pot for seven days.
 - 8ocd–81 Having made it into wicks (*vartti*), the physician should apply it as a collyrium (*añjana*). Alternatively, one should make kohl (*srotoja*), coral (*vidruma*), cuttlefish bone (*phena*), and realgar (*manaḥśilā*) and peppers into wicks as before. One should apply these wicks, which are good in a collyrium, to steady the pupil.
 - 82 I shall again discuss the foremost collyriums at length in the *Kriyākalpa* section. Those various methods may be applied here too.

601 Dalhana noted that this would include errhines, ointments, etc.

or a dual?

⁶⁰² The vulgate reads $v\bar{a}pi$ for $c\bar{a}pi$, so Dalhana saw blood-letting and cautery as alternatives, not a sequence of treatments. Dalhana listed the places that cauterization may be applied, such as the brow, forehead, etc.

Uttaratantra 38: Diseases of the Female Reproductive System

Introduction

The chapter talks about various diseases of the female reproductive system and, in doing so, combines both aspects that go into a representation of diseases in āyurvedic literature: signs, symptoms and pathogenesis ($ni-d\bar{a}na$), on the one hand, and medical treatment ($cikits\bar{a}$), on the other. In chapters of the Uttaratantra, these two aspects are sometime dealt with in two different chapters $X-vij\bar{n}\bar{a}n\bar{i}ya$ and X-pratisedha. There are, however, many examples where this distinction is not made.

Literature

The chapter is summarized, with notes on vocabulary and references to further research literature, in HIML: IA, 313. (Tivārī 1990) dedicated a monograph to this topic, and Selby (2005a,b) has explored gyencological narratives in ayurveda.

Placement of the Chapter

In the vulgate text (Su 1938) the current chapter, 6.38, is found after the Uttaratantra's subsection on paediatrics, the *Kumāratantra*, see Table $3.^{603}$ But in the Nepalese version, this is chapter 6.58 of the Uttaratantra. And it is also counted as chapter 23 of the subsection *Kāyācikitsā*.

603 Or Kumārabhṛtya as this section is named in MS Kathmandu KL 699.

Section	Chapters	Internal count
Śālakyatantra	1–26	1–26
Kumāratantra	27-38	1–12
Kāyacikitsātantra	39-59	1-21
Bhūtavidyātantra	60–62	1-3
Tantrabhūṣaṇādhyāya	63–66	1-4

Table 3: Subdivisions of the Uttaratantra, in the vulgate.

Several things are noteworthy in this regard:

• In the placement of the vulgate, this chapter follows upon 6.37 *Grahotpatti* (6.35 in the Nepalese version), a chapter that talks about the origination of nine demons (*graha*) that are responsible for all children's diseases described in previous chapters of the *Kumāratantra*. In this way, the current chapter retains the general focus on the child bearing (*kaumārabhṛtya*), but, at the same time, marks a change to a distinct, less mystical approach to the topic at hand (that could originate in a cultural milieu different from that of the preceding eleven chapters). Dalhaṇa explained how the chapter fits its context in the following way:

It is appropriate that, for the sake of treating the disorders of the female reproductive system, the chapter called "Countermeasures Against Disorders of the Female Reproductive System" is taught immediately after the chapter called "The Origination of Demons (*graha*)." It is because (1) there is an explicit mention of the word "*yoni*" in the statement "born in the womb (*yoni*) of animal and human" [in 6.37.13bc (Su 1938: 667)] and because (2) the disorders of the female reproductive system are the causes for the inborn disorders of children.⁶⁰⁴

- In the placement of the Nepalese version,
 - 6. Yonivyāpatpratiṣedha is preceded by

⁶⁰⁴ Dalhaṇa on 6.38.1 (Su 1938: 668): ग्रहोत्पत्त्यध्यायानन्तरं 'तिर्यग्योनिं मानुषं च' इति वचनेन योने-र्नामसंकीर्तनात् कुमारजन्मविकारकारणत्वाञ्च योनेर्व्यापञ्चिकित्सितार्थं योनिव्यापत्प्रतिषेधाध्यायारम्भो यु-ज्यत [...]।

Parallels 193

- 6.56 Mūtrāghātapratiṣedha (6.58 in Su 1938) and
- 6.57 Mūtrakṛcchrapratiṣedha (6.59 in Su 1938), two chapters dealing with the diseases of the urinary tract.

The current chapter carries on with the topic of diseases that affect genitalia. In its Nepalese version, the chapter opens with two verses that explain the reasons for treating the particular set of diseases. These lack any reference to the inborn disorders of children, mentioned by Dalhaṇa, and instead highlight the importance of curing female diseases for the satisfaction of male partner.

- SS.1.3 in both Su 1938 and the Nepalese version lists the chapter at the place where it is found in the vulgate. 605
- Parallel chapters in the *Aṣṭāṅgasaṃgraha* and the *Aṣṭāṅgahṛdayasaṃ-hitā* form a part of the *Śalyatantra* section of each text.

Parallels

The current chapter is parallel in its content to *Aṣṭāṅgasaṃgraha* 6.38 and 6.39 as well as *Aṣṭāṅgahṛdayasaṃhitā* 6.33 and 6.34 (*Guhyarogavijñāna* and *Guhyarogapratiṣedha* respectively).

A close literary parallel to the first part of the chapter is found in $M\bar{a}dhavanid\bar{a}na$ (MN₃) 62, or at least its version printed in Y. T. $\bar{A}c\bar{a}rya$ (MN₃: 361). The readings of the MN₃ as it stands now usually side with the vulgate version rather than with the Nepalese. In addition to the basic text, there are several valuable pointers made in the Madhukośa, an early commentary on the MN₃. This part of the text is authored by Śrīkaṇṭhadatta, who was most like a direct student of Vijarakṣita. The latter wrote the first part of the Madhukośa, up to chapter 32, and, what is more, can be dated to the late eleventh or early twelfth centuries. ⁶⁰⁶

Another most interesting parallel is found in *Carakasaṃhitā* 6(Ci).30.

Philological notes

Metrical alterations

The original opening verses

From verse *Suśrutasaṃhitā* 6.38.5.1 onwards, the Nepalese version of the text continues with three hemistichs in the same classical *upajāti* metre (the syllabic pattern above).⁶⁰⁸ By contrast, the vulgate contains two complete verses (four hemistichs) in the *anuṣṭubh* metre, again with only loosely-related content.⁶⁰⁹ The three final hemistichs of this group are borrowed verbatim from the *Carakasaṃhitā*.⁶¹⁰ We can be sure of the direction of borrowing because one of these shared verses says that the twenty kinds of diseases of the female reproductive system "have already been indicated in the *Compendium of Diseases* (rogasaṃgraha)".⁶¹¹ This statement does not make any sense in the context of the *Suśrutasaṃhitā*, where no such Compendium exists.⁶¹² By contrast, in the *Carakasaṃhitā* this reference points back to chapter 1.19 (Ca 1941: 109–112), which calls itself "The Compendium of Diseases".⁶¹³ This Compendium lists all the diseases dealt with in later sections of the text, and specifically mentions the twenty diseases of female reproductive system.⁶¹⁴ Even the vocabulary and wording of this

```
607 Suśrutasaṃhitā 6.38.3–4ab (Su 1938: 668).
608 The metre of these verses is not perfect.
609 Suśrutasaṃhitā 6.38.4cd–6ab (Su 1938: 668).
610 Carakasaṃhitā 6.30.7cd–8 (Ca 1941: 634).
611 Suśrutasaṃhitā 6.38.5ab (Su 1938: 668): विंशतिर्व्यापदो योनेर्निर्दिष्टा रोगसंग्रहे ॥ ← Carakasaṃhitā 6.30.7cd (Ca 1941: 634).
612 The remark was not commented on by Ḍalhaṇa.
613 Carakasaṃhitā 1.19.9cd (Ca 1941: 112): रोगाध्याये प्रकाशिताः.
614 Carakasaṃhitā 1.19.3 (Ca 1941: 110): विंशतिर्योनिव्यापदः।
```

passage is identical to the later verses. It is beyond doubt that this passage originated in the *Carakasaṃhitā* and was borrowed by the editors of the vulgate text of the *Suśrutasaṃhitā*. 615

⁶¹⁵ The above three hemistichs in anus tubh are also repeated in the MN_3 62.1–2ab. Given that the subsequent verses in the MN_3 stem from the $Su\'srutasamhit\bar{a}$, it is likely that MN_3 62.1–2ab too was borrowed from from the $Su\'srutasamhit\bar{a}$ and not from its original location in the $Carakasamhit\bar{a}$).

- 1 And now I shall explain the countermeasures against disorders of the female reproductive system (*yonivyāpat*). 616
- *3 Since for good men, a woman is the most pleasurable thing, therefore a physician should diligently attend to the diseases located in the female reproductive system (*yoni*), because he is entirely devoted to it (that is, to curing these diseases) for the sake of (people's) happiness.⁶¹⁷
- *4 A corrupted female reproductive system (yoni) cannot consume semen $(b\bar{\imath}ja)$, and therefore, the woman cannot take a fetus (that is, become pregnant). She gets severe prolapses $(ar\acute{s}as)$, abdominal lump (gulma) and similarly many other diseases (roga).
- *5 Humours (doṣa), wind $(v\bar{a}ta)$, etc., corrupted due to faulty medical treatment $(mithyopac\bar{a}ra)$, 618 sexual activity, fate, and also defects (doṣa) of menstrual blood $(\bar{a}rtava)$ and semen $(b\bar{i}ja)$, produce various diseases in the female reproductive organ (yoni). These 20 diseases are taught here distinctly and one by one along with their treatment (bheṣaja),

⁶¹⁶ On this broad understanding of the term *yoni* as "female reproductive system" see Das 2003: pp. 572–5.

⁶¹⁷ As our translation indicates, the sentence construction does not allow an unambiguous identification of who or what is the referent of the pronoun *tad* in the compound form *tadadhīna* 'devoted to it.' Our current understanding is that *tad* refers to the 'most pleasurable thing' mentioned in pāda a. It could, however, also refer to 'them,' that is, the 'good men.'

⁶¹⁸ In our translation of the compound मिथ्योपचार, we decided for the technical meaning of the term उपचार, that is, "medical application" or "treatment." The combination मिथ्या+उप-√चर् is attested several times in medical literature. At least once, at *Caraka*saṃhitā 3.3.38 (Ca 1941: 245), it is given an explicit gloss by Cakrapāṇidatta: मिथ्यो-पचरितानिति असम्यक् चिकित्सितान् "... given improper therapy". In the Suśrutasaṃhitā (Su 1938), it is used once in a passage (6.18.30 (Su 1938:635)) where it refers specifically to the wrong application of irrigation (tarpaṇa) and roasting (puṭapāka), both of which are mentioned in the previous verse. Another use of the compound in a similar meaning is found in a citation from Bhoja's work quoted by Gayadāsa at Suśrutasaṃhitā 2.5.17 (Su 1938: 287): श्वित्रं तु द्विविधं प्रोक्तं दोषजं व्रणजं तथा। तत्र मिथ्योपचारा-द्धि त्रणस्य त्रणजं स्मृतम् ॥ "... arises from wrong treatment of the wound." In contrast to this, the parallel verse in Suśrutasamhitā 6.38.5ab (Su 1938: 668) = Carakasamhitā 6.30.8 (Ca 1941: 634) = MN₃ 62.1 reads मिथ्याचार "wrong conduct." All commentators (Cakrapāṇidatta on the Carakasaṃhitā, Śrīkaṇṭhadatta on the MN₃, and Dalhaṇa on the Suśrutasaṃhitā) explain that the wrong conduct stands here specifically for unwholesome diet. The parallel in *Aṣṭāṅgaḥṛdayasaṃhitā* 6.33.27 (Ah 1939: 895) = *Aṣṭāṅ*gasaṅgraha 6.38.34a (As 1980: 829) plainly reads दुष्तभोजन "corrupted food" instead.

causes (hetu) and signs (cihna).

- *6.1 Because of wind (*vāta*), female reproductive organ (*yoni*) becomes:
 - 1. udāvartā (udāvartā),
 - 2. called Infertile (vandhyā), and
 - 3. Sprung (plutā),
 - 4. Flooded (pariplutā), and
 - 5. Windy (vātalā).
- *6.2 And because of choler (*pitta*), occur:
 - 1. With bloodloss (raktakṣayā),
 - 2. Vomiting (*vāminī*), and
 - 3. Causing a Fall (*sraṃsanī*),
 - 4. Child-murderess (putraghnī), and also
 - 5. Bilious / Choleric (pittalā).
- *7.1 And because of phlegm (*kapha*) occur:
 - 1. Extremely Excited (atyānandā),
 - 2. Protuberant (karninī), and
 - 3. & 4. two Caraṇī (caraṇī), and
 - 5. other Phlegmatic (*śleṣmalā*).
- *7.2 And similarly there are other (kinds of morbid female reproductive system) involving all *doṣa*s:
 - 1. Impotent (śandhī),
 - 2. With testicles (andīnī),
 - 3. two Huge (mahatī),
 - 4. With a needle-like opening (sūcīvaktrā),
 - 5. Sarvātmikā (sarvātmikā).

Uttaratantra 65: Rules of Interpretation

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002. Other explorations of this topic include TY; Dasgupta 1952; Oberhammer 1968; TYV; Lele 1981; Scharfe 1993; Mejor 2000; A. Singh 2003.

Frauwallner 1958 discussed the influence of the *tantrayukti*s in the Sāṅkhya tradition. Preisendanz (2013: 105–106, fn. 109) provided further references to the discussion of *yukti* in Buddhist literatures. Manevskaia (2008) gave examples of the use of tantrayuktis in Buddhist commentarial literature. Chevillard (2009) discusses the translation of the *tantrayuktis* in Tamil literary tradition, with a specific focus on *Tolkāppiyam* and its commentaries.

Early Sources

An ancient tradition of enumerating the *tantrayuktis* served as a foundational source not only for medical texts but also for works in various other disciplines, including Arthaśāstra, philosophy, and even grammar. The *Suśrutasaṃhitā* stands as the earliest Āyurvedic text that presents a compilation of a list of *tantrayuktis* followed by their definitions and usage. Mentions to Tantrayuktis are also found in the *Carakasaṃhitā* 8.12 (Ca 1941) which introduce four additional *tantrayuktis*. However, the *tantrayuktis* remain undefined in the *Carakasaṃhitā*.

The Arthaśāstra

The enumeration and definitions of the *tantrayuktis* in the *Suśrutasaṃhitā* closely parallel their treatment in the *Arthaśāstra*. *Tantrayuktis* are discussed in the fifteenth and final chapter of the *Arthaśāstra*, called the *Tantrayukti*. For a side-by-side comparison of the *tantrayuktis* in the *Suśrutasaṃhitā* and the *Arthaśāstra*, please refer to Table 4.

The Yuktidīpikā

Yuktidīpikā (circa late sixth to early eighth century), an anonymous commentary on Īśvarakṛṣṇa's Sāṅkhyakārikā, initiates its discourse with a detailed discussion of the characteristics of a scientific treatise, some of which align with the tantrayuktis.⁶²¹ In the Yuktidīpikā, these terms are referred to as tantraguṇa or tantrasampat. They are: (1) sūtropapatti (2) pramāṇopapatti (3) avayavopapatti (4) anyūnatā (5) saṃśayokti (6) nirṇayokti (7) uddeśa (8) nirdeśa (9) anukrama (10) saṃjñā and (11) upadeśa.⁶²² Apart from these, the Yuktidīpikā also exemplifies (12) utsarga (general rule), (13) apavāda (exception), and (14) atideśa (extended application). However, utsarga and apavāda are not considered tantrayuktis in other comprehensive lists. The Yuktidīpikā further states that while other tantrayuktis can be demonstrated in a similar manner, since they are peripheral topics, the text does not delve into their discussion.⁶²³

Tamil literature

Discussions on the *tantrayuktis* are also found in Tamil technical literature, the earliest of which is the *Tolkāppiyam*.⁶²⁴ A list of 32 *tantrayuktis*, called

⁶²⁰ Arthaśāstra: 280-283

⁶²¹ See Oberhammer 1968: 605–614 for a detailed discussion of the use of the *tantrayuktis* in the *Yuktidīpikā*.

⁶²² सूत्रप्रमाणावयवोपपत्तिरन्यूनता संशयनिर्णयोक्तिः। उद्देशनिर्देशमनुक्रमश्च संज्ञोपदेशाविह तन्त्रसम्पत्॥ Yuktidīpikā: 3

⁶²³ एवमारा अन्येऽपि द्रस्तव्याह् । तद्यथोत्सर्गोऽपवादोऽतिदेश इत्यादि ।...इत्येवमन्या अपि तन्त्रयुक्तयः शक्या इह प्रदर्शयितुम् । अतिप्रसङ्गस्तु प्रकृतं तिरोदधातीति निवर्त्यते । सिद्धं तन्त्रयुक्तीनां सम्बन्धोपपत्तेस्तन्त्रम् इदम् इति ।.Yuktidīpikā: 8

⁶²⁴ For a detailed discussion of the treatment of the *tantrayuktis* in the *Tolkāppiyam* see Chevillard 2009.

utti or tantiravutti in Tamil, are given in the 27th (the final) chapter titled Marapiyal "Chapter on conventions" of the last book called Porul "Matters" of the Tolkāppiyam. There is no consensus regarding the dating of the Tolkāppiyam. However, if we endorse Zvelebil's view, which posits that the final redaction of the Tolkāppiyam occurred around the fifth century AD, it follows that this section of the Tolkappiyam cannot postdate the fifth century. If we follow the dating of Zvelebil, we can safely argue that by that time, Sanskrit tantrayuktis had already been translated into Tamil. Nevertheless, determining the correspondence between specific tantrayuktis and Tamil uttis poses a challenge. A major factor contributing to this challenge is the disagreement between two commentators of the Tolkāppiyam, namely Iļampūraṇar (11th or 12th century) and Pērāciriyar (possibly 13th century), regarding the interpretation of the list of uttis. It is still not clear which list of 32 tantrayuktis was before the author of the Tolkāppiyam.

After the $Tolk\bar{a}ppiyam$, several other Tamil texts refer to the tantrayuktis. Among them the $Y\bar{a}pparunkalam$ (possibly 10th century), the $V\bar{i}racoliyam$ (11th century), $Nann\bar{u}l$ (late 12th or early 13th century), and their commentaries hold significant importance in this context.

The Viṣṇudharmottarapurāṇa

The third book of the *Viṣṇudharmattarapurāṇa*, believed to have been composed between the fifth and seventh centuries, includes a chapter dedicated to the *tantrayuktis*. ⁶²⁵ Unlike the *Arthaśāstra* and the *Suśrutasaṇhitā*, this chapter lacks illustrative examples of the *tantrayuktis*. The chapter lists 32 *tantrayuktis* followed by definitions. Notably, the list and definitions given here – we are using the critical edition by Priyabala Shah – in most cases bear a striking resemblance to those found in the *Suśrutasaṇ-hitā*. Given the striking alignment between the list and definitions of *tantrayuktis*, one could suggest that the *Viṣṇudharmottarapurāṇa*'s chapter on *tantrayuktis* likely draws directly or indirectly from the *Suśrutasaṇhitā* or from a common source. The designations and the order of the *tantrayuktis* in the *Viṣṇudharmottarapurāṇa* are almost identical. The only differences in the order are as follows:

1. *Viparyaya* is placed after *vidhāna* whereas in the *Suśrutasaṃhitā* it follows *arthāpatti*.

- 2. *Anumata* is placed after *vyākhyāna* whereas in the *Suśrutasaṃhitā* it follows *niṛṇaya*.
- 3. *Anāgatāvekṣaṇa* (*anāgatāpekṣaṇa* in the Nepalese version) occurs after *atikrāntāvekṣaṇa* (*atikrāntāpekṣaṇa* in the Nepalese version) whereas the order is reverse in the *Suśrutasaṇhitā*.

For a side-by-side comparison of the *tantrayukti*s in the *Suśrutasaṃhitā* and the *Viṣṇudharmottarapurāṇa*, please refer to Table 4.

The Saddanīti

A list of the 32 tantrayuktis accompanied by definitions also appear in the final chapter (*Pariccheda* 28) of the final book (book 3: *Suttamālā*) of the renowned Pali grammar *Saddanīti* composed by Aggavaṃsa in Arimaddanapura (modern Bagan, Burma) in the twelfth-century. Just as the *Viṣṇudharmottarapurāṇa*, this list also does not provide examples of the *tantrayuktis*. Although written in Pali, the order and the definition of the *tantrayuktis* (*tantiyutti* in Pali) closely resemble those of the *Suśrutasaṃhitā*. There are, however, a few differences:

- 1. The *tantrayukti pradeśa* is referred to as *paṭidesa* (Sanskrit *pratideśa*) and is positioned after *atidesa* (Sanskrit *atideśa*) whereas in the *Su-śrutasaṃhitā* it follows *apadeśa*.
- 2. *Atikrāntāpekṣaṇa* is designated as *atītāpekkhana* (Sanskrit *atītāpekṣaṇa*).
- 3. Svasanjina is designated as ananna sakasanjina (Sanskrit ananya svasanjina) and is defined with subtle variations.
- 4. Ūhya is designated as upānīya.

For a side-by-side comparison of the *tantrayukti*s in the *Suśruta Saṃhitā* and the *Saddanīti*, please refer to Table 4.⁶²⁷

⁶²⁶ Saddanīti 3: 920–921.

⁶²⁷ For the reading of *Saddanīti*, we used the edition by H. Smith who also provided an apparatus with variants. However, the edition by Thera sometimes consists of variants which do not appear in the apparatus of Helmer Smith's edition. In those cases, we noted the variants in footnotes.

Table 4: Tantrayuktis in $Su\acute{s}rutasaṃhit\bar{a}$ (S), Viṣṇu-dharmottarapurāṇa (V), $Artha\acute{s}\bar{a}stra$ (A), and $Saddan\bar{\imath}ti$ (N)

Sequence	Terms	Definitions
(S) 1.	adhikaraṇa	तत्र यमर्थमधिकृत्योच्यते तद्धिकरणम्।
(V) 1.	adhikaraṇa	तत्र यमर्थमधिकृत्योच्यते तदधिकरणम्।
(A) 1.	adhikaraṇa	यमर्थमधिकृत्योच्यते तद्धिकरण् ।
(N) 1.	adhikaraṇa	तत्थ यं अधिकिच्च वुच्चति, तं अधिकरणं।
(S) 2.	yoga	येन वाक्यं युज्यते स योगः। यथा व्यत्यासेनो-
		क्तानां सन्निकृष्टविप्रकृष्टानां पदार्थानाम् एकी-
		करणम्।
(V) 2.	yoga	येन वाक्यार्थो युज्यते स योगः।
(A) 3.	yoga	वाक्ययोजना योगः।
(N) 2.	yoga	पुब्बापरवसेन वुत्तानं सन्निहितासन्निहितानं प- दानं एकीकरणं योगो;।
(S) 3.	padārtha	योऽर्थोऽभिहितः सूत्रे पदे वा स पदार्थः। पदस्य पदयोः पदानां वा योऽर्थः स पदार्थः। अपरिमि-
		ताश्च पदार्थाः।
(V) 3.	padārtha	योऽर्थो विधिकृतः सूत्रपदे स पदार्थः।
(A) 4.	, padārtha	पदावधिकः पदार्थः।
(N) 3.	padattha	सुत्तपदेसु पुब्बापरयोगतो यो अत्थो विहितो, सो पदत्थो।
(S) 4.	hetvartha	यदुक्तं साधनं भवति स हेत्वर्थः।
(V) 4.	hetvartha	यदन्यद्यक्तिमदर्थस्य साधनं स हेत्वर्थः।
(A) 5.	hetvartha	हेतुरर्थसाधको हेत्वर्थः।
(N) 4.	hetuattha	यं वृत्तत्थसाधकं, सो हेतुअत्थो। ⁶²⁸
(S) 5.	uddeśa / samuddeśa	समासवचनं समुद्देशः।
(3) 5. (V) 5.	uddeśa	समासवचनमुद्देशः।
(A) 6.	uddeśa	समासवाक्यमुद्देशः।
• •	uddesa	समासवायपनुद्वराः। समासवचनं उद्देसो।
(N) 5.		·
(S) 6.	nirdeśa	विस्तरवचनं निर्देशः।
(V) 6.	nirdeśa	विस्तरवचनं निर्देशः।

628 yam vuttaatthasādhanam? so hetuttho. Thera 1909: 807.

Sequence	Terms	Definitions
(A) 7.	nirdeśa	व्यासवाक्यं निर्देशः।
(N) 6.	niddesa	वित्थारवचनं निद्देसो।
(S) 7.	upadeśa	एवमित्युपदेशः।
(V) 7.	upadeśa	एवमेवेत्युपदेशः।
(A) 8.	upadeśa	एवं वर्तितव्यमित्युपदेशः।
(N) 7.	upadesa	एवन् ति उपदेसो।
(S) 8.	apadeśa	अनेन कारणेनेत्यपदेशः।
(V) 8.	apadeśa	अनेन कारणेनेत्यपदेशः।
(A) 9.	apadeśa	एवमसावाहेत्यपदेशः।
(N) 8.	apadesa	अनेन कारणेना ति अपदेसो।
(S) 9.	pradeśa	प्रकृतस्यातिक्रान्तेन साधनं प्रदेशः।
(V) 9.	, pradeśa	प्रकृतस्यानागतेन साधनं प्रदेशः।
(A) 11.	predeśa	वक्तव्येन साधनं प्रदेशः।
(N) 10.	paṭidesa	पकतस्स अनागतेन अत्थसाधनं पटिदेसो।
(S) 10.	atideśa	प्रकृतस्यानागतेन साधनम् अतिदेशः।
(V) 10.	atideśa	अतिक्रमणेन अतिदेशः।
(A) 10.	atideśa	उक्तेन साधनमतिदेशः।
(N) 9.	atidesa	पकतस्स अतिक्कन्तेन साधनं अतिदेसो।
(S) 11.	apavarga	अभिप्रमृज्यापकर्षणमपवर्गः।
(V) 11.	apavarga	अभिप्रायानुकर्षणमपवर्गः।
(A) 22.	apavarga	अभिप्लुतव्यपकर्षणमपवर्गः।
(N) 11.	apavagga	अतिव्यापेत्वा अपनयनं अपवग्गो।
(S) 12.	vākyaśeṣa	येन पदेनानुक्तेन वाक्यं समाप्यते स वाक्य- शेषः।
(V) 12.	vākyaśeṣa	येनार्थः परिसमाप्यते पदेनाहार्येण स वाक्य- शेषः।
(A) 17.	vākyaśeṣa	येन वाक्यं समाप्यते स वाक्यशेषः।
	vākyadosa	येन पदेन अवुत्तेन वाक्यपरिसमापनं भवति,
` '	J	सो वाक्यदोसोँ।
(S)		
(V)		_
	иратāпа	दृष्टेनादृष्टस्य साधनमुपमानम् ।
(N)		

Sequence	Terms	Definitions
·		
(S) 13.	arthāpatti	यदकीर्तितमर्थादापद्यते सार्थापत्तिः।
(V) 13.	arthāpatti	यदकीर्तितमर्थादापद्यते सार्थापत्तिः।
(A) 13.	arthāpatti	यदनुक्तमर्थादापद्यते सार्थापत्तिः।
(N) 13.	atthāpatti	यद् अकित्तितं अत्थतो आपज्जति, सा अत्था- पत्ति ।
(S) 14.	viparyaya	यद्यस्य प्रातिलोम्यं तद्विपर्ययः।
(V) 20.	viparyaya	तस्य प्रातिलोम्यं विपर्ययः।
(A) 16.	viparyaya	प्रतिलोमेन साधनं विपर्ययः।
(N) 14.	vipariyaya	यं यत्थ विहितं, तत्र यं तस्स पटिलोमं, सो वि- परिययो।
(S) 15.	prasaṅga	प्रकरणान्तरेण समानः प्रसङ्गः।
(V) 14.	prasaṅga	प्रकरणाभिहितोऽर्थः केनचिदुपोद्घातेन पुनरु-
. , .	, 0	च्यमानः प्रसङ्गः।
(A) 15.	prasaṅga	प्रकरणान्तरेण समानोऽर्थः प्रसङ्गः।
(N) 15.	pasaṅga	पकरणन्तरेन समानो अत्थो पसङ्गो ।
(S) 16.	ekānta	यदवधारणेनोच्यते स एकान्तः।
(V) 15.	ekānta	यथा तथा स एकान्तः।
(A) 26.	ekānta	सर्वत्रायत्तमेकान्तः।
(N) 16.	ekānta	सब्बथा यं तथा, सो एकान्तो।
(S) 17.	anekānta	क्वचित्तथा क्वचिदन्यथा सोऽनेकान्तः।
(V) 16.	anekānta	क्वचित्तथा क्वचिदन्यथाऽसावनेकान्तः।
(A)		
(N) 17.	anekānta	यो पन कत्थचि अञ्जथा सो अनेकान्तो।
(S) 18.	pūrvapakṣa	यस्तु निःसंशयमभिधीयते स पूर्वपक्षः। ⁶²⁹
(V) 17.	pūrvapakṣa	प्रतिषेधवचनं पूर्वपक्षः।
(A) 24.	pūrvapakṣa	प्रतिषेद्धव्यं वाक्यं पूर्वपक्षः।
(N) 18.	pubbapakkha	[यो] तु निस्सन्देहम् अभिधीयते, सो पुब्बप- क्खो।
(S) 19.	nirṇaya	तस्योत्तरं निर्णयः।
(V) 18.	nirṇaya	उत्तरवचनं निर्णयः।
(A) 25.	uttarapakṣa	निर्णयवाक्यमुत्तरपक्षः।
` / J	, ,	9 .

⁶²⁹ This definition of *pūrvapakṣa* in the Nepalese version is problematic.

Sequence	Terms	Definitions
(N) 19.	піṇṇaya	तस्स यं उत्तरं, सो निण्णयो।
(S) 20.	anumata	परमतमप्रतिषिद्धमनुमतम् ।
(V) 25.	anumata	परमतमप्रतिषिद्धमनुमतम् ।
(A) 18.	anumata	परवाक्यमप्रतिषिद्धमनुमतम् ।
(N) 20.	anumata	परमतम् अप्पटिसिद्धं अनुमतं।
(S) 21.	vidhāna	प्रकरणानुपूर्व्यादभिहितं विधानम्।
(V) 19.	vidhāna	प्रकरणानुपूर्वं विधानम् ।
(A) 2.	vidhāna	शास्त्रस्य प्रकरणानुपूर्वी विधानम्।
(N) 21.	vidhāna	पकरणानुपुब्बं विधानं।
(S) 22.	anāgatāpekṣaṇa	एवं वक्ष्यतीत्यनागतापेक्षणम् ।
(V) 22.	anāgatāpekṣaṇa	परत्र वक्षामीत्यनागतावेक्षणम् ।
(A) 27.	anāgatāvekṣaṇa	पश्चादेवं विहितमित्यनागतावेक्षणम् ।
(N) 22.	anāgatāpekkhana	एवं वक्खामि ति अनागतापेक्खनं।
(S) 23.	atikrāntāpekṣaṇa	इत्युक्तमित्यतिक्रान्तापेक्षणम् ।
(V) 21.	atikrāntāpekṣaṇa	इत्युक्तमतिक्रान्तावेक्षणम् ।
(A) 28.	atikrāntāvekṣaṇa	पुरस्तादेवं विहितमित्यतिक्रान्तावेक्षणम्।
(N) 23.	atītāpekkhana	इति वुत्तन् ति अतीतापेक्खनं ।
(S) 24.	saṃśaya	उभयहेतुनिदर्शनं संशयः।
(V) 23.	saṃśaya	उभयतो हेतुदर्शनं संशयः।
(A) 14.	saṃśaya	उभयतो हेतुमानर्थः संशयः।
(N) 24.	saṃsaya	उभयहेतुदस्सनं संसयो।
(S) 25.	vyākhyāna	तत्रातिशयोपवर्णनं व्याख्यानम् ।
(V) 24.	vyākhyāna	तत्रातिशयवर्णनातिव्याख्यानम् ।
(A) 19.	vyākhyāna	अतिशयवर्णना व्याख्यानम् ।
(N) 25.	vyākhyāna	संवण्णना व्याख्यानम्।
(S) 26.	svasaṃjñā	अन्यशास्त्रासामान्या स्वसंज्ञा।
(V) 26.	svasaṃjñā	परैरसम्मतः शब्दः स्वसंज्ञा।
(A) 23.	svasaṃjñā	परैरसमितः शब्दः स्वसंज्ञा।
(N) 26.	anaññā sakasaññā	भूतानं पवत्ता आरम्भचिन्ता अनञ्जा, सस्स सा-
		धारणा सकसञ्जा।
(S) 27.	nirvacana	लोकप्रथितमुदाहरणं निर्वचनम्।
\		लोके प्रतीतमुदाहरणं निर्वचनम् ।

Sequence	Terms	Definitions
(A) 20. (N) 27.	nirvacana nibbacana	गुणतः शब्दनिष्पत्तिर्निर्वचनम् । लोकप्पतीतम् उदाहरणं निब्बचनं ।
(S) 28. (V) 28. (A) 21. (N) 28. (S) 29. (V) 29. (A) 29.	nidarśana nidarśana nidassana niyoga niyoga	दृष्टान्तव्यक्तिर्निदर्शनम् । तद्युक्तिनिदर्शनं दृष्टान्तः । दृष्टान्तो दृष्टान्तयुक्तो निदर्शनम् । दिट्ठन्तसंयोगो निदस्सनं । इदमेवेति नियोगः । एवेति नियोगः । एवं नान्यथेति नियोगः ।
(A) 29. (N) 29. (S) 30. (V) 30. (A) 30. (N) 30.	niyoga vikalpa vikalpa	इदम् एवा ति नियोगो। । इदं वेदं वेति विकल्पः। अनेन वानेन वेति विकल्पः। इदं वा ति विकण्पो।
(S) 31. (V) 31. (A) 31. (N) 31. (S) 32.	samuccaya samuccaya samuccaya	। इदं चेदं चेति समुच्चयः। अनेन चानेन चेति समुच्चयः। संखेपवचनं समुच्चयो। यदनिर्दिष्टं बुद्धिगम्यं तदृह्यम्।
(V) 32. (A) (N) 32.	ūhya ūhya	अत्र यदनिर्दिष्टं युक्तिगम्यं तदूह्यम् । अनुक्तकरणमूह्यम् । यद् अनिद्दिट्ठं बुद्धिया अवगमनीयं, तद् उपानी- यन् ति ।

Āyurvedic literature

Primary texts

While references to *tantrayuktis* can be found across various disciplines, Āyurveda places a particular emphasis on their discussion, especially evident in key texts of Āyurveda, such as the *Caraka*- and the *Suśruta- saṃ-hitās*, as well as the *Aṣṭāṅgasaṅgraha*. The *Carakasaṃhitā* and *Aṣṭāṅgasaṅgraha* present an identical list of *tantrayuktis* contained in a stanza of four

anuṣṭubh verses. 630 However, unlike the Suśrutasaṃhitā they lack explicit definitions and examples. This list of the tantrayuktis appear in the final chapter of the last book in both Carakasaṃhitā (41b–45a, chapter 12, Siddhisthāna) and Aṣṭāṅgasaṅgraha (150–153, chapter 50, Uttarasthāna). The same has been quoted by Aruṇadatta in his commentary Sarvāṅgasundarī on the Aṣṭāṅgahṛdaya while elucidating the concept of tantraguṇa (qualities of the system) 631 and by Śrīdāsa Paṇḍita in the prefatory section of his commentary Hṛdayabodhikā on the Aṣṭāṅgahṛdayasaṃhitā. 632 Notably, this list consists of 36 tantrayuktis instead of 32 found in the Suśrutasaṃhitā and other texts. The additional four are: prayojana (objective), pratyutsāra (rebuttal), uddhāra, and sambhava (origin).

The presence of identical verses enumerating the *tantrayukti*s in the *Aṣṭāṅgahṛdayasaṃhitā*, *Carakasaṃhitā*, *Sarvāṅgasundarī* and *Hṛdayabodhikā* strongly suggests a shared origin. However, a critical issue arises due to the absence of a comprehensive critical edition of the chapter 12 of the *Siddhisthāna* of the *Carakasaṃhitā*, leaving uncertainty about the total number of *tantrayukti*s recognized by Dṛḍhabala in this section.⁶³³ The problem arises from different readings of the half-verse that occurs right before the list of 36 *tantrayukti*s. In MS Kathmandu NAK 1/1648 (dated 1183 AD, the oldest dated manuscript of the *Carakasaṃhitā* known to

```
630 तत्राधिकरणं योगो हेत्वर्थोऽर्थः पदस्य च।
    प्रदेशोद्देशनिर्देशवाक्यशेषाः प्रयोजनम्॥
    उपदेशापदेशातिदेशार्थापत्तिनिर्णयाः।
    प्रसङ्गैकान्तनैकान्ताः सापवर्गो विपर्ययः॥
    पूर्वपक्षविधानानुमतव्याख्यानसंशयाः।
    अतीतानागतापेक्षास्वसंज्ञोह्यसमुच्चयाः॥
    निदर्शनं निर्वचनं नियोगोऽथ विकल्पनम्।
    प्रत्युत्सारस्तथोद्धारः सम्भवस्तन्त्रयुक्तयः॥
    Aṣṭāṅgasaṅgraha 6.50.150–153a (As 1980: 959).
                                                               Carakasaṃhitā 8.12.41b–45a
    (Ca 1941: 736) reads almost the same. The only two variants are (1) अतीतानाग-
    तावेक्षा... and (2) निर्वचनं संनियोगो विकल्पनम्.
631 Arunadatta on the Aṣṭāngahṛdayasaṃhitā 6.40.78 (Ah 1939: 946).
632 AHS 1940: 1-2.
633 We know from internal textual evidence that the Siddhisthāna of the Carakasamhitā in
    which the list of the tantrayuktis appear was originally authored by Drdhabala, who
    lived in a town called Pancanada sometime between 300 and 500 AD.
    Cf. अखण्डार्थं दृढबलो जातः पञ्चनदे पुरे।
    कृत्वा बहुभ्यस्तन्त्रेभ्यो विशेषोञ्छशिलोच्चयम्॥
    सप्तदशौषधाध्यायसिद्धिकल्पैरपुरयत्।
    8.12.39-40a (Ca 1941: 735)
```

us), the reading of this verse is: षद्विंशद्भिर्विचित्राभिर्भृषि]तं तन्त्रयुक्तिभिः॥ This number of 36 tantrayuktis perfectly agrees with the following list of the 36 tantrayuktis. A similar reading is found in Trikamji's 1933 Carakasamhitā edition which contains only the mūla-text.⁶³⁴ However, although most of the other editions consist of the same reading, a number of editions show quite a lot of discrepancies with the number. For example, Trikamji's 1941 edition of the Carakasamhitā reads the same half-verse as षड्रिंशता विचित्राभिभृषितं तन्त्रयुक्तिभिः। 8.12.41a (Ca 1941: 735). In the same edition, the reading of Cakrapāni's *Āyurvedadīpikā* supports the reading: षड्गिंशत्तन्त्रयुक्तिभिभृषितमपुरयदृढबल इति योजना. However, after this verse, the same edition consists of the versified list of the 36 tantrayuktis and commenting on these verses, the *Āyurvedadīpikā* confirms the total number of the tantrayuktis as 36: इत्येताः षट्विंशत्तन्त्रयुक्तयो व्याहृताः।. 635 Moreover, the edition of Rāmaprasāda Vaidyopādhyāya reads the half-verse as— पञ्च-त्रिंशद्विचित्राभिर्भूषितं तन्त्रयुक्तिभिः. 636 Rāmaprasāda Vaidyopādhyāya excludes ūhya. 637 The same reading is found in Satīśacandra Śarmā's third edition of the *Carakasamhitā*. 638 However, adding more troubles to it, Satīśacandra Śarmā, in his Bengali translation, says that there are 34 tantrayuktis (even though the main Sanskrit text of his edition counts 35). Then he in fact illustrates 36 tantrayuktis making a remark that states—

"in Gangadhara's reading, there are 36 tantrayuktis because he counts saṃśaya twice in his commentary. But 35 was reckoned in his mūla-text. Another manuscript reckons 34 tantrayuktis excluding apadeśa. This edition reads thirty-five instead of thirty-four or thirty-six." 639

In the edition of Narendranātha Senagupta and Balāicandra Senagupta that includes Cakrapāṇi's *Āyurvedadīpikā* and Gaṅgādhara's

⁶³⁴ षद्विंशता विचित्राभिभूषितं तन्त्रयुक्तिभिः ॥ 8.12.70a (Ca 1933: 972).

⁶³⁵ Ca 1941: 737.

⁶³⁶ Ca 1911: 1913.

⁶³⁷ Understanding the tantrayukti samuccaya as asamuccaya, he reads the verse where ūhya appears as— अतीतानागतापेक्षा स्वसंज्ञा ह्यसमुञ्चयाः. Surely, this reading is erroneous as the plural ending after samuccaya does not make sense.

⁶³⁸ Ca 1923: 1020. His first edition, however, reads the half-verse the same as the reading in Ca 1933.(Ca 1904: 884)

^{639 &}quot;গঙ্গাধর পাঠ— তন্ত্রযুক্তি ছত্রিশ প্রকার। তিনি টীকাতে সংশয়কে দুই বার উল্লেখ করিয়া ছত্রিশ প্রকার গণনা করিয়াছেন, কিন্তু তাঁহার মূলে পঁয়ত্রিশ প্রকার আছে; গ্রন্থান্তরে ৩৪ প্রকার আছে; তাহাতে 'অপদেশ' ধর্ত্তব্য হয় নাই। এই অনুবাদের মূলে চতুন্ত্রিংশৎ বা ষট্ত্রিংশৎ স্থলে পঞ্চত্রিংশৎ লিখিত হইল।" Ca 1923: 1022.

Jalpakalpataru, the Sanskrit mūla and the Jalpakalpataru enumerate 36 tantrayuktis. However, in the same edition, the Āyurvedadīpikā reads, पञ्चित्रंशत्तन्त्तयुक्तिभिर्भूषितमपूरयदृढबल इति योजना. 640 Again, after the illustrations of the 36 tantrayuktis it reads, इत्येताः षट्गिंशत्तन्त्तयुक्तयो व्याहृताः. 641 In his edition of the Tantrayuktivicāra, Muthuswami also mentions that 35 tantrayuktis are reckoned in the Carakasaṃhitā. 642 Jivānanda Vidyāsagara's edition gives no number at all— तथा च ता विचित्राभिर्भृषितं तन्त्रयुक्तिभिः. 643

Commentaries on the Carakasamhitā prior to Cakrapāni's Ayurvedadīpikā, such as the Carakanyāsa of Bhaṭṭāra Hariścandra (c. mid-sixth century) or *Nirantarapadavyākhyā* of Jejjaṭa (c. 7th or 8th century AD) do not help much because the extant portions of these commentaries do not include the concerned section of the 12th chapter of the Siddhisthāna. However, Hariscandra was possibly not aware of the total number and the list of the tantrayuktis in the final chapter of the Siddhisthāna because he discussed the tantrayuktis right at the beginning of his commentary and showed no indication to the awareness about the discussion on the tantrayuktis at the end of the text. Moreover, he discusses 40 tantrayuktis instead of 36. It is not yet settled whether or not Hariscandra was aware of Drdhabala's redaction of the Carakasamhitā. However, Hariścandra's treatment of the tantrayuktis supports the latter.⁶⁴⁴. It is clear from Cakrapāṇi's commentary on the Carakasaṃhitā that in the version of the text he commented upon contained the four verses that list the 36 tantrayuktis. It is, however, not improbable that the four verses that list the 36 tantrayuktis were later added to the Carakasamhitā sometime between the sixth (the date of Hariscandra) and the eleventh century (the date of Cakrapāṇi) and the discrepancy appeared when the previous verse that gives the total number of the tantrayuktis was not properly emended by the scribes complying with the following list of 36 tantrayuktis. There is a need of a critical edition of the twelfth chapter of the Siddhisthāna of the *Carakasamhitā* to address these issues definitely.

⁶⁴⁰ Ca 1928-33: III, 3814. 641 Ca 1928-33: III, 3822. 642 'पञ्चत्रिंशद्विचित्राभिर्भूषितं तन्त्रयुक्तिभिः।' इति चरके। द्वात्रिंशदिति सुश्रुतः।(TYV: 2, fn. 2). 643 Ca 1877: 961. 644 HIML: IA, 189.

Commentaries

The commentators who extensively delved into the discussion of the tantrayuktis are Hariścandra, the author of Carakanyāsa, and Aruṇadatta (12th century),⁶⁴⁵ who authored his commentary Sarvāṅgasundarī on the Aṣṭāṅgahṛdaya of Vāgbhaṭa. Hariścandra meticulously defined and analyzed 40 tantrayuktis at the beginning of his work. The four additional tantrayuktis are: paripraśna (question), vyākaraṇa (grammatical clarification), vyutkrāntābhidhāna (overpassing statement) and hetu (means of knowledge).⁶⁴⁶

Arunadatta, while discussing the concept of tantraguna at the end of the Astāngahrdaya, provided an elaborate description of tantrayuktis, considering them as part of a system of ninety-five tantragunas. Śrīdāsa Paṇḍita (14th century), a commentator on the *Aṣṭāṅgaḥṛḍaya*, echoed Aruṇadatta's exploration of tantrayuktis in the beginning of his commentary, Hrdayabodhikā. 647 Thus, both Hariścandra and Srīdāsa Pandita engage with this topic right at the beginning, underscoring the significance they attribute to the subject. Other noteworthy commentators who discussed the topic of tantrayukti are Cakrapāṇi (11th century) and Indu (sometime between 8th and 12th century). Cakrapāṇi and Indu defined and illustrated the tantrayuktis mentioned in the Carakasamhitā and the Astāngasangraha, respectively. They affirm the inclusion of the four additional tantrayuktis in Hariścandra's list. Cakrapāṇi, aligning them with existing concepts, incorporates paripraśna, vyākaraṇa, and vyutkrāntābhidhāna under the tantrayuktis uddeśa, vyākhyāna, and nirdeśa, respectively. According to him, hetu serves as an overarching term encompassing all *pramānas* (means of knowledge) such as pratyaksa (perception) and others. Indu, however, outlines three

⁶⁴⁵ HIML: IA, 663–664.

⁶⁴⁶ This text has only been published once (only until the third chapter of Sūtrasthāna) by Masta Ram Shastri from Lahore in 1932/33. (HIML: IB, 290) Unfortunately, it is currently inaccessible to us. Although some fragmented manuscripts of the Carakanyāsa exist, for this section (Chapter 1, Sūtrasthāna), we were able to consult only MS MS Jamnagar GAU 114. This is a recent apograph with several lacunae and corruptions. The list of the tantrayuktis provided in the Carakanyāsa is as follows (with some emendations made in the reading): तन्त्रस्य युक्तयोऽधिकरणाद्याश्चत्वारिंशत्।... युक्तयस्तावद-धिकरणं योगो हेत्वर्थ उद्देशो [निर्देश] उपदेशोऽपदेशोऽतिदेशः प्रदेशो निर्णयोऽर्थापत्तिर्वाक्यशेषः प्रयोजनं प्रसङ्ग एकान्तोऽनेकान्तो विपर्ययोऽपवर्गः पूर्वपक्षो विधानमनुमतं व्याख्यानं परिप्रश्नो व्याकरणमतीतापेक्ष-णमनागतापेक्षणं संशयः स्वसंज्ञोह्यः समुच्चयो निदर्शनं निर्वचनं नियोगो विकल्पः प्रत्युत्सार उद्धारः सम्भवो व्युत्क्रान्ताभिधानं हेतुरिति।

⁶⁴⁷ HIML: IA, 68o.

possible reasons for not incorporating these *tantrayuktis* into the list: (1) they lack direct mention in the main text, (2) they could be considered as falling within the scopes of already enumerated *tantrayuktis*, or (3) they are not recognized as *tantrayuktis*.

Detailed discussions on the *tantrayuktis* also appear in the *Jalpakalpataru*, a nineteenth-century commentary on the *Carakasaṃhitā* by Gaṅgādhara Kavirāja from Bengal. Gaṅgādhara included the commentary with his *editio princeps* of the *Carakasaṃhitā*. He defines the *tantrayuktis* most often as defined in the *Suśrutasaṃhitā* making explicit quotations from the *Suśrutasaṃhitā* itself. Hence, this commentary serves as a testimonium for most part of the *tantrayukti* section of the *Suśrutasaṃhitā*.

Monographs

two texts authored by Āyurvedic scholars exclusively delve into the topic of *tantrayukti*. The first is the *Tantrayuktivicāra* by a physician named Nīlamegha (also known as Vaidyanātha), while the second is called the *Tantrayukti*, which is a sort of recast of the former by an anonymous author. The anonymous author describes himself as being from the same lineage as Nīlamegha and asserts that Nīlamegha belongs to the same lineage of Bhiṣagārya (also known as Nārāyaṇa Bhiṣaj). Both Nīlamegha and the author of Tantrayukti are likely from Kerala or coastal Karnataka. According to Koļatteri Śaṅkaramenon and Meulenbeld, Nīlamegha flourished in the first half of ninth century. The *Tantrayukti* was very likely composed after the sixteenth century.

⁶⁴⁸ Kolatteri Sankaramenon, the first editor of the *Tantrayuktivicāra*, believes that Nīlamegha hails from Kerala. This conclusion is drawn from Nīlamegha's reference to his guru as Sundara, whom Sankaramenon identifies as the same individual credited with composing the *Lakṣaṇāmṛta*, a treatise on toxicology. This assertion is plausible because the only known manuscript of *Tantrayuktivicāra* belongs to a member of one of the Aṣṭavaidya families of Kerala, aligning with the Vāgbhaṭa school, to which Nīlamegha also belongs.((HIML: IIA, 143)) On the other hand, the anonymous author of the *Tantrayukti* associates Nīlamegha with the lineage of Bhiṣagārya, who hails from Uṇṭuru, a village located 3 kilometers from Gokarṇa which is in coastal Karnataka.(TY: 30).

⁶⁴⁹ Nīlamegha mentions Vāhaṭa (Vāgbhaṭa), Indu, and Jejjaṭa in his work. This places him definitively after the seventh century. The Buddhist influence in the Tantrayukti indicates a date not much later than 800 AD. (TYV: अवतारिका ५–६, HIML: IIA, 143.)

⁶⁵⁰ From the explicit mention of Nīlamegha and Bhiṣagārya in the work *Tantrayukti*, we can say that the author flourished after them. Determining the date of Bhiṣagārya

Nīlamegha's $Tantrayuktivic\bar{a}ra$ is a versified text accompanied by an autocommentary. The text comprises eighteen verses plus a hemistich, resulting in a total of 37 hemistichs. Each hemistich serves as a definition for a tantrayukti. Nīlamegha enumerates a total of 36 tantrayuktis, as mentioned in the $Aṣṭ\bar{a}ngasangraha$ and Carakasanhita. The additional hemistich defines aviparyaya, which, according to Nīlamegha, is sometimes considered instead of viparyaya. This substitution occurs when one understands that the negative prefix a- is deleted due to a $p\bar{u}rvar\bar{u}pa$ sandhi— $s\bar{a}pavargah$ + aviparyayah $\rightarrow s\bar{a}pavargo$ viparyayah (See footnote 630.).

The text of the *Tantrayukti* includes some verses at the beginning and end, where the author discusses the lineage of Nīlamegha. The author explicitly states that his text is a revised version of Nīlamegha's *Tantrayuktivicāra* because the available manuscripts were mostly corrupt. It is evident that there are substantial reproductions of parts of the *Tantrayuktivicāra* and its autocommentary. The total number of *tantrayuktis* and their enumeration remains identical to that of the *Tantrayuktivicāra*. What distinguishes it from the *Tantrayuktivicāra* is the incorporation of a list of other *tantraguṇas* and 14 *tantradoṣas*. This list of *tantraguṇas* includes 15 types of *vyākhyā*, 7 types of *kalpanā*, 20 types of *āśraya*, and 17 types of metaphoric and metonymic devices, such as *tācchīlya* and so on.

Tantrayukti-inventories

It is evident from the discussion on the early sources that all these listings of the *tantrayuktis* in the early sources can be grouped into two categories.

is problematic. However, since the Kairalī commentary on the <code>Aṣṭāṅgahṛdayasaṃhitā</code> frequently quotes from Bhiṣagārya's <code>Abhidhānamañjarī</code>, it indicates that Bhiṣagārya predates the composition of this commentary. Meulenbeld suggests the end of the seventeenth century as the terminus post quem for the Kairalī (HIML: IA, 675). Moreover, he views <code>Abhidhānamañjarī</code> as a work composed after the sixteenth century, citing details within it that affirm its posteriority to the <code>Rājanighaṇṭu</code> and <code>Bhāvaprakāśa</code> (HIML: IIA, 442).

⁶⁵¹ वैद्यनाथोपसृष्टानां लक्ष्यलक्षणवाप्नुषाम् ॥ तासां प्रायः प्रकाशानां दुर्लेखापङ्कदूषणात् । क्रियते साम्प्रतं कृच्छादुद्भृत्य परिमार्ज्जनम् ॥ TY: 1

For the ease of our following discussion, we name these two inventories as (1) earlier listing and (2) later listing.

Earlier Listing

The four inventories of tantrayuktis from the Arthaśāstra, Suśrutasaṃhitā, Viṣṇudharmottarapurāṇa, and Saddanīti belong to what we call the "earlier Listing." The reason to call this listing as "earlier listing" is: two early Sanskrit texts, viz., the Arthaśāstra and the Suśrutasaṃhitā consists of this listing. The Tamil list of the tantrayuktis as found in the Tolkāppiyam also belongs to this group, even though not all of the uttis in this list might correspond accurately to the Sanskrit and Pali lists. A defining characteristic of this listing is that each inventory explicitly states the total number of tantrayuktis as thirty-two. Even though there are sometimes different tantrayuktis enumerated in different lists, the total count always remains consistent at 32. As demonstrated in Table 4, the Sanskrit and Pali lists are similarly ordered and are always accompanied by similar or identical definitions. This list appears across diverse disciplines.

Later Listing

The "later listing" is the one we find in the Aṣṭāṅgasaṅgraha, Caraka-saṃhitā, the commentaries on the Carakasaṃhitā, Aṣṭāṅgasaṅgraha and Aṣṭāṅgahṛdayasaṃhitā and the two monographs, the Tantrayuktivicāra and Tantrayukti. This list has sprung from a single source— a versified list of thirty-six tantrayuktis comprising four verses that appear in the Aṣṭāṅgasaṅgraha, Carakasaṃhitā and Aruṇadatta's commentary on the Aṣṭāṅgahṛdayasaṃhitā. It remains unclear whether these verses initially appeared in the Dṛḍhabala's redaction of the Carakasaṃhitā or Vāgbhaṭa's Aṣṭāṅgasaṅgraha. Unlike the "earlier Listing," this list lacks definitions of the tantrayuktis. Definitions and illustrations are given by the authors of the commentaries and monographs as discussed in the previous section.

⁶⁵² तद् द्वात्रिंशद् युक्तियुक्तम् । (5.1.3 Kangle 1965a: 1, 280) "that (Arthaśāstra) is furnished with thirty-two logical methods of the system", तत्र द्वात्रिंशत् तन्त्रयुक्तयो भवन्ति । (Suśrutasaṃ-hitā6.64.2) "there are thirty-two logical methods of the system", battiṃsa tantiyuttiyo bhavanti/ (Suttamālā, 28 Saddanīti 3: 920) "there are thirty-two logical methods of the system", எண்ணான்கு உத்தியின்... "It employs thirtytwo rules of criticism regarding writing." (Nannūl: 9–10)

Terminology 215

Although Hariścandra's list includes 40 *tantrayukti*s instead of 36, his enumeration aligns more closely with "later listing" than the earlier one. Despite the earlier listing's corss-disciplinary appearance, the later listing notably influences the field of Āyurveda, likely due to the popularity of Vāgbhaṭa's works. The *Suśrutasaṃhitā*, incorporating the "earlier listing" distinguishes itself among Āyurvedic texts that list the *tantrayuktis*.

Terminology

The terms have been translated into English in numerous books and articles. English renditions of the terms can be found in English translations of the *Suśrutasaṃhitā* such as in Singhal and Mitra 1980: 171–172, and P. V. Sharma 1999–2001: 3, 631–639; in translations of the *Carakasaṃhitā* such as in R. K. Sharma and B. Dash 2006: 436–444 and in Shree Gulabkunverba Ayurvedic Society 1949: 1050, in the translation of the *Arthaśāstra* such as in Shamasastry 1951: 459, Kangle 1965a: 593, Unni 2006: 1103 and Olivelle 2013, and by K. Srikanta Moorthy in TYV: Appendix xi–xxxiv. They are also found in various books and articles dedicated to discussing the *tantrayuktis* such as in Oberhammer 1968: 601–602, Solomon 1976–78: 1, 72, Lele 1981: 34–155, 2006: 36–150 and so on. German translations of the terms can be found in Meyer 1926: 663–664 (German translation of the *Arthaśāstra*) and in Prets and Prandstetter 1991–2006.

The definitions of *tantrayukti*s exhibit numerous variations across different texts. Here we will discuss each of the *tantrayukti*s that occur in the *Suśruta Saṃhitā* in comparison with their definitions in other texts. As indicated in Table 4, the definitions of *tantrayukti*s in the *Suśrutasaṃhitā* are frequently either identical or nearly identical to those found in the *Arthaśāstra*, *Viṣṇudharmottarapurāṇa* and *Saddanīti*. Therefore, unless the definitions in these two texts notably deviate from those in the *Suśrutasaṃhitā*, we will not make explicit references to them in the subsequent elucidation of the terms.

1. adhikarana

Adhikaraṇa appears as the first tantrayukti in all traditional enumerations. It is among those tantrayuktis for which there is little disagreement concerning its definition. This tantrayukti functions as a structural and interpretat-

ive device. With a tautological expression, the *Suśrutasaṃhitā* defines *adhi-karaṇa* as something, with reference to which statements are made. While defining *adhikaraṇa*, the text employs the same verb, *adhi- kṛ*- (to refer), whence the noun *adhikaraṇa* has been derived. The text supplies examples of *rasa* (taste) and *doṣa* (humour), for which two chapters of the *Uttara-tantra*, namely chapter 62 (*Kāyacikitsā* 27) and chapter 65 (*Kāyacikitsā* 30) are dedicated. Clearly, *adhikaraṇa* is the topic or theme.

Cakrapāṇi and Gaṅgādhara define adhikaraṇa in almost the same way as does the Suśrutasaṇhitā.⁶⁵⁴ Aruṇadatta's definition is similar but he specifies that adhikaraṇa can be of an entire discipline (śāstra), or a book (sthāna) of it, or a chapter (adhyāya), or a section (prakaraṇa), or even of a sentence (vākya).⁶⁵⁵ Śrīdāsa Paṇḍita follows Aruṇadatta.⁶⁵⁶ However, in the commentaries of Hariścandra and Indu, we explore two more aspects of the concept of adhikaraṇa. According to Hariścandra, adhikaraṇa is the reason or ground referring to which the authors direct their discourse. For example, diseases create misery and the authors of Āyurveda began their discussion addressing them.⁶⁵⁷ Thus disease is the adhikaraṇa or theme of their discussion. Indu identifies adhikaraṇa as a binding force that links ideas. According to him, adhikaraṇa as an introductory reference and it exposes a general statement to a specific context.⁶⁵⁸

Nīlamegha defines *adhikaraṇa* using the Paninian terminology. According to him, *adhikāraṇa* is the locus in which the *tātparya*, "reference" lies. Adhikaraṇa is one of the six *kāraka*-s (a sort of semantic roles recognized by Sanskrit grammarians). Pāṇini calls it a locus (ādhāra). Through metaphorical extensions, the idea of a locus can apply to abstract domains and not merely to physical locus. In traditional Sanskrit grammar, a metonymic or metaphorical domain is called *vaiṣayika adhikaraṇa*. Patañjali considers

⁶⁵³ They are chapters 63 and 66 in A (Su 1938: B).

⁶⁵⁴ यमर्थमधिकृत्य प्रवर्तते कर्ता। यथा "विघ्नभूता यदा रोगा" इत्यादि। अत्र रोगादिकमधिकृत्यायुर्वेदो मह-र्षिभिः कृत इति 'रोगाः' इत्यधिकरणम्। Āyurvedadīpikā (Ca 1941: 736). तद् यमर्थमधिकृत्योच्यते; Jalpakalpataru (Ca 1928-33: III, 3815).

⁶⁵⁵ तत्र अधिकरणं नाम, यदिधकृत्य प्रवर्तते शास्त्रं स्थानमध्यायं प्रकरणं वाक्यं वा।... (Ah 1939: 947).

⁶⁵⁶ AHS 1940: 2.

⁶⁵⁷ तत्राधिकरणं नाम यन्निमित्तमधिकृत्य प्रवर्तते कर्ता।... उत वा विघ्नभूता यदा रोगाः प्रादुर्भूताः तदिदं नि-मित्तमधिकृत्य जगदनुकम्पया महर्षिभिरयमायुर्वेद आगमः। एवमधिकरणव्याख्या वर्णयितव्या। MS MS Jamnagar GAU 114, p.4–5.

⁶⁵⁸ अधिकरणं प्रस्तावः सामान्येनोक्तमप्यर्थजातं यद्बलाद्विशेषेऽवस्थाप्यते तदधिकरणम् । (As 1980: 959).

⁶⁵⁹ तत्राधरोऽधिकरणं तात्पर्यं तत्र तिष्ठति । 1 TYV: 2.

⁶⁶⁰ आधारोऽधिकरणम् । *Aṣṭādhyāyī* 1.4.45.

Terminology 217

vaiṣayika as one of the three types of adhikaraṇa. Mīlamegha applies this idea to his definition of the tantrayukti adhikaraṇa. He quotes Aṣṭāṅgahṛdaya-saṇhitā Sūtrasthāna 1.5b-6a and explains how the eight limbs of Āyurveda serve as the adhikaraṇas of cikitsā "treatment". In Nīlamegha's understanding, adhikaraṇa "theme" is the domain of a reference. The Tantrayukti repeats Nīlamegha's idea but it also adds different types of adhikaraṇa as suggested by Aruṇadatta.

In the *Tolkāppiyam*, however, the equivalent expression for this *tantrayukti* remains unclear, as commentators, namely Iļampūraṇar and Pērāciriyar, list the item differently. In Sastri's translation of the *Tolkāppiyam*, *adhikaraṇa* was identified with *atikāra muṛai*, the second element in Iḷampūraṇar's list. Sastri translates this expression as "deciding the extent where one serves as *adhikāra sūtra* or a word or words in a sūtra taken along with the *sūtra*-s that follow."⁶⁶² However, Dikshitar, in his brief article on the *tantrayuktis*, equates *adhikaraṇa* with *nutaliyatu aṛital*, the first element in Pērāciriyar's list, and translates it as "that division of a book which centers around a chief topic and deals wholly with that topic."⁶⁶³ Clearly, Dikshitar's interpretation stands close to our definition of *adhikaraṇa*. Sastri's interpretation, on the other hand, corresponds to the concept of *adhikāra* "heading" and *anuvṛtti* "recurrence" in the *sūtra* literature, especially in Pāṇini's *Aṣṭādhyāyī*.⁶⁶⁴

The translators usually translated this *tantrayukti* as "topic" or "subject matter".

2. yoga

This tantrayukti typically occupies the second position in most lists, except in the Arthaśāstra where it appears third following vidhāna. Functioning as a syntactic and semantic tool, yoga, as defined in the Suśrutasaṃhitā, represents the faculty responsible for the cohesion of a sentence. If we consider the main purpose of the tantrayuktis as narrated in the Suśrutasaṃhitā, namely, cohesion of a sentence (vākyayojana) and cohesion of meaning (arthayojana), it becomes evident that this tantrayukti is one of the fundamental tantrayuktis functioning as the device for vākyayojana. The

⁶⁶¹ On *Aṣṭādhyāyī* 6.1.72 Mahābhāṣya: 3, 51. 662 P. S. S. Sastri 2002: 233.

⁶⁶a Dilsahitan 4000. 9=

⁶⁶³ Dikshitar 1930: 85

⁶⁶⁴ See Chevillard 2009: 111.

Suśrutasaṃhitā further describes yoga as a syntactic connection between words, facilitating the linking of words even when they are in reverse order or placed apart. However, this paraphrased statement is absent in the vulgate; instead, it appears in the commentary of Dalhana with a minor variation. The definitions of yoga in the Viṣṇudharmottarapurāṇa and Arthaśāstra closely mirror that of the Suśrutasaṃhitā. However, the Viṣṇudharmottarapurāṇa's definition introduces a slight variation by including the term artha "meaning". According to this definition, yoga is that by which the meaning of a sentence coheres. The Arthaśāstra employs a nominalized verb in a compound noun instead of a relative clause— vākyayojanā "connecting a sentence". The definition we find in the Saddanīti is close to the paraphrased part of the definition of the Suśrutasamhitā. 666

For illustration, a verse from chapter 18 of the *Cikitsāsthāna* is quoted in the *Suśrutasaṃhitā*—

```
तैलं पिबेच्चामृतवल्लिनिम्बहंसाह्वयावृक्षकपिप्पलीभिः।
सिद्धं बलाभ्याञ्च सदेवदारु हिताय नित्यं गलगण्डरोगे॥<sup>667</sup>
```

In this verse, the noun sesame oil (*tailam*) appears at the beginning of the first hemistich, while its adjective cooked (*siddham*) is placed at the beginning of the final hemistich. Despite not being colocated, the *tantrayukti yoga* effectively connects them, facilitating our comprehension of the intended meaning. Evidently, this exemplifies a device for linking words within a sentence.

In the commentaries of Hariścandra, Indu, Cakrapāṇi and Aruṇa, however, the *tantrayukti yoga* is used in a broader sense. In these interpretations, *yoga* serves not only as a device for cohesion within a sentence but also fosters coherence among sentences in a discourse. Hariścandra identifies three alternative interpretations of yoga. Aruṇadatta also interprets yoga in a similar fashion but instead of three alternatives he talks about the first two alternatives of Hariścandra. In the first alternative, yoga is coherence between the main statement ($s\bar{u}tra$) and its gloss ($bh\bar{a}sya$). Aruṇadatta

```
665 See 6.65.9 (Su 1938: 815).
666 See Table 4.
667 4.18.47 (Su 1938: 474).
668 योगो नाम योजना ग्रन्थानां यथार्थसूत्रभाष्यसूत्रयोः... पञ्चलक्षणो वा योगः। प्रतिज्ञाहेतूदाहरणनिगमनानि...
यदिह युज्यते स योग इत्येके। (MS Jamnagar GAU 114, p.5.)
```

Terminology 219

expands its scope to coherence between mention (uddeśa) and description (*nirdeśa*) as well. 669 In the second alternative, *yoga* is reasoning (*yukti*) having five types: (1) pratijñā "proposition", (2) hetu "reason", (3) udāharaṇa "exemplification" (4) upanaya "application", and (5) nigamana "conclusion", resembling the five-membered syllogism of inference (anumāna) in the Nyāya-Vaiśesika school. ⁶⁷⁰ Śrīdāsa Pandita's comment is similar to that of Arunadatta.⁶⁷¹ Hariścandra also notes a different understanding of this tantrayukti by some others. In this sense, yoga is connectedness. This alternative definition is close to that of the Suśrutasamhitā. In Indu's interpretation, yoga is lexical cohesion, as he understands yoga as a relation between a word and its meaning or a sentence and its meaning.⁶⁷² Cakrapāṇi, while defining yoga in a fashion similar to the Suśrutasamhitā, exemplifies it as a connection between five logical elements, namely pratijñā, hetu, udāharaṇa, upanaya and nigamana, conflating the definition of yoga with Hariscandra's second alternative i.e. *yoga* is reasoning (*yukti*).⁶⁷³ Nīlamegha defines *yoga* as connecting words one by one coherently.⁶⁷⁴ As he further explains in the autocommentary with examples from the Astāngahrdayasamhitā, it is evident that he understands yoga as coherence between a part of a sentence and the discourse. 675 Neither V. R. Ramachandra Dikshitar nor P. S. Subrahmanya Sastri identified the tantrayukti yoga with any utti mentioned in the *Tolkāppiyam*. ⁶⁷⁶

The word yoga derives from the Sanskrit root \sqrt{yuj} "to connect" with the primary suffix $GHa\tilde{N}$, which is often used for creating action nouns. In Sanskrit technical literature, the term yoga is used in a broad sense to mean any kind of linguistic connection or connectedness. In the Astadhyaya of Pāṇini, it often refers to the connection with a word or a word-element. Hence, it refers to a morphosemantic or syntaco-semantic connection. Patañjali uses this term several times in his Mahabhasya. In the Susrutasamhita

676 Chevillard 2009: 84.

⁶⁶⁹ योगो नाम योजना, उद्देशनिर्देशयोः सूत्रभाष्ययोर्वा । Sarvāṅgasundarī on 6.40.80 (Ah 1939: 947). 670 युक्तिर्वा योगः, प्रतिज्ञा हेतुर्दृष्टान्त उपनयो निगमनमिति पञ्चविधः। 6.40.80 (Ah 1939: 947). 671 AHS 1940: 2. 672 योगो नाम योगः सम्बन्धः स च पदार्थयोर्वाक्यार्थयोर्वा । Śaśilekhā on 6.50.150aa (As 1980: 959). 673 योगो नाम योजना व्यस्तानां पदानामेकीकरणम् । उदाहरणं तावद्यथा प्रतिज्ञाहेतूदाहरणोपनयनिगमनानि । 8.12.41 (Ca 1941: 736). 674 योगः पदानामेकैकमथौँचित्येन योजना। 2 TYV: 3. 675 TYV: 3.

⁶⁷⁷ Joshi and Roodbergen 1991: 64.

the word *yoga* is primarily used to mean the connection between words in a sentence. According to this definition and illustration, it is primarily intrasentential cohesion. Unlike the later commentators on the works of Caraka and Vāgbhaṭa, it does not extend the scope of this term to inter-sentential cohesion and coherence. Keeping in mind such definition given in the Suśrutasamhitā, we translate the term as cohesion even though no other translators of the tantrayuktis used this translation. In some other contexts, however, *yoga* can be extended to coherence. Both coherence and cohesion are derived from the Latin verb cohaere- (< con-"with" haereō "cling") "to cling together." In other translations of the *tantrayuktis* (see p. 215), *yoga* is variously translated as employment, arrangement, conjoiner, connecting, concomitance, uniting, union, rational linking, joining and so on. We preferred the term cohesion because the other options are either too narrow or too vague. 'Employment' is rather *prayoga*, not *yoga*. 'Rational linking' disregards the grammatical aspect of yoga. 'Conjoiner', 'connecting', 'union', 'uniting' or 'arrangement' are vague and they do not reflect the technical import of the term *yoga*.

3. padārtha

In the earlier listing, padārtha follows yoga, while in the later listing, this tantrayukti is enumerated after hetvartha, possibly due to metrical requirements. The Suśrutasaṃhitā dedicates more words to describing this tantrayukti than any other early texts.

The description in the *Suśrutasaṃhitā* commences with the definition of *padārtha*, which is articulated as the meaning conveyed in an aphorism or a word. It then delves into the literal interpretation of the term *padārtha*. The straightforward meaning of the compound *padārtha*, obtained by dissecting its components—*pada* "word," and *artha* "meaning"—is "the meaning of one or more words." After presenting the literal interpretation of *padārtha*, the *Suśrutasaṃhitā* provides the rationale why mere word meanings cannot suffice as the *tantrayukti padārtha*—since a word or words may have multiple meanings. Therefore, as a *tantrayukti*, the term *padārtha* denotes the meaning of a word or words within a specific context.⁶⁷⁸ Dalhaṇa also supports this perspective, indicating that the term *padārtha* refers to a specific

Terminology 221

meaning of a word or words.⁶⁷⁹

In (Su 1938), a variant reading of the definition of padārtha is noted: सूत्रपदे in the place of सूत्रे पदे वा. It remains unclear which reading was available to Dalhaṇa. He proposed an etymological meaning of the word pada, defining it as that by which a meaning is understood, and includes sūtra under the semantic scope of pada. Essentially, he viewed sūtra as a type of pada because, by conveying a meaning, a sūtra falls under the category of pada, which by definition signifies a meaning-conveying unit. This interpretation does not separate sūtra and pada as mutually exclusive entities. Thus, if Dalhaṇa's reading of the text is सूत्रे पदे वा, he perceived pada as a synonym or an alternative term for sūtra. On the other hand, if the reading was सूत्रपदे, he understood the meaning of the word सूत्रपदे as pada (a meaning-conveying unit) in the form of a sūtra. The editor of (Su 1938) offered a more straightforward explanation of the variant reading सूत्रपदे—a word (pada) in a sūtra is a sūtrapada. The Viṣṇudharmottarapurāṇa adopts a definition of padārtha close to this variant reading.

The tantrayukti padārtha is illustrated with two examples in the Suśruta-saṃhitā. In the first example, three polysemous words—sneha, sveda and abhyañjana— are provided. Dalhaṇa gave various meanings of these words—sneha can mean lubricity or grease or affection; sveda can mean sauna either with fire (sāgni) or without fire (niragni); abhyañjana may mean the black eye make-up or oil rub (abhyaṅga). In the case of such polysemy, padārtha or relevant meaning will be the meaning which coheres with the prior and subsequent elements (pūrvāparayogasiddha). The definition of this tantrayukti in Saddanīti corresponds to this explanation. Thus, padārtha is that meaning which fits the context.

The second example is taken from the very beginning of the first chapter of the *Sūtrasthāna* that says वेदोत्पत्तिमध्यायं व्याख्यास्यामः, "I shall narrate the chapter on the origin of knowledge (*veda*)." The problem is, what does this word "*veda*" refer to? Is it the *Veda*, as in *Sāmaveda*? Or something

⁶⁷⁹ अधुना बहुषु पदार्थेषु निर्धार्य विशिष्टपदार्थग्रहणाय पदार्थबहुत्वं प्रतिपादयति— अपरिमिता इत्यादि। Dalhana on 6.65.10 (Su 1938: 816).

⁶⁸⁰ अन्ये तु सूत्रपदे इति पठित्वा व्याख्यानयन्ति--- सूत्रस्य पदं सूत्रपदं तस्मिन् योऽर्थः स पदार्थः। fn.2 (Su 1938: 813).

⁶⁸¹ See table 4.

⁶⁸² तत्र स्नेहराब्दे निर्दिष्टे हि गुणप्रेमसर्पिषां त्रयाणामर्थानामुपपत्तिर्दृश्यते, स्वेदराब्देनापि साग्निनिरग्निकयोरूष्म-णोः प्राप्तिः, अञ्जनशब्देनापि नयनाञ्जनाभ्यङ्गयोः प्राप्तिः। Dalhaṇa on 6.65.10 (Su 1938: 816). 683 See table 4.

derived from the roots $\sqrt{vi(n)}d$ or \sqrt{vid} ? Context ("prior and subsequent elements") can help us to know that "veda" means only $\bar{a}yurveda$ and that the $Su\acute{s}rutasamhit\bar{a}$ is talking about the origin of $\bar{a}yurveda$, specifically. The same issue is also addressed by Palhaṇa at 1.1.1 (Su 1938: 1).

Among the texts of the early listing, the *Arthaśāstra* presents a notably distinct definition of *padārtha*. Here, it is defined as that which has its limit within the word.⁶⁸⁴ Though somewhat ambiguous, this definition implies that *padārtha* is the referent indicated by a word or in other words, *padārtha* is the scope of meaning that corresponds to a word. Hence, this definition of *padārtha* does not necessarily refer to a contextual meaning. It indirectly suggests that *padārtha* is basically the meaning of a word.

Similar to Arthaśāstra's understanding, the commentators Hariścandra, Indu, Cakrapāṇi, Aruṇadatta and Śrīdāsapaṇḍita interpret padārtha as the referents indicated by a word. However, by this time, the term padartha became an important point of discussion among certain philosophical schools, particularly Vaiśesika and Nyāya. 685 In the Vaiśesika ontology, padartha is the term used for denoting the fundamental ontological categories. Such a wider use of the term among philosophical schools also influenced the Brhattrayī commentators, most prominently Hariścandra, whose interpretation of padārtha aligns with the framework of Vaiśeṣika philosophy. Following the Vaiśeṣika doctrine, he lists six types of padārthas, namely, substance (dravya), attribute (guṇa), movement (karman), universality (sāmānya), individuality (viśeṣa), and inherence $(samav\bar{a}ya)$. 686 In his understanding, a word (pada) is a universal category that may have several referents called *padārtha*. While other commentators such as Indu, Arunadatta, Srīdāsa Pandita follow Hariścandra while defining this tantrayukti and cite Vaiśesika padārthas such as dravya or guna as instances of padārtha, it is not clear whether they endorse the Vaiśeṣika interpretation.⁶⁸⁷ Cakrapāṇi adopts the literal definition of padārtha as

⁶⁸⁴ पदावधिकः पदार्थः। (15.1.10 Kangle 1965a: 1, 280).

⁶⁸⁵ The concept *padārtha* is also discussed by grammarians such as Patañjali and others. For the treatment of the term *padārtha* in different Indian philosophical schools, see Prets and Prandstetter 1991–2006: 2, 153–154.

⁶⁸⁶ पदार्थो नाम य एकेन पदेनानेकार्थो गम्यते। यथा द्रव्यं गुणः कर्म सामान्यं विशेषः समवायः।. MS Jamnagar GAU 114, p.6.

⁶⁸⁷ पदार्थो नाम येनार्थो गम्यते। यथा गुर्वादयो गुणशब्दादवगम्यते। *Śaśilekhā* on 6.50.150aa (As 1980: 959). पदार्थो नाम, पदेनार्थो गम्यते। यथा द्रव्यमिति पदं, तस्यार्थो भूजलादिः। गुण इति पदं तस्यार्थो गुर्वादिः। *Sarvāṅgasundarī* on 6.40.80 (Ah 1939: 947). The same reading appears

Terminology 223

mentioned in the *Suśrutasaṃhitā*. With examples, he emphasizes that word-meaning (*padārtha*) can stem from one word, two words or more.⁶⁸⁸ Gaṅgādhara, however, defined *padārtha* in the line of the *Suśrutasaṃhitā* considering *padārtha* as relevant word sense.⁶⁸⁹

Nīlamegha presents a distinct perspective, defining padārtha as polysemy within a given context. In his autocommentary, he also acknowledges another viewpoint that perceives padārtha as synonymy within a context. The author of the Tantrayukti merely quoted Nīlamegha's statements on this matter while incorporating the additional definition of padārtha found in commentaries such as those of Aruṇadatta, Indu, or Śrīdāsa Paṇḍita. Neither V. R. Ramachandra Dikshitar nor P. S. Subrahmanya Sastri identified the tantrayukti padārtha with any utti mentioned in the Tolkāppiyam.

From the discussion above, it is clear that <code>Suśrutasaṃhitā</code>'s understanding of the <code>tantrayukti</code> <code>padārtha</code> is distinct from its definition offered by the later commentators of the works of Dṛḍhabala and Vāgbhaṭa. The <code>Arthaśāstra</code>, which most often defines the <code>tantrayuktis</code> similarly to the <code>Suśrutasaṃhitā</code>, provides a definition of <code>padārtha</code> that is closer to the understanding of the commentators such as Hariścandra and so on. In the <code>Suśrutasaṃhitā</code>, <code>padārtha</code> is not merely the meaning of a word or words but the meaning arising within a particular context or co-text. It is the result of word sense disambiguation. Singhal and Mitra translates <code>padārtha</code> as "context." However, <code>padārtha</code> denotes not the context but rather the meaning intended in a context or co-text. Most other translators render this term as "import of words," which fits better in this case. The translation chosen here is "relevant meaning" because in the <code>Suśrutasamhitā</code>, <code>padārtha</code> refers

in Hṛdayabodhikā (AHS 1940: 2).

⁶⁸⁸ पदस्य पदयोः पदानां वाऽर्थः पदार्थः। तत्र द्रव्यमिति पदेन खादयश्चेतनाषष्ठा उच्यन्ते; पदयोरर्थो नाम यथा—'आयुषो वेद' इति पदयोरायुर्बोधकं तन्त्रमित्यर्थः, एवं पदानामप्यर्थ उदाहार्यः। Āyurvedadīpikā on 8.12.41 (Ca 1941: 736).

⁶⁸⁹ अर्थः पदस्य चेति पदार्थो नाम तन्त्रयुक्तिः सा योऽर्थोऽभिहितः सूत्रे पदे वा। पदार्थस्त्वनेकस्तत्र योऽर्थः पूर्वापरयोगसिद्धो भवति सोऽर्थो ग्राह्यः। Jalpakalpataru on (Ca 1928-33: 3, 3816).

⁶⁹⁰ पदार्थस्तु पदैक्येऽपि भिन्नमर्थं प्रकाशयेत् । 4 TYV: 4.

⁶⁹¹ केचित्तु "पदार्थः पदभेदेऽपि न भेदः पुनरर्थतः ।/ TYV: 5.

⁶⁹² पदार्थस्तु य ऐक्येऽपि भिन्नमर्थं प्रकारायेत् ...पदार्थोऽपि च भेदेऽपि न भेदः पुनरर्थतः। पदेन योऽर्थो ज्ञायते यथा गुर्वादयो गुणे॥

TY: 8-10.

⁶⁹³ Chevillard 2009: 84.

to the meaning that is relevant within a context or co-text.

3. hetvartha

Hetvartha appears after padārtha in the earlier listing and before padārtha in the later listing. The word hetvartha is a compound of two words—reason (hetu) and purpose (artha). Although the term hetvartha is present in all lists of the tantrayuktis, it has not been lexicalized as a compound word. Thus, we need to understand the term through its components—hetu and artha. Depending on the meaning of the word artha, the word hetvartha can have different meanings. For example, Bhaṭṭoji Dīkṣita uses the term hetvartha to mean simply the sense of a cause. As a tantrayukti, hetvartha is a logical device that serves as the purpose (artha) of a reason (hetu).

The Suśrutasaṃhitā provides an analytical definition of hetvartha, where it is described as a statement functioning as a premise (*sādhana*). The text supplies an example about moistening of wounds by milk etc. on the basis of the known fact that water moistens a lump of earth. Notably, the word *ukta* in the definition likely does not imply an explicit statement in the text. As appears in the example, it can be a known fact from the outside world that aids in predicting a similar case related to our body.⁶⁹⁵ The Suśrutasamhitā does not mention that water moistens a lump of earth; this is understood from general empirical knowledge. The Suśrutasamhitā prescribes moistening of a wound in certain cases but does not explicitly state how to do so. The knowledge that milk and similar substances can be used to moisten a wound derives from the empirical knowledge of moistening a lump of earth with water. The causal relationship between water and moistening a lump of earth serves a purpose elsewhere as a premise for understanding the causal relationship between milk or other similar substances and moistening of a wound. 696 The definition is clearer in 6.65.11 (Su 1938: 813) because it includes the word other (anya), emphasizing that

⁶⁹⁴ हेत्वर्थे तृतीया स्यात् | SiddhKau: 137.

⁶⁹⁵ Cf. अत्र बाह्येन मृत्पिण्डदृष्टान्तेन माषदुग्धयोगादिभिराभ्यन्तरो व्रणप्रक्लेदः साध्यते। Dalhana on 6.65.11 (Su 1938: 813).

⁶⁹⁶ The definition is similar in *Saddanīti*. In the *Arthaśāstra*, *hetvartha* is defined as a cause that serves a purpose. Although phrased differently, this definition refers to the same concept. See table 4.

Terminology 225

an idea stated in one one context serves a purpose in another. The author of the *Viṣṇudharmottarapurāṇa* as well as commentators such as Hariścandra, Cakrapāṇi, Indu, Aruṇadatta, and Śrīdāsa Paṇḍita define this *tantrayukti* similarly. However, in their interpretation, the term stated (*ukta*) means an explicit statement in the text.

A different definition appears in Nīlamegha's Tantrayuktivicāra, where he defines hetvartha as a situation where an entity is represented by its cause. For example, in the statement, रोगस् तु दोषवैषम्यम्, "disease, however, is the disproportion of the humours," the cause "disproportion of the humours" represents its effect, "disease." It can also be the reverse, where disease is the cause of disproportion of the humours. When a cause and its effect are considered equivalent and one represents the other, it is called hetvartha. This definition by Nīlamegha is not found elsewhere. This may explain why the author of the Tantrayukti does not refer to this definition at all, even though he frequently quotes Nīlamegha. Instead, the author of Tantrayukti uses Aruaṇadatta's definition without attribution. He concludes with another definition, describing hetvartha as a statement where a reason is expressed. Neither V. R. Ramachandra Dikshitar nor P. S. Subrahmanya Sastri identified hetvartha with any utti mentioned in the Tolkāppiyam.

The term *hetvartha* has been translated in various ways, including "extension of argument," "implication," "goal of a reason," and merely

⁶⁹⁷ यदन्यदुक्तमन्यार्थसाधकं भवति स हेत्वर्थः। 6.65.11 (Su 1938: 813). The testimonium in Gaṅgādhara's *Jalpakalpataru* supports the reading of (Su 1938). In his own definition, Gaṅgādhara merely reproduces the definition of the *Suśrutasaṃhitā*. Ca 1928-33: 3, 3815.

⁶⁹⁸ The definition of hetvartha is quite consistent across all the commentaries. Cakrapāṇi's definition: हेत्वर्थो नाम यदन्यत्राभिहितमन्यत्रोपपद्यते । Āyurvedadīpikā on 8.12.41 (Ca 1941: 736). Indu's definition: हेत्वर्थो नाम यदेकत्रोच्यमानमन्यत्रापि तथैवोपयुज्यते । Śaśilekhā on 6.50.150aa (As 1980: 959). Hariścandra's definition is also quite similar: हेत्वर्थो नाम यदन्यप्रस्तावाभिहितमर्थजातमन्यत्रापि तथैवापाद्यते । MS Jamnagar GAU 114 p. 5. Aruṇadatta's definition: हेत्वर्थो नाम यदन्यप्रस्तावोक्तमन्यत्रापि तथैवापाद्यते । Sarvāṅgasundarī on 6.40.80 (Ah 1939: 947). Śrīdāsa Paṇḍita's definition: हेत्वर्थो नामान्यप्रस्तावोक्तमन्यत्रापि तथैवापाद्यते । Hṛdayabodhikā (AHS 1940: 2).

⁶⁹⁹ हेत्वर्थो हेतुनैव स्यात् तत्तदर्थप्रकाशनम् ॥३॥ यथा—'रोगस्तु दोषवैषम्यम्ऽ (अ.ह्.सू. १.२९) इत्यादौ रोगो नाम दोषवैषम्यहेतुः। न तु दोषवैषम्यम्। तत्तु वृद्धिः क्षयो वा। अतो हेतोर् एव रोगः। अत्र तुशब्देन रोगोऽपि दोषवैषम्यस्य हेतुरिति द्योतयति।. TYV: 4.

⁷⁰⁰ हेतुना सह यत्रोक्तिः स हेत्वर्थः प्रकीर्तितः॥ TY:8.

⁷⁰¹ Chevillard 2009: 84.

"reason." We chose to translate *hetvartha* as "purpose of a reason" based on the components of the compound, which closely aligns with Olivelle's translation, "goal of a reason."⁷⁰² While other translations may capture the application of *hetvartha*, they do not convey the lexical meaning of the term.

5-6. uddeśa and nirdeśa

It is necessary to consider the *tantrayuktis uddeśa* and *nirdeśa* in relation to each other as they form a pair of relational antonyms. They consistently appear together in all listings—following *hetvartha* in the earlier listing and *pradeśa* in the later listing. The *Suśrutasaṃhitā* defines *samuddeśa* as a brief statement and *nirdeśa* as a detailed statement. An example of *uddeśa* is given as the simple mention of the word "spike (*śalya*)." In contrast, the example of *nirdeśa* is the phrase "in the body or exogenous," where spike is described in more detail as being of two kinds. These two *tantrayuktis* are stylistic structural devices used in scientific compositions for precision and clarity.

Notes on Significant Variants

...द्वितीये पादे...

The Nepalese version reads द्वितीये पादे which would properly mean the second quarter of the first line; the vulgate reads तृतीये पादे "third quarter" which seems more correct.

यत्र तु स्नेहस्वेदाभ्यञ्जनेषु...पूर्वापरयोगसिद्धो भवति।

There is a dangling relative clause, योऽर्थः, in the Nepalese version that is avoided in the vulgate recension by the addition of स ग्रहीतव्यः. There are two possible explanations for this discrepancy: firstly, the missing main clause may have been present in the archetype but inadvertently omitted in the Nepalese version due to a scribal error. Alternatively, the main clause could have been elliptical in the archetype. The scribes of the Nepalese

manuscripts accurately transmitted the text. However, at some stage during the transmission process, the main clause was supplied as an attempt to rectify the ungrammatical sentence. The interpolation may also stem from Dalhaṇa's commentary in which the exact clause was used. Considering the principle *lectio difficilior potior*, we may posit that the second scenario is more plausible. This is because the subject of the main clause can be inferred from the subject of the previous sentence, and within the context, the meaning of the sentence remains totally intelligible even without the explicit main clause.

सामवेदादयश्च वेदाः

Both , Su 1938 and the excerpts from the Suśrutasaṃhitā cited in the Jalpakalpataru read ऋग्वेदादयस्तु वेदाः, ê "Rgveda and so on are the Vedas." Traditionally, the Rgveda, being the earliest composed Veda, is often considered the prototype. However, the selection of Sāmaveda as the prototype in the Nepalese Version of the Suśrutasaṃhitā is intriguing. This choice brings to mind a verse from the Bhagavadgīta where Kṛṣṇa declares, वेदानां सामवेदोऽस्मि⁷⁰⁴, "I am the Sāmaveda among the Vedas." With its incorporation of musical elements, the Sāmaveda holds a unique charm compared to the Rgveda. Thus, the decision to prioritize the Sāmaveda as the prototype may stem from its intrinsic appeal or enchantment rather than chronological precedence.⁷⁰⁵ However, this reading not just appear in the Nepalese version. Another early Suśrutasaṃhitā manuscript from 1595 also keeps the same reading.⁷⁰⁶

...विद विन्द इत्येतयोश्च धात्वोः...

Three issues need to be addressed here: (1) nomenclature of the verb roots in Sanskrit, (2) the homonymy of vid, and (3) variant readings in , Su 1938 and Jalpakalpataru.

⁷⁰³ तत्र योऽर्थ इत्यादि । पूर्वोक्तपरोक्तवाक्यसम्बन्धेनोपपन्नो योऽर्थो भवति स ग्रहीतव्य इत्यर्थः Þalhaṇa on 6.65.10 (Su 1938: 816).

^{704 10.22} BhaGī: 456.

⁷⁰⁵ Cf. Madhusūdana Sarasvatī's comment on the same verse: चतुर्णां वेदानां मध्ये गानमा-धुर्येणातिरमणीयः सामवेदोऽहमस्मि (10.22 BhaGī: 456), "amongst the four Vedas I am the Sāmaveda, which is extremely delightful due to its musical charm."

⁷⁰⁶ MS Jodhpur RORI 20060 f.265r5.

- (1) The text suggests the etymology of the word veda by mentioning two verb roots, namely vinda and vida. It is worth noting that there are multiple ways of representing Sanskrit verb roots, even within traditional Sanskrit grammar like that of Pāṇini. Verb roots are presented in various forms, including mere lexical root forms, 7^{07} forms ending in -a, 7^{08} ending in -i, 7^{09} or with the ending -ti in the present stem, 7^{10} or sometimes with indicatory sounds (anubandha) as found in the $Dh\bar{a}tup\bar{a}tha^{711}$ In the reading of the Nepalese version of the $Su\acute{s}rutasaṃhit\bar{a}$, the second option, representing the verbs with a final -a, is adopted.
- (2) The second issue pertains to the homonymy of vid in Sanskrit Dhātupāṭhas, where at least four homonymous verbs are mentioned. They all belong to different classes and signify different meanings: \(\sqrt{vid} \) "to know" belongs to the second class (adādi or the root class), \sqrt{vid} "to find, to attain" to the sixth class (tudādi or the suffixally accented thematic class), \sqrt{vid} "to consider" to the 7th class (rudhādi or the athematic nasal infix class) and \(\sqrt{vid} \) "to exist" to the fourth class (\(divadi\) or the thematic ya-suffix class).⁷¹² A 10th-class verb \sqrt{vid} is also mentioned in the *Dhātupātha* but this appears to be derived from the other *vid* verbs with a pleonastic causative suffix. The 4th-class *vid* is also originally a derivative of the other *vid* verbs formed with the passive suffix. The sixth-class verb vid belongs to a subclass called mucādi, characterized by a nasal infix. Thus, it is clear that *vinda*, the first of the two verbs mentioned in the Suśrutasamhitā, is the vid of the 6th class. The form vinda is, therefore, the present stem of the sixth-class verb vid.713 The other one may be the 2ndor the 7th-class vid. The nominalized form of all of these verbs, using the suffix $GHa\tilde{N}$, is veda. This is where the ambiguity appears.

⁷⁰⁷ E.g. as \sqrt{gup} , \sqrt{tij} , and \sqrt{kit} are mentioned in गुप्तिज्किद्भ्यः सन् (Aṣṭādhyāyī: 3.1.5). 708 E.g. as \sqrt{gam} , \sqrt{han} , \sqrt{vid} , and $\sqrt{vi\acute{s}}$ are mentioned in विभाषा गमहनविदिवशाम् (Aṣṭādhyāyī: 7.2.68).

⁷⁰⁹ E.g. as √mṛj is mentioned in मृजेर्विभाषा (Aṣṭādhyāyī: 3.1.113).

⁷¹⁰ E.g. as \sqrt{as} , \sqrt{vac} , and $\sqrt{khy\bar{a}}$ are mentioned in अस्यितविक्तिंख्यातिभ्योऽङ् (Aṣṭād-hyāyī: 3.1.52).

⁷¹¹ E.g. as \sqrt{i} \$ is mentioned in इषुगिमयमां छः (Asṭādhyāyī: 6, 7.3.77). Cf. इषुम्ँ इच्छायाम् (Dhātupāṭha 6.78).

⁷¹² Cf. सत्तायां विद्यते ज्ञाने वेत्ति विन्ते विचारणे। विन्दते विन्दित प्राप्तौ श्यन्लुक्श्नम्शेष्विदं क्रमात्॥ (SiddhKau: 402).

⁷¹³ Mentioning verbs in their present stem forms is not uncommon. The same 6th class verb \sqrt{vid} is mentioned as vinda in this rule: अनुपसर्गाल्लिम्पविन्दधारिपारिवेद्युदेजिचेतिसाति-साहिभ्यश्च (Aṣṭādhyāyī: 3.1.138).

(3) In , Su 1938, the verbs are represented as they appear in the Paninian $Dh\bar{a}tup\bar{a}tha$, with indicatory letters (anubandha) and meanings attached to the roots: विद विचारणे, विदू लाभे. 714 However, the citation from the Jalpakalpataru presents another variant— विद् विचारणे विद् विन्दिति 715. In both of these variants, the meanings of the verb roots appear. The verbs mentioned here are the 7th- and the 6th-class \sqrt{vid} respectively. The absence of meanings attached to the verb roots in the Nepalese version suggests the preservation of an older form of the text. 716

...धात्वोरेकार्थः। पश्चात् पदं भवति...

The Nepalese version of this passage significantly diverges from other witnesses. For a comparison the readings of four witnesses are provided:

- पूर्वापरम् उपलक्ष्य विन्द विद इत्येतयोश्च धात्वोरेकार्थः | पश्चात् पदम् भवति आयुर्वे-दोत्पत्तिमयं विवक्षुरिति (Nepalese version)
- 2. तत्र पूर्वापरयोगमुपलभ्य विंदतीत्येतयोश्च धात्वोरेकार्थयोः पश्चात् पदं भवति आयुर्वेदो-त्पत्तिमयं विवक्षरिति (Śuśrutapāṭhaśuddhi MS London BL IOLR 1842)
- 3. तत्र पूर्वापरयोगमुपलभ्य विद् विचारणे विद् विन्दतीत्येतयोश्च धात्वोरनेकार्थयोः प्रयोगः पश्चात् प्रतिपत्तिर्भवति आयुर्वेदोत्पत्तिमयं विवक्षरिति (Jalpakalpataru)
- 4. विद विचारणे, विद्रू लाभे, इत्येतयोश्च धात्वोरनेकार्थयोः प्रयोगात्, तत्र पूर्वापरयोगमु-पलभ्य प्रतिपत्तिर्भवति आयुर्वेदोत्पत्तिमयं विवक्षुरिति (Su 1938)

Evidently, the readings gradually change across these manuscripts, with the Nepalese version representing the earliest and the last drawing from more recent manuscripts. Two key issues emerge: firstly, the contradictory readings of एकार्थः or एकार्थयोः versus अनेकार्थयोः, and secondly, the syntactic structure of the sentence.

(1) The Nepalese version and MS London BL IOLR 1842 uphold the former of the contradictory readings, while the *Jalpakalpataru* and (Su 1938) adhere to the latter. Dalhaṇa's commentary provides no definitive insight about his preferred reading. Nevertheless, the earlier reading appears more coherent. Although the two homonymous verbs

^{714 6.65.10 (}Su 1938: 813).

⁷¹⁵ Ca 1928-33: 3, 3816.

⁷¹⁶ Scholars believe that meanings were not initially attached to verb roots in the original Paninian *Dhātupāṭha* and were later additions, possibly by Bhīmasena. See Cardona 1976: 161–163.

bear distinct meanings, the context fails to privilege one over the other. In essence, we are not able to grasp the relevant meaning (padārtha) of the word veda by choosing one or the other meanings of the homonymous verb vid—be it Sāmaveda or Āyurveda, the meaning of the root vid does not change. The comprehension of veda as Āyurveda only occurs upon encountering the word "āyurveda" itself appearing after two sentences.⁷¹⁷. Hence, the reading अनेकार्थयोः appears less tenable. But if we take the meaning of the word artha as "meaning," the phrase विन्द विद इत्येतयोश्च धात्वोरेकार्थः does not make sense either because these two homonymous verbs indeed have two different meanings. However, interpreting the word artha as "purpose" offers a more plausible explanation—both verbs, regardless of their individual meanings, serve the same purpose when nominalized with the suffix GHaÑ, yielding the same form veda.

(2) The other issue pertains to the sentence's syntax. In the Nepalese version, there are two separate sentences: "पूर्वापरमुपलक्ष्य विन्द विद इत्येतयोश्च धात्वोरेकार्थः" and "पश्चात् पदम् भवति…", whereas all other witnesses present a unified sentence. The fact of having two different sentences in the Nepalese version is determined by the use of the nominative case in the word एका-र्थः, while the nominative of the second sentence is पदम्. In other readings, the genitive case is employed (एकार्थयोः) and thus the entire chunk in question constitutes a single sentence. Under this interpretation, the sentence conveys the meaning as: "when the prior and the subsequent elements are considered, after the fact that the roots *vin*d and *vid* have the same meaning, the clue appears that he wants to talk about the origin of Āyurveda." Here, the word पदम् likely denotes a sign or a clue, rather than its conventional meaning "word", which would be incongruous in this context.

यदुक्तं साधनं भवति स हेत्वर्थः

The reading in 6.65.11 (Su 1938: 813) is यदन्यदुक्तमन्यार्थसाधकं भवति स हेत्वर्थः. The same reading appears in MS London BL IOLR 1842 and the testimonium in the Jalpakalpataru. MS Jodhpur RORI 20060 reads यदुक्तमुभयार्थ-साधनं भवति स हेत्वर्थः. Clearly, the reading in the Nepalese version represents an older stage of the textual transmission, while the vulgate version indicates an attempt to clarify the definition. A comparison with the readings

⁷¹⁷ Cf. 'आयुर्वेदिमच्छाम इहोपिदश्यमानम्' इत्यस्मिन्नायुर्वेदशब्दः श्रूयते, अतोऽत्र वेद आयुर्वेद इत्यभिप्रायः॥ (Dalhaṇa on 6.65.10 (Su 1938: 816)).

found in the texts of earlier listing may also suggest that the reading in the Nepalese version is older.

...तथा माषदुग्धप्रभृतिभिर्त्रणः क्लिद्यते

The reading माषद्वाध...presents some challenges. The Nepalese manuscripts, (Su 1938), Dalhaṇa's reading in (Su 1938), and MS London BL IOLR 1842—all have māṣadugdha-. However, this reading does not make much sense. Should we interpret it as a dvandva (beans and milk) or a tatpuruṣa (milk mixed with beans or bean milk)? The first option (dvandva) is untenable because a wound cannot be moistened with a solid substance like beans. The second option is also unlikely for two reasons:

- 1. In the Suśrutasaṃhitā, the word -prabhṛti- typically follows more than one item in a dvandva compound. Therefore, the reading माषदुग्धप्र- भृतिभिः, where māṣadugdha signifies one item, is statistically improbable.
- 2. Does *māṣadugdha* mean bean milk? This expression is not found elsewhere. Does it mean milk mixed with beans? If so, it should be used for a specific remedial recipe and mentioned in the *Suśrutasaṃhitā*. However, there is no such reference to *māṣadugdha* in the text. If māṣadugdha is not mentioned elsewhere, it is unlikely the author intended such a complex example.

We conjecture that the original term was not $m\bar{a}$ sadugdha- but $c\bar{a}$ jyadugdha- or \bar{a} jyadugdha-. MS Jodhpur RORI 20060 supports this reading. In this manuscript, The character before jya is unclear, but it is clear that there is a medial vowel \bar{a} before jya. The expression \bar{a} jyadugdha- appears in other Sanskrit texts. If we read \bar{a} jya- or $c\bar{a}$ jya- instead of $m\bar{a}$ sa, it would mean "a wound gets moistened with ghee, milk, etc.," which makes much more sense. If \bar{a} jya- or $c\bar{a}$ jya- was the original reading, the scribal error likely occurred quite early when the ligature jya looked similar to sa.

समासवचनं समुद्देशः

The reading समुद्देशः appears in the Nepalese manuscripts and MS Jodhpur RORI 20060. Everywhere else, the reading is उद्देश, which matches the list of tantrayuktis provided at the beginning of the chapter. The version of the

Jalpakalpataru includes another variant, समासकथनम्, which is not supported by any other witnesses.

Characteristics of the Manuscript Transmission

Translation 233

Translation

1 Now we shall explain the chapter called, "the enunciation of the logical methods of the system (*tantrayukti*)."

3 There are thirty-two logical methods of the system. They are as follows:

1.	topic (adhikaraṇa)	18.	objection (pūrvapakṣa)
2.	cohesion (yoga)	19.	determination (nirṇaya)
3.	relevant meaning (padārtha)	20.	consent (anumata)
4.	purpose of a reason	21.	itemization (vidhāna)
	(hetvartha)	22.	future reference
5.	mention (samuddeśa)		(anāgatāpekṣaṇa)
6.	description (nirdeśa)	23.	past reference
7.	prescription (upadeśa)		(atikrāntāpekṣaṇa)
8.	statement of reason (apadeśa)	24.	doubt (saṃśaya)
9.	indication (<i>pradeśa</i>)	25.	explication (<i>vyākhyāna</i>)
10.	prediction (atideśa)	26.	field-specific term
11.	exception (apavarga)		(svasaṃjñā)
12.	ellipis (<i>vākyaśeṣa</i>)	27.	interpretation (nirvacana)
13.	implication (arthāpatti)	28.	illustration (nidarśana)
14.	contraposition (viparyaya)	29.	compulsion (niyoga)
15.	recontextualization	30.	option (vikalpa)
	(prasaṅga)	31.	aggregation (samuccaya)
16.	invariable statement (<i>ekānta</i>)	32 .	deducible ($\bar{u}hya$)
17.	variable statement (anekānta)		

- 4 It is said about this, "what is the purpose of these methods?" The answer is, "cohesion of a sentence and cohesion of meaning".⁷¹⁸
- 5-6 There are two verses about this:

The logical methods of the system prohibit statements employed by people who do not speak the truth. They also bring about the validity of one's own statements. And they also clarify meanings that are stated back to front, that are implicit, unclear and any that are partially stated.

⁷¹⁸ Dalhaṇa on 6.65.4 (Su 1938: 815) explained "cohesion of a sentence" as "connecting up a sentence that is not connected," and "cohesion of meaning" as "clarifying or making appropriate a meaning that is implied or inappropriate."

- 8 Among them, "topic (adhikaraṇa)" refers to the object, with reference to which statements are made, such as flavour (rasa) or humour (doṣa).⁷¹⁹
- "Cohesion (*yoga*)" is that by which a sentence coheres, as when words that are in a reversed order, whether placed close or apart, have their meanings unified.

Sesame oil he should drink, with heart-leaved moonseed creeper, neem tree, maidenhair fern, Indrajao, and long pepper

that is cooked with heart-leaf sida and country mallow, and deodar, always for a benefit in the case of the disease goitre.

In this verse, one ought to say, first, "one should drink cooked…." However, the word "cooked" is used in the second line.⁷²⁰ Unifying the meanings of words in this way, even though they are far apart, is cohesion.

The meaning that is conveyed in an aphorism $(s\bar{u}tra)$ or a word is called relevant meaning $(pad\bar{a}rtha)$. The meaning that is attached to one or more words is the meaning of one or more words $(pad\bar{a}rtha)$. There are innumerable meanings of a word or words.⁷²¹

Where two or three meanings of words such as *sneha*, *sveda* or *añjana* appear to be possible, the relevant meaning is the one that coheres with prior and subsequent elements. For example, when it is said that, "We

⁷¹⁹ The idea here is that "rasa" may be the topic of a chapter, and statements in that chapter are all understood to be about that topic

⁷²⁰ See note on 226.

⁷²¹ Contrary to the translations by previous translators Singhal and Mitra and P. V. Sharma, we believe that there is a distinction in how the term padārtha is employed in the first sentence, which serves as the definition of this tantrayukti, and in the two subsequent sentences, which pertain to the non-technical understanding of the word padārtha. We have translated the initial use of the word padārtha as "relevant meaning" and the subsequent use as mere "meaning of one or more words." Without presupposing the distinct usage of the word padārtha in this passage, the statement, अपरिमित्ताश्च पदार्थाः, might seem out of context, as it would not make sense to assert that there are innumerable padārthas once the text has already specified that padārtha refers to the particular meaning conveyed in a sūtra or a word. Furthermore, the subsequent illustration featuring three polysemic words—sneha, sveda, and añjana—also supports our argument. Through these examples, the text advocates for the perspective that in cases where a word has multiple meanings, only the interpretation that aligns with the preceding and subsequent elements should be regarded as padārtha.

Translation 235

are going to explain the chapter on the *veda*-origin" the mind may be confused about which "*veda*" will be spoken about. *Sāmaveda* and so on are the Vedas. Taking note of the prior and subsequent elements, the two roots *vind* "find" and *vid* "know" have a single meaning.⁷²² Subsequently, the understanding takes place that there is a wish to talk about the origin of *āyurveda*. So that is the meaning of the word.

- The purpose of a reason (hetvartha) is a statement that becomes a premise ($s\bar{a}dhana$). e For example, just as a lump of earth is moistened by water, so a wound is moistened by substances like milk with green gram.
- 12 A mention (*samuddeśa*) is a brief statement such as "spike (*śalya*)".⁷²³
- 13 A description (*nirdeśa*) is a detailed statement. For example, "in the body or exogenous".⁷²⁴
- "Prescription" (*upadeśa*) refers to statements like "it should be this way." For example, one should not stay awake at night; one should not sleep during the day.
- "Statement of reason" (*apadeśa*) refers to statements like "this happens because of this." For example, in the sentence "Sweet substances increase phlegm," the reason is stated.⁷²⁵
- 16 Substantiation of the subject matter through past evidence is "indication (*pradeśa*)." For example, he pulled out Devadatta's splinter (*śalya*), therefore he will pull out Yajñadatta's.
- Substantiation of the subject matter through a future event is "prediction (atideśa)." For example, if his wind moves upwards, that will cause him to have colic."⁷²⁶

⁷²² The Nepalese text here is hard to follow, and the vulgate has a significantly different reading. But the problem situation seems to be as follows. The <code>Suśrutasaṃhitā</code> opens with a statement saying that it will describe the "origin of the <code>veda"</code> (<code>vedotpatti</code>). The problem is, what does this word "<code>veda"</code> refer to? Is it the Veda, as in Sāmaveda? Or something derived from the roots <code>vind</code> or <code>vid</code>? Context ("prior and subsequent elements") can help us to know that "<code>veda"</code> means only "āyurveda" and that the <code>Suśrutasaṃhitā</code> is talking about the origin of ayurveda, specifically. This same issue is also addressed by Dalhaṇa at 1.1.1 (Su 1938: 1).

⁷²³ Generally, शल्य refers to any painful foreign body embedded in the flesh that requires surgical removal.

⁷²⁴ This is a reference to 1.26.4 (Su 1938: 121) where शल्य is described in more detail as being of two kinds.

⁷²⁵ A techical term also in Nyāyaśāstra (Jhalakīkar 1978: 54).

⁷²⁶ A techical term also in Nyāyaśāstra (Jhalakīkar 1978: 6–7).

- A deviation after generalization is exception (*apavarga*). For example, those afflicted by poison should not go through sudorific treatment other than the cases of poisoning by urinary worms.
- Ellipsis (*vākyaśeṣa*) refers to an unstated word that completes a sentence. For example, despite not mentioning the word 'person', when mentioning someone as 'the one having a head, hands, feet, flanks, and abdomen,' it's apparent that the reference is to a person.
- 20 Implication refers to an unstated idea that becomes evident through context. For example, when one said, "We will eat rice" it becomes evident from the context that he did not wish to drink gruel.
- When there is the reversal of it, it is contraposition (*viparyaya*). For example, when it is said, "Weak, dyspneic, and fearful people are difficult to treat," the converse holds true: "Those who are strong and so on are easily treatable."
- Recontextualization (*prasaṅga*) refers to a concept common to another section. For example, a concept belonging to another section is brought up by mentioning it repeatedly throughout.
- Invariable statement ($ek\bar{a}nta$) is one that is stated with certainty. For example, turpeth causes purgation; emetic nut induces vomiting.
- Variable statement (*anekānta*) is one that is true in one way in some cases and in another way elsewhere. For example, some teachers identify the main element as substance, others as fluid, some as semen, and some as digestion.
- A first point of view ($p\bar{u}rvapak$, a) is something stated with certainty. For example, how are the four types of diabetes caused by wind incurable?
- 26 Its answer is determination. For example, afflicting the body and trickling downwards, it creates urine mixed with fat, fatty tissues, and marrow. Thus, those caused by wind are incurable.
- 28 Consent (*anumata*) refers to others' opinion that is not rejected. For example, when the assertor says that there are six flavours and that somehow gets accepted with affirmation, it is termed consent.
- Itemization (*vidhāna*) refers to sequentially ordered statements within a chapter. For example, the eleven lethal points of thigh are mentioned

See chapter 40 of Sūtrasthāna.

vasā / medas / maj-

⁷²⁷ The adverb निःसंशयम् is problematic: the example expresses a query or doubt, the opposite of certainty, which is answered in the next passage. It would seem to make more sense to read something like यस् तु ससंशयम् अभिधीयते स पूर्वपक्षः, but our manuscripts are unanimous in their reading.

Translation 237

- sequentially in a chapter.
- 30 A statement like "Thus will be stated" is future reference (anāg-atāpekṣaṇa) such as when he says in the Sūtrasthāna, "I will mention it in the Cikitsāsthāna."
- A statement like "Thus has been stated" is past reference (atikrāntāpekṣaṇa) such as when one says in the Cikitsāsthāna, "As mentioned in the Sūtrasthāna...."
- An indication pointing to causes on both sides is doubt (sam saya). For example, a blow to the sole-heart (talah rdaya)⁷²⁸ is fatal, whereas cutting hands and feet is not fatal.
- An elaborate description is explication (*vyākhyāna*). For example, the twenty-fifth entity, person (*puruṣa*), is being explicated here. Thus, no other Āyurvedic texts discuss entities beginning with matters.
- A field-specific term ($svasamj\tilde{n}a$) is uncommon in other fields of studies. The term used in one's own systems is called field-specific term, such as in this system, pair (mithuna) denotes honey and ghee, and triad (mithuna) denotes ghee, sesame oil and fat.
- A customary potrayal is interpretation (*nirvacana*). For example, one goes along the shade fearing heat.
- 36 Providing examples is illustration (*nidarśana*). For example, just as fire spreads rapidly in a dry forest when accompanied by wind, a wound intensifies affected by wind, bile, and phlegm.
- A statement like "This is the only way..." ... compulsion (*niyoga*). For example, one should consume only a healthy diet.
- A statement like "This and this..." is option (*vikalpa*). For example, in the section on meat, the major ones are blackbuck, deer, quail and partridge.⁷²⁹
- A summarized statement is aggregation (*samuccaya*).⁷³⁰ For example, let there be rice with meat broth, rice with milk, or burley with ghee.

A meaningful reading of these two rules would be

the Nepalese version.

Does bhūtādi a compound or it means ahaṅkāra or ego?

triad? -DW

⁷²⁸ तलहृदय is one of the muscle-group of lethal points mentioned in 3.6.7 (Su 1938: 370). 729 The example here matches समुच्चय (next text), not विकल्प. There seems to have been a metathesis of terms. Y. T. Ācārya and N. R. Ācārya (Su 1945: 1005, footnote 6) notes that this text and the next have been swapped in the Calcutta edition that includes Hārāṇacandra's commentary Bhaṭṭācārya 1910–17: 2, in the same way as in

⁷³⁰ As stated in the previous footnote, the example here is of विकल्प, not समुच्चय.

39 idam vedam veti vikalpah / yathā rasodanah kṣīrodanah saghṛtā vā yavāgūr bhavatv iti //

38 saṃkṣepavacanaṃ samuccayaḥ / yathā māṃsavarge eṇahariṇalāvatittirāḥ pradhānā iti

What is not explicitly stated but can be understood through discernment is deducible ($\bar{u}hya$). For example, in the section on rules of foods and drinks, four types of foods and drinks are mentioned—masticable (bhak sya), edible (bhojya), suckable (lehya), and drinkable (peya). Thus, while four types are needed to be stated, two types are actually mentioned. Here it is deducible that in the section on foods and drinks, by specifically mentioning two types, the four types are also mentioned. Furthermore, a masticable item is not excluded from the category of food because it shares the same characteristic of solidity. A suckable item is not excluded from being classified as a drink because it shares the same characteristic of liquidity. Four types of aliments are rare. They are usually just twofold. Therefore, lord Dhanvantari says "Twofold is popular".

Editions and Abbreviations

Ah 1939 Kumte, Annā Moreśvara, Navare, Kṛṣṇaśāstrī, and

Parādkar, Hariśāstrī (1939) (eds.), श्रीमद्वाग्भटविरचितम् अष्टाङ्गहृदयम्, श्रीमदरुणदत्तविरचितया सर्वाङ्गसुन्दराख्यया व्याख्यया, हेमाद्रिप्रणीतया आयुर्वेदरसायनाह्वया टीकया च समुल्लसितम् = The Astāngahṛidaya (6th edn., Muṃbayyām: Nirṇayasāgara

Press), ark:/13960/t3tt6967d.

AHS 1940 Mūss, C. N. Nārāyaṇan (1940) (ed.), श्रीमद्वाहटाचार्यप्रणीतम्

अष्टाङ्गहृदयम् | श्रीदासपण्डितविरचितया हृदयबोधिकाख्यया व्याख्यया समलङ्कृतम् (Śrīcitrāyurvedagranthamālā, 4; Trivandrum:

Rājakīyamudrāśālā), ark:/13960/s23qzpqc61j.

Anup Anup Sanskrit Library.

Apte Apte, Vaman Shivaram (1992), The Practical Sanskrit-

English Dictionary (Kyoto: Rinsen Book Company), ISBN: 4-653-00038-7; Reprinted from Gode and Karve 1957–59.

Arthaśāstra Kangle, R. P. (1960), The Kauṭilīya Arthaśāstra (University

of Bombay Studies Sanskrit, Prakrit and Pali, 1; Bombay:

University of Bombay), accessed 23/09/2021.

AS Asiatic Society.

As 1980 Athavale, Anamta Dāmodara (1980) (ed.), अष्टाङ्गसङ्गहः

श्रीमद्भुद्धवाग्भटिवरचितः इन्दुव्याख्यासिहतः [= Vāgbhaṭa's Aṣṭāṅ-gasaṅgraha with Indu's Commentary] (Puṇe: M. A. Āṭhavale, Śrīmad Ātreya Prakāśanam), ark:/13960/s25bwqsd0n7.

Aṣṭādhyāyī Sharma, Rama Nath (2002–03), The Aṣṭādhyāyī of Pāṇini,

6 vols. (Second revised and enlarged edition, New Delhi:

Munshiram Manoharlal Publishers Pvt. Ltd.).

BhaGī

Paṇśīkar, Wāsudev Laxmaṇ Shāstrī (1936) (ed.), श्री-मद्भगवद्गीता श्रीमच्छाङ्करभाष्येण-आनन्दिगरिकृतव्याख्यायुजा संवलिता तथा नीलकण्ठी-भाष्योत्कर्षदीपिका-श्रीधरीयसुबोधिनी-अभिनवगुप्ताचार्यव्यात्था-श्रीमधुसूदनसरस्वतीस्वामिकृतगूढार्थदीपिकाख्यव्याख्यासहिता तद्भ्याख्यानेन श्रीधर्मदत्तशर्म(प्रसिद्धबच्चाशर्म)विरचित-गूढार्थतत्त्वालोकेन युता च (2nd edn., Bombay: Nirṇaya-Sāgar Press), ark:/ 13960/t7jq76w6m.

Bhela 1921

Mookerjee, Ashutosh, and Ananta Krishna Shastri, Vedantabisharad (1921) (eds.), *The Bhela Samhita. Sanskrit Text* (Calcutta: University of Calcutta), ark:/13960/t3sv3157j; Based on two copies made of the Thanjavur codex unicus (MS Thanjavur TMSSML 10773, Burnell 1880: 63–4, P. P. S. Sastri 1933: #11085).

Bhela 2000

Krishnamurthy, K. H. (2000), *Bhela-saṃhitā*. *Text with English Translation, Commentary and Critical Notes* (Haridas Ayurveda Series, 8; Varanasi: Chaukhambha Visvabharati).

BL

British Library.

Ca 1877

Bhaṭṭācāryya, Jīvānanda Vidyāsāgara (1877) (ed.), चरकसंहिता सूत्र-निदान-विमान-शारीरेन्द्रिय-चिकित्सित-कल्प-सिद्धिस्थानात्मका। भगवता आत्रेयेण पुनर्वसुना उपदिष्टा अग्निवेश-नामधेयेन तत् शिषेण विरचिता चरकाभिधेयेन ऋषिणा प्रतिसंस्कृता (Calcutta: Sarasvatī Yantra), ark:/13960/t0sq9gf44.

Ca 1904

Sarmā, Satīśacandra (1904) (ed.), চরকসংহিতা (1st edn., Kalikātā: Bhaiṣajya Steam Machine Press), ark:/13960/t51g4nm8m.

Ca 1911

Vaidyopādhyāya, Rāmaprasāda (1911) (ed.), चरकसंहिता। श्रीमन्महर्षिप्रवरचरकप्रणीता। पण्डितरामप्रसादवैद्योपाध्यायविरचितप्रसादनी-भाषाटीकासहिता। (mumbayī: Kṣemarāja-Śrīkṛṣṇadāsaśreṣṭhin), ark:/13960/t2r59q189.

Ca 1923

Śarmā, Satīśacandra (1923) (ed.), চরকসংহিতা (3rd edn., Kalikātā: Bhaiṣajya Steam Machine Press), ark:/13960/ t17m5hp8c. Ca 1928-33 Senagupta, Narendranātha, and Senagupta, Balāicandra (1928–33) (eds.), चरक-संहिता। महामुनिना भ-गवताग्निवेशेन प्रणीता महर्षिचरकेण दृढबलेन च प्रतिसंस्कृता चरकचतुरानन-श्रीमञ्चक्रपाणिदत्तप्रणीतया आयुर्व्वेददीपिकाख्यटीकया महामहोपाध्याय-श्रीगङ्गाधरकविरत्नकविराजविरचितया जल्पकल्प-तरुसमाख्यया टीकया च समलङ्कृता, 3 vols. (kalikātānagarī: Dhanvantari Electric Machine Yantra).

Ca 1933 Acārya, Yādavaśarma Trivikrama (1933) (ed.), मह-र्षिणा अग्निवेशेन प्रणीता चरकदृढबलाभ्यां प्रतिसंस्कृता चरकसंहिता (3rd edn., Mumbayyāṃ: Nirnaya Sagara Press), ark :/ 13960/t42s3kk45.

Ca 1941 Ācārya, Yādavaśarma Trivikrama (1941) (ed.), महर्षिणा पुन-र्वसुनोपदिष्टा, तच्छिष्येणाग्निवेशेन प्रणीता, चरकदृढबलाभ्यां प्रतिसंस्कृता चरकसंहिता, श्रीचक्रपाणिदत्तविरचितया आयुर्वेददीपिकाव्याख्यया संव-लिता (3rd edn., Mumbayyāṃ: Nirnaya Sagara Press), ark:/ 13960/t48q2f20n.

Turner, R. L. (1966–85), A Comparative Dictionary of the Indo-Aryan Languages (London, New York, Toronto: Oxford University Press), ISBN: 0197135501, URL; With Indexes compiled by Dorothy Rivers Turner (OUP, London, 1969), Phonetic Analysis by R. L. and D. R. Turner (OUP, London, 1971), and Addenda and Corrigenda edited by J. C. Wright (School of Oriental and African Studies, London, 1985). Vol. 1: ark:/13960/s22vppb4h8s; v. 2:

DED₂ Burrow, Thomas, and Emeneau, Murray B. (1984), *A Dravidian Etymological Dictionary* (2nd edn., Oxford: Clarendon Press), ark:/13960/t4wj06g26, URL.

EWA Mayrhofer, Manfred (1986–2001), Etymologisches Wörterbuch des Altindoarischen (Heidelberg: Carl Winter, Universitätsverlag), ISBN: 3-533-03826-2.

Garuḍapurāṇa Pāṇḍeya, Rāmateja (1963) (ed.), श्रीकृष्णद्वैपायनव्यासप्रणीतं गरुडपुराणम् (Vidyabhawan Prachyavidya Granthamala, 3; reprint, Caukhambā Vidyābhavana, Paṇḍita-Pustakālaya: Kāśī), ark:/13960/t6pz7tg7j.

HIML Meulenbeld, Gerrit Jan (1999–2002), A History of Indian

Medical Literature, 5 vols. (Groningen: E. Forsten), ISBN:

9069801248.

IOLR Eggeling, Julius, et al. (1887–1935), Catalogue of the Sanskrit

Manuscripts in the Library of the India Office (London: Secret-

ary of State for India), ark:/13960/s2kbk5zcrg9.

KEWA Mayrhofer, Manfred (1953–72), Kurzgefaßtes etymologisches

Wörterbuch des Altindoarischen; a Concise Etymological Sanskrit Dictionary (Heidelberg: Carl Winter, Universitätsver-

lag).

KL Kaiser Library.

Mahābhāṣya Kielhorn, F. (1880–85) (ed.), The Vyâkaraṇa-Mahâbhâshya of

Patanjali, 3 vols. (Bombay: Government Central Book De-

pot), ark:/13960/s258g7r6bxf.

Mahākośa Jośī, Veṇīmādhavaśāstrī, and Jośī, Nārāyaṇa Harī (1968),

आयुर्वेदीय महाकोशः अर्थात् आयुर्वेदीय शब्दकोशः संस्कृत–संस्कृत (Muṃbaī: Mahārāṣṭra Rājya Sāhityta āṇi Saṃskṛti

Mamdala), ark:/13960/t22c41g8t.

Mānasollāsa Shrigondekar, Gajanan K. (1925–61) (ed.), मानसोल्लासः =

Mānasollāsa [or Abhilaṣitārthacintāmaṇi] of King Someśvara (Gaekwad's Oriental Series; Baroda: Oriental Institute),

ark:/13960/t87h8tn95; v. 2: ark:/13960/t3gz41v8m.

 MN_1 Ācārya, Yādavaśarma Trivikrama (1920) (ed.), महामित-श्रीमाधवकरप्रणीतं माधवनिदानम श्रीविजयरक्षित-श्रीकण्थदत्ताभ्यां

> विरचितया मधुकोशाख्यव्याख्यया, श्रीवाचस्पतिवैद्यविरचितया आत-ङ्कदर्पणव्याख्याया विशिष्टांशेन च समुल्लसितम् = Mādhavanidāna by Mādhavakara with the Two Commentaries, Madhukosha

> by Vijayarakshita & Shrīkanthadatta and Ātankadarpaṇa by Vāchaspati Vaidya (1st edn., Bombay: Nirnaya Sagara

Press), ark:/13960/t9z08jn5j.

 MN_3 Ācārya, Yādavaśarma Trivikrama (1932) (ed.), महामित-श्रीमाधवकरप्रणीतं माधवनिदानम् श्रीविजयरक्षित-श्रीकण्यदत्ताभ्यां

विरचितया मधुकोशाख्यव्याख्यया, श्रीवाचस्पतिवैद्यविरचितया आत-ङ्कदर्पणव्याख्याया विशिष्टांशेन च समुष्लसितम् = Mādhavanidāna

by Mādhavakara with the Two Commentaries, Madhukosha

by Vijayarakshita & Shrīkanthadatta and Ātankadarpaṇa by Vāchaspati Vaidya (3rd edn., Bombay: Nirnaya Sagara Press), ark:/13960/t66452x0h; Reprinted Varanasi: Chowkhambha, 1986.

MW Monier-Williams, Monier, Leumann, E., Cappeller, C., et

al. (1899), A Sanskrit–English Dictionary Etymologically and Philologically Arranged, New Edition (Oxford: Clarendon

Press); 1970 reprint.

NAK National Archives of Kathmandu.

Na<u>nn</u>ūl Sripathi, Muthu Krishna (1995) (ed.), Nannūl: A pereptive

and comprehensive translation in English (Madurai: MK Sri-

pathi).

NCC Raghavan, V., et al. (1949–), New Catalogus Catalogorum, an

Alphabetical Register of Sanskrit and Allied Works and Authors, 39 vols. (Madras University Sanskrit Series; Madras: University of Madras); v.1: revised edition, 1968. Searchable at

https://vmlt.in/ncc/.

NGMCP NGMCP (2014), "Nepal-german Manuscript Cataloguing

Project. Online Title List and Descriptive Catalogue," Universität Hamburg and Deutsche Forschungsgemeinschaft,

URL.

PW Böhtlingk, Otto, and Roth, Rudolph (1855–75), Sanskrit-

Wörterbuch (St. Petersburg: Kaiserlichen Akademie der

Wissenschaften), URL, accessed 18/05/2023.

PWK Böhtlingk, Otto (1879), Sanskrit-wörterbuch in kürzerer

fassung (St. Petersburg: Kaiserlichen Akademie der

Wissenschaften), URL, accessed 18/05/2023.

RORI Rajasthan Oriental Research Institute.

Śabdasindhu Gupta, Umeśachandra, and Sena, Nagendra Nātha (1983),

वैद्यक-शब्दसिन्धुः = Vaidyaka-Śabdasindhuḥ (3rd edn., Varanasi & Delhi: Chaukhambha Orientalia); 3rd ed. first published

in 1914.

Saddanīti 3

Smith, Helmer (1930) (ed.), Saddanīti la grammaire Palie d'Aggavaṃsa: III Sūttamālā (Pariccheda XX–XXVIII) (Skrifter utgivna av Kungl. Humanistiska Vetenskapssamfundet i Lund, XII:3; Lund: C. W. K. Gleerup), ark:/13960/t1jh9w87b.

SiddhKau

Gāḍagil□a, Dinakaraśāstrin, and Paṇaśīkara, Vāsudevaśarman (1904) (eds.), तत्त्वबोधिनीसमाख्यव्याख्यासंविलता सिद्धान्तकौमुदी नाम भट्टोजिदीक्षितप्रणीता पाणिनीयव्याकरणसूत्रवृत्तिः (3rd edn., Mumbayī: Niṛnaya Sāgara), ark :/ 13960 / t0zq08k33.

Su 1889

Bhaṭṭācāryya, Jīvānanda Vidyāsāgara (1889) (ed.), सुश्रुतः. सूत्र-निदान-शारीर-चिकित्सा-कल्पोत्तर-तन्त्र-कल्पित आयुर्वेद. भगवता धन्वन्तरिणोपदिष्टः सुश्रुतनामधेयेन तच्छिष्येण विरचितः (3rd edn., Calcutta: Sarasvatī Press), ark :/ 13960 / t1nh6j09c; HIML: IB, 311, edition b.

Su 1915

Ācārya, Yādavaśarma Trivikrama (1915) (ed.), सुश्रुतसंहिता, सुश्रुतेन विरचिता, वैद्यवरश्रीडल्हणाचार्यविरचितया निबन्धसंग्रहाख्य-व्याख्यया समुष्लसिता, आचार्योपाह्वेन त्रिविक्रमात्मजेन यादवशर्मणा संशोधिता = The Sushrutasamhita of Sushruta, the Nibandhasangraha Commentary of Shri Dalhaṇāchārya (Mumbayyāṃ: Nirṇayasāgaramudrāyantrālaye), ark:/13960/t3sv0mt50, accessed 29/07/2020; HIML: IB, 312 edition *v.

Su 1931

Ācārya, Yādavaśarma Trivikrama (1931) (ed.), सुश्रुत-संहिता, वैद्यवरश्रीडल्हणाचार्यविरचितया निबन्धसंग्रहाख्यव्याख्यया समुष्ठसिता, महर्षिणा सुश्रुतेन विरचिता, सूत्र-निदान-शारीर-चिकित्सा-कल्पस्थानोत्तरतन्त्रात्मकः. आचार्योपाह्वेन त्रिविक्रमात्मजेन यादवशर्मणा संशोधिता = The Sushrutasaṃhitā of Sushruta with the Nibandhasangraha Commentary of Shree Dalhaṇāchārya (2nd edn., Mumbayyāṃ: Pāṇḍuraṅga Jāvajī at the Nirṇayasāgaramudrāyantrālaye), ark :/ 13960 / t9j41sg94, accessed 09/06/2020; HIML: IB, 312 edition *v.

Su 1938

Ācārya, Yādavaśarma Trivikrama, and Ācārya, Nārāyaṇa Rāma (1938) (eds.), श्रीडल्हणाचार्यविरचितया निबन्धसंग्रहा-ख्यव्याख्यया निदानस्थानस्य श्रीगयदासाचार्यविरचितया न्यायचन्द्रि-काख्यपञ्जिकाव्याख्यया च समुल्लसिता महर्षिणा सुश्रुतेन विरचिता सुश्रुतसंहिता (3rd edn., Bombay: Nirṇayasāgara Press),

ark:/13960/t09x0sk1h; HIML:IB, 313, edition cc ('the vulgate').

Su 1938²

Ācārya, Yādavaśarma Trivikrama, and Ācārya, Nārāyaṇa Rāma (2004) (eds.), महर्षिणा सुश्रुतेन विरचिता सुश्रुतसंहिता, श्री-डल्हणाचार्यविरचितया निबन्धसंग्रहाख्यव्याख्यया निदानस्थानस्य श्रीग-यदासाचार्यविरचितया न्यायचन्द्रिकाख्यपञ्जिकाव्याख्यया च समुल्लसिता (Vārāṇasī: Caukhambhā Kṛṣṇadāsa Akādamī); Reprint of the third, 1938 edition (Su 1938).

Su 1939

Ācārya, Yādavaśarma Trivikrama, and Śarman, Nandakiśora (1939) (eds.), सुश्रुतसंहितायाः सूत्रस्थानम्. श्रीचक्रपाणिदत्तविरचि-तया भानुमतीव्याख्याया समेतम् = Sushrut-sañhitā (sūtra Sthān) with Bhānumatī Commentary by Chakrapāṇi Datta with Introduction by Gaṇanāth Sen (Śrīsvāmi Lakṣmīrāma Nidhi Granthamālā = Shrī Swāmī Lakshmī Rām Trust Series, 1; [Jaipur]: Śyāmasundara Śarman), ark:/13960/t54g0d12m; Printed at the Nirṇayasāgara Press, Bombay.

Su 1945

Ācārya, Yādavaśarma Trivikramācārya, and Ācārya, Nārāyaṇa Rāma (1945) (eds.), महर्षिणा सुश्रुतेन विरचिता सुश्रुतसंहिता (मूलमात्रा). पाठान्तर-परिशिष्टादिभिः संवलिता = the Suśrutasaṃhitā of Suśruta with Various Readings, Notes and Appendix etc. (Mumbāi: Nirṇayasāgarākhyamudraṇālaye), ark:/13960/t8kd4jh7n.

TMSSML

Tanjore Maharaja Serfoji Saraswati Mahal Library.

TY

Nārāyaṇa, Śaṃkaraśarman (1949), *Tantrayuktiḥ*, ed. Vayaskara N. S. Mooss (Vaidyasārathigranthāvaliḥ, 6; Koṭṭayanagaryāṃ: Vaidyasarathi Press), ark:/13960/t2d85pc4v.

TYV

Muthuswami, Nurani Easwara (1976) (ed.), *Tantrayuktivicāraḥ* [by Nīlameghabhiṣaj] (Kerala Praśāsanāyurveda Granthāvaliḥ, 1; 2nd edn., Trivandrum: Publications Division, Govt. Ayurveda College), ark:/13960/s2j1p7k0526.

Visnudh 3

Shah, Priyabala (1958) (ed.), *Viṣṇudharmottara-Purāṇa*. *Third Khaṇḍa* (Gaekwad's Oriental Series, 130; Baroda: Oriental Institute), ark:/13960/t52g33q88.

Visnudh.

Śarman, Madhusūdana, and Śarman, Mādhavaprasāda (1912) (eds.), विष्णुधर्मोत्तरपुराणम् = [Viṣṇudharmottara-purāṇa] (Mumbai: Khemarāja Śrīkṛṣṇadāsa at the Śrīveṅkaṭeśvara Steam Press), ark:/13960/t6qz6fr23; Lithograph format. Edited on the basis of a manuscript belonging to the astrologer Śudhākaraśarman of the Varanasi Sanskrit Pāṭhaśālā.

Yuktidīpikā

Wezler, Albrecht, and Motegi, Shujun (1998) (eds.), *Yuktidīpikā: the most significant commentary on the Sāṃkhyakārikā* (Alt- und Neu-Indische Studien herausgegeben vom Institut für Kultur und Geschichte Indiens und Tibets an der Universität Hamburg, 44; Stuttgart: Franz Steiner Verlag).

Index of Manuscripts

Thanjavur TMSSML 10773: 240

Numbers after the final colon refer to pages in this book.

```
Bikaner RORI 5157: 116

Cambridge CUL Add.1693: 112

Hyderabad Osmania 137-3(b): 47

Jamnagar GAU 114: 222, 225

Jodhpur RORI 20060: 227, 230f

Kathmandu KL 699: 42, 48, 115, 191

Kathmandu NAK 1-1079: 15, 26, 43, 48

Kathmandu NAK 1-1146: 26

Kathmandu NAK 1/1648: 208

Kathmandu NAK 5-333: 15, 43, 48, 112, 117, 138, 142

London BL IOLR 1842: 229ff

MS Jamnagar GAU 114: 211, 216

NAK 5-333: 130
```

- Ācārya, Yādavaśarma Trivikrama (1933) (ed.), महर्षिणा अग्निवेशेन प्रणीता चरकदृढबलाभ्यां प्रतिसंस्कृता चरकसंहिता (3rd edn., Mumbayyāṃ: Nirnaya Sagara Press), ark:/13960/t42s3kk45.
- ——(1941) (ed.), महर्षिणा पुनर्वसुनोपदिष्टा, तच्छिष्येणाग्निवेशेन प्रणीता, चरकदृढब-लाभ्यां प्रतिसंस्कृता चरकसंहिता, श्रीचक्रपाणिदत्तविरचितया आयुर्वेददीपिकाव्याख्यया संविलता (3rd edn., Mumbayyāṃ: Nirnaya Sagara Press), ark:/13960/ t48q2f20n.
- Ācārya, Yādavaśarma Trivikramācārya, and Ācārya, Nārāyaṇa Rāma (1945) (eds.), महर्षिणा सुश्रुतेन विरचिता सुश्रुतसंहिता (मूलमात्रा). पाठान्तर-परिशिष्टादिभिः संवलिता = the Suśrutasaṃhitā of Suśruta with Various Readings, Notes and Appendix etc. (Mumbāi: Nirṇayasāgarākhyamudraṇālaye), ark:/13960/t8kd4jh7n.
- Acharya, Diwakar (2012), "Description of Microfilm A 45/5," NGMCP, URL, accessed 27/02/2023.
- Achaya, K. T. (1994), *Indian Food: A Historical Companion* (Delhi: Oxford University Press), ISBN: 0195628454.
- —— (1998), A Historical Dictionary of Indian Food (Delhi: Oxford University Press), ISBN: 0195642546.
- Adriaensen, Rob, Barkhuis, Roelf, and Ruijters, Jean-Louis (1984), "An English Translation of Suśrutasaṃhitā, Nidānasthāna 1, 1–39, Together with Gayadāsa's Nyāyacandrikā," in Gerrit Jan Meulenbeld (ed.), *Proceedings of the International Workshop on Priorities in the Study of Indian Medicine* (Groningen: Forsten), 277–310. DOI: 10.5281/zenodo.8201537.

Āgāśe, Ve. Śā. Rā. Rā. Kāśīnātha Śāstrī, and Āpaṭe, Hari Nārāyaṇa (1904) (eds.), वाचस्पतिमिश्रविरचितटीकासंविलतव्यासभाष्यसमेतानि पातञ्जल-योगसूत्राणि तथा भोजदेवविरचितराजमार्तण्डाभिधवृत्तिसमेतानि पातञ्जलयोगसूत्राणि (Ānandāśramasaṃskṛtagranthāvaliḥ, 47; Puṇyākhya-pattana: Ānandāśramamudraṇālaya), ark:/13960/t40s27g36.

- Agrawal, V. S. (1963), *India As Known to Pāṇini: A Study of the Cultural Material in the Aṣṭādhyāyī* (2nd edn., Varanasi: Prthvi Prakashan); First published in 1953.
- Angermeier, Vitus (2020), Regenzeiten, Feuchtgebiete, Körpersäfte. Das Wasser in der klassischen indischen Medizin (Wien: Österreichische Akademie der Wissenschaften).
- ——(2021), "Agni and Soma Revisited: A Primordial Āyurvedic Concept?," in Toke Lindegaard Knudsen, Jacob Schmidt-Madsen, and Sara Speyer (eds.), *Body and Cosmos* (Leiden: Brill), chap. 3, 15–32. DOI: 10.1163/9789004438224_004.
- Azeez Pasha, M. (1971), "English Translation of Madan-ul-Shifa, Tibbe Sikandar Shahi (Sikandar Shah's Mine of Medicine)," *Bulletin of the Department of History of Medicine* (*Osmania University, Hyderabad*), 2/4: 227–2324; continued in BDHM 3(1) 29–38; BIHM 1(3/4) 127–134; & BIHM 2(1), 17–22.
- Baber, Zaheer (1996), *The Science of Empire: Scientific Knowledge, Civilization, and Colonial Rule in India* (Albany: State University of New York Press).
- Bakker, Hans T. (2019), "Some Methodological Considerations with Respect to the Critical Edition of Puranic Literature," in *Holy Ground: Where Art and Text Meet* (Leiden: Brill), 175–84. DOI: 10.1163/9789004412071_010.
- Barceloux, Donald G. (2008), *Medical Toxicology of Natural Substances. Foods, Fungi, Medicinal Herbs, Plants, and Venomous Animals* (Hoboken, NJ, etc.: John Wiley & Sons), ISBN: 047172761X.
- Bausi, Alessandro, et al. (2015), *Comparative Oriental Manuscript Studies. An Introduction* (Hamburg: Tredition). DOI: 10.5281/ZENOD0.46784.
- Bedekar, V. M. (1967), "The Legend of the Churning of the Ocean in the Epics and the Purāṇas: A Comparative Study," *Purāṇa*, 9/1: 7–61, ark:/13960/t57d2r97r.

Bendall, Cecil (1883), Catalogue of the Buddhist Sanskrit, Manuscripts in The, University Library, Cambridge: With Introductory Notices and Illustrations of the Palaeography and Chronology of Nepal and Bengal (Cambridge: University Press), ark:/13960/t03x8vz7b.

- Bhaṭṭācārya, Candrakānta (1910–17) (ed.), सुश्रुतसंहिता प्रथमखण्डम् सूत्रस्थानात्मकम् हाराणचन्द्रचक्रवर्तिकविराजविरचितसुश्रुतार्थसन्दीपनभाष्य-समेतम्...चन्द्रकान्त भट्टाचार्थ्य-प्रमुखैः संशोधितम् = [The Suśrutasaṃhitā with the Commentary Suśrutārthasandīpanabhāṣya by Hārāṇacandra Cakravarti] (Kalikātā: Satya Press); Edition "t" in HIML: IB, 312.
- Bhattarai, Bidur (2020), Dividing Texts. Conventions of Visual Text-Organisation in Nepalese and North Indian Manuscripts (Studies in Manuscript Cultures; Berlin/Boston: de Gruyter), 388.
- Biardeau, Madeleine (1964), *Théorie de la connaissance et la philosophie de la parole dans la brahmanisme classique* (Paris & La Haye: Mouton & Co.), ark:/13960/t42r7g950.
- Birch, Jason, Wujastyk, Dominik, Klebanov, Andrey, Parameswaran, Madhu K., et al. (2021), "Further Insight into the Role of Dhanvantari, the Physician to the Gods, in the Suśrutasaṃhitā," *Academia Letters*. DOI: 10.20935/AL2992.
- Birch, Jason, Wujastyk, Dominik, Klebanov, Andrey, Rimal, Madhusudan, et al. (2021), "Dalhaṇa and the Early 'Nepalese' Version of the Suśrutasaṃhitā." doi: 10.20935/al3733.
- Böhtlingk, Otto (1879), Sanskrit-wörterbuch in kürzerer fassung (St. Petersburg: Kaiserlichen Akademie der Wissenschaften), url, accessed 18/05/2023.
- Böhtlingk, Otto, and Roth, Rudolph (1855–75), *Sanskrit-Wörterbuch* (St. Petersburg: Kaiserlichen Akademie der Wissenschaften), URL, accessed 18/05/2023.
- Bollée, Willem (2010), "Remarks on the Cultural History of the Ear in India," in Nalini Balbir (ed.), *Svasti: Essays in Honour of Professor Hampa Nagarajaiah for His 75th Birthday* (Bangalore: K. S. Mudappa Smaraka Trust), 141–67, URL, accessed 23/01/2022.
- Breton, P. (1826), "On the Native Mode of Couching," *Transactions of the Medical and Physical Society of Calcutta*, 2: 341–82, ark:/13960/t3dz8nn5t, URL, accessed 02/06/2021.

Bronkhorst, Johannes (2016), *How the Brahmins Won: From Alexander to the Guptas* (Leiden: Brill). DOI: 10.1163/9789004315518.

- ——(2021), "Patañjali's Āryāvarta = Śuṅga realm?," *Academia Letters*. DOI: 10.20935/al291; Article 291.
- Bronner, Yigal (2021) (ed.), "The Pandit Project" (30 Sept.), URL.
- Brooks, Lisa Allette (2018), "Epistemology and Embodiment: Diagnosis and the Senses in Classical Ayurvedic Medicine," *Asian Review of World Histories*, 6: 98–135. DOI: 10.1163/22879811–12340027.
- ——(2020*a*), "A Surgeon's Hand: Reflections on Surgical Tactility in Early Ayurveda," *Asian Medicine*, 15/1: 30–62. DOI: 10 . 1163 / 15734218–12341460.
- ——(2020*b*), "Whose Life is Water, Whose Food is Blood: Fluid Bodies in Āyurvedic Leech Therapy," in Natalie Köhle and Shigehisa Kuriyama (eds.), Fluid Matter(s): Flow and Transformation in the History of the Body (Asian Studies Monograph Series, 14; Canberra: ANU Press). DOI: 10.22459/fm.2020.
- ——(2021*a*), "The Vascularity of Ayurvedic Leech Therapy: Sensory Translations and Emergent Agencies in Interspecies Medicine," *Medical Anthropology Quarterly*, 35/1: 82–101. DOI: 10.1111/maq.12595.
- ——(2021*b*), "Translating Touch in Āyurveda: Medicine, Sense, and Subjectivity in Early south Asia and Contemporary Kerala," PhD thesis (University of California, Berkeley).
- ——(forthcoming), "Leech Logic," in An Editor (ed.), A Book.
- Brunton, Lauder (1909) (ed.), On the Poison of Venomous Snakes and the Methods of Preventing Death from their Bite: Reprinted Papers of Joseph Fayrer and T. Lauder Brunton and Leonard Rogers (London: Macmillan and Co.), 1–22, 23–110, ark:/13960/t0bv7ts2c.
- Brunton, T. Lauder, and Fayrer, J. (1909), "On the Nature and Physiological Action of the Poison of Naja tripudians and other Indian Venomous Snakes, parts I and II," in *On the Poison of Venomous Snakes and the Methods of Preventing Death from their Bite* (London: Macmillan and Co.), 1–22, 23–110, ark:/13960/t0bv7ts2c.

Burghart, Marjorie (2016), "The TEI Critical Apparatus Toolbox: Empowering Textual Scholars through Display, Control, and Comparison Features," *Journal of the Text Encoding Initiative*, 10/Issue 10. DOI: 10.4000/jtei.1520.

- ——(2017), "Textual Variants," in Marjorie Burghart, James Cummings, and Elena Pierazzo (eds.), *Digital Editing of Medieval Texts: A Textbook* (DEMM), URL, accessed 04/07/2021.
- Burnell, Arthur Coke (1880), *A Classified Index to the Sanskrit Mss. in the Palace at Tanjore* (London: Trübner), ark:/13960/t4xh86j61; Bhelasaṃhitā described on pp. 67 ff.
- Cardona, George (1976), *Pāṇini: A Survey of Research* (Trends in Linguistics State-of-the Art Reports, 6; The Hague: Mouton & Co. B.V., Publishers), ark:/13960/s2mtq72w6s2.
- Carpue, J. C. (1816), An Account of Two Successful Operations for Restoring a Lost Nose from the Integuements of the Forehead...Including Descriptions of the Indian and Italian Methods (London: Longman et al.), ark:/13960/t2q57fn42, accessed 20/03/2019.
- Chadha, Gita, and Thomas, Renny (2022) (eds.), *Mapping Scientific Method: Disciplinary Narrations* (Science and Technology Studies; Abingdon and New York: Routledge). DOI: 10.4324/9781003298908.
- Chevillard, Jean-Luc (2009), "The Metagrammatical Vocabulary inside the Lists of 32 Tantrayukti-s and its Adaptation to Tamil: Towards a Sanskrit-Tamil Dictionary," in Eva Wilden (ed.), Between Preservation and Recreation: Tamil Traditions of Commentary. Proceedings of a Workshop in honour of T.V. Gopal Iyer (École Française d'Extrême-Orient Collection Indologie, 109; Pondichéry: Institut français de Pondichéry / École Française d'extrême-Orient), 71–132, URL, accessed 15/11/2023.
- Cohen, Jack (1990), "The Function of Human Semen Coagulation and Liquefaction In Vivo," in *Advances in Assisted Reproductive Technologies*, ed. Shlomo Mashiach et al. (NY & London: Plenum Press), 443–52, ISBN: 9781461306450. DOI: 10.1007/978-1-4613-0645-0_49.
- Comba, Antonella (1994), "L'enseignement médical en Inde. Un méthode d'exposition (tantra-yukti): l'adhikaraṇa ou spécification du sujet," in Nalini Balbir (ed.), *Genres littéraires en Inde* (Paris: Presses de La Sorbonne Nouvelle), 151–64, ark:/13960/s2mb8kpr6px.

Cone, Margaret (2001), *A Dictionary of Pāli* (Oxford: The Pali Text Society), ISBN: 0 86013 394 x.

- Cordier, P. (1903), "Récentes découvertes de mss. médicaux sanscrits dans l'Inde (1898–1902)," *Muséon, Nouvelle Série*, 4: 321–52, ark:/13960/t26b2j457, accessed 02/01/2020; Reprinted in Roşu 1989: 539–70.
- Coult, Ro. (1731), "An Account of the Diseases of Bengall," in *Indian Science* and *Technology in the Eighteenth Century* (Impex India), 141 f., 276.
- Crawford, D. G. (1930), *Roll of the Indian Medical Service*, 1615–1930 (London, Calcutta, Simla: Thacker).
- Das, Rahul Peter (2003), The Origin of the Life of a Human Being. Conception and the Female According to Ancient Indian Medical and Sexological Literature (Indian Medical Tradition; Delhi: Motilal Banarsidas), ISBN: 81-208-1998-5.
- Dasgupta, S.. N. (1952), "Speculations in the Medical Schools," in *A History of Indian Philosophy*, ii (Reprint of 1932 edition, Cambridge: Cambridge University Press), chap. 13, 273–436, URL, accessed 26/01/2018.
- Dave, K. N. (1985), *Birds in Sanskrit Literature* (Delhi: Motilal Banarsidass), ISBN: 0-89581-676-8, ark:/13960/t2c94cv80.
- Deshpande, Adwait M., Sastry, K. Venkata, and Bhise, Satish B. (2022), "A Contemporary Exploration of Traditional Indian Snake Envenomation Therapies," *Tropical Medicine and Infectious Disease*, 7/6: 108, ISSN: 2414-6366. DOI: 10.3390/tropicalmed7060108.
- Deshpande, Madhav (1988), "Pāṇini and the Northwestern Dialect: Some Suggestions on Sūtra 3.3.10," in Mohammad Ali Jazayery and Werner Winter (eds.), *Languages and Cultures: Studies in Honor of Edgar C. Polomé*, xxxvi (Trends in linguistics. Studies and monographs; Berlin, New York: Mouton de Gruyter), 111–23.
- Deshpande, Madhav M. (2010), "Pañca Gauḍa and Pañca Drāviḍa: Contested Borders of a Traditonal Classification," in Klaus Karttunen (ed.), Anantaṃ Śāstram. Indological and Linguistic Studies in Honour of Bertil Tikkanen (Studia Orientalia, 108; Helsinki: Finnish Oriental Society), 29–58, ISBN: 9789519380742.
- Deshpande, Vijaya (1999), "Indian Influences on Early Chinese Ophthalmology: Glaucoma As a Case Study," *Bulletin of the School of Oriental and African Studies*, 62: 306–22. DOI: 10.1017/S0041977X00016724.

—— (2000), "Ophthalmic Surgery: A Chapter in the History of Sino-indian Medical Contacts," *Bulletin of the School of Oriental and African Studies*, 63/3: 370–88, ISSN: 0041-977X. DOI: 10.1017/s0041977x00008454.

- Deshpande, Vijaya Jayant (2019), "An Investigation into Ancient Greco-Indian Medical Exchanges: Sostratus vs Suśruta," *Indian Journal of History of Science*, 54/2: 144–61. DOI: 10.16943/ijhs/2019/v54i2/49659.
- Deuti, Kaushik (2020), *Skinks of India*, ed. Sujoy Raha and Probath Bag (Kolkata: Zoological Survey of India), ISBN: 9788181715517.
- Dikshitar, V. R. Ramachandra (1930), "Tantrayukti," *Journal of Oriental Research*, 4: 82–9, ark:/13960/t3b04m19g.
- Dimitrov, Dragomir, and Tamot, Kashinath (2007), "Kaiser Shamsher, His Library and His Manuscript Collection," *Kaiser Shamsher, His Library and His Manuscript Collection*, 3 (Jan.): 26–36, URL.
- Dixit, U., and Deole, Y. S. (2020), "Tantrayukti," in Basisht G. (ed.), *Charak Samhita New Edition* (Charak Samhita Research, Training and Skill Development Centre (CSRTSDC)), 151–1. DOI: 10.47468/csne.2020.e01.s09.022.
- Doniger, Wendy (2015), "Introduction: Sympathy for the Devi: Snakes and Snake Goddesses in Hinduism," in Kaiser Haq, *The Triumph of the Snake Goddess* (Cambridge, MA: Harvard University Press), 1–28. DOI: 10.4159/9780674089136-intro.
- Eaton, Richard M. (1993), *The Rise of Islam and the Bengal Frontier*, 1204–1760 (Berkeley: University of California Press), ark:/13030/ft067n99v9/.
- Edgerton, Franklin (1939), "The Epic Triṣṭubh and Its Hypermetric Varieties," *Journal of the American Oriental Society*, 59/2: 159–74. DOI: 10.2307/594060.
- ——(1953), Buddhist Hybrid Sanskrit Grammar and Dictionary (William Dwight Whitney Linguistic Series; New Haven: Yale University Press); vol. 1: Grammar, vol. 2: Dictionary.
- Eggeling, Julius, et al. (1887–1935), Catalogue of the Sanskrit Manuscripts in the Library of the India Office (London: Secretary of State for India), ark:/13960/s2kbk5zcrg9.

Eggermont, Pierre Herman Leonard (1975), Alexander's Campaigns in Sind and Baluchistan and the Siege of the Brahmin Town of Harmatelia (Louvain: Leuven University Press), ISBN: 9061860377, ark:/13960/s2bf83pchxw.

- Ellenhorn, Matthew J. (1997), Ellenhorn's Medical Toxicology. Diagnosis and Treatment of Human Poisoning (2. ed., Baltimore, MD: Williams & Wilkins), ISBN: 0683300318, ark:/13960/s21qsb3jf1v; Previous ed.: London: Elsevier, 1988.
- Elliot, Robert Henry (1918), The Indian Operation of Couching for Cataract: Incorporating the Hunterian Lectures Delivered before the Royal College of Surgeons of England on February 19 and 21, 1917 (London: H. K. Lewis).
- Elshakry, Marwa S. (2008), "Knowledge in Motion: The Cultural Politics of Modern Science Translations in Arabic," *Isis*, 99/4: 701–30. DOI: 10.1086/595767, URL, accessed 24/02/2019.
- Emeneau, M. B. (1969), "Sanskrit Syntactic Particles "kila, khalu, nūnam"," *Indo-Iranian Journal*, 11/4: 241–68.
- Emmerick, Ronald E. (1984), "Some Remarks on the History of Leprosy in India," *Indologica Taurinensia*, 12: 93–105. DOI: 10.5281 / zenodo.10798623.
- Ewart, Joseph (1878), *The Poisonous Snakes of India: For the Use of the Officials and Others Residing in the Indian Empire* (London: J & A Churchill), ISBN: 81-7002-011-5, ark:/13960/t9z07w72g; Reprinted Delhi: Himalayan Books, 1985.
- Falk, Harry (1991), "Silver, Lead and Zinc in Early Indian Literature," *South Asian Studies*, 7/1: 111–7. DOI: 10.1080/02666030.1991.9628430.
- Fan, Ka Wai (2005), "Couching for Cataract and Sino-Indian Medical Exchange From the Sixth to the Twelfth Century AD," *Clinical and Experimental Ophthalmology*, 33/2: 188–90. DOI: 10.1111/j.1442-9071.2005.00978.x; unaware of V. Deshpande 1999; 2000.
- Fayrer, Joseph (1874), The Thanatophidia of India, Being a Description of the Venomous Snakes of the Indian Peninsula with and Account of the Influence of their Poison on Life and a Series of Experiments (2nd edn., London: Churchill), ark:/13960/t9h49dg5c; First edition 1872.

Fitzgerald, James L. (2009), "A Preliminary Study of the 681 Triṣṭubh Passages of the Mahābhārata," in Robert P. Goldman and Muneo Tokunaga (eds.), *Epic Undertakings* (Papers of the 12th World Sanskrit Conference; Delhi: Motilal Banarsidass Publishe), 95–117.

- Flood, Gavin D. (2022) (ed.), Wiley Blackwell Companion to Hinduism (2nd edn., Hoboken, NJ: Wiley & Sons, Limited), ISBN: 9781119144861.
- Frauwallner, Erich (1958), "Die Erkenntnislehere des klassischen Sāṃkhya-Systems," Wiener Zeitschrift für die Kunde Süd- und Ostasiens und Archiv für indische Philosophie, 2: 84–139, ark:/13960/s2sdmt8nf8.
- Froese, R., and Pauly, D. (2022) (eds.), "Fishbase: The Global Encyclopedia about Fish," URL.
- Gaṇapatiśāstrī, T. (1920–25), Āryamañjuśrīmūlakalpaḥ (Trivandrum Sanskrit Series, 70; Anantaśayane: Rājakīyamudraṇayantrālaye), ark:/13960/t4pk5sj0j.
- Ghosh, Ritwik, et al. (2023), "Snakebite Envenomation-Induced Posterior Reversible Encephalopathy Syndrome Presenting with Bálint Syndrome," *Neurología* (*English Edition*), 38/6 (July): 440–2, ISSN: 2173-5808. DOI: 10.1016/j.nrleng.2022.06.001.
- Giesche, Alena, et al. (2023), "Recurring Summer and Winter Droughts from 4.2–3.97 Thousand Years Ago in North India," *Nature: Communications Earth & Environment*, 4/1: 1–10. DOI: 10.1038/s43247-023-00763-z.
- Gode, P. K., and Karve, C. G. (1957–59) (eds.), Revised and Enlarged Edition of Prin. V. S. Apte's the Practical Sanskrit-English Dictionary (Poona: Prasad Prakashan), ark:/13960/t3gx47212, accessed 20/10/2017.
- Gombrich, Richard (1979), "'He Cooks Softly': Adverbs in Sanskrit Grammar," *Bulletin of the School of Oriental and African Studies*, 42/2: 244–56. DOI: 10.1017/s0041977x0014580x.
- Goswami, Pradip Kumar (2011), "Comparative Studies of Bhanumati and Nibandha Samgraha with Special Reference to Arista Vijnana (prognostic Science)," AYU (An International Quarterly Journal of Research in Ayurveda), 32/2: 147. DOI: 10.4103/0974-8520.92540.
- Gupta, Parmanand (1973), *Geography In Ancient Indian Inscriptions* (*Up to 650 A.D.*) (Delhi: D. K. Publishing House), ark:/13960/t3907cf2d.

Gupta, Parmanand (1989), Geography from Ancient Indian Coins & Seals (New Delhi: Concept Publishing Company), ISBN: 9788170222484.

- Gupta, Sri Madhusudana (1835–36) (ed.), Āyur-veda-prakāśa [also Called Suśruta-saṃhitā] by Suśruta. the Suśruta, or System of Medicine, Taught by Dhanwantari, and Composed by His Disciple Suśruta, 2 vols. (Calcutta: Education Press and Baptist Mission Press), ark:/13960/t6841qw6x.
- Haas, E. (1876), "Über die Ursprünge der Indischen Medizin, mit besonderem Bezug auf Suṣruta," Zeitschrift der Deutschen Morgenländischen Gesellschaft, 30/4: 617–70, URL.
- Hamza, Muhammad, et al. (2021), "Clinical Management of Snakebite Envenoming: Future Perspectives," *Toxicon:* X 11/100079: 1–12, ISSN: 2590-1710. DOI: 10.1016/j.toxcx.2021.100079.
- Harimoto, Kengo (2010), "[Preliminary Edition of the Nepalese MSS of the Suśrutasaṃhitā, adhyāyas 1.1–3, 6.4]" (prepublished).
- ——(2011), "In Search of the Oldest Nepalese Manuscript," *Rivista degli Studi Orientali*, 84/1–4: 85–106, ISSN: 0392-4866, URL, accessed 08/09/2019.
- ——(2013), "Description of microfilm C 80/7," NGMCP, URL, accessed 27/02/2023.
- ——(2014), "Nepalese Manuscripts of the Suśrutasaṃhitā," *Journal of Indian and Buddhist Studies* (*Indogaku Bukkyogaku Kenkyu*), 62/3: 23–29 (1087-1093). DOI: 10.4259/ibk.62.3_1087, URL, accessed 08/09/2019.
- Hayashi, Takao (2017), "The Units of Time in Ancient and Medieval India," *History of Science in South Asia*, 5/1: 1–116. DOI: 10.18732/h2ht0h.
- Hemarāja Śarman (1938) (ed.), काश्यपसंहिता (वृद्धजीवकीयं तन्त्रं वा) महर्षिणा मा-रीचकश्यपेनोपदिष्टा ... हेमराजशर्मणा लिखितेन विस्तृतेन उपोद्धातेन सहिता ... सत्यपाल भिषगा कृतया विद्योतिनी हिन्दीव्याख्यया ... समुल्लसिता (1st edn., Mumba: Nirṇayasāgara Press), ark:/13960/t3mw5gb9p.
- Hendley, T. Holbein (1895), A Medico-topographical Account of Jeypore, Based on the Experience of Twenty Years' Service As a Residency Surgeon and Thirteen As Superintendent of Dispensaries at Jeypore, Rajputana (Calcutta: Calcutta Central Press Company).

Henkel, Friedrich-Wilhelm, and Schmidt, Wolfgang (1995), *Geckoes: Biology, Husbandry, and Reproduction*, trans. John Hackworth (Malabar, Florida: Krieger), ISBN: 0894649191, ark:/13960/t6xx2kb2c.

- Hessler, Franciscus (1844–55), Suśrutas Ayurvédas: id est Medicinae Systema a Venerabili D'hanvantare Demonstratum a Susruta Discipulo Compositum; Nunc Primum Ex Sanskrita in Latinum Sermonem Vertit, Introductionem, Annotationes Et Rerum Indice Franciscus Hessler (Erlangen: Ferdinandum Enke), ark:/13960/t17m45r97.
- Hoernle, A. F. Rudolf (1893–1912) (ed.), *The Bower Manuscript: Facsimile Leaves, Nagari Transcript, Romanised Transliteration and English Translation with Notes* (New Imperial Series, 22; Calcutta: Government of India and under the patronage of the Bengali Government, Archaeological Survey of India), ark:/13960/t05z1bg4q.
- —— (1897), सुश्रुतसंहिता = The Suçruta-Saṃhitā or the Hindū System of Medicine According to Suçruta Translated from the Original Sanskrit (Bibliotheca Indica, 911; Calcutta: Asiatic Society), ark:/13960/t8pd1kw9r, accessed 03/01/2018; No more published; Hoernle does not state which edition he is translating, but it includes the "Dhanvantari phrase".
- —— (1906*a*), "Studies in Ancient Indian Medicine I: The Commentaries on Suśruta," *Journal of the Royal Asiatic Society of Great Britain and Ireland*: 283–302, URL, accessed 26/06/2019.
- —— (1906b), "Studies in Ancient Indian Medicine II: On Some Obscure Anatomical Terms," *Journal of the Royal Asiatic Society of Great Britain and Ireland*, 4: 915–41, URL, accessed 25/06/2019.
- ——(1907*a*), "Studies in Ancient Indian Medicine II: On Some Obscure Anatomical Terms (Continued from the the Journal, 1906, p. 941)," *Journal of the Royal Asiatic Society of Great Britain and Ireland*: 1–18, URL, accessed 25/06/2019.
- ——(1907b), Studies in the Medicine of Ancient India: Osteology or the Bones of the Human Body (Oxford: Clarendon Press), ark:/13960/t1pg9cq8b.
- Hofer, Theresia (2007), "Swami Laxmi Ram's Ayurvedic Pharmacy in Jaipur, India," *Wellcome History*, 34: 2–3, URL, accessed 16/03/2022.
- —— (2017) (ed.), Bodies in Balance. The Art of Tibetan Medicine: The Art of Tibetan Medicine (Seattle: University of Washington Press), 1360 pp., ISBN: 9780295993591.

Holwell, J. Z. (1767), An Account of the Manner of Inoculating for the Small Pox in the East Indies With...Observations on The...Mode of Treating That Disease in Those Parts (London: T. Becket & P. A. de Hondt), ark:/13960/t3ws9h63c.

- Irwin, John C. (1982), "The Sacred Anthill and the Cult of the Primordial Mound," *History of Religions*, 21/4: 339–60, ISSN: 00182710, 15456935, URL, accessed 24/01/2024.
- Jack, David Morton (1884), "A Thesis on Cataract in India: Its Pathology and Treatment," Wellcome Library, London, MS 3007, URL, accessed 02/06/2021.
- Jamison, Stephanie W., and Brereton, Joel P. (2014), *The Rigveda* (South Asia Research; New York: Oxford University Press), ISBN: 9780199370184; With commentary at http://rigvedacommentary.alc.ucla.edu/.
- Jhalakīkar, Bhīmācārya (1978), न्यायकोशः (सकलशास्त्रोपकारकन्यायादिशास्त्रीयप-दार्थप्रकाशकः) = Nyāyakośa or Dictionary of Technical Terms of Indian Philosophy (Poona: Bhandarkar Oriental Research Institute), ark:/13960/ t4cp7242f.
- Jolly, Julius (1951), *Indian Medicine, Translated from the German...by C. G. Kashikar* (Poona: C. G. Kashikar), URL, accessed 08/11/2017; 2nd edition Delhi: Munshiram Manoharlal, 1977, 1994 etc.
- Joshi, S. D., and Roodbergen, J. A. F. (1991), *The Aṣṭādhyāyī of Pānini with Translation and Explanatory Notes* (New Delhi: Sahitya Akademi).
- Kangle, R. P. (1965a), *The Kauṭilīya Arthaśāstra*, 3 vols. (2nd edn., Delhi: Motilal Banarsidass), ISBN: 978-81-208-0042-7, ark:/13960/t3gz6qh1s; reprint of 2010, i: *The Kauṭilīya Arthaśāstra: Part I, Sanskrit Text with a Glossary* (1969), ii: *The Kauṭilīya Arthaśāstra: Part II, Translation with Critical and Explanatory Notes* (1972), iii: *The Kauṭilīya Arthaśāstra: Part III A Study* (1965).
- ——(1965*b*), *The Kauṭilīya Arthaśāstra: Part III A Study* (2nd edn., Delhi: Motilal Banarsidass), ark:/13960/t3gz6qh1s; reprint of 2010.
- (1969), The Kauṭilīya Arthaśāstra: Part I, Sanskrit Text with a Glossary (2nd edn., Delhi: Motilal Banarsidass), ISBN: 978-81-208-0039-7, ark:/13960/t3gz6qh1s; reprint of 2010.

—— (1972), The Kauṭilīya Arthaśāstra: Part II, Translation with Critical and Explanatory Notes (2nd edn., Delhi: Motilal Banarsidass), ISBN: 978-81-208-0040-3, ark:/13960/t3gz6qh1s; reprint of 2010.

- Karttunen, Klaus (2015), *Yonas and Yavanas in Indian Literature* (Studia Orientalia, 116; Helsinki: Finnish Oriental Society), 454, ISBN: 978-951-9380-88-9, URL; Published electronically in 2016 as a back issue of *Studia Orientalia*.
- Keith, Arthur Berriedale (1908), review of A. F. Rudolf Hoernle (1907), "Studies in Ancient Indian Medicine II: On Some Obscure Anatomical Terms (Continued from the the Journal, 1906, p. 941)," *Journal of the Royal Asiatic Society of Great Britain and Ireland*: 1–18, URL, accessed 25/06/2019, in *Zeitschrift Der Deutschen Morgenländischen Gesellschaft*, 1/62: 134–9, URL, accessed 17/04/2021.
- Khosroheidari, Mahdieh (2008), "Antimicrobial activity of C. cordifolius," *Journal of Young Investigators*, 11/6 (1 Aug.), URL.
- Kieffer-Pülz, Petra (1996), "The Meaning of Māḷa(ka)/māla(ka) in Pāli," in N. Balbir, G.-J. Pinault, and J. Fezas (eds.), Langue, style et structure dans le monde indien, Centenaire de Louis Renou. Actes du Colloque international (Paris, 25–27 janvier 1996 (Paris), 285–325, URL, accessed 17/05/2023.
- Klebanov, Andrey (2010), "The *Nepalese Version of the Suśrutasaṃhitā and Its Interrelation with Buddhism and the Buddhists," MA thesis (Hamburg: Hamburg University, Sept.), URL, accessed 08/09/2019.
- ——(2012), "Description of microfilm B 29/19," NGMCP, URL, accessed 27/02/2023.
- (2021*a*), "On the Textual History of the Suśrutasaṃhitā (1): A Study of Three Nepalese Manuscripts," *eJIM: Electronic Journal of Indian Medicine*, 12/1: 1–64. DOI: 10.21827/ejim.12.1.37385.
- ——(2021*b*), "On the Textual History of the Suśrutasaṃhitā, (2): An Anonymous Commentary and its Identified Citations," in Toke Lindegaard Knudsen, Jacob Schmidt-Madsen, and Sara Speyer (eds.), Body and Cosmos: Studies in Early Indian Medical and Astral Sciences in Honor of Kenneth G. Zysk (Leiden, Boston: Brill), 110–39. DOI: 10.1163/9789004438224_008.

Kuist, James M. (1982), *The Nichols File of The Gentleman's Magazine* (Madison: University of Wisconsin Press), ISBN: 0-299-08480-9, ark:/13960/t53g2ct2z.

- Kulikov, Leonid (2006), "The Sanskrit-yet-Optative: A Formation Not Yet Recorded in Sanskrit Grammars," Wiener Zeitschrift für die Kunde Südasiens, 50: 27–68. doi: 10.1553/wzksls27, url.
- Kutumbiah, P. (1962), *Ancient Indian Medicine* (Bombay, etc.: Orient Longmans), ark:/13960/t6r01v93g; Often reprinted.
- Lamming, George E., and Marshall, Francis H. (1990) (eds.), *Marshall's Physiology of Reproduction: Reproduction in the Male* (4th edn., London: Chapman & Hall), ISBN: 0443019673.
- Lariviere, Richard W. (2003), *The Nāradasmṛti. Critically Edited with an Introduction,annotated Translation, and Appendices* (2nd edn., Delhi: Motilal Banarsidass), ISBN: 8120818040; First edition: Philadelphia, 1989.
- Law, Bimala Churn (1984), *Historical Geography of Ancient India* (New Delhi: Orient Books Reprint), ark:/13960/t3d01t737; Reprint of 1954 Paris edition.
- Leffler, Christopher T., et al. (2020), "The History of Cataract Surgery: From Couching to Phacoemulsification," *Annals of Translational Medicine*, 8/22: 1551–97, ISSN: 2305-5847. DOI: 10.21037/atm-2019-rcs-04, URL, accessed 02/11/2020.
- Lele, W. K. (1981), *The Doctrine of the Tantrayukti-s: Methodology of Theoretico-scientific Treatises in Sanskrit* (Chaukhamba Surabharati Studies, 3; Varanasi: Chaukhamba Surabharati Prakashan), ark:/13960/s28vgzhkdjq.
- ——(2006), Methodology of Ancient Indian Sciences (The Chaukhamba Surbharati Studies, 3; Varanasi: Chaukhamba Surbharati Prakashan), ark:/13960/s2dc7zd8hf1.
- Leslie, I. Julia (1989), *The Perfect Wife* (New Delhi: Oxford University Press).
- Li, Charles (2017), "Critical Diplomatic Editing: Applying Text-critical Principles As Algorithms," in Peter Boot et al. (eds.), Advances in Digital Scholarly Editing. Papers Presented at the Dixit Conferences in the Hague, Cologne, and Antwerp (Leiden: Sidestone Press), 305–10, ISBN: 978-90-8890-485-1, URL, accessed 10/11/2020.

- —— (2017–), "Saktumiva," URL, accessed 21/01/2023.
- ——(2018), "Limits of the Real: A Hypertext Critical Edition of Bhartṛhari's Dravyasamuddeśa, with the Commentary of Helārāja," en, PhD thesis (Cambridge: University of Cambridge). DOI: 10.17863/CAM.31454.
- —— (2022a), "Helayo: Reconstructing Sanskrit Texts from Manuscript Witnesses," *Journal of Open Source Software*, 7/71: 4022. DOI: 10.21105/joss.04022.
- (2022b), "Reconstructing a Sanskrit Text" (19 Nov.), URL, accessed 20/01/2023.
- Lienhard, Siegfried (1978), "On the Meaning and Use of the Word Indragopa," *Indologica taurinensia*, 6: 177–88, URL, accessed 06/02/2021; The indragopa is a 'red velvet mite'.
- Longmate, Barak (1794), "A Curious Chirurgical Operation," *The Gentleman's Magazine and Historical Chronicle*, 64.4 (Oct.): 883, 891, 892; I am grateful to the late John Symons of the Wellcome Library who identified the author 'B. L.' as the journalist Barak Longmate. See also Kuist 1982: 87.
- Maas, Philipp André (2013), "A Concise Historiography of Classical Yoga Philosophy: leslie," in Eli Franco (ed.), *Historiography and Periodization of Indian Philosophy* (Vienna: Sammlung de Nobili), 53–90, URL, accessed 27/05/2016.
- Mahādeva Śāstrī, K. (1958) (ed.), ജ്യോത്സ്നിക: വിഷവൈദ്യം *Jyotsnika* (*Viṣa Vaidya*) [*The Jyotsnikā of Kārāṭṭu Nārāyaṇan Nampūtir*] (Srī Vañci Setu Lakṣmī series, 9; 3rd edn., Trivandrum: The Government of His Highness The Maharaja of Travancore); First published in 1927.
- Mairs, Rachel (2013), "Greek Settler Communities in Central and South Asia, 323 BCE to 10 CE," in Ato Quayson (ed.), *A Companion To Diaspora And Transnationalism* (Oxford: John Wiley and Sons Ltd), 443–54, ISBN: 9781405188265.
- —— (2014), The Hellenistic Far East: Archæology, Language, and Identity in Greek Central Asia: Archæology, Language, and Identity in Greek Central Asia (Berkeley: University of California Press), 250, ISBN: 9780520292468. DOI: 10.1525/9780520959545.

Majno, Guido (1975), *The Healing Hand. Man and Wound in the Ancient World* (Cambridge, MA: Harvard University Press), ark:/13960/t4hm7xf2c.

- Malamoud, Charles (1996), "Paths of the Knife: Carving up the Victim in Vedic Sacrifice," in *Cooking the World: Ritual and Thought in Ancient India. Translated from the French by David White* (Delhi, Bombay, etc.: Oxford University Press), 169–80.
- Mānasa-taraṅgiṇī (2019), "Kaiṭabha, Poison and Death: Meanderings through Tradition," mAnasa-taraMgiNI Blog (1 Sept.), URL, accessed 31/01/2023.
- Manevskaia, Ilona (2008), "Preliminary Observations on Compositional Methods in Haribhadra's Ālokā," in Richard Gombrich and Cristina Scherrer-Schaub (eds.), *Buddhist Studies* (Papers of the 12th World Sanskrit Conference, 8; Delhi: Motilal Banarsidass), 97–117.
- Manucci, Niccolò (1907–08), *Storia Do Mogor or, Mogul India, 1653–1708 by Niccolao Manucci, Venetian; Translated with Introduction and Notes, by William Irvine* (The Indian Texts Series; London: J. Murray), URL, accessed 04/10/2021.
- Masai, François (1950), "Principes et conventions de l'édition diplomatique," *Scriptorium*, 4: 177–93. DOI: 10.3406/scrip.1950.2294.
- McHugh, James (2012), "The Disputed Civets and the Complexion of the God: Secretions and History in India," *Journal of the American Oriental Society*, 132/2: 245, ISSN: 0003-0279. DOI: 10.7817/jameroriesoci.132.2.0245.
- ——(2021), An Unholy Brew: Alcohol in Indian History and Religions (New York: Oxford University Press), 416 pp., ISBN: 9780199375936.
- Mehta, S. R., and Sashindran, V. K. (2002), "Clinical Features And Management Of Snake Bite," *Medical Journal Armed Forces India*, 58/3: 247–9, ISSN: 0377-1237. DOI: 10.1016/s0377-1237(02)80140-x.
- Mejor, Marek (2000), "Some Observations on the Date of the *Yukti-dīpikā* (apropos of a New Edition)," in Piotr Blcerowicz and Marek Mejor (eds.), On the Understanding of Other Cultures, vii (Studia Indologiczne; Warszawa: Instytut Orientalistyczny, Uniwersytet Warszawski), 255–89.

Meulenbeld, Gerrit Jan (1974b), *The Mādhavanidāna and Its Chief Commentary: Chapters 1–10. Introduction, Translation, and Notes* (Leiden: Brill), ISBN: 978-90-04-03892-9, ark:/13960/t25b8q97g.

- ——(1984), "The Surveying of Sanskrit Medical Literature," in id. (ed.), *Proceedings of the International Workshop on Priorities in the Study of Indian Medicine* (Groningen: Forsten), 37–56.
- —— (1989), "The Search for Clues to the Chronology of Sanskrit Medical Texts As Illustrated by the History of Bhaṅgā (cannabis Sativa Linn.)," Studien zur Indologie und Iranistik, 15: 59–70.
- —— (1990), "Conformities and Divergences of Basic Ayurvedic Concepts in Veterinary Texts," *Journal of the European Ayurvedic Society*, 1: 1–6, URL, accessed 16/02/2022.
- —— (1991), "The Constraints of Theory in the Evolution of Nosological Classifications: A Study on the Position of Blood in Indian Medicine (Āyurveda)," in *Medical Literature from India, Sri Lanka, and Tibet*, 91–106, ISBN: 90-04-09522-5, URL.
- —— (1992), "The Characteristics of a Doṣa," *Journal of the European Ayurvedic Society*, 2/1: 1–5, ark:/13960/t8hf69z8j.
- (2008a), "A Quest for Poison Trees in Indian Literature, Along with Notes on Some Plants and Animals of the Kauṭilīya Arthaśāstra," Wiener Zeitschrift für die Kunde Südasiens / Vienna Journal of South Asian Studies, 51 (2007–2008): 5–75, URL.
- —— (2008b), The Mādhavanidāna with "Madhukośa," the Commentary by Vijayarakṣita and Śrīkaṇṭhadatta (Ch. 1-10). Introduction, Translation, and Notes (Delhi: Motilal Banarsidass).
- —— (2011), "The Relationships between Doṣas and Dūṣyas: A Study on the Meaning(s) of the Root Murch-/mūrch," *eJournal of Indian Medicine*, 4/2: 35–135, URL, accessed 13/10/2017.
- Meyer, Johann Jakob (1926), *Das altindische Buch vom Welt- und Staatsleben. Das Arthaçāstra des Kauṭilya* (Leipzig: Otto Harrassowitz), ark:/13960/s21gb96bcxv.
- Miles, M. (1999), "Personal Communication," Mar.; Letter of 4 March.
- Minton, Sherman A., and Minton, Madge Rutherford (1969), *Venomous Reptiles* (New York: Charles Scribners' Sons), ark:/13960/t9k423s9k.

Moureau, Sébastien. (2015), "The Apparatus Criticus," in Alessandro Bausi et al. (eds.), *Comparative Oriental Manuscript Studies: An Introduction* (Hamburg: Tredition), 348–52, ISBN: 978-3-7323-1768-4, URL, accessed 04/07/2021.

- Mukhopādhyāya, Girindranāth (1913), *The Surgical Instruments of the Hindus, with a Comparative Study of the Surgical Instruments of the Greek, Roman, Arab, and the Modern Eouropean* (sic) *Surgeons* (Calcutta: Calcutta University), ark:13960/t1zd2pq29, accessed 29/01/2018; Vol.2: ark:/13960/t9r25qd8m. Reprinted as a single volume, New Delhi, 1987.
- Narayana, Ala, and Thrigulla, Saketh Ram (2011), "Tangible Evidences of Surgical Practice in Ancient India," *Journal of Indian Medical Heritage*, 16: 1–18, URL, accessed 02/06/2021.
- NGMCP (2014), "Nepal-german Manuscript Cataloguing Project. Online Title List and Descriptive Catalogue," Universität Hamburg and Deutsche Forschungsgemeinschaft, URL.
- Oberhammer, Gerhard (1968), "Notes on the Tantrayukti-s," *The Adyar Library Bulletin*, 31–32 (1967–1968): 600–16. DOI: 10.5281/zenodo.10440052.
- Oberhammer, Gerhard, Prets, Ernst, and Prandstetter, Joachim (1991), Terminologie der frühen philosophischen Scholastik in Indien: Ein Begriffswörterbuch zur altinidischen Dialektik, Erkenntnislehre und Metholologie (Österreichische Akademie der Wissenschaften, Philosoophisch-Historische Klasse, Denkschriften, 223; Wien: Verlag der Österreicheischen Akademie der Wissenschaften); Beitraäge zur Kultur- und Geistesgeschichte Asiens; Nr. 9.
- Oberlies, Thomas (2003), *A Grammar of Epic Sanskrit* (Indian Philology and South Asian Studies, 5; Berlin: De Gruyter), ISBN: 9783110144482. DOI: 10.1515/9783110899344.
- Olivelle, Patrick (1995), "Food in India," *Journal of Indian Philosophy*, 23/3: 367–80. DOI: 10.1007/bf01463136.
- ——(2001), Food for Thought. Dietary Rules and Social Organization in Ancient India (Gonda Lectures, 9; Amsterdam: Royal Netherlands Academy of Arts and Sciences), URL, accessed 28/06/2023.

—— (2005), Manu's Code of Law: A Critical Edition and Translation of the Manava-dharmasastra, With the editorial assistance of Suman Olivelle (South Asia research; New York: Oxford University Press), ISBN: 0195171462.

- (2013), King, Governance, and Law in Ancient India: Kauṭilya's Arthaśāstra. a New Annotated Translation (New York: Oxford University Press), ISBN: 9780199891825. DOI: 10.1093/acprof: osobl/9780199891825.003.0001.
- Osbaldeston, Tess Anne, and Wood, R. P. A. (2000), Dioscorides. De Materia Medica. Being an Herbal with Many Other Medicinal Materials Written in Greek in the First Century of the Common Era. a New Indexed Version in Modern English [Introductory Notes by R. P. Wood] (Johannesburg: IBIDIS Press), ISBN: 0-620-23435-0, URL.
- Özbulat, Mehmet, et al. (2021), "Factors Affecting Prognosis in Patients with Snakebite," Eurasian Journal of Emergency Medicine, 20/1 (Mar.): 6–11, ISSN: 2149-6048. DOI: 10.4274/eajem.galenos.2020.69885.
- Pandey, Anshuman (2012), "Proposal to Encode the Newar Script in ISO/IEC 10646," URL.
- Pāṇḍeya, Rāmateja (1963) (ed.), श्रीकृष्णद्वैपायनव्यासप्रणीतं गरुडपुराणम् (Vidyabhawan Prachyavidya Granthamala, 3; reprint, Caukhambā Vidyābhavana, Paṇḍita-Pustakālaya: Kāśī), ark:/13960/t6pz7tg7j.
- Paramesvaran, Madhu K. (2023), "Personal email communication," 26 Dec.
- Pass, Gregory (2003), Descriptive Cataloging of Ancient, Medieval, Renaissance, and Early Modern Manuscripts (Chicago: American Library Association), ISBN: 0-8389-8218-2, URL.
- PBS (2020), "Modern Day Blood-letting in North Africa," PBS (11 Dec.), URL; Filmed in Farchana, Chad, amongst Sudanese refugees from Darfur, for the series *Our Human Planet*.
- Pillay, V. V. (2013), *Modern Medical Toxicology* (New Delhi: Jaypee Brothers Pvt. Ltd), ISBN: 9789350259658.
- Pillay, Vijay V., and Sasidharan, Anu (2019), "Oleander and Datura Poisoning: An Update," *Indian Journal of Critical Care Medicine*, 23/Supplement 4: 5250–5. DOI: 10.5005/jp-journals-10071-23302.

Poudel, Ram C., et al. (2013), "Yews (Taxus) along the Hindu Kush-Himalayan Region: Exploring the Ethnopharmacological Relevance among Communities of Mongol and Caucasian Origins," *Journal of Ethnopharmacology*, 147/1: 190–203, ISSN: 0378-8741. DOI: 10.1016/j.jep.2013.02.031.

- Preisendanz, Karin (2007), "The Initiation of the Medical Student in Early Classical Āyurveda: Caraka's Treatment in Context," in Birgit Kellner et al. (eds.), Pramāṇakīrtiḥ. Papers Dedicated to Ernst Steinkellner on the Occasion of His 70th Birthday. Part 2, ii, 2 vols. (Wiener Studien zur Tibetologie und Buddhismuskunde, 70.2; Wien: Arbeitskreis für Tibetische Und Buddhistische Studien Universität Wien), 629–68, ISBN: 9783902501097, URL.
- ——(2013), "Logic, Debate and Epistemology in Ancient Indian Medical Science: An Investigation Into the History and Historiography of Indian Philosophy. Part I," in Dominik Wujastyk, Anthony Cerulli, and Karin Preisendanz (eds.), *Medical Texts and Manuscripts in Indian Cultural History* (Delhi: Manohar Publishers and Distributors), 63–139, ISBN: 978-9350980194.
- Prets, Ernst, and Prandstetter, Joachim (1991–2006), Terminologie der frühen philosophischen Scholastik in Indien: Ein Begriffswörterbuch zur altinidischen Dialektik, Erkenntnislehre und Metholologie, ed. Gerhard Oberhammer, 3 vols. (Österreichische Akademie der Wissenschaften, Philosoophisch-Historische Klasse, Denkschriften, 223, 248, 343; Wien: Verlag der Österreicheischen Akademie der Wissenschaften); Beitraäge zur Kultur- und Geistesgeschichte Asiens; Nr. 9, 17, 49.
- Price, Kenneth M. (2013), "Electronic Scholarly Editions," in Ray Siemens and Susan Schreibman (eds.), *A Companion to Digital Literary Studies* (Chichester, UK: John Wiley & Sons, Ltd), 434–50. DOI: 10 . 1002 / 9781405177504.ch24, URL, accessed 04/07/2021.
- Rādhākāntā Deva, Rājā (1876), রাজ্বকল্যন্তম: = Shabda Kalpadrumah, Or, the Tree Bearing All the Words That May Be Wished For (Calcutta: Baradākānta Mitra & Co. at the New Bengal Press), ark:/13960/t9x10x61b.
- Rai, Saurav Kumar (2019), "Invoking 'Hindu' Ayurveda: Communalisation of the Late Colonial Ayurvedic Discourse," *The Indian Economic & Social History Review*, 56/4: 411–26. DOI: 10.1177/0019464619873820; Online first.

Rama Rao, B., et al. (2005), Sanskrit Medical Manuscripts in India (New Delhi: Central Council for Research in Ayurveda & Siddha), ark:/13960/t88h7763b.

- Rama Sastri and Krishnamurthi Sastri, S. R. (1952) (eds.), पातञ्जलयोगसू-त्रभाष्यिववरणम्। (राङ्करभगवत्पादप्रणीतम्) = Pātnjala[sic]-yogasūtra-bhāṣya Vivaraṇam of Śaṅkara-Bhagavatpāda. Critically Edited with Introduction (Madras Government Oriental Series, 94; Madras: Government Oriental Manuscripts Library), ark:/13960/t7jq3m14w, accessed 20/10/2017.
- Rây, Priyadaranjan, Gupta, Hirendra Nath, and Roy, Mira (1980), *Suśruta Saṃhita* (a Scientific Synopsis) (New Delhi: Indian National Science Academy), ark:/13960/t64511t6v, accessed 13/09/2019.
- Raychaudhuri, Hemachandra (1953), *Political History of Ancient India* (Calcutta: University of Calcutta), ark:/13960/s25hz0hz29p.
- Renou, Louis (1940), "Sur certaines anomolies de l'optatif Sanskrit," Bulletin de la Société de Linguistique de Paris, 41: 5–17, ark:/12148/bpt6k121049.
- Rhys Davids, Thomas William, and Stede, William (1921–25), *The Pali Text Society's Pali-English Dictionary* (London: The Pali Text Society), ark:/13960/t4nk3nc12.
- Rimal, Madhusudana, and Wujastyk, Dominik (2022), "MS Kathmandu NAK 1/1146," Pandit Project (18 May), URL.
- Roelli, Philipp (2020) (ed.), *Handbook of Stemmatology* (Berlin: De Gruyter). DOI: 10.1515/9783110684384.
- Roelli, Philipp, and Macé, Caroline (2015), "Parvum Lexicon Stemmatologicum. A Brief Lexicon of Stemmatology." DOI: 10.5167/uzh-121539.
- Roşu, Arion (1989), *Un demi-siècle de recherches āyurvédiques*. *Gustave Liétard et Palmyr Cordier: Travaux sur l'histoire de la médecine indienne* (Paris: Institut de Civilisation Indienne).
- Roșu, Arion (1978), *Les conception psychologiques dans les textes médicaux in- diens* (Publication de l'institut de civilisation indienne, In-8 fascicule 43;
 Paris: Institut de civilisation indienne), ark:/13960/t5p85ds09.

Ruben, Walter (1926), "Zur Frühgeschichte der indischen Philosophie," in W. Kirfel (ed.), Beiträge zur Literaturwissenschaft und Geistesgeschichte Indiens – Festgabe Hermann Jacobi zum 75. Geburtstag <11. Februar 1925> dargebracht von Freunden, Kollegen und Schülern (Bonn: Kommissionsverlag Fritz Klopp), 346–57.

- ——(1954*a*), Geschichte der indischen Philosophie [collected articles] (Berlin: Deutscher Verlag), ark:/13960/t9v18cc78.
- ——(1954*b*), "Medizin (Caraka) und Logik (Nyāya) (um 100 u. Z.)," in id., *Geschichte der indischen Philosophie* [collected articles] (Berlin: Deutscher Verlag), chap. 21, 212–22, ark:/13960/t9v18cc78.
- Saha, Mridula (2015), The History of Indian Medicine Based on the Vedic Literature Satapatha Brahmana (Kolkata: The Asiatic Society), ISBN: 978-9381574294.
- Sarukkai, Sundar (2016), "Translation As Method: Implications for History of Science," in Bernard Lightman, Gordon McOuat, and Larry Stewart (eds.), *The Circulation of Knowledge Between Britain, India and China* (Leiden: BRILL), 309–29. DOI: 10.1163/9789004251410_014.
- Sastri, Hrishikesh, and Gui, Siva Chandra (1895–1917), *A Descriptive Catalogue of Sanskrit Manuscripts in the Library of Calcutta Sanskrit College* (Calcutta: Baptist Mission Press).
- Sastri, P. P. S. (1933), A Descriptive Catalogue of the Sanskrit Manuscripts in the Tanjore Maharaja Serfoji's Sarasvati Mahal Library Tanjore: Natya, Sangita, Kamasastra, Vaidya & Jyotisa, nos. 10650–11737 (Srirangam: Sri Vani Vilas Press), ark:/13960/t3nw8bc12.
- Sastri, P. S. Subrahmanya (2002), *Tolkāppiyam. The Earliest Extant Tamil Grammar, with a Short Commentary in English: Volume II. Poruļatikāram* (2nd edn., Chennai: The Kuppuswami Sastri Research Institute), ISBN: 81-85170-27-4, ark:/13960/t7jq8k19s; reprint of 1936 edition.
- Śāstrī, Paraśurāma (1931) (ed.), DāmodarasūnuŚārṅgadharācāryaviracitā Śārṅgadharasaṃhitā. BhiṣagvarĀḍhamallaviracitadīpikāKāśīrāmavaidyaviracitagūḍhārthadīpikābhyāṃ, ṭīkābhyāṃ, saṃvalitā (2nd edn., Muṃbai: Nirṇayasāgara Press), ark:/13960/t7wn11g9r; 1st ed. 1920.

Śāstrī, Vardhamāna Pārśvanātha (1940) (ed.), उग्रादित्याचार्यकृत कल्याणकारक (राष्ट्रभाषानुवादसिहत) = The Kalyāṇa-kārakam of Ugrādityacharya, Edited with Introduction, Translation, Notes, Indexes and Dictionary (Sakhārāma Nemacaṃda Graṃthamālā, 129; Solāpura: Seṭha Goviṃdajī Rāvajī Dośī), ark:/13960/t2q617g4d.

- Scharfe, Hartmut (1993), *Investigations in Kauṭalya's Manual of Political Science* (2nd edn., Oxford: Harrassowitz), ISBN: 3447033304, URL; 2nd. rev. ed. of Untersuchungen zur Staatsrechtslehre des Kauṭalya.
- Schwartzberg, Joseph E., Bajpai, Shiva G., et al. (1978) (eds.), *A Historical Atlas of South Asia* (Chicago: University of Chicago Press), url.
- Scott, H. (1817), "Some Remarks on the Arts of India, with Miscellaneous Observations on Various Subjects," *Journal of Science and the Arts*, 2: 67–72, ill. after 133, ark:/13960/t9870jt4g; Breton 1826: 358–363 cites Scott's description of cataract couching.
- Selby, Martha Ann (2005*a*), "Narratives of Conception, Gestation, and Labour in Sanskrit Ayurvedic Texts," *Asian Medicine*, 1/2: 254–75, ISSN: 1573-420X. DOI: 10.1163/157342105777996638.
- (2005*b*), "Sanskrit Gynecologies in Postmodernity: The Commoditization of Indian Medicine in Alternative Medical and New-age Discourses on Women's Health," in *Asian Medicine and Globalization*, chap. 8, 120–31, URL, accessed 22/03/2018.
- Semeka-Pankratov, Elena (1979), "A Semiotic Approach to the Polysemy of the Symbol *nāga* in Indian Mythology," in Irene Portis Winner and Jean Umiker-Sebeok (eds.), *Semiotics of Culture* (Approaches to Semiotics, 53; The Hague, Paris, NY: Mouton), 237–90. DOI: 10.1515/9783110823134-009; The contents of this volume were published simultaneously in *Semiotica* (1/3) 1979.
- Sen, Sailendra Nath (1988), *Ancient Indian History and Civilization* (Delhi: New Age International), ark:/13960/t8gf8pz34.
- Sena, Gaṅgāprasād, et al. (1886–93) (eds.), सुश्रुतसंहिता...दल्लनाचार्य्य-कृत-निवन्ध-संग्रह, चक्रपाणिदत्त-कृत-भानुमती-टीका...वङ्गानुवाद...इरेजि प्रतिशब्द (Calcutta: Maṇirāma Press); Edition "g" in HIML: IB, 311.
- Shamasastry, R. (1951), *Kauṭilya's Arthaśāstra* (4th edn., Mysore: Sri Raghuveer Printing Press), ark:/13960/t04z1mp6c.

Sharma, Har Dutt (1939), Descriptive Catalogue of the Government Collections of Manuscripts Deposited at the Bhandarkar Oriental Research Institute, Vol. XVI, Part I, Vaidyaka (Descriptive Catalogue of Manuscripts in the Government Manuscripts Library, XVI.I; Pune: Bhandarkar Oriental Research Institute), ark:/13960/t0ms6rc70, accessed 23/10/2019.

- Sharma, Priya Vrat (1972), *Indian Medicine in the Classical Age* (Varanasi: Chowkhamba Sanskrit Series Office).
- —— (1975), Āyurved Kā Vaijñānik Itihās (Jayakṛṣṇadāsa Āyurveda Granthamālā; Vārāṇasī: Caukhambā Orientalia).
- —— (1982), *Dalhaṇa and his Comments on Drugs* (Delhi: Munshiram Manoharlal).
- —— (1999–2001), Suśruta-Saṃhitā, with English Translation of Text and Dalhaṇa's Commentary Alongwith (sic) Critical Notes, 3 vols. (Haridas Ayurveda Series, 9; Varanasi: Chaukhambha Visvabharati).
- Sharma, Priyavrat (1994), Caraka-saṃhitā. Critical Notes (Incorporating the commentaries of Jejjaṭa, Cakrapāṇi, Gaṅgādhara and Yogīndranātha) (Jaikrishnadas Ayurveda Series, 36; 1st edn., Varanasi, Delhi: Chaukhambha Orientalia).
- Sharma, Ram Karan, and Dash, Bhagwan (2006), *Agniveśa's Caraka Saṃhitā*. *Text with English translation & Critical Exposition Based on Cakrapāṇi Datta's Āyurvedadīpikā* (Chowkhamba Sanskrit Studies, 94; repr. Varanasi: Chowkhamba Sanskrit Series Office).
- Shastri, R. Shama (1920) (ed.), बोधायनगृह्यसूत्रम् The Bodhāyana Grihyasutra (Mysore: University of Mysore), ark:/13960/t2t492622.
- Shaw, Miranda Eberle (2006), *Buddhist Goddesses of India* (Princeton, NJ: Princeton University Press), 571 pp., ISBN: 9789780691127; Includes bibliographical references and index.
- Shiffman, Melvin A. (2013), "History of Otoplasty: Review of Literature," in id. (ed.), *Advanced Cosmetic Otoplasty: Art, Science, and New Clinical Techniques* (Berlin, Heidelberg: Springer), chap. 5, 43–64. DOI: 10.1007/978-3-642-35431-1_5.

Shree Gulabkunverba Ayurvedic Society (1949), The Caraka Saṃhitā. Expounded by the Worshipful Ātreya Punarvasu Compiled by the Great Sage Agniveśa and Redacted by Caraka & Dridhabala. Edited and Published in Six Volumes with Translations in Hindi, Gujarati and English (First Impression, Jamnagar: Shree Gulabkunverba Ayurvedic Society), ark:/13960/t5m95n971.

- Siddiqi, Muhammad Zubayr (1959), Studies in Arabic and Persian Medical Literature, ark:/13960/s25bxqt84xm.
- Sieler, Roman (2015), Lethal Spots, Vital Secrets. Medicine and Martial Arts in South India (New York: Oxford University Press), ISBN: 9780190243869.
- Singh, A. (2003), "Tantra Yukti: Method of Theorization in Ayurveda," *Ancient Science Of Life*, 22/3: 64–74.
- Singhal, G. D., et al. (1972–82), *Diagnostic* [and Other] Considerations in Ancient Indian Surgery (Varanasi: Singhal Publications); A translation of the Suśrutasamhitā in 10v.
- Singhal, G. D., and Mitra, Jyotir (1980), *Paediatric & Gynaecological Considerations and Aphorisms in Ancient Indian Surgery* (Varanasi: Singhal Publications); Based on Suśruta Saṁhitā, Uttara-tantra Chapters 27–38 & 63–66.
- Sircar, Dinesh Chandra (1966), *Indian Epigraphical Glossary* (Delhi: Motilal Banarsidass), ark:/13960/t85h7f98n.
- —— (1971), Studies in the Geography of Ancient and Medieval India (2nd edn., Delhi: Motilal Banarsidass), ark:/13960/t72w2zd8w.
- —— (1987), "6. Rākshaskhāli (Sundarban) Plate; Śaka 1118," *Epigraphia Indica* (1953–54), 30: 42–3, ark:/13960/t80m25q3w.
- Siromaṇi, Bharatacandra (1873) (ed.), चतुर्वर्गचिन्तामणि-दानखण्डम् (Calcutta: Asiatic Society of Bengal), ark:/13960/t1rf9jd94.
- Sleeman, W. H. (1893), Rambles and Recollections of an Indian Official (London: Constable), ark:/13960/t22c4bx7w; v. 2 at ark:/13960/t2s52bq7w.
- Slouber, Michael (2016a), Early Tantric Medicine: Snakebite, Mantras, and Healing in the Garuda Tantras (New York: OUP), 392 pp., ISBN: 9780190461812.

Slouber, Michael (2016b), "Snakebite Goddesses in the Śākta Traditions: Roots and Incorporations of Tvaritā, Kurukullā and Bheruṇḍā: History, practice and doctrine," in Bjarne Wernicke Olesen (ed.), *Goddess Traditions in Tantric Hinduism* (Routledge studies in tantric traditions; London: Routledge,), chap. 4, ISBN: 9781317585213.

- Smith, Brian K. (1994), Classifying the Universe: The Ancient Indian Varṇa System and the Origins of Caste (New York, Oxford: Oxford University Press), ISBN: 0-19-508498-5.
- Solomon, Esther A. (1976–78), *Indian Dialectics. Methods of Philosophical Discussion*, 2 vols. (Sheth Bholabhai Jeshingbhai Institute of Learning and Research Research Series, 70/74; Ahmedabad: B. J. Institute of Learning and Research. Gujarat Vidya Sabha), ark:/13960/t5jb4x70d.
- Spencer, Walter George (1935–38), Celsus: De Medicina. with an English Translation by W. G. Spencer, 3 vols. (Loeb Classical Library, 292, 304, 336; Cambridge, MA; London: Harvard University Press; William Heinemann), URL, accessed 02/06/2021.
- Speziale, Fabrizio (2019), "Rasāyana and Rasaśāstra in the Persian Medical Culture of South Asia," *History of Science in South Asia*, 7: 1–41. DOI: 10 . 18732/hssa.v7i0.40.
- Spink, M. S., and Lewis, G. L. (1973) (eds.), *Albucasis on Surgery and Instruments: A Definitive Edition of the Arabic Text with English Translation and Commentary* (London: Wellcome Institute of the History of Medicine), ark:/13960/t95823n1k.
- Srikantha Murthy, K. R. (2000–02), *Illustrated Suśruta Saṃhitā: Text, English Translation, Notes, Appendices and Index* (Jaikrishnadas Ayurveda Series, 102; 1st edn., Varanasi: Chaukhambha Orientalia).
- Steingass, F. (1930), A Comprehensive Persian-English Dictionary Including the Arabic Words and Phrases to Be Met with in Persian Literature (London: Kegan Paul, Trench, Trubner), ark:/13960/s25bwz0337d; Reprint, Delhi: Oriental Reprint, 1973.
- Storey, C. A. (1971), *Persian Literature, a Bio-bibliographical Survey.* Vol. II.2: Medicine (London: Royal Asiatic Society of Great Britain and Ireland), ark:/13960/t9v18bf68.

Strauss, Bettina (1934), "Das Giftbuch des Śānāq: eine Literaturgeschichtliche Untersuchung," *Quellen und Studien zur Geschichte der Naturwissenschaften und der Medizin*, 4/2: [89]–[152] followed by Arabic text, ark:/13960/s2hb5j66s95.

- Suvedī, K. S., and Tīvārī, N. (2000) (eds.), सौश्रुतनिघण्टुः: ग्रन्थादौ विस्तृतेन ग्रन्थ-वैशिष्ट्यप्रकाशकेनोपोद्घातेन अवसाने च द्रव्याणामनेकभाषानामावली-पर्यायसङ्ग्रहाभ्यां समलङ्कृतः सुश्रुतसंहितायां प्रयुक्तानामौषधद्रव्याणां पर्याय-गुणकर्मवर्णात्मको ऽपूर्वग्रन्थः (Belajhuṇḍī, Ṣāṅ: Mahendrasaṃskṛtaviśvavidyālayaḥ).
- Talwar, P. K., and Kacker, R. K. (1984), *Commercial Sea Fishes of India* (Calcutt: Zoological Survey of India), ark:/13960/t5s841v5m.
- Tavernier, Jean-Baptiste (1684), *Collections of Travels through Turky* (sic), *into Persia, and the East-Indies* (London: M. Pitt), ark:/13960/t9g45vn74.
- TEI Consortium (2010), TEI P5: Guidelines for Electronic Text Encoding and Interchange, ed. C. M. Sperberg-McQueen et al. (Oxford, Providence, Charlottesville, Nancy: TEI Consortium), URL.
- Thorburn, S. S. (1876), *Bannu; or Our Afghan Frontier* (London: Trübner & Co.), ark:/13960/t39z96g7m; Reprinted Lahore: Niaz Ahmad, 1978.
- Tivārī, Premvatī (1990), Āyurvedīya prasūti-tantra evaņ strī-rog; pratham bhāg: Prasūti-tantra, dvitīya bhāg: Strī-rog (Jayakṛṣṇadāsa Āyurvedīya Granthamālā, 41; Varanas: Caukhamba Orientaliai).
- UNESCO (2013), "International Memory of the World Register Susruta Samhita (Nepal)," UNESCO, URL, accessed 11/09/2019.
- Unicode Consortium (1991), "The Unicode Standard 15.0, Newa Range," url: https://unicode.org/charts/PDF/U11400.pdf.
- Unni, N. P. (2006), The Arthaśāstra of Kauṭalya with the Commentary "Śrīmūlā" of Mahāmahopādhyāya T. Gaṇapati Śāstrī: Part III—8, 9, 10, 11, 12, 13, 14 & 15 Adhikaraṇas (Delhi: New Bharatiya Corporation), ark:/13960/t41s58879.
- Unschuld, Paul Ulrich (1984), *Medicine in China: A History of Ideas* (Berkeley: University of California Press), ISBN: 0520050231.
- Vaidyopādhyāya, Rāmaprasāda (1911) (ed.), चरकसंहिता। श्रीमन्महर्षिप्रवरचर-कप्रणीता। पण्डितरामप्रसादवैद्योपाध्यायविरचितप्रसादनी-भाषाटीकासहिता। (mumbayī: Kṣemarāja-Śrīkṛṣṇadāsaśreṣṭhin), ark:/13960/t2r59q189.

Valiathan, M. S. (2007), *The Legacy of Suśruta* (Hyderabad, Chennai, etc.: Orient Longman).

- Velankar, H. D (1925–30), Descriptive Catalogue of the Sanskṛta and Prākṛta Manuscripts in the Library of the Bombay Branch of the Royal Asiatic Society (Bombay: Royal Asiatic Society, Bombay), ark:/13960/t53g00h0n; Biswas #0115.
- Vosjoli, Philippe de (1997), *Lizard Keeper's Handbook* (Herpetocultural Library; Mission Viejo, California: Advanced Vivarium Systems), 176, ISBN: 9781882770250, ark:/13960/t1pg5rf79.
- Wall, Frank (1913), The Poisonous Terrestrial Snakes of Our British Indian Dominions (Including Ceylon) and How to Recognize Them; With Symptoms of Snake Poisoning and Treatment (3rd edn., Bombay: Bombay Natural History Society), ark:/13960/t1zc8g94b.
- ——(1921), *Ophidia Taprobanica or the Snakes of Ceylon* (Colombo: Cottle, Government Printer), ark:/13960/t39z9q93n.
- Weinstein, Scott, et al. (2009), "Envenomations: An Overview of Clinical Toxinology for the Primary Care Physician.," *American family physician*, 80 (8): 793–802, ISSN: 1532-0650 (ppublish).
- Whitney, William Dwight (1885), *The Roots, Verb-forms, and Primary De*rivatives of the Sanskrit Language. A Supplement to his Sanskrit Grammar (Leipzig: Breitkopf and Härtel), ark:/13960/t3qv3p906.
- WHO (2019), Snakebite Envenoming: A Strategy for Prevention and Control (Geneva: WHO), ISBN: 978-92-4-151564-1.
- Wilson, H. H. (1823), "On the Medical and Surgical Sciences of the Hindus," *The Oriental Magazine and Calcutta Review*, 1: 207–12, 349–56, URL.
- Woodcock, Martin W. (1980), Collins Handguide to the Birds of the Indian Sub-continent, Including India, Pakistan, Bangladesh, Sri Lanka and Nepal (Collins), ISBN: 0-00-219712-X; Reprinted 1990.
- Wujastyk, Dagmar (2012), Well-mannered Medicine: Medical Ethics and Etiquette in Classical Ayurveda (New York: Oxford University Press). DOI: 10.1093/acprof:0s0/9780199856268.001.0001.

—— (2013*a*), "Perfect Medicine. Mercury in Sanskrit Medical Literature," *Asian Medicine: Tradition & Modernity*, 8/1 (Sept.): 15–40, ISSN: 1573-4218. DOI: 10.1163/15734218-12341278.

- ——(2019), "Iron Tonics: Tracing the Development from Classical to Iatrochemical Formulations in Ayurveda," *HIMALAYA: The Journal of the Association for Nepal and Himalayan Studies*, 39/1. DOI: 10.5281/zenodo.7746874.
- Wujastyk, Dominik (1993), "Indian Medicine," in W. F. Bynum and Roy Porter (eds.), *Companion Encyclopedia of the History of Medicine*, i (London: Routledge), chap. 33, 755–78, ISBN: 0-415-04771-4, URL.
- ——(2000), "The Combinatorics of Tastes and Humours in Classical Indian Medicine and Mathematics," *Journal of Indian Philosophy*, 28: 479–95. DOI: 10.1023/a:1017514013759.
- ——(2002), "Cannabis in Traditional Indian Herbal Medicine," in Ana Salema (ed.), Āyurveda at the Crossroads of Care and Cure. Proceedings of the Indo-European Seminar on Ayurveda held at Arrábida, Portugal, in November 2001 (Lisbon: Centro de História de Além-Mar, Universidade Nova de Lisboa), 45–73, ISBN: 972-98672-5-9, URL, accessed 27/05/2019.
- —— (2003*a*), "Black Plum Island," in 2nd International Conference on Indian Studies. Proceedings (Kraków: Jagiellonian University, Institute of Oriental Philology and Księgarnia Akademicka), 637–49.
- —— (2003b), The Roots of Ayurveda: Selections from Sanskrit Medical Writings (Penguin Classics; 3rd edn., London, New York, etc.: Penguin Group), ISBN: 0-140-44824-1.
- —— (2004), "Agni and Soma: A Universal Classification," *Studia Asiatica: International Journal for Asian Studies*, IV–V, ed. Eugen Ciurtin: 347–70. DOI: 10.5281/zenodo.7742068.
- ——(2013*b*), "New Manuscript Evidence for the Textual and Cultural History of Early Classical Indian Medicine," in *Medical Texts and Manuscripts in Indian Cultural History*, ed. Dominik Wujastyk, Anthony Cerulli, and Karin Preisendanz (New Delhi: Manohar), 141–57, URL.
- —— (2016), "Models of Disease in Ayurvedic Medicine," in Mark Jackson (ed.), *The Routledge History of Disease* (Abingdon: Routledge), chap. 3, 38–53, ISBN: 9780415720014. DOI: 10.4324/9781315543420-4.

Wujastyk, Dominik, et al. (2020), "Suśrutasaṃhitā," PanditProject (6 Oct.), URL, accessed 14/09/2022.

- Wujastyk, Dominik (2021a), "A New Translation of Carakasaṃhitā, Vimānasthāna, Chapter 1, Based on the Vienna Critical Edition," in Toke Lindegaard Knudsen, Jacob Schmidt-Madsen, and Sara Speyer (eds.), Body and Cosmos. Studies in Early Indian Medical and Astral Sciences in Honor of Kenneth G. Zysk (Leiden, Boston: Brill), chap. 6, 77–109. DOI: 10.1163/9789004438224_007.
- ——(2021*b*), "MS London BL H. T. Colebrooke 908," URL, accessed 03/07/2021.
- ——(2021–), "Sushrutaproject: Version Control for Suśruta Text TEI Transcriptions: Suśruta Project Manuscript Transcriptions," University of Alberta, URL, accessed 21/01/2023; archived at DOI: 10.5281/zenodo.6471655.
- Wujastyk, Dominik, et al. (2021–), "The Suśruta Project: The Textual and Cultural History of Medicine in South Asia Based on Newly-Discovered Manuscript Evidenc," ed. Dominik Wujastyk, Jason Birch, Andrey Klebanov, et al., URL, accessed 21/01/2023.
- Wujastyk, Dominik (2022), "The Science of Medicine," in Gavin D. Flood (ed.), *The Wiley Blackwell Companion to Hinduism* (2nd edn., Hoboken, NJ: Wiley and Sons, Ltd.), chap. 23, 399–413, ISBN: 9781119144861. DOI: 10.1002/9781119144892.ch23.
- Wujastyk, Dominik, Birch, Jason, Klebanov, Andrey, et al. (2021–) (eds.), "New Digital Edition of the Suśrutasaṃhitā: The Suśruta Project at Saktumiva," University of Alberta, url.
- Wujastyk, Dominik, Birch, Jason, Klebanov, Andrey, et al. (2023), On the Plastic Surgery of the Ears and Nose. The Nepalese Version of the Suśrutasaṃhitā (Heidelberg: Heidelberg Asian Studies Publishing), ISBN: 978-3-948791-63-6. DOI: 10.11588/hasp.1203.
- Wujastyk, Dominik, Pollock, Sheldon, et al. (2008–), "SARIT: Search and Retrieval of Indic Texts," url, accessed 21/01/2023.
- Yagi, Toru (1994), "A Note on bhojya- and bhakṣya-," in Yasuke Ikari (ed.), *A Study of the Nīlamata. Aspects of Hinduism in Ancient Kashmir* (Kyoto: Kyoto Institute for Research in Humanities, Kyoto University).

Yano, Michio (1986), "A Comparative Study of *Sūtrasthānas*: Caraka, Suśruta, and Vāgbhaṭa," in Teizo Ogawa (ed.), *History of Traditional Medicine: Proceedings of the 1st and 2nd International Symposia on the Comparative History of Medicine—East and West* (Osaka: Division of Medical History, the Taniguchi Foundation), 325–44.

- Zhang, Zhi-Yun, Lu, Anmin, and D'Arcy, William G (2024), "Flora of China: Mandragora caulescens," ed. Zhengyi Wu, Peter H. Raven, and Deyuan Hong, URL, accessed 30/03/2015.
- Zimmermann, Francis (1983), "Suśrutasamhita," review of G. D. Singhal et al. (1972–82), Diagnostic [and Other] Considerations in Ancient Indian Surgery (Varanasi: Singhal Publications); A translation of the Suśrutasaṃhitā in 10v. In Bulletin of the History of Medicine, 57/2: 291–3, ISSN: 00075140, eprint: 44441590, URL.
- ——(1999), The Jungle and the Aroma of Meats (2nd edn., Delhi: Motilal Banarsidass), ISBN: 8120816188.
- Zysk, Kenneth G. (1984), "An Annotated Bibliography of Translations into Western Languages of Principle Sanskrit Medical Treatises," *Clio Medica*, 19/3–4: 281–91.
- ——(1985), Religious Healing in the Veda: With Translations and Annotations of Medical Hymns from the Rgveda and the Atharvaveda and Renderings from the Corresponding Ritual Texts (Transactions of the American Philosophical Society; Philadelphia: American Philosophical Society), ISBN: 0871697572.
- —— (1986), "The Evolution of Anatomical Knowledge in Ancient India with Special Reference to Cross-cultural Influences," *Journal of the American Oriental Society*, 106: 687–705. DOI: 10.2307/603532.
- —— (2000), Asceticism and Healing in Ancient India: Medicine in the Buddhist Monastery (Indian Medical Tradition; 2nd edn., Delhi: Motilal Banarsidass); First published 1991. Reprint of 1998 edition.

Materia Medica

Abbreviations

ADPS	Sivarajan.	V.	V	and	Balachandran	Indira	(1001). Auur-
11010	Divarajari,	٧.	٧٠,	aria	Dalachananan	, mana	(1994), 11911

vedic Drugs and Their Plant Sources (New Delhi, Bombay,

Calcutta: Oxford & IBH Publishing).

AVS Warrier, P. K., Nambiar, V. P. K., and Ramankutty, C.

(1994–96) (eds.), Indian Medicinal Plants: A Compendium of 500 Species. Vaidyaratnam P. S. Varier's Arya Vaidya Sala,

Kottakal (Madras: Orient Longman).

BIA Prater, S. H. (1993), The Book of Indian Animals (3rd edn.,

Bombay, Delhi, etc.: Oxford University Press), ark:/13960/t6356w32f; 4th impression of 3rd corrected 1980

edition.

Chopra, R. N., Nayar, S. L., and Chopra, I. C. (1956), Gloss-

ary of Indian Medicinal Plants (3rd reprint, 1992, New Delhi: Council of Scientific and Industrial Research); vol. 2: R. N.

Chopra, I. C. Chopra, and Varma (Chopra_{sup}).

Chopra IDG Chopra, R. N., Chopra, I. C., Handa, K. L., et al. (1958),

Chopra's Indigenous Drugs of India (2nd edn., Calcutta: Dhur

& Sons), ark:/13960/t9673t140.

Chopra, R. N., Chopra, I. C., and Varma, B. S. (1969), Sup-

plement to Glossary of Indian Medicinal Plants (Reprint 1986, New Delhi: National Institute of Science Communication),

ISBN: 8185038872.

282 Abbreviations

CIPP Pillay, V. V. (2010), "Common Indian Poisonous Plants," in D. A. Warrell, T. M. Cox, and J. D. Firth (eds.), Oxford Textbook of Medicine (5th edn., Oxford University Press), 1371–5. DOI: 10.1093/med/9780199204854.003.090302.

Dutt, Uday Chand (1922), The Materia Medica of the Hindus...with a Glossary of Indian Plants by George King. Revised Edition...by Binod Lall Sen and Ashutosh Sen and Pulin Krishna Sen (Krishnadas Sanskrit Studies; 3rd edn., Calcutta: Madan Gopal Dass for the Adi-Ayurveda Machine Press), ark:/13960/t59c7tg9z; Reprinted Varanasi: Chowkhamba Saraswatibhavan, 1980.

Dymock, William, Warden, C. J. H., and Hooper, David (1890), *Pharmacographia Indica: A History of the Principal Drugs of Vegetable Origin Met with in British India* (London, Bombay, Calcutta: Kegan Paul), URL, accessed 16/03/2023.

Meulenbeld, Gerrit Jan (1974*a*), "Sanskrit Names of Plants and their Botanical Equivalents," in id., *The Mādhavanidāna and Its Chief Commentary: Chapters 1–10. Introduction, Translation, and Notes* (Leiden: Brill), chap. Appendix Four, 520–611, ark:/13960/t25b8q97g.

Meulenbeld, Gerrit Jan (1988), "G. J. Meulenbeld's Additions to his "Sanskrit Names of Plants and their Botanical Equivalents"," in Rahul Peter Das, Das Wissen von der Lebensspanne der Bäume: Surapālas Vṛkṣāyurveda (Stuttgart: Franz Steiner Verlag), chap. Appendix 1, 425–65, ISBN: 9783515046633; Supplement to GJM1.

Singh, Thakur Balwant, and Chunekar, K. C. (1972), *Glossary of Vegetable Drugs in Brhattrayī* (Varanasi: Chowkhamba Sanskrit Series Office), ark:/13960/s2cvp72x58j.

Hilgenberg, Luise, and Kirfel, Willibald (1941), Vāgbhaṭa's Aṣṭāṅgahṛdayasaṃhitā, ein altindisches Lehrbuch der Heilkunde, aus dem Sanskrit ins Deutsche übertragen mit Einleitung, Anmerkungen und Indices (Leiden: Brill), ark:/13960/t52h05616.

Griffiths, Mark (1994), *The New Royal Horticultural Society Index of Garden Plants* (London: Macmillan).

Dymock

Dutt

GJM₁

GJM₂

GVDB

HK

IGP

Abbreviations 283

Issar Issar, T. P. (1994), Blossoms of Bangalore (Bangalore: T. P. Issar).
 IW Israel, Samuel, et al. (1988), Indian Wildlife: Sri Lanka Nepal

(Insight Guides; Singapore etc.: APA Publications), ISBN: 9780245545238, ark:/13960/s2p9d5pqd1w.

K&B Kirtikar, K. R., Basu, B. D., and an I.C.S (1987), *Indian Medicinal Plants*, ed. E. Blatter, J. F. Caius, and K. S. Mhaskar, 8 vols. (2nd edn., Dehradun: International Book Distributors); First published in Allahabad, 1918.

Kew Gardens (2024), "Plants of the World," Royal Botanic Gardens, URL.

MBG Missouri Botanical Garden (2024), "Missouri Botanical Garden: Plant Finder," Missouri Botanical Garden, URL.

NK

Peter

Nadkarni, K. M. (1982), Dr. K. M. Nadkarni's Indian Materia Medica, with Ayurvedic, Unani-tibbi, Siddha, Allopathic, Homeopathic, Naturopathic & Home Remedies, Appendices & Indexes ... in Two Volumes, ed. A. K. Nadkarni, 2 vols. (3 ed., revised and enlarged by A. K. Nadkarni, Bombay: Popular Prakashan), ISBN: 8171541429, URL; First published in 1954.

Peter, K. V. (2012) (ed.), *Handbook of Herbs and Spices* (Food Science, Technology and Nutrition, 228; 2nd edn., Oxford, Cambridge, Philadelphaia, New Delhi: Woodhead Publishing), ISBN: 9780857090393.

Potter Wren, R. C. (1956), Potter's New Cyclopaedia of Botanical Drugs and Preparations, ed. R. W. Wren (7th edn., Rustington, Sussex: Health Science Press), ark:/13960/t14n65c9g.

Potter_{rev} Wren, R. C., Williamson, Elizabeth M., and Evans, Fred J. (1994), *Potter's New Cyclopaedia of Botanical Drugs and Preparations* (Saffron Walden: C. W. Daniel Company Ltd.); Reprint of revised 1988 edition.

Reptiles Daniel, J. C. (1983), *The Book of Indian Reptiles* (Bombay: Oxford University Press).

Trees

Bole, P. V., and Vaghani, Yogini (1986), Field Guide to the Common Trees of India (Bombay, Delhi, Oxford, etc.: World Wildlife Fund – India and Oxford University Press), ISBN: 0-19-561595-6; 4th reprint.

Watt, George (1908), The Commercial Products of India, Being an Abridgement of "the Dictionary of the Economic Products of India" (London: John Murray), ark:/13960/t8cg7dm79.

Watt, George (1889–96), A Dictionary of the Economic Products of India (Calcutta: Dept. Revenue and Agriculture, Government of India), URL, accessed 28/04/2021.

Flora

aconite leaf (?) (visapatrikā) Unknown. Cf. to Assam, as well as S. China and SE perhaps, vatsanābha (wolfsbane). Cf. Asia. Nageia nagi (Thunb.) Kuntze (syn of Myrica nagi Thunb.), as GVDB: 373: 125 Alexandrian laurel (punnāga) suggested by T. B. Singh and Chunekar (GVDB: 66), is native to East Asia, not Calophyllum inophyllum, L. See India: 170 AVS: 1, 338, NK: 1, #425: 169 amaranth (taṇḍulīyaka) Amaranthus hypochondriacus, L. See King 321, Wall. (\leftarrow *vasuhaṭṭa*), according to NK: 1, #144, Potter_{rev}: 15. Cf. AVS: 1, 121: 118 T. B. Singh and Chunekar arjun (arjuna) Terminalia arjuna, Bedd. (GVDB: 362–363), where other See HK: 738: 38, 70 Asoka tree (aśoka) Saraca indica Linn.,

GVDB: 26: 89, 91, 169, 178
axlewood (*dhava*) Anogeissus latifolia
(Roxb. ex DC.) Wall. ex Guill & Perr.
See AVS: 1, 163 f, Chopra: 20: 38,
69, 140

bamboo leaves (*veṇupatrikā*) Bambusa bambos, Druce. See NK: 1, #307: 118 banyan (*vaṭa*) Ficus benghalensis Linn., GVDB: 356: 70, 73

barley (*yava*) Hordeum vulgare, L. See HK: 752: 99

bayberry (*kaṭphala*) M. esculenta Buch.-Ham. ex D.Don, which is is native to the Himalaya, from Kashmir bearded premna (vasuka) Premna barbata Wall. (\leftarrow vasuhaṭṭa), according to Cakrapāṇidatta. See the discussion by T. B. Singh and Chunekar (GVDB: 362–363), where other candidate species such as Osmanthus, Calotropis, and Trianthema are discussed. T. B. Singh and Chunekar (GVDB: 363) note that when vasuka is mentioned with vasira, two varieties of salt are often meant (see vasukavasirā). See also NK: #1299 who identifies it with Indigofera enneaphylla, Linn. (Birdsville Indigo), apparently without controversy: 70

beautyberry (*śyāmā*) Callicarpa macrophylla, Vahl. See AVS: 1, 334, NK: 1, #420: 94, 116, 118

beggarweed (aṃśumatī) Desmodium gangeticum (L.) DC (Dymock: 1, 428, GJM1: 602, NK: 1, #1192; ADPS: 382,

- 414 and AVS: 2, 319, 4.366 are confusing): 136
- beggarweed (*vidārigandhā*) → *śālaparṇī*.

 Desmodium gangeticum (L.) DC. See

 Dymock: 1, 428, GJM1: 602, cf. NK: 1,

 #1192; ADPS: 382, 414 and AVS: 2, 319,
 4.366 are confusing: 47, 99, 291
- beleric myrobalan (*bibhītaka*) Terminalia bellirica Roxb. One of the components of the three myrobalans (*triphalā*) GVDB: 274, 196: 295
- Bengal quince (*bilva*) Aegle marmelos (L.) Corr. See AVS: 1, 62, Chevallier 159, NK: 1, #62, (MW:732a): 69, 89, 91, 96, 288
- bitter gourd (*paṭolī*) see pointed gourd (*paṭola*), cite[233]gvdb: 169
- bitumen (adrija) $\rightarrow \acute{sil}\ddot{a}jit$. A tar-like, black, resinous rock exudate. See $Mah\ddot{a}ko\acute{s}a$: 1, 21:151
- black creeper (kālānusārī) Ichnocarpus frutescens R. Br. or Cryptolepis buchanani Roemer & Schultes. Probably a synonym for kṛṣṇasārivā (GVDB: 94–95). I. frutescens has dark, rust-colored stems, so has been preferred here. However, Cryptolepis grandiflora, Wight, also has black stems. Synonym of kālānusāriṇī, kālānusārivā. kālanusārya may be a synonym of tagara, itself hard to identify: 169
- black creeper (pālindī) Ichnocarpus frutescens, (L.) R.Br. or Cryptolepis buchanani, Roemer & Schultes. See AVS: 3, 141, 145, 203, NK: 1, #1283, 1210, ADPS: 434. Dalhaṇa on SS 5.1.82 identified pālindī with trivṛt (turpeth) and T. B. Singh and Chunekar (GVDB: 246) supported this as a usual identification: 118, 121, 135, 136, 169
- black pepper (*marica*) Piper nigrum, L. See ADPS: 294, NK: 1, #1929: 100, 178, 295
- blackboard tree (*saptachada*) Alstonia scholaris R. Br. GVDB: 420: 117

- blackbuck (*hariṇa*) Antilope cervicapra, L. See BIA: 270 IW: 95, 165, *et passim*: 121
- blue water-lily (*utpala*) Nymphaea stellata, Willd. See GJM1: 528, IGP 790; Dutt: 110, NK: 1, #1726: 29, 116, 135, 136, 178, 179
- bull's head (*gokṣura*) Tribulus terrestris L. GVDB: 144–145, 193. A component of lesser five roots: 285
- bull's head (*trikaṇṭaka*) → bull's head (*gokṣura*) GVDB: 193. A component of lesser five roots: 291
- bulrush (*kaśeru*) "Two species, Scirpus kysoor Roxb., and S. grossus Linn. f. are used" GVDB: 85. Also kaśeruka and kaseru: 94, 95, 98
- cardamom (*elā*) Elettaria cardamomum, Maton. See AVS: 2, 360, NK: 1, #924, Potter_{rev}: 66: 88, 89, 136, 141, 169
- carray cheddie ($viśvadev\bar{a}$) $\rightarrow g\bar{a}ngeruk\bar{\iota}$ Canthium parviflorum, Lam. See AVS: 1, 366 f. Or Sida rhombifolia Linn. (GVDB: 372, 444 ff. et passim): 73
- cassia cinnamon (*patra*) Cinnamomum tamala, (Buch.-Ham.) Nees. See AVS: 2, 84, NK: 1, #589: 88, 89, 96, 118, 136
- castor oil tree (gandharvahasta) \rightarrow eranda. GVDB: 135, K&B: 3, 2277: 43, 91
- castor-oil (*eraṇḍa*) Ricinus communis, L. See NK: 1, #2145, Chopra: 214: 48
- catechu (*khadira*) Senegalia catechu (L.f.)
 P. J. Hurter & Mabb = Acacia catechu
 Willd. GVDB: 129–130: 70
- certain minerals (tārāvitāra) Unknown. It is not even certain that these are minerals. The variant reading in the vulgate, tāraḥ sutāraḥ was glossed by Ḍalhaṇa on 5.3.14 (Su 1938: 568) as follows tāro rūpyaṃ, sutāraḥ pāradaḥ, "tāra means silver; sutāra means mercury.": 140
- chaff (kāṇḍana) The word kāṇḍana is not found in dictionaries; kaṇḍana is threshing, separating the chaff from the grain in a mortar. Cf. Hemādri's

(Śiromaṇi 1873: 1, 138: 21, citing the Vāyupurāṇa): 31, 294 chebulic myrobalan (harītakī) Terminalia chebula Retz. GVDB: 466: 97, 117, 295 cherry (elavālu) Prunus cerasus, L.?. See BVDB 58, NK: 1, #2037, GVDB: 58: 136 chir pine (sarala) Pinus roxburghii, Sarg. GVDB: 423: 69, 98 cinnamon (tvac) Cinnamomum cassia, Blume. See NK: 1, #579: 286 cinnamon (tvak) see cinnamon (tvac): 169 citron (mātulunga) Citrus medica, Linn. GVDB: 276, 306. Also spelled mātulinga, mātulanga, mātulānga: 69, 96, 101, 102, 170 cobra's saffron ($n\bar{a}gapuspa$) \rightarrow n $\bar{a}gake$ śara. Mesua ferrea, L. See NK: 1, #1595, GVDB: 220: 136 colocynth (indravāruṇī) Citrullus colocynthis (L.) Schrad., GVDB: 46. The two varieties of this plant are discussed by (ADPS: 180-183); the first is agreed to be colocynth, the second is debated but is likely to be a Curcubitaceae: 286 colocynth (mṛgādanī) see colocynth (indravāruņī) GVDB: 46, 318: 169 common smilax (śvadamśtra) Smilax aspera L., GVDB: 414: 69 convolvulus (laksmanā) Sivarajan and Balachandran (ADPS: 273–275) suggest Ipomoea marginata (Desr.) Verdc. or I. obscura (Linn.) AVS: 3, 237-238 suggests Ipomoea sepiaria Roxb. (looks like a little boy (putraka), and generates a boy (putrajanan \bar{i}), according to the Bhāvaprakāśa). Sivarajan and Balachandran (ADPS: 273-275) firmly reject Mandragora officinalis which is European; but possible consideration could be given to Mandragora caulescens C.B.Clarke, a variant that is known in South Asia. Cf.

Caturvargacintāmani (PWK: 2,8)

GVDB: 346-347. NK: #1546, #2323 suggests Mandragora officinalum, Linn., known as putrada: 73 corky coral tree (pāribhadra) Erythrina suberosa Roxb. See GVDB 245: 140 costus (kustha) Saussurea costus, Clarke. See NK: 1, #2239: 88, 89, 96, 118, 136, 141, 169 cottony jujube (*kākolī*) Ziziphus mauritanica, Lam. See IGP: 1233, NK: 1, #2663; IGP 1233. Cf. NK: 1, #1170:87,95,96,166 country mallow (atibalā) Abutilon indicum, (L.) Sweet, but may be other kinds of mallow, e.g., Sida rhombifolia, L.. See NK: 1, #11, IGP: 1080, NK: 1, #2300, ADPS: 71, 77: 47, 95, 98, 234 country mallow ($sahadev\bar{a}$) $\rightarrow bal\bar{a}$ (GVDB: 428). Contains ephedrine: 73,98 country sarsaparilla (anantā) Hemidesmus indicus, (L.) R. Br. See ADPS: 434, AVS: 3, 141–5, NK: 1, #1210. But see GVDB: 13 for complications that may suggest that it is to be equated with sārivā, which may sometimes be Cryptolepis or Ichnocarpus fruitescens R. Rr. (GVDB: 429-431): 47, 125, 135, 136, 140 crape jasmine $(nata) \rightarrow \text{crape jasmine}$ GVDB: 215: 286, 289 crape jasmine (tagara) Tabernaemontana divaricata (L.) R.Br. ex Roem. & Schultes. See GJM1: 557, AVS: 5, 232. Synonym of crape jasmine. But some say Valeriana jatamansi, Jones. See GVDB: 173-174 for discussion (and charming comments on brain-liquid testing). Some say tagara is Indian rose-bay or Indian valerian, but there remain many historical questions about the ancient and regional identities of this plant See, e.g., AVS: 5, 334, 345. See also IGP: 1147: 88, 89, 96, 118, 136, 169, 286, 289

Stereospermum chelonides, (L. f.) A. DC. See GJM1: 573, AVS: 5, 192 ff, ADPS: 362 f, AVS: 3, 1848 f, IGP 1120, Dymock: 3, 20 ff: 140, 288 cuscus grass (*uśīra*) Andropogon murcatus, Retz. Also "vetiver grass." See NK: 1, #180: 70, 118, 164 datura (dhattūra) Datura metel, L. See AVS: 2, 305 (cf. Abhidhānamañjarī), NK: 1, #796 ff. Potter_{rev}: 292 f, ADPS: 132 : 44 deodar (bhadradāru) Cedrus deodara, (Roxb.ex D.Don) G. Don. See AVS 41, NK: 1, #516: 38, 95, 99, 136 deodar (devadāru) Cedrus deodara (Roxb.) Loud. GVDB: 206-207: 69, 96, 234, 287 deodar (suradāru) see deodar (devadāru): devil's dung (hingu) Ferula foetida Regel., GVDB: 471-472: 70, 71, 169 dried ginger $(n\bar{a}gara) \rightarrow dried$ ginger (śunthī) GVDB: 221–222: 71, 169 dried ginger (śunthī) Zingiber officinale, Roscoe. See ADPS: 50, NK: 1, #2658, AVS: 5, 435, IGP: 1232: 94, 287, 295 dried meat (vallūra) MW: 929, *Mahākośa*: 1, 730. The term is used, rarely, in both the CS (1.5.10) and SS (1.13. 16, 6.42.75–76). It is a Dravidian loanword and occurs in the Arthaśāstra etc. (KEWA: 3, 167): 30 drum-giver (?) (lambaradā) Unknown; cf. GVDB: 348: 125 elixir salve ($ras\bar{a}\tilde{n}jana$) $\rightarrow a\tilde{n}jana$. See Indian barberry: 38, 48 embelia (vidanga) Embelia ribes, Burm. f. See ADPS: 507, AVS: 2, 368, NK: 1, #929, Potter_{rev}: 113: 38, 69, 89, 136, 169 emblic myrobalan (āmalaka) Phyllanthus emblica, L. See AVS: 4, 256: 70, 97, 98, 178, 295 emetic nut (karaghāṭa) Probably a synonym for karahāṭa (emetic nut), q.v., GVDB: 74: 287

crimson trumpet-flower tree (pātalā)

- emetic nut (karahāṭa) Randia dumetorum, Lamk. See GVDB: 291–292 and NK: 1, #2091. T. B. Singh and Chunekar (GVDB: 74, 77–78) noted that it may be a synonym for karaghāṭa, emetic nut, and pointed rather to Gardenia turgida Roxb. on the basis of local knowledge in U. P.: 287, 291
- emetic nut (*madana*) Randia dumetorum, Lamk. See NK: 1, #2091: 117, 236
- false daisy (*bhṛṅga*) Eclipta prostrata (L.) L. See GVDB: 288: 69
- false daisy (*subhaṅgurā*) (su)bhaṅgura = bhṛṅga? Eclipta prostrata (L.) L. See GVDB: 288: 124
- fermented rice-water ($dh\bar{a}ny\bar{a}mla$) $\rightarrow k\bar{a}\tilde{n}j\bar{\imath}$, $k\bar{a}\tilde{n}jik\bar{a}$, $sauv\bar{\imath}ra$. GVDB: 458, NK: 2, appendix VI, #18: 45, 46
- fern (*ajaruhā*) Nephrodium species GVDB: 7, uncertain. Perhbaps Christella dentata(Forssk.) Brownsey & Jermy, which is reported to have folk applications against skin diseases in India: 120
- fire-flame bush (*dhātakī*) Woodfordia fruticosa (L.) Kurz. See AVS: 5, 412, NK: 1, #2626: 70, 117
- five roots (pañcamūla) Described at Suśrutasaṃhitā 1.38.66–69 (Su 1938:169). There are two pañcamūlas, the laghupañcamūla (the lesser five roots) and bṛhatpañcamūla (greater five roots), with differing properties. Combined they are called daśamūla (ten roots). See also Mahākośa: 1, 468:69
- flame-of-the-forest (*palāśa*) Butea monosperma (Lam.) Taub. GVDB: 241. *pālāśa* in some sources: 70, 91
- flax (*atasī*) Linum usitatissimum, L. See NK#1495: 95
- foxtail millet (*priyaṅgu*) → śyāmā. Setaria italica (L.) P. Beauvois GVDB: 263–264, GJM1: 576. The most widely-grown species of millet in Asia. Some say

- Callicarpa macrophylla, Vahl. See AVS: 1, 334, NK: 1, #420. The fruits of S. italica and C. macroyphylla are similar. See also GVDB: 413, where the authors suggest that *priyaṅgu* is meant by *gondī* or *gondanī* and may have originally been called *gundrabīja*: 38, 136, 141, 169, 170, 178
- fragrant lotus (saugandhika) A type of kumuda or utpala (GVDB: 457): 29
- fruit of the marking-nut (*āruṣkara*) see marking-nut (*aruṣkara*). "āruṣkara = aruṣkara phala" ADPS: 23; see also MW: 151: 170
- galangal (galangala) Alpinia galanga (L.) Sw. Identified with grey orchid in Kerala (ADPS: 398). The name is borrowed from Chinese, perhaps via Persian or Arabic (Peter: 2, 304), and the name does not occur in early āyurvedic literature (GVDB): 288
- garjan oil tree (aśvakarṇa) Dipterocarpus turbinatus Gaertn. f. See GVDB: 28, Chopra: 100: 140
- giant potato ($k \bar{s} \bar{t} a v i d \bar{a} r \bar{t}$) possibly \rightarrow $k \bar{s} \bar{t} r a \dot{s} u k l a$. Ipmoea mauritiana, Jacq. See ADPS: 510, AVS: 3, 222, AVS: 3, 1717 ff: 95, 290, 292–294
- ginger (*mahauṣadha*) Zingiber officinale, Roscoe. See ADPS: 50, NK: 1, #2658, IGP: 1232: 121
- gold (hema) gold: 136
- gold and sarsaparilla (surendragopa)
 Unknown. Þalhaṇa on 5.3.15
 (Su 1938: 568) glossed surendra as
 "gold" and gopā as "Indian
 sarsaparilla." He also noted other
 opinions that surendra was "Tellicherry
 bark": 140
- golden shower tree (*rājadruma*) rājadruma = āragvadha. Cassia fistula L. See GVDB 37: 140
- golden shower tree $(r\bar{a}javrkṣa) \rightarrow r\bar{a}jadruma$ = $\bar{a}ragvadha$. Cassia fistula L. See GVDB: 37 : 69

- golden shower tree (*āragvadha*) Cassia fistula L. GVDB: 37–38. The plant has many synonyms.: 97, 168
- gourd (*alābu*) Lagenaria siceraria Standl. GVDB: 25. Some say Lagenaria vulgaris, Seringe (NK: 1, #1419) but this is not appropriate for blood-letting: 25, 26, 117, 166
- greater five roots (*bṛhatpañcamūla*)

 Described at *Suśrutasaṃhitā* 1.38.68–69
 (Su 1938: 169). Consists of Bengal
 quince, migraine tree, Indian trumpet
 tree, crimson trumpet-flower tree, and
 white teak: 287, 291, 295
- green gram (*māṣa*) Vigna radiata (L.) R. Wilcz. See ADPS: 296, IGP 1204: 38, 95, 235
- grey orchid (rāsnā) Vanda tessellata (Roxb.) Hook. ex G.Don, usually. But Pluchea lanceolata, Oliver & Hiern, is a more common identification in Punjab and Gujarat (GVDB: 337-338); Alpinia galanga (L.) Sw. is more common in Kerala (ADPS: 398; Peter: 2, 303–318), though this is usually identified with galangal. As all authorities note, the identification of this plant is debated. Sivarajan and Balachandran (ADPS: 398–401) note that sources describe it as having leaves like cardamom and sweet-smelling roots and that "there is great confusion with regard to the identity of the drug.": 69, 94, 96, 169, 288
- gummy gardenia ($prthv\bar{i}k\bar{a}$) \leftarrow $hi\dot{n}gupatrik\bar{a}$, Gardenia gummifera L.f., GVDB: 257, q.v. for discussion: 170
- hairy bergenia (pāṣāṇabheda) Bergenia ligulata (Wall.) Engl. GVDB: 246–247: 70
- halfa grass (*darbha*) Demostachya bipinnnata Stapf. GVDB: 201. Synonym of *kuśa*: 72, 95
- halfa grass (*kuśa*) Desmostachya bipinnata, (L.) Stapf. GVDB: 111, AVS: 2, 326:

95, 163 hare foot uraria (krostakamekhalā) see hare foot uraria (*pṛśniparṇī*) Mahākośa: 1, 246. krostaka can mean "jackal" śrgāla, as in śrgālavinna, "a kind of pṛśnaparṇī) Mahākośa: 1,839:169 hare foot uraria ($prthakparn\bar{i}$) \rightarrow hare foot uraria (*pṛśniparṇī*) and rajmahal hemp (*mūrvā*) GVDB: 257. A component of lesser five roots: 97, 291 hare foot uraria ($pr\acute{s}niparn\bar{\iota}$) $\rightarrow sah\bar{a}$? Uraria lagopoides, DC. and U. picta Desv. See GVDB: 257-258, GJM1: 577, Dymock: 1, 426, AVS: 1, 750 ff, NK: 1, #2542; ADPS: 382, AVS: 2, 319 and AVS: 4, 366 are confusing. Also called pṛthakparṇī. A component of lesser five roots: 94, 95, 289 heart-leaf sida (balā) Sida cordifolia, Linn. See ADPS: 71, NK: 1, #2297: 47, 95, 98, 100, 136, 234 heart-leaved moonseed $(amrt\bar{a}) \rightarrow gud\bar{u}c\bar{\iota}$. Tinospora cordifolia, (Willd.) Hook.f. & Thoms.? See ADPS: 38, NK: 1, #2472, 624, Dastur #229: 118, 134 heart-leaved moonseed (guḍūcī) Tinospora cordifolia, (Thunb.) Miers. ADPS: 38, NK: 1, #2472 & #624, Dastur #229, GVDB: 141-142. Also identified as Cocculus cordifolius DC. by Nadkarni (NK) and others (see also the Tropicos botanical database): 69, 96 heart-leaved moonseed (somavallī) Tinospora cordifolia (Thunb.) Miers. GVDB: 456. Likely, but uncertain: 118 heart-leaved moonseed creeper (amṛtavalli) See amṛtā: 234 henna (madayantikā) Lawsonia inermis, L. See AVS: 3, 303, NK: 1, #1448, Potter_{rev}: 151: 119

Himalayan mayapple (vakra) Podophyllum

emodi, Wall. (NK: #1971). But perhaps

a synonm of crape jasmine and crape

jasmine, q.v. (GVDB: 354) : 141, 169

Himalayan monkshood ($ativis\bar{a}$) $\rightarrow vis\bar{a}$

Aconitum heterophyllum Wall. GVDB: 12, NK: 1, #39. Also "atis roots": 86, 119, 121, 141 Himalayan monkshood ($vis\bar{a}$) $\rightarrow ativis\bar{a}$ GVDB: 12, 373: 293 Himalayan yew (sthauneyaka) T. B. Singh and Chunekar (GVDB: 458–459) suggested Taxus baccata L., but that tree is endemic to the Mediterraenean and not South Asia. Poudel et al. 2013 show that T. contorta Griff., T mairei (Lemée & Lév.) and T. wallichiana Zucc. are distributed in the Hindu Kush - Himalaya region. The Nepalese name Thuneraka is etymologically cognate with the Sanskrit name. T. contorta is of medicinal importance, so its common name is used here: 169 hogweed (punarnavā) Boerhaavia diffusa, L. See ADPS: 387, AVS: 1, 281, NK: 1, #363:97,119,135 Holostemma creeper $(j\bar{\imath}vant\bar{\imath}) \rightarrow$ sūryavallī? Holostemma ada-kodien, Schultes. See ADPS: 195, AVS: 3, 167, 169, NK: 1, #1242: 98, 293 honey (kṣaudra) Eight varieties of honey are described in the SS (NK: 2, Appendix 192). *Ksaudra* is the product of a small bee of tawny colour, called ksudra: 103, 121 horned pondweed (śaivāla) also śaivāla, *śevāra*. Zannichellia palustris L. The uncertainties of this identification are discussed by T. B. Singh and Chunekar (GVDB: 409). Sometimes identified with scutch grass (*dūrvā*) (GVDB: 409).

Identified as Ceratophyllum demersum

Linn. ("hornwort") by AVS: 2, 56–57x:

Ceratophyllum demersum, L. See

(Su 1938: 79) that some people

AVS: 2, 56, IGP: 232. T. B. Singh and

pondweed. Dalhana noted on 1.16.19

Chunekar (GVDB: 166) suggest horned

96, 289, 293

hornwort (jalaśūka) $\rightarrow jalanīlikā$.

- interpret it as a poisonous, hairy, air-breathing, underwater creature: 47 horse gram (kaulattha) See horse gram (kulattha): 164
- horse gram (*kulattha*) Macrotyloma uniflorum (Lam.) Verdcourt, syn. Dolichos biflorus, L., D. uniflorus, Lam., GVDB: 109, Kew: sub Macrotyloma uniflorum: 99, 100, 168, 290
- horseradish tree ($murung\bar{\imath}$) see horseradish tree ($\acute{s}igru$) (GVDB: 311): 169
- horseradish tree (*śigru*) Moringa oleifera Lam. See IGP 759, GJM1: 603, Dymock: 1, 396: 96, 97, 290
- hyacinth beans (*niṣpāva*) Lablab purpureus (L.) Sweet (1826) GVDB: 228: 85
- Indian barberry (añjana) → rasāñjana, dāruharidrā. Berberis aristata, DC. Dymock: 1, 65, NK: 1, #335, GJM1: 562, IGP: 141: 48, 120, 287
- Indian barberry (*dāruharidrā*) Berberis aristata, DC. See Dymock: 1, 65, NK: 1, #685, GJM1: 562, IGP 141: 135, 136, 290
- Indian barberry $(d\bar{a}rv\bar{\iota}) \rightarrow$ Indian barberry $(d\bar{a}ruharidr\bar{a})$ GVDB: 203: 179
- Indian barberry (*kālīyaka*) → *dāruharidrā*, *añjana*. Berberis aristata, DC. See Dymock: 1, 65, NK: 1, #685, GJM1: 562, IGP: 141: 118
- Indian bat tree (śuṅgā) → parkaṭīvṛkṣa according to Śabdasindhu: 1058; idem also suggests vaṭavṛkṣa, i.e., Ficus benghalensis Linn. and āmrātaka, Spondias pinnata (L.f.) Kurz. (native to S.E Asia but naturalized in S. Asia). Contrasted with vaṭa at Suśrutasaṃhitā 3.2.32. Cf. MW: 1081.: 73
- Indian bdellium-tree (guggula) See Indian bdellium-tree guggulu: 169
- Indian bdellium-tree (guggulu)
 Commiphora wightii (Arn.) Bhandari (GVDB: 140). This is a flowering shrub or small tree that produces a fragrant resin commonly called guggulu. The

- name sometimes refers to the plant and sometimes to the resin: 103, 290
- Indian beech (*naktamāla*) Pongamia pinnata, (L.) Pierre. See AVS: 4, 339, NK: 1, #2003: 38, 91
- Indian cherry (śleṣmātakī) Cordia dichotoma G. Forst., AVS: 2, 180–183. See Kew, sub C. dichotoma; Cordia myxa L., according to T. B. Singh and Chunekar (GVDB: 413–414), although they also suggest C. dichotoma (synonym of C. wallichii G. Don.) and C. rothii (synonym of Cordia sinensis Lam.: 170
- Indian ipecac (payasyā) Uncertain.

 Possibly Tylophora indica (Burm.f.)

 Merr. Perhaps a synonym of panacea
 twiner, giant potato, purple roscoea,
 and plants like asthma plant and Gulf
 sandmat (GVDB: 237–238). Also
 "curds" when not a plant: 47, 96, 293
- Indian jujube (*sauvīraka*) Zizphus jujuba Mill., GVDB: 458, MBG: sub jujuba: 95, 164
- Indian kudzu (*vidārī*) → *payasyā*. Pueraria tuberosa (Willd.) DC. See ADPS: 510, AVS: 1, 792 f, AVS: 4, 391; not Dymock: 1, 424 f. See GJM2: 444, 451, AVS: 1, 187, but AVS: 3, 1719 = Ipmoea mauritiana, Jacq: 47, 69
- Indian madder (mañjiṣṭhā) Rubia cordifolia, L. See IGP, Chopra: 215, GVDB: 289: 43, 136, 169, 170
- Indian mottled eel (varmimatsya) Almost certainly the mottled eel. MW: 962c noted that the varmi fish "is commonly called vāmi." The "vam fish," or "বান মাছ (bān māch)" in Bengal, is a marine and freshwater eel, Anguilla bengalensis. It is the most common eel in Indian inland waters and a prized food fish (Froese and Pauly 2022). However, some NIA languages identify the "vam" fish with the Indian Pike Conger, Congresox talabonides (Bleeker)

```
(Talwar and Kacker 1984: 235, 236): 27
                                                  GVDB: 376, 45 and 84: 71, 234, 291
Indian mustard (sarṣapa) Brassica juncea,
                                              jambul (jambū) Syzygium cumini, (L.)
   Czern. & Coss. See AVS: 1, 301, NK: 1,
                                                  Skeels. See ADPS: 188, NK: 1, #967,
   #378: 30
                                                  Potter<sub>rev</sub>: 168, Wujastyk 2003a: 117, 178
                                              jasmine (mālatī) Jasminium grandiflorum,
Indian sarsaparilla (sugandhikā) see Indian
   sarsaparilla (śvetasārivā) GVDB: 430,
                                                  L. See NK: 1, #1364: 118
                                              jequirity (guñjā) Abrus precatorius, L. See
   436: 169
                                                  AVS: 1, 10, NK: 1, #6, Potter<sub>rev</sub>: 168:
Indian sarsaparilla (s\bar{a}riv\bar{a}) \rightarrow anant\bar{a}. The
   śveta variety is Hemidesmus indicus,
                                                  124, 125
   (L.) R. Br. ADPS: 434, AVS: 3, 141–145,
                                               (?) (karaṭā) Not in GVDB. Cf. perhaps
   NK: 1, #1210, GVDB: 430; and the black
                                                  karahāṭa (emetic nut): 125
   form, black creeper, pālindī.
                                              kutki (kaṭukā) Picrorhiza kurroa Royle ex
   Ichnocarpus frutescens, (L.) R.Br. or
                                                  Benth. (GVDB: 64–65): 86, 103, 291
   Cryptolepis buchanani, Roemer &
                                              kutki (kaṭurohaṇī) → kutki (kaṭukā)
   Schultes AVS: 3, 141, 145, 203, NK: 1,
                                                  GVDB: 66: 169
   #1283, 1210, ADPS: 429-430: 135, 136,
                                              lac (lākṣā) Kerria lacca (Kerr.). See
   288, 291
                                                  GJM1: 445, NK: 2, #32. Watt
Indian sarsaparilla (śvetasārivā)
                                                  (Watt_{Comm}: 1053–1066) is
   Hemidesmus indicus, (L.) R. Br. See
                                                  characteristically informative, and is
   Indian sarsaparilla (sārivā). ADPS: 434,
                                                  definite about the antiquity of lac in
   AVS: 3, 141–145, NK: 1, #1210,
                                                  India: 141, 170
   GVDB: 430: 291
                                              leadwort (agniśikhā) Plumbago zeylanica
Indian symphorema (sinduvāra)
                                                  (or rosea?), L. See NK: 1, #1966, 1967:
   T. B. Singh and Chunekar (GVDB: 435)
   settles on Symphorema polyandrum
                                              leadwort (citraka) Plumbago zeylanica (or
   Wight as the identity of this plant.
                                                  indica?), L. See RĀ. 6.124, ADPS: 119,
   Other authors choose Vitex negundo
                                                  NK: 1, #1966, 1967: 38, 70, 86, 91,
   Linn. See further NK: 1, #2603 (cf. use
                                                  102, 169
   of leaves), IGP: 1210a, MW: 1088b.
                                              leadwort (vidyutśikhā) Synonym of
   Discussion by GVDB: 433-435: 169
                                                  agniśikhā (leadwort), q.v.: 125
Indian trumpet tree (śyonāka) Oroxylum
                                              lesser five roots (laghupañcamūla)
   indicum (L.) Benth. ex Kurz.
                                                  Described at Suśrutasamhitā 1.38.66-67
   GVDB: 172–173. A component of
                                                  (Su 1938: 169). Consists of bull's head,
   greater five roots: 291
                                                  poison berry, yellow-fruit nightshade,
Indian trumpet tree (tintuka) \rightarrow Indian
                                                  hare foot uraria, and beggarweed: 285,
   trumpet tree (śyonāka). Oroxylum
                                                  287, 289, 295, 298
   indicum (L.) Benth. ex Kurz.
                                              liquorice (?) (klītaka) Glycyrrhiza glabra,
   GVDB: 172–173. A component of
                                                  L.? GVDB: 123–124 discuss the many
   greater five roots: 288
                                                  difficulties in identifying this plant: 124
Indrajao (indrayava) see vṛkṣaka (Indrajao)
                                              liquorice (madhuka) also yasti(ka/k\bar{a}),
   Holarrhena pubescens Wall. ex G.Don
                                                  yaṣṭīmadhuka, Glycyrrhiza glabra, L.
   1837 GVDB: 376, 45 and 84: 86
                                                  AVS: 3, 84, NK: 1, #1136, GVDB: 329 f.:
                                                  47, 69, 94-99, 101, 121, 134, 136, 169,
Indrajao (vrkṣaka) \rightarrow indrayava, indrabīja,
```

179, 291, 292

liquorice (yaṣṭī) see liquorice (madhuka):

kalinga, and kuṭaja. Holarrhena

pubescens Wall. ex G.Don 1837

```
liquorice (yaṣṭīmadhuka) see liquorice
   (madhuka): 48
lodh tree (lodhra) Symplocos racemosa,
   Roxb. See GJM1: 597, ADPS: 279 f,
   NK: 1, #2420. T. B. Singh and
   Chunekar (GVDB: 351–352) notes that
   there are two varieties, S. racemosa,
   qualified as śāvara, and S. crataegoides
   Buch.-Ham. for paṭṭikā lodhra: 38, 136,
   169, 179
long pepper (māgadha) Piper longum, L.
   See NK: 1, #1928; but cf. AVS: 3, 245:
long pepper (pippali) See long pepper
   (pippal\bar{\imath}): 169
long pepper (pippalī) Piper longum, L. See
   ADPS: 374, NK: 1, #1928,
   GVDB: 249–250: 69, 70, 91, 97, 98,
   101–103, 121, 136, 178, 234, 292, 295
lotus (nalina) \rightarrow sacred lotus (kamala)
   GVDB: 218: 178, 179
lotus stalk (mṛṇāla) "Leaf stalk of sacred
   lotus" GVDB: 318: 96
luffa (kosītak\bar{i}) = kosātak\bar{i}. Luffa cylindrica,
   (L.) M. J. Roem. or L. acutangula, (L.)
   Roxb. ADPS: 252–253, NK: 1, #1514 etc.
   GVDB: 121: 117, 134, 292
luffa gourd (kośavat\bar{\imath}) = kos\bar{\imath}tak\bar{\imath}, luffa : 134
mahua (madhūka) Madhuca longifolia,
   (Koenig) Macbride. See AVS: 3, 362 f:
   69
maidenhair fern (hamsāhvayā) Adiantum
   lunaluatum Burm f. GVDB: 463: 234
Malay beechwood (\acute{s}r\bar{\imath}parn\bar{\imath}) \rightarrow k\bar{a}\acute{s}mar\bar{\imath}.
   Gmelina arborea Linn., GVDB: 412,
   96-97:69
mango (āmra) Mangifera indica Linn.
   GVDB: 37: 117, 178
mangosteen (amla) Garcinia pedunculata
   Roxb. ex Buch.-Ham. See GVDB: 20-21:
marking-nut (aruṣkara) Semecarpus
```

anacardium L. See bhallātaka

(marking-nut tree), GVDB: 23,

169, 170

```
ADPS: 85–86: 125, 288
marking-nut tree (bhallātaka) Semecarpus
   anacarium, L. See NK: 1, #2269,
   AVS: 5, 98, ADPS: 85–86: 91, 120, 292
medhshingi (vijayā2) Dolichandrone
   falcata (DC.) The Sauśrutanighanţu
   gives a number of synonyms for vijayā
   (Suvedī and Tīvārī 2000: 5.77, 10.143).
   But one of them, visānī (also
   mesaśrngī), is sometimes equated with
   Dolichandrone falcata (DC.) Seemann
   (ADPS: 518; GVDB: 373 f, a plant used
   as an abortifacient and fish poison
   (NK: #862): 125
migraine tree (agnimantha) Premna
   corymbosa, Rottl. See AVS 1927,
   ADPS: 21, NK: 1, #2025, AVS: 4, 348;
   GJM1: 523: = P. integrifolia/serratifolia,
   L: 134, 288
milk-white (kṣīraśuklā) An unidentified
   plant. GVDB: 126: see purple roscoea
   and giant potato: 47, 294
mulberry (kramuka) probably the mulberry
   (t\bar{u}da); see discussion by T. B. Singh
   and Chunekar (GVDB: 122): 170
mulberry (tūda) Morus indica L.,
   GVDB: 189: 292
mung beans (mudga) Phaseolus radiatus L.
   GVDB: 310-311: 95, 98, 184
mung beans (māsaka) Phaseolus mungo
   Linn. GVDB: 308: 118
myrobalan (abhayā) Terminalia chebula,
   Retz. See ADPS: 172, NK: 1, #2451,
   Potter<sub>rev</sub>: 214: 86, 134, 141
myrobalans (pathyā) Terminalia chebula
   Retz. See NK: 1, #2451: 178
natron (suvarcikā) Sodium carbonate.
   NK: 2, #45. Dalhana identifies suvarcikā
   with svarjikṣāra 4.8.50 (Su 1938: 441):
   102, 136, 169
neem tree (nimba) Azadirachta indica A.
   Juss. GVDB: 226: 44, 234
nutgrass (kuruvinda) Unknown. Dalhana
   on 5.3.15 (Su 1938: 568) glossed the
```

term as nutgrass, but noted other

```
Heyne (Gulf sandmat) (GVDB: 127):
   opinions that it was a whetstone or a
   very special metallic gem. T. B. Singh
   and Chunekar (GVDB: 108) added that
                                             plumed cockscomb (indīvara) Uncertain;
   it could be a variety of rice, sastika
                                                 possibly Celosia argentea Linn. But see
   dhānya: 140
                                                 the useful discussion in GVDB: 44–45.
nutgrass (mustā) Cyperus rotundus, L. See
                                                 Possibly another name for thorn apple
   ADPS: 316, AVS: 2, 296, NK: 1, #782:
                                                 (karambha), q.v.: 295
                                             pointed gourd (patola) Trichosanthes
orchid tree (kovidāra) Bauhinia purpurea
                                                 dioica, Roxb., GVDB: 232-233: 96,
   Linn. or B. variegata Linn. (probably
                                                 134, 285
   the former), GVDB: 120,
                                             poison berry (bṛhatī) Solanum violaceum,
   AVS: 1, 256-260: 164
                                                 Ortega. See ADPS: 100, NK: 1, #2329,
paddy rice (śāli) Oriza sativa, Linn.
                                                 AVS: 5, 151: 91, 97, 135, 136, 291
   GVDB: 395–396 mentioning 33 Sanskrit
                                             poison-altar (?) (viṣavedikā) Unknown.
   sub-variety names; AVS: 4, 193: 31, 294
                                                 Possibly, at a guess, visamustika
panacea twiner (arkapusp\bar{\imath}) \rightarrow arkaparn\bar{\imath},
                                                 (strychnine tree)? GVDB: 373 Or viṣā
   Tylophora indica (Burm. f.) Merr.
                                                 (Himalayan monkshood): 125
   GVDB: 23-24. Maybe identical to
                                             pomegranate (dādima) Punica granatum
   Indian ipecac, giant potato and similar
                                                 Linn. GVDB: 201–202: 69, 70, 101, 102
   sweet, milky plants. See GVDB: 24, 127,
                                             pondweed (paripelavā) Normally a neuter
   238, 441, 443 for discussion. For
                                                 noun. T. B. Singh and Chunekar
   discussion in the context of
                                                 (GVDB: 238, 264–265, 409) argued that
   Holostemma creeper, see ADPS: 195
                                                plava and śaivāla are the same thing, and
   and AVS: 3, 171. The etymology of the
                                                 may be either Zannichellia palustris, L.,
   name suggests Helianthus annus Linn.,
                                                 or Potamogeton pectinatus, L: 136
   but this plant is native to the Americas:
                                             pondweed (śevāla) Zannichellia palustris
   135, 290
                                                 L. See horned pondweed: 29, 30
peas (harenu) harenu = satīna. Pisum
                                             powdered ruffle lichen (śaileyaka)
   sativum, L. T. B. Singh and Chunekar
                                                 Parmotrema perlatum (Huds.)
   (GVDB: 419–420, 467–468) notes that
                                                 M.Choisy (1952), although there are
   two plants are usually meant under this
                                                 some inconsistencies in groups and
   name, but there is no agreement on the
                                                synonyms. See GVDB: 408-409,
   identity of the second: 96, 135, 136, 141,
                                                 AVS: 4, 222–225. The plant has a
   169, 170, 178
                                                notably complex taxonomic history:
peepul tree (aśvattha) Ficus religiosa, L.
   See ADPS: 63: 143
                                             prickly chaff-flower (apāmārga)
periploca of the woods (meṣaśṛṅga)
                                                 Achyranthes aspera, L. See GJM1: 524 f,
   Gymnema sylvestre (Retz.) R. Br. See
                                                 AVS: 1, 39, ADPS: 44 f, AVS: 3, 2066 f,
   AVS: 3, 107, NK: 1, #1173: 120
                                                 Dymock: 3, 135: 43, 47, 95, 293
phalsa (parūṣaka) Grewia asiatica Linn.,
                                             prickly chaff-flower (vasira) also vaśīra.
   GVDB: 238: 70
                                                 Perhaps Achyranthes aspera, L.
plants like asthma plant and Gulf sandmat
                                                 GVDB: 362 describes several possible
   (kṣīriṇī) various milky plants, perhaps
                                                identities, including sūryāvarta, prickly
   including Euphorbia hirta Linn.
                                                 chaff-flower and markatatrna. See also
```

vasukavasira (GVDB: 363): 70

(asthma plant) and E. microphylla

```
purging nut (mūṣikā) Jatropha curcas, L.
                                                 martinii (Roxb.) Wats. See AVS: 2, 285,
   See AVS: 3, 261, NK: 1, #1374: 120
                                                 NK: 1, #177: 136, 169
purple calotropis (arka) Calotropis
                                              sacred lotus (kamala) Nelumbo nucifera
   gigantea, (L.) R. Br. See ADPS: 52,
                                                 Gaertn., GVDB: 73-74: 292
   AVS: 1, 341, NK: 1, #427, Potter<sub>rev</sub>: 57,
                                              sacred lotus (padma) Nelumbo nucifera,
   Chopra IDG: 305–308: 38, 47, 91, 164
                                                 Gaertn. See NK: 1, #1698: 29, 96, 118
purple roscoea (ksīrakākolī) GVDB: 89
                                              sacred lotus (prapaundarīka) see sacred
   notes that many physicians use Roscoea
                                                 lotus (prapundarīka): 169
   procera Wall. in this context. But the
                                              sacred lotus (prapundarīka) Nelumbo
   identification is uncertain. Possibly
                                                 nucifera, Gaertn. See Dutt 110, NK: 1,
   connected to milk-white or giant
                                                 #1698: 294
   potato: 95, 290, 292
                                              sage-leaved alangium (ankolla) Alangium
radish (mūlaka) Raphanus sativus, L. See
                                                 salvifolium (Linn. f.) Wang.
   NK: 1, #2098: 99, 100
                                                 GVDB: 5-6: 117
rajmahal hemp (morata) \rightarrow m\bar{u}rv\bar{\iota},
                                              sal group of trees (śālasārādi) śālasārādi is a
   Marsdenia tenacissima (Roxb.) Wight
                                                 group (gaṇa) of twenty-three trees
   et Arn. Good discussion at
                                                 listed at 1.38.8–9 (Su 1938: 165),
   GVDB: 314-316, 324: 134
                                                 Mahākośa: 1,898:70
rajmahal hemp (mūrvā) Gongronemopsis
                                              sal tree (śālā) Shorea robusta, Gaertn.f. See
   tenacissima (Roxb.) S.Reuss, Liede &
                                                 AVS: 5, 124: 178
   Meve (= Marsdenia tenacissima
                                              sandalwood (bhadraśriya) Santanlum
   (Roxb.) Moon), GVDB: 314–316. One
                                                 album Linn. See white sandalwood
   of the twenty-two drugs in the group
                                                 (bhadraśrī): 96
   madanādi. T. B. Singh and Chunekar
                                              sandalwood (candana) Santalum album, L.
   and ADPS: 310-313 discuss the long
                                                 See ADPS: 111, NK: 1, #2217: 71, 96, 98,
   controversy about the identity of this
                                                 136, 164, 169, 296
   plant. Sansevieria roxburghiana Schult.
                                              sappanwood (pattānga) Also pattanga.
   & Schult.f. ("Indian bowstring hemp")
                                                 Caesalpinia sappan, L. AVS: 1, 323,
   was preferred by Meulenbeld
                                                 K&B: 2,847 f, GVDB: 234: 38,48
   (GJM1: 590) and the sources he cited,
                                              scarlet mallow (bandhujīva) Pentapetes
   including NK: 1, #2216, K&B: 4, 2457;
                                                 phoenicea, L. NK: #1836, GVDB: 268:
   ADPS: 310 mention this identity as
                                                 119
   being local to Bengal, but note that the
                                              scented pavonia (bālaka) Pavonia odorata,
   plant is not a creeper: 98, 289
                                                 Willd. See ADPS: 498, NK: 1, #1822:
red chalk (gairika) gairika: 136, 169
                                                 136
red gourd (bimbī) Coccinia indica, W. & A.
                                              scramberry (t\bar{a}l\bar{i}sa) see scramberry (t\bar{a}l\bar{i}sa):
   See PVS 1994.4.715; NK: 1, #534: 117
                                                 169
rice grains (tandula) Oriza sativa, Linn.
                                              scramberry (tālīśa) T. B. Singh and
   Same as paddy rice (śāli) GVDB: 174; or
                                                 Chunekar (GVDB: 179, 458–459)
   just "grains": 31
                                                 discusses the several identifications
rice-grain chaff (śālitandulakāndana) See
                                                 and regional differences in identifying
   chaff: 30
                                                 this plant. Taxus baccata Linn. is a
rock salt (saindhava) See NK: 2, M#48,
                                                 common candidate, as is Flacourtia
   Watt<sub>Comm</sub>: 963–971: 30, 69, 102, 169
                                                 jangomas (Lour.) Raeusch.
rosha grass (dhyāmaka) Cymbopogon
                                                 (scramberry): 96, 179, 294
```

scutch grass (dūrvā) Cynodon dactylon (Linn.) Pers. (GVDB: 205): 289 sedge (kutannata) $\rightarrow plava$, tagara, or *śyonāka*, according to commentators (GVDB: 102-103). T. B. Singh and Chunekar leans towards the plava, but that plant too is difficult to identify. Various sources identify kuṭannaṭa as Cyperus rotundus L., C, scariosus R. Br., Oroxylum indicum (L,) Benth. ex Kurz (= Bignonia Indica L.) or even Cinnnamomum verum J.Presl. The Cyperus genus comprises about 700 species of sedges, and I have chosen "sedge" as a generic indication of the likely identity of this plant: 169 selu plum (śelu) Cordia myxa, L. non Forssk. See GJM1: 529 (2), IGP: 291b, cf. AVS: 3, 1677 f; cf. AVS: 2, 180 (C. dichotoma, Forst.f.), NK: 1, #672 (C. latifolia, Roxb.): 97, 134 sesame oil (taila) Sesamum indicum L. GVDB: 183: 47, 164 siris (śirīṣa) Albizia lebbeck, Benth. See AVS: 1, 81, NK: 1, #91, GVDB: 399-400. Cf. white siris: 134, 164, 178, 297 siris seeds (śirīṣamāṣaka) Albizia lebbeck, Benth. See AVS: 1, 81, NK: 1, #91: 117 small-flowered crape myrtle (*sidhraka*) Lagerstroemia parviflora Roxb. See GVDB: 432: 140 snakeroot ($sugandh\bar{a}$) $\rightarrow sarpagandh\bar{a}$ Rauvolfia serpentina Benth. ex. Kurz. See *sarpagandhā*. But may be Aristolochia indica Linn. Has been identified with *nākulī*, or *gandhanākulī*. See (GVDB: 219, 436): 124 spikenard (jaṭāmāṃsī) Nardostachys jatamansi (D.Don) DC, GVDB: 163. See also NK: 1, #1691: 295 spikenard (*māṃsī*) see spikenard (jaṭamāmsī): 136, 169spikenard (nalada) see spikenard (jaṭamāṃsī): 115, 170

strychnine tree (viṣamuṣṭika) Strychnos

nux vomica Linn. GVDB: 373: 293 sugar (sitā) Dalhaṇa makes this equation at 1.37.25 (Su 1938: 162): 136, 170 sugar (śarkara) Saccharum officinarum, Linn. NK: #2182: 121 sugar cane (iksu) Saccharum officinarum, Linn. NK: #2182: 121 sunflower $(s\bar{u}ryavall\bar{\iota}) \rightarrow \bar{a}dityavall\bar{\iota}$, sūryamukhī, Helianthus annūs Linn. GVDB: 35, 443: 134 sweet flag (vacā) Acorus calamus Linn. See GVDB: 352-355: 95, 102 sweet plants (madhuravarga) The sweet plants are enumerated at Suśrutasaṃhitā 1.42.11. See also GVDB: 127: 47 sweet-scented oleander (aśvamāraka) Nerium oleander, L. See ADPS: 223, NK: 1, #1709: 124 Tellicherry bark (kuṭaja) Holarrhena pubescens Wall. ex G.Don, with Wrightia tinctoria and W. arborea considered GVDB: 101–102, ADPS: 267–270: 91, 288 ten roots (daśamūla) Described at *Suśrutasaṃhitā* 1.38.70–71 (Su 1938: 169) as a combination of the lesser five roots and the greater five roots: 287 the three myrobalans (triphalā) chebulic myrobalan beleric myrobalan and emblic myrobalan (harītakī bibhītaka and āmalaka) One of the most-often mentioned drugs in the Brhattrayī GVDB: 194–196: 89, 169, 285 the three pungent drugs (trikațu) dried ginger, long pepper, and black pepper (śunthī, pippalī, and marica) GVDB: 193: thorn apple (karambha) Datura metel, L. See GVDB: 76 for useful discussion. Also, AVS: 2, 305 (cf. Abhidhānamañjarī), NK: 1, #796 ff. Potter_{rev}: 292 f, ADPS: 132. Possibly the same plant as plumed cockscomb (indīvara) (GVDB: 76, 44-45): 125, 293

```
three heating spices (tryūṣaṇa) śunṭhī
   (Dried ginger) Zingiber officinale,
   Roscoe. ADPS: 50, NK: 1, #2658,
   AVS: 5, 435, IGP 1232, pippalī (long
   pepper) Piper longum, L.ADPS: 374,
   NK: 1, #1928, and marica (black
   pepper) Piper nigrum, L.ADPS: 294,
   NK: 1, #1929: 71, 135
three-leaved caper (varuna) Crataeva
   magna (Lour.) DC. See AVS: 2, 202; cf.
   NK: 1, #696: 120
toothed-leaf limonia (surasī) Naringi
   crenulata (Roxb.) Nicolson (formerly
   Limonia crenulata Roxb.), GVDB: 439:
top layer of fermented liquor (surāmanda)
   K&B: 2, 502, NK: 2, appendix VI, #49,
   McHugh 2021: 39: 45, 46
tree cotton (kārpāsa) G. arboreum L.
   ADPS: 231. Pace the identifications of
   T. B. Singh and Chunekar (GVDB: 92,
   247), since G. barbadense L. is native to
   South America and G. herbaceum L.
   which is native to Africa: 44, 296
tree cotton (picu) See tree cotton (k\bar{a}rp\bar{a}sa):
   46, 48
turmeric (gaurī) Curcuma longa, L. See
   ADPS: 169, AVS: 2, 259, NK: 1, #750: 96
turmeric (haridrā) Curcuma longa Linn.
   GVDB: 465: 97, 135, 141, 169
turmeric (rajanī) Curcuma longa, L.
   ADPS: 169, AVS: 2, 259, NK: 1, #750:
   30, 136, 170
turpeth (trivrt) \rightarrow trvrt\bar{a}. Operculina
   turpethum (Linn.) Silva Manso =
   Ipmoea turpethum R. Br. GVDB: 197.:
   89, 121, 169, 236, 285
two kinds of salt (vasukavasira) See the
   discussion by T. B. Singh and Chunekar
   (GVDB: 362–363), who note that when
   vasuka is mentioned together with
   vasira, two varieties of salt are often
   meant (see vasukavasirā): 69
velvet-leaf (pāṭhā) Cissampelos pariera, L.
   See ADPS: 366, NK: 1, #592, GJM1: 573,
```

```
AVS: 1, 95; cf. AVS: 2, 277: 38, 71, 86,
   102, 134, 169
velvet-mite (indragopa) Kerria lacca
   (Kerr.). Lienhard 1978: 116
verbena (bhārgī) see verbena (bhārṅgī):
   169
verbena (bh\bar{a}rng\bar{\iota}) \rightarrow pha\tilde{n}j\bar{\iota}.
   Clerodendrum serratum (L.) Moon or
   C. serratum; see AVS: 2, 121, ADPS: 87:
verbena (phañjī) Clerodendrum serratum,
   L. See AVS: 2, 121, ADPS: 87: 119
watered buttermilk (udaśvit) MW: 183: 117
weaver's beam tree (muskaka) Schrebera
   swietenioides, Roxb. See AVS: 5, 88,
   Lord, NK: 1, #2246: 91, 140
weaver's beam tree (viśalyā) Schrebera
   swieteniodes Roxb. \leftarrow kuberāksī.
   T. B. Singh and Chunekar (GVDB: 371)
   notes that this name is a synonym for
   many other plants, including lāngālī,
   indravāruni, gudūcī etc. Dalhana
   identified it with pāṭalā, kāsthapāṭalā,
   and agniśikhā tree, all of which may be
   called śvetamoksaka or kuberāksī : 169
white babool (arimeda) Acacia
   leucophloea, (Roxb.) Willd. See
   AVS: 1, 23:38
white calotropis (alarka) Calotropis
   procera, (Ait.) R. Br. See NK: 1, #428,
   Chopra: 46b, Chopra IDG: 305–308: 47
white clitoria (girihvā) see winged-stem
   canscora (girikarnikā): 170
white clitoria (\acute{s}vet\bar{a}) \rightarrow giry\bar{a}hv\bar{a}. Clitoria
   ternatea, L. See AVS: 2, 129, NK: 1,
   #621:118,170
white cutch tree (somavalka) Acacia
   polyacantha, Willd. See AVS: 1, 30, IGP
   7, GJM1: 602, AVS: 2, 935; pace NK: 1,
   #1038: 119, 140
white dammer tree (sarja) Vateria indica,
   L. See NK: 1, #2571, AVS: 5, 349 f,
   AVS: 1, 292 f, Chopra: 253a: 38, 69
white sandalwood (bhadraśrī) Santanlum
   album Linn. see sandalwood (candana)
```

```
GVDB: 152, 282 and Carakasamhitā
                                                    AVS: 4, 353–355. MW: 585 is wide of
    ci.4.102 (Ca 1941: 434) where it is
                                                    the mark: 96–98, 169
    contrasted with lohitacandana: 71, 294
                                                wild spider flower (ajagandhā) possibly
white siris (katabhī) Albizia procera
                                                    Cleome gynandra L. (syn.
    (Roxb.) Benth. or A. lebbeck (Linn.)
                                                    Gynandropis gynandra L.); possibly
    Benth. GVDB: 63–64, AVS: 1, 81–84. Cf.
                                                    also Basil (Ocimum basilicum Linn. or
    Cf. siris: 164, 295
                                                    Crested Late Summer Mint (Elsholtzia
white siris (kiṇihī) Albizia procera (Roxb.)
                                                    ciliata Willd.) (GVDB: 6). But E. ciliata
    Benth., GVDB: 98, which also discusses
                                                    is not native to South Asia: 102
   past confusions; NK: 1, #93: 135,
                                                wild sugar cane (kāṇḍekṣu) Saccharum
    169, 170
                                                    spontaneum L., GVDB: 90: 69
white teak (k\bar{a}r\acute{s}mar\bar{\imath}) \rightarrow k\bar{a}\acute{s}mar\bar{\imath}: 179
                                                winged-stem canscora (girikarnik\bar{a}) \rightarrow
white teak (k\bar{a}\pm mary\bar{a}) \rightarrow k\bar{a}\pm mar\bar{i}:70
                                                    śvetā. Possibly Clitoria ternatea, L., see
white teak (k\bar{a}\pm mar\bar{\imath}) \rightarrow k\bar{a}\pm mar\bar{\imath}, k\bar{a}\pm mar\bar{\imath},
                                                    AVS: 2, 129, NK: 1, #621.
   madhuparnī. Gmelina arborea, Roxb.
                                                    GVDB: 138–139 argued for
   See GJM1: 543, Trees: 51, ADPS: 240: 96,
                                                    Symphorema polyandrum Wight,
                                                    which they also assigned to sinduvāra.
                                                    Since śvetā and girihvā are cited as
white teak (madhuparnī) \rightarrow k\bar{a} \pm mar\bar{i} : 69
                                                    separate constitutents of one formula
white water-lily (kumuda) Nymphaea alba,
                                                    (e.g., Suśrutasamhitā 5.5.75
    Linn. GVDB: 105: 29
                                                    (Su 1938: 579) they cannot be the same
wild asparagus (bahuputr\bar{a}) \rightarrow nandana?
                                                    plant. When discussing śankhapuṣpī,
    Asparagus racemosus, Willd. See
                                                    another possible synonym, Sivarajan
    further wild asparagus (śatāvarī): 119
                                                    and Balachandran (ADPS: 425–427)
wild asparagus (śatāvarī) Asparagus
                                                    also suggest Canscora alata (Roth)
    racemosus, Willd. See ADPS: 441,
                                                    Wall. (syn of Canscora decussata
    AVS: 1, 218, NK: 1, #264, IGP: 103,
                                                    Schultes & Schultes f.) and
    AVS: 4, 249 ff, Dymock: 3, 482 ff:
                                                    Convulvulus pluricaulis Chois. The
    94–96, 98, 184, 297
                                                    former has a more appropriate
wild celery (agnika) \rightarrow may be bhall\bar{a}taka,
                                                    distribution and is chosen here: 296
   lāngalī, ajamodā, moraţa, or agnimantha,
                                                Withania (aśvagandhā) Withania somnifera
   GVDB: 4. Uncertain A plant often cited
                                                    (L.) Dunal. See AVS: 5, 409 f,
    in Suśrutasamhitā, but rarely in
                                                    Dymock: 2, 566 f., Chevallier 150: 47,
    Carakasamhitā (GVDB: 4). Dalhana
                                                    90,97
   glossed it at 5.2.45 (Su 1938: 566) as
                                                wolfsbane (vatsanābha) Aconitum
   ajamodā but noted that others consider
                                                    napellus, L. See AVS: 1, 47, NK: 1, #42,
   it to be morata. There is considerable
                                                    Potter_{rev}: 4 f. Or Aconitum
    complexity surrounding the
                                                    chasmanthum Stapf ex Holmes,
   identification of morața/mūrvā itself and
                                                    GVDB: 357: 284
   related synonyms (GVDB: 314-316):
    134, 297
                                                wood apple (kapittha) Limonia acidissima,
wild celery (ajamodā) Apium graveolens,
                                                    L. See AVS: 3, 327, NK: 1, #1021: 97,
    L. Sometimes identified with agnika
                                                    118, 120, 178
    (wild celery), q.v.: 134, 169
                                                woodrose (mūṣikakarṇī) Jatopha curcas, L.
wild Himalayan cherry (padmaka) Prunus
                                                    AVS: 3, 261, NK: 1, #1374. GVDB: 317;
```

ADPS: 23–25 discuss this issue well:

cerasoides D.Don, GVDB: 236,

298 Fauna

yellow-berried nightshade (*kṣudrā*) Solanum virginianum, L. See ADPS: 100, NK: 1, #2329, AVS: 5, 164: 135, 136 yellow-fruit nightshade (kaṇṭakārī)
Solanum virginianum L. (also called
Solanthum xanthocarpum, Schrad. &
Wendl.) GVDB: 68–69. A component of
lesser five roots: 291

Fauna

chital deer (*pṛṣata*) Axis axis, Erxleben.
BIA: 295–296. In *Suśrutasaṃhitā* 5.5.71
(Su 1938: 579) it seems to be specifically the musk that is meant. so the reference may be to the Musk Deer (Moschus moschiferus L.). But all species produce musk, so *pṛṣata* may also be simply Chital or Spotted Deer. See also IW: 93: 121, 170

civet (*mārjāra*) BIA: ch. 4 *et passim*, McHugh 2012: 170

iguana (godheraka) The गौधरक is described in the Carakasaṃhitā as a four-legged snake born of a ?? that is similar to a black snake and has several species (6.23.134 (Ca 1941: 577)). CDIAL: 1, #4286 identifies this as an iguana: 173, 298

large gecko (galagoḍikā) A poisonous insect, amphibian or reptile described in Suśrutasaṃhitā 5.8.29 (Su 1938: 588) as a biting creature that may be white, black, with red stripes or rings or spotted. It is described just after the iguanas (godheraka) and before centipedes. The name is unstable, e.g., गलगोलिका, गलदोडी, गलगोली. Cf. the

remarks on geckos in note 417, p. 138. The similarity of names suggests that a गलगोडिका may be a non-domestic creature that looks similar to a domestic gecko. Cf. other IA parallels at CDIAL: 1, #4324, 4431, which points to a Dravidian origin for the lexeme (DED₂: #1125) and suggests "iguana." The tokay gecko (Gekko gecko (Linnaeus, 1758)) is a large gecko endemic to South Asia having a blue-gray skin with red or orange spots and speckles that may change according to its environment like a chameleon. Tokay geckos, especially males, are aggressive and territorial and can inflict a strong bite. However, many agamids and skinks are also endemic to South Asia, and have markings that could match the description of the Suśrutasamhitā. See further Deuti 2020; IW: 40, 135-136: 74 mongoose (*nakula*) Urva edwardsii or the

often sympatric U. auropunctatus (small Indian mongoose, usually an eater of smaller creatures than snakes) (BIA: ch. 5), On mongooses and snakes, see BIA: 98–99; IW: 112: 121, 170

"invincible" - ajeya: 136	aconite - hālāhala: 130
	ādarśamaṇḍala - the mirror ring: 153
@ - avabāhuka: 63	adhikaraṇa - topic: 233f
matitana (a matralluna (a	adhimantha - irritation: 187
- pratitūnī: 63 - pratyādhmāna: 63	adhiṣṭhāna - base, foundation: 137
- pratyaṣṭhīla: 63	- carriers: 137 - located: 17
- tนิทเิ: 63	ādhmāna - distension: 129 - tympanites: 62f
- vātakaṇṭaka: 63 - vātāṣṭhīlā: 63	ādhmāta - swollen: 156
yoga - cohesion: 233	adhodṛṣṭitva - downward vision: 187
'angry beetles' - toṭaka: 138	adhyāya - sections: 20
'bellied' - kukṣita: 139	afflicted - upasṛṣṭa: 68
'cook-fish' - pākamatsya: 138	affliction - upasarga: 120
'darts' <i>- śārikā</i> : 139	afterbirth - aparā: 105
'earth scorpions' - viśvambhara: 139	agada - antidote: 133, 164f, 169
'flat insects' - picciṭā: 138	- antitoxic: 164
ʻlids' - śārava: 139	āgantu - external factors: 19
ʻliquors' - medaka: 139	āgāradhūma - soot from the chimney: 38,
'orange-dwellers' - kaṣāyavāsika: 138	87
'pepper snakes' - sarṣapaka: 138	aggregation - samuccaya: 233, 237
'poisonous snakes' - pracalāka: 138	agni - heat: 56
'pot insects' - kauṇḍinya: 138	agnika - the flame: 153
'speckle-heads' - citraśīrṣa: 139	agnikarma - cauterization: 86
'wing-scorpions' - patravṛścika: 139	agra - supernatant layer: 183
'wood-enemies' - dārukāri: 139	agramukta - free from the point: 186
$\sqrt{p\bar{\iota}d}$ - pain: 158	āhāra - diet: 17
√rakṣ - protect: 72	āhārya - take away: 44
√sodh - purge: 165	ahipatāka - thei snake flag: 154
$\sqrt{u}h$ - propelled: 158	<i>ahorātra</i> - day and night: 18
ahdaman <i>nakriāća</i> , 86	aids - aṅga: 181
abdomen - pakvāśa: 86	air - samīraņa: 158
abdominal lump - <i>gulma</i> : 196 <i>abhayā</i> - chebulic myrobalan: 180	<i>ajagara</i> - constrictor: 156 - the goat
abhramukta - free from clouds: 186	swallower: 154
abhyanga - massage oil: 114, 120 - oil	ajākṣīrārdita - stirred with goat's milk:
	188
massage: 118 - oil rub: 86, 221 abhyañjana - oil rubs: 169	ajeya - "invincible": 136 - invincible: 121
abīja - seedless: 68	akhiladehavyāptirūpam - takes the form of
ācamana - lavages: 71	pervading the whole body: 131
ācāra - regimen: 17	akriya - inactive: 62
acarika - medical advice: 46	ākṣepa - contractions: 59
accents - svara: 164	ākṣepaka - convulsion: 60, 63
accumulation - samudāya: 43 - sañcaya:	- convulsions: 59
18	alaoardā - sting-gush: 27

alagarda - the hungry sting: 152	apavarga - exception: 233, 236
ālepa - liniment: 178	apertures of the head - kha: 119
ālepana - liniments: 27, 120 - ointments:	aphorism - sūtra: 234
86	application of collyrium - añjana: 178,
alleviated - yāpya: 180	183
alleviation - pratīkāra: 18	application of oil to the head - śirobasti:
along these lines - evam: 19	88
āmāśaya - stomach: 132f	apuṣpa - the grass flower: 152
amṛta - immortal: 121	araga timira - non-bloodshot blindness:
anāgatāpekṣaṇa - future reference: 233,	185
237	ardhakapāṭasandhika - half door-hinge: 44
<i>ānāha</i> - constipation: 129, 132, 136	ardita - paralysis of the jaw-bones: 61, 63
aṇḍaja - born from eggs: 18	- spasm of the jaw-bones: 61
ลทุสิกิก - with testicles: 197	arid-land animals - jāṅgala: 183
anekānta - variable statement: 233, 236	ariṣṭā - bandage: 162f, 167f
anga - aids: 181 - parts: 19	ariṣṭa - omens: 51
angamarda - bruising of the limbs: 132	arṇavamala - cuttle fish: 180
anger - krodha: 17	arocaka - loss of appetite: 132
aṅgulirāji - the finger stripe: 153	arśas - prolapses: 196
animals - paśu: 18	ārtava - menstrual blood: 71, 196
añjana - application of collyrium: 178,	- seasonal blood: 68
183 - collyrium: 165f, 169f, 177–180,	artha - purpose: 224
182ff, 189 - eye make-up: 114, 120	arthāpatti - implication: 233, 236
- eye ointment: 120 - eye salve: 134	<i>aruci</i> - disinterest in food: 167
- stibnite: 183	asādhya - incurable: 68, 177 - untreatable:
annamada - intoxication from food: 132	185
antarāyāma - emprosthotonos: 60	āsaṅgima - fastening: 44
antidote - agada: 133, 164f, 169	āśoka - grief: 17
antitoxic - agada: 164	āśrayin - substrate: 17
antra - entrails: 180 - gut: 133	aśrupāta - weeping tears: 72
ants - pipīlika: 18	āsthāpana - enema: 69
anubandha - indicatory sounds: 228	asthi - bones: 19
anulepana - massage ointment: 114, 118	aṣṭhīlā - pebble: 116
- ointment: 118	asūyā - jealousy: 17
ānulomya - rightness: 56	atibalā - strong mallow: 181
anumata - consent: 233, 236	atideśa - prediction: 233, 235
anuvāsana - oily enema: 69	atikrāntāpekṣaṇa - past reference: 233,
anya - other: 224	237
apadeśa - statement of reason: 233, 235	ātmaka - nature: 16
apakṣāghāta - paralysis: 60	āṭopa - flatulence: 117
apāṅga - outer corner of the eye: 185	attribute - guṇa: 222
<i>aparā</i> - afterbirth: 105	atyānandā - extremely excited: 197
apatānaka - spasmodic contraction: 59	avabāhuka - @: 63
āpatantraka - spasmodic contradiction:	avadāraṇa - fissuring: 120
60	avalekhana - combs: 114
	· · · · · · · · · · · · · · · · · · ·

avapīḍa - sternutatory: 166	bindurāji - the drop stripe: 153
āvarta - spiral: 185	black drongo - dhūmyāṭa: 115
avaśardhita - fart: 138	black part - kṛṣṇa: 185
axelwood - dhava: 189	black soot - maṣī: 178
ayana - half-year: 18	black - kṛṣṇā: 27
āyatta - depends on: 17	blanket sweating - prastara: 86
āyulife: 26	blindness - timira: 184
<i>āyur</i> - life, longevity: 13	blink of the eye - nimeṣa: 18
āyurveda - the science of life: 14	blockage of the vision - dṛṣṭyavarodha:
	157
babhru - the brown: 153	blood-bile - raktapitta: 177
babhrūkuṭīmukha - the brown hut mouth:	blood-bile - śonita-pitta, rakta-pitta: 181
152	blood-letting - sirāvedha: 178
baddham - bound, connected: 48	blood - rakta: 68 - rudhira: 18 - śonita: 181
balā - country mallow: 181	-śoṇita: 67f
bala - strength: 17	bloodshot blindness - rāgin timira: 182
balāsa - phlegm: 87	- rāgiņi timire: 185
<i>bali</i> - morsel: 115 - sacrificial offerings:	blossom - prasūna: 170
163	blue dot cataract - mlāyin: 184
bandage - ariṣṭā: 162f, 167f - bandha: 162	blue vitriol - <i>tuttha</i> : 183
bandha - bandage: 162	bodily constiuents - dhātu: 131
base, foundation - adhiṣṭhāna: 137	bodily tissues - dhātu: 56, 158
<i>bāṣpa</i> - vapour: 115f, 119	body language - ingita: 114
basti - enema: 88 - instillation: 69	body tissue - dhātu: 133
be exhausted - sāda: 133	bones - asthi: 19
bearers - voḍhāra: 114	born from eggs - aṇḍaja: 18
beauty berry - <i>priyangu</i> : 183	born in in a caul - jarāyuja: 18
bellyache - jaṭhara: 136	born of sweat - svedaja: 18
bent brow and eye - vakrabhrūnetra: 187	bound, connected - baddham: 48
benumbed - jāḍya: 158	box myrtle - katphala: 180
beryl - vaiḍūrya: 189	brahma - holiness: 163
between the shoulder-blades - trika: 88	brahmacāriṇī - chaste woman: 72
bhadradāru - deodar: 188	brahmarși - holy sages: 163
bhakṣya - masticable: 238	brilliance - tejas: 74
bhanga - leaves: 186	bristles - śūka: 138
bhavet - it may be: 185	bṛṃhaṇa - nourishment: 17
bhāvita - cooked: 183 - infused: 179	bruising of the limbs - angamarda: 132
bherī - drum: 170	bubbling - budbuda: 187
bheṣaja - treatment: 196	budbuda - bubbling: 187
bhojya - edible: 238	bulbs - kanda: 18
bhramaraka - drongo: 115	bull - vṛṣabha: 115
bhṛngarāja - racket-tailed drongo: 115	burning sensation in feet - pādadāha: 62
bīja - semen: 196	
bile-fever - pittajvara: 168	cakradhārā - rim of a wheel: 45
bile - pitta: 181	cakraka - the ringed: 153
bilious / choleric - pittalā: 197	cala - liquid: 186

can be mitigated - yāpya: 185	cohesion - yoga: 234
caraṇī - caraṇī: 197	collection - varga: 19
caraṇī - caraṇī: 197	collyrium - añjana: 165f, 169f, 177–180,
cardamom - elā: 180	182ff, 189
carman - pelt: 18	combined - upahita: 181
carmānta - leather: 162	combs - avalekhana: 114
carnivore - kravyabhuj: 182	comfort - sukha : 19
carriers - adhiṣṭhāna: 137	compendium of diseases - rogasamgraha
cassia cinnamon - patra: 188	194
castor oil - pañcāṅgulataila: 181	complexion - varṇa: 17, 51, 74
cataract - liṅganāśa: 185	compounds - yoga: 178
caturvarga - fourfold grouping: 19	compressed - saṃkṣipta: 45
catuṣtaya - four factors: 19	compressed - saṃkṣipta: 44
caused by wind - pavanodbhava: 181	compulsion - niyoga: 233, 237
causes - hetu: 197	conch - salilotthita: 184
causing a fall - sraṃsanī: 197	cone snails - śambūka: 138
causing the destruction of actions such	congenital blindness - jātyandha: 74
as moving - gamanādikriyāvināśakarī:	congested humours - sannipāta: 19
187	consent - anumata: 233, 236
caustic - kṣāra: 69, 71	constipation - ānāha: 129, 132, 136
cauterization - agnikarma: 86	constitution - prakṛti: 167
chaste woman - brahmacāriṇī: 72	constrictor - ajagara: 156
chebulic myrobalan - abhayā: 180	contamination dropsy - dusyodara: 132
chedya - excision: 19	contractions - ākṣepa: 59
cheek-ear - gaṇḍakarṇa: 44	contraposition - viparyaya: 233, 236
chest - hṛd: 133	convulsion - ākṣepaka: 60, 63
chidra - opening: 185	convulsions - ākṣepaka: 59
child bearing - kaumārabhṛtya: 192	cooked barley - yavaudana: 185
child-murderess - putraghnī: 197	cooked - bhāvita: 183 - siddham: 218
chinna - segmented: 27	copper - tāmra: 187
chital deer - pṛṣata: 115	coral - vidruma: 189
choler - pitta: 197	coṣa - driness: 187
chyle - rasa: 132	cottony jujube - kākolī: 189
chyle - rasa: 33	counteraction - pratiședha: 177
cihna - signs: 197	country mallow - balā: 181
circuit of the pupil - dṛṣṭimaṇḍala: 186	cow snout - gonasa: 154
citraka - the mark: 153	cow-dung - gośakṛt: 179
citraśīrṣa - 'speckle-heads': 139	cow-praising - govandanā: 27
citron - mātuluṅga: 188	cow's flesh - gomāṇṣa: 178
clean - pra√ sādh: 120	cow's urine - gomūtra: 180
cloth - plota: 162	crabs - ucciținga: 139
clumps - granthi: 67, 71	creeper-ear - vallīkarṇa: 44
clusters - samplava: 18	creepy-crawlies - sarīṣṛpa: 15, 18
cock - tāmracūḍa: 182	crow's foot - kākapada: 134
cohesion - yoga: 233	crow's lip - kākauṣṭha: 44

cuñcumālaka - little ring of spots: 150	determination - nirṇaya: 233
curable - sādhya: 68, 177	devadinna - the gift of god: 153
curds - dadhi: 117, 121	devatā - deity: 163
cure - siddhi: 134	dhātrī - emblic: 180
cured - sādhya: 136	dhātu - bodily constiuents: 131 - bodily
cuscus grass - <i>uśīra</i> : 183	tissues: 56, 158 - body tissue: 133
cutting with a blade - śastrakṣata: 178	- element: 124, 127, 129
cuttle fish - arṇavamala: 180	dhava - axelwood: 189
cuttlefish bone - phena: 189	dhūma - inhaled smoke: 114
-samudraphena: 180	dhūmadarśin - seeing smoke: 177
	dhūmyāṭa - black drongo: 115
dadhi - curds: 117, 121	dhyāma - dark colour: 130 - grimy: 114
dadhimukha - the curd mouth: 152	diet - āhāra: 17
dāha - overheating: 177	digdha - poisoned: 168
dainya - misery: 17	dilator - pravardhanaka: 43
dais - pīṭha: 44	dīpyaka - the stimulator: 154
daivakṛte - naturally-occurring: 185	discharge - <i>praseka</i> : 130 - <i>srāva</i> : 118, 120
dantamāṃsa - gum: 117	disease - vyadhi: 19
dantaveṣṭa - tooth socket: 117	diseases - roga: 196
darbhapuspa - the grass flower: 153	disinterest in food - aruci: 167
darita - torn: 149f	disjunction - viśleṣa: 132
dark brown - śyāma: 74	disorders of the female reproductive
dark colour - dhyāma: 130	system - yonivyāpat: 196
dark - kṛṣṇa: 74	distension - ādhmāna: 129
dart-mouth - śaṅkumukhī : 28	door-hinge - kapāṭasandhika: 44
dārukāri - 'wood-enemies': 139	doṣa - defects: 196 - humour: 131, 185,
datta - given: 115	234 - humours: 18, 56 - humours: 196
day and night - ahorātra: 18	- pathology: 69
deadly substance - kālakalpa: 158	_
decoction - kaṣāya: 69 - kvātha: 71, 134	doṣapariplava - unsteadiness of the
-niḥkvātha: 71	humours: 187
decoctions - kaṣāya: 114, 186	double - yamalā: 117
decomposition - kuṇapa: 67f	doubt - saṃśaya: 233, 237
deducible - <i>ūhya</i> : 233, 238	downward vision - adhodṛṣṭitva: 187
deer - eṇa: 182	drākṣā - grapes: 188
defects - dosa: 196	dravāñjana - liquid collyrium: 182
deity - devatā: 163	dravya - liquid: 169 - substance: 51, 222
delirium - moha: 128	dried flesh - vallūraka: 44
demons - graha: 192	dried ginger - nāgara: 179
demons - graha: 192	driness - coṣa: 187
deodar - bhadradāru: 188	drinkable - peya: 238
depends on -āyatta: 17	drongo - bhramaraka: 115
depression - viṣāda: 17	drowsiness - supti: 87
description - nirdeśa: 233, 235	<i>dṛṣṭi</i> - eye: 74 - pupil: 177, 186f
desert date - iṅgudī: 183	<i>dṛṣṭimaṇḍala</i> - circuit of the pupil: 186
desire - icchā: 17	dṛṣtivibhrama - faulty vision: 120

<i>dṛṣṭyavarodha -</i> blockage of the vision:	enclosed roasting - puṭākhya: 182
157	- puṭapāka: 183
drum - bherī: 170	ends - vaktra: 187
dry rub - utsādana: 118	enema - āsthāpana: 69 - basti: 88
dry rubs - utsādana: 114	enemy of slow-acting poison - dūṣīviṣāri:
dry - rūkṣa: 131	136
duct - sirā: 164	energy - ojas: 51
ducts - sirā: 19, 86 - srotas: 155	eṇīpada - the deer foot: 153
duḥkha - suffering: 17	entrails - antra: 180
dumb - <i>mūka</i> : 62	envy - <i>īrṣyā</i> : 17
dung beetles - varcaḥkīṭa: 138	errhine - nasya: 181
dūrvā - panic grass: 188	errhines - nasya: 120
dūṣī-viṣa - slow-acting poison: 133	essence - sāra: 18
dūṣīviṣa - slow poisoning: 165	evam - along these lines: 19
- slow-acting poison: 136	exception - apavarga: 233, 236
dūṣīviṣāri - enemy of slow-acting poison:	excision - chedya: 19
136 - slow-acting poison antidote:	expansive - vikāsin: 131
117	expert - vicakṣaṇa: 73
dust - rajas: 56	explication - vyākhyāna: 233, 237
duṣyodara - contamination dropsy: 132	expressed juice - svarasa: 178
dveṣa - hatred: 17	extensive meaning of the collection of
dvyāhika - the two-day: 154	statements - vāksamūhārthavistāra:
dvyangulirāji - the two finger stripe: 153	155
dwindling away - kṣaya: 132	external factors - āgantu: 19
arranang array nengin 152	extract of rohu carp - rauhita: 179
ear-ache - karṇaśūla: 62	extract - niryāsa: 120
earth products - pārthiva: 18	extracted juice - surasa: 71
earth - pāṃśu: 162	extracted juice - svarasa: 119
earthen products - pārthiva: 19	extracts - rasa: 183
edible - bhojya: 238	extremely excited - atyānandā: 197
e e e e e e e e e e e e e e e e e e e	eye make-up - <i>añjana</i> : 114, 120
ekānigaroga - monoplegia: 60	eye ointment - añjana: 120
ekānta - invariable statement: 233	eye salve - añjana: 134
- invariable statement: 236 elā - cardamom: 180	eye - dṛṣṭi: 74
	eyewash - tarpaṇa: 120, 178, 182f
element - <i>dhātu</i> : 124, 127, 129 elephant/snake - <i>nāga</i> : 139	- 1- 60
	fainting - mūrcchā: 168
elixir salve - rasāñjana: 179, 182ff	fart - avaśardhita: 138
elixir-salve - rasāñjana: 179	fastening -āsaṅgima: 44
elixir-salve - śīta: 179	fat - vasā: 182
ellipis - vākyaśeṣa: 233	faulty medical treatment - mithyopacāra:
ellipsis - vākyaśeṣa: 236	196
embelia - vidanga: 183	faulty vision - dṛṣṭivibhrama: 120
emblic - dhātrī: 180	feeling of heat all over - paridāha: 157
emprosthotonos - antarāyāma: 60	female reproductive organ - yoni: 196f
ena - deer: 182	female reproductive system - yoni: 196

field-specific term - svasamjñā: 233, 237	giving of fumes - paridhūpāyana: 155
filaments - kiñjalka: 179	giving off fumes - paridhūpana: 155
first point of view - pūrvapakṣa: 236	glassy opacity - kāca: 183
fissuring - avadāraņa: 120	<i>godhā</i> - monitor lizard: 180
flag - patāka: 170	gold - śātakumbhī: 187
flame of the forest - palāśa: 183	gomāṃsa - cow's flesh: 178
flatulence - āṭopa: 117	gomūtra - cow's urine: 180
flavour - rasa: 234	gonasa - cow snout: 154
flavours - rasa: 17, 51	gośakṛt - cow-dung: 179 - juice of
flesh - māṃsa: 19	cow-dung: 179
flooded - pariplutā: 197	gout - vātarakta: 63
flowering trees - vṛkṣa: 17	govandanā - cow-praising: 27
flowers - puṣpa: 18	graha - demons: 192 - demons: 192
follicles - kha: 118	grahaṇī - seat of fire in the gut: 157
force - vega: 88	grahaṇī - seat of fire in the gut: 157
formulation - yoga: 85	<i>granthi</i> - clumps: 67, 71 - knots: 130
fortnight - pakṣa: 18	-lumps: 118, 129
foul-smelling pus - pūtipūya: 68	grapes - drākṣā: 188
four factors - catuştaya: 19	gṛdhrasī - sciatica: 61, 63
fourfold grouping - caturvarga: 19	great aconite - mahāviṣa: 130
free from clouds - abhramukta: 186	great antidote - mahāgada: 27
free from the point - agramukta: 186	great fragrance - mahāsugandha: 120
frogs - maṇḍūka: 18	great poison - mahāviṣa: 130
fruit trees - vanaspati: 17	greed - lobha: 17
fruits - phala: 18	green vitriol - kāsīsa: 183
future reference - anāgatāpekṣaṇa: 233,	gṛhadhūma - soot: 143
237	gṛhagoḍikā - geckos: 138
-57	grief - āśoka: 17
gadgad - stammers: 62	grimy - dhyāma: 114
gāḍha - pinched: 46	grooming - vilekhana: 72
gairika - ochre: 178f	gruel - yavāgū: 134, 165
gairikaḥ - red chalk: 188	guḍikā - pill: 179
gamanādikriyāvināśakarī - causing the	gulma - abdominal lump: 196
destruction of actions such as	gum - dantamāṃsa: 117
moving: 187	guṇa - attribute: 222 - qualities: 131
gaṇḍakarṇa - cheek-ear: 44	gut - antra: 133
garlands - sraj: 114	gut umm. 155
garuda - tārkṣya: 169	haemorrhaging - śonitāgamana: 156
gauze - plota: 46	hālāhala - aconite: 130
gavedhuka - the gavedhuka: 152	half door-hinge - ardhakapāṭasandhika: 44
geckos - gṛhagoḍikā: 138	half-year - ayana: 18
general rule - paribhāṣā: 183	hare foot uraria - pṛthakparṇī: 188
gently - mṛdu: 188	harenu - harenu: 179f
ghee - sarpis: 178 - sarpis: 121	hareṇu - hareṇu: 179f
girisarpa - the mountain snake: 152	hari - sun: 186
given - datta: 115	<i>haridrā -</i> turmeric: 183
~	<u> </u>

harṣa - horripilation: 132	indian sarsaparilla - kālānusāriva: 179
- overexcitement: 17	- sāriva: 180 - śārivā: 188
hastābharaṇaka - the hand decoration:	indication - pradeśa: 233, 235
153	indicatory sounds - anubandha: 228
hatred - dveṣa: 17	indigo - nīlī: 117
heat - agni: 56 - tejas: 74	individuality - viśeṣa: 222
herbs - oṣadhi: 17	indragopa - red velvet mites: 18
hetu - causes: 197 - reason: 224	indrāyudhā - rainbow: 27
hetvartha - purpose of a reason: 233, 235	infertile - vandhyā: 197
himalayan cherry - padmaka: 188	inflamed - samrambha: 47 - vidagdha: 178
hīnakarṇa - reduced-ear: 44	infused - bhāvita: 179
hoarseness - pāruṣya: 129	ingita - body language: 114
holiness - brahma: 163	iṅgudī - desert date: 183
holostemma - payasyā: 188	inhaled smoke - dhūma: 114
holy sages - brahmarși: 163	inherence - samavāya: 222
honey collyrium - kṣaudrāñjana: 180	inherent factors - svabhāva: 19
honey - kṣaudra: 178f - madhu: 178	inherent - svābhāvika: 17
- madhus: 115	injured - <i>utpīḍita</i> : 185
horripilation - harṣa: 132	inspissation - rasakriyā: 183
horseradish tree - śigru: 184	instillation - basti: 69
hot all over - samantatastāpaḥ: 155	intended - vyākhyāta: 19
hot over the whole body	interpretation - nirvacana: 233, 237
- sarvāngasantāpaḥ: 156	interstitial layers - kalā: 158
hṛd - chest: 133	intestines - pakvādhāna: 133 - pakvāśaya:
huge - mahatī: 197	117, 132
human being - puruṣa: 16f, 19	intoxication from food - annamada: 132
humoral colligation - sannipāta: 68	invariable statement - ekānta: 233
humour - doṣa: 131, 185, 234	invariable statement - ekānta: 236
humours - doṣa: 18, 56	invincible - ajeya: 121
humours - doṣa: 196	irregularities - vaiṣamya: 17
	irrigated - pratipūraņa: 119
icchā - desire: 17	irrigation - seka: 178 - tarpaṇa: 196
if, then not - na ced: 185	irritation - adhimantha: 187 - prakopa: 18
ilikinī - the ilikinī: 154	<i>īrṣyā</i> - envy: 17
illness - ruj: 179	it may be - bhavet: 185
illustration - <i>nidarśana</i> : 233, 237	itemization - vidhāna: 233, 236
immortal - amṛta: 121	items created by time - kālakṛta: 18f
implication - arthāpatti: 233, 236	·
impotent - śaṇḍhī: 197	jāḍya - benumbed: 158
in those cases - tatra: 181	jāḍyatā - rigidity: 167
in yama's direction - yāmya: 143	jala - water: 26
inactive - akriya: 62	jalaukas - water-dwellers: 26
incised - pracchāna: 167 - pracchita: 168	jāṅgala - arid-land animals: 183
incising - pracchāna: 164	jangama - mobile: 124 - moving: 17, 19
incurable - asādhya: 68, 177	<i>japa</i> - mantra repetition: 163
indian madder - mañjiṣṭhā: 188	jarāyuja - born in in a caul: 18

jaṭhara - bellyache: 136	kāsīsa - green vitriol: 183
jātī - royal jasmine: 189	kāṣṭhā - trice: 18
jātyandha - congenital blindness: 74	kaṭphala - box myrtle: 180
jealousy - asūyā: 17	kaumārabhṛtya - child bearing: 192
joints - sandhi: 19	kauṇḍinya - 'pot insects': 138
juice extract - svarasa: 18	kavala - mouthwash: 118
juice of cow-dung - gośakṛt: 179	kevala - simply: 166
juice - rasa: 87	kha - apertures of the head: 119
juices - rasa: 182	- follicles: 118
<i>jyotīratha -</i> the chariot of light: 154	khaluṣa - the khaluṣa: 153
	khaṇḍaphaṇa - the break hood: 152
kāca - glassy opacity: 183	khañja - limpness: 61
kākapada - crow's foot: 134	khara - rough: 187
kākauṣṭha - crow's lip: 44	kikkisāda - the worm eater: 153
kākolī - cottony jujube: 189	kinihī - white siris: 183
<i>kalā</i> - interstitial layers: 158 - layer: 147	kiñjalka - filaments: 179
-layers of skin: 158 - minutes: 18	kitchen - mahānasa: 114
kālakalpa - deadly substance: 158	kiṭipa - lice: 138
kālakṛta - items created by time: 18f	knots - granthi: 130
kālānusāriva - indian sarsaparilla: 179	knowledge - <i>veda</i> : 13, 221
kalāyakhañja - lathyrism: 62f	kohl - <i>srotas</i> : 182 - <i>srotoja</i> : 179, 189
kalka - mash: 136 - paste: 69, 71	koṣṭha - trunk of the body: 157
<i>kalpa</i> - procedure: 148, 162 - rule: 137	koṭha - skin disease: 132
kāma - lust: 17	kravyabhuj - carnivore: 182
kaṇabha - wasps: 139	<i>kṛcchra</i> - with difficulty: 185
kanda - bulbs: 18	<i>kriyā</i> - procedures: 16, 19 - treatment: 19
kantaka - spots: 119	69, 183
kapālacūrṇa - powdered earthenware	kriyākāla - the time for therapies: 19
crockery: 45	kriyāsanga - loss of function: 187
kapāṭasandhika - door-hinge: 44	kṛmi - worms: 18
kapha - mucus: 119 - phlegm: 129, 132f,	krodha - anger: 17
157, 197	
kapilā - tawny: 28	kroṣṭukaśīrṣa - synovitis of knee join: 61,
kapittha - wood apple: 178	63
karburā - mottled: 27	kṛṣṇa - black part: 185
kardama - the mud: 153	kṛṣṇā - black: 27
karma - regimen: 187	kṛṣṇa - dark: 74
karman - movement: 222 - therapies: 19	kṛṣṇā - long pepper: 178
karṇaśūla - ear-ache: 62	kṛṣṇasarpa - the black snake: 152
karnavyadha - piercing the ear: 41	<i>kṛṣṇodara</i> - the black belly: 152
karninī - protuberant: 197	kṣaṇadāndhya - night blindness: 179
karṣū - trench sweating: 86	kṣāra - caustic: 69, 71
kaṣāya - decoction: 69 - decoctions: 114,	kṣāraka - lye: 182
186 - the ochre: 153	kṣaudra - honey: 178f
kaṣāyavāsika - 'orange-dwellers': 138	kṣaudrāñjana - honey collyrium: 180
kāśipati - lord of kāśī: 113	kṣaya - dwindling away: 132

kṣīṇa - low volume: 67 - wasted: 46	lodhra - lodh tree: 183
kṣīra - milky sap: 124, 127, 129 - sap: 18	logical methods of the system
kṣīrikāpuṣpa - the milk flower: 154	- tantrayukti: 233
kukṣita - 'bellied': 139	lohitākṣa - the red eye: 152f
kūkuṭa - the kūkuṭa: 152	long pepper - kṛṣṇā: 178 - māgadha: 183
kunakha - ugly nails: 72	- māgadhi: 180 - māgadhī: 180, 182
кипара - decomposition: 67f - smell of	loose stool - viḍbheda: 129, 140
decomposition: 68	lord of kāśī - kāśipati: 113
kunta - small insects: 18	loss of appetite - arocaka: 132
kupyaka - metal: 178	loss of function - kriyāsaṅga: 187
kuśa grass - <i>kuśa</i> : 182	lotus-mouth - puṇḍarīkamukhī: 28
kuśa - kuśa grass: 182	lotus-splittable - <i>utpalabhedyaka</i> : 44
kuṣṭḥa - pallid skin disease: 72, 133	lotus-spots - padminīkaṇṭaka: 119
kuṭī - sauna: 86	low volume - kṣīṇa: 67
kvātha - decoction: 71, 134	lumps - granthi: 118, 129
Noulla decocion /1,134	lust - kāma: 17
lac - lākṣā: 188	lūtā - spiders: 15
lākṣā - lac: 188	lye - kṣāraka: 182
lame - paṅgu: 61	Tyc Kontuku. 102
lathyrism - kalāyakhañja: 62f	madanaka - the intoxicator: 153
lavages - ācamana: 71	<i>madhu -</i> honey: 178 - mead: 163
layer - kalā: 147 - paṭala: 185	madhūka - mahua: 182ff
layers of skin - kalā: 158	madhukair - liquorice: 188
leather - carmānta: 162	madhus - honey: 115
leaves - bhaṅga: 186 - patra: 18	madira - spirits: 183
lehya - suckable: 238	madirā - spirits: 180
<i>lekhana -</i> scarification: 17	māgadha - long pepper: 183
lice - kiṭipa: 138	māgadhi - long pepper: 180
life, longevity - āyur: 13	māgadhī - long pepper: 180, 182
life - āyu-: 26	mahāgada - great antidote: 27
limpid - viśada: 131	mahākapota - the big pigeon: 152
limpness - khañja: 61	mahākṛṣṇa - the big black: 152
linga - symptom: 119 - symptoms: 132	mahānasa - kitchen: 114
linganāśa - cataract: 185	mahāpadma - the great lotus: 152
liniment - ālepa: 178	mahāpanasaka - the big jackfruit: 153
liniments - ālepana: 27, 120	mahāsarpa - the great snake: 152
liquid collyrium - dravāñjana: 182	mahāśīrṣa - the big head: 152
liquid - cala: 186 - dravya: 169	mahāsugandha - great fragrance: 120
liquorice - madhukair: 188	mahatī - huge: 197
little ring of spots - cuñcumālaka: 150	mahāviṣa - great aconite: 130 - great
liver extract - yakṛdrasa: 179	poison: 130
liver - yakṛt: 180	mahua - madhūka: 182ff
lobha - greed: 17	mākuli - mākuli: 154
located on the limb - śākhāśrayā: 164	mākuli - <i>mākuli</i> : 154
located - adhiṣṭhāna: 17	malice - mātsarya: 17
lodh tree - lodhra: 183	māmsa - flesh: 10

māṃsanirgama - prolapse: 187	mimmira - mumbles: 62
māṃsarasa - meat broth: 87	minutes - kalā: 18
manaḥśilā - realgar: 179, 182f, 189 - red	misaligned eyes - vikṛtākṣa: 74
arsenic: 178, 180	misery - dainya: 17
mānasa - mental: 17	miśrakacikitsa - various treatments: 48
maṇḍala - round blotches: 132	misshapen eyeball - vilocana: 187
maṇḍūka - frogs: 18	mithuna - pair: 237 - triad: 237
mañjiṣṭhā - indian madder: 188	mithyopacāra - faulty medical treatment
mantra repetition - japa: 163	196
manual agitation - pāṇimantha: 86	mitigatible - yāpya: 177
manyāstambha - stiffness of the neck: 158	mlāyin - blue dot cataract: 184
manyāsthambha - rigidity of neck: 61	mobile - jangama: 124
mardana - rubbing: 86	moha - delirium: 128
markaṭa - monkey: 130	monitor lizard - godhā: 180
marks with a knife - śastrapada: 30	monkey - markaṭa: 130
māruta - wind: 68	monkey - vānara: 138
māsa - month: 18	monoplegia - ekāṅgaroga: 60
mash - kalka: 136	month - māsa: 18
maṣī - black soot: 178	morsel - bali: 115
massage oil - abhyanga: 114, 120	mottled - karburā: 27
massage ointment - anulepana: 114, 118	mouse - mūṣikā : 28
masticable - bhakṣya: 238	mouthwash - kavala: 118
mātrā - measures: 88	movement - karman: 222
mātsarya - malice: 17	moving - jaṅgama: 17, 19
mātulunga - citron: 188	mṛdu - gently: 188
matured - vipakva: 179	mucous - śleṣman: 157
mead - madhu: 163	mucus - kapha: 119
meaning of one or more words	muhūrta - three-quarters of an hour: 18
- padārtha: 234	mūka - dumb: 62
measures - mātrā: 88	<i>mukhasaṃdaṃśā -</i> nipping with the
meat broth - māṃsarasa: 87	mouth: 138
medaka - 'liquors': 139	muktā - pearl: 185
medical advice - ācārika: 46	muktvā - separate: 185
medicines cooked in a crucible	mūla - root: 17 - roots: 18
- puṭapāka: 178	mūlaka - mūlaka: 130
	mūlaka - mūlaka: 130
men - nara: 138 menstrual blood - ārtava: 71, 196	multi-joins - <i>vyāyojima</i> : 44
	mumbles - mimmira: 62
mental - mānasa: 17	mūrcchā - fainting: 168 - stupor: 116
mention - samuddeśa: 233, 235	mūṣikā - mouse: 28
meṣaṣṛṅga - perploca of the woods: 189	mūṣika - rodents: 15
meṣaviṣāṇa - periploca of the woods: 181	mustā - nutgrass: 188
metal - kupyaka: 178	mustaka - mustaka: 130
metamorphopsia - viparītadarśana: 156	mustaka - <i>mustaka</i> : 130
milk - payas: 121	and if there are to the
milky sap - <i>kṣīra</i> : 124, 127, 129	na ced - if, then not: 185

nāḍī - tube: 86	objection - pūrvapakṣa: 233
nadīja - salt: 179	oblations - upahāra: 163
nāga - elephant/snake: 139	obligation - ṛṇa: 73
nāgara - dried ginger: 179	oceanic - sāmudrikā: 27
nalada - spikenard: 183	ochre - gairika: 178f
nara - men: 138	off his hand - sapāṇa: 181
nasal medicine - nasya: 134	oil massage - abhyanga: 118
nasal medicines - nasya: 178	oil rub - abhyanga: 86, 221
nasya - errhine: 181 - errhines: 120 - nasal	oil rubs - abhyañjana: 169
medicine: 134 - nasal medicines: 178	oil stripe - <i>snigdharāji</i> : 154
- snuff: 114, 119	oil - sneha: 18
naturally-occurring - daivakṛte: 185	oily enema - anuvāsana: 69
nature - ātmaka: 16	oily stripe - <i>snigdharāji</i> : 154
needle - sūcī: 186	ointment - anulepana: 118 - pralepa: 116,
nemīsandhānaka - rim-join: 45 - rim-join:	119
44	ointments - <i>ālepana</i> : 86
newborn - prasava: 74	ojas - energy: 51 - vital energy: 17
nidarśana - illustration: 233, 237	oleation - sneha: 86
night blindness - kṣaṇadāndhya: 179	omens - ariṣṭa: 51
niḥkvātha - decoction: 71 - stewed juice:	opening - chidra: 185
134	ophidian - sarpita: 150
ท <i>ī</i> lī - indigo: 117	option - <i>vikalpa</i> : 233, 237
nimeṣa - blink of the eye: 18	or not distorted - vāvikṛtā: 117
nipping with the mouth	oṣadhī remedies: 17
- mukhasaṃdaṃśā: 138	oṣadhi - herbs: 17 - remedies: 19
nirdeśa - description: 233, 235	other - anya: 224
nirṇaya - determination: 233	outer corner of the eye - apānga: 185
nirvacana - interpretation: 233, 237	overexcitement - harṣa: 17
nirvedhima - ready-split: 44	overheating - dāha: 177
nirvișa - without venom: 150	pacification - saṃśamana: 17 - upaśama:
<i>niryāsa</i> - extract: 120 - resin: 18, 124, 126,	18
129	pada - word: 221f
niśācara - nocturnal creature: 184	pādadāha - burning sensation in feet: 62
nișevita - prepared: 182 - used: 180	padārtha - meaning of one or more
nivāta - no wind: 18	words: 234 - relevant meaning: 230,
niyoga - compulsion: 233, 237	233f - word-meaning: 223
no wind - nivāta: 18	padma - the lotus: 152
nocturnal creature - niśācara: 184	padmaka - himalayan cherry: 188
non-bloodshot blindness - araga timira:	padminīkaṇṭaka - lotus-spots: 119
185	pain and injury - vedanābhighāta: 14
non-flowering tree - vanaspati: 183	pain - $\sqrt{p\bar{q}}$: 158 - $\sin a$: 133
nourishment - bṛṇḍhaṇa: 17	pair - <i>mithuna</i> : 237
numb - stabdha: 87	pāka - sepsis: 120
numbness - svāpa: 120	pākamatsya - 'cook-fish': 138
nutgrass - mustā: 188	pakṣa - fortnight: 18
U	, ,

pakṣāghāta - paralysis of one side: 63	patra - cassia cinnamon: 188 - leaves: 18
- paralysis: 60	patravrścika - 'wing-scorpions': 139
pakvādhāna - intestines: 133	paṭṭa - strip of cloth: 87
pakvāśa - abdomen: 86	pavanodbhava - caused by wind: 181
pakvāśaya - intestines: 117, 132	payas - milk: 121
palāśa - flame of the forest: 183	payasyā - holostemma: 188
pālindaka - the morning glory: 153	pearl - muktā: 185
pallava - shoots: 186	pebble - aṣṭhīlā: 116
pallid skin disease - kuṣṭha: 72, 133	pelt - carman: 18
<i>pāṃśu</i> - earth: 162	periploca of the woods - meṣaviṣāṇa: 181
panasaka - the jackfruit: 153	perploca of the woods - meṣaśṛṅga: 189
pañcāṅgulataila - castor oil: 181	person - puruṣa: 237
paṅgu -lame: 61	pervasive - vyavāyin: 131
panic grass - dūrvā: 188	peya - drinkable: 238
pāṇimantha - manual agitation: 86	phala - fruits: 18
paralysis of arms and back - viśvañci: 61,	phena - cuttlefish bone: 189
63	phlegm - balāsa: 87 - kapha: 129, 132f,
paralysis of one side - pakṣāghāta: 63	157, 197
paralysis of the jaw-bones - ardita: 61, 63	phlegmatic - śleṣmalā: 197
paralysis - apakṣāghāta: 60 - pakṣāghāta:	physical - śārīravad: 19
60	picciţā - 'flat insects': 138
pārāvata - the pigeon: 153	$p\bar{i}d$ press: 185
paribhāṣā - general rule: 183	piercing the ear - kaṛṇavyadha: 41
<i>paridāha</i> - feeling of heat all over: 157	piercing - vyadha: 186
paridhūpana - giving off fumes: 155	pigs' eye - sūkarākṣitā: 187
paridhūpāyana - giving of fumes: 155	pilindaka - the pilindaka: 153
pariplutā - flooded: 197	pill - guḍikā: 179
parisarpa - the snake around: 152	pinched - <i>gāḍha</i> : 46
parīṣeka - shower: 118	piṅgalā -ruddy: 28
parśvabheda - ribs crack: 133	pipīlika - ants: 18
<i>pārthiva</i> - earth products: 18 - earthen	pith - sāra: 124, 126, 129
products: 19	pīṭha - dais: 44
partial blindness - <i>timira</i> : 181	pitta - bile: 181 - choler: 197
particulars - vikalpa: 19	pittajvara - bile-fever: 168
parts - aṅga: 19	pittalā - bilious / choleric: 197
pāruṣya - hoarseness: 129	pittavișa - poison in the bile: 163
past reference - atikrāntāpekṣaṇa: 233,	plīhan - spleen: 180
237	plota - cloth: 162 - gauze: 46
paste - <i>kalka</i> : 69, 71	plutā - sprung: 197
paśu - animals: 18	poison in the bile - pittaviṣa: 163
paṭaha - tabors: 170	poison-stink - viṣapūti: 168
patāka - flag: 170	poisoned - digdha: 168
paṭala - layer: 185	poṭa throat - poṭagala: 154
pāthā - velvet leaf: 183	poṭagala - poṭa throat: 154
pathology - doṣa: 69	potency - vīrya: 169
patriorogy noon. og	potericy on you roy

poultice - upanāha: 86	prolapses - arśas: 196
powdered earthenware crockery	propelled - $\sqrt{u}h$: 158
- kapālacūrṇa: 45	protect - √rakṣ: 72
<i>pra√sādh</i> - clean: 120	protuberant - karṇinī: 197
<i>pra√kuth</i> - rot: 117	pṛṣata - chital deer: 115
prabha - shine: 185	pṛṣata - the speckled: 153
pracalāka - 'poisonous snakes': 138	pṛthakparṇī - hare foot uraria: 188
pracchāna - incised: 167 - incising: 164	pulse interval - vegāntara: 158
pracchita - incised: 168	puṇḍarīka - puṇḍarīka: 130 - the lotus:
practical purposes - prayojanavat: 18	153
pradeśa - indication: 233, 235	puṇḍarīka - puṇḍarīka: 130
pragāḍha - steeped: 181	puṇḍarīkamukha - the lotus mouth: 152
prakopa - irritation: 18	puṇḍarīkamukhī - lotus-mouth: 28
<i>prakṛti</i> - constitution: 167 - temperament:	pupil - <i>dṛṣṭi</i> : 177, 186f
17	purge - √śodh: 165
pralāpa - ranting: 128	purification - saṃśodhana: 17
pralepa - ointment: 116, 119	purpose of a reason - hetvartha: 233, 235
prasanga - recontextualization: 233	purpose - artha: 224
- recontextualization: 236	puruṣa - human being: 16f, 19 - person:
prasava - newborn: 74	237
praseka - discharge: 130	pūrvapakṣa - first point of view: 236
prastara - blanket sweating: 86	- objection: 233
prasūna - blossom: 170	puṣpa - flowers: 18
pratīkāra - alleviation: 18 - remedy: 177	puṣpābhikīrṇṇnābha - the flower sprinkle
pratipūraņa - irrigated: 119	beauty: 152
pratisāraṇa - rub: 117 - rubbing: 117	puṣpapāṇḍu - the pale as a flower: 153
pratiședha - counteraction: 177	puṣpasakalī - the flower all: 154
pratitūnī -@: 63	puṭāhvaya - taken hot: 182
pratyādhmāna - @: 63	puṭākhya - enclosed roasting: 182
pratyaṣṭhīla -@: 63	puṭapāka - enclosed roasting: 183
pravardhanaka - dilator: 43	-medicines cooked in a crucible: 178
prayojanavat - practical purposes: 18	- roasting: 196
prediction - atideśa: 233, 235	pūtipūya - foul-smelling pus: 68
premise - <i>sādhana</i> : 224, 235	- stinking pus: 67
prepared with tilvaka - tailvaka: 178	putraghnī - child-murderess: 197
prepared with turpeth - traivṛta: 178	putrid - śīrṇa: 168
prepared - nișevita: 182	qualities anno 101
prescription - upadeśa: 233, 235	qualities - guṇa: 131
press - pīd-: 185	racket-tailed drongo - bhṛṅgarāja: 115
priest - upādhyāya: 73	rāgin timira - bloodshot blindness: 182
priyangu - beauty berry: 183	rāgiņi timire - bloodshot blindness: 185
probe - śalākā: 185f	rainbow - indrāyudhā: 27
procedure - <i>kalpa</i> : 148, 162	rainy seasons - varṣā: 18
procedures - <i>kriyā</i> : 16, 19	rajana - turmerics: 179
prolapse - māṃsanirgama: 187	rajas - dust: 56
I I	, J=

<i>rājicitra</i> - the stripe speckle: 153	roasting - puṭapāka: 196
rājimat - striped snake: 134	rodents - mūṣika: 15
rakta - blood: 68	roga - diseases: 196
raktakṣayā - with bloodloss: 197	rogasanıgraha - compendium of diseases:
raktamaṇḍala - the red ring: 153	194
raktapitta - blood-bile: 177	rohīta tree - rohīta: 183
ranting - pralāpa: 128	rohīta - rohīta tree: 183
rarified - sūkṣma: 131	root - mūla: 17
rasa - chyle: 132 - chyle: 33 - extracts: 183	roots - mūla: 18
- flavour: 234 - flavours: 17, 51 - juice:	rot - $pra\sqrt{kuth}$: 117
87 - juices: 182 - the blood of birds	rough - khara: 187
and animals: 179	round blotches - maṇḍala: 132
rasakriyā - inspissation: 183	royal jasmine <i>- jātī</i> : 189
rasāñjana - elixir salve: 179, 182ff	<i>ṛtu</i> - season: 18, 72
- elixir-salve: 179	rub - pratisāraņa: 117
rauhita - extract of rohu carp: 179	rubbing - mardana: 86 - pratisāraņa: 117
ready-split - nirvedhima: 44	- unmardana: 86
realgar - manaḥśilā: 179, 182f, 189	ruddy - piṅgalā : 28
reason - hetu: 224	rudhira - blood: 18
recontextualization - prasanga: 233	ruj - illness: 179
recontextualization - prasanga: 236	rūkṣa - dry: 131
red arsenic - manaḥśilā: 178, 180	rule - kalpa: 137
red chalk - gairikaḥ: 188	sacrificial offerings halicates
red velvet mites - indragopa: 18	sacrificial offerings - bali: 163
reduced-ear - hīnakarṇa: 44	sāda - be exhausted: 133
regimen - ācāra: 17 - karma: 187	sadaharana six units: 85
relevant meaning - padārtha: 230, 233f	ṣaḍdharaṇa - six-units: 85 sādhana - premise: 224, 235
religious power - tapas: 163	<i>sādhya</i> - curable: 68, 177 - cured: 136
remedies - oṣadhī-: 17 - oṣadhi: 19	saindhava - salt: 134 - sindh salt: 178f, 182
remedy - pratīkāra: 177	śākhāśrayā - located on the limb: 164
resin - niryāsa: 18, 124, 126, 129	śalākā - probe: 185f
restrictions - <i>yantraṇā</i> : 186	salilotthita - conch: 184 - water-born: 184
resuscitator - sañjīvana: 170	saliva - ślesman: 116
retas - semen: 67	salt - nadīja: 179 - saindhava: 134
rheum - upadeha: 120	<i>śalya</i> - spike: 226, 235 - splinter: 235
ribs crack - parśvabheda: 133	samāñjana - same collyrium: 183
rightness - ānulomya: 56	samantatastāpaḥ - hot all over: 155
rigid - sthirā: 187	sāmānya - universality: 222
rigidity of neck - manyāsthambha: 61	samavāya - inherence: 222
rigidity - jādyatā: 167	śambūka - cone snails: 138
rim of a wheel - cakradhārā: 45	same collyrium - samāñjana: 183
rim-join - nemīsandhānaka: 45	samīraṇa - air: 158
rim-join - nemīsandhānaka: 44	śaṃkhapāla - the conch keeper: 152
<i>rjusarpa</i> - the straight snake: 152	saṃkṣipta - compressed: 45
rṇa - obligation: 73	- compressed: 44
0 ,9	1 ''

samplava - clusters: 18	sāvarikā - sāvarikā: 28
samrambha - inflamed: 47	sāvarikā - sāvarikā : 28
saṃśamana - pacification: 17	scarification - lekhana: 17
saṃśaya - doubt: 233, 237	sciatica - <i>gṛdhrasī</i> : 61, 63
samśodhana - purification: 17	scramberry - tālīśapatra: 179
samuccaya - aggregation: 233, 237	season - <i>ṛtu</i> : 18, 72
samudāya - accumulation: 43	seasonal blood - ārtava: 68
samuddeśa - mention: 233, 235	seat of fire in the gut - grahaṇī: 157
samudraphena - cuttlefish bone: 180	-grahaṇī: 157
sāmudrikā - oceanic: 27	secondary ailments - upadrava: 167
saṃvatsara - year: 18	sections - adhyāya: 20
sañcaya - accumulation: 18	seedless - abīja: 68
sandal - sugandhi: 181	seeing smoke - dhūmadarśin: 177
śaṇḍhī - impotent: 197	segmented - chinna: 27
sandhi - joints: 19	seka - irrigation: 178
sañjīvana - resuscitator: 170	semen <i>- bīja</i> : 196
śańkumukhī - dart-mouth: 28	semen - retas: 67
sannipāta - congested humours: 19	separate - muktvā: 185
- humoral colligation: 68	sepsis - pāka: 120
sap - kṣīra: 18	serpented - sarpita: 149
sapāṇa - off his hand: 181	sesame oil - taila: 168 - tailam: 218
sāra - essence: 18 - pith: 124, 126, 129	sharp - tīkṣṇa: 165
śārava - 'lids': 139	shine - prabha: 185
śārikā - 'darts': 139	shooting pain - śūla: 187
śārīravad - physical: 19	shoots - pallava: 186 - udbhid: 18
sarīsṛpa - creepy-crawlies: 15, 18	shower - parīṣeka: 118
sāriva - indian sarsaparilla: 180	shrubs - vīrudh: 17
<i>śārivā</i> - indian sarsaparilla: 188	siddham - cooked: 218
sarpis - ghee: 178	siddhārthaka - white mustard: 188
sarpis - ghee: 121	siddhi - cure: 134
sarpita - ophidian: 150 - serpented: 149	side-effects - upadrava: 120, 136
sārṣapa - sārṣapa: 129	signs - cihna: 197
sārṣapa - sārṣapa: 129	śigru - horseradish tree: 184
sarṣapaka - 'pepper snakes': 138	simply - kevala: 166
sarvakṛṣṇa - the all black: 152	sindh salt - <i>saindhava</i> : 178f, 182
sarvāngasantāpaḥ - hot over the whole	sinews - snāyu: 19
body: 156	sirā - duct: 164 - ducts: 19, 86
sarvātmikā - sarvātmikā: 197	sirāvedha - blood-letting: 178
sarvātmikā - sarvātmikā: 197	siris - śirīṣa: 189
<i>śastrakṣata</i> - cutting with a blade: 178	śirīṣa - siris: 189
<i>śastrapada</i> - marks with a knife: 30	
śātakumbhī - gold: 187	śīrṇa - putrid: 168 śirobasti - application of oil to the head:
sātmya - suitability: 167	88
sauna - kuṭī: 86	śiśuka - the kid: 153
sauvīraka - stibnite: 179	sīta - elixir-salve: 170
DIMENTINA DIDITIC, 1/9	THE CHAIL GRIVE, I/M

sitā - white sugar: 188	splinter - śalya: 235
six-units - ṣaḍdharaṇa: 85	spots - kaṇṭaka: 119 - sphoṭa: 119f
skin disease - koṭha: 132	sprung - plutā: 197
skin - tvac: 147 - tvak: 18f	sraj - garlands: 114
sleep - svāpa: 129	sraṃsanī - causing a fall: 197
śleṣmalā - phlegmatic: 197	<i>srāva -</i> discharge: 118, 120
śleṣman - mucous: 157 - saliva: 116	śreyas - welfare: 14
slice of flesh - vadhra: 48f	srotas - ducts: 155 - kohl: 182 - tubes: 157
slow poisoning - dūṣīviṣa: 165	srotoja - kohl: 179, 189
slow-acting poison antidote - dūṣīviṣāri:	stabdha - numb: 87
117	stalk - vṛnta: 178
slow-acting poison - dūṣī-viṣa: 133	stammers - gadgad: 62
- dūṣīviṣa: 136	stated - ukta: 225
small insects - kunta: 18	statement of reason - apadeśa: 233, 235
smell of decomposition - kuṇapa: 68	stationary - sthāvara: 17, 19, 124
snāyu - sinews: 19	steeped - pragāḍha: 181
sneha - oil: 18 - oleation: 86	sternutatory - avapīḍa: 166
sniffing - ucchingana: 186	stewed juice - niḥkvātha: 134
<i>snigdharāji -</i> oil stripe: 154 - oily stripe:	sthāvara - stationary: 17, 19, 124
154	sthirā - rigid: 187
snuff - nasya: 114, 119	stibnite - añjana: 183 - sauvīraka: 179
sole-heart - talahṛdaya: 237	stick-ear - yaṣṭīkarṇa: 44
solid - styāna: 186	stiffness of the neck - manyāstambha: 158
soma creeper - somalatā: 116	sting-gush - alagardā: 27
somalatā - soma creeper: 116	stings - śūla: 139
śonita-pitta, rakta-pitta - blood-bile: 181	stinking pus - pūtipūya: 67
śonita - blood: 181	stirred with goat's milk - ajākṣīrārdita:
śoṇita - blood: 67f	188
śonitāgamana - haemorrhaging: 156	stomach - āmāśaya: 132f
śonitena - with blood: 187	strength - bala: 17
soot from the chimney -āgāradhūma: 38,	strip of cloth - paṭṭa: 87
87	striped snake - rājimat: 134
soot - gṛhadhūma: 143	strong mallow - atibalā: 181
spasm of the jaw-bones - ardita: 61	stupor - mūrcchā: 116
spasmodic contraction - apatānaka: 59	styāna - solid: 186
spasmodic contradiction - āpatantrakā:	substance - dravya: 51, 222
60	substrate - āśrayin: 17
sperm - śukra: 67	sūcī - needle: 186
sphoṭa - spots: 119f	sūcīvaktrā - with a needle-like opening:
spiders - lūtā: 15	197
spike - <i>śalya</i> : 226, 235	suckable - lehya: 238
spikenard - nalada: 183	suffering - duḥkha: 17
spiral - āvarta: 185	sugandhi - sandal: 181
spirits - madira: 183 - madirā: 180	suitability <i>- sātmya</i> : 167
spleen - plīhan: 180	śūka - bristles: 138
- '	

śukapatra - the white leaf: 154	tāmracūḍa - cock: 182
sūkarākṣitā - pigs' eye: 187	tantrayukti - logical methods of the
sukha - comfort: 19	system: 233
śukra - sperm: 67	tantuka - the stretch: 153
sūkṣma - rarified: 131	tapas - religious power: 163
śūla - pain: 133 - shooting pain: 187	tārkṣya - garuḍa: 169
- stings: 139	tarpaṇa - eyewash: 120, 178, 182f
sun - <i>hari</i> : 186	-irrigation: 196
supernatant layer - agra: 183	tatra - in those cases: 181 - the tatra: 153
supti - drowsiness: 87	tawny - kapilā: 28
surasa - extracted juice: 71	tejas - brilliance: 74 - heat: 74
sūtra - aphorism: 234	temperament - prakṛti: 17
svabhāva - inherent factors: 19	the all black - sarvakṛṣṇa: 152
svābhāvika - inherent: 17	the bamboo leaf <i>- veṇupatraka</i> : 153
svāpa - numbness: 120 - sleep: 129	the big black - mahākṛṣṇa: 152
svara - accents: 164	the big cow snout - vṛddhagonasa: 153
svarasa - expressed juice: 178 - extracted	the big head - mahāśīrṣa: 152
juice: 119 - juice extract: 18	the big jackfruit - mahāpanasaka: 153
śvāsa - wheezing: 129	the big pigeon - mahākapota: 152
svasamjñā - field-specific term: 233, 237	the black belly - kṛṣṇodara: 152
svedaja - born of sweat: 18	the black snake - kṛṣṇasarpa: 152
śvetadara - the white rip: 152	the blood of birds and animals - rasa:
svetahanu - the white jaw: 153	179
śvetakapota - the white pigeon: 152	the break hood - khaṇḍaphaṇa: 152
śvetamaṇḍala - the white ring: 153	the brown hut mouth - babhrūkuṭīmukha:
swollen - ādhmāta: 156	152
<i>śyāma -</i> dark brown: 74	the brown - babhru: 153
syanda - watery eye: 184	the chariot of light - jyotīratha: 154
symptom - liṅga: 119	the conch keeper - śaṃkhapāla: 152
symptoms - linga: 132	the curd mouth - dadhimukha: 152
synovitis of knee join - kroṣṭukaśīrṣa: 61,	the deer foot - eṇ̄pada: 153
63	the drop stripe - bindurāji: 153
. 1	the drop stripe - angulirāji: 153
tabors - paṭaha: 170	the flame - agnika: 153
taila - sesame oil: 168	the flower all - <i>puṣpasakalī</i> : 154
tailam - sesame oil: 218	
tailasugandhi - the fragrant one in oil: 181	the flower sprinkle beauty - puṣpābhikīrṇṇābha: 152
tailvaka - prepared with tilvaka: 178	
take away - āhārya: 44	the fragrant one in oil - tailasugandhi: 181
taken hot - puṭāhvaya: 182	the gavedhuka - gavedhuka: 152
takes the form of pervading the whole	the gift of god - devadinna: 153
body - akhiladehavyāptirūpam: 131	the goat swallower - ajagara: 154
<i>takṣaka</i> - the snake prince takṣaka: 169	the grass drier - tṛṇaśoṣaka: 153
talahṛdaya - sole-heart: 237	the grass flower - apuṣpa: 152
tālīśapatra - scramberry: 179	- darbhapuṣpa: 153
tāmra - copper: 187	the great lotus - mahāpadma: 152

the great snake - mahāsarpa: 152	the white pigeon - śvetakapota: 152
the hand decoration - hastābharaṇaka:	the white ring - śvetamaṇḍala: 153
153	the white rip - śvetadara: 152
the hungry sting - alagarda: 152	the worm eater - kikkisāda: 153
the ilikinī - ilikinī: 154	the year-snake - varṣāhīka: 154
the intoxicator - madanaka: 153	thei snake flag <i>- ahipatāka</i> : 154
the jackfruit - panasaka: 153	therapies - karman: 19
the khaluşa - khaluşa: 153	three fruits - triphalā: 178, 180
the kid - śiśuka: 153	three-quarters of an hour - muhūrta: 18
the kūkuṭa - kūkuṭa: 152	tīkṣṇa - sharp: 165
the little tree - vṛkṣaka: 154	timira - blindness: 184 - partial
the lotus mouth - puṇḍarīkamukha: 152	blindness: 181
the lotus - padma: 152 - puṇḍarīka: 153	tooth socket - dantaveṣṭa: 117
the mark - <i>citraka</i> : 153	topic - adhikaraṇa: 233f
the milk flower - kṣīrikāpuṣpa: 154	torn - darita: 149f
the mirror ring - ādarśamaṇḍala: 153	toṭaka - 'angry beetles': 138
the morning glory - pālindaka: 153	toxic reaction - vega: 148, 158f, 165, 169
the mountain snake - girisarpa: 152	- viṣavega: 156
the mud - <i>kardama</i> : 153	traivṛta - prepared with turpeth: 178
the ochre - kaṣāya: 153	treatable - yāpya: 136
the pale as a flower - puṣpapāṇḍu: 153	treatment - bheṣaja: 196 - kriyā: 19, 69, 183
the pigeon - pārāvata: 153	trench sweating - karṣū: 86
the pilindaka - pilindaka: 153	triad - mithuna: 237
the rain cloud - valāhako: 152, 154	trice - kāṣṭhā: 18
the red eye - lohitākṣa: 152f	trika - between the shoulder-blades: 88
the red ring - raktamandala: 153	<i>triphalā</i> - the three fruits: 183 - three
the ringed - cakraka: 153	fruits: 178, 180
the science of life - āyurveda: 14	trivṛt - turpeth: 181
the six part - ṣaḍaṅga: 153	tṛṇaśoṣaka - the grass drier: 153
the snake around - parisarpa: 152	trunk of the body - koṣṭha: 157
the snake prince takṣaka - takṣaka: 169	tube - nāḍī: 86
the speckled - pṛṣata: 153	tubes - srotas: 157
the stimulator - dīpyaka: 154	tūnī -@: 63
the straight snake - <i>rjusarpa</i> : 152	turmeric - haridrā: 183
the stretch - tantuka: 153	turmerics - rajana: 179
the stripe speckle - <i>rājicitra</i> : 153	turpeth - trivṛt: 181
the tatra - tatra: 153	tuttha - blue vitriol: 183
the three fruits - <i>triphalā</i> : 183	tvac - skin: 147
the three spices - vyoṣa: 180	tvak - skin: 18f
the time for therapies - <i>kriyākāla</i> : 19	tympanites - ādhmāna: 62f
1	ucchingana eniffing 196
the two-day - day@hika: 154	ucchingana - sniffing: 186
the two-day - dvyāhika: 154	ucciținga - crabs: 139
the variegated - vicitra: 152	udāvartā - udāvartā: 197
the white last subspace 153	udāvartā - udāvartā: 197
the white leaf - śukapatra: 154	udbhid - shoots: 18

udveṣṭana - writhing: 128	varaki - wasps: 139
ugly nails - kunakha: 72	varcaḥkīṭa - dung beetles: 138
ūhya - deducible: 233, 238	varga - collection: 19
ukta - stated: 225	variable statement - anekānta: 233, 236
universality - sāmānya: 222	various treatments - miśrakacikitsa: 48
unmardana - rubbing: 86	varṇa - complexion: 17, 51, 74
unsteadiness of the humours	varṣā - rainy seasons: 18
- doṣapariplava: 187	varṣāhīka - the year-snake: 154
untreatable - asādhya: 185	vartti - wick: 43 - wicks: 189
upadeha - rheum: 120	<i>vasā</i> - fat: 182
upadeśa - prescription: 233, 235	vāta - wind: 196f
upādhyāya - priest: 73	vātakanṭaka - @: 63
upadrava - secondary ailments: 167	vātalā - windy: 197
- side-effects: 120, 136	vātarakta - gout: 63
<i>upahāra -</i> oblations: 163	vātāṣṭhīlā - @: 63
upahita - combined: 181	vāviķṛtā - or not distorted: 117
upanāha - poultice: 86	veda - knowledge: 13, 221
upaśama - pacification: 18	vedanābhighāta - pain and injury: 14
upasarga - affliction: 120	vega - force: 88 - toxic reaction: 148, 158f,
upasṛṣṭa - afflicted: 68	165, 169
urethral instillation - uttarabasti: 69, 71	vegāntara - pulse interval: 158
ūrṇa - wool: 87	velvet leaf - pāthā: 183
used - nișevita: 180	veņupatraka - the bamboo leaf: 153
uśīra - cuscus grass: 183	vicakṣaṇa - expert: 73
utpalabhedyaka - lotus-splittable: 44	
utpīḍita - injured: 185	vicitra - the variegated: 152
utsādana - dry rub: 118 - dry rubs: 114	vidagdha - inflamed: 178
uttarabasti - urethral instillation: 69, 71	vidanga - embelia: 183
	vidbheda - loose stool: 129, 140
vadhra - slice of flesh: 48f	vidhāna - itemization: 233, 236
vaiḍūrya - beryl: 189	vidruma - coral: 189
vaiṣamya - irregularities: 17	vikalpa - option: 233, 237 - particulars: 19
vakrabhrūnetra - bent brow and eye: 187	vikāsin - expansive: 131
vāksamūhārthavistāra - extensive meaning	vikṛtākṣa - misaligned eyes: 74
of the collection of statements: 155	vilekhana - grooming: 72
vaktra - ends: 187	vilocana - misshapen eyeball: 187
vākyaśeṣa - ellipis: 233 - ellipsis: 236	vipakva - matured: 179
valāhako - the rain cloud: 152, 154	viparītadarśana - metamorphopsia: 156
vallīkarṇa - creeper-ear: 44	viparyaya - contraposition: 233, 236
vallūraka - dried flesh: 44	vīrudh - shrubs: 17
vāminī - vomiting: 197	vīrya - potency: 169
vānara - monkey: 138	viṣāda - depression: 17
vanaspati - fruit trees: 17 - non-flowering	viśada - limpid: 131
tree: 183	viṣapūti - poison-stink: 168
vandhyā - infertile: 197	viṣavega - toxic reaction: 156
vapour - <i>bāṣpa</i> : 115f, 119	viśeṣa - individuality: 222

viśleṣa - disjunction: 132	wind - māruta: 68 - vāta: 196f
viśvambhara - 'earth scorpions': 139	windy - vātalā: 197
viśvañci - paralysis of arms and back: 61,	with a needle-like opening - sūcīvaktrā:
63	197
vital energy - ojas: 17	with blood - śonitena: 187
voḍhāra - bearers: 114	with bloodloss - raktakṣayā: 197
vomiting - vāminī: 197	with difficulty - kṛcchra: 185
<i>vṛddhagonasa</i> - the big cow snout: 153	with testicles - aṇḍīnī: 197
vṛkṣa - flowering trees: 17	without venom - nirvișa: 150
vṛkṣaka - the little tree: 154	womb - <i>yoni</i> : 192
vṛnta - stalk: 178	wood apple - kapittha: 178
vṛṣabha - bull: 115	wool - ūrṇa: 87
vyadha - piercing: 186	word-meaning - padārtha: 223
vyadhi - disease: 19	word - pada: 221f
vyākhyāna - explication: 233, 237	worms - kṛmi: 18
vyākhyāta - intended: 19	writhing - udveṣṭana: 128
<i>vyāla</i> - wild animals: 18	8
vyāna breath - vyāna: 157	yakṛdrasa - liver extract: 179
<i>vyāna -</i> vyāna breath: 157	yakṛt - liver: 180
vyavāyin - pervasive: 131	yamalā - double: 117
vyāyojima - multi-joins: 44	yāmya - in yama's direction: 143
<i>vyoṣa</i> - the three spices: 180	yantraṇā - restrictions: 186
	$y\bar{a}pya$ - alleviated: 180 - can be mitigated
wasps - kaṇabha: 139 - varaki: 139	185 - mitigatible: 177 - treatable: 136
wasted - kṣīṇa: 46	yaṣṭīkarṇa - stick-ear: 44
water-born - salilotthita: 184	yavāgū - gruel: 134, 165
water-dwellers - jalaukas: 26	yavaudana - cooked barley: 185
water - jala: 26	year - saṃvatsara: 18
watery eye - syanda: 184	•
weeping tears - aśrupāta: 72	<i>yoga</i> - cohesion: 234 - compounds: 178 - formulation: 85
welfare - śreyas: 14	yoni - female reproductive organ: 196f
wheezing - śvāsa: 129	
white mustard - siddhārthaka: 188	- female reproductive system: 196- womb: 192
white surger citā 183	
white sugar - sitā: 188	yonivyāpat - disorders of the female
wick - vartti: 43	reproductive system: 196 yuga - yuga: 18
wicks - vartti: 189	
wild animals - vyāla: 18	yuga - <i>yuga</i> : 18

Todo list

Can't be "sedation"
add footnote here 55
add refs to Divodāsa as king
find out about uttarabasti
to what?
29, 30 missing?
Problematic passage in the edition
Perhaps kalka here could also mean the Terminalia Bellerica (विभीतक). 88
Perhaps kalka here could also mean the Terminalia Bellerica (विभीतक). 88
Euphorbia Antiquorum (Antique spurge) 91
The webpage https://hindi.shabd.in/vairagya-shatakam-bhag-
acharya-arjun-tiwari/post/117629 says that this verse belongs
to the $N\bar{\imath}tiratna$. I could not find this text
The provisional edition should be modified accordingly 97
The provisional eartion should be modified decoratingly
There, Palhana comments that deliberation on avapīḍa had been
There, Dalhaṇa comments that deliberation on avapīḍa had been done earlier when it was mentioned. Find that description to
There, Dalhaṇa comments that deliberation on avapīḍa had been done earlier when it was mentioned. Find that description to know more details
There, Dalhana comments that deliberation on avapīḍa had been done earlier when it was mentioned. Find that description to
There, Dalhaṇa comments that deliberation on avapīḍa had been done earlier when it was mentioned. Find that description to know more details
There, Dalhaṇa comments that deliberation on avapīḍa had been done earlier when it was mentioned. Find that description to know more details
There, Dalhaṇa comments that deliberation on avapīḍa had been done earlier when it was mentioned. Find that description to know more details
There, Dalhaṇa comments that deliberation on avapīḍa had been done earlier when it was mentioned. Find that description to know more details
There, Dalhaṇa comments that deliberation on avapīḍa had been done earlier when it was mentioned. Find that description to know more details
There, Dalhaṇa comments that deliberation on avapīḍa had been done earlier when it was mentioned. Find that description to know more details
There, Dalhaṇa comments that deliberation on avapīḍa had been done earlier when it was mentioned. Find that description to know more details
There, Dalhaṇa comments that deliberation on avapīḍa had been done earlier when it was mentioned. Find that description to know more details
There, Dalhaṇa comments that deliberation on avapīḍa had been done earlier when it was mentioned. Find that description to know more details. Search for the section where the treatment of ākṣepaka is described. 1000 Make the first letter of sentence capital. 1000 1000 1000 1000 1000 1000 1000 10

	fn about sadyas+
	Bear's bile instead of deer's bile
	punarṇṇavā in the N & K MSS
	śrita for śṛta
	explain more
	Medical difference from Sharma
	example where the vulgate clarifies that these should be used sep-
	arately; appears to be a gloss inserted into the vulgate text 120
	The two uses of prāpta are hard to translate. prāptā $h \rightarrow k$ ṣipra m is
	an example of the vulgate banalizing the Sanskrit text to make
	sense of a difficult passage
	$\sqrt{\text{vyadh not }\sqrt{\text{vedh (also elsewhere and for the ears)}}$, causative
	optative
	-> ativișa
	Look up the ca. reference
	Come back to the issue of "kalpa". Look up passages in the Kośa. 137
	write footnote: don't repeat ativiṣā; vulgate similar to H 141
	material corresponds to SS.1.45.205ab, where it describes how al-
	cohol affects the body
L	Or "There are 20 phanins and 6 mandalins. The same number are
	known. There are 13 Rājīmats." Or even, "there are 20 Phaṇins
	and six of them are Maṇḍalins." Are phaṇins really the same as
Г	darvīkaras?149
	grammar
	ri- ṛ-?
	write note on parișekān pradehāṃś
	where is cutting with a knife related to removing bile or phlegm. 178
	mass \bar{i} burned charcoal. Find refs
	find ref
	Check out these refs
	meaning of kalpa
	or a dual?
	See chapter 40 of Sūtrasthāna
	vasā / medas / majjan
	Does bhūtādi a compound or it means ahaṅkāra or ego? 237
	triad? –DW
1	minu. Dir