

A Translation of the New Edition of the
Suśrutasamhitā

Jason Birch and Dominik Wujastyk

Draft of 8th September 2021.
© Jason Birch and Dominik Wujastyk



© Dominik Wujastyk. I am distributing this pre-publication draft under a
Creative Commons Attribution-ShareAlike 4.0 International License.
For details, see <http://creativecommons.org/licenses/by-sa/4.0/>

Abstract

The [Suśruta Project](#) is producing a new Sanskrit text edition of the *Suśrutasaṃhitā* based on the early Nepalese manuscripts.¹ As we gradually transcribe and edit the manuscripts, we are producing this new translation of the classic work.

¹ MS Kathmandu KL 699, MS Kathmandu NAK 1-1079, and MS Kathmandu NAK 5-333.

Contents

The manuscripts and editions used in the vulgate editions by Yā-	
davaśarman Trivikrama Ācārya	5
The sources of the 1915 edition	5
The sources of the 1931 edition	5
The sources of the 1938 edition	6
Evaluation	7
The 1939 edition	8
For the Bhānumatī	8
For the Suśrutasaṃhitā	10
Evaluation	10
Features of the manuscript transmission	12
Palaeographical features	12
Chart of characters	12
Sūtrasthāna, adhyāya 1	13
Sūtrasthāna, adhyāya 2	20
Literature	20
Sūtrasthāna, adhyāya 17	21
Sūtrasthāna, adhyāya 28	30
Kalpasthāna, adhyāya 1	31
Literature	31
Manuscript notes	31
Translation	32
[Threats to the king]	32
Uttaratantra, adhyāya 16 (17 in the vulgate)	38
Literature	38
Translation	38
[Complications]	47
[Characteristics of the probe]	48
[Complications]	48

Abbreviations	50
References	53
On digital critical editions	76

The manuscripts and editions used in the vulgate editions by Yādavaśarman Trivikrama Ācārya

Yādavaśarman Trivikrama Ācārya produced three successive editions of the *Suśrutasaṃhitā* with the commentary of Ḍalhaṇa, in 1915, 1931 and 1938. These editions, especially the last, are generally considered the most scholarly and reliable editions of the work, and have been constantly reprinted up to the present day.²

The 1915 edition was based on three manuscripts. The 1931 edition used another seven plus two printed editions. For his final 1938 edition, Ācārya used a further three manuscripts.³ These sources are described as follow, with an overview in Table 1.

The sources of the 1915 edition

- 1 Calcutta, Royal Asiatic Society. Covers the *sūtra*, *nidāna*, *śārīra* and *kalpa sthānas*.
- 2 Jaipur, Pandit Gaṅgādharaḥṭṭaśarman, lecturer at the Royal Sanskrit University. Covers the *cikitsāsthāna* and the *uttaratantra*.
- 3 Bundi, my great friend the royal physician Paṃ. Śrīprasādaśarman. Covers the *uttaratantra*.

The sources of the 1931 edition

- 1 Vārāṇasī, professor of literature, the great Gaurīnāthapāṭhaka. With the *Nibandhasaṅgraha*. Covers the *nidānasthāna* and *uttaratantra*.
- 2 Ahmedabad. My friend Sva. Vā. Vaidya Raṇachōḍalāla Motīlālaśarman. With the *Nibandhasaṅgraha*. Covers the *śārīrasthāna*.
- 3 From the personal library of my great friend Sva. Vā. Vaidya Murārājīśarman. Extremely old. No commentary. Covers the *śārīrasthāna*.
- 4 Pune, BORI library. With the *Nibandhasaṅgraha*. Covers the *śārīrasthāna*.⁴

2 See also the study of these editions by Klebanov (2021a: §1.2) and Wujastyk (2013: 143–144).

3 The following account of the sources is paraphrased from Y. T. Ācārya and N. R. Ācārya's own account of his sources (Su 1938: 22).

4 Not one of the three MSS of the *śārīrasthāna* described in H. D. Sharma 1939.

- 5 Pune, BORI library. With the *Nibandhasaṅgraha*. Complete. With some damaged folia.
- 6 Bombay, Asiatic Society. Incomplete.⁵
- 7 Varanasi, the private library of Vaidya Tryambakaśāstrī. Covers the *cikitsāsthāna*. The variant readings of this MS were compiled by Prof.
- 8 A printed edition together with the commentary *Suśrutasandīpana-bhāṣya* by Professor Hārāṇacandra Cakravārtti. Complete work. This is the 1910 Calcutta edition numbered “t” by Meulenbeld (HIML: IB, 312).⁶
- 9 A printed edition of the first 43 chapters of the *sūtrasthāna*, printed in Bengali script, with the commentaries *Bhānumatī*, *Nibandhasaṅgraha*, edited by Vijayaratnasena and Niśikāntasena. This is the 1886 Calcutta edition numbered “g” by Meulenbeld (HIML: IB, 311).⁷

The sources of the 1938 edition

- 1 Gwalior, from the library of my great friend Paṃ. Rāmeśvaraśāstrin Śukla. Covers the *sūtra*, *nidāna*, *śārīra*, *cikitsā* and *kalpasthānas*.
- 2 Bikaner, from the library of the Royal Palace, supplied by Paṃ. Candraśekharaśāstrin. Contains the commentary *Nyāy-acandrikāpañjikāvyaṅkyā* by Gayadāsa. Covers the *nidānasthāna*. This is almost certainly MS Bikaner Anup 4390.⁸
- 3 Kathmandu, located in the private library of the Royal Guru Hemarāja Śarman. An extremely old palm-leaf manuscript. Readings from this MS were compiled by Paṃ Nityānandaśarman Jośī and sent to Ācārya. Covers from the beginning of the work to the end of the ninth chapter of the *cikitsāsthāna*. The siglum for this manuscript in footnotes was ता for तालपत्रपुस्तके.

5 Possibly MS Mumbai AS B.I.3 or MS Mumbai AS B.D.109 (Velankar 1925–30: v. 1, # 212 and 213). But both these have the *Nibandhasaṅgraha*. The first covers only the *śārīrasthāna*; the second may be complete, but Velankar calls it only “disorderly.”

6 Bhaṭṭācārya 1910–7.

7 Sena et al. 1886–93.

8 See Dominik Wujastyk, “MS Bikaner AnupLib 4390.” *Pandit*. <<http://panditproject.org/entity/108068/manuscript>>.

Manuscripts (●) and print editions (○)															
edition sthāna	1915			1931									1938		
	1	2	3	1	2	3	4	5	6	7	8	9	1	2	3
sū.	●							●	?		○	○ ⁽¹⁻⁴³⁾	●		●
nī.	●			●				●	?		○		●	●	●
śā.	●				●	●	●	●	?		○		●		●
cī.		●						●	?	●	○		●		● ⁽¹⁻⁹⁾
ka.	●							●	?		○		●		
utt.		●	●	●				●	?		○				

Table 1: The sources of Yādavaśarman T. Ācārya's three vulgate editions.

Evaluation

Estimates show that there are approximately 230 extant manuscript witnesses for the *Suśrutasaṃhitā*.⁹ Many of these manuscripts cover only one or more of its chapters. Nevertheless, this is an order of magnitude more evidence than was considered by Ācārya for his vulgate editions.

While the descriptions provided by Ācārya of his source materials seems at first to be moderately comprehensive, Table 1 reveals the real paucity of textual basis for these editions. Apparently, fifteen manuscripts were consulted. However, we quickly find that two of the sources were other people's printed editions, and one of those covered less than a quarter of the work. That reduces the manuscript base to 13 manuscripts. Ācārya does not appear to have seen two of the manuscripts at all, having been sent collations prepared for him by others (7 of 1931 and 3 of 1938). Thus, Ācārya's final edition was based on the personal consultation of eleven manuscripts. One of them, no. 6 of 1931, remains mysterious. Only a single manuscript covers the whole of the *Suśrutasaṃhitā*, no. 5 of the 1931 edition. Manuscript 1 of 1938 is the next most complete, but it omits the *uttaratantra*, which comprises a third of the work. Manuscript 1 of the 1915 edition is next, but it still omits both of the longest chapters, and thus offers less than half the work. For the rest, the evidence is spotty, with each part of the work being supported by only between four and eight

⁹ This figure is arrived at by summing the MSS mentioned in [NCC](#) and in the [NGMCP](#). The real figure could be many scores higher.

manuscripts, excluding the printed editions.

Two sources stand out for their historical importance. The first is no. 3 of 1931, which Ācārya calls “extremely old.” It covered the *śārīrasthāna* only, and unfortunately we know nothing of the later history of this manuscript. The second is no. 3 of 1938, which is one of the important Nepalese manuscripts being considered in the present project. Ācārya’s remarks and references to Hemarājaśarman’s introduction to the *Kāśyapasaṃhitā* allow us to identify this manuscript as MS Kathmandu NAK 5-333.¹⁰ But that manuscript covers the whole work, not just up to the ninth chapter of the *cikitsāsthāna* as Y. T. Ācārya and N. R. Ācārya stated.¹¹ Perhaps the editors only received collations for this portion of the manuscript and did not know that it was a witness for the whole work.

The 1939 edition

In 1939, Yādavaśarman Trivikrama Ācārya and Nandakiśora Śarman co-edited an edition of the *sūtrasthāna* of the *Suśrutasamhitā* that was published by the Swami Laxmi Ram ayurvedic centre in Jaipur, and printed at the famous Nirṇayasāgara Press in Mumbai.¹² The text was edited on the basis of the following sources.

For the Bhānumatī

1. A printed edition. Covered the *Bhānumatī* up to chapter Su.sū.40. The siglum was 𑀧 for *mudrita*.¹³
2. A manuscript in the India Office Library library provided through

¹⁰ Su 1938: 22; Hemarāja Śarman 1938: 56–57. Discussed by Klebanov (2021a: §1.1, 2.3). See also HIML: IIB, 25–41; Wujastyk 2003: 161–169.

¹¹ Su 1938: 22.

¹² Su 1939. The description of the sources below is based on Yādavaśarman T. Ācārya’s remarks in his introduction (pp. 3–4).. See also the remarks on this edition by Klebanov (2021b: 7). On the Swami Laxmi Ram centre, see Hofer 2007

¹³ sena-1893. The manuscript on which this edition was based is probably in the library of the Calcutta Sanskrit College, and described in H. Sastri and Gui 1895–1917: v. X.1, which is not available to me. See also HIML: IB, 495, n. 57 for mention of this manuscript. The reference at Rama Rao et al. 2005: 217 to CSCL accession number 97 in Bengali script may be this manuscript.

चरके—“लभोपायो हि शस्तानां रसावीनां रसायनम्” (च. चि. अ. १ पा. १) । पारिशेष्याद्वाजीकरणतन्त्रम् । अवाजिनं वाजीकुर्वन्ति येन तद्वाजीकरणम् । ‘अन्येषामपि दृश्यते’ (पा. अ. ६।३।१३७) इति धीर्घत्वम् । येन वाऽत्यर्थं स्त्रीषु व्यज्यते तद्वाजीकरणम् । तदुक्तं चरके—“येन नारीषु सामर्थ्यं वाजिवल्लभते नरः । प्रजेन्नाप्यधिकं येन वाजीकरणमेव तत्” (च. चि. अ. २, पा. ४) इति ॥ ५ ॥

अथास्य प्रत्येकाङ्गलक्षणसमासः—तत्र, शल्यं नाम विविधतृणकाष्ठ-पाषाणपांशुलोदलोष्टास्थिवालनखपूयास्त्रावदुष्टव्रणान्तर्गर्भशल्योद्धरणार्थं षष्ठ्या विधानैः, यन्त्रशस्त्रक्षाराग्निप्रणिधानव्रणविनिश्चयार्थं च; शालाक्यं नामोर्ध्वजत्रुगतानां श्रवणनयनवदनघ्राणादिसंश्रितानां व्याधीनामुपशमनार्थं; कायचिकित्सा नाम सर्वाङ्गसंश्रितानां व्याधीनां ज्वररक्तपित्तशोफोन्मादापसारकुष्ठमेहातिसारादीनामुपशमनार्थं; भूतविद्या नाम देवांसुरगन्धर्वयक्षरक्षःपितृपिशाचनैरागग्रहाद्युपसृष्टचेतसां शान्तिकर्मबलिहरणादिग्रहोपशमनार्थं; कौमारभृत्यं नाम कुमारभरणधात्रीक्षीरदोषसंशोधनार्थं दुष्टस्तन्यग्रहसमुत्थिनां च व्याधीनामुपशमनार्थम्; अगदतन्त्रं नाम सर्पकीटलृतामूषकादिदृष्टविषव्यञ्जनार्थं विविधविषसंयोगोपशमनार्थं च; रसायनतन्त्रं नाम वयःस्थापनमायुर्मेधाबलकरणं रोगापहरणसमर्थं च; वाजीकरणतन्त्रं नामारूपदुष्टक्षीणशुष्करेतसामाप्यार्थेनप्रसादोपचयजनननिमित्तं प्रहर्षणजननार्थं च ॥ ६ ॥

शल्यग्रविशेषाश्च शालुं प्रतिलक्षणं संक्षेपेणाह—अथास्येत्यादि । एकमेकमङ्गं प्रति लक्षणानां समासः संक्षेपः प्रत्येकाङ्गलक्षणसमासः । तृणादीनां, तथा दुष्टव्रणस्य, तथाऽन्तर्गत(र्भशल्य)स्य उद्धरणार्थमिति प्रत्येकमुद्धरणशब्दः संबध्यते । दुष्टव्रणस्यान्तस्तृणाद्याहरणार्थमित्यन्ये । षष्ठ्या विधानैरिति द्विव्रणीयोचैरपतर्पणाद्यै रक्षाविधानान्तैः; इत्थंभूतलक्षणे तृतीया । जत्रु ग्रीवामूलं, जत्रुण ऊर्ध्वमूर्ध्वजत्रु । घ्राणादीत्यादिग्रहणाच्छिरःकपालादिग्रहणम् । उत्तरतन्त्रे प्रतिपादितक्रमप्राप्त्या ज्वरानन्तरमतीसारः पठितः, तस्यान्ते पाठोऽतिसारस्य सर्वाङ्गीणदोषारब्धत्वात्, अन्येषामपि तन्मध्यपाठेन सर्वाङ्गीणदोषारब्धत्वप्रतिपादनाध्यतिक्रमं वदन्ति । शान्तिकर्म बलिहरणादिना ग्रहाणां देवादीनामुपशमो यस्तदर्थः; यदि वा ग्रहणं ग्रहो देवानामावेशस्तदुपशमार्थम् । दुष्टस्तन्यग्रहसमुत्थितानामिति दुष्टस्तन्येन

१ ‘सर्वशरीरावस्थितानां’ व्याधीनामुपशमकरणार्थं, ज्वरशोफयुग्मरक्तपित्तोन्मादापसार-प्रमेहातीसारादीनां च’ इति ता. । २ ‘देवदानव’ इति ता. । ३ ‘विनायकनागग्रहोप-सृष्टचेतसां’ इति ता. । ४ ‘विषवेगोपशमनार्थं’ इति ता. । ५ ‘शुक्राप्यायन’ इति ता. । ६ ‘घ्राणादीनां शल्यान्तानां’ इति सु. । ७ ‘अन्ये तु तस्यान्ते पाठेन’ इति पा० । ८ ‘ग्रहणाद्’ इति सु. ।

Figure 1: A page of the 1939 *Bhānumatī* edition, showing the variant readings in the footnotes.

the Bhandarkar Oriental Research Institute in Pune.¹⁴ This manuscript covered the *Bhānumatī* b up to the end of the *sūtrasthāna*. The siglum was ह for हस्तलिखित.¹⁵

For the *Suśrutasaṃhitā*

1. A palm leaf manuscript from Hemarājaśarman's personal library.¹⁶ The siglum was ता for ताडपत्र.
2. His own published edition. The siglum was ड for डल्हणसंमतः पाठः.¹⁷
3. Hārānacandra Cakravartī's published edition with his own commentary.¹⁸ The siglum was हा.

Evaluation

The main innovation of this publication was to present the only surviving part of the commentary on the *Suśrutasaṃhitā* by the great eleventh-century medical scholar Cakrapāṇidatta, namely the *Bhānumatī*.¹⁹ A secondary purpose was to present the text of the *sūtrasthāna* as read in MS Kathmandu NAK 5-333, that had recently been brought to the editors' attention. In their judgement, the Kathmandu manuscript presented a text that was closer to what Cakrapāṇidatta had before him than the text according to Ḍalhaṇa. This was the first *Suśrutasaṃhitā* edition in which Ācārya used sigla to identify the sources from which variant readings were reported, so while it has limitations, it for the first time enables us to get some idea of origins of the text (see Figure 1).

Ācārya noted in his introduction that the manuscripts containing the Ḍalhaṇa's commentary all came together with the root-text of the *Suśrutasaṃhitā*, and thus the main *Suśrutasaṃhitā* text reflected the readings chosen by Ḍalhaṇa. But the manuscripts of the *Bhānumatī* contained the commentary alone, without the root-text, and had many explanations

14 At this time, manuscripts from Britain were routinely lent to scholars in India and vice versa.

15 MS London BL H. T. Colebrooke 908 ([PanditProject #109978](#), consulted on July 03, 2021).

16 I.e., MS Kathmandu NAK 5-333.

17 [Su 1938](#). It is noteworthy that Ācārya refers to his 1938 edition as representing "the Ḍalhaṇa recension."

18 Bhaṭṭācārya [1910-7](#).

19 [HIML](#): IA, 374-375 and IB, 495-496.

based on different readings of the root-text than those of Ḍalhaṇa. In many of these cases it was hard to know what the text that Cakrapāṇidatta had before him. But Ācārya noted that Cakrapāṇidatta had a text before him that had much in common with the text of the Nepalese manuscript.²⁰

There is compelling evidence that Cakrapāṇidatta's *Bhānumatī* commentary once covered the whole text of the *Suśrutasamhitā*.²¹ The loss of the rest of the work ranks amongst the greatest disasters in Āyurvedic literature. Remarkably, the whole *Bhānumatī* may still have existed in the early twentieth century. In 1903, Palmyr Cordier reported being privately informed of a complete copy of the work in a personal manuscript collection in Benares.²²

²⁰ Su 1939: 3–4. See discussion by Klebanov (2021b: 7).

²¹ HIML: IA, 375.

²² Cordier 1903: 332.

Features of the manuscript transmission

Palaeographical features

- śrita for śṛta.
- ś and s in KL 699.

Chart of characters

[[[Put a chart from QuickPalaeographer here.]]]

Sūtrasthāna, adhyāya 1

- 1 Now I shall narrate the chapter on the origin of this knowledge.²³
 - 2 Now, as is well-known, Aupadhenava, Vaitaraṇa, Aurabhra, Puṣkalāvata, Karavīra, Gopurarakṣita, Bhoja, Suśruta and others addressed Lord Divodāsa, king of Kāśi, the best of the immortals, who was in his ashram surrounded by an entourage of sages.²⁴
 - 3 “O Lord, distress arose in our minds after witnessing people thrashing about with cries, assailed by different kinds of pain and injury (*vedanā-bhīghāta*), feeling helpless in spite of having friends, because of diseases arising from the body, the mind and external sources.
 - 4 “To quell the illnesses of those who seek happiness and for our own purpose of prolonging life, we desire the science of life (*āyurveda*) that is being taught. Welfare, both in this world and in the next, depends upon it. Therefore, we have come to the Lord in pupillage.”
 - 5 The Lord said to them:
“Welcome to you! My children, all of you are beyond reproach and worthy to be taught.
 - 6 “As is well known, Ayurveda is the name of what is said to be the subsidiary part of the Atharvaveda. Before creating people, Svayambhū composed it in hundreds of thousands of verses and a thousand chapters and, after observing the short lifespan and low intelligence of people, he presented it again in eight parts.²⁵
 - 7 “Surgery, treatment of body parts above the clavicle, general medicine, knowledge of spirits, care of children, and the disciplines of antidotes,
-
- 23 Ḍalhaṇa understood the word “knowledge (*veda*)” as specifically “medical knowledge.” He said that the word “longevity” (*āyur*) had been elided. After this opening statement, later manuscripts and commentaries include the attribution, “as the venerable Dhanvantari stated.” The absence of this statement in the early Nepalese manuscripts is highly significant because it removes the outer narrative frame of the *Suśrutasaṃhitā* (Wujastyk 2013: 148; Klebanov 2021a: § 3.1.2; Rai 2019; Birch et al. 2021). On the figure of Dhanvantari in medical literature, see HIML: IA 358–361.
 - 24 On these persons, see HIML: IA 361–363, 369 ff. The authority Bhoja does not appear in the list as published in the vulgate edition (Su 1931: 1), and was not included in HIML amongst “authorities mentioned in the *Suśrutasaṃhitā*.” Meulenbeld gathered textual evidence about Bhoja at HIML: IA 690–691. Klebanov (2021b) has discussed these authors in the context of an anonymous commentary on the *Suśrutasaṃhitā* that cites them.
 - 25 Svayambhū is another name for Brahmā, the creator.

- rejuvenation and aphrodisiacs.
- 8 “Now, a collection of the characteristics of each component of Āyurveda.
- 9 “Among them, [the component] called surgery has the goal of extracting various grasses, wood, stone, dust, iron (?), soil, bone, hair, nails, discharge of pus, malignant wounds and foreign bodies inside the womb, and of determining the application of surgical instruments, knives, caustics and fire by means of sixty definitions.
- 10 “[The component] named the doctrine of treating body parts above the clavicles has the aim of curing diseases situated above clavicles that is, diseases located in ears, eyes, mouth, nose and so on.
- 11 “[The component] called general medicine has the goal of curing illnesses established in the whole body and [diseases] such as fever, tumour, swelling, hemorrhagic disorders, insanity, epilepsy, urinary diseases, diarrhoea and the like.
- 12 “[The component] called knowledge of spirits is for appeasing demons by pacification rites and making food offerings for those whose minds have been possessed by gods, their enemies,²⁶ Gandharvas, Yakṣas, demons, deceased ancestors, Piśācas, Vināyakas,²⁷ Nāgas and evil spirits that possess children.
- 13 “[The component] called care of children is for bearing children and purifying defects in a wet-nurse’s milk, and curing diseases that have arisen from bad breast milk and demons.
- 14 “[The component] called the discipline of toxicology is for [knowing] the signs of poison from snake and insect bites and for neutralising various combinations of poisons.²⁸
- 15 “[The component] called the discipline of rejuvenation is maintaining youth, bringing about a long life and mental vigour and for curing diseases.

26 Dānavas. The insertion marks (*kākapadas*) below the text at this point appears to be by the original scribe.

27 The vulgate doesn’t have *vināyakas* but does add *asuras*, probably under the influence of Ḍalhaṇa. Cite Paul Courtright, Ganesha book.

28 The scribal insertion marks (crosses) above the line at this point in MS K appear to be in a later hand and their referent is lost in the damaged part of the folio. Although MSS MS Kathmandu NAK 1-1079 and MS Kathmandu NAK 5-333 include spiders (*lūtā*) and creepy-crawlies (*sarīsrpa*) in the list, it does seem that MS K had a shorter list, and the vulgate edition adds rodents (*mūṣika*).

- 16 "[The component] called the discipline of aphrodisiacs brings about the increase, purity, accumulation and production of semen for those whose semen is minimal, bad, depleted, and dry [respectively] and for inducing an erection.
- 17 "Thus, this Āyurveda is taught with eight components."
"Among these [components], tell us which is for whom."
- 18 They said, "After you have conveyed the knowledge of surgery, teach us everything."
- 19 He said, "so be it."
- 20 They then said, "Having considered the view of all of us, when we are unanimous, Suśruta will question you. We too will learn what is being taught to him."
- 21 He said, "so be it."
- 22 "Now, as is well-known, the aim of Āyurveda is eliminating the disease of one who have been assailed by disease and protecting the healthy; āyurveda is [that knowledge] in which they find a long life, or that by which long life is known. Learn its best component (i.e., surgery), which is being taught in accordance with tradition, perception, inference and analogy.
- 23 "For this component is first, the most important, because it is referred to first; it cures wounds and joins together the most important thing, Yajña's head. For, just as it has been said of old, 'the head that had been cut off by Rudra was joined again by the two Aśvins.'
- 24 "And also, of the eight disciplines of Āyurveda, [surgery] alone is the best because of the quick action of its procedures (*kriyā*), its application of blunt instruments, knives, caustics and fire, and it is common to all disciplines.
- 25 "Therefore, [surgery] is eternal, meritorious, leads to heaven, brings renown, bestows a long life, and affords a livelihood.
- 26 "Brahmā said this, 'Prajāpati learned it. From him, the Aśvins. From the Aśvins, Indra. From Indra, I. In this world, I will transmit to those who desire it for the benefit of people.'
[There a verse about this].²⁹
- 27 *For, I (i.e., Brahmā) am Dhanvantari, the first god, the remover of old age, pain and death of mortals.*

29 This is an expansion of the scribe's abbreviation *bha* for *bhavati cātra ślokaḥ* "There is a verse about this" (sometimes plural).

Having understood surgery, the best of the great knowledge systems, I arrived on earth again to teach it here.

- 28 In this context, as far as this discipline is concerned, a human being (*puruṣa*) is called an amalgam of the five elements and the embodied soul. This is where procedures (*kriyā*) apply. This is the locus.

Why?

Because of the duality of the world, the world is twofold: the stationary and the moving. Its nature (*ātmaka*) is twofold, depending on the preponderance of Agni and Soma.³⁰ Alternatively, it can be considered as being fivefold. The multitude of beings in it are fourfold: they are termed “sweat-born, stone-born, caul-born and egg-born”.³¹ Where they are concerned, the human being is the main thing; others are his support. Therefore, the human being (*puruṣa*) is the locus.

- 29 Diseases are said to be the conjunction of the person and suffering (*duḥkha*). There are four of them: invasive, bodily, mental and inherent. The invasive ones are caused by an injury. The bodily ones are based on food, caused by irregularities (*vaiṣamya*) in wind, bile, phlegm and blood.³²

The mental (*mānasa*) ones, caused by desire (*icchā*) and hatred (*dveṣa*), include: anger (*krodha*), grief (*āśoka*), misery (*dainya*), overexcitement (*harṣa*), lust (*kāma*), depression (*viśāda*), envy (*īrṣyā*), jealousy (*asūyā*), malice (*mātsarya*), and greed (*lobha*).

The inherent (*svābhāvika*) ones are hunger, thirst, old age, death, sleep and those of the temperament (*prakṛti*).

These too are located (*adhiṣṭhāna*) in the mind and body.

Scarification (*lekhana*), nourishment (*bṛṇhana*), purification (*saṃśodhana*), pacification (*saṃśamana*), diet (*āhāra*) and regimen (*ācāra*), properly employed, bring about their cure.

- 30 Furthermore, food is the root (*mūla*) of living beings as well as of strength (*bala*), complexion (*varṇa*) and vital energy (*ojas*). It depends on (*āyatta*) the six flavours (*rasa*). Flavours, furthermore, have substances as their substrate (*āśrayin*). And substances are remedies (*oṣadhī*).³³ There are two types: stationary (*sthāvara*) and moving

30 See Wujastyk 2004.

31 This fourfold classification of beings is paralleled with closely-related vocabulary in *Bhelasamhitā* 4.4.4 (Bhela 2000: 206; Bhela 1921: 81).

32 Note that four humoral substances are assumed here.

33 Pāṇini 6.3.132 provides that the final vowel of the noun *oṣadhi* may be lengthened

- (*jaṅgama*).
- 31 Of these, there are four types of stationary ones: fruit trees (*vanaspati*), flowering trees (*vrkṣa*), herbs (*oṣadhi*) and shrubs (*vīrudh*).³⁴ Amongst these, the “fruit trees” have fruit but no flowers.³⁵ The “flowering trees” have flowers and fruit. The “herbs” die when the fruit is ripe. “Shrubs” put out shoots.
- 32 As is well known, moving remedies are also of four types: those born in a caul (*jarāyuja*), those born from eggs (*aṇḍaja*), those born of sweat (*svedaaja*), and shoots (*udbhid*). Amongst these, those born in a caul include animals (*paśu*), humans, and wild animals (*vyāla*). Birds, creepy-crawlies (*sarīrpa*) and snakes are “born of eggs.” Worms (*kṛmi*), small insects (*kunta*) and ants (*pipīlika*) and others are born of sweat.³⁶ Shoots include red velvet mites (*indragopa*) and frogs (*maṇḍūka*).³⁷
- 33 In this context, among the stationary remedies, skin (*tvak*), leaves (*patra*), flowers (*puṣpa*), fruits (*phala*), roots (*mūla*), bulbs (*kanda*), sap (*kṣīra*), resin (*niryāsa*), essence (*sāra*), oil (*sneha*), and juice extract (*svarasa*)³⁸ are useful; among the moving remedies pelt (*carman*), hair, nails, and blood (*rudhira*) and so forth.
- 34 And earthen products (*pārthiva*) include gold and silver.³⁹
- 35 The items created by time (*kālakṛta*) are clusters (*samplava*) as far as wind and no wind (*nivāta*), heat and shade, darkness and light and the cold, hot and rainy seasons (*varṣā*) are concerned. The divisions of

(→*oṣadhī*) under certain conditions. These conditions require that the word be used in a Vedic mantra and not in the nominative. Neither condition is met in this passage, yet the author uses the form *oṣadhī*. This form is in fact not uncommon in medical literature as well as in epics, purāṇas, smṛtis, and other parts of Sanskrit literature.

34 Ca.sū.1.71–72 also describes these four types of medicinal plant in similar terms but with slightly differing names: *oṣadhi* is a plant that ends after fruiting, *vīrudh* is a plant that branches out, *vanaspati* is a tree with fruit, and *vānaspatya* is a tree with fruit and flowers.

35 The MSS agree in reading *phalavantyaḥ* “having flowers” which is grammatically non-standard. This form is also found in the *Viṣṇudharmottarapurāṇa* (1.92.27, 1.92.27 *Viṣṇudh.*: 56r).

36 The word *kunta*, though marked as “lexical” in most dictionaries, is in fact found in literature, commonly as a compound with *pipīlika*; the compound sometimes seems to be understood a type of ant (*tatpuruṣa* compound) rather than as a pair of insects (*dvandva* compound).

37 On *indragopa*, see Lienhard 1978.

38 On juice extract (*svarasa*) see CS 1.1.73, 1.4.7; Ḍalhaṇa on 4.10.12 (*Su* 1938²: 450).

39 The flow of concepts in the treatise seems to be interrupted here.

time are the blink of the eye (*nimeṣa*), a trice (*kāṣṭhā*), minutes (*kalā*), three-quarters of an hour (*muḥūrta*), a day and night (*ahorātra*), a fortnight (*pakṣa*), a month (*māsa*), a season (*ṛtu*), a half-year (*ayana*), a year (*saṃvatsara*), and yuga (*yuga*).⁴⁰

36 These naturally cause accumulation (*sañcaya*), irritation (*prakopa*), pacification (*upaśama*) and alleviation (*pratīkāra*) of the humours (*doṣa*). And they have practical purposes (*prayojanavat*).

[There are verses about this:]⁴¹

37 *This fourfold category is taught by physicians as a cause for the agitation and quelling of bodily diseases.*⁴²

38 *There are two kinds of invasive diseases. Some certainly⁴³ affect (ni√pat) the mind, others the body. Their treatment (kriyā) is of two kinds too.*

39 *For those that affect the body there is physical (śārīravād) therapy, whereas for those that affect the mind there is the collection (varga) of desirable sensory experiences like sound that bring comfort (sukha).*

40 Along these lines (*evam*), this brief explanation of the four factors (*catuṣṭaya*) is given:

- human being (*puruṣa*),
- disease (*vyadhi*),
- remedies (*oṣadhi*),
- the time for therapies (*kriyākāla*).

In this context,

- from the mention of the word “human,” the collection of substances that arise from it, such as the elements, and the particulars (*vikalpa*) of its major and minor parts (*aṅga*) such as skin (*tvak*),

40 These units are presented at 1.6.5 (Su 1938²:24) and discussed by Hayashi (2017: § 59).

41 See footnote 29.

42 On the topic of the “group of four,” the commentator Ḍalhaṇa considers them to be “food, behaviour, earthen products and items created by time.” He refers to the author of the lost commentary entitled *Pañjikā*, and to Jejjāṭa (HIML: IA, 372–3, 192). In his view, these early commentators do not agree that the fourfold grouping (*caturvarga*) refers to the quartet of stationary (*sthāvara*), moving (*jaṅgama*), earthen products (*pārthiva*) and items created by time (*kālakṛta*) (Su 1938²: 9a).

43 The text uses an archaic interjection here, *ha*.

flesh (*māṃsa*), ducts (*sirā*), sinews (*snāyu*), bones (*asthi*) and joints (*sandhi*) are meant.

- From the mention of “diseases,” all diseases caused by wind, bile, phlegm, congested humours (*sannipāta*), external factors (*āgantū*) and inherent factors (*svabhāva*) are intended (*vyākhyāta*).
- From the mention of “remedies,” there is the teaching of substances, tastes, potencies, post-digestive tastes.
- From the mention of “procedures (*kriyā*),” therapies (*karman*) such as oiling and excision (*chedya*) are taught.
- From the mention of the word “time,” every single teaching about the times for procedures is meant.

[There is a verse about this:]⁴⁴

41 *This seed of medicine has been declared in brief. Its explanation will be given in one hundred and twenty chapters.*⁴⁵

42 There are one hundred and twenty chapters in five sections (*adhyāya*).⁴⁶ In that regard, having divided them, according to their subject matter, into the Ślokaśthāna, the Nidāna, the Śārīra, the Cikitsita and the Kalpa, we shall mention this in the Uttaratantra.⁴⁷

[There is a verse about this:]⁴⁸

43 *Someone who reads this eternal proclamation of the King of Kāśī, that was declared by Svayambhu, will have good karma on earth, will be respected by kings and upon death will achieve the world of Śakra.*

44 See footnote 29.

45 This is the number of chapters in the first five sections of the work, namely the *Sūtra*-, *Nidāna*-, *Śārīra*-, *Cikitsā*- and *Kalpa*-*sthānas*. These have 46, 16, 10, 40 and 8 chapters respectively. The *Uttaratantra* has 66 chapters.

46 On *viṃśa* in the sense of “greater by 20” see P.5.2.46 *śadantaviṃśateś ca*.

47 The end of this sentence reads oddly. The vulgate edition adds an object: “[we shall mention] the remaining topics [in the Uttara]” which smooths out the difficulty, but this is supported in none of the Nepalese MSS. At the start of the *Uttaratantra* (Su 1938: 1.3–4ab) there is indeed a statement that picks up the point about there being 120 chapters.

48 See footnote 29.

Sūtrasthāna, adhyāya 2

Literature

[HIML](#): IA, 204; Preisendanz [2007](#); Wujastyk [2012](#): 82–83, *et passim*.

1

Sūtrasthāna, adhyāya 17

- 1 Now we shall expound the method for piercing the ear.⁴⁹
- 2 One may pierce a child's ears for the purpose of preserving and decorating. On renowned days, half days, hours and constellations during the first half of the sixth or seventh lunar month, the boy who has received a benediction (*kṛtamaṅgala*), – blessings pronounced (*svastivācana*)⁵⁰ – should be placed on the lap of a wet-nurse.⁵¹ Then, while pacifying him and having pulled his ear with the left hand, the physician should use his right hand to pierce the ear straight through at a naturally occurring cleft.⁵² For a boy, do the right ear first; for a girl, do the left one. Use a

49 The topic of piercing the ear (*kaṛṇavyadha*) is not discussed in the *Carakasamhitā* (HIML: IB, 326, n. 175), but it is mentioned in some texts that followed the *Suśrutasamhitā*, such as the *Kaśāpyasamhitā* (HIML: IIA, 30). Also, the instrument for piercing the ear is described in the *Aṣṭāṅgahṛdayasūtra* 1.26.26 (Ah 1902: 153). In the versions of the text known to Ḍalhaṇa (Su 1938²: 76) and Cakrapāṇidatta (Su 1939: 125), the heading of this chapter is *kaṛṇavyadhabandhavidhi* ('the method of piercing and joining the ear'), instead of the Nepalese version's *kaṛṇavyadha*. The topic of *kaṛṇabandha* is discussed in passages 17–20 of the Nepalese version. However, it appears that only subsequent redactors reflected its importance by including it in chapter headings. The Nepalese version also omits the opening remark on Dhanvantari that appears in subsequent versions. For a discussion of the frame story in the Nepalese version, see Birch et al. 2021. Ḍalhaṇa (Su 1938²: 76) and Cakrapāṇidatta (Su 1939: 125) state that only the ears of healthy people should be pierced, and they quote Bhoja to affirm this: 'When piercing the ears of children who are free of disease at these times, their ear flaps and apertures, as well as limbs, increase' (for the Sanskrit, see Su 1938²: 76).

50 The syntax here is unclear. The expression *svastivācana* may have been a gloss inserted into the text at an earlier period to clarify *maṅgala*. But as it stands, it is not syntactically connected to the rest of the sentence. In the versions of 1.16.3 known to Cakrapāṇidatta (Su 1939: 126) and Ḍalhaṇa (Su 1938²: 76), the words are united in a compound that reads more naturally.

51 The versions of 1.16.3 known to Cakrapāṇidatta (Su 1939: 126) and Ḍalhaṇa (Su 1938²: 76) have the additional compound *kumāradharāṇike* ('on the lap of one who holds the child') after *dhātṛyaṇike*. The gender of *kumāradhara* is made clear by Ḍalhaṇa's gloss 'a man who holds the child'. Also, both versions add *bālakṛīḍanakaiḥ pralobhya* ('having enticed with children's toys') to indicate that the child should be enticed with toys to stay on the assistant's lap. According to Ḍalhaṇa on 1.16.3 (Su 1938²: 76), the toys include replica elephants, horses, bulls and parrots. Ḍalhaṇa further mentions that others read *bhakṣyaviśeṣair vā* ('or by special treats') before *bālakṛīḍanakaiḥ*.

52 The versions of 1.16.3 of Cakrapāṇidatta (Su 1939: 126) and Ḍalhaṇa (Su 1938²: 76) add *ādityakarāvabhāsite* to clarify that this naturally occurring cleft is illuminated by

- needle on a thin ear; an awl (*ārā*) on a thick one.⁵³
- 3 If there is excess blood or pain one should know that it was pierced in the wrong place. The absence of side-effects is a sign that it has been pierced in the right place.⁵⁴
 - 4 In this context, if an ignorant person accidentally pierces a duct (*sirā*) there will be fever, burning, swelling (*śvayathu*), pain, lumps (*granthi*), paralysis of the nape of the neck (*manyāstambhā*), convulsions (*apatānaka*), headache or sharp pain in the ear.⁵⁵
 - 5 Having removed the wick (*vartī*) in the hole because of the aggravation of humours or a culpable piercing,⁵⁶ one should smear it with a paste of the roots of barley, liquorice, Indian madder (*mañjiṣṭhā*), and the castor oil tree (*gandharvahasta*), thickened with honey and ghee. When it has healed well, one should pierce it again.
 - 6 One should treat the properly-pierced ear by sprinkling it with raw sesame oil. After every three days one should apply a thicker wick (*vartī*)

sunshine.

- 53 Ḍalhaṇa on 1.16.3 ([Su 1938²](#): 76) clarifies that the awl is a shoe-maker's knife for piercing leather.
- 54 At this point, MS Kathmandu KL 699 is missing a folio, so the rest of this chapter is constructed on the basis of witnesses MS Kathmandu NAK 5-333 and MS Kathmandu NAK 1-1079.
- 55 This passage is significantly augmented in 1.16.4 of Cakrapāṇidatta's version ([Su 1939](#): 126) and 1.16.5 of Ḍalhaṇa's ([Su 1938²](#): 77) to outline the specific problems caused by piercing three ducts called *kālikā*, *marmikā* and *lohitikā*. In fact, the order of the problems mentioned in the Nepalese version has been retained in the other versions and divided between each duct. Cakrapāṇidatta's commentary on 1.16.4 ([Su 1939](#): 126) cites several verses attributed to Bhoja on the problems caused by piercing these three ducts in the ear flap: '*Lohitikā*, *marmikā* and the black ones are the ducts situated in the earflaps. Listen in due order to the problems that arise when they are pierced. Paralysis of the nape of the neck and convulsions, or sharp pain arise from piercing *lohitikā*. Pain and lumps are thought to arise from piercing *marmikā*. Piercing *kālikā* gives rise to swelling, fever and burning.'
- 56 In addition to these reasons, 1.16.5 of Cakrapāṇidatta's version ([Su 1939](#): 126–127) and 1.16.6 of Ḍalhaṇa's ([Su 1938²](#): 77) add *kliṣṭajihmāpraśastasūcīvyadhāt* ('because of piercing with a painful, crooked and unrecommended needle') and *gāḍhataravartitvāt* ('because of a wick that is too thick'). Ḍalhaṇa was aware of the reading in the Nepalese version because he notes in his commentary on 1.16.6 ([Su 1938²](#): 77) that some read 'because of the accumulation of humours' rather than 'because of piercing with a painful, crooked and unrecommended needle or because of a wick that is too thick.' On the meaning of *samudāya*, see ?? and Meulenbeld 1992: 1–5 (ADD PRIMARY REF).

- and sprinkle oil right on it.⁵⁷
- 7 Once the ear is free from humours or side-effects, one should loosen it with a light dilator (*pravardhanaka*) in order to enlarge it.⁵⁸
- 8 A person's ear enlarged in this way can split in two, either as a result of the humours⁵⁹ or a blow. Listen to me about the joins (*sandhāna*) it can have.
- 9 Here, there are, in brief, fifteen ways of mending the ear flap.⁶⁰ They are as follows: Rim-join (*nemīsandhānakaḥ*), Lotus-splittable (*utpalabhedyaka*), Dried Flesh (*vallūraka*), Fastening (*āsaṅgima*), Cheek-ear (*gaṇḍakarṇa*), Take away (*āhārya*), Ready-Split (*nirvedhima*), Multi-joins (*vyāyojima*), Door-hinge (*kapāṭasandhika*), Half door-hinge (*ardhakapāṭasandhika*), Compressed (*saṁkṣipta*), Reduced-ear (*hīnakarṇa*), Creeper-ear (*vallīkarṇa*), Stick-ear (*yaṣṭīkarṇa*), and Crow's lip (*kākaṣṭha*).⁶¹

In this context, among these,

“Rim-join” (*nemīsandhānaka*): both flaps are wide, long, and equal.

“Lotus-splittable” (*utpalabhedyaka*): both flaps are round, long, and equal.

“Dried flesh” (*vallūraka*): both flaps are short, round, and equal.

“Fastening” (*āsaṅgima*): one flap is longer on the inside.

- 57 The manuscripts support the reading *sthūlatarīm* that is either a non-standard form or a scribal error.
- 58 Cakrapāṇidatta on 1.16.6 (Su 1939: 127) and Ḍalhaṇa on 1.16.8 (Su 1938²: 77) point out that the dilator can be made of wood, such as that of the prickly chaff flower (*apāmarga*), the neem tree (*nimba*) and the cotton plant (*kārpāsa*). Ḍalhaṇa adds that it can also be made of lead (*sīsaka*) and should have the shape of the datura flower (*dhattūrapuṣpa*).
- 59 Ḍalhaṇa on 1.16.9 (Su 1938²: 77) notes that the word *doṣa* here can refer to either a humour, such as wind (*vāta*), as we have understood it, or a disease generated from a humour.
- 60 The Nepalese version uses the word *sandhāna* to refer to joining a split in an ear flap, which is consistent with the terminology in the verse cited above (8). However, 1.16.10 of Ḍalhaṇa's version (Su 1938²: 77) uses the term *bandha* here and at the very beginning of the chapter (i.e., 1.16.1) to introduce the topic of repairing the ear.
- 61 For an artist's impression of these different kinds of joins in the ear flap, see Majno 1975: 290 (reproduced as Figure 3.2 in Wujastyk 2003: 154).

“Cheek-ear” (*gaṇḍakarṇa*): one flap is longer on the outside.⁶²

“Take-away” (*āhārya*): the flaps are missing, in fact, on both sides.

“Ready-split” (*nirvedhima*): the flaps are like a dais (*pīṭha*).

“Multi-joins” (*vyāyojima*): one flap is small, the other thick, one flap is equal, the other unequal.

“Door-hinge” (*kapāṭasandhika*): the flap on the inside is long, the other is small.

“Half door-hinge” (*ardhakapāṭasandhika*): the flap on the outside is long, the other is small.

“These ten options (*vikalpa*) for joins (*sandhi*) of the ear should be bound. They can mostly be explained as resembling their names.⁶³ The five from compressed (*saṃkṣipta*) on are incurable.⁶⁴ Among these, “compressed” has a dry ear canal and the other flap is small. “Reduced ear” has flaps that have no base and have wasted flesh on their edges. “Creeper-ear” has flaps that are thin and uneven. “Stick-ear” has lumpy (*granthita*) flesh and the flaps are stretched thin and have stiff (*stabdha*) ducts (*sirā*). “Crow-lip” has a flap without flesh with compressed (*saṃkṣipta*) tips and little blood. Even when they are bound up, they do not heal because they are hot, inflamed, suppurating (*srāva*), or swollen.⁶⁵

62 For an artist’s impression of this join, see Majno 1975: 291 (reproduced as Figure 3.3 in Wujastyk 2003: 155).

63 Cakrapāṇidatta on 1.16.9–13 (Su 1939: 128–129) and Ḍalhaṇa on 1.16.10 (Su 1938²: 77–78) provide examples of how the names of these joins describe their shapes. For example, the rim-join (*nemīsandhānaka*) is similar to the join of the rim of a wheel (*cakradhārā*).

64 Ḍalhaṇa on 1.16.10 (Su 1938²: 77–78) mentions that some do not read the statement that only five are incurable, and they understand the causes of unsuccessful joins given below (i.e., heat, inflammation, suppuration and swelling) as also pertaining to the first ten when they do heal.

65 The version of 1.16.11–13 known to Ḍalhaṇa (Su 1938²: 78) has four verses (*śloka*) at this point that are not in the Nepalese manuscripts. The additional verses iterate the types of joins required for ear flaps that are missing, elongated, thick, wide, etc. All four verses were probably absent in the version of the *Suśrutasaṃhitā* known to Cakrapāṇidatta. He cites the verses separately in his commentary, the *Bhānumatī* (Su 1939: 128–129), introducing each one as ‘some people read’ (*ke cit paṭhanti*). How-

- 10 A person wishing to perform any of these joins should therefore gather together the supplies prepared according to the recommendations of the ‘Preparatory Supplies’ chapter.⁶⁶ And in particular, he should gather decanted liquor (*surāmaṇḍa*), milk, water, fermented rice-water (*dhānyāmla*), and powdered earthenware crockery (*kapālacūrṇa*).⁶⁷ Next, he should prepare the woman or man, who have had the ends of their hair tied up, have eaten lightly, and are firmly supported by qualified attendants. Then, he should ready the bindings (*bandha*) and carry out the procedure with cutting (*chedya*), splitting (*bhedya*), scarification (*lekhyā*), or piercing (*vyadhana*). Then, he should examine the blood of the ear to know whether it is tainted (*duṣṭa*) or not. If it is tainted by wind, the ear should be bathed with fermented rice-water (*dhānyāmla*) and water; if tainted by choler, then cold water and milk should be used; if tainted by phlegm, then decanted liquor (*surāmaṇḍa*) and water should be used, and then he should scarify it again. Then, arranging the join in the ear so that it is neither proud, depressed, nor uneven, one should make the join. Having seen that the blood has stopped, one should anoint it with honey and ghee, bandage each ear with cotton (*picu*) and gauze (*prota*), and bind it up with a thread, neither too tightly nor too loosely. Then, the earthenware powder should be sprinkled on, and medical advice (*ācārika*) given. And he should supplement with food as taught in the ‘Two Wound’ chapter.⁶⁸
- 11 One should avoid rubbing, sleeping during the day, exercise, overeating, sex, getting hot by a fire, or the effort of speaking.
- 12 One should not make a join when the blood is too pure, too copious, or too thin.⁶⁹ For when the ear is tainted by wind, then it is obstruc-

ever, in Trikamajī Ācārya’s edition of the *Sūtrasthāna* of the *Bhānumatī*, the root text is largely identical to the one commented on by Ḍalhaṇa (Su 1938²), even in instances like this where Cakrapāṇidatta’s commentary indicates that he was reading a different version of the *Suśrutasamhitā*.

66 *Suśrutasamhitā* 1.5 (Su 1938²: 18–23).

67 The term *kapālacūrṇa* is unusual. Ḍalhaṇa (Su 1938²: 79) defines it as the powder of fragments of fresh earthen pots and Cakrapāṇidatta (Su 1939: 129) as the powder of earthenware vessels.

68 *Suśrutasamhitā* 4.1 (Su 1938²: 396–408).

69 1.16.17 of Ḍalhaṇa’s version (Su 1938²: 79) reads “impure” for the Nepalese “too pure,” which would appear to make better medical sense. Emending the text to *nāśuddha-* for *nātiśuddha-* in the Nepalese recension would yield the same meaning

- ted by blood (*raktabaddha*), unhealed and will peel. When tainted with choler, it becomes pinched (*gāḍha*), septic (*pāka*) and red. When tainted by phlegm, it will be stiff (*stabdha*) and itchy. It has excessively copious suppuration (*srāva*) and is *śopha* (*puffed up*). It has a small amount of wasted (*kṣīṇa*) flesh and it will not grow.⁷⁰
- 13 When the ear is properly healed and there are no complications, one may very gradually start to expand it. Otherwise, it may be inflamed (*saṃrambha*), burning, septic or painful. It may even split open again.
- 14 Now, massage for the healthy ear, in order to enlarge it. One should gather as much as one can the following: a monitor lizard (*godhā*⁷¹), scavenging (*pratuda*) and seed-eating (*viṣkīra*) birds, and creatures that live in marshes or water,⁷² fat, marrow, milk, and sesame oil, and white mustard oil.⁷³ Then cook the oil with an admixture (*prativāpa*) of the following: purple calotropis (*arka*⁷⁴), white calotropis (*alarka*⁷⁵), country mallow (*balā*⁷⁶), ‘strong Indian mallow’ (*atibalā*⁷⁷), country sarsaparilla (*anantā*⁷⁸) beggarweed (*vidāri*⁷⁹), liquorice (*madhuka*), hornwort (*jalaśūka* → *jalanīlikā*⁸⁰), items having the ‘sweet’

as the Ḍalhaṇa’s version.

- 70 In his edition of *Suśrutasaṃhitā*, Ācārya (Su 1938²: 79 n. 1) includes in parentheses the following treatment for these conditions, which according to a footnote is not found in the palm-leaf manuscript he used: ‘One should sprinkle it with raw sesame oil for three days and one should renew the cotton bandage after three days’ (*āmatailena trirātram pariṣecayet trirātrāc ca picuṃ parivartayet*).
- 71 *Varanus bengalensis*, Schneider (Daniel 1983:58)
- 72 For such classifications, see Zimmermann (1999) and Smith (1994).
- 73 1.16.19 of Ḍalhaṇa’s version (Su 1938²: 79) includes ghee (*sarpis*). However, Ḍalhaṇa’s remarks on 1.16.19 and Cakrapāṇidatta’s on 1.16.18 (Su 1939: 130) indicate that they knew a version of this recipe (perhaps, similar to the Nepalese) that does not have ghee. Ḍalhaṇa also notes that others simply read four oils, beginning with fat and without milk, whereas Cakrapāṇidatta says some read that it is made with four oils and milk.
- 74 *Calotropis gigantea*, (L.) R. Br. (ADPS 52, AVS 1.341, NK #427, Potter 57, ID 306)
- 75 *Calotropis procera*, (Ait.) R. Br. (NK #428, GIMP 46b, ID 306)
- 76 *Sida cordifolia*, L. (ADPS 71, NK #2297)
- 77 *Abutilon indicum*, (L.) Sweet; *Sida rhombifolia*, L.? (NK #11, IGP ,4 1080; NK #2300)
- 78 *Hemidesmus indicus*, (L.) R. Br. (ADPS 434, AVS 3.141–5, NK #1210)
- 79 *Desmodium gangeticum* (L.) DC (Dymock 1.428, GJM 602, cf. NK #1192; ADPS 382, 414 and IMP 2.319, 4.366 are confusing)
- 80 *Ceratophyllum demersum*, L. (IMP 2371, AVS 2.56, IGP 232). This name is not certain. In fact, Ḍalhaṇa on 1.16.19 (Su 1938²: 79) notes that some people interpret it as a poisonous, hairy, air-breathing, underwater creature.

- savour (*madhuravarga*⁸¹) and ‘milk flower’ (*payasyā* → *vidāri*⁸²). This should then be deposited in a well-protected spot.
- 15 The wise man who has been sweated should rub the massaged (*ma-
rdita*) ear with it. Then it will be free of complications, and will enlarge
properly and be strong.⁸³
- 16 Ears which do not enlarge even when sweated and oiled, should be
scarified at the edge of the hole (*apāṅga*), but not outside it.⁸⁴
- 17 In this tradition, experts know countless repairs to ears. So a physi-
cian who is very intent (*suniviṣṭa*) on working in this way may repair
(*yojayed*) them.⁸⁵
- 18 If an ear has grown hair, has a nice hole, a firm join, and is strong and
even, well-healed, and free from pain, then one can enlarge it slowly.⁸⁶
- 19 Now I shall describe the proper method of repairing a severed nose.
First, take from the trees a leaf the same size as the man’s nose and

81 The items which exemplify the ‘sweet’ savour (*madhuravarga*) are enumerated at SS.1.42.11.

82 *Pueraria tuberosa* (Willd.) DC. (ADPS 510, IMP 1.792f., AVS 4.391; not Dymock 1.424f. See GJM supplement 444, 451, IMP 1.187, but IMP 3.1719 = *Ipomoea mauritiana*, Jacq.). The version of 1.16.19 known to Ḍalhaṇa (Su 1938²:79) adds several ingredients to this admixture, including *apāmārga*, *aśvagandhā*, *kṣīraśuklā*, *madhurav-
arga* and *payasyā*. Also, it has *vidārigandhā* instead of *vidāri*. When commenting on 1.16.19, Ḍalhaṇa (Su 1938²:79) notes that some do not read *madhuravarga* and *payasyā*. Therefore, there were probably other versions of this recipe with fewer ingredients, as seen in the Nepalese version.

83 For these aims (i.e., healing and enlarging the ear), the text known to Ḍalhaṇa (Su 1938²:79) has an additional verse and a half describing an ointment for rubbing the ear (*udvartana*) and sesame oil (*taila*) cooked with various medicines for massage. Cakrapāṇidatta (Su 1939:131) does not comment on these verses, nor verse 15 of the Nepalese version, and so the version of the *Suśrutasaṃhitā* known to him may not have included them.

84 Ḍalhaṇa’s version of 1.16.23 adds another hemistich that states more explicitly that the scarification should not be done on the outside of hole as it will cause derangement.

85 After verse 17, the 1938 edition of Ācārya (Su 1938²:80) has in parentheses nineteen verses on diseases of the ear lobes, treatments and complications. It is possible that these verses were in some of the witnesses used by Ācārya to construct the text as they occur in other manuscripts, such as MS Hyderabad Osmania 137-3 (b). However, Cakrapāṇidatta (Su 1939:132) and Ḍalhaṇa (Su 1938²:80) state that some read about the diseases of the ear lobes in this chapter whereas others read about them in the chapter on various treatments (*miśrakacikitsa*) (SS 5.25), which does indeed begin with a discussion of the disease *paripota*. Ḍalhaṇa goes on to say that some believe that these verses were not composed by sages and, therefore, do not read them.

86 The order of verses 17 and 18 are reversed in Ḍalhaṇa’s version (Su 1938²:80).

- hang it on him.
- 20 Next, having cut a slice of flesh (*vadhra*)⁸⁷ with the same measurements off the cheek, the end of the nose is then scarified.⁸⁸ Then the diligent (*apramatta*) physician, should quickly put it back together so that it is well joined (*sādhubaddha*).
- 21 Having carefully observed that it has been well sown up, two tubes should be fixed in place.⁸⁹ Then, having lifted them up,⁹⁰ the powder of sappanwood (*pattāṅga*⁹¹), liquorice (*yaṣṭīmadhuka*⁹²), and Indian barberry⁹³ should be applied to it.
- 22 The wound should be covered properly with cotton (*picu*) and should be moistened repeatedly with sesame oil. Ghee should be given to the man to drink. His digestion being complete, he should be oiled and purged in accordance with the instructions specific to him.⁹⁴
- 23 And once healed and really come together, what is left of that slice of flesh (*vadhra*) should then be trimmed. If it is reduced (*hīna*), however, one should make an effort to stretch it, and one should make its

añjana

- 87 The version of 1.16.28b known to Ḍalhaṇa (*Su 1938*²: 81) reads bound, connected (*baddham*) instead of slice of flesh (*vadhra*). This is a critical variant from the surgical point of view. If the slice remains connected, it will have a continuing blood supply. This is one of the effective techniques that so astonished surgeons witnessing a similar operation in Pune in the eighteenth century (see Wujastyk 2003: 67–70).
- 88 Or 1.16.20 could be mean, ‘... off the cheek, it is fixed to the end of the nose, which has been scarified.’ Unfortunately, the Sanskrit of the Nepalese version is not unambiguous on the important point of whether or not the flap of grafted skin remains connected to its original site on the cheek. However, Ḍalhaṇa (*Su 1938*²: 81) clarifies the meaning of the vulgate here by stating that one should supply the word ‘flesh’ when reading ‘connected,’ thus indicating that he understood the flesh to be connected to the face.
- 89 Ḍalhaṇa on 1.16.21 (*Su 1938*²: 81) notes that the two tubes should be made of reed (*nala*) or the stalk of the leaf of castor oil plant (*eraṇḍapatranāla*). They should not be made of lead or betel nut because the weight will cause them to slip down.
- 90 The Sanskrit term *unnāmayito* in 1.16.21 is non-Pāṇinian.
- 91 *Caesalpinia sappan*, L. (AVS 1.323, IMP 2.847f.). For *pattāṅga* there are manuscript variants *pattrāṅga* (MS H) and *pattāṅga* (N). Also, MS K (f. 14r:1) has *pattrāṅga* in a verse in 1.14 (cf. 1.14.36, *Su 1938*²: 66). In the text known to Ḍalhaṇa (*Su 1938*²: 81), 1.16.29 has *pataṅga*, and this term is propagated in modern dictionaries.
- 92 *Glycyrrhiza glabra*, L. (AVS 3.84, NK #1136)
- 93 *Berberis aristata*, DC (Dymock 1.65, NK #685, GJM 562, IGP 141). Ḍalhaṇa (*Su 1938*²: 81) understands it as Elixir salve (*rasāñjana*).
- 94 The expression *svayathopadeśa* is ungrammatical but supported in all available witnesses.

overgrown flesh smooth.⁹⁵

95 Ḍalhaṇa ([Su 1938²](#): 81) accepts a verse following this, which points out that the procedure for joining the nose is similar to that of joining the lips without fusing the ducts. He notes that earlier teachers did not think this statement on the nose and lips was made by sages, but includes it because it was accepted by Jejjaṭa, Gayadāsa and others. However, Cakrapāṇidatta ([Su 1939](#): 133) does not comment on this additional verse, which suggests that either he did not know of it or was not inclined to accept it.

Sūtrasthāna, adhyāya 28

- 1 Thus, living creatures and their strength, complexion (*varṇa*) and energy (*ojas*) are rooted in food. That (food) depends on the six flavours (*rasa*). Thus, the flavours depend on substance (*dravya*), and substances depend on medicinal herbs. There are two kinds of them (herbs): stationary and mobile.⁹⁶

96 1.1.28 (Su 1938²:7), tr. P. V. Sharma 1999–2001: I, 21.

Kalpasthāna, adhyāya 1

Literature

A brief survey of this chapter's contents and a detailed assessment of the existing research on it to 2002 was provided by Meulenbeld.⁹⁷ Translations of this chapter since 2000 have appeared by Wujastyk (2003: 131–139), P. V. Sharma (1999–2001: 3, 1–15), and Srikantha Murthy (2000–2).⁹⁸

More recently, a discussion of the fourth chapter of this section in the light of the Nepalese manuscripts was published by Harimoto.⁹⁹ After a close comparative reading of lists of poisonous snakes, Harimoto concluded that, “the Nepalese version is internally consistent while the [vulgate] editions are not.” Harimoto showed how the vulgate editions, had been adjusted textually to smooth over inconsistencies, and gave insights into these editorial processes.¹⁰⁰

Manuscript notes

- MS Kathmandu NAK 5-333 has foliation letter numerals, for example on f. 323a, that are similar to MS Cambridge Add. 1693,¹⁰¹ dated to 1165 CE noted in Bendall's chart of Nepalese letter-numerals Bendall 1883: Lithograph V, after p. 225

⁹⁷ [HIML](#): IA, 289–290.

⁹⁸ For a bibliography of translations to 2002, including Latin (1847), English (1877), Gujarati (1963) and Japanese (1971), see [HIML](#): IB, 314–315.

⁹⁹ Harimoto 2011: 101–104.

¹⁰⁰ The two editions that Harimoto noted, [Su 1938](#) and [Su 1889](#), present identical texts.

¹⁰¹ Scan at cudl.lib.cam.ac.uk/view/MS-ADD-01693/1.

Translation

- 1–2 And now I shall explain the procedures for safeguarding food and drink, as were declared by the Venerable Dhanvantari.¹⁰²
- 3 Divodāsa, the king of the earth, was the foremost supporter of religious discipline and virtue. With unblemished instruction he taught his students, of whom Suśruta was the leader.¹⁰³

[Threats to the king]

- 4–5 Evil-hearted enemies who have plucked up their courage, may seek to harm the king, who knows nothing of it. He may be assailed with poisons by or by his own people who have been subverted, wishing to pour the poison of their anger into any vulnerability they can find.¹⁰⁴
- 6 Therefore, a king should always be protected from poison by a physician.
- 7 The racehorse-like fickleness of men's minds is well known. And for this reason, a king should never trust anyone.¹⁰⁵
- 8–11 He should employ a doctor in his kitchen (*mahānasa*) who is respected

¹⁰² MS H adds in the margin अथ खलु वत्स सुश्रुतः “Now begins Vatsa Suśruta.” This phrase has been copied here by the scribe from the beginning of the *Suśrutasamhitā* chapter in the *sūtrasthāna* on the rules about food and drink (1.46.3 (Su 1938²: 214)). The scribe presumably felt, not unreasonably, that this section had common subject matter with the present chapter. Further, SS 1.46.3 is the only place in the Nepalese transmission of the *Suśrutasamhitā* that names Dhanvantari and integrates him into the narrative of the *Suśrutasamhitā* as the teacher of Suśruta.

The mention of Dhanvantari here is the only other time in the Nepalese transmission that this authority is cited as the source of Ayurvedic teaching, and the unique occurrence of this actual phrase, “as was declared by the Venerable Dhanvantari.” See the discussion by Klebanov (2021a: 28–32), who concludes that the earliest recoverable recension of the *Suśrutasamhitā* may have had the phrase only at this point and not elsewhere in the work.

¹⁰³ This is a quite different statement from the vulgate (Su 1938: 559) that has Dhanvantari as the teacher, and calls him the Lord of Kāśī (*kāśīpati*). Ḍalhana followed the vulgate but explicitly noted the reading before us with small differences: दिवोदासः क्षितिपतिस्तपोधर्मश्रुताकरः “Divodāsa, the king of the earth, was a mine of traditions about discipline and virtue.”

¹⁰⁴ Verses about the use of Venemous Virgins as a weapon do not appear in the Nepalese manuscripts. Cf. Wujastyk 2003: 81 f., 132. This material is present in the commentary of Gayadāsa.

¹⁰⁵ The verb √śvas is conjugated as a first class root in the Nepalese manuscripts.

- by experts, who belongs to a good family, is orthodox, sympathetic, not emaciated, and always busy.
- 12–13 The kitchen should be constructed at a recommended location and orientation. It should have a lot of light,¹⁰⁶ have clean utensils and be staffed by men and women who have been vetted.¹⁰⁷
- 17–18ab The chefs, bearers (*voḍhāra*), and makers of boiled rice soups and cakes and whoever else might be there, must all be under the strict control of the doctor.¹⁰⁸
- 18cd–19ab An expert knows people’s body language (*iṅgita*) through abnormalities in voice, movement and facial expression. He should be able to identify a poisoner by the following signs.
- 19cd–23 Wanting to speak, he gets confused, when asked a question, he never arrives at an answer, and he talks a lot of confused nonsense, like a fool. He laughs for no reason, cracks his knuckles and scratches at the ground. He gets the shakes and glances nervously from one person to another. His face is drained of colour, he is grimy (*dhyāma*) and he cuts at things with his nails.¹⁰⁹ A poisoner goes the wrong way and is absent-minded.
- 25–27 I shall explain the signs to look for in toothbrush twigs, in food and drink as well as in massage oil (*abhyāṅga*) and combs (*avalekhana*); in dry rubs (*utsādana*) and showers, in decoctions (*kaṣāya*) and massage ointment (*anulepana*); in garlands (*sraja*), clothes, beds, armour and ornaments; in slippers and footstools, and on the backs of elephants and horses; in nasya (*snuff*), inhaled smoke (*dhūma*), eye make-up (*añjana*), etc., and any other things which are commonly poisoned. Then, I shall also explain the remedy.
- 28 Flies or crows or other creatures that eat a poisonous morsel (*bali*) served from the king’s portion, die on the spot.

Cf. Arthaśāstra 1.21.8.

106 We read महच्छुचिः with the Nepalese manuscripts and against the vulgate’s महच्छुचि. We understand शुचिस् as a neuter noun meaning “light” following Apte (1992: 1050a).

107 Verses detailing the ideal staff are omitted in the Nepalese manuscripts. Cf. Su 1938: 560; Wujastyk 2003: 132.

108 The word सौपोदनैकपूपिक “chefs for the boiled rice soups and cakes” is grammatically interesting. The term सूपोदन (as opposed to sūpaudana) is attested in the *Bodhāyanīya-grhyasūtra* 2.10.54 (Shastri 1920: 68). More pertinently, perhaps, सूपोदन is attested in the Bower Manuscript, part II, leaf 11r, line 3 (Hoernle 1893–1912: vol. 1, p. 43).

109 The word ध्याम is glossed by Ḍalhana (in a variant reading) as someone who is the colour of dirty clothes 5.1 (Su 1938²: 560).

- 29 Such food makes a fire crackle violently, and gives it an overpowering colour like a peacock's throat.
- 30–33 After a chukar partridge looks at food which has poison mingled with it, its eyes are promptly drained of colour; a peacock pheasant drops dead. A koel changes its song and the common crane rises up excitedly.¹¹⁰ It will excite a peacock and the terrified parakeet and the hill myna screech. The swan trembles very much, and the racket-tailed drongo churrs.¹¹¹ The chital deer sheds tears and the monkey releases excrement.¹¹²
- 34 Vapour rising from tainted food gives rise to a pain in the heart, it makes the eyes roll, and it gives one a headache.¹¹³
- 35, 36cd In such a case, an errhine and a collyrium that are costus, *lāmajja* grass (*lāmajja*), spikenard (*nalada*) and honey (*madhus*);¹¹⁴ a paste of sandalwood on the heart may also provide relief.¹¹⁵

110 The verb अर्च्छति “rises up” is a rare form best known from epic Sanskrit (see Oberlies 2003: 212, §7.6.1). The transmitted form क्रौञ्च is obviously a colloquial version of Sanskrit क्रौञ्च. Commenting on 1.7.10 (Su 1938²: 31), Ḍalhaṇa interestingly gives the colloquial versions of several Sanskrit bird names, even singling out pronunciation in the specific location of Kānyakubja. For क्रौञ्च he says that people pronounce it कुरञ्च and कौचि. The form कोञ्च is found in Pāli (see Cone 2001: 731, who notes that Ardhamāgadhī has the same form). Elsewhere, Ḍalhaṇa calls the bird क्रौञ्चिर, क्रौञ्चि, and कैचर (1.46.105 (Su 1938²: 223), 6.31.154 (Su 1938²: 684) and (6.58.44 (Su 1938²: 790) respectively).

111 Ḍalhaṇa seemed confused about the racket-tailed drongo (भृङ्गराज). He called it a generic drongo (भ्रमरक), a word that can also mean “bee,” (Dave 1985: 62), and then said that it is like the black drongo (धूम्याट) (for a nice explanation of this name, see Dave 1985: 62–63) and that people call it “the king of birds.”

112 MS Kathmandu KL 699 reads bull (वृषभ) for Chital deer (पृषत). The latter may perhaps be mistaken for the former in the Newa script, although the reading of MS Kathmandu KL 699 is hard to read at this point.

113 “Tainted” translates उपक्षिप्त. The word’s semantic field includes “to hurl, throw against,” and especially “to insult verbally, insinuate, accuse.” The commentator Ḍalhaṇa glossed the term as, “spoiled food given to be eaten” (विदूषितस्यान्नस्य भोक्तुं दत्तस्य), but he noted that some people read “उखाक्षिप्त” or “thrown into a pan.” Other translators have commonly translated it as “served,” perhaps influenced by Ḍalhaṇa’s “given (दत्त).”

114 The vulgate supplies another phrase and verb at this point that is not present in the Nepalese transmission, but that makes the text flow more easily.

115 Singh and Chuneekar (1972: 350) discussed the difficulties in identifying लामज्ज, a plant cited more often in the *Suśrutasamhitā* than in the *Carakasamhitā*; Ḍalhaṇa adopted the common view that it is a type of *uśīra* or vetiver grass. The grammatical

- 37 Held in the hand, it makes the hand burn, and the nails fall out. In such a case, the ointment (*pralepa*) is beautyberry (*śyāmā*), velvet-mite (*indragopa*), soma and water-lily (*utpala*).¹¹⁶
- 38–39 If he eats that food, through inattention or by mistake, then his tongue will feel like a pebble (*aṣṭhīlā*) and it will lose its sense of taste. It stings and burns, and his saliva (*śleṣman*) dribbles out.¹¹⁷ In such a case, he should apply the treatment prescribed above for vapour, and what will be stated below under “toothbrush twigs”.¹¹⁸
- 40 On reaching his stomach, it causes stupor (*mūrcchā*), vomiting, the hair stands on end, there is distension, a burning feeling and an impairment of the senses.¹¹⁹
- 41 In this case, vomiting must quickly be induced using the fruits of emetic nut (*madana*), bitter gourd (*alābu*), red gourd (*bimbī*), and luffa (*koṣṭi-*

neuter form मधुस् “sweetness” of the Nepalese manuscripts is less common than neuter मधु “honey, sweetness, liquorice.”

116 “Beautyberry” (*Callicarpa macrophylla* Vahl.) is one identification of श्यामा, but vaidyas and commentators have different ideas about the plant’s identity (see Singh and Chuneekar 1972: 410; Warriar et al. 1994–6: 1: 334; Nadkarni 1954: #420). On translating इन्द्रगोप as “velvet-mite,” see Lienhard 1978. Ḍalhaṇa’s remarks show that he had a reading इन्द्रगोपा before him, and he tries to explain इन्द्रा and गोपा as separate plants. But he also says that some people read इन्द्रगोप. Ḍalhaṇa curiously parses the name सोमा (f.) out of the compound; this feminine noun is almost unknown to Ayurvedic literature. Some dictionaries and commentators consider it a synonym for गुडूची, others for ब्राह्मी or चन्द्रतरु. Ḍalhaṇa also mentions that some people think the word refers to the soma creeper (सोमलता), which might explain his choice to take the word as feminine. But the compounded word is far more likely to be सोम (m.), the well-known mystery plant (see Wujastyk 2003: 76–78, 125). If this can be taken as rue (*Ruta graveolens*, L.), as some assert, one can point to a pleasing passage in Dioscorides where rue plays an antitoxic role: “...it is a counterpoison of serpents, the stinging of Scorpions, Bees, Hornets and Wasps; and it is reported that if a man be anointed with the juice of the Rue, these will not hurt him; and that the serpent is driven away at the smell thereof when it is burned; insomuch that when the weasel is to fight with the serpent she armeth herself by eating Rue, against the might of the serpent.” (cited from Wren 1956: 262; not found in Osbaldeston and Wood 2000).

117 The word अष्टील is normally feminine. The Nepalese manuscripts read it with a short अ- ending. Gayadāsa noticed that some manuscripts read अष्टील with a short -अ ending (MS Bikaner RORI 5157, f. 5v:7–8) and Ḍalhaṇa reproduced his observation. The vulgate reading “from his mouth (चास्यात्)” is more obvious (*lectio facillior*), but is not attested in the Nepalese manuscripts.

118 Poisoned toothbrushes are discussed in verses 48 ff. below.

119 I translate मूर्च्छा in the light of the metaphors discussed by Meulenbeld (2011), that include thickening and losing consciousness.

- takī*), taken with milk and watered buttermilk (*udaśvit*), or alternatively with rice-water.
- 42 Reaching the intestines (*pakvāśaya*), it causes a burning feeling, stupor, diarrhoea, thirst, impairment of the senses, flatulence (*āṭopa*) and it makes him pallid and thin.
- 43 In such a case, purgation with the fruit of indigo (*nīlī*), together with ghee, is best. And 'slow-acting poison antidote (*dūṣṭviṣāri*)' should be drunk with honey and curds (*dadhi*).¹²⁰
- 44 When poison is in any liquid substances such as milk, wine or water, there are various streaks, and foam and bubbles form.
- 45 Also, no reflections are visible or, however, if they can be seen, they are distorted, fractured, or tenuous and not distorted.¹²¹
- 46 Vegetables, soups, food and meat are soggy and tasteless. They seem to go stale suddenly, and they have no aroma.
- 47 All edibles lack aroma, colour or taste. Ripe fruits rapidly stink and unripe ones ripen.
- 48 When a toothbrush twig has poison on it, the bristles are corroded and the flesh of the tongue, gums and lips swells up.¹²²
- 49 Then, once his swelling is lanced, one should rub (*pratisāraṇa*) it with fire-flame bush flowers (*dhātakīpuṣpa*), jambul (*jambū*), mango stones (*āmṛāsthī*) and chebulic myrobalan (*harītakī*) fruit mixed with honey.¹²³
- 50 Alternatively, the roots of sage-leaved alangium (*aṅkollā*), barks of blackboard tree (*saptachada*) or siris (*śirīṣa*) and mung beans (*māṣaka*). The rubbing (*pratisāraṇa*) should be done.¹²⁴
- 51ab In the case of a poisoned tongue scraper or mouthwash (*kavala*), the

Mention this in the introduction as an example of the scribe knowing the vulgate.

fn about sadyas+

fn on prakuth. Lexeme known only in SS.

120 The 'slow-acting poison' is discussed at 5.2.25 ff. (Su 1938²: 565).

121 Both Nepalese witnesses read distorted (*vikṛta*) twice, which seems tautologous. We have read the sandhi as or not distorted (*vāvikṛtā*). The scribe of MS Kathmandu NAK 5-333, apparently the original hand, has added the alternate reading in the margin "double (*yamalā*)," as in the vulgate. Perhaps the scribe too was troubled by the possible tautology. It is also evidence that he may have had a witness with variant readings in it similar to the vulgate. We retain the *lectio difficilior*.

122 Gayadāsa and Ḍalhaṇa point out that "enclosure of a tooth (दन्तवेष्ट)" and "flesh of the tooth (दन्तमांस)" have the same meaning (2.16.14–26 (Su 1938²: 331–332)).

123 This recipe is different from the vulgate.

124 The spelling of the name अङ्गोल्ल varies अङ्गोट, अङ्गोठ, अङ्गोल (Singh and Chuneekar 1972: 5); Ḍalhaṇa notes that the form अङ्गोल्ल is a colloquialism (1.37.12 (Su 1938²: 161)). The sentence is awkward and we have emended शिरीषमाषक to be a plural, as in the vulgate, rather than the ablative of the Nepalese witnesses.

- same treatment is recommended as for the toothbrush twig.
- 51cd Massage oil that has been laced with poison is slimy, thick and discoloured.
- 52 When the massage oil has been contaminated with poison, it causes boils, pain, a discharge (*srāva*), inflammation of the skin, and sweating.¹²⁵ And the muscles (*māṃsa*) have ruptures (*dāraṇa*).
- 53 In such a case, an ointment (*anulepana*) should be made of something sprinkled with cold water.

¹²⁵ The feminine स्फोट for “boils” is unattested.

Uttaratantra, adhyāya 16 (17 in the vulgate)

Literature

Survey of this chapter and the existing research on it to 2002: [HIML](#): IA, 305–306.

History of couching in India: Scott [1817](#); Breton [1826](#); Jack [1884](#); Hendley [1895](#); Elliot [1918](#); Parshwanath Shastri [1940](#); Deshpande [1999](#); [2000](#); Wujastyk [2019](#); Leffler et al. [2020](#), Wujastyk [2003](#): 65–67.

Translation

- 1 Now I shall explain the counteraction (*pratiṣedha*) of diseases located in the pupil (*drṣṭi*).
- 2 There are three curable (*sādhya*), three incurable (*asādhya*), and six mitigatable (*yāpya*) diseases located in peoples eyes. Among these, three are curable (*sādhya*). Amongst these three, the remedy (*pratīkāra*) has been stated for the one called “seeing smoke (*dhūmadarśin*)”.¹²⁶
- 3–5ab When the eye is inflamed (*vidagdha*) by bile and when it is inflamed by phlegm, one should apply the method for removing bile and phlegm, using nasal medicines (*nasya*), irrigation (*seka*), application of collyrium (*añjana*), liniment (*ālepa*), and medicines cooked in a crucible (*puṭapāka*), together with a balm (*tarpaṇa*),¹²⁷ but not cutting with a blade (*śastrakṣata*).¹²⁸
One should drink ghee (*sarpis*) prepared with the three fruits (*triphalā*) and in the first [case where the problem is bile], and prepared with turpeth (*trivṛta*) in the latter [case, of phlegm].
And ghee prepared with tilvaka (*tailvaka*) is wholesome in both cases, or else aged ghee on its own.
- 5cd–7ab In a collyrium, these four compounds (*yoga*) are beneficial in both cases:
 - ochre (*gairika*), Sind salt (*saindhava*), long pepper (*kṛṣṇā*) and the black soot (*maṣī*) from cow’s teeth;

where is cutting with a knife related to removing bile or phlegm.

maṣī burned charcoal. Find refs.

¹²⁶ This disease and its cure are described earlier (SS.6.7.39 and SS.6.10.16 ([Su 1938²](#): 609 and 614) respectively). The latter part of this verse is hard to construe and the text here may have been altered at an early period.

¹²⁷ These therapies are described in SS.6.18 ([Su 1938²](#): 633–640).

¹²⁸ Dalhaṇa interprets this as blood-letting (*sirāvedha*), which is discussed in SS.1.14 ([Su 1938²](#)).

- Cow's flesh (*gomāṃsa*), black pepper (*marica*), siris (*śirīṣa*) and red arsenic (*manahśilā*);
 - stalk (*vr̥nta*) from a wood apple (*kapittha*) with honey (*madhu*);¹²⁹
 - or the the fruits of the velvet bean (*svayaṃgupta*).
- 8 The physician should make a collyrium with ground up metal (*kupyaka*),¹³⁰ Asoka tree (*aśoka*), Sal tree (*śālā*), mango (*amra*), beauty-berry (*priyaṃgu*), Indian lotus (*nalina*), blue lotus (*utpala*), together with hareṇu (*hareṇu*), emblic (*āmalaka*), myrobalan (*pathyā*), long pepper (*pippali*). It should be combined with ghee and honey (*kṣaudra*).
- 9–10 Also, when bile and phlegm have developed, the physician should apply hareṇu (*hareṇu*) with the expressed juice (*svarasa*) of the flowers from mango (*amra*) and Jambu (*jambū*) trees. Then this collyrium, matured (*vipakva*) with ghee and honey (*kṣaudra*), should then be applied.
- 10–11ab Filaments (*kiñjalka*) of Indian lotus (*nalina*) and blue lotus (*utpala*), with ochre (*gairika*), and the juice of cow-dung (*gośakṛt*) are a collyrium in the form of a pill (*guḍikā*). This is good for both day and night blindness.
- 11cd–12ab Elixir-salve (*rasāñjana*), honey (*kṣaudra*), ghee, scrambleberry (*tālīśa*), together with gold and ochre, with the juice of cow-dung (*gośakṛt*) are for an eye afflicted with bile.
- 12cd–13 Alternatively, wise physician should first grind together elixir-salve (*śīta*) and stibnite (*sauvīraka*), infused (*bhāvita*) with the blood of birds and animals (*rasa*).¹³¹ Then he mixes it with the bile of a tortoise or with extract of rohu carp (*rauhita*). It should always be used with powdered collyrium to quell the bile.
- 14 Thus, a collyrium of white teak (*kārśmarī*) flowers, liquorice (*madhuka*), tree turmeric (*dārvī*), lodh tree (*lodhra*) and elixir salve (*rasāñjana*) is always good as a collyrium in this case.
- 15 Alternatively, for those who cannot see during the day, this pill (*guḍikā*), with sandalwood, is recommended: salt (*nadīja*), conch shell and

¹²⁹ Wood apple (कपित्थ) in this verse is ablative singular or accusative plural, neither of which construe obviously.

¹³⁰ A metal other than gold or silver, according to V. Joṣī and N. H. Joṣī 1968: 1.217. Perhaps lead, which is used in making contemporary collyrium.

¹³¹ This is Ḍaḷhaṇa's preferred interpretation of *rasa* "juice" in this context. He also notes that some take elixir-salve (*śīta*) to be camphor.

- the three spices, collyrium, realgar (*manaḥśilā*), the two turmeric (*ra-jana*)¹³² and liver extract (*yakṛdrasa*).¹³³
- 16 One should grind up kohl (*srotoja*),¹³⁴ and Sind salt (*saindhava*) and long pepper and also hareṇu (*hareṇu*). Such wicks with goats urine are good in a collyrium for night blindness (*kṣaṇadāndhya*).
- 17–18ab Alternatively, in such a case, grind together Indian sarsaparilla (*kālā-nusāriva*)¹³⁵ long pepper, dried ginger (*nāgara*) and honey, the leaf of the scramberry (*tālīśapatra*), the two turmeric (*rajana*), a conch shell and liver extract (*yakṛdrasa*). Then shade-dried wicks take away illness (*ruj*).
- 18cd–19ab Wicks made of red arsenic (*manaḥśilā*), chebulic myrobalan (*abhayā*), the three spices (*vyoṣa*). Indian sarsaparilla (*sāriva*), cuttlefish bone (*sa-mudraphena*), combined with goat's milk are good.
- 19cd–21ab One should cook a honey collyrium (*kṣaudrāñjana*) either in the juices of cow's urine (*gomūtra*), and bile, spirits (*madirā*), liver (*yakṛt*), and emblic (*dhātṛī*) or else in the juice of the liver (*yakṛt*) of something different, or else with the extract of the three fruits (*triphalā*). One of these should be mixed with cow urine, ghee and cuttle fish (*aṇṇavamala*)¹³⁶ with long pepper, honey and box myrtle (*kaṭṭphala*). It is placed in sea salt and stored in a bamboo tube.
- 21cd–22 One should cook the liver of a sheep, the ghee of a goat, with long pepper and Sindh salt, honey and the juice of emblics. Then one should store it properly in a catechu box. Prepared thus, the honey collyrium is good.
- 23 Alternatively, a collyrium that is hareṇu (*hareṇu*) mixed with long pepper (*māgadhi*), the bone and the marrow of a goat, cardamom (*elā*) and

132 Turmeric (*Curcuma longa* Linn.) and tree turmeric (*Berberis aristata* DC). The term *rajana* is unusual; the normal term is *rajanī*. *Rajana* occurs in *Suśrutaniḥṣaṇṭu* 158 in the sense of *Ferula asafoetida*, Linn.

133 This verse appears as no. 27 in the vulgate.

134 Glossed by Ḍalhaṇa as a kind of collyrium. Cf. Nadkarni 1954: 2.M13 and P. V. Sharma 1982: 197–198

135 There are two forms of *sāriva* mentioned widely in Āyurvedic literature, the white and the black. Ideas on the identity of the black form are particularly fluid. See Sivarajan and Balachandran (1994: 434–438) for a clear discussion.

136 At SS 6.12.31, Ḍalhaṇa glossed *aṇṇavamala* as cuttlefish bone (*samudraphena*). It may be worth considering whether the unusual term *aṇṇavamala* “ocean-filth” might refer to ambergris.

- liver, together with liver extract, is good for eyes afflicted by phlegm.¹³⁷
- 24 Over a fire, one should cook the liver (*yakṛt*) of a monitor lizard (*godhā*) prepared with entrails (*antra*) and stuffed with long pepper (*māgadhi*). As is well known, liver (*yakṛt*) which is used (*niṣevita*) with collyrium certainly destroys night blindness.
- 25 After preparing both a spleen (*plīhan*) and a liver on a spit, one should eat them both with ghee and oil.¹³⁸
- 25cd–26ab As is well known, there are six diseases that can be alleviated (*yāpya*); in those cases (*tatra*) one should release the blood by bloodletting. And for the sake of wellbeing one should also purge using aged ghee combined (*upahita*) with purgative aids (*aṅga*).
- 26cd–27 When an eye-disease is caused by wind (*pavanodbhava*) they say that castor oil (*pañcāṅgulataila*) mixed with milk is good.¹³⁹ In the case of diseases of blood (*śonita*) and bile (*pitta*), one should drink ghee with the three fruits; it is particularly cleansing.¹⁴⁰ In the case of phlegm, a purgative by means of turpeth (*trivṛt*) is recommended. In the case of all three humours, sandal (*sugandhi*) in oil is prepared with it (turpeth).¹⁴¹
- 28 In cases of partial blindness (*timira*), aged ghee is recommended. It is good if it is kept in an iron vessel.
- 28cd–29ab One should know that ghee with the three mylobalans is always good, and it is made with what is called periploca of the woods (*meṣaviṣāṇa*).

137 On the identities of *elā* and *hareṇu*, Watt (1908: 511 ff) described the former as “true” or “lesser” or “Malabar” cardamom, *Elettaria cardamomum*, Maton & White. In contrast, the “greater” cardamom is *Amomum subulatum* (that Watt discussed on p. 65) that is commonly used as an inferior substitute for *E. cardamomum*. Singh and Chuneekar (1972: 467 f) provided an interesting discussion of *hareṇu*, noting that the term refers to two substances, first the *satīna* pulse (*Pisum sativum*, Linn.), and second an unknown fruit such as perhaps a *Vitex*. They noted, “None of the text commentators have attempted to disclose the nature of its source plant,” although Ḍalhaṇa described it as aromatic and identical to *reṇukā* (SS.ci.2.75).

138 We read the locative as if an instrumental; if the locative were intended then it would be the spit that would be coated with oil and ghee.

139 Ḍalhaṇa says that the unexpressed topic of this recipe is partial blindness (*timira*).

140 Blood-bile (*śonita-pitta*, *rakta-pitta*) is a widely-recognized disease in ayurveda, but the compound here is definitely dual, which rules out that interpretation. One would expect blood-bile because the previous verse

141 The expression “the fragrant one in oil (*tailasugandhi*)” is puzzling. The word *sugandhi* has different referents in the *Nighaṇṭu* literature but is not common as a noun in the extant literature. “Sandal” is just one of its possible meanings.

- A man who is suffering from partial blindness should lick the finely-ground three fruits mixed with ghee off his hand (*sapāṇa*).¹⁴²
- 29cd Alternatively, someone afflicted by phlegm should apply them (the three fruits) mixed with oil and steeped (*pragāḍha*) in honey.
- 30 The very best oil, well-cooked with a decoction of cow-dung, is good in cases of partial blindness, taken as an errhine.
In cases caused by bile, ghee by itself is good, as is oil when it arises from wind and blood.
- 31 And in the case of wind one should apply turpeth (*trivṛt*) based on strong mallow (*atibalā*), and country mallow (*balā*) in an errhine (*na-sya*).¹⁴³
Ghee which has been extracted from milk cooked with the meat of aquatic creatures and those from marshlands should be prescribed.
- 32 †An enclosed roasting (*puṭākhyā*) with Sindh salt and the product of the meat of a carnivore (*kravyabhuj*) and a deer (*eṇa*), is combined with honey and ghee.¹⁴⁴
Fat (*vasā*) from a horse, a vulture, a snake, and a cock (*tāmracūḍa*), combined with mahua (*madhūka*) is always good in a collyrium.†¹⁴⁵
- 33 Having prepared (*niṣevita*) a collyrium made of kohl (*srotas*) and gradually combine it with juices (*rasa*), milk and ghee.¹⁴⁶

142 “Off his hand” translates the adverbial *sapāṇam*, an unusual word. Ḍalhaṇa reproduces a reading close to the Nepalese recension but says that Jejjāta rejects it and so he also does (Su 1938: 627).

143 “Based on” translates *-āśrita* “depending on” which does not construe easily here. The vulgate has *śṛta* “cooked” which makes easier sense but is not supported by the Nepalese MSS.

144 Ḍalhaṇa notes (Su 1938²: 628a) that *puṭāhvaya* (see verse 35 below) is a synonym for *puṭapāka*, and that the process is described in the *Kriyākālpa* chapter, i.e., SS.6.18.33–38 (Su 1938²: 635). On the *puṭa* process in the *Suśrutasaṃhitā*, which is earlier and different than that of *rasaśāstra* literature, see the discussion by Wujastyk (2019: 83):

The term ‘enclosed roasting’ (*puṭapāka*) does occur in the *Suśrutasaṃhitā* in the context of eye treatments, but designates a method of obtaining juice from substances by wrapping them in leaves pasted with earth and cooking the bolus on charcoal to finally extract a juice.

145 This verse contain irresolvable difficulties. There are no significant variants in the Nepalese MS transmission, but the text is ungrammatical. The vulgate reads substantially differently but we have nevertheless made some emendations in line with it and read the verse as two sentences.

146 Ḍalhaṇa specifies that the juices are meat soups of various animals (Su 1938²: 628).

- For thirty days, this collyrium is put in the mouth of a black snake that is covered with kuśa grass (*kuśa*).
- 34 Next, a collyrium that is milk containing long pepper (*māgadhi*), lye (*kṣāraka*) and Sindh salt (*saindhava*) that has been repeatedly prepared with the mouth of a black snake, is good in the case of bloodshot blindness (*rāgin timira*).¹⁴⁷
- 35 They say that ghee may be produced from that and combined with sweet herbs is good as an errhine for eye-diseases caused by bile. And here, a balm (*tarpaṇa*) is good that is a combination that is the flesh of wild animals taken hot (*puṭāhvaya*).¹⁴⁸
- 36 And realgar (*manaḥśilā*) mixed with elixir salve (*rasāñjana*) and honey is a liquid collyrium (*dravāñjana*) which is, in this case, combined with mahua (*madhūka*).¹⁴⁹
- Alternatively, experts on this say that finely ground blue vitriol (*tuttha*) extracted from a gold mine is the “same collyrium (*samāñjana*)”.¹⁵⁰
- 37 Conch mixed with equal parts of sheep’s horn and stibnite (*añjana*) removes the impurity of the glassy opacity (*kāca*) because of the application of collyrium (*añjana*).¹⁵¹
- The extracts (*rasa*) produced from aflame of the forest (*palāśa*), Rohīta tree (*rohīta*),¹⁵² mahua (*madhūka*), ground with the supernatant layer (*agra*) of the spirits (*madira*) is applied.
- 38 Alternatively, one should cook an errhine with cuscus grass (*uśīra*), lodh tree (*lodhra*), the three fruits (*triphalā*), beauty berry (*priyaṅgu*)

147 Ḍalhaṇa describes this blindness as a type of *kāca* disease caused by wind (Su 1938: 628). The expression “bloodshot blindness” is an attempt to capture the idea of a blind eye that is dyed or coloured (not colour-blindness). This verse is quite different from the vulgate and also syntactically challenging.

148 The expression taken hot (*puṭāhvaya*) is a guess.

149 The expression liquid collyrium (*dravāñjana*) is only known from Ḍalhaṇa’s comments on SS.6.17.11ab (Su 1938²: 626). The recipe in the present collyrium is different from that discussed by Ḍalhaṇa.

150 On *tuttha*, which may also be identified with zinc oxide or as crushed sea-urchin shells, see Falk (1991: 112 ff.); zinc oxide is a component of skin-balms but is not recommended for application in the eyes themselves. The expression “same collyrium (*samāñjana*)” is a hapax legomenon glossed inexplicably by Ḍalhaṇa as “a collyrium with an equal amount of fermented barley” (*tulyasauvīrāñjana*) (Su 1938²: 628).

151 The ablative “from collyrium” is hard to construe, but Ḍalhaṇa uses this term and phrase in his commentary on 6.17.41ab (Su 1938²: 629).

152 Probably *Soyimida febrifuga* A. Juss.

to pacify eye diseases caused by phlegm.¹⁵³

One should apply smoke of the bark of embelia (*vidaṅga*), velvet leaf (*pāthā*), white siris (*kinihī*), and desert date (*iṅgudī*); and cuscus grass (*uśīra*) alone.

- 39 A ghee that is cooked (*bhāvita*) from a decoction of a non-flowering tree (*vanaspati*)¹⁵⁴ as well as turmeric (*haridrā*) and spikenard (*nalada*) is good in a balm (*tarpaṇa*).

Alternatively, one may have an enclosed roasting (*puṭapāka*) done with arid-land animals (*jāṅgala*)¹⁵⁵ and a plentiful amount of long pepper (*māgadha*), Sindh salt and honey.

- 40 A treatment (*kriyā*) with realgar (*manaḥśilā*), the three spices, conch, honey, along with Sindh salt, green vitriol (*kāsīsa*) and elixir salve (*rasāñjana*).¹⁵⁶

They say that an elixir salve (*rasāñjana*) combined with myrobalans, treacle and dried ginger is good.¹⁵⁷

- 41 Alternatively, a collyrium that has been prepared many times in the eight types of urine¹⁵⁸ is put into water with the three fruits. Having stored it in the mouth of a nocturnal creature (*niśācara*)¹⁵⁹ one should place it in a conch (*salilotthita*) for two months.¹⁶⁰

- 42 One should apply that collyrium together with the flowers of mahua (*madhūka*) and horseradish tree (*śigru*) when [the disease] is caused by all [the humours].

But alternatively, all treatments apply when blood is the cause. The procedure that removes bile is good when there is blue dot cataract

find ref.

153 Ḍalhaṇa invokes a general rule (*paribhāṣā*) to indicate that this mixture should be cooked with sesame oil.

154 These are fig trees. The *Sauśrutaniḥṣaṇṭu* (252) specifies the Uḍumbara. Cf. the classification in CS.1.1.71–72, 1.8, *et passim*.

155 On this term, see SS.1.35.42 ([Su 1938²](#):157) and the discussion by Zimmermann (1999: 25–31).

156 Ḍalhaṇa glosses treatment (*kriyā*) specifically as inspissation (*rasakriyā*) ([Su 1938²](#): 629).

157 We emend *hite* to *hitam*, against the MSS.

158 See SS *mūtravarga*

159 Ḍalhaṇa glosses nocturnal creature (*niśācara*) as “vulture,” although elsewhere in the SS it is more commonly interpreted as a spirit or demon. In the present context, following verses 33 and 34, it is probably a snake.

160 We interpret “water-born (*salilotthita*)” as “conch” in line with *jalodbhava*, but the term is uncertain.

- (*mlāyin*).¹⁶¹
- 43 For one who has a humour, the physician should consider the rule in all humoral cases and then smear the ointment on the face.¹⁶²
The treatment that is good for removing watery eye (*syanda*) should be properly applied in all these humoral cases, according to the individual.¹⁶³
- 44 The physician should not employ substances in errhines etc., when the humours intensify, and also when disease spreads. And further, in the *Kalpa*, there is a good deal more said about collyriums, and that should be considered and then applied.¹⁶⁴
- 45 Someone who uses matured ghee, the three fruits, wild asparagus (*śa-tāvarī*), as well as mung beans (*mudga*), emblic and barley has nothing to fear from cases of severe blindness (*timira*).
- 46 Blindness is dispelled by milk prepared with wild asparagus or in emblics, or again cooked barley (*yavaudana*) followed by the water of three fruits with plenty of ghee.
- 47 When there is bloodshot blindness (*rāgiṇi timire*), the wise physician should not cut a vein. A humour injured (*utpīḍita*) by the instrument rapidly destroys vision.
- 48 Non-bloodshot blindness (*araga timira*) in the first layer (*paṭala*) is treatable. And bloodshot blindness (*rāgiṇi timire*) in the second layer, with difficulty. And in the third layer it is mitigable (*yāpya*).
- 49 I shall explain the therapy for success when there is a cataract (*liṅga-nāśa*) caused by phlegm. It may be white, like a full moon, an umbrella, a pearl (*muktā*) or a spiral (*āvarta*).
- 50 Or it may be uneven, thin in the middle, streaked or have excessive shine (*prabha*). A humour (*doṣa*) in the pupil may be characterized as being painful or having blood.¹⁶⁵

161 The vulgate follows Ḍaḥaṇa in glossing *mlāyin* as *parimlāya*. The description of this condition at SS.6.7.27–28 appears to refer to “blue dot” or “cerulean” cataract. √*mlai* derivatives can mean “dark” or “black.”), which is normally a different ailment.

162 The vulgate edition omits part of this verse (ab) combining earlier and later passages.

163 The term watery eye (*syanda*) refers to the specific disease *abhiṣyanda*. See SS.6.6.5, 1.46.51, etc.

164 Ḍaḥaṇa notes that *Kalpa* means the Uttaratantra adhyāya 18 (Su 1938²: 633 ff).

165 In the vulgate, and in parallel passages in the AS, the reading “it may be (*bhavet*)” is replaced with the negative “if, then not (*na ced*)” (cf. As utt.17.1–3 (As 1980: 712)). These characteristics are then read as conditions that preclude surgery; for the Nepalese recension, they are simply descriptions of the appearance of a cataract.

51–52 At a time that is neither too hot or too cold, the patient who has been oiled and sweated is restrained and seated, looking symmetrically at his own nose.

The wise physician should separate (*muktvā*) two white sections from the black part (*kṛṣṇa*) and from the outer corner of the eye (*apāṅga*). Having pīḍ- (*pressed*) properly into the eye,¹⁶⁶ at the naturally occurring (*daivakṛte*) hole (*chidra*) with the probe (*śalākā*) made of copper or iron, with a tip like a barley-corn that is held by a steady hand with the middle finger, forefinger and thumb, the left one with the right hand and the other one contrariwise.

When the piercing is done, there is the simultaneous issue of a drop of liquid and a sound.¹⁶⁷

55 The expert should moisten the exact place of piercing with a woman's breast-milk. Then he should scratch the circuit of the pupil (*dṛṣṭimaṇḍala*) with the tip of the probe (*śalākā*).¹⁶⁸

56 Without injuring, gently pushing the phlegm in the circuit of the pupil against the nose, he should remove it by means of sniffing (*ucchiṅgana*).¹⁶⁹

57 Whether the humour is solid (*styāna*) or liquid (*cala*), one should apply sweating to the eye externally, with leaves (*bhaṅga*) that remove wind, after fixing the needle (*sūcī*) properly.¹⁷⁰

58 But if the humour cannot be destroyed or if it comes back, one should apply the piercing (*vyadha*) once again, with appropriate oils and so on.

59 Now the pupil (*dṛṣṭi*) shines like the sun (*hari*) in a cloudless sky; then, when objects become visible, one may slowly remove the probe (*śalākā*).¹⁷¹

166 We understand the locative *nayane* as the place of pressing; other interpreters take it as an accusative dual. The idea is that the eye is held steady by the surgeon.

167 Ḍalhaṇa interprets simultaneous (*samyak*) rather as “proper,” referring to the proper kind of incision.

168 The anatomy of the eye is described in 6.1.14–16 (Su 1938²: 596) The disks or *maṇḍalas* are the circuits or disks of the eye.

169 Ḍalhaṇa describes sniffing (*ucchiṅgana*) at 6.19.8 (Su 1938²: 641), clearly intending inward sniffing.

170 We interpret *bhaṅga* as leaves, following the usage elsewhere in this sthāna 4.32.9, 6.11.5 (Su 1938²: 513, 614) where *bhaṅga* means shoots (*pallava*). A similar procedure is described at As 6.17.25 (As 1980: 716a), where sweating of the eye is done by means of the leaves of a castor-oil plant.

171 There are many problems with the MS readings and interpretation of this half-verse.

- 60 Having smeared ghee on the eye, one should cover it with a bandage. Then, he must lie down supine in a house free from disturbances.¹⁷²
- 61 At that time, he should not belch, cough, sneeze, spit or shiver. Afterwards there should be restrictions (*yantraṇā*) as in the case of someone who has drunk oil.¹⁷³
- 62 Every three days one should wash it with decoctions (*kaṣāya*) that remove wind. After three days, one should sweat the eye externally because of the danger of wind.
- 63 Having restrained himself in this way for ten days he should thereafter take a beneficial regimen (*karma*) that clears the pupil (*drṣṭi*) and also he should take light food in measure.

[Complications]

- 64 When there is a misshapen eyeball (*vilocana*), the eye may fill because of the release of blood from a vein.¹⁷⁴
A hard probe leads to shooting pain (*śūla*), a thin to unsteadiness of the humours (*doṣapariplava*),¹⁷⁵
- 65 a thick-tipped probe leads to a large wound, and a sharp one may cause harm in many ways; a very irregular one may cause a discharge of water, a rigid (*sthirā*) one brings about a loss of function (*kriyāsaṅga*).¹⁷⁶
- 66 Therefore, one should make a good probe that is free from these defects.

We have inferred “sky” and emended from “free from the point (*agramukta*)” to “free from clouds (*abhramukta*)”. The latter meaning is supported (in different words) by the vulgate and occurs elsewhere in Sanskrit literature.

172 Ḍalhaṇa explains disturbances specifically as dust, smoke, drafts and sunlight 6.17.67 (Su 1938²: 631a).

173 Ḍalhaṇa glosses “restrictions (*yantraṇā*)” as having a controlled diet and the other restrictions appropriate to someone who is taking oil as a preparation before further therapy (6.17.68 (Su 1938²: 631)). These restrictions are also described at 6.18.28 (Su 1938²: 635) and Ah 1.16.25cd (Ah 1902: 249).

174 The condition of “misshapen eye” is referred to briefly in 6.61.9 (Su 1938²: 800), where Ḍalhaṇa glosses it as “bent brow and eye (*vakrabhrūnetra*).” The vulgate’s reading of “with blood (*śonitena*)” is easier to construe.

175 There is a medically significant difference here from the vulgate, which reads “a rough (*khara*) probe” not a “thin” probe.

176 This translation of loss of function (*kriyāsaṅga*) is given on the basis of Ḍalhaṇa’s gloss of *kriyāsaṅgakarī* as “causing the destruction of actions such as moving (*gamanādikriyāvināśakarī*)” at 3.8.19 (Su 1938²: 382).

[Characteristics of the probe]

The probe should be eight finger-breadths long and in the middle it is wrapped with thread and is as thick as a thumb joint. It is shaped like a bud at both ends (*vaktra*).

- 67 A commendable probe should be made of silver, iron or gold (*śātaku-mbhī*).¹⁷⁷

[Complications]

Redness, swelling, lumps, driness (*coṣa*), bubbling (*budbuda*),¹⁷⁸ pigs' eye (*sūkarākṣitā*),¹⁷⁹ irritation (*adhimantha*), etc. and other diseases arise from faults in the piercing,

- 69–70 or even from bad behaviour. One should treat them each accordingly. Listen to me once again about compounds for painful red eyes. Red chalk (*gairikaḥ*), Indian sarsaparilla (*śārivā*), panic grass (*dūrvā*), and ghee ground with barley.
- 71 This face ointment is to be used for quelling pain and redness. Or else it may be taken combined with the juice of citron (*mātuluṅga*) with sesame gently fried, mixed with white mustard (*siddhārthaka*).¹⁸⁰ This is immediately beneficial when someone is looking for relief.
- 72 A paste with *Holostemma* (*payasyā*),¹⁸¹ Indian sarsaparilla (*śārivā*), cassia cinnamon (*patra*), Indian madder (*mañjiṣṭhā*), and liquorice (*madhukair*) stirred with goat's milk, pleasantly warmed, is said to be healthy.¹⁸²

177 The vulgate reads "copper (*tāmra*)" in place of "silver."

178 Ḍalhaṇa glosses "bubbling (*budbuda*)" as "prolapse (*māṃsanirgama*) that looks like bubbles."

179 The expression "pigs' eye" appears to be a *hapax*. It is glossed as "downward vision (*adhodṛṣṭitva*)" by Ḍalhaṇa.

180 On the adverbial use of gently (*mṛdu*), see Gombrich 1979.

181 The identity of *payasyā* is debated (Singh and Chuneekar 1972: 538), and was already in doubt at the time of Ḍalhaṇa but likely candidates may be those suggested by Ḍalhaṇa, who suggests either *arkapuṣpī* or *kṣīrakākoli*, that may be *Holostemma adakodien* Schult. and *Leptadenia reticulata* (Retz.) Wight & Arn. (Sivarajan and Balachandran 1994: 195–196). The *Sauśrutaniḥṣaṇṭu* glosses it as *kṣīrikā* or *arkapuṣpikā* (Suvedī and Tivārī 2000: v. 307).

182 The expression "stirred with goat's milk (*ajākṣīrārdita*)" is difficult. It may be connected with the rare root *ard* documented by Whitney (1885: 15). Cf. \sqrt{ard} *gatau* (*Dhātupāṭha* 1.56).

- 73 Alternatively, it can be made in this way with Himalayan cedar, Himalayan cherry (*padmaka*) and dried ginger. Or, in the same way, with grapes, liquorice and the Lodh tree mixed with Sindh salt.
- 74 Alternatively, goats' milk with the Lodh tree, Sindh salt, red grapes and liquorice, cooked, should be used in irrigation because it removes pain and redness.
- 75 Having cooked it with liquorice, water-lily, and costus, mixed with grapes (*drākṣā*), lac (*lākṣā*), white sugar (*sitā*), with wild asparagus, Hare Foot Uraria (*pr̥thakparṇī*),¹⁸³ nutgrass (*mustā*), liquorice, Himalayan cherry (*padmaka*), and Sindh salts, one should apply it [irrigation] gently warm.
- 76cd–77ab Ghee that has been cooked in four times the amount of milk that has itself been cooked with drugs that destroy wind.¹⁸⁴ This has an admixture of cottony jujube (*kākolī*) etc., should be prescribed in all treatments.¹⁸⁵
- 77cd–78ab If pain does not end in this way, one should administer blood-letting to the vein of someone who has previously been oiled and sweated. Then the wise physician should apply cauterization in the advised manner.¹⁸⁶
- 78cd–80ab Now listen to two excellent collyriums for making the pupils clear. After grinding the flowers of perploca of the woods (*meṣaśṛṅga*), siris (*śirīṣa*), axelwood (*dhava*) royal jasmine (*jātī*), pearl and beryl (*vaidūrya*) with goat's milk, one should put it in a copper pot for seven days.
- 80cd–81 Having made it into wicks (*vartti*), the physician should apply it as a collyrium. Alternatively, one should make kohl (*srotoja*), coral (*vi-druma*), cuttlefish bone (*phena*), and realgar (*manaḥśilā*) and peppers into wicks as before. One should apply these wicks, which are good in a collyrium, to steady the pupil.
- 82 I shall again discuss the foremost collyriums at length in the *Kriyākālpa* section. Those various methods may be applied here too.

or a dual?

¹⁸³ Suvedī and Tivārī 2000: 18.

¹⁸⁴ Ḍalhaṇa mentions that these drugs include Deodar (*bhadradāru*) and other wind-destroying drugs. The *vātasamśamana* group is listed in *Suśrutasaṃhitā sūtrasthāna* 1.39.7.

¹⁸⁵ Ḍalhaṇa notes that this would include errhines, ointments, etc.

¹⁸⁶ The vulgate reads *vāpi* for *cāpi*, so Ḍalhaṇa sees blood-letting and cautery as alternatives, not a sequence of treatments. Ḍalhaṇa lists the places that cauterization may be applied, such as the brow, forehead, etc.

Abbreviations

- Ah 1902 Kumṭe, Ananta Moreśvara and Navare, Kṛṣṇasāstrī Rāmacandra (1902) (eds.), श्रीमद्वाग्भटविरचितम् अष्टाङ्गहृदयम्, सूत्र-शरीर-निदान-चिकित्सा-कल्प-उत्तरस्थानविभक्तम् श्रीमदरुणदत्तप्रणीतया सर्वाङ्गसुन्दर्याख्यया व्याख्यया समलंकृतम् (Kṛṣṇadāsa Āyurveda Sīrīja, 3; Mum̐bayyām: Nirṇayasāgara Press).
- Anup *Anup Sanskrit Library* (n.d.).
- AS *Asiatic Society* (n.d.).
- As 1980 Āṭhavale, Ananta Dāmodara (1980) (ed.), *Aṣṭāṅgasan̐grahaḥ. Śrīmad Vṛddhavāgbhaṭaviracitaḥ Induṣvākyāśahitaḥ* (Pune: Maheśa Ananta Āṭhavale, Śrīmad Ātreya Prakāśanam), [ark : / 13960/t9773bb9z](https://nopr.scribd.org/13960/t9773bb9z).
- Bhela 1921 Mookerjee, Ashutosh and Ananta Krishna Shastri, Vedantabisharad (1921) (eds.), *The Bhela Samhita. Sanskrit Text* (Calcutta: University of Calcutta), [ark : / 13960 / t3sv3157j](https://nopr.scribd.org/13960/t3sv3157j); Based on two copies made of the Thanjavur codex unicus (MS Thanjavur TMSSML 10773, Burnell 1880: 63–4, P. P. S. Sastri 1933: #11085).
- Bhela 2000 Krishnamurthy, K. H. (2000), *Bhela-saṃhitā. Text with English Translation, Commentary and Critical Notes* (Haridas Ayurveda Series, 8; Varanasi: Chaukhambha Visvabharati).
- BL *British Library* (n.d.).
- HIML Meulenbeld, Gerrit Jan (1999–2002), *A History of Indian Medical Literature*, 5 vols. (Groningen: E. Forsten), ISBN: 9069801248.
- KL *Kaiser Library* (n.d.).
- NAK *National Archives of Kathmandu* (n.d.).
- NCC Raghavan, V. et al. (1949–), *New Catalogus Catalogorum, an Alphabetical Register of Sanskrit and Allied Works and Authors*, 39 vols. (Madras University Sanskrit Series; Madras: University of Madras); v.1: revised edition, 1968.

- NGMCP NGMCP (2014), 'Nepal-german Manuscript Cataloguing Project. Online Title List and Descriptive Catalogue', Universität Hamburg and Deutsche Forschungsgemeinschaft, [URL](#).
- RORI *Rajasthan Oriental Research Institute* (n.d.).
- Su 1889 Bhaṭṭācāryya, Jīvānanda Vidyāsāgara (1889) (ed.), सुश्रुतः सूत्र-निदान-शारीर-चिकित्सा-कल्पोत्तर-तन्त्र-कल्पित आयुर्वेद. भगवता धन्वन्तरिणोपदिष्टः सुश्रुतनामधेयेन तच्छिष्येण विरचितः (3rd edn., Calcutta: Saratī Press), [ark : / 13960 / t1nh6j09c](#); [HIML](#): IB, 311, edition b.
- Su 1915 Ācārya, Yādavaśarma Trivikrama (1915) (ed.), सुश्रुतसंहिता, सुश्रुतेन विरचिता, वैद्यवरश्रीडल्हणाचार्यविरचितया निबन्धसंग्रहाख्यव्याख्यया समुल्लसिता, आचार्योपाह्वेन त्रिविक्रमात्मजेन यादवशर्मणा संशोधिता = *The Sushrutasamhita of Sushruta, the Nibandhasangraha Commentary of Shri Dalhanāchārya* (Mumbayyām: Nirṇayasāgaramudrāyantrālaye), [ark : / 13960 / t3sv0mt50](#), accessed 29/07/2020; [HIML](#): IB, 312 edition *v.
- Su 1931 Ācārya, Yādavaśarma Trivikrama (1931) (ed.), सुश्रुतसंहिता, वैद्यवरश्रीडल्हणाचार्यविरचितया निबन्धसंग्रहाख्यव्याख्यया समुल्लसिता, महर्षिणा सुश्रुतेन विरचिता, सूत्र-निदान-शारीर-चिकित्सा-कल्पस्थानोत्तरतन्त्रात्मकः. आचार्योपाह्वेन त्रिविक्रमात्मजेन यादवशर्मणा संशोधिता = *The Sushrutasamhitā of Sushruta with the Nibandhasangraha Commentary of Shree Dalhanāchārya* (2nd edn., Mumbayyām: Pāṇḍuraṅga Jāvajī at the Nirṇayasāgaramudrāyantrālaye), [ark : / 13960 / t9j41sg94](#), accessed 09/06/2020; [HIML](#): IB, 312 edition *v.
- Su 1938 Ācārya, Yādavaśarma Trivikrama and Ācārya, Nārāyaṇa Rāma (1938) (eds.), श्रीडल्हणाचार्यविरचितया निबन्धसंग्रहाख्यव्याख्यया निदानस्थानस्य श्रीगयदासाचार्यविरचितया न्यायचन्द्रिकाख्यपञ्जिकाव्याख्यया च समुल्लसिता महर्षिणा सुश्रुतेन विरचिता सुश्रुतसंहिता (3rd edn., Bombay: Nirṇayasāgara Press); [HIML](#): IB, 313 edition cc.
- Su 1938² Ācārya, Yādavaśarma Trivikrama and Ācārya, Nārāyaṇa Rāma (2004) (eds.), महर्षिणा सुश्रुतेन विरचिता सुश्रुतसंहिता, श्रीडल्हणाचार्यविरचितया निबन्धसंग्रहाख्यव्याख्यया निदानस्थानस्य श्रीगयदासाचार्यविरचितया न्यायचन्द्रिकाख्यपञ्जिकाव्याख्यया च समुल्लसिता

- (Vārāṇasī: Caukhambhā Kṛṣṇadāsa Akādamī); Reprint of the third, 1938 edition ([Su 1938](#)), with changed pagination.
- Su 1939 Ācārya, Yādavaśarma Trivikrama and Śarman, Nandakiśora (1939) (eds.), सुश्रुतसंहितायाः सूत्रस्थानम्. श्रीचक्रपाणिदत्तविरचितया भानुमतीव्याख्याया समेतम् = *Sushrut-saṁhitā (sūtra Sthān) with Bhānumatī Commentary by Chakrapāṇi Datta with Introduction by Gaṇanāth Sen* (Śrīsvāmī Lakṣmīrāma Nidhi Granthamālā = Shrī Swāmī Lakshmī Rām Trust Series, 1; [Jaipur]: Śyāmasundara Śarman), [ark:/13960/t54g0d12m](#); Printed at the Nirṇayasāgara Press, Bombay.
- Su 1945 Ācārya, Yādavaśarma Trivikramācārya and Ācārya, Nārāyaṇa Rāma (1945) (eds.), महर्षिणा सुश्रुतेन विरचिता सुश्रुतसंहिता (मूलमात्रा). पाठान्तर-परिशिष्टादिभिः संवलितः = *the Suśrutasaṁhitā of Suśruta with Various Readings, Notes and Appendix etc.* (Mumbāi: Nirṇayasāgarākhyamudraṇālaye), [URL](#).
- TMSSML *Tanjore Maharaja Serfoji Saraswati Mahal Library* (n.d.).
- Viṣṇudh. Śarman, Madhusūdāna and Śarman, Mādhavaprasāda (1912) (eds.), विष्णुधर्मोत्तरपुराणम् = [*Viṣṇudharmottarapurāṇa*] (Mumbai: Khemarāja Śrīkṛṣṇadāsa at the Śrīveṅkaṭeśvara Steam Press), [ark : / 13960 / t6qz6fr23](#); Lithograph format. Edited on the basis of a manuscript belonging to the astrologer Śudhākaraśarman of the Varanasi Sanskrit Pāṭhaśālā.

Index of Manuscripts

The numbers after the comma refer to pages in this document.

Bikaner Anup 4390, [6](#)

Bikaner RORI 5157, [35](#)

Cambridge Add. 1693, [31](#)

Kathmandu KL 699, [2](#), [22](#), [34](#)

Kathmandu NAK 1-1079, [2](#), [14](#), [22](#)

Kathmandu NAK 5-333, [2](#), [8](#), [10](#), [14](#), [22](#), [31](#), [36](#)

London BL H. T. Colebrooke 908, [10](#)

Mumbai AS B.D.109, 6
Mumbai AS B.I.3, 6

Thanjavur TMSSML 10773, 50

References

- Ācārya, Yādavaśarma Trivikramācārya and Ācārya, Nārāyaṇa Rāma (1945) (eds.), महर्षिणा सुश्रुतेन विरचिता सुश्रुतसंहिता (मूलमात्रा). पाठान्तर-परिशिष्टादिभिः संवलिता = *the Suśrutasaṃhitā of Suśruta with Various Readings, Notes and Appendix etc.* (Mumbāi: Nirṇayasāgarākhyamudraṇālaye), [URL](#).
- Adriaensen, Rob C. R., Barkhuis, Roelf, and Ruijters, Jean-Louis (1984), 'An English Translation of Suśrutasaṃhitā, Nidānasthāna 1, 1–39, Together with Gayadāsa's Nyāyacandrikā', in Gerrit Jan Meulenbeld (ed.), *Proceedings of the International Workshop on Priorities in the Study of Indian Medicine* (Groningen: Forsten), 277–310.
- Apte, Vaman Shivaram (1992), *The Practical Sanskrit-English Dictionary* (Kyoto: Rinsen Book Company), ISBN: 4-653-00038-7; Reprinted from **gode-apte**.
- Bausi, Alessandro et al. (2015), *Comparative Oriental Manuscript Studies. An Introduction* (Hamburg: Tredition). DOI: [10.5281/ZENODO.46784](#).
- Bendall, Cecil (1883), *Catalogue of the Buddhist Sanskrit, Manuscripts in The, University Library, Cambridge: With Introductory Notices and Illustrations of the Palaeography and Chronology of Nepal and Bengal* (Cambridge: University Press), [ark:/13960/t03x8vz7b](#).
- Bhaṭṭācārya, Candrakānta (1910–7) (ed.), सुश्रुतसंहिता प्रथमखण्डम् सूत्रस्थानात्मकम्...हाराणचन्द्रचक्रवर्तिकविराजविरचितसुश्रुतार्थसन्दीपनभाष्य-समेतम्...चन्द्रकान्त भट्टाचार्य-प्रमुखैः संशोधितम् = [*The Suśrutasaṃhitā with the Commentary Suśrutārthasandīpanabhāṣya by Hārāṇacandra Cakravartī*] (Kalikātā: Satya Press); Edition "t" in [HIML](#): IB, 312.
- Birch, Jason et al. (2021), 'Further Insight into the Role of Dhanvantari, the Physician to the Gods, in the Suśrutasaṃhitā', *Academia Letters*. DOI: [10.20935/AL2992](#).

- Breton, P. (1826), 'On the Native Mode of Couching', *Transactions of the Medical and Physical Society of Calcutta*, 2: 341–82, [ark : / 13960 / t3dz8nn5t](https://doi.org/10.13960/t3dz8nn5t), URL, accessed 02/06/2021.
- Bronkhorst, Johannes (2021), 'Patañjali's Āryāvarta = Śuṅga realm?', *Academia Letters*. DOI: [10.20935/al291](https://doi.org/10.20935/al291); Article 291.
- Burghart, Marjorie (2016), 'The TEI Critical Apparatus Toolbox: Empowering Textual Scholars through Display, Control, and Comparison Features', *Journal of the Text Encoding Initiative*, 10/Issue 10. DOI: [10.4000/jtei.1520](https://doi.org/10.4000/jtei.1520), URL, accessed 12/12/2017.
- (2017), 'Textual Variants', in Marjorie Burghart, James Cummings, and Elena Pierazzo (eds.), *Digital Editing of Medieval Texts: A Textbook* (DEMM), URL, accessed 04/07/2021.
- Burnell, Arthur Coke (1880), *A Classified Index to the Sanskrit Mss. in the Palace at Tanjore* (London: Trübner), [ark : / 13960 / t4xh86j61](https://doi.org/10.13960/t4xh86j61); Bheḷasamhitā described on pp. 67 ff.
- Cone, Margaret (2001), *A Dictionary of Pāli* (Oxford: The Pali Text Society), ISBN: 0 86013 394 x.
- Cordier, P. (1903), 'Récentes découvertes de mss. médicaux sanscrits dans l'Inde (1898–1902)', *Muséon, Nouvelle Série*, 4: 321–52, [ark : / 13960 / t26b2j457](https://doi.org/10.13960/t26b2j457), accessed 02/01/2020; Reprinted in Roṣu 1989: 539–70.
- Dave, K. N. (1985), *Birds in Sanskrit Literature* (Delhi: Motilal Banarsidass), ISBN: 0-89581-676-8, [ark : / 13960 / t2c94cv80](https://doi.org/10.13960/t2c94cv80).
- Deshpande, Vijaya (1999), 'Indian Influences on Early Chinese Ophthalmology: Glaucoma As a Case Study', *Bulletin of the School of Oriental and African Studies*, 62: 306–22. DOI: [10.1017/S0041977X00016724](https://doi.org/10.1017/S0041977X00016724).
- Deshpande, Vijaya (2000), 'Ophthalmic Surgery: A Chapter in the History of Sino-indian Medical Contacts', *Bulletin of the School of Oriental and African Studies*, 63/3: 370–88, ISSN: 0041-977X. DOI: [10.1017/s0041977x00008454](https://doi.org/10.1017/s0041977x00008454).
- Elliot, Robert Henry (1918), *The Indian Operation of Couching for Cataract: Incorporating the Hunterian Lectures Delivered before the Royal College of Surgeons of England on February 19 and 21, 1917* (London: H. K. Lewis).
- Emeneau, M. B. (1969), 'Sanskrit Syntactic Particles – "kila, khalu, nūnam"', *Indo-Iranian Journal*, 11/4: 241–68.

- Falk, Harry (1991), 'Silver, Lead and Zinc in Early Indian Literature', *South Asian Studies*, 7/1: 111–7. DOI: [10.1080/02666030.1991.9628430](https://doi.org/10.1080/02666030.1991.9628430).
- Fan, Ka Wai (2005), 'Couching for Cataract and Sino-indian Medical Exchange From the Sixth to the Twelfth Century AD', *Clinical and Experimental Ophthalmology*: 188–90. DOI: [10.1111/j.1442-9071.2005.00978.x](https://doi.org/10.1111/j.1442-9071.2005.00978.x); Unaware of Deshpande 1999; 2000.
- Gombrich, Richard (1979), '“He cooks softly”: dverbs in Sanskrit grammar', *Bulletin of the School of Oriental and African Studies*, 42/2 (June): 244–56. DOI: [10.1017/s0041977x0014580x](https://doi.org/10.1017/s0041977x0014580x).
- Harimoto, Kengo (2011), 'In Search of the Oldest Nepalese Manuscript', *Rivista degli Studi Orientali*, 84/1–4: 85–106, ISSN: 0392-4866, URL, accessed 08/09/2019.
- (2014), 'Nepalese Manuscripts of the Suśrutasamhitā', *Journal of Indian and Buddhist Studies (Indogaku Bukkyogaku Kenkyu)*, 62/3: 23–29 (1087-1093). DOI: [10.4259/ibk.62.3_1087](https://doi.org/10.4259/ibk.62.3_1087), URL, accessed 08/09/2019.
- (pre-published), '[Preliminary Edition of the Nepalese MSS of the Suśrutasamhitā, adhyāyas 1.1–3, 6.4]'; Unpublished document dated 2010.
- Hayashi, Takao (2017), 'The Units of Time in Ancient and Medieval India', *History of Science in South Asia*, 5/1: 1–116. DOI: [10.18732/h2ht0h](https://doi.org/10.18732/h2ht0h).
- Hemarāja Śarman (1938) (ed.), काश्यपसंहिता (वृद्धजीवकीयं तन्त्रं वा) महर्षिणा मारीचकश्यपेनोपदिष्टा ... हेमराजशर्मणा लिखितेन विस्तृतेन उपोद्धातेन सहिता ... सत्यपाल भिषगा कृतया विद्योतिनी हिन्दीव्याख्यया ... समुल्लसिता (1st edn., Mumbai: Nirṇayasāgara Press), URL, accessed 02/02/2018.
- Hendley, T. Holbein (1895), *A Medico-topographical Account of Jeypore, Based on the Experience of Twenty Years' Service As a Residency Surgeon and Thirteen As Superintendent of Dispensaries at Jeypore, Rajputana* (Calcutta: Calcutta Central Press Company).
- Hoernle, A. F. Rudolf (1893–1912) (ed.), *The Bower Manuscript: Facsimile Leaves, Nagari Transcript, Romanised Transliteration and English Translation with Notes* (New Imperial Series, 22; Calcutta: Government of India and under the patronage of the Bengali Government, Archaeological Survey of India), [ark:/13960/t05z1bg4q](https://nbn-resolving.org/urn:nbn:in:cc05-z1bg4q).
- Hofer, Theresia (2007), 'Swami Laxmi Ram's Ayurvedic Pharmacy in Jaipur, India', *Wellcome History*, 34: 2–3, URL, accessed 01/07/2021.

- Jack, David Morton (1884), 'A Thesis on Cataract in India: Its Pathology and Treatment', Wellcome Library, London, MS.3007, [URL](#), accessed 02/06/2021.
- Jośī, Veṇīmādhavaśāstrī and Jośī, Nārāyaṇa Harī (1968), *Āyurvedīya Mahākośaḥ arthāt Āyurvedīya Śabdakośaḥ Saṃskṛta–Saṃskṛta* (Mum̐baī: Mahārāṣṭra Rājya Sāhitya āṇi Saṃskṛti Maṃḍala), [URL](#).
- Klebanov, Andrey (2021a), 'On the Textual History of the Suśrutasaṃhitā (1): A Study of Three Nepalese Manuscripts', to be published in *eJIM: Electronic Journal of Indian Medicine*, [URL](#), accessed 09/09/2019.
- (2021b), 'On the Textual History of the Suśrutasaṃhitā, (2): An Anonymous Commentary and its Identified Citations', in Toke Lindegaard Knudsen, Jacob Schmidt-Madsen, and Sara Speyer (eds.), *Body and Cosmos: Studies in Early Indian Medical and Astral Sciences in Honor of Kenneth G. Zysk* (Leiden, Boston: Brill), 110–39.
- Leffler, Christopher T. et al. (2020), 'The History of Cataract Surgery: From Couching to Phacoemulsification', *Annals of Translational Medicine*, 8/22: 1551–97, ISSN: 2305-5847. DOI: [10.21037/atm-2019-rcs-04](#), [URL](#), accessed 02/11/2020.
- Lienhard, Siegfried (1978), 'On the Meaning and Use of the Word Indra-gopa', *Indologica taurinensia*, 6: 177–88, [URL](#), accessed 06/02/2021; The indragopa is a 'red velvet mite'.
- Majno, Guido (1975), *The Healing Hand. Man and Wound in the Ancient World* (Cambridge, MA: Harvard University Press), [URL](#), accessed 26/08/2021.
- Masai, François (1950), 'Principes et conventions de l'édition diplomatique', *Scriptorium*, 4: 177–93. DOI: [10.3406/scrip.1950.2294](#).
- Meulenbeld, Gerrit Jan (1992), 'The Characteristics of a Doṣa', *Journal of the European Āyurvedic Society*, 2/1: 1–5, [URL](#), accessed 31/08/2021.
- (2011), 'The Relationships between Doṣas and Dūṣyas: A Study on the Meaning(s) of the Root Murch-/mūr̥ch', *eJournal of Indian Medicine*, 4/2: 35–135, [URL](#), accessed 13/10/2017.
- Moureaux, Sébastien. (2015), 'The Apparatus Criticus', in Alessandro Bausi et al. (eds.), *Comparative Oriental Manuscript Studies: An Introduction* (Hamburg: Tredition), 348–52, ISBN: 978-3-7323-1768-4, [URL](#), accessed 04/07/2021.

- Nadkarni, K. M. (1954), *Dr. K. M. Nadkarni's Indian Materia Medica, with Ayurvedic, Unani-tibbi, Siddha, Allopathic, Homeopathic, Naturopathic & Home Remedies, Appendices & Indexes ... in Two Volumes*, ed. A. K. Nadkarni, 2 vols. (3 ed., revised by A. K. Nadkarni, Bombay: Popular Prakashan), [ark:/13960/t6rz4h160](https://nbn-resolving.org/urn:nbn:de:hbz:5:1-63862-p0071-9).
- NGMCP (2014), 'Nepal-german Manuscript Cataloguing Project. Online Title List and Descriptive Catalogue', Universität Hamburg and Deutsche Forschungsgemeinschaft, [URL](https://nbn-resolving.org/urn:nbn:de:hbz:5:1-63862-p0071-9).
- Oberlies, Thomas (2003), *A Grammar of Epic Sanskrit* (Indian Philology and South Asian Studies, 5; Berlin: De Gruyter), ISBN: 9783110144482. DOI: [10.1515/9783110899344](https://doi.org/10.1515/9783110899344).
- Osbaldeston, Tess Anne and Wood, R. P. A. (2000), *Dioscorides. De Materia Medica. Being an Herbal with Many Other Medicinal Materials Written in Greek in the First Century of the Common Era. a New Indexed Version in Modern English* [Introductory Notes by R. P. Wood] (Johannesburg: IBIDIS Press), ISBN: 0-620-23435-0, [URL](https://nbn-resolving.org/urn:nbn:de:hbz:5:1-63862-p0071-9).
- Pandey, Anshuman (2012), 'Proposal to Encode the Newar Script in ISO/IEC 10646', [URL](https://nbn-resolving.org/urn:nbn:de:hbz:5:1-63862-p0071-9).
- Parshwanath Shastri, Vardhaman (1940) (ed.), *The Kalyāṇa-kārikā of Ugrādityacharya, Edited with Introduction, Translation, Notes, Indexes and Dictionary* (Sakharam Nemchand Granthamala; Sholapur).
- Pass, Gregory (2003), *Descriptive Cataloging of Ancient, Medieval, Renaissance, and Early Modern Manuscripts* (Chicago: American Library Association), ISBN: 0-8389-8218-2, [URL](https://nbn-resolving.org/urn:nbn:de:hbz:5:1-63862-p0071-9).
- Preisendanz, Karin (2007), 'The Initiation of the Medical Student in Early Classical Āyurveda: Caraka's Treatment in Context', in Birgit Kellner et al. (eds.), *Pramāṇakīrtiḥ. Papers Dedicated to Ernst Steinkellner on the Occasion of His 70th Birthday. Part 2*, ii, 2 vols. (Wiener Studien zur Tibetologie und Buddhismuskunde, 70.2; Wien: Arbeitskreis für Tibetische Und Buddhistische Studien Universität Wien), 629–68, ISBN: 9783902501097, [URL](https://nbn-resolving.org/urn:nbn:de:hbz:5:1-63862-p0071-9).
- Price, Kenneth M. (2013), 'Electronic Scholarly Editions', in Ray Siemens and Susan Schreibman (eds.), *A Companion to Digital Literary Studies* (Chichester, UK: John Wiley & Sons, Ltd), 434–50. DOI: [10.1002/9781405177504.ch24](https://doi.org/10.1002/9781405177504.ch24), [URL](https://nbn-resolving.org/urn:nbn:de:hbz:5:1-63862-p0071-9), accessed 04/07/2021.

- Rai, Saurav Kumar (2019), 'Invoking 'Hindu' Ayurveda: Communalisation of the Late Colonial Ayurvedic Discourse', *The Indian Economic & Social History Review*, 56/4: 411–26. doi: [10.1177/0019464619873820](https://doi.org/10.1177/0019464619873820); Online first.
- Rama Rao, B. et al. (2005), *Sanskrit Medical Manuscripts in India* (New Delhi: Central Council for Research in Ayurveda & Siddha), [ark : / 13960 / t88h7763b](https://nopr.scribd.com/document/13960/t88h7763b).
- Rhys Davids, Thomas William and Stede, William (1921–5), *The Pali Text Society's Pali-English Dictionary* (London: The Pali Text Society), [URL](https://www.palitext.com/).
- Roşu, Arion (1989), *Un demi-siècle de recherches āyurvédiques. Gustave Liétard et Palmyr Cordier: Travaux sur l'histoire de la médecine indienne* (Paris: Institut de Civilisation Indienne).
- Sastri, Hrishikesh and Gui, Siva Chandra (1895–1917), *A Descriptive Catalogue of Sanskrit Manuscripts in the Library of Calcutta Sanskrit College* (Calcutta: Baptist Mission Press).
- Sastri, P. P. S. (1933), *A Descriptive Catalogue of the Sanskrit Manuscripts in the Tanjore Maharaja Serfoji's Sarasvati Mahal Library Tanjore: Natya, Sangita, Kamasutra, Vaidya & Jyotisa, nos. 10650–11737* (Srirangam: Sri Vani Vilas Press), [ark: / 13960 / t3nw8bc12](https://nopr.scribd.com/document/13960/t3nw8bc12).
- Scott, H. (1817), 'Some Remarks on the Arts of India, with Miscellaneous Observations on Various Subjects', *Journal of Science and the Arts*, 2: 67–72, ill. after 133, [ark : / 13960 / t9870jt4g](https://nopr.scribd.com/document/13960/t9870jt4g); Breton 1826: 358–363 cites Scott's description of cataract couching.
- Sena, Gaṅgāprasād et al. (1886–93) (eds.), *सुश्रुतसंहिता...दल्लनाचार्य-कृत-निबन्ध-संग्रह, चक्रपाणिदत्त-कृत-भानुमती-टीका...वङ्गानुवाद...इंरेजि प्रतिशब्द* (Calcutta: Maṇirāma Press); Edition "g" in [HIML](https://www.himl.org/): IB, 311.
- Sharma, Har Dutt (1939), *Descriptive Catalogue of the Government Collections of Manuscripts Deposited at the Bhandarkar Oriental Research Institute, Vol. XVI, Part I, Vaidyaka* (Descriptive Catalogue of Manuscripts in the Government Manuscripts Library; Pune: Bhandarkar Oriental Research Institute), [ark: / 13960 / t0ms6rc70](https://nopr.scribd.com/document/13960/t0ms6rc70), accessed 23/10/2019.
- Sharma, Priya Vrat (1982), *Dalhana and his Comments on Drugs* (Delhi: Munshiram Manoharlal).

- (1999–2001), *Suśruta-Saṃhitā, with English Translation of Text and Ḍaḥaṇa's Commentary Alongwith (sic) Critical Notes*, 3 vols. (Haridas Ayurveda Series, 9; Varanasi: Chaukhambha Visvabharati).
- Shastri, R. Shama (1920) (ed.), बोधायनगृह्यसूत्रम् *The Bodhāyana Grihyasutra* (Mysore: University of Mysore), [ark:/13960/t2t492622](https://nopr.scribd.org/13960/t2t492622).
- Singh, Thakur Balwant and Chuneekar, K. C. (1972), *Glossary of Vegetable Drugs in Brhatrayi* (Varanasi: Chowkhamba Sanskrit Series Office).
- Sivarajan, V. V. and Balachandran, Indira (1994), *Ayurvedic Drugs and Their Plant Sources* (New Delhi, Bombay, Calcutta: Oxford & IBH Publishing).
- Smith, Brian K. (1994), *Classifying the Universe: The Ancient Indian Varṇa System and the Origins of Caste* (New York, Oxford: Oxford University Press), ISBN: 0-19-508498-5.
- Srikantha Murthy, K. R. (2000–2), *Illustrated Suśruta Saṃhitā: Text, English Translation, Notes, Appendices and Index* (Jaikrishnadas Ayurveda Series, 102; 1st edn., Varanasi: Chaukhambha Orientalia).
- Suvedī, K. S. and Tivārī, N. (2000) (eds.), *Sauśrutaniḡhaṇṭuḥ: granthāḍau viṣṭṛtena granthavaiṣiṣṭyaparakāśakenopodghātena avasāne ca dravyāṇām anekabhāṣānām āvalī- paryāyasaṅgrahābhyām samalaṅkṛtaḥ Suśrutasaṃhitāyām prayuktānām auśadhadravyāṇām paryāya-guṇakarmavarṇātmako pūrvagrāṇṭhaḥ* (Belajhūḍī, Ḍāṇ: Mahendrasaṃskṛtaviśvavidyālayaḥ).
- The Unicode Consortium (1991–2020), 'The Unicode Standard 13.0, NewaRange: 11400–1147F', [URL](https://unicode.org/versions/13.0/), accessed 20/07/2021.
- Velankar, H. D (1925–30), *Descriptive Catalogue of the Sanskr̥ta and Prākṛta Manuscripts in the Library of the Bombay Branch of the Royal Asiatic Society* (Bombay: Royal Asiatic Society, Bombay), [ark:/13960/t53g00h0n; Biswas #0115](https://nopr.scribd.org/13960/t53g00h0n;Biswas#0115).
- Warrier, P. K., Nambiar, V. P. K., and Ramankutty, C. (1994–6) (eds.), *Indian Medicinal Plants: A Compendium of 500 Species. Vaidyaratnam P. S. Varier's Arya Vaidya Sala, Kottakal* (Madras: Orient Longman).
- Watt, George (1889–96), *A Dictionary of the Economic Products of India* (Calcutta: Dept. Revenue and Agriculture, Government of India), [URL](https://nopr.scribd.org/13960/t53g00h0n;Biswas#0115), accessed 28/04/2021.

- (1908), *The Commercial Products of India, Being an Abridgement of "the Dictionary of the Economic Products of India"* (London: John Murray), [ark:/13960/t9t14xh3x](https://nopr.scribd.org/ark:/13960/t9t14xh3x).
- Whitney, William Dwight (1885), *The Roots, Verb-forms, and Primary Derivatives of the Sanskrit Language. A Supplement to his Sanskrit Grammar* (Leipzig: Breitkopf and Härtel), [ark:/13960/t3qv3p906](https://nopr.scribd.org/ark:/13960/t3qv3p906).
- Wren, R. C. (1956), *Potter's New Cyclopaedia of Botanical Drugs and Preparations*, ed. R. W. Wren (Rustington, Sussex: Health Science Press), [ark:/13960/t14n65c9g](https://nopr.scribd.org/ark:/13960/t14n65c9g).
- Wujastyk, Dagmar (2012), *Well-mannered Medicine: Medical Ethics and Etiquette in Classical Ayurveda* (New York: Oxford University Press).
DOI: [10.1093/acprof:oso/9780199856268.001.0001](https://doi.org/10.1093/acprof:oso/9780199856268.001.0001).
- (2019), 'Iron Tonics: Tracing the Development from Classical to Iatrochemical Formulations in Ayurveda', *HIMALAYA, the Journal of the Association for Nepal and Himalayan Studies*, 39/1, ISSN: 2471-3716, [URL](https://doi.org/10.1093/himalaya/39.1.1), accessed 23/07/2019.
- Wujastyk, Dominik (2003), *The Roots of Ayurveda: Selections from Sanskrit Medical Writings* (Penguin Classics; 3rd edn., London, New York, etc.: Penguin Group), ISBN: 0-140-44824-1.
- (2004), 'Agni and Soma: A Universal Classification', *Studia Asiatica: International Journal for Asian Studies*, IV–V, ed. Eugen Ciurtin: 347–70, ISSN: 1582–9111, [URL](https://doi.org/10.1093/asiana/iv/v.1.347).
- Wujastyk, Dominik (2013), 'New Manuscript Evidence for the Textual and Cultural History of Early Classical Indian Medicine', in *Medical Texts and Manuscripts in Indian Cultural History*, ed. Dominik Wujastyk, Anthony Cerulli, and Karin Preisendanz (New Delhi: Manohar), 141–57, [URL](https://doi.org/10.1093/asiana/iv/v.1.347).
- Zimmermann, F. (1983), 'Suśrutasamhita. Essay review.', *Bulletin of the History of Medicine*, 57/2: 291–3, ISSN: 00075140, [URL](https://doi.org/10.1093/asiana/iv/v.1.347).
- Zimmermann, Francis (1999), *The Jungle and the Aroma of Meats* (2nd edn., Delhi: Motilal Banarsidass), ISBN: 8120816188.

Lexical Index

- abhayā*
chebulic
myrobalan, 40
- abhramukta*
free from clouds,
47
- abhyaṅga*
massage oil, 33
- ācāra*
regimen, 16
- ācārika*
medical advice, 25
- accumulation
sañcaya, 18
- adhimantha*
irritation, 48
- adhiṣṭhāna*
located, 16
- adhodṛṣṭiva*
downward vision,
48
- adhyāya*
sections, 19
- admixture
prativāpa, 26
- āgantva*
external factors, 19
- agra*
supernatant layer,
43
- agramukta*
free from the point,
47
- āhāra*
diet, 16
- āhārya*
Take away, 23
- ahorātra*
day and night, 18
- aids
aṅga, 41
- ajākṣīrārdita*
stirred with goat's
milk, 48
- alābu*
bitter gourd, 35
- ālepa*
liniment, 38
- alleviated
yāpya, 41
- alleviation
pratīkāra, 18
- Along these lines
evam, 18
- āmalaka*
emblic, 39
- amra*
mango, 39
- āmraṣṭhi*
mango stones, 36
- aṇḍaja*
born from eggs, 17
- aṅga*
aids, 41
parts, 18
- anger
krodha, 16
- animals
paśu, 17
- añjana*
application of
collyrium, 38, 43
eye make-up, 33
stibnite, 43
- aṅkolla*
sage-leaved
alangium, 36
- antra*
entrails, 41
- ants
pipīlika, 17
- anulepana*
massage ointment,
33
ointment, 37
- apāmarga*
prickly chaff
flower, 23
- apāṅga*
edge of the hole, 27
outer corner of the
eye, 46
- apatānaka*
convulsions, 22
- application of collyrium
añjana, 38, 43
- apramatta*
diligent, 28
- ārā*
awl, 22
- araga timira*
Non-bloodshot
blindness, 45
- ardhakapāṭasandhika*
Half door-hinge, 23
- arid-land animals
jāṅgala, 44
- aṇḍavamala*
cuttle fish, 40
- asādhya*
incurable, 38
- āsaṅgima*
Fastening, 23
- aśoka*
Asoka tree, 39
grief, 16
- Asoka tree
aśoka, 39
- āśrayin*
substrate, 16
- asthi*
bones, 19
- aṣṭhīlā*
pebble, 35
- asūyā*
jealousy, 16
- atibalā*
strong mallow, 42

ātmaka
 nature, 16
āṭopa
 flatulence, 36
avalekhana
 combs, 33
āvarta
 spiral, 45
awl
ārā, 22
axelwood
dhava, 49
ayana
 half-year, 18
āyatta
 depends on, 16
āyur
 life, longevity, 13
āyurveda
 the science of life,
 13
baddham
 bound, connected,
 28
balā
 country mallow, 42
 strength, 16
bali
 morsel, 33
balm
tarpaṇa, 38, 43, 44
bandha
 bindings, 25
bearers
voḍhāra, 33
beauty berry
priyaṅgu, 43
beautyberry
priyaṅgu, 39
śyāmā, 35
bent brow and eye
vakrabhrūnetra, 47
beryl
vaiḍūrya, 49
bhadradāru

Deodar, 49
bhaṅga
 leaves, 46
bhavet
 it may be, 45
bhāvita
 cooked, 44
 infused, 39
bhedyā
 splitting, 25
bhramaraka
 drongo, 34
bhṛṅgarāja
 racket-tailed
 drongo, 34
bile
pitta, 41
bimbī
 red gourd, 35
bindings
bandha, 25
bitter gourd
alābu, 35
black drongo
dhūmyāta, 34
black part
kṛṣṇa, 46
black pepper
marica, 39
black soot
maṣī, 38
blackboard tree
saptachada, 36
 blessings pronounced
svastivācana, 21
blindness
timira, 45
blink of the eye
nimeṣa, 18
blood
rudhira, 17
śonita, 41
Blood-bile
śonita-pitta,
rakta-pitta, 41

blood-letting
sirāvedha, 38
 bloodshot blindness
rāgin timira, 43
rāgiṇi timire, 45
 blue dot cataract
mlāyin, 45
 blue lotus
utpala, 39
 blue vitriol
tuttha, 43
 body language
īṅgita, 33
 bones
asthi, 19
 born from eggs
aṇḍaja, 17
 born in in a caul
jarāyujja, 17
 born of sweat
svedaja, 17
 bound, connected
baddham, 28
 box myrtle
kaṭphala, 40
bṛmhaṇa
 nourishment, 16
 bubbling
budbuda, 48
budbuda
 bubbling, 48
 bulbs
kanda, 17
 bull
vṛṣabha, 34
cakradhārā
 rim of a wheel, 24
cala
 liquid, 46
 cardamom
elā, 40
carman
 pelt, 17
 carnivore
kravyabhuj, 42

cassia cinnamon
patra, 48
 castor oil
pañcāṅgulataila, 41
 castor oil tree
gandharvahasta, 22
cāsyāt
 from his mouth, 35
 cataract
liṅganāśa, 45
caturvarga
 fourfold grouping,
 18
catuṣṭaya
 four factors, 18
 caused by wind
pavanodbhava, 41
 causing the destruction
 of actions such as
 moving
gamanādikriyāv-
ināśakārī, 47
 chebulic myrobalan
abhayā, 40
harītakī, 36
chedya
 cutting, 25
 excision, 19
 Cheek-ear
gaṇḍakārṇa, 23
chidra
 hole, 46
 chital deer
prṣata, 34
 circuit of the pupil
drṣṭimaṇḍala, 46
 citron
mātuluṅga, 48
 clusters
samplava, 17
 cock
tāmracūḍa, 42
 collection
varga, 18
 combined

upahita, 41
 combs
avalekhana, 33
 comfort
sukha, 18
 complexion
varṇa, 16, 30
 compounds
yoga, 38
 Compressed
saṃkṣipta, 23
 compressed
saṃkṣipta, 24
 conch
salilotthita, 44
 congested humours
sannipāta, 19
 convulsions
apatānaka, 22
 cooked
bhāvita, 44
 cooked barley
yavaudana, 45
 copper
tāmra, 48
 coral
vidrūma, 49
coṣa
 driness, 48
 cotton
picu, 25
 cotton plant
kārpāsa, 23
 cottony jujube
kākolī, 49
 counteraction
pratiṣedha, 38
 country mallow
balā, 42
 cow-dung
gośakṛt, 39
 Cow's flesh
gomāṃsa, 39
 cow's urine
gomūtra, 40

Creeper-ear
vallikārṇa, 23
 creepy-crawlies
sarīsrpa, 14, 17
 Crow's lip
kākauṣṭha, 23
 curable
sādhya, 38
 curds
dadhi, 36
 cuscus grass
uśīra, 43, 44
 cutting
chedya, 25
 cutting with a blade
śastrakṣata, 38
 cuttle fish
aṇṇavamala, 40
 cuttlefish bone
phena, 49
samudraphena, 40

dadhi
 curds, 36
dainya
 misery, 16
 dais
pīṭha, 24
daivakṛte
 naturally
 occurring, 46
dantamāṃsa
 flesh of the tooth,
 36
dantaveṣṭa
 enclosure of a
 tooth, 36
dāraṇa
 ruptures, 37
dārvi
 tree turmeric, 39
datta
 given, 34
 datura flower
dhattūrapuṣpa, 23
 day and night

ahorātra, 18
 decanted liquor
 surāmaṇḍa, 25
 decoctions
 kaṣāya, 33, 47
 deer
 eṇa, 42
 Deodar
 bhadradāru, 49
 depends on
 āyatta, 16
 depression
 viṣāda, 16
 desert date
 iṅgudī, 44
 desire
 icchā, 16
dhānyāmla
 fermented
 rice-water, 25
dhātakīpuṣpa
 fire-flame bush
 flowers, 36
dhātrī
 emblic, 40
dhattūrapuṣpa
 datura flower, 23
dhava
 axelwood, 49
dhūma
 inhaled smoke, 33
dhūmadarśin
 seeing smoke, 38
dhūmyāta
 black drongo, 34
dhyāma
 grimy, 33
 diet
 āhāra, 16
 dilator
 pravardhanaka, 23
 diligent
 apramatta, 28
 discharge
 srāva, 37

disease
 vyadhi, 18
 distorted
 vikṛta, 36
 Door-hinge
 kapāṭasandhika, 23
doṣa
 humour, 45
 humours, 18
doṣapariplava
 unsteadiness of the
 humours, 47
 double
 yamalā, 36
 downward vision
 adhodṛṣṭitva, 48
drākṣā
 grapes, 49
dravāñjana
 liquid collyrium,
 43
dravya
 substance, 30
 Dried Flesh
 vallūraka, 23
 dried ginger
 nāgara, 40
 driness
 coṣa, 48
 drongo
 bhramaraka, 34
drṣṭi
 pupil, 38, 46, 47
drṣṭīmaṇḍala
 circuit of the pupil,
 46
 dry rubs
 utsādana, 33
 duct
 sirā, 22
 ducts
 sirā, 19, 24
duḥkha
 suffering, 16
dūrvā

 panic grass, 48
dūṣṭi
 slow-acting poison
 antidote, 36
duṣṭa
 tainted, 25
dveṣa
 hatred, 16
 earthen products
 pārthiva, 17, 18
 edge of the hole
 apāṅga, 27
elā
 cardamom, 40
 Elixir salve
 rasāñjana, 28
 elixir salve
 rasāñjana, 39, 43, 44
 Elixir-salve
 rasāñjana, 39
 elixir-salve
 śīta, 39
 embelia
 vidaṅga, 44
 emblic
 āmalaka, 39
 dhātrī, 40
 emetic nut
 madana, 35
eṇa
 deer, 42
 enclosed roasting
 puṭākhyā, 42
 puṭapāka, 44
 enclosure of a tooth
 dantaveṣṭa, 36
 ends
 vaktra, 48
 energy
 ojas, 30
 entrails
 antra, 41
 envy
 īrṣyā, 16
eraṇḍapatranāla

stalk of the leaf of
 castor oil plant, 28
 errhine
 nasya, 42
 essence
 sāra, 17
evam
 Along these lines,
 18
 excision
 chedya, 19
 expressed juice
 svarasa, 39
 external factors
 āgantū, 19
 extract of rohu carp
 rauḥita, 39
 extracts
 rasa, 43
 eye make-up
 añjana, 33
 Fastening
 āsaṅgima, 23
 Fat
 vasā, 42
 fermented rice-water
 dhānyāmla, 25
 Filaments
 kiñjalka, 39
 fire-flame bush flowers
 dhātakīpuṣpa, 36
 flame of the forest
 palāśa, 43
 flatulence
 āṭopa, 36
 flavours
 rasa, 16, 30
 flesh
 māṃsa, 19
 flesh of the tooth
 dantamāṃsa, 36
 flowering trees
 ṛkṣa, 17
 flowers
 puṣpa, 17

fortnight
 pakṣa, 18
 four factors
 catuṣṭaya, 18
 fourfold grouping
 caturvarga, 18
 free from clouds
 abhramukta, 47
 free from the point
 agramukta, 47
 frogs
 maṇḍūka, 17
 from his mouth
 cāsyāt, 35
 fruit trees
 vanaspati, 17
 fruits
 phala, 17
gāḍha
 pinched, 26
gairika
 ochre, 38, 39
gairikaḥ
 Red chalk, 48
gamanādikriyāvināśakarī
 causing the
 destruction of
 actions such as
 moving, 47
gaṇḍakarna
 Cheek-ear, 23
gandharvahaṣṭa
 castor oil tree, 22
 garlands
 sraja, 33
 gauze
 prota, 25
 general rule
 paribhāṣā, 44
 gently
 mṛdu, 48
 ghee
 sarpis, 26, 38
 given
 datta, 34

glassy opacity
 kāca, 43
godhā
 monitor lizard, 41
 gold
 śātakumbhī, 48
gomāṃsa
 Cow's flesh, 39
gomūtra
 cow's urine, 40
gośakṛt
 cow-dung, 39
 juice of cow-dung,
 39
granthi
 lumps, 22
granthita
 lumpy, 24
 grapes
 drākṣā, 49
 greed
 lobha, 16
 green vitriol
 kāsīsa, 44
 grief
 āśoka, 16
 grimy
 dhyāma, 33
guḍikā
 pill, 39
 Half door-hinge
 ardhakaṇṭha-
 andhika, 23
 half-year
 ayana, 18
 Hare Foot Uraria
 prthakparṇī, 49
hareṇu
 hareṇu, 39, 40
hari
 sun, 46
haridrā
 turmeric, 44
haritakī

chebulic
 myrobalan, 36
harṣa
 overexcitement, 16
 hatred
dveṣa, 16
 herbs
oṣadhi, 17
 Himalayan cherry
padmaka, 49
hīna
 reduced, 28
hīnakarṇa
 Reduced-ear, 23
 hole
chidra, 46
 Holostemma
payasyā, 48
 honey
kṣaudra, 39
madhu, 39
madhus, 34
 honey collyrium
kṣaudrāñjana, 40
 horseradish tree
śigru, 44
 human being
puruṣa, 16, 18
 humour
doṣa, 45
 humours
doṣa, 18
icchā
 desire, 16
 if, then not
na ced, 45
 illness
ruj, 40
 in those cases
tatra, 41
 incurable
asādhya, 38
 Indian lotus
nalina, 39
 Indian madder

mañjiṣṭhā, 22, 48
 Indian sarsaparilla
kālānusāriṣa, 40
sāriṣa, 40, 48
 indigo
nīlī, 36
indragopa
 red velvet mites, 17
 velvet-mite, 35
 inflamed
saṃrambha, 26
vidagdha, 38
 infused
bhāvita, 39
inḡita
 body language, 33
inḡudī
 desert date, 44
 inhaled smoke
dhūma, 33
 inherent
svābhāvika, 16
 inherent factors
svabhāva, 19
 injured
utpīḍita, 45
 inspissation
rasakriyā, 44
 intended
vyākhyāta, 19
 intestines
pakoāśaya, 36
 irregularities
vaiṣamya, 16
 irrigation
seka, 38
 irritation
adhimantha, 48
prakopa, 18
īrṣyā
 envy, 16
 it may be
bhavet, 45
 items created by time
kālakṛta, 17, 18

Jambu
jambū, 39
jambū
 Jambu, 39
 jambul, 36
 jambul
jambū, 36
jāṅgala
 arid-land animals,
 44
jaṅgama
 moving, 17, 18
jarāyuja
 born in in a caul, 17
jātī
 royal jasmine, 49
 jealousy
asūyā, 16
 joins
sandhāna, 23
sandhi, 24
 joints
sandhi, 19
 juice extract
svarasa, 17
 juice of cow-dung
gośakṛt, 39
 juices
rasa, 42
kāca
 glassy opacity, 43
kākauṣṭha
 Crow's lip, 23
kākolī
 cottony jujube, 49
kalā
 minutes, 18
kālakṛta
 items created by
 time, 17, 18
kālānusāriṣa
 Indian sarsaparilla,
 40
kāma
 lust, 16

kanda
 bulbs, 17
kapālacūrṇa
 powdered
 earthenware
 crockery, 25
kapāṭasandhika
 Door-hinge, 23
kapittha
 wood apple, 39
 wood apple, 39
karma
 regimen, 47
karman
 therapies, 19
karṇavyadha
 piercing the ear, 21
kārpāsa
 cotton plant, 23
kārśmarī
 white teak, 39
kaśāya
 decoctions, 33, 47
kāśīpati
 Lord of Kāśī, 32
kāsīsa
 green vitriol, 44
kāṣṭhā
 trice, 18
kaṭphala
 box myrtle, 40
kavala
 mouthwash, 36
khara
 rough, 47
kinihī
 white siris, 44
kiñjalka
 Filaments, 39
 kitchen
mahānasa, 32
 knowledge
veda, 13
 kohl
srotas, 42

srotoja, 40, 49
koṣṭikī
 luffa, 36
kravyabhuj
 carnivore, 42
kriyā
 procedures, 15, 16,
 19
 treatment, 18, 44
kriyākāla
 the time for
 therapies, 18
kriyāsaṅga
 loss of function, 47
kṛmi
 Worms, 17
krodha
 anger, 16
kṛṣṇa
 black part, 46
 long pepper, 38
kṛtamaṅgala
 received a
 benediction, 21
kṣaṇadāndhya
 night blindness, 40
kṣāraka
 lye, 43
kṣaudra
 honey, 39
kṣaudrāñjana
 honey collyrium,
 40
kṣīṇa
 wasted, 26
kṣīra
 sap, 17
kunta
 small insects, 17
kupyaka
 metal, 39
kuśa
 kuśa grass, 43
 kuśa grass
kuśa, 43

lac
lākṣā, 49
lākṣā
 lac, 49
lāmajja
 lāmajja grass, 34
 lāmajja grass
lāmajja, 34
 layer
paṭala, 45
 lead
sīsaka, 23
 leaves
bhaṅga, 46
patra, 17
lekhana
 Scarification, 16
lekhya
 scarification, 25
 life, longevity
āyur, 13
liṅganāśa
 cataract, 45
 liniment
ālepa, 38
 liquid
cala, 46
 liquid collyrium
dravāñjana, 43
 liquorice
madhuka, 39
madhukair, 48
 liver
yakṛt, 40, 41
 liver extract
yakṛdrasa, 40
lobha
 greed, 16
 located
adhiṣṭhāna, 16
 lodh tree
lodhra, 39, 43
lodhra
 lodh tree, 39, 43
 long pepper

kṛṣṇā, 38
māgadha, 44
māgadhi, 40, 41, 43
pippali, 39
 Lord of Kāśī
kāśīpati, 32
 loss of function
kriyāsaṅga, 47
 Lotus-splittable
utpalabhedyaka, 23
 luffa
koṣṭakī, 36
 lumps
granthi, 22
 lumpy
granthita, 24
 lust
kāma, 16
lūtā
 spiders, 14
 lye
kṣāraka, 43
madana
 emetic nut, 35
madhu
 honey, 39
madhūka
 liquorice, 39
 mahua, 42–44
madhukair
 liquorice, 48
madhus
 honey, 34
madirā
 spirits, 40, 43
māgadha
 long pepper, 44
māgadhi
 long pepper, 40, 41,
 43
mahānasa
 kitchen, 32
 mahua
madhūka, 42–44
 malice

mātsarya, 16
māṃsa
 flesh, 19
 muscles, 37
māṃsanirgama
 prolapse, 48
manahśilā
 realgar, 40, 43, 44,
 49
 red arsenic, 39, 40
mānasa
 mental, 16
maṇḍūka
 frogs, 17
 mango
amra, 39
 mango stones
āmrāsthī, 36
mañjiṣṭhā
 Indian madder, 22,
 48
manyāstambhā
 paralysis of the
 nape of the neck, 22
mardita
 massaged, 27
marica
 black pepper, 39
māsa
 month, 18
māṣaka
 mung beans, 36
maṣī
 black soot, 38
 massage oil
abhyaṅga, 33
 massage ointment
anulepana, 33
 massaged
mardita, 27
mātsarya
 malice, 16
mātulūṅga
 citron, 48
 matured

vipakva, 39
 may repair
yojayed, 27
 medical advice
ācārika, 25
 medicines cooked in a
 crucible
puṭapāka, 38
 mental
mānasa, 16
meṣaśṛṅga
 periploca of the
 woods, 49
meṣaviṣāṇa
 periploca of the
 woods, 41
 metal
kupyaka, 39
 minutes
kalā, 18
 misery
dainya, 16
miśrakacikitsa
 various treatments,
 27
 misshapen eyeball
vilocana, 47
 mitigable
yāpya, 45
 mitigatable
yāpya, 38
mlāyīn
 blue dot cataract,
 45
 monitor lizard
godhā, 41
 month
māsa, 18
 morsel
bali, 33
 mouthwash
kavala, 36
 moving
jaṅgama, 17, 18
mṛḍu

gently, 48
mudga
 mung beans, 45
muhūrta
 three-quarters of
 an hour, 18
muktā
 pearl, 45
muktvā
 separate, 46
mūla
 root, 16
 roots, 17
 Multi-joins
vyāyojima, 23
 mung beans
māṣaka, 36
mudga, 45
mūrcchā
 stupor, 35
 muscles
māṃsa, 37
mūṣika
 rodents, 14
mustā
 nutgrass, 49
 myrobalan
pathyā, 39
na ced
 if, then not, 45
nadīja
 salt, 39
nāgara
 dried ginger, 40
nala
 reed, 28
nalada
 spikenard, 34, 44
nalina
 Indian lotus, 39
 nasal medicines
nasya, 38
nasya
 errhine, 42
 nasal medicines, 38

snuff, 33
 naturally occurring
daivakṛte, 46
 nature
ātmaka, 16
 needle
sūcī, 46
 neem tree
nimba, 23
nemīsandhānaka
 rim-join, 24
nemīsandhānakaḥ
 Rim-join, 23
 night blindness
kṣaṇadāndhya, 40
nīlī
 indigo, 36
nimba
 neem tree, 23
nimeṣa
 blink of the eye, 18
nirvedhima
 Ready-Split, 23
niryāsa
 resin, 17
niśācara
 nocturnal creature,
 44
niṣevita
 prepared, 42
 used, 41
nivāta
 no wind, 17
 no wind
nivāta, 17
 nocturnal creature
niśācara, 44
 Non-bloodshot
 blindness
araga timira, 45
 non-flowering tree
vanaspati, 44
 nourishment
bṛṇhaṇa, 16
 nutgrass

mustā, 49
 obstructed by blood
raktabaddha, 26
 ochre
gairika, 38, 39
 off his hand
sapāṇa, 42
 oil
sneha, 17
 ointment
anulepana, 37
pralepa, 35
 ointment for rubbing
 the ear
udvartana, 27
ojas
 energy, 30
 vital energy, 16
 options
vikalpa, 24
 or not distorted
vāvikṛtā, 36
oṣadhi
 herbs, 17
 remedies, 18
oṣadhī-
 remedies, 16
 outer corner of the eye
apāṅga, 46
 overexcitement
harṣa, 16
 pacification
saṃśamana, 16
upaśama, 18
padmaka
 Himalayan cherry,
 49
 pain and injury
vedanābhighāta, 13
pāka
 septic, 26
pakṣa
 fortnight, 18
pakvāśaya

intestines, 36
palāśa
 flame of the forest,
 43
pallava
 shoots, 46
pañcāṅgulataila
 castor oil, 41
 panic grass
 dūrvā, 48
 paralysis of the nape of
 the neck
 manyāstambhā, 22
paribhāṣā
 general rule, 44
pārthiva
 earthen products,
 17, 18
 partial blindness
 timira, 41
 particulars
 vikalpa, 18
 parts
 aṅga, 18
paśu
 animals, 17
paṭala
 layer, 45
pāthā
 velvet leaf, 44
pathyā
 myrobalan, 39
patra
 cassia cinnamon,
 48
 leaves, 17
pavanodbhava
 caused by wind, 41
payasyā
 Holostemma, 48
 pearl
 muktā, 45
 pebble
 aṣṭhīlā, 35
 pelt

carman, 17
 periploca of the woods
 meṣaviṣāṇa, 41
 periploca of the woods
 meṣaśṛṅga, 49
phala
 fruits, 17
phena
 cuttlefish bone, 49
 physical
 śārīravada, 18
picu
 cotton, 25
 pīḍ-
 pressed, 46
 piercing
 vyadha, 46
 vyadhana, 25
 piercing the ear
 kaṇavyadha, 21
 pigs' eye
 sūkarākṣitā, 48
 pill
 guḍikā, 39
 pinched
 gāḍha, 26
pipīlika
 ants, 17
pippali
 long pepper, 39
pīṭha
 dais, 24
pitta
 bile, 41
plīhan
 spleen, 41
 powdered earthenware
 crockery
 kapālacūrṇa, 25
prabha
 shine, 45
 practical purposes
 prayojanavat, 18
pragāḍha
 steeped, 42

prakopa
 irritation, 18
prakṛti
 temperament, 16
pralepa
 ointment, 35
pratīkāra
 alleviation, 18
 remedy, 38
pratisāraṇa
 rub, 36
 rubbing, 36
pratiśedha
 counteraction, 38
prativāpa
 admixture, 26
pratuda
 scavenging, 26
pravardhanaka
 dilator, 23
prayojanavat
 practical purposes,
 18
 prepared
 niṣevita, 42
 prepared with tilvaka
 tailvaka, 38
 prepared with turpeth
 traivṛta, 38
 pressed
 pīḍ-, 46
 prickly chaff flower
 apāmarga, 23
priyaṅgu
 beautyberry, 39
priyaṅgu
 beauty berry, 43
 probe
 śalākā, 46
 procedures
 kriyā, 15, 16, 19
 prolapse
 māṃsanirgama, 48
protā
 gauze, 25

prṣata
 chital deer, 34
prṭhakparṇī
 Hare Foot Uraria,
 49
puffed up
 śopha, 26
pupil
drṣṭi, 38, 46, 47
purification
saṃśodhana, 16
puruṣa
 human being, 16,
 18
puṣpa
 flowers, 17
puṭāhvaya
 taken hot, 43
puṭākhyā
 enclosed roasting,
 42
puṭapāka
 enclosed roasting,
 44
 medicines cooked
 in a crucible, 38
racket-tailed drongo
bhr̥ṅgarāja, 34
rāgin timira
 bloodshot
 blindness, 43
rāgiṇi timire
 bloodshot
 blindness, 45
rainy seasons
varṣā, 17
rajana
 turmeric, 40
raktabaddha
 obstructed by
 blood, 26
rasa
 extracts, 43
 flavours, 16, 30
 juices, 42

the blood of birds
 and animals, 39
rasakriyā
 inspissation, 44
rasāñjana
 Elixir salve, 28
 elixir salve, 39, 43,
 44
 Elixir-salve, 39
rauhita
 extract of rohu
 carp, 39
Ready-Split
nirvedhima, 23
realgar
manaḥśilā, 40, 43,
 44, 49
 received a benediction
kṛtamaṅgala, 21
 red arsenic
manaḥśilā, 39, 40
 Red chalk
gairikaḥ, 48
 red gourd
bimbī, 35
 red velvet mites
indragopa, 17
 reduced
hīna, 28
 Reduced-ear
hīnakarṇa, 23
 reed
nala, 28
 regimen
ācāra, 16
karma, 47
 remedies
oṣadhi, 18
oṣadhī-, 16
 remedy
pratīkāra, 38
 resin
niryāsa, 17
 restrictions
yantraṇā, 47

rigid
sthirā, 47
 rim of a wheel
cakradhārā, 24
 Rim-join
nemīsandhānakah,
 23
 rim-join
nemīsandhānaka, 24
 rodents
mūṣika, 14
rohita
 Rohita tree, 43
 Rohita tree
rohita, 43
 root
mūla, 16
 roots
mūla, 17
 rough
khara, 47
 royal jasmine
jātī, 49
ṛtu
 season, 18
 rub
pratisāraṇa, 36
 rubbing
pratisāraṇa, 36
rudhira
 blood, 17
ruj
 illness, 40
 ruptures
dāraṇa, 37
sādhubaddha
 well joined, 28
sādhya
 curable, 38
 sage-leaved alangium
aṅkolla, 36
saindhava
 Sind salt, 38, 40
 Sindh salt, 43
 Sal tree

śālā, 39
śālā
 Sal tree, 39
śalākā
 probe, 46
salilotthita
 conch, 44
 water-born, 44
saliva
śleṣman, 35
 salt
nadīja, 39
samāñjana
 same collyrium, 43
 same collyrium
samāñjana, 43
saṃkṣipta
 Compressed, 23
 compressed, 24
samplava
 clusters, 17
saṃrambha
 inflamed, 26
saṃśamana
 pacification, 16
saṃśodhana
 purification, 16
samudraphena
 cuttlefish bone, 40
saṃvatsara
 year, 18
samyak
 simultaneous, 46
sañcaya
 accumulation, 18
 sandal
sugandhi, 41
sandhāna
 joins, 23
sandhi
 joins, 24
 joints, 19
sannipāta
 congested
 humours, 19

sap
kṣīra, 17
sapāṇa
 off his hand, 42
saptachada
 blackboard tree, 36
sāra
 essence, 17
śārīravat
 physical, 18
sarīrpa
 creepy-crawlies, 14,
 17
sāriva
 Indian sarsaparilla,
 40, 48
sarpis
 ghee, 26, 38
śastrakṣata
 cutting with a
 blade, 38
śātakumbhī
 gold, 48
śatāvarī
 wild asparagus, 45
sauvīraka
 stibnite, 39
 Scarification
lekhaṇa, 16
 scarification
lekhyā, 25
 scavenging
pratuda, 26
 scruberry
tālīśa, 39
tālīśapatra, 40
 season
ṛtu, 18
 sections
adhyāya, 19
 seed-eating
viṣkīra, 26
 seeing smoke
dhūmadarśin, 38
seka

irrigation, 38
 separate
muktvā, 46
 septic
pāka, 26
 sesame oil
taila, 27
 shine
prabha, 45
 shooting pain
śūla, 47
 shoots
pallava, 46
udbhid, 17
 shrubs
vīrudh, 17
siddhārthaka
 white mustard, 48
śigru
 horseradish tree,
 44
 simultaneous
samyak, 46
 Sind salt
saindhava, 38, 40
 Sindh salt
saindhava, 43
 sinews
snāyu, 19
sirā
 duct, 22
 ducts, 19, 24
sirāvedha
 blood-letting, 38
 siris
śirīṣa, 36, 39, 49
śirīṣa
 siris, 36, 39, 49
sīsaka
 lead, 23
sitā
 elixir-salve, 39
 white sugar, 49
 skin
tvak, 17, 18

śleṣman
 saliva, 35
 slice of flesh
vadhra, 28
 slow-acting poison
 antidote
dūṣṭviṣāri, 36
 small insects
kunta, 17
snāyu
 sinews, 19
sneha
 oil, 17
 sniffing
ucchiṅgana, 46
snuff
 nasya, 33
 solid
styāna, 46
 soma creeper
somalatā, 35
somalatā
 soma creeper, 35
śonita
 blood, 41
śonita-pitta, *rakta-pitta*
 Blood-bile, 41
śonitena
 with blood, 47
śopha
 puffed up, 26
 spiders
lūtā, 14
 spikenard
nalada, 34, 44
 spiral
āvarta, 45
 spirits
madirā, 40, 43
 spleen
plīhan, 41
 splitting
bhedya, 25
sraja
 garlands, 33

srāva
 discharge, 37
 suppurating, 24
 suppuration, 26
śreyas
 welfare, 13
srotas
 kohl, 42
srotoja
 kohl, 40, 49
stabdha
 stiff, 24, 26
 stalk
vr̥nta, 39
 stalk of the leaf of castor
 oil plant
eraṇḍapatranāla, 28
 stationary
sthāvara, 16, 18
 steeped
pragāḍha, 42
sthāvara
 stationary, 16, 18
sthirā
 rigid, 47
 stibnite
añjana, 43
sauvīra, 39
 Stick-ear
yaṣṭīkarṇa, 23
 stiff
stabdha, 24, 26
 stirred with goat's milk
ajākṣīrārdita, 48
 strength
bala, 16
 strong mallow
atibalā, 42
 stupor
mūrccā, 35
styāna
 solid, 46
 substance
dravya, 30
 substrate

āśrayin, 16
sūcī
 needle, 46
 suffering
duḥkha, 16
sugandhi
 sandal, 41
sūkarākṣitā
 pigs' eye, 48
sukha
 comfort, 18
śūla
 shooting pain, 47
 sun
hari, 46
sunivīṣṭa
 very intent, 27
 supernatant layer
agra, 43
 suppurating
srāva, 24
 suppuration
srāva, 26
surāmaṇḍa
 decanted liquor, 25
svabhāva
 inherent factors, 19
svābhāvika
 inherent, 16
svarasa
 expressed juice, 39
 juice extract, 17
svastivācana
 blessings
 pronounced, 21
svayaṃgupta
 velvet bean, 39
śvayathu
 swelling, 22
svedaja
 born of sweat, 17
 swelling
śvayathu, 22
śyāmā
 beautyberry, 35

syanda
 watery eye, 45
taila
 sesame oil, 27
tailasugandhi
 the fragrant one in
 oil, 41
tailvaka
 prepared with
 tilvaka, 38
 tainted
duṣṭa, 25
 Take away
āhārya, 23
 taken hot
puṭāhvaya, 43
tālīśa
 scramble, 39
tālīśapatra
 scramble, 40
tāmra
 copper, 48
tāmracūḍa
 cock, 42
tarpaṇa
 balm, 38, 43, 44
tatra
 in those cases, 41
 temperament
prakṛti, 16
 the blood of birds and
 animals
rasa, 39
 the fragrant one in oil
tailasugandhi, 41
 the science of life
āyurveda, 13
 the three fruits
triphalā, 43
 the three spices
vyoṣa, 40
 the time for therapies
kriyākāla, 18
 therapies
karman, 19

three fruits
triphalā, 38, 40
 three-quarters of an
 hour
muhūrta, 18
timira
 blindness, 45
 partial blindness,
 41
traivṛta
 prepared with
 turpeth, 38
 treatment
kriyā, 18, 44
 tree turmeric
dārvī, 39
 trice
kāṣṭhā, 18
triphalā
 the three fruits, 43
 three fruits, 38, 40
trivṛt
 turpeth, 41, 42
 turmeric
haridrā, 44
 turmeric
rajana, 40
 turpeth
trivṛt, 41, 42
tuttha
 blue vitriol, 43
tvak
 skin, 17, 18
ucchingana
 sniffing, 46
udaśvit
 watered
 buttermilk, 36
udbhid
 shoots, 17
udvartana
 ointment for
 rubbing the ear, 27
 unsteadiness of the
 humours

doṣapariplava, 47
upahita
 combined, 41
upaśama
 pacification, 18
 used
niṣevita, 41
uśīra
 cuscus grass, 43, 44
utpala
 blue lotus, 39
 water-lily, 35
utpalabhedyaka
 Lotus-splittable, 23
utpīḍita
 injured, 45
utsādana
 dry rubs, 33
vadhra
 slice of flesh, 28
vaidūrya
 beryl, 49
vaiṣaṃya
 irregularities, 16
vakrabhrūnetra
 bent brow and eye,
 47
vaktra
 ends, 48
vallīkarṇa
 Creeper-ear, 23
vallūraka
 Dried Flesh, 23
vanaspati
 fruit trees, 17
 non-flowering tree,
 44
varga
 collection, 18
 various treatments
miśrakacikitsa, 27
varṇa
 complexion, 16, 30
varṣā
 rainy seasons, 17

varti
 wick, 22
vartti
 wicks, 49
vasā
 Fat, 42
vāta
 wind, 23
vāvīkṛtā
 or not distorted, 36
veda
 knowledge, 13
vedanābhīghāta
 pain and injury, 13
 velvet bean
svayamgupta, 39
 velvet leaf
pāthā, 44
 velvet-mite
indragopa, 35
 very intent
sunivīṣṭa, 27
vidagdha
 inflamed, 38
vidariga
 embelia, 44
vidruma
 coral, 49
vikalpa
 options, 24
 particulars, 18
vikṛta
 distorted, 36
vilocana
 misshapen eyeball,
 47
vipakva
 matured, 39
vīrudh
 shrubs, 17
viśāda
 depression, 16
viṣkira
 seed-eating, 26

vital energy
ojas, 16
voḍhāra
 bearers, 33
vṛkṣa
 flowering trees, 17
vṛnta
 stalk, 39
vṛṣabha
 bull, 34
vyadha
 piercing, 46
vyadhana
 piercing, 25
vyadhi
 disease, 18
vyākhyāta
 intended, 19
vyāla
 wild animals, 17
vyāyojima
 Multi-joins, 23
vyoṣa
 the three spices, 40
 wasted
kṣīṇa, 26
 water-born
salilotthita, 44
 watered buttermilk
udaśvit, 36
 water-lily
utpala, 35
 watery eye
syanda, 45
 welfare
śreyas, 13
 well joined
sādhubbaddha, 28
 white mustard
siddhārthaka, 48
 white siris
kinihī, 44
 white sugar
sītā, 49

white teak
kārśmarī, 39
 wick
varti, 22
 wicks
vartti, 49
 wild animals
vyāla, 17
 wild asparagus
śatāvārī, 45
 wind
vāta, 23
 with blood
śonitena, 47
 wood apple
kapittha, 39
 wood apple
kapittha, 39
 Worms
kṛmi, 17
yakṛdrasa
 liver extract, 40
yakṛt
 liver, 40, 41
yamalā
 double, 36
yantraṇā
 restrictions, 47
yāpya
 alleviated, 41
 mitigable, 45
 mitigatable, 38
yaṣṭīkārṇa
 Stick-ear, 23
yavaudana
 cooked barley, 45
 year
saṃvatsara, 18
 yoga
 compounds, 38
yojayed
 may repair, 27
 yuga
yuga, 18

Appendix

On digital critical editions

- Price, Kenneth M. (2013), 'Electronic Scholarly Editions', in Ray Siemens and Susan Schreibman (eds.), *A Companion to Digital Literary Studies* (Chichester, UK: John Wiley & Sons, Ltd), 434–50. doi: [10.1002/9781405177504.ch24](https://doi.org/10.1002/9781405177504.ch24), URL, accessed 04/07/2021.
A survey of the field in 2013, with a focus on the presentation of electronic texts rather than on critical editing as such.
- Moureau, Sébastien. (2015), 'The Apparatus Criticus', in Alessandro Bausi et al. (eds.), *Comparative Oriental Manuscript Studies: An Introduction* (Hamburg: Tredition), 348–52, ISBN: 978-3-7323-1768-4, URL, accessed 04/07/2021.
Useful discussion about the *apparatus criticus* in general, and an evaluation of the plus and minus points of positive and negative apparatuses.
- Burghart, Marjorie (2016), 'The TEI Critical Apparatus Toolbox: Empowering Textual Scholars through Display, Control, and Comparison Features', *Journal of the Text Encoding Initiative*, 10/Issue 10. doi: [10.4000/jtei.1520](https://doi.org/10.4000/jtei.1520), URL, accessed 12/12/2017.
Discussion of a software tool, including the handling of positive and negative apparatus. Makes the assumption that online displays are notational variants only.
- Burghart, Marjorie (2017), 'Textual Variants', in Marjorie Burghart et al. (eds.), *Digital Editing of Medieval Texts: A Textbook* (DEMM), URL, accessed 04/07/2021.
Discussion of how to express various kinds of apparatus in TEI.
- Bausi, Alessandro et al. (2015), *Comparative Oriental Manuscript Studies. An Introduction* (Hamburg: Tredition). doi: [10.5281/ZENODO.46784](https://doi.org/10.5281/ZENODO.46784).
A huge book that disappointingly says nothing at all about Sanskrit manuscripts. Nevertheless there are many interesting case studies and remarks applicable to the Indian manuscript tradition.

Draft of September 8, 2021 for private study only