

A Translation of the Nepalese Text of the *Suśrutasamhitā*

Jason Birch Dominik Wujastyk Andrey Klebanov
Lisa A. Brooks Paras Mehta Madhusudan Rimal
Deepro Chakraborty Harshal Bhatt Jane Allred
et alii

Draft of 7th February 2024
© The Authors

Contents

Sūtrasthāna	9
Sūtrasthāna 1: The Origin of Medical Knowledge	11
Literature	11
Translation	11
Sūtrasthāna 2: The Initiation of a Student	19
Literature	19
Translation	19
Sūtrasthāna 3: The Table of Contents	21
Literature	21
Translation	21
Sūtrasthāna 13: On Leeches	23
Literature	23
Translation	23
Sūtrasthāna 14: On Blood	31
Previous scholarship	31
Translation	31
Sūtrasthāna 16: Repairing Pierced Ears	39
Previous literature	39
Translation	39
Sūtrasthāna 28: Unfavourable Prognosis in Patients with Sores	49
Literature	49
Translation	49

Nidānasthāna	51
Nidānasthāna 1: The Diagnosis of Diseases Caused by Wind	55
Literature	55
Translation	55
 Śārīrasthāna	 63
Śārīrasthāna 2: On Semen and Menstrual Fluid	65
Literature	65
Translation	65
Śārīrasthāna 3: On Conception and the Development of the Embryo	77
Literature	77
Translation	77
 Cikitsāsthāna	 85
Cikitsāsthāna 4: On the Treatment of Wind Diseases	87
Literature	87
Translation	87
Cikitsāsthāna 5: On the Treatment of Serious Wind Diseases	93
Literature	93
Translation	93
Cikitsāsthāna 15: On Difficult Delivery	105
Literature	105
Translation	105
 Kalpasthāna	 109
Kalpasthāna 1: Protecting the King from Poison	111
Introduction	111
Literature	112
Manuscript notes	112

Translation	113
[Threats to the king]	113
Kalpasthāna 2: Poisonous Plants	123
Introduction	123
Literature	124
Translation	124
The effects of poisons	128
Slow-acting poison	131
The invincible ghee	136
Curing the 'slow-acting' poison	136
Kalpasthāna 3: Poisonous Insects and Animals	137
Literature	137
Translation	137
The origin of poison	141
Patients beyond help	143
Kalpasthāna 4: Snakes and Invenomation	145
Introduction	145
Literature	145
The Seven Stages of Toxic Shock	147
Translation	147
[The Taxonomy of Snakes]	148
[Behaviours]	149
[Enumeration of Snakes]	152
[Breeding and Gender]	154
[Symptoms of snakebite]	155
[Summary Verses]	157
Kalpasthāna 5: Therapy for those Bitten by Snakes	159
Introduction	159
Literature	159
Translation	160
The application of mantras	161
Blood letting	162
Internal medications	162
Therapies at each pulse of toxic reaction	163

Uttaratantra	167
Uttaratantra 17: Preventing Diseases of the Pupil	167
Literature	167
Translation	167
[Complications]	177
[Characteristics of the probe]	177
[Complications]	178
Uttaratantra 38: Diseases of the Female Reproductive System	181
Introduction	181
Literature	181
Placement of the Chapter	181
Parallels	183
Philological notes	184
Metrical alterations	184
The original opening verses	184
Translation	186
Uttaratantra 39: On Fevers and their Management [draft]	143
Literature	143
Remarks on the Nepalese version	143
Translation	143
Uttaratantra 65: Rules of Interpretation	157
Literature	157
Early Sources	157
The <i>Arthaśāstra</i>	158
The <i>Yuktidīpikā</i>	158
Tamil literature	158
The <i>Viṣṇudharmottarapurāṇa</i>	159
The <i>Saddanīti</i>	160
Āyurvedic literature	165
Terminology	169
1. <i>adhikaraṇa</i>	170
Characteristics of the Manuscript Transmission	171
Translation	172

<i>Contents</i>	7
-----------------	---

Editions and Abbreviations	179
-----------------------------------	------------

Index of Manuscripts	185
-----------------------------	------------

Bibliography	187
---------------------	------------

Materia Medica Reference Works	217
---------------------------------------	------------

Materia Medica	221
-----------------------	------------

Glossary	235
-----------------	------------

Sūtrasthāna

Sūtrasthāna 1: The Origin of Medical Knowledge

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002.¹

Translation

- 1 Now I shall narrate the chapter on the origin of this knowledge.²
- 2 Now, as is well-known, Aupadhenava, Vaitaraṇa, Aurabhra, Puṣkalāvata, Karavīra, Gopurarakṣita, Bhoja, Suśruta and others addressed Lord Divodāsa, king of Kāśi, the best of the immortals, who was in his ashram surrounded by an entourage of sages.³

¹ [HIML](#): IA, 203–204.

² Ḍalhaṇa understood the word “knowledge (*veda*)” as specifically “medical knowledge.” He said that the word “longevity” (*āyur*) had been elided. After this opening statement, later manuscripts and commentaries include the attribution, “as the venerable Dhanvantari stated.” The absence of this statement in the early Nepalese manuscripts is highly significant because it removes the outer narrative frame of the *Suśrutasaṃhitā* (Wujastyk 2013b: 148; Klebanov 2021a: § 3.1.2; Rai 2019; Birch, Wujastyk, Klebanov, Parameswaran, et al. 2021). On the figure of Dhanvatari in medical literature, see [HIML](#): IA 358–361.

³ On these persons, see [HIML](#): IA 361–363, 369 ff. The authority Bhoja does not appear in the list as published in the vulgate edition ([Su 1931](#): 1), and was not included in [HIML](#) amongst “authorities mentioned in the *Suśrutasaṃhitā*.” Meulenbeld gathered textual evidence about Bhoja at [HIML](#): IA 690–691. Klebanov (2021b) has discussed these authors in the context of an anonymous commentary on the *Suśrutasaṃhitā* that cites them.

- 3 “O Lord, distress arose in our minds after witnessing people thrashing about with cries, assailed by different kinds of pain and injury (*vedanābhighāta*) , feeling helpless in spite of having friends, because of diseases arising from the body, the mind and external sources.
- 4 “To quell the illnesses of those who seek happiness and for our own purpose of prolonging life, we desire the science of life (*āyurveda*) that is being taught. Welfare , both in this world and in the next, depends upon it. Therefore, we have come to the Lord in pupillage.”
- 5 The Lord said to them:
“Welcome to you! My children, all of you are beyond reproach and worthy to be taught.
- 6 “As is well known, Ayurveda is the name of what is said to be the subsidiary part of the Atharvaveda. Before creating people, Svayambhū composed it in hundreds of thousands of verses and a thousand chapters and, after observing the short lifespan and low intelligence of people, he presented it again in eight parts.⁴
- 7 “Surgery, treatment of body parts above the clavicle, general medicine, knowledge of spirits, care of children, and the disciplines of antidotes, rejuvenation and aphrodisiacs.
- 8 “Now, a collection of the characteristics of each component of *Āyurveda*.
- 9 “Among them, [the component] called surgery has the goal of extracting various grasses, wood, stone, dust, iron (?), soil, bone, hair, nails, discharge of pus, malignant wounds and foreign bodies inside the womb, and of determining the application of surgical instruments, knives, caustics and fire by means of sixty definitions.
- 10 “[The component] named the doctrine of treating body parts above the clavicles has the aim of curing diseases situated above clavicles that is, diseases located in ears, eyes, mouth, nose and so on.
- 11 “[The component] called general medicine has the goal of curing illnesses established in the whole body and [diseases] such as fever, tumour, swelling, hemorrhagic disorders, insanity, epilepsy, urinary diseases, diarrhoea and the like.
- 12 “[The component] called knowledge of spirits is for appeasing demons by pacification rites and making food offerings for those whose minds

4 Svayambhū is another name for Brahṃā, the creator.

- have been possessed by gods, their enemies,⁵ Gandharvas, Yakṣas, demons, deceased ancestors, Piśācas, Vināyakas, ⁶ Nāgas and evil spirits that possess children.
- 13 “[The component] called care of children is for bearing children and purifying defects in a wet-nurse’s milk, and curing diseases that have arisen from bad breast milk and demons.
- 14 “[The component] called the discipline of toxicology is for [knowing] the signs of poison from snake and insect bites and for neutralising various combinations of poisons.⁷
- 15 “[The component] called the discipline of rejuvenation is maintaining youth, bringing about a long life and mental vigour and for curing diseases.
- 16 “[The component] called the discipline of aphrodisiacs brings about the increase, purity, accumulation and production of semen for those whose semen is minimal, bad, depleted, and dry [respectively] and for inducing an erection.
- 17 “Thus, this Āyurveda is taught with eight components.”
“Among these [components], tell us which is for whom.”
- 18 They said, “After you have conveyed the knowledge of surgery, teach us everything.”
- 19 He said, “So be it.”
- 20 They then said, “Having considered the view of all of us, when we are unanimous, Suśruta will question you. We too will learn what is being taught to him.”
- 21 He said, “So be it.”
- 22 “Now, as is well-known, the aim of Āyurveda is eliminating the disease of one who have been assailed by disease and protecting the healthy; Āyurveda is [that knowledge] in which they find a long life, or that by which long life is known. Learn its best component (i.e., surgery),

5 Dānavas. The insertion marks (*kākapadas*) below the text at this point appears to be by the original scribe.

6 The vulgate doesn’t have *vināyakas* but does add *asuras*, probably under the influence of Ḍalhaṇa. Cite Paul Courtright, Ganesha book.

7 The scribal insertion marks (crosses) above the line at this point in MS K appear to be in a later hand and their referent is lost in the damaged part of the folio. Although MSS MS Kathmandu NAK 1-1079 and MS Kathmandu NAK 5-333 include spiders (*lūtā*) and creepy-crawlies (*sarīṣṛpa*) in the list, it does seem that MS K had a shorter list, and the vulgate edition adds rodents (*mūṣika*) .

which is being taught in accordance with tradition, perception, inference and analogy.

23 "For this component is first, the most important, because it is referred to first; it cures wounds and joins together the most important thing, Yajña's head. For, just as it has been said of old, 'the head that had been cut off by Rudra was joined again by the two Aśvins.'

24 "And also, of the eight disciplines of Āyurveda, [surgery] alone is the best because of the quick action of its procedures (*kriyā*), its application of blunt instruments, knives, caustics and fire, and it is common to all disciplines.

25 "Therefore, [surgery] is eternal, meritorious, leads to heaven, brings renown, bestows a long life, and affords a livelihood.

26 "Brahmā said this, 'Prajāpati learned it. From him, the Aśvins. From the Aśvins, Indra. From Indra, I. In this world, I will transmit to those who desire it for the benefit of people.'

[There a verse about this].⁸

27 *For, I (i.e., Brahmā) am Dhanvantari, the first god, the remover of old age, pain and death of mortals.*

*Having understood surgery, the best of the great knowledge systems, I arrived on earth again to teach it here.*⁹

28 In this context, as far as this discipline is concerned, a human being (*puruṣa*) is called an amalgam of the five elements and the embodied soul. This is where procedures (*kriyā*) apply. This is the locus.

Why?

Because of the duality of the world, the world is twofold: the stationary and the moving. Its nature (*ātmaka*) is twofold, depending on the preponderance of Agni and Soma.¹⁰ Alternatively, it can be considered as being fivefold. The multitude of beings in it are fourfold: they are termed "sweat-born, stone-born, caul-born and egg-born".¹¹

Where they are concerned, the human being is the main thing; others

8 This is an expansion of the scribe's abbreviation *bha* for *bhavati cātra ślokaḥ* "There is a verse about this" (sometimes plural).

9 Note that this verse about the origin of surgery is the first place that the name 'Dhanvantari' is introduced in the Nepalese version of the work. Dhanvantari is here identified with Brahmā, the creator of the world.

10 See Wujastyk 2004.

11 This fourfold classification of beings is paralleled with closely-related vocabulary in *Bhelasamhitā* 4.4.4 (Bhela 2000: 206; Bhela 1921: 81).

- are his support. Therefore, the human being (*puruṣa*) is the locus.
- 29 Diseases are said to be the conjunction of the person and suffering (*duḥkha*) . There are four of them: invasive, bodily, mental and inherent. The invasive ones are caused by an injury. The bodily ones are based on food, caused by irregularities (*vaiṣamya*) in wind, bile, phlegm and blood.¹²
- The mental (*mānasa*) ones, caused by desire (*icchā*) and hatred (*dveṣa*) , include: anger (*krodha*) , grief (*āśoka*) , misery (*dainya*) , overexcitement (*harṣa*) , lust (*kāma*) , depression (*viṣāda*) , envy (*īrṣyā*) , jealousy (*asūyā*) , malice (*mātsarya*) , and greed (*lobha*) .
- The inherent (*svābhāvika*) ones are hunger, thirst, old age, death, sleep and those of the temperament (*prakṛti*) .
- These too are located (*adhiṣṭhāna*) in the mind and body.
- Scarification (*lekhana*) , nourishment (*bṛṃhana*) , purification (*saṃśodhana*) , pacification (*saṃśamana*) , diet (*āhāra*) and regimen (*ācāra*) , properly employed, bring about their cure.
- 30 Furthermore, food is the root (*mūla*) of living beings as well as of strength (*bala*) , complexion (*varṇa*) and vital energy (*ojas*) . It depends on (*āyatta*) the six flavours (*rasa*) . Flavours, furthermore, have substances as their substrate (*āśrayin*) . And substances are remedies (*oṣadhī-*) .¹³ There are two types: stationary (*sthāvara*) and moving (*jaṅgama*) .
- 31 Of these, there are four types of stationary ones: fruit trees (*vanaspati*) , flowering trees (*vṛkṣa*) , herbs (*oṣadhi*) and shrubs (*vīrudh*) .¹⁴ Amongst these, the “fruit trees” have fruit but no flowers.¹⁵ The “flowering trees” have flowers and fruit. The “herbs” die when the fruit is ripe. “Shrubs”

¹² Note that four humoral substances are assumed here.

¹³ Pāṇini 6.3.132 provides that the final vowel of the noun *oṣadhi* may be lengthened ($\rightarrow oṣadhī$) under certain conditions. These conditions require that the word be used in a Vedic mantra and not in the nominative. Neither condition is met in this passage, yet the author uses the form *oṣadhī*. This form is in fact not uncommon in medical literature as well as in epics, purāṇas, smṛtis, and other parts of Sanskrit literature.

¹⁴ Ca.sū.1.71–72 also describes these four types of medicinal plant in similar terms but with slightly differing names: *oṣadhi* is a plant that ends after fruiting, *vīrudh* is a plant that branches out, *vanaspati* is a tree with fruit, and *vānaspatya* is a tree with fruit and flowers.

¹⁵ The MSS agree in reading *phalavantyaḥ* “having flowers” which is grammatically non-standard. This form is also found in the *Viṣṇudharmottarapurāṇa* (1.92.27, 1.92.27 *Viṣṇudh.*: 56r).

put out shoots.

- 32 As is well known, moving remedies are also of four types: those born in in a caul (*jarāyuja*) , those born from eggs (*aṇḍaja*) , those born of sweat (*sveda*) , and shoots (*udbhida*) . Amongst these, those born in a caul include animals (*paśu*) , humans, and wild animals (*vyāla*) . Birds, creepy-crawlies (*sarīrpa*) and snakes are “born of eggs.” Worms (*kṛmi*) , small insects (*kunta*) and ants (*pipīlika*) and others are born of sweat.¹⁶ Shoots include red velvet mites (*indragopa*) and frogs (*maṇḍūka*) .¹⁷
- 33 In this context, among the stationary remedies, skin (*tvak*) , leaves (*patra*) , flowers (*puṣpa*) , fruits (*phala*) , roots (*mūla*) , bulbs (*kanda*) , sap (*kṣīra*) , resin (*nīryāsa*) , essence (*sāra*) , oil (*sneha*) , and juice extract (*svarasa*) ¹⁸ are useful; among the moving remedies pelt (*carman*) , hair, nails, and blood (*rudhira*) and so forth.
- 34 And earth products (*pārthiva*) include gold and silver.¹⁹
- 35 The items created by time (*kālakṛta*) are clusters (*samplava*) as far as wind and no wind (*nivāta*) , heat and shade, darkness and light and the cold, hot and rainy seasons (*varṣā*) are concerned. The divisions of time are the blink of the eye (*nimeṣa*) , a trice (*kāṣṭhā*) , minutes (*kalā*) , three-quarters of an hour (*muhūrta*) , a day and night (*ahorātra*) , a fortnight (*pakṣa*) , a month (*māsa*) , a season (*ṛtu*) , a half-year (*ayana*) , a year (*saṃvatsara*) , and yuga (*yuga*) .²⁰
- 36 These naturally cause accumulation (*sañcaya*) , irritation (*prakopa*) , pacification (*upaśama*) and alleviation (*pratīkāra*) of the humours (*doṣa*) . And they have practical purposes (*prayojanavat*) .

[There are verses about this:]²¹

- 37 *This fourfold category is taught by physicians as a cause for the agitation and quelling of bodily diseases.*²²

16 The word *kunta*, though marked as “lexical” in most dictionaries, is in fact found in literature, commonly as a compound with *pipīlika*; the compound sometimes seems to be understood a type of ant (*tatpuruṣa* compound) rather than as a pair of insects (*dvandva* compound).

17 On *indragopa*, see Lienhard 1978.

18 On juice extract (*svarasa*) see CS 1.1.73, 1.4.7; Ḍalhaṇa on 4.10.12 (Su 1938: 450).

19 The flow of concepts in the treatise seems to be interrupted here.

20 These units are presented at 1.6.5 (Su 1938: 24) and discussed by Hayashi (2017: § 59).

21 See footnote 8.

22 On the topic of the “group of four,” the commentator Ḍalhaṇa considers them to be “food, behaviour, earthen products and items created by time.” He refers to the author

- 38 *There are two kinds of invasive diseases. Some certainly²³ affect (ni√ pat) the mind, others the body. Their treatment (kriyā) is of two kinds too.*
- 39 *For those that affect the body there is physical (śārīravād) therapy, whereas for those that affect the mind there is the collection (varga) of desirable sensory experiences like sound that bring comfort (sukha) .*
- 40 *Along these lines (evam) , this brief explanation of the four factors (catuṣṭaya) is given:*
- human being (*puruṣa*) ,
 - disease (*vyādhi*) ,
 - remedies (*oṣadhi*) ,
 - the time for therapies (*kriyākāla*) .

In this context,

- from the mention of the word “human,” the collection of substances that arise from it, such as the elements, and the particulars (*vikalpa*) of its major and minor parts (*aṅga*) such as skin (*tvak*) , flesh (*māṃsa*) , ducts (*sirā*) , sinews (*snāyu*) , bones (*asthi*) and joints (*sandhi*) are meant.
- From the mention of “diseases,” all diseases caused by wind, bile, phlegm, congested humours (*sannipāta*) , external factors (*āgantū*) and inherent factors (*svabhāva*) are intended (*vyākhyāta*) .
- From the mention of “remedies,” there is the teaching of substances, tastes, potencies, post-digestive tastes.
- From the mention of “procedures (*kriyā*) ,” therapies (*karman*) such as oiling and excision (*chedya*) are taught.
- From the mention of the word “time,” every single teaching about the times for procedures is meant.

[There is a verse about this:]²⁴

of the lost commentary entitled *Pañjikā*, and to Jejjāta (HIML: IA, 372–3, 192). In his view, these early commentators do not agree that the fourfold grouping (*caturvarga*) refers to the quartet of stationary (*sthāvara*) , moving (*jaṅgama*) , earthen products (*pārthiva*) and items created by time (*kālakṛta*) (Su 1938: 9a).

23 The text uses an archaic interjection here, *ha*.

24 See footnote 8.

- 41 *This seed of medicine has been declared in brief. Its explanation will
be given in one hundred and twenty chapters.*²⁵
- 42 There are one hundred and twenty chapters in five sections (*adhyāya*).²⁶
In that regard, having divided them, according to their subject matter,
into the Ślokaśthāna, the Nidāna, the Śārīra, the Cikitsita and the Kalpa,
we shall mention this in the Uttaratantra.²⁷
- [There is a verse about this:]²⁸
- 43 *Someone who reads this eternal proclamation of the King of Kāśī,
that was declared by Svayambhu, will have good karma on earth,
will be respected by kings and upon death will achieve the world of
Śakra.*

25 This is the number of chapters in the first five sections of the work, namely the *Sūtra*-, *Nidāna*-, *Śārīra*-, *Cikitsā*- and *Kalpa-sthānas*. These have 46, 16, 10, 40 and 8 chapters respectively. The *Uttaratantra* has 66 chapters.

26 On *viṃśa* in the sense of “greater by 20” see P.5.2.46 *śadantaviṃśateś ca*.

27 The end of this sentence reads oddly. The vulgate edition adds an object: “[we shall mention] the remaining topics [in the Uttara]” which smooths out the difficulty, but this is supported in none of the Nepalese MSS. At the start of the *Uttaratantra* (Su 1938: 1.3–4ab) there is indeed a statement that picks up the point about there being 120 chapters.

28 See footnote 8.

Sūtrasthāna 2: The Initiation of a Student

Literature

[HIML](#): IA, 204; Preisendanz [2007](#); Wujastyk [2012](#): 82–83, *et passim*.

Translation

Sūtrasthāna 3: The Table of Contents

Literature

Translation

1
54 ²⁹

Sūtrasthāna 14: On Blood

Previous scholarship

Meulenbeld offered both an annotated summary of this chapter as well as a study specifically on the place of blood in Ayurvedic theory.⁵⁴

Translation

- 1 Now we shall declare the chapter about blood.
- 2
- 3 Food is of four types.⁵⁵ It is endowed with six tastes and is made of the five elements.⁵⁶ It has either two or eight potencies, and is endowed with many qualities. ⁵⁷ Chyle (*rasa*) is the most intangible essence of this food that is properly transformed. It is of the nature of fire. Chyle is situated in the heart. From the heart, it enters into the twenty-four arteries—ten upward arteries, ten downward, and four

54 HIML: IA, 209–201 and Meulenbeld 1991. Meulenbeld’s footnotes on this chapter in HIML: IB, 325 ff. refer often to “Hoernle’s note.” This appears to be a reference to Hoernle’s copious notes to his translation of this chapter (Hoernle 1897: 87–98). Meulenbeld (1990) also discussed Sanskrit veterinary texts in the light of their standard theory of four humours, including blood.

55 Ḍalhaṇa on 1.14.3 (Su 1938: 59) said that the four types of food are those that can be drunk, licked, eaten and chewed (पेयलेह्यभोज्यभक्ष्य). The main text of the *Carakasamhitā* is explicit about these categories at 4.3.4(1) (Ca 1941: 308): पानाशनभक्ष्यलेह्य । “things drunk, eaten, chewed or licked.” Yagi (1994) discussed the distinction between भक्ष्य and भोज्य; for further Indological background on foods, see the studies by Olivelle (1995; 2001) and the classic reference works by Achaya (1994; 1998). The long, final adhyāya of the *Suśrutasamhitā*’s sūtrasthāna (ch. 46) is a treatise on food in āyurveda.

56 *Idem*, Earth, water, fire, air, space

57 Ḍalhaṇa related these qualities to the twenty standard गुण of āyurveda; see, e.g., their listing by Vāgbhaṭa, translated by Wujastyk (2003b: 207).

sideways—and doing so day after day owing to the reaction of past activities that are caused by the invisible,⁵⁸ it satisfies the entire body, enlivens it, prolongs it,⁵⁹ and makes it grow. The motion of the entity that flows throughout the body should be understood by inference. That motion causes deterioration and growth.

With regards to the chyle that flows through all the limbs, humours, body tissues, and impurities of the body, the question arises, “Is it moist or is it fiery?” It is understood to be moist because of its fluidity while flowing⁶⁰ and due to attributes such as mobility, lubrication, enlivening, satisfaction, and supporting.⁶¹

- 4 That watery chyle is then reddened after reaching the liver and spleen.
5 There are verses about this.

Experts know that blood is the untransformed fluid that is reddened by the pure fire element within the bodies of living beings.

- 6 *It is only due to chyle that women’s blood called menses exists. It increases from the twelfth year and decreases after the fiftieth year.*
7 The menstrual blood, however, is called fiery.⁶² That is due to the embryo being fiery and moist.⁶³
8 Others state that the embryo as constituted of the five elements and the preceptors call it the living blood.
9 There are verses about this.

That is because blood exhibits the qualities of earth, etc. such as a fleshy smell, fluidity, redness, pulsation and thinness.

- 58 अदृष्ट (unseen): Doing any righteous or unrighteous action produces good merit and demerit respectively. This good merit and demerit are called अदृष्ट (invisible) because it cannot be directly known but can only be assumed through logical deduction.
59 In the sense of prolonging its lifespan
60 The vulgate emends अनुसरणे to अनुसरण- against the Nepalese MSS. This is logical because mobility would seem to be one of the attributes. Although it is awkward, we read अनुसरणे as a locative absolute “while flowing.”
61 The duality being discussed here is that of the essential qualities of Fire and of Soma (agni and soma). See further discussion by Wujastyk (2004) and Angermeier (2021).
62 Ḍalhaṇa commented that this is to distinguish the menstrual blood from regular blood that is gentle.
63 Ḍalhaṇa commented here that the embryo is called such because the menstrual blood is fiery and the semen is gentle (सौम्य). On the fiery/moist distinction (आग्नेय/सौम्य), see Wujastyk 2004; Angermeier 2021.

- 10 *Blood is formed from chyle, flesh from blood, lymph from flesh, bone from lymph, marrow from bone, semen from marrow, and progeny from semen.*
- 11 There, the essence (chyle) of food and drink is the nourisher of these body tissues.
- 12 There is a verse about this.
- A living being should be known as born from chyle. One should diligently preserve⁶⁴ chyle by administering food and drink, being nicely disciplined with food⁶⁵.*
- 13 The verbal root *rasa* means movement.⁶⁶ Because it keeps moving day after day, it is called *rasa* (chyle).⁶⁷
- 14 Chyle stays in every body tissue for 2548 ((25*100)+48) *kalās* and nine *kāṣṭhas*. As such, it becomes semen after a month. For women, it becomes menses.
- 15 Here are verses about this.
- According to similar and dissimilar treatises, the quantity of kalās in this group⁶⁸ is 18,090.*
- This is the particular transformation period regarding chyle that lasts for a person with mild fire⁶⁹. For a person with developed fire, one should know it to last for the exact same time⁷⁰*
- 16 Resembling the expanse of sound, flame, and water, that entity moves along in a minute manner throughout the entire body⁷¹.

64 All three manuscripts have रक्षेत which is an incorrect form. रक्षेत् is the correct form.

65 आहारेण - The third case is used. The semantic property of the third case used here is unclear. Unclear regarding if there is any rule in the *Aṣṭādhyāyī* justifying this usage.

66 kunj-1907

67 In the list of verbal roots of Pāṇini, the verbal root रस(rasa) means taste and moistening. It does not mean movement.

68 duration of chyle in all the body tissues as a whole

69 Perhaps this refers to the digestive fire.

70 Although the vulgate does not have this verse, there is an argument presented in Ḍalhaṇa's commentary on 1.14.16 (Su 1938: 63) that for a person with intense fire, chyle becomes semen after eight days, and for a person with mild fire, chyle becomes semen after a month. Ḍalhaṇa said that this opinion is refuted by Gayadāsa Ācārya in many different ways. Ḍalhaṇa continued that the proper understanding is that for a person with a strong fire, chyle becomes blood in a little less than a month, and for a person with a mild fire, chyle becomes blood in a little more than a month.

71 Ḍalhaṇa comments (Su 1938: 63) that the expanse of sound indicates the sideways

- 17 The aphrodisiac medicines, however, being used like a purgative due to their excessively strong characteristics, evacuate the semen.
- 18 Just as it cannot be said that the fragrance in a flower bud is present in it or not, but accepting that there is the manifestation of existing entities⁷², it,⁷³ however, is not experienced only due to its intangibility. That same entity is experienced at another time in the blossomed flower. In the same way regarding children also, the manifestation of semen happens because of the advancement of age⁷⁴. For women, the manifestation is different as rows of hair, menses, etc.
- 19 That very essence of food does not nourish very old people due to their decaying bodies.
- 20 These entities are called body tissues (*dhātu-s*) because they bear the body⁷⁵.
- 21 Their decay and growth are due to blood. Therefore, I will speak about blood. In that regard: The blood that is foamy, tawny, black, rough, thin, quick-moving, and non-coagulating is vitiated by air. The blood that is dark green, yellow, green, brown, sour-smelling, and unpleasant to ants and flies is vitiated by bile. The blood that is orange, unctuous, cool, dense, slimy, flowing, and resembling the colour of flesh-muscles is vitiated by phlegm. The blood having all these characteristics is vitiated by the combination of all three of them. The blood that is extremely black is vitiated by blood⁷⁶ just as bile. The blood that has the combined characteristics of vitiations of two humours is vitiated by two humours.
- 22 The blood that is of the colour of insect cochineal, not thick, and not discoloured should be understood to be in its natural state.
- 23 I will speak of the types of blood that should be let out in another sec-

movement of chyle, the expanse of flame indicates the upward movement of chyle, and the expanse of water indicates the downward movement of chyle.

72 This is the doctrine of pre-existence of the effect (सत्कार्यवाद, *satkāryavāda*) first propounded by Sāṅkhya philosophers.

73 fragrance

74 Since chyle becomes semen in a month's time, a question arises "Why then is semen absent in young children?". The reply is given in this passage.

75 The etymological meaning of the Sanskrit word धातु (*dhātu*) is "that which bears [the body]". Thus, the body tissues are called *dhātu-s* because they bear the body. This means that the body tissues are the elements that make up the body and sustain it.

76 Y. T. Ācārya and N. R. Ācārya (Su 1938: 64) quote Cakrapāṇidatta in a footnote: "This is the symptom when the blood vitiated in one part of the body vitiates the blood in another part."

tion.

- 24 Now, I speak of those that should not be let out. The swelling appearing in all the limbs of the body of a weak person that happens due to consuming sour food. The swellings of people with jaundice, piles, large abdomen, emaciation, and those of pregnant women.
- 26 In that regard, one should quickly insert the surgical instrument that is simple, not very close, fine, uniform, not deep, and not shallow.
- 26a One should not insert the instrument into the heart, lower belly, anus, navel, waist, groins, eyes, forehead, palms, and soles.
- 26b In the case of swellings filled with pus, one should treat them in the same way as stated earlier.
- 27-27a There, when the swelling is not pierced properly, when phlegm and air have not been sweated out, after having a meal, and due to thickness, the blood does not ooze out or oozes out less. Here is a verse regarding it.
- 28ab-cd *Blood does not ooze out of humans when in contact with air, passing stool or urine, and when intoxicated, unconscious, fatigued, sleeping, or in cold surroundings.*
- 29 That vitiated blood when not taken out increases the disease.
- 30 The blood that is let by an ignorant physician in cases of very hot surroundings, profuse perspiration, and excessive piercing, flows excessively. That profuse bleeding causes the appearance of acute headache, blindness, and partial blindness, or it quickly causes subsequent wasting, convulsions, tremors, hemiplegia, paralysis in a limb, hiccups, coughing, panting, jaundice, or death.
- 31ab-cd The physician should let out the blood when the weather is not very hot or cold, when the patient is not perspiring or heated up, and after the patient has had a sufficient intake of gruel.
- 32ab-cd After coming out properly, when the blood stops automatically, one should know that blood to be pure and drained properly.
- 33ab-cd The symptoms of the proper drainage of blood are the experience of lightness, alleviation of pain, a complete end of the intensity of the disease, and satisfaction of the mind.
- 34ab-cd Defects of the skin, tumours, swellings, and all diseases caused by blood never arise for those who regularly drain their blood.
- 35 When the blood does not flow out, the physician should rub cardamom and camphor on the opening of the boil with three or four or all among crêpe ginger (*Cheilocostus speciosus*), butterfly gardenia (*Ervatamia*

coronaria Stapf), velvet-leaf, deodar, embelia, leadwort, the three spices (black pepper, long pepper, and dry ginger), āgāradhūma, turmeric, sprouts of purple calotropis, and fruit of the Indian beech, according to availability, with excessive salt. By doing so, the blood flows out properly.

- 36 When there is an excessive flow of blood, the physician should sprinkle the opening of the boil with dry powders of lodh tree, liquorice, beautyberry, pattāṅga, red chalk, elixir salve, seashell, barley, green gram, wheat, and resin of the Sāla tree, and then press it with the tip of a finger. One should tightly bind it with powdered barks of Sāla, white dammer tree, arjun, white babool, granthi, axlewood, and dhanvāna (Camelthorn), or a linen cloth⁷⁷, or vadhyāsita, or bone of cuttlefish, or powdered lac, along with the binding materials mentioned. After the piercing, the physician should pierce it again. The physician should serve cool clothing, food, a dwelling place, a bath, cooling ointments, and plastering. Or, one can cauterize it with heat. Or, as mentioned, one should give a decoction of kākolī, etc. sweetened by sugar and honey to drink. Or, one should consume the blood of black buck, deer, ram, buffalo, rabbit, or pig, accompanied by milk, green gram soup and meat soup⁷⁸. The physician should treat the pains as mentioned.

36a Here are verses about this.


- 37ab-cd *When blood flows out due to the decay of body tissue, fire becomes weak⁷⁹ and the wind becomes highly agitated because of that endeavour.*
- 38ab-cd *The physician should serve the patient food that is not very cold, light in digestion, unctuous, increases blood, slightly sour or not sour at all.*
- 39ab-cd *This is the four-fold method of hindering blood: joining, coagulation, haemostasis. and cauterization.*
- 40ab-cd *The astringent substance joins the opening, the cold substance coagulates the blood, the ash stops the blood, and cauterization contracts the blood vessel.*
- 41ab-cd *If the blood does not coagulate, the physician should employ joining.*

77 Su 1938: 66 has क्षौमेण वा ध्मापितेन - "with linen reduced to ashes". Presumably, it is this ash that is also referred to in item 40.

78 Based on Ḍalhaṇa's comment as found in Su 1938: 66

79 This refers to the digestive fire.

- If the blood does not stop by joining the opening then he should employ haemostasis.*
- 42ab-cd *The physician should endeavour by employing these three methods according to the procedure. If these methods are unsuccessful then cauterization is highly desirable.*
- 43ab-cd *If the blood remains impure, the disease does not aggravate. The physician should then make the blood pure⁸⁰ and not drain blood in excess.*
- 44ab-cd *Blood is the basis of the body. It is sustained by blood only.*
- 44ef *Blood is called life. One should therefore save blood.*
- 45ab-cd *If the air in the person who underwent blood-letting is aggravated due to a cold shower, etc., the swelling with pricking pain should be sprinkled with lukewarm clarified butter.*



⁸⁰ Ḍalhaṇa comments (Su 1938: 66) that one should purify the blood again by sedation, etc.

Sūtrasthāna 16: Repairing Pierced Ears

Previous literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002.⁸¹ A book on this topic, arising out of the present project, with edition, translation and discussion of the Nepalese transmission is published by Wujastyk, Birch, Klebanov, et al. 2023.

Translation

1 Now we shall expound the method for piercing the ear.⁸²

⁸¹ [HIML](#): IA, 211–212317.

⁸² The topic of piercing the ear (*kaṇavyadhā*) is not discussed in the *Carakasamhitā* ([HIML](#): IB, 326, n. 175), but it is mentioned in some texts that followed the *Suśrutasamhitā*, such as the *Kaśāpyasamhitā* ([HIML](#): IIA, 30). Also, the instrument for piercing the ear is described in the *Aṣṭāṅgaśāstrīdayasamhitā* 1.26.26 ([Ah 1939](#): 321). In the versions of the text known to Ḍalhaṇa ([Su 1938](#): 76) and Cakrapāṇidatta ([Su 1939](#): 125), the heading of this chapter is “the method of piercing and joining the ear” (कर्णव्यधबन्धविधि), instead of the Nepalese version’s “the method of piercing the ear” (कर्णव्यधविधि). The topic of joining the ear (कर्णबन्ध) is discussed in passages 17–20 of the Nepalese version. However, it appears that only subsequent redactors reflected its importance by including it in chapter headings.

The Nepalese version also omits the opening remark on Dhanvantari that appears in subsequent versions of the text. For a discussion of the frame story in the Nepalese version, see Birch, Wujastyk, Klebanov, Parameswaran, et al. 2021.

When commenting on this statement, Ḍalhaṇa ([Su 1938](#): 76) and Cakrapāṇidatta ([Su 1939](#): 125) observed that only the ears of healthy people should be pierced, and they quoted the lost authority Bhoja to affirm this: “When piercing the ears of chil-

- 2 One may pierce a child's ears for the purpose of preserving and decorating. During the bright fortnight, when the child is in the sixth or seventh month, on renowned days, half days, hours and constellations, the physician, with a calming presence, sits the boy, who has received a benediction and the recitation of a blessing,⁸³ on the lap of a wet-nurse.⁸⁴ Then, he should pull the ear with his left hand and pierce straight through with his right hand at a naturally-occurring cleft.⁸⁵ For a boy, do the right ear first; for a girl, do the left one. Use a needle on a thin ear; an awl on a thick one.⁸⁶
- 3 One may know that it was pierced in the wrong place if there is excess blood or too much pain. The absence of side-effects is a sign that it has been pierced in the right place.⁸⁷

dren who are free of disease at these times, their ear flaps and apertures, as well as limbs, increase" (1.16.1 (Su 1938: 76)).

Some texts use the adjective कर्ण-वेधनी rather than व्यधनी.

- 83 The causative form व्यधयेत् is known in Classical Sanskrit (Whitney 1885: 166). The compound कृतमङ्गलस्वस्तिवाचनं "who has received a benediction and the recitation of a blessing" is an emendation based on the similar text at 3.2.25 (Su 1938: 346). Cf. also 3.10.8, 24 (Su 1938: 388, 390) that have slightly different formulations.
- 84 The versions of 1.16.3 known to Cakrapāṇidatta (Su 1939: 126) and Ḍalhaṇa (Su 1938: 76) have the additional compound कुमारधराङ्के ("on the lap of one who holds the child") after धात्र्यङ्के. The gender of कुमारधर is made clear by Ḍalhaṇa's gloss "a man who holds the child." Also, both versions add बालक्रीडनकैः प्रलोभ्य ("having enticed with children's toys") to indicate that the child should be tempted with toys to stay on the assistant's lap. According to Ḍalhaṇa on 1.16.3 (Su 1938: 76), the toys include replica elephants, horses, bulls and parrots. Ḍalhaṇa further mentions that others read भक्ष्यविशेषैर्वा ("or by special treats") before बालक्रीडनकैः, but we see no trace of these small kindnesses in our witnesses.
- 85 The versions of 1.16.3 of Cakrapāṇidatta (Su 1939: 126) and Ḍalhaṇa (Su 1938: 76) add that this naturally-occurring cleft is illuminated by a ray of sunshine (आदित्यकरावभासिते). The syntax of this slightly long sentence is unusual because of the dual object तौ "the two (ears)" at the start of the sentence, which is remote from the main verb. The other singular accusatives referring to the ear being pierced are governed by absolutes.
- 86 Ḍalhaṇa on 1.16.3 (Su 1938: 76) clarifies that the awl is a shoe-maker's knife for piercing leather. He also cites the authority of "the notes of Lakṣmaṇa" (Lakṣmaṇa-ṭippanāka) on the issue of the thickness of the needle. The Notes of Lakṣmaṇa is not known from any earlier or contemporary sources and was presumably a collection of glosses on the Suśrutasamhitā that was available to Ḍalhaṇa in twelfth-century Bengal. See Meulenbeld (HIML: IA, 386).
- 87 At this point, MS Kathmandu KL 699 is missing a folio, so the rest of this chapter is

- 4 In this context, if an ignorant person randomly pierces a duct there will be fever, burning, swelling, pain, lumps, paralysis of the nape of the neck, convulsions, headache or sharp pain in the ear.⁸⁸
- 5 Having removed the wick (*vartti*) because of the accumulation of humours or an unsatisfactory piercing at that location,⁸⁹ he should smear it with barley, liquorice, *Indian madder*, and the root of the *castor oil tree*, thickened with honey and ghee. And when it has healed well, he should pierce it again.⁹⁰
- 6 He should treat the properly-pierced ear by sprinkling it with raw sesame oil. After every three days one should make a thicker wick and do the very same sprinkling.⁹¹
- 7 Once the ear is free from humours or side-effects, one should put in a light dilator (*pravardhanaka*) in order to enlarge it enough.⁹²

constructed on the basis of witnesses MS Kathmandu NAK 5-333 and MS Kathmandu NAK 1-1079.

- 88 This passage is significantly augmented in Cakrapāṇidatta's and Ḍalhaṇa's versions, to outline the specific problems caused by piercing three ducts called कालिका, मर्मिका and लोहितिका (1.16.4 (Su 1939: 126) and 1.16.5 (Su 1938: 77) respectively). In fact, the order of the problems mentioned in the Nepalese version has been retained in the other versions and divided between each duct. Cakrapāṇidatta's commentary on 1.16.4 (Su 1939: 126) cites several verses attributed to Bhoja on the problems caused by piercing these three ducts in the ear flap: 'लोहितिका, मर्मिका and the black ones are the ducts situated in the earflaps. Listen in due order to the problems that arise when they are pierced. Paralysis of the nape of the neck and convulsions, or sharp pain arise from piercing लोहितिका. Pain and lumps are thought to arise from piercing मर्मिका. Piercing कालिका gives rise to swelling, fever and burning.'
- 89 In addition to these reasons, Ḍalhaṇa at 1.16.6 (Su 1938: 77) added "because of piercing with a painful, crooked and unsatisfactory needle" (क्लिष्टजिह्वाप्रशस्तसूचीव्यधात्) and "because of a wick that is too thick" (गाढतरवर्तित्वात्). Ḍalhaṇa was aware of the reading in the Nepalese version because in his commentary on 1.16.6 (Su 1938: 77) he noted that some read "because of the accumulation of humours" rather than "because of piercing with a painful, crooked and unsatisfactory needle or because of a wick that is too thick." On the concept of humoral accumulation (*samudāya*), see the important analysis by Meulenbeld (1992).
- 90 The description of the drug is ambiguous: the word "root" could be taken with each plant, or just with the last. The vulgate reads just "castor oil root" so we assume that is the traditional interpretation.
- 91 Describing ear and nose operations similar to those here, Celsus described the use of a quill (Latin *pinna*) where the Sanskrit authors use a cotton wick (*De Medicina* VII ¶10–11, Spencer 1935–38: 3, 366–367).
- 92 Cakrapāṇidatta on 1.16.6 (Su 1939: 127) and Ḍalhaṇa on 1.16.8 (Su 1938: 77) pointed out that the dilator can be made of wood, such as that of the *prickly chaff-flower*,

- 8 A person's ear enlarged in this way can split in two, either as a result of the humours⁹³ or a blow.

Listen to me about the ways of joining it can have.

- 9 Here, there are, in brief, fifteen ways of mending the ear flap.⁹⁴ They are as follows: Rim-join (*nemīsandhānaka*) , Lotus-splittable (*utpalabhedyaka*) , Dried Flesh (*vallūraka*) , Fastening (*āsaṅgima*) , Cheek-ear (*gaṇḍakarṇa*) , Take away (*āhārya*) , Ready-Split (*nirvedhima*) , Multi-joins (*vyāyojima*) , Door-hinge (*kapāṭasandhika*) , Half door-hinge (*ardhakapāṭasandhika*) , Compressed (*saṃkṣipta*) , Reduced-ear (*hīnakarṇa*) , Creeper-ear (*vallīkarṇa*) , Stick-ear (*yaṣṭīkarṇa*) , and Crow's lip (*kākauṣṭha*) .⁹⁵

In this context, among these,

Rim-join:	both flaps are wide, long, and equal.
Lotus-splittable:	both flaps are round, long, and equal.
Dried flesh:	both flaps are short, round, and equal.
Fastening:	one flap is longer on the inside.
Cheek-ear:	one flap is longer on the outside. ⁹⁶
Take-away:	the flaps are missing, in fact, on both sides.
Ready-split:	the flaps are like a dais (<i>pīṭha</i>) .
Multi-joins:	one flap is small, the other thick, one flap is equal, the other unequal.
Door-hinge:	the flap on the inside is long, the other is small.
Half door-hinge:	the flap on the outside is long, the other is small.

the [neem tree](#) and [tree cotton](#). Ḍalhaṇa added that it can also be made of lead and should have the shape of the [datura](#) flower. The manuscripts have variant readings for लघुप्रवर्धनकमामुञ्चेत् at this point that include a scribal emendation, none of which construe plausibly. It is possible that the unusual verb form आ+√मुच् puzzled the scribes and caused the implausible scribal readings and emendations.

- 93 Ḍalhaṇa on 1.16.9 ([Su 1938: 77](#)) notes that the word दोष here can refer to either a humour, such as wind, as we have understood it, or a disease generated from a humour.
- 94 The Nepalese version uses the word सन्धान to refer to joining a split in an ear flap, which is consistent with the terminology in the verse cited above (8). However, 1.16.10 of Ḍalhaṇa's version ([Su 1938: 77](#)) uses the term बन्ध here and at the very beginning of the chapter (i.e., 1.16.1) to introduce the topic of repairing the ear.
- 95 For an artist's impression of these different kinds of joins in the ear flap, see Majno [1975: 290](#) (reproduced as Figure 3.2 in Wujastyk [2003b: 154](#)).
- 96 For an artist's impression of this join, see Majno [1975: 291](#) (reproduced as Figure 3.3 in Wujastyk [2003b: 155](#)).

These ten options for joins of the ear should be bound. They can mostly be explained as resembling their names.⁹⁷ The five from compressed (*saṃkṣipta*) on are incurable.⁹⁸ Among these, “Compressed” has a dry ear canal and the other flap is small. “Reduced ear” has flaps that have no base and have wasted flesh on their edges. “Creeper-ear” has flaps that are thin and uneven. “Stick-ear” has lumpy flesh and the flaps are stretched thin and have stiff ducts. “Crow-lip” has a flap without flesh with compressed tips and little blood. Even when they are bound up, they do not heal because they are hot, inflamed, suppurating, or swollen.⁹⁹

- 10 A person wishing to perform a join of any of these should therefore have supplies specially prepared according to the recommendations of the “Preparatory Supplies” chapter.¹⁰⁰ And in this regard, he should particularly gather¹⁰¹ top layer of fermented liquor, milk, water, fermented rice-water, and powdered earthenware crockery (*kapālacūrṇa*).¹⁰²

97 Cakrapāṇidatta on 1.16.9–13 (Su 1939: 128–129) and Ḍalhaṇa on 1.16.10 (Su 1938: 77–78) provide examples of how the names of these joins describe their shapes. For example, the rim-join (*nemīsandhānaka*) is similar to the join of the rim of a wheel (*cakradhārā*).

98 Ḍalhaṇa on 1.16.10 (Su 1938: 77–78) mentions that some do not read the statement that only five are incurable, and they understand the causes of unsuccessful joins given below (i.e., heat, inflammation, suppuration and swelling) as also pertaining to the first ten when they do heal.

99 The version of 1.16.11–13 known to Ḍalhaṇa (Su 1938: 78) has four verses (श्लोक) at this point that are not in the Nepalese manuscripts. The additional verses iterate the types of joins required for ear flaps that are missing, elongated, thick, wide, etc. All four verses were probably absent in the version of the *Suśrutasaṃhitā* known to Cakrapāṇidatta. He cites the verses separately in his commentary, the *Bhānumatī* (Su 1939: 128–129), introducing each one as ‘some people read’ (के चित्पठन्ति). However, in Trikamajī Ācārya’s edition of the *Sūtrasthāna* of the *Bhānumatī*, the root text is largely identical to the one commented on by Ḍalhaṇa (Su 1938), even in instances like this where Cakrapāṇidatta’s commentary indicates that he was reading a different version of the *Suśrutasaṃhitā*. See further the discussion on p. ?? above.

100 *Suśrutasaṃhitā* 1.5 (Su 1938: 18–23), probably verse 6 especially, that lists the equipment and medications that a surgeon should have ready.

101 The reading in the Nepalese manuscripts of विशेषतश्चाग्नोपहरणीयात् has been emended to विशेषतश्चात्रोपहरेत् to make sense of the list of ingredients, which is in the accusative case. Also, the repetition of अग्नोपहरणीयात् in the Nepalese version suggests that its second occurrence, which does not make good sense here, is a dittographic error.

102 The term कपालचूर्ण is unusual. Ḍalhaṇa (Su 1938: 79) defines it as the powder of fragments of fresh earthen pots and Cakrapāṇidatta (Su 1939: 129) as the powder of earth-

Next, having made the woman or man tie up the ends of their hair, eat lightly and be firmly held by qualified attendants, the physician considers the joins and then applies them by means of cutting, splitting, scarification, or piercing.¹⁰³ Next, he should examine the blood of the ear to know whether it is tainted or not. If it is tainted by wind, the ear should be bathed with *fermented rice-water* and water; if tainted by choler, then cold water and milk should be used; if tainted by phlegm, then *top layer of fermented liquor* and water should be used, and then he should scarify it again.

After arranging the join in the ear so that it is neither proud, depressed, nor uneven, and observing that the blood has stopped, one should anoint it with honey and ghee, bandage each ear with *tree cotton* and gauze (*plota*) , and bind it up with a thread, neither too tightly nor too loosely. Then, the physician should sprinkle earthenware powder on it and provide medical advice (*ācārika*) . And he should supplement with food as taught in the “Two Wound” chapter.¹⁰⁴

- 11 *One should avoid rubbing, sleeping during the day, exercise, overeating, sex, getting hot by a fire, or the effort of speaking.*
- 12 *One should not make a join when the blood is too pure, too copious, or too thin.¹⁰⁵ For when the ear is tainted by wind, then it is obstructed by blood, unhealed and will peel. When tainted with choler, it becomes pinched (*gāḍha*) , septic and red. When tainted by phlegm, it will be stiff and itchy. It has excessively copious suppuration and is swollen. It has a small amount of wasted (*kṣīṇa*) flesh and it will not grow.¹⁰⁶*
- 13 *When the ear is properly healed and there are no complications, one may very gradually start to expand it. Otherwise, it may be inflamed*

enware vessels.

¹⁰³ There are syntactic difficulties in this sentence. We have adopted the reading in Ḍalhaṇa’s version (Su 1938: 78), which has च कृत्वा following सुपरिगृहीतं. It is likely that a verb, such as कृत्वा, dropped out of the Nepalese transmission.

¹⁰⁴ *Suśrutasaṃhitā* 4.1 (Su 1938: 396–408).

¹⁰⁵ 1.16.17 of Ḍalhaṇa’s version (Su 1938: 79) reads “impure” for the Nepalese “too pure,” which would appear to make better medical sense. Emending the text to नाशुद्ध- for नातिशुद्ध- in the Nepalese version would yield the same meaning as Ḍalhaṇa’s version.

¹⁰⁶ In his edition of *Suśrutasaṃhitā*, Ācārya (Su 1938: 79 n. 1) includes in parentheses the following treatment for these conditions, which according to a footnote is not found in the palm-leaf manuscript he used: ‘One should sprinkle it with raw sesame oil for three days and one should renew the cotton bandage after three days’ (आमतैलेन त्रिरात्रं परिषेचयेत्त्रिरात्राच्च पिचुं परिवर्तयेत्).

- (*saṃrambha*) , burning, septic or painful. It may even split open again.
- 14 Now, massage for the healthy ear, in order to enlarge it.
One should gather as much as one can the following: a [monitor lizard](#), scavenging and seed-eating birds, and creatures that live in marshes or water,¹⁰⁷ fat, marrow, milk, and sesame oil, and white mustard oil.¹⁰⁸ Then cook the oil with an admixture of the following: [purple calotropis](#), [white calotropis](#), [heart-leaf sida](#), [country mallow](#), [country sarsaparilla](#), [Indian kudzu](#), [liquorice](#), and [hornwort](#).¹⁰⁹ This should then be deposited in a well-protected spot.
- 15 *The wise man who has been sweated should rub the massaged ear with it. Then it will be free of complications, and will enlarge properly and be strong.*¹¹⁰
- 16 *Ears which do not enlarge even when sweated and oiled, should be scarified at the edge of the hole, but not outside it.*¹¹¹
- 17 *In this tradition, experts know countless repairs to ears. So a physician who is very intent on working in this way may repair them.*¹¹²

¹⁰⁷ For such classifications, see the analyses by Zimmermann (1999) and B. K. Smith (1994).

¹⁰⁸ Ḍalhaṇa's version of 1.16.19 (Su 1938: 79) includes ghee. However, Ḍalhaṇa's remarks on this passage and Cakrapāṇidatta's on 1.16.18 (Su 1939: 130) indicate that they knew a version of this recipe, perhaps similar to the Nepalese one, that did not include ghee. Ḍalhaṇa also noted that others simply read four oils, beginning with fat and without milk, whereas Cakrapāṇidatta said that some say it is made with four oils and milk.

¹⁰⁹ The version of of this verse known to Ḍalhaṇa (vulgate (Su 1938: 79)) adds several ingredients to this admixture, including [prickly chaff-flower](#), [Withania](#), [milk-white](#), [sweet plants](#) and [Indian ipecac](#). Also, it has [beggarweed](#) instead of [Indian kudzu](#). When commenting on 1.16.19, Ḍalhaṇa (Su 1938: 79) noted that some do not read [sweet plants](#) and [Indian ipecac](#). Therefore, at his time there were other versions of this recipe circulating, with fewer ingredients, as seen in the Nepalese version.

¹¹⁰ For these aims (i.e., healing and enlarging the ear), the text known to Ḍalhaṇa (Su 1938: 79) had an additional verse and a half describing an ointment for rubbing the ear and [sesame oil](#) cooked with various medicines for massage. Cakrapāṇidatta (Su 1939: 131) did not comment on these verses, nor verse 15 of the Nepalese version, and so the version of the *Suśrutasaṃhitā* known to him may not have included them.

¹¹¹ Ḍalhaṇa's version of 1.16.23 (Su 1938: 79–80) added another hemistich that stated more explicitly that the scarification should not be done on the outside of hole as it will cause derangement.

¹¹² After verse 17, the 1938 edition of Ācārya (Su 1938: 80) has in parentheses nineteen verses on diseases of the ear lobes, treatments and complications. It is possible that these verses were in some of the witnesses used by Ācārya to construct the text as they occur in other manuscripts, such as MS Hyderabad Osmania 137-3(b). However, Cakrapāṇidatta (Su 1939: 132) and Ḍalhaṇa (Su 1938: 80) stated that some read about

- 18 If an ear has grown hair, has a nice hole, a firm join, and is strong and even, well-healed, and free from pain, then one can enlarge it slowly.¹¹³
- 19 Now I shall describe the proper method of making a repair when a nose is severed. First, take from the trees a leaf the same size as the man's nose and hang it on him.
- 20 Next, having cut a slice of flesh (*vadhra*) ,¹¹⁴ with the same measurements, off the cheek, the end of the nose is then scarified.¹¹⁵ Then the undistracted physician, should quickly put it back together so that it is well joined.
- 21 Having carefully observed that it has been sewn up properly, he should then fasten it along with two tubes.¹¹⁶ Having caused it to be raised,¹¹⁷ the powder of *sappanwood*,¹¹⁸ *liquorice* and *Indian barberry* should be sprinkled on it.¹¹⁹
- 22 The wound should be covered properly with *tree cotton* and should be moistened repeatedly with sesame oil. Ghee should be given to the man to drink. His digestion being complete, he should be oiled and purged in accordance with the

the diseases of the ear lobes in this chapter whereas others read about them in the chapter on various treatments (*miśrakacikitsa*) (SS 5.25), which does indeed begin with a discussion of the disease परिपोट. Ḍalhaṇa went on to say that some believe that these verses were not composed by sages and, therefore, do not read them.

113 The order of verses 17 and 18 is reversed in Ḍalhaṇa's version (Su 1938: 80).

114 The version of 1.16.28b known to Ḍalhaṇa (Su 1938: 81) reads "bound, connected (*bad-dham*) " instead of "slice of flesh (*vadhra*) ." This is a critical variant from the surgical point of view. If the slice remains connected, it will have a continuing blood supply. This is one of the effective techniques that so astonished surgeons witnessing a similar operation in Pune in the eighteenth century (see Wujastyk 2003b: 67–70).

115 Or 1.16.20 could be mean, '... off the cheek, it is fixed to the end of the nose, which has been scarified.' Unfortunately, the Sanskrit of the Nepalese version is not unambiguous on the important point of whether or not the flap of grafted skin remains connected to its original site on the cheek. However, Ḍalhaṇa (Su 1938: 81) clarified the meaning of the vulgate here by stating that one should supply the word "flesh" when reading "connected," thus indicating that he understood the flesh to be connected to the face.

116 Ḍalhaṇa noted that the two tubes should be made of reed or the stalk of the leaf of the *castor-oil* plant (on 1.16.21 (Su 1938: 81)). They should not be made of lead or betel nut because the weight will cause them to slip down.

117 The Sanskrit term उन्नामयित्वा in 1.16.21 is non-Pāṇinian.

118 For पत्ताङ्ग (*sappanwood*), there are manuscript variants पत्ताङ्ग (MS Kathmandu NAK 5-333) and पत्तङ्ग (MS Kathmandu NAK 1-1079). Also, MS Kathmandu KL 699 (f. 14r:1) has पत्ताङ्ग in a verse in 1.14 (cf. 1.14.36 (Su 1938: 66)). The text known to Ḍalhaṇa has पत्तङ्ग (1.16.29 (Su 1938: 81)) and this term is propagated in modern dictionaries.

119 Ḍalhaṇa glossed अञ्जन as रसाञ्जन, *elixir salve* (Su 1938: 81).

- instructions specific to him.*¹²⁰
- 23 *And once healed and really come together, what is left of that slice of flesh (vadhra) should then be trimmed.*¹²¹ *If it is reduced, however, one should make an effort to stretch it, and one should make its overgrown flesh smooth.*¹²²

¹²⁰ The expression स्वयथोपदेश is ungrammatical but supported in all available witnesses.

¹²¹ The vulgate transmission has lost the word वध्र and replaced it with अर्ध "half," which makes little sense in this surgical context.

¹²² Ḍalhaṇa accepted a verse following this, 1.16.32 (Su 1938: 81), which pointed out that the procedure for joining the nose is similar to that of joining the lips without fusing the ducts. He noted that earlier teachers did not think this statement on the nose and lips was made by sages, but he included it because it was accepted by Jejjāṭa, Gayadāsa and others, although they did not comment on it because it was easy to understand. Cakrapāṇidatta also did not comment on this additional verse (Su 1939: 133).

Sūtrasthāna 28: Unfavourable Prognosis in Patients with Sores

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002.¹²³

Goswami studied the commentaries of Ḍalhaṇa and Cakrapāṇidatta on this and the following adhyāyas up to 32, focussing on the topic of omens (*ariṣṭa*) . He concluded that both authors were influenced by the Indriyasthāna of the *Carakasamhitā* in their commentaries on this topic.¹²⁴

Translation

- 1 Thus, living creatures and their strength, complexion (*varṇa*) and energy (*ojas*) are rooted in food. That (food) depends on the six flavours (*rasa*) . Thus, the flavours depend on substance (*dravya*) , and substances depend on medicinal herbs. There are two kinds of them (herbs): stationary and mobile.¹²⁵

¹²³ [HIML](#): IA, 219.

¹²⁴ Goswami 2011.

¹²⁵ 1.1.28 ([Su 1938](#): 7), tr. P. V. Sharma 1999–2001: 1, 21.

Nidānasthāna

samanta

Nidānasthāna 1: The Diagnosis of Diseases Caused by Wind

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002.¹²⁶

Translation

- 1 And now we shall explain the chapter about diagnosis of diseases caused by wind.¹²⁷
- 2
- 3 Suśruta asks after holding the feet of Dhanvantari who is the foremost of the upholders of righteousness and who emerged with nectar.
- 4 O King!¹²⁸ Divodāsa¹²⁹ the best of the orators! Let us know about the naturalized and disordered form of wind, its places in the body and types of the diseases caused by its contamination.
- 5–9ab On hearing his words, the venerable sage replied that being independent, constant and omnipresent this wind is revealed as self-born and supreme being. It is worshiped by all words and situated in the form of life-force in all beings. It is the cause of origin, continued existence and

¹²⁶ HIML: IA, 234. (Ruben 1954b) studied the wind doctrines in the *Carakasaṃhitā*.

¹²⁷ Present chapter describes the diseases caused by vitiated wind and its mixing with other humours. In the medical term it is known as rheumatism.

¹²⁸ H and N both mss read भूपते instead of कौपनै: in the vulgate.

¹²⁹ <https://doi.org/10.20935/AL2992>

destruction of beings. It is unmanifest though manifests in/through action, cold, dry, light in weight, variable, moving horizontally with two attributes i.e., sound and tangibility¹³⁰. Having all chief qualities which are sattva, rajas and tamas but predominated by rajas. It has inconceivable power. It is inducer of humours¹³¹ and distinguished in the group of diseases¹³². *It moves quickly, moves again and again*, stays in stomach and intestine.

- 9cd Now, listen to the description of wind which moves inside the body.
- 10 Unvitiated wind makes possible objects of senses connect with intellect. It maintains a state of equilibrium between the humours, semen/7 fluids? and Gastric fluid and actions done by body, speech and intellect bring to one's right place.¹³³
- 11 Just as the five types of bile have been described based on their name, place and their actions, similarly, one type of air is of five types based on name, place, action and diseases.
- 12 Five types of wind:
1. Vital wind (*prāṇa*)
 2. *udāna*
 3. *samāna*
 4. *vyāna*
 5. *apāna*

above five types of wind remain in their equilibrium and hold the body¹³⁴.

130 According to Ḍalhaṇa, it has power to divide humours, fluids, feces etc. moving inside the body and it is the cause to the disease in the limbs. It carries humours, chyle, semen/7 fluids? and feces further in the body. The wind which is moving outside is holding the earth and body. (सा चास्य शक्तिः शरीरदोषमूत्रपुरीषादिविभागोऽवयवसंस्थानका(क)रणं दोषधातुमलसंवहनादिश्च, शरीराद्धिस्तु संचरतो धरणीधारणादिः Su 1938:257)

131 Ḍalhaṇa suggests नेता=प्रेरक (Su 1938:257)

132 Ḍalhaṇa suggests राट्=राजते not राजा

133 According to Ḍalhaṇa, सम्पत्तिः=सम्पन्नता at 1.6.3 (Su1938:23). Ḍalhaṇa commented that Gayadāsa reads 'इन्द्रियार्थोपसंप्राप्तिः' but not written here because of being detailed. (गयदासाचार्यस्तु इमं श्लोकं 'इन्द्रियार्थोपसंप्राप्तिः' इत्यादि कृत्वा पठति, स च विस्तरभयान्न लिखितः) But H and N MSS suggest 'इन्द्रियार्थोपसम्पत्तिः'

134 Ḍalhaṇa suggests स्थान=साम्य, यापयन्ति=धारयन्ति (The manuscripts all read प्राणोदानः समानश्च व्यानोपानस्तथैव च . against the vulgate's प्राणोदानौ समानश्च व्यानश्चापान एव च . I think प्राणोदानौ, व्यानापानौ or व्यानश्चापान एव च should be read)

- 13–14ab The wind that flows through the mouth is called the vitality (prāṇa), which holds the body. It propels down food inside the stomach and engages with the gastric fluid¹³⁵. Unvitiated Vital wind mostly causes hiccups, asthma etc. diseases.
- 14cd–15 The wind which flows upwards in the body, the best among all five winds is called udāna. Singing, speech etc. individual things done by the same wind. Unvitiated udāna wind mostly causes diseases above the collar bone e.g., nose, eyes, head and ears¹³⁶.
- 16–17ab The samāna wind flows in stomach and duodenum. It helps gastric fluids in the digestion of food and separates the substances produced from it e.g., chyle, impurities, urine and feces. Unvitiated samāna wind causes diseases like a chronic enlargement of spleen (gulma), weak digestion, and diarrhea.
- 17cd–18 The vyāna wind moves inside the whole body and circulates chyle and expels sweat and blood outside the body. It helps in the movements of limbs in every way. Contaminated vyāna wind causes all diseases occurring in the body.
- 19–20ab Staying in the abdomen, the apāna wind propels wind of body, feces, urine, semen, womb and menstruation to come out of the body at their proper time. Contaminated apāna wind causes terrible diseases that occur in the bladder and anus.
- 20cd–21ab Contaminated vyāna and apāna wind causes defect of semen and gonorrhea, while simultaneous contamination of all the five winds surely leads to death.
- 21cd–22ab I shall therefore describe all the diseases caused by the contamination of winds staying in the various places of the body.
- 22cd–24ab Contaminated wind in the stomach causes disease like vomiting, loss of consciousness, fainting, thirst, heart-seizure, pain in lateral sides of stomach. It also causes rumbling of the bowels, acute pain, inflated belly, pain while discharging urine and feces, suppression of urine and pain in the loins.
- 24cd Contaminated wind residing in the ear causes loss of function of the senses.

¹³⁵ Ḍalhaṇa suggests head, chest, throat and nose as locations of prāṇa. (Sus1938:259)
Gayadāsa suggests अग्नि for प्राण.

¹³⁶ Ḍalhaṇa suggests it also causes diseases like cough etc. (चकारादन्यादपि प्राणोदानौ, व्यानापानौ कासादीन् करोति .)

- 25–29 Residing in the skin,¹³⁷ contaminated wind causes discoloration of skin, throbbing of parts of the body, dryness, numbness, itching, pricking pain, swelling. It being inherent in the flesh of body causes swelling with pain and being inherent with the fat of the body causes swelling with slight pain but do not become wound.¹³⁸
Residing in the artery it causes acute pain, contraction and filling up of the artery.¹³⁹ It stuns, vibrates and destroys¹⁴⁰ the muscle tissues by residing in the muscle. Residing in the joints it causes pain and swelling. Residing in the bone it causes fracture and dryness of bones which also cause to acute pain and, in the marrow, it dries up marrow which may never be cured. Residing in the semen it causes non-production and distorted production of semen.¹⁴¹
- 30–31ab Contaminated wind moves from the hand, foot, head, then it may be omnipresent or pervade the entire body of men and causes stiffness, convulsion, numbness and acute pain.
- 31cd–32ab Wind (5 types) mixed with other doṣas (bile etc.) in the places mentioned above produces mixed types of pains.
- 34cd–35ab Prāṇa wind surrounded by bile causes vomiting and burning sensation, by phlegm it causes weakness, exhaustion, laziness and bad taste.
- 35cd–36ab Udāna wind surrounded by bile causes loss of consciousness, stupor, dizziness and fatigue, by phlegm it causes absence of perspiration, slowness of digestion, sensation of coldness.
- 36cd–37ab Samāna wind surrounded by bile causes perspiration, a burning sensation, heat and stupor, association with phlegm it causes erection in urine, feces and limbs.
- 37cd–38ab Apāna wind associated with bile causes a burning sensation, heat and the voiding of blood with urine, with phlegm it causes a feeling of heaviness in the lower part of the body and coldness.

¹³⁷ Ḍalhaṇa and Gayadāsa both suggest त्वक्=रस. Gayadāsa explained that chyle stays in the skin and therefore, in the verse त्वक्स्थ should be read as रसस्थ as we read secondary meaning in the sentences like गङ्गायां घोषः.

¹³⁸ The MS H does not read व्रणांश्च रक्तगो ग्रन्थीन् सशूलान् मांससंश्रितः . against the vulgate. (Su 1938: 261).

¹³⁹ According to Ḍalhaṇa सिराकुञ्चनं is also known as कुटिला सिरा (Su 1938: 262)

¹⁴⁰ Ḍalhaṇa and Gayadāsa both suggest the meaning of हन्ति for being not capable of both stretching and contraction. सन्धिगतः संधीन् हन्ति प्रसारणाकुञ्चनयोरसामर्थ्यं करोति (Su 1938: 262) ...

¹⁴¹ Ḍalhaṇa and Gayadāsa both suggest that a distorted production विकृतां प्रवृत्तिम् is too fast, too slow, knotty and discolored.

- 38cd–39ab Vyāna wind surrounded by bile causes a burning sensation, tossing of the limbs and fatigue, by phlegm it causes stiffening limbs, uddaṇḍaka? and pain in the swelling.
- 40–41 Persons who are of delicate nature, follow faulty diet and lifestyle, ? also afflicted with intoxicating drinks, sexual enjoyment, exercise causes vitiation of wind and blood.??
- 42 Riding elephant, horse and camel, lifting great weights, consuming vegetables which are pungent, hot, sour, alkali and being frequently distressed situation causes contamination of wind.
- 43–44 Blood flowing in the body blocks the passage of contaminated wind which moves quickly in the body. Excessively irritated wind–being contaminated by wind and dominance of wind, it is called वातरक्त Gout¹⁴².
- 45–46 Vātarakta causes – pricking pain, dryness, loos of sensation in the feet. Contaminated Bile mixed with blood causes sharp burning sensation, excessive heat and soft swelling with red color in the feet. Contaminated Phlegm mixed with the blood causes itching in the feet. It makes feet white, cold, dry, thick and hard. All defects ¹⁴³ in the blood contaminated by humours (wind, bile, phlegm) manifest their symptoms in the feet.
- 48 This disease spreads all over the body like rat poison by staying in feet or sometimes hands.
- 49 Gout spreads in the knee and the skin bursts and starts bleeding makes it incurable. It is mitigatable if it is of a year's old.
- 50–51 When vitiated wind enters in the all arteries it causes quickly convulsions again and again and because of frequent contractions (*ākṣepa*) it is called convulsions (*ākṣepaka*) .
- 52–56 Because in this situation a person often sees darkness and fall, it calls spasmodic contraction (*apatānaka*) ¹⁴⁴ . If wind mixed with phlegm stays excessively in the arteries, it stiffens body like a staff and it is called दण्डापतानकः epilepsy with convulsions. Vitiated wind entered in the arteries and bends the body like a bow, it is called धनुःस्तम्भ Tetanus.

142 In the medical term वातरक्त is known as Gout. Cakrapāṇi called it आढ्यरोगः Caraka-saṃhitā sū.14.18 and ci.28.66

143 Gayadāsa suggests सर्वे दुष्टाः शोणितं चापि nominative plural instead of locative singular.

144 Gayadāsa accepted the Nepalese reading ताम्यते which vulgate does not read. Gayadāsa gives definition of अपतानक as येनापताम्यते means a situation in that a person sees the dark.

When vitiated wind accumulated in the regions of finger, ankle, abdomen, heart, chest, and throat swiftly attack on the group of vain and ligaments, it gets a person's eyes stuck, chin stuns, side breaks and vomiting phlegm he moves inwards like a bow and this situation is known as emprostotonos (*antarāyāma*) . When vitiated wind attacks on outside ligaments, body of a person will stretch forward like a bow. In this situation, if the chest, hip or thigh break, wise men call it incurable.

- 58 Aggravated phlegm and bile mixed with wind or only vitiated wind causes fourth convulsive disease due to trauma.
- 59 Convulsions due to miscarriage, excessive bleeding, and injury are incurable ¹⁴⁵.
- 60–62 When excessively agitated and strong wind flows in the arteries which spread downward, upward, and sideways, it loses the joints and kills the other side of body. The best of physicians calls it paralysis (*pakṣāghāta*) . ¹⁴⁶ Then half of his entire body becomes inefficient and unconscious. Afflicted by wind he suddenly falls or dies.
- 62.1 Bile integrates with wind causes burning sensation, affliction, and infatuation. When it integrates with phlegm causes coldness, morbid swelling, and heaviness. ¹⁴⁷.
- 63 A paralysis (*pakṣāghāta*) caused by wind ¹⁴⁸ is curable with most difficulty. It becomes curable when caused by bile and phlegm mix with the wind. It becomes incurable when caused by the loss of bodily constituents.
- 64–66 Verses from 64–66 are not found in the Nepalese manuscripts. These verses discuss the term spasmodic contradiction (*āpatantraka*) which is the same as अपतानक. Ḍalhaṇa commented on ni.1.64–66 (Su 1938:267) that because of having the similar condition in both situations, some scholars do not read the अपतन्त्रक. In the verse ni.1.59 Ḍalhaṇa commented that the आक्षेपक and अपतानक is same (Su 1938:266) and again

¹⁴⁵ According to Ḍalhaṇa convulsion (*ākṣepaka*) is also known as अपतानक (Su 1938:266). He further mentions that even if fortunately, it is cured, it cripples the limb.

¹⁴⁶ In the ca.6.28.55 पक्षाघात is described as monoplegia (*ekāṅgaroga*) . In that case it damages one of the limbs. In the medical terms paralysis (*apakṣāghāta*) is known as hemiplegia.

¹⁴⁷ This verse is not available in vulgate. It deals with the symptoms when bile and phlegm mix with the wind. It is already discussed in su.2.1.38.

¹⁴⁸ Here the term शुद्धवात suggests the meaning of the wind that is devoid of bile and phlegm.

- he suggested that the अपतानक and अपतन्त्रक both are similar condition. Therefore, आक्षेपक, अपतानक and अपतन्त्रक should be the same. Gaya-dāsa further commented that the Caraka has not read आक्षेपक as अपतानक and therefore described the अपतन्त्रक separately (Su 1938:267).
- 67 This verse also not found in the Nepalese Manuscripts. The verse describes rigidity of neck (*manyāsthambha*) . According to Dalhaṇa, rigidity of neck is a prior symptom of spasmodic contradiction.
- 68-72 By speaking very loudly, eating hard foods, excessively laughing and yawning, lifting heavy loads and sleeping in an awkward position, vitiated wind lodges into face painfully and produces spasm of the jaw-bones (*ardita*) disease. In that case, half of the face and neck become curved, head trembles, speech hindrances, deformity occurs in the eyes, eyebrows and cheeks.¹⁴⁹ Experts in diseases call this disease spasm of the jaw-bones (*ardita*) .
- 73 Spasm of the jawbones cannot be cured when it stays in a person for three years, who is very weak, stays without blinking, trembles, and constantly speaks gibberish.
- 74 Arteries of Heel and toes stricken by vitiated wind prevents stretching of thighs. This disease is known as sciatica (*gṛdhrasī*) .
- 75 Arteries which run to the tips of fingers from behind the roots of the upper arm affected by vitiated wind terminates all activities of arms and back. This disease is called paralysis of arms and back (*viśvañci*) .¹⁵⁰
- 76 Vitiated wind and blood in the joint of knee causes synovitis of knee joint (*koṣṭukaśīrṣa*) . In this extremely painful situation, the shape of swelling in knee joints seems like a head of Jackal.
- 77 Vitiated wind resides in the waist attacks on the arteries of thigh causes limpness (*khañja*) and when it attacks on both the thighs a person becomes lame (*paṅgu*) .
- 78 A person who trembles at the beginning of walking or walks limping and whose foot joint has become loose is called lathyrism (*kalāyakhāñja*) .
- 79 Vitiated wind residing in the ankle-joint causes pain when one steps on uneven ground. This disease occurs is called वातकण्टक.

149 Dalhaṇa suggests नेत्रादीनाम् इत्यादि शब्दात् भूगण्डादि उपसङ्ग्रहः

150 Both the MSS N and H read विश्वञ्चि instead of the vulgate reading विश्वाची. There is no such word found in other Āyurveda texts.

- 80 Vitiated wind mixed with bile and blood cause burning sensation in feet. It should be declared as burning sensation in feet (*pādādāha*) .
- 81 A person whose feet tingle and become insensible due to vitiation of phlegm and wind is called पादहर्ष.
- 82 Vitiated wind lying in the shoulder dries the shoulder joints and it is called अंसशोष. It also bends the arteries of shoulder, and this disease is called अवबाहुक. ¹⁵¹
- 83 Vitiated wind singly or mixed with phlegm cover the channel of ears causes deafness.
- 84 Vitiated wind saturated with phlegm covering the arteries which conduct the sound of speech makes a person inactive (*akriya*) , dumb (*mūka*) . He mumbles (*mimmira*) through the nose and stammers (*gadgad*) . ¹⁵²
- 85 Vitiated wind penetrating into the cheekbones, temporal bones, head and neck causes piercing pain in the ears. It is called ear-ache (*karṇasūla*) . ¹⁵³
- 86–87 The pain that arises from the bladder or feces goes down as if it were breaking the rectum and..... ? is called तूनी, whereas the pain, rising upward from the rectum extending up to the region of the intestines, is called प्रतितूनी.
- 88–89 Retention of vitiated wind inside abdomen causes distension of the stomach and flatulence and intense pain and rumbling inside, is called tympanites (*ādhmāna*) . Vitiated wind mixed with phlegm causes प्रत्या-ध्मान. It rises in the stomach and causes pain in the heart and sides. ¹⁵⁴
- 90–91 A knotty stone-like tumour caused by wind appearing in the stomach having an elevated shape and stretched upward direction which obstructing the passage of faeces and urine should be known as वाताष्टीला. A tumour of similar shape rose obliquely in the abdomen obstructing the passage of wind, faeces and urine should be known as प्रत्यष्टीला.

151 Ḍalhaṇa and Gayadāsa both have defined two diseases i.e., अंसशोष and अवबाहुक respectively.

152 Nepalese Manuscripts read मिर्मिर instead of the Vulgate's reading मिन्मिण. Dictionary of MW suggests the meaning of मिर्मिर = having fixed unwinking eyes which is not relevant to the disease of tongue.

153 In the medical terms, this disease is known as Otitis.

154 There's an addition in MS N. नाभेरधस्तात् संजातः संचारी यदि वाऽचलः

Śārīrasthāna

Śārīrasthāna 2: On Semen and Menstrual Fluid

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002.¹⁵⁵ Das (2003: chs 6–8) also studied topics of this chapter and in chapter 13 provided an overview of the conceptual background of ayurveda on the topics discussed in this chapter.

Translation

- 1 We shall now explain the anatomy that is the purification of sperm (*śukra*) and blood (*śoṇita*) .
- 3 Semen (*retas*) ¹⁵⁶ is incompetent to produce offspring if it is [characterized by] wind, bile, phlegm, blood (*śoṇita*) , ¹⁵⁷ decomposition (*kuṇapa*) , lumps (*granthi*) , ¹⁵⁸ stinking pus (*pūtipūya*) , low volume (*kṣīṇa*) , urine, or feces.

¹⁵⁵ [HIML](#): IA, 244–246.

¹⁵⁶ The Nepalese version has -रेतांसि “semen” (in the plural) as the subject of the sentence: “seeds are unable to produce offspring....” In the vulgate, -रेतसः is a masculine bahuvrīhi, making “men whose semen has...” the subject of the sentence.

¹⁵⁷ Note that the list begins with the four entities, wind, bile, phlegm and blood, perhaps hinting at a four-humour system (see Wujastyk 2000: 485–486).

¹⁵⁸ Modern Establishment Medicine (MEM) understands that normal ejaculate contains coagula which, however, dissolve after about half an hour. But coagula that do not dissolve may sometimes be a sign of an underlying disorder.

JG could you provide a standard citation reference for this information?

- 4 When the disfunction is caused by wind, there is a colour and a type of pain that typically goes with wind problems. If caused by bile the colour and the pain are typical of bile afflictions. If caused by phlegm the discoloration and suffering are characteristic for phlegm disease. And if caused by blood (*śoṇita*) there will be a coloration due to blood and a sensation of a bile affliction. Moreover, when caused by blood (*rakta*) there is the smell of decomposition (*kuṇapa*).¹⁵⁹ Phlegm with wind causes the appearance of lumps, bile with blood (*śoṇita*) causes the appearance of foul-smelling pus (*pūtipūya*). Bile with wind (*māruta*) cause a weakening of semen. Humoral colligation (*sannipāta*) causes the smell of urine and feces.¹⁶⁰

Cases of foul-smelling sperm, sperm with lumps, and when it reeks of pus are hard to treat.

However, when sperm contains urine or faeces there is no treatment.¹⁶¹

- 5 Moreover, seasonal blood (*ārtava*) too can become afflicted (*upasrṣṭa*), seedless (*abīja*) because of the three humours, and blood as the fourth, taken individually, in pairs or triples or all together.¹⁶²

This can also be known by means of the humour, colour and pain.

In these cases, that which displays decomposition (*kuṇapa*), lumps and the putrid smell of pus is incurable (*asādhya*). And otherwise it is curable (*sādhya*).

Among these, the kind which shows decomposition, or coagula, or putrid pus is incurable. The other types, however, can be treated.

- 6 And there is a verse on this.

An expert should overcome the first three of these sperm pathologies with special treatments such as unction and sweating, as well as by means of a urethral instillation (uttarabasti).¹⁶³

- 6a In that context, when the sperm is of the nature of wind, there is a tisane

159 Note that the text mentions both शोणित and रक्त. This raises the question of whether the author considered these to be different, or whether it is an artefact of textual transmission.

160 The expression “humoral colligation,” translating सन्निपात, refers to the simultaneous disorder of three humors at the same time, a condition that is difficult to treat (see Wujastyk 2016: 38 *et passim*).

161 Note that the above characterizations presuppose the direct inspection of an ejaculate. The process of collection is not described in the sources in this chapter.

162 This translates the text of the oldest surviving witness, N, and the vulgate. But MS H, that normally follows K very closely, has a negative particle, न, reversing the sense of

(*āsthāpana*) consisting of Bengal quince and Indian kudzu. One may use an oily preparation in the instillations, with well-cooked mahua, grey orchid, deodar, and chir pine. One can also make the patient drink clarified butter cooked with pomegranate, citron fruit, rock salt, a caustic (*kṣāra*) , and two kinds of salt.

- 6b When the sperm is of the nature of bile, there is a tisane (*āsthāpana*) consisting of the cooked milky sap of Malay beechwood and liquorice with milk. One should also apply a paste (*kalka*) of a white dammer tree and axlewood in the vagina. One should apply an oily enema (*anuvāsana*) of sesame oil cooked with liquorice; and it should only be applied as an upper enema.¹⁶⁴

One should make him swallow ghee cooked with wild sugar cane, common smilax, heart-leaved moonseed, white teak, false daisy, and the five roots.

- 6c When the sperm is of the nature of phlegm, there is a tisane (*āsthāpana*) consisting of a decoction (*kaṣāya*) of golden shower tree. And one should also apply an oily enema (*anuvāsana*) of sesame oil cooked with long pepper, embelia and honey; and it should only be applied as an upper enema. He should be given to drink a ghee cooked with hairy bergenia, white teak, emblic, long pepper, bearded premna, and prickly chaff-flower.

3.2.6d And there are verses about this.

3.2.7 *When there is blood in the sperm, the physician should give the person ghee cooked with flowers of the fire-flame bush, catechu, pomegranate, and arjun.*

3.2.8 *When it smells like a corpse, he should drink ghee cooked with the sal group of trees. †When lumps appear, it is cooked with stones, or also in ash from a flame-of-the-forest.¹⁶⁵*

the sentence.

163 Dalhaṇa on 3.2.6 (Su 1938: 345) noted that “unction and sweating” indicates the “five treatments”: वमन, विरेचन, अनिरूह, अनुवासन and उत्तरबस्ति. He noted that the explicit mention of urethral enema in the verse was for the purpose of highlighting its priority. However, a natural reading of the verse does not suggest that these distinctions were in the author’s mind.

164 By specifying “upper enema” the author is clarifying that this is not a rectal enema.

165 The Nepalese text and translation of this sentence are uncertain. The vulgate text reads, 3.2.8 (Su 1938: 345): ग्रन्थिभूते शटीसिद्धं पालाशे वा ऽपि भस्मनि “If lumps appear, it is cooked with *śaṭī* or in ash from a *palāśa*.” The vulgate edition notes in a footnote that some vulgate manuscripts add an extra line, स्नेहादिश्च क्रमः षट्वेतासु विज्ञानता. The

- 9 And also, when it resembles pus, it is treated with items such as *phalsa* and *banyan*. When the sperm is deficient it should be treated as was stated before and also as will be described.¹⁶⁶
- 10 When it looks like feces, he should be made to drink ghee together with *leadwort*, *cuscuta grass* and *devil's dung*.
- 10a ...
- 12cd For purifying the menstrual blood one should follow the procedure, the last of which is a urethral instillation (*uttarabasti*).¹⁶⁷
- 13 One should use a paste (*kalka*) as well as cloths and a salutary lavage (*ācamana*).¹⁶⁸
- 14 In case of a bad smell and the appearance of pus, or the appearance of marrow in the blood.
- 9 In case the sperm appears purulent, a mixture of mangrove canon ball in some food leftovers or anything else should be prepared. When the sperm is depleted, one should perform these instructions straight away as soon as they have been explained.
- 10 One should make the patient drink ghee with citra, koshira and hingu by way of an antidote. A wise person should then perform one by one the six oleation processes on his own body.
- 10A By not engaging in sexual activities with women for a long time and similarly through the use of expedients and instruments
- 10B By intense use of astringent, pungent or bitter substances

Nepalese manuscripts read this line two verses further down.

166 Dalhaṇa on 3.2.9 (Su 1938: 345) noted that “what was stated before” refers to the स्व-योनिवर्धन section, i.e., *Suśrutasaṃhitā* 1.15.10 (Su 1938: 69), and that “what will be described” refers to *Suśrutasaṃhitā* 4.26 (Su 1938: 496), the chapter on weakness and strength (क्षीणबलीय).

167 The “procedure ending with a urethral instillation” probably refers to verse 6 above (see page 66).

168 The word आचमन, normally “sipping water from the palm” is here translated “lavage” following the context and Dalhaṇa on 3.2.13 (Su 1938: 345), who described it as “water for washing the vagina” (योनिप्रक्षालनोदक). This treatment may be intended for the condition mentioned in 12cd, but in the vulgate text there is a preceding half verse stating that the treatment is for the “four disorders of menstrual blood.”

- 10C Like an acid or a salty, oily or fermented solution, that
has just stood somewhere for some time,
- 10D deteriorates both by the effect of time going by and by
interaction with yogi's*
- 10E similarly in case of affection of the female system one
should prescribe oleation and other similar treatment.
- 10F Precisely as formulated for external use, one could
prescribe exactly the same for internal administration as
well.
- 10G In case of disease resulting from trouble with Vāyu, then
the patient must drink a beverage consisting of clarified
butter, prepared with split cedar and Kāśmarya fruit.
- 10H One should prescribe either an intravaginal solution of
Payasyā, Kāśmarya fruit, Kṣīravidārī and Udaka sap or lumps
drenched in diluted milk.
- 10I A sip from the palm of the hand of Madhukamunga and
astringent betel
- 10J Furthermore, in case of trouble caused by bile and in the
menstrual cycle.
- 10K The patient should drink milky Kākolī sap and a decoction of
Vidārī to which some candied sugar is added
- 10L and one should insert an intravaginal solution of Madhuka
flowers and Kāśmarya fruit mixed with sugar cane juice or a
paste with santal sap.
- 10M and a pinch of astringent Paan*
- 10N When disease is caused by phlegm, he must drink an
astringent sandalwood and acrid Christmas rose solution.
- 10O ... or a paste of young tree sprouts soaked in a plant juice.
- 10P he must lick or sip bits of Tinduka, wood apple, slime apple
and sandal powder or Kṣandra.
- 10Q Sarjadhava paste should be placed inside the vagina
- 10R a pinch of Ladhra and astringent Tinduka
- 10S In case of clots and lumps in the sperm he should take
Sringavera and Pāṭhā to which is added some sandal powder as
well as white Surasa.
- 10T One should insert into the vagina a salve* with Kustha and
cedar extracts.
- 10U and add just a pinch of something astringent

- 10V in case the sperm is clearly in decomposition, the patient must be prescribed to drink a astringent beverage of Manjista and astringent sandalwood
- 10W or of Kuṭaja fruit, sandalwood and sandal sweetened with sugarcane candy.
- 10X or in case there is obvious pus, this is exactly what the patient should be given
- 10Y and the lady should be prescribed to place inside the vagina a salve of cachou and arjuna
- 10Z and for both a pinch of something astringent is indicated is just right.
- 10A1 in case of*, he should ingest an astringent solution of false black pepper, coral tree and Manjista.
- 10A2 one should introduce into the vagina a paste of Surastastra (?)* and Rocana as well as a salve of Bhadrasriya.
- 10A3 Both must receive just a sip of something astringent.
- 10A4 Here is more.
- 11
- 12 Generally speaking, at the end of the period one should apply an internal cleansing from menstrual discharge*
- 13 and one should definitely prepare both cotton-plant paste and salutary beverages.
- 14 in case the sperm spreads a foul-smelling stench and definitely when there is blood
- 15 the patient should drink decoctions of sandal or sandalpaste.*
- 14AB and in case of lumps and clots in his sperm he should consume a salutary Tryusana with coral swirl fruits.
- 14A and drink a beverage of acrid dry ginger, Hing and holy basil.
- 16
- 23
- 24 That being said, when sperm is not causing disease, even then all of this may serve to purify the female system*
- 25 From the first day onwards* when the period starts, she should shun young celibates, when they are alone, bathing, anointing, decorating and scratching themselves and she should also suppress day-sleep, put collyrium to her eyes,

weeping, be frightened or cut her nails, run hither and thither, laugh or speak or listen to lots of talk or exert herself. Why should her partner arrive late during the day? It is claimed that if she puts a collyrium, a child will be born blind, if she is weeping, he will have abnormal vision, by bathing and anointing he will be depressive, by smearing oil on her limbs, he 'll be born a leper, by holding her nail downwards he will be a child with ugly nails, by being continuously busy he will become a restless and troubled character. When she behaves accordingly, she will be the best of future mothers. She should take rest on a layer of Kuśa grass, take Haviśya-food so pure that it is fit for a sacrifice**, eat varied food from the palm of her hand or from a plate made of leaves and she should keep herself then from her husband from the third day onwards. However, on the fourth day, first she should take a ritual, put on a new untorn dress and some jewels, then make an auspicious happy recitation and then confidently hug her husband. What is the purpose of all this?

- 26 Once she has taken a ritual bath after her period, a woman should put eyes on her husband before anyone else.
- 27 Then the priest conducts the rites for procuring a son* and at the end of it, the husband should be seen to closely observe the following.
- 28 In order to beget a male child he should eat both clarified butter and milk as well as śāli-rice* boiled in water. After observing a month of sexual abstinence, the wife should lubricate herself in oil from the very best Māṣa pulse and he should approach her at night. After gaining her complete trust by gentle words he should then make his move on the fourth, sixth, eighth, tenth and twelfth day (of the cycle)** successively.
- 31 Each month again she should be approached sexually.*
- 32 And when conception has occurred in this way during one of these nights, it is claimed that she should press three or four drop of juice from Lakṣmaṇā, Vaṭaśuṅgā, Sahadevā, Viśvadevānā or any other drug and then administer them in the right nostril if she desires a son and in the left if

- she wants a girl, and not spit nor sneeze them out.
- 32a Here are some more verses.
- 11cd On top of that those around her want to see her smelling sweet as honey, sparkling like a crystal, agile and active, smooth and sweetly perfumed,
- 12ab bright with splendour equally due to the smell of honey as to the smoothness of oil.
- 17 It is a token of good health when the menstrual blood is red like a hare's blood or like the shine of red lac and when its colour stains can be removed.
- 18 Metrorrhagia or abnormal uterine bleeding is diagnosed when there is either excessive bleeding, untimely or irregular bleeding or when symptoms are the opposite of what occurs in a normal menstrual cycle.
- 19 Excessive uterine bleeding is always accompanied by aching limbs and with pain. In case blood loss is extremely abundant, symptoms may be weakness, (bhramamūrcchā), fatigue,...
- 20 ... fever, lamenting pain, anaemia*, tiredness and others signs of disturbance of Vāta. A minor concomitant disease may easily set in motion (taruṇyā).
- 21cd Because these afflictions have a recurrent character, the woman becomes amenorrhoeic.
- 22 In such a case a diet is indicated including meat, Kulattha-pulses, sour Tila-seeds, Māṣa-beans and whine and for drinks (cow)urine, whey and sour curd.
- 23 In case of thin or scanty menses with features that cannot be treated with drugs, other measures indicated in case of uterine metrorrhagia must be taken.
- 29 eṣūttarottaraṃ vidyādāyurārogyameva ca ||
prajāsaubhāgyamaiśvaryaṃ balaṃ ca divaseṣu vai ||
- 30 ataḥ paraṃ pañcamyāṃ saptamyāṃ navamyāmekādaśyāṃ ca
strikāmaḥ; trayodaśīprabhṛtayo nindyāḥ ||
- 33 When the four ingredients for the embryo are combined, i.e. the right womb to grow in, the right seed to descend from, the propitious life juices to be fed upon and a lucky constellation of stars, according to age-old tradition, the newborn will grow into a child of unshakeable health.

- 34 Conceived and developed in this way, they become beautiful, of noble character and they live a long life. Although, beings sons, they have obligations to fulfil towards their parents, they can take care of these and thus honourably discharge themselves.
- 35 On the one hand there those who claim that it is the Tejas-element which lies at the base of the different types of complexions, on the other there are those who say that it is the colour of the food the mother eats while pregnant that dictates the complexion. The normal complexion of the foetus therefore is fair. But when earth (as a source of food) is the main determining element, complexion will shift to dark. When a mix of earth and sky are the main elements (in the food), it turns towards the dark bluish. By analogy, some say it is the colour of the food the woman eats while pregnant that fixes the complexion of her offspring. There are arguments in favour of both theories. In so far as in dark, yellow and white (*kṛṣṇapītasvetāsu*) earths (*bhūmiṣu*) snakes, trees, and so on (*sarppavṛścikagalagoṇādayaḥ*) are essential elements (*satvāḥ*), they are black, yellow and white (*kṛṣṇapītasveta*). (uncertain hence in italics) When the Tejas-principle fails, the child is born blind. Similarly, when penetration into the blood of this disturbance results in a newborn with blood-shot red eyes; penetration into the phlegm makes for a pale-eyed newborn; penetration into the bile makes for a yellow-eyed baby; penetration into the wind results in a child with eyes that have poor vision.
- 36 Here are some more verses.
- 36a He whose eyes are entered by a pure wind
- 36bj will have oblong downcast eyes, dark or bright.
- 36c When bile with phlegm both are present unsullied in a man's eye
- 36d then in that man's eye the yellow, green and reddish-brown will all light up together.
- 36e when phlegm has shaken off all kinds of bodily secretions from someone's eyes,
- 36f then both irises of that person will light up brightly

shining.

- 36g Whenever blood with phlegm move around in a someone's eyes,
 36h he will appear to have either bluish-dark or blood-shot pupils.
 36i Just as a lump of ghee melts when placed near a fire,¹⁶⁹
 36j so a woman's propensity to ovulate glides into receptivity in contact with a man.
 37 When sperm is divided in the uterus by the wind into two beings, twins are born conditioned by the former good and evil deeds.
 37.1 When in the mixture there is an excess of male sperm, a fertile woman will create two male children*.
 37.2 whereas when there is an excess of female semen then similarly the woman engenders two girls. But there is no certainty.*
 37.3 A child born from a man who has but a poor sperm to give his wife is called āsevyah (impotent).*
 38cd When a man has a fellatio he does not have to doubt his penis will get up erect.*
 38 A boy born from a father with poor sperm becomes an āsekya.
 39 He who is born in a sordid vagina is commonly known as a Saugandhika. Such a person becomes aroused only after smelling a vagina or a scrotum. *
 40 When a man first had same-sex anal coitus because of a period of sexual abstinence from women and then turns towards his regular partners* again, he should be known as a Kumbhika. And now get it right about what an īrṣyakaṃ is:
 41 somebody who has to watch sexual intercourse of others before being able to his own sexual activities should be known as an īrṣyakaḥ.* He who turns towards copulation**
 42 during the fertile days of the cycle* but out of pure sexual ignorance ejaculates on the breasts of his virgin wife** will create boys who also exhibit feminine character traits.
 42 see 3.2.41

169 Cf. the attempt by Das (2003: 222–241) to identify the *Suśrutasaṃhitā*'s descriptions with the physical processes involved as known to Modern Establishment Medicine, and also the self-contradictions in the ancient āyurvedic medical models.

- 43 If a woman in her fertile days* throws herself at the feet of males around her and she begets a girl, she will also have character traits of a man. ***
- 44 Men who do produce sperm but have a pathology can be identified as āsekya, Sugandhi, Kumbhika or īrṣyaka. Men who do not produce any sperm are called saṇḍha.*
- 45 The sperm ducts that lead the sperm in both groups of men should be (viprakṛtyā) of these (teṣām) (?). This will help instore a slow evolution towards satisfactory erections.
- 46 It is to be expected that what the mother eats will reflect in how children behave both in the uterus and after birth.*
- 47 Now when two women are having sex and somehow succeed in making fit both their sperm contributions then a boneless being is born.
- 48 A woman could even get carried away and reach an orgasm in a dream following her ritual bath. The Vāyu then transporting her fertilized egg into the uterus, results in her belly ...
- 49 ... showing the obvious signs of pregnancy month by month in the pregnant lady.
- 50 In addition, it should be known that monster-like creatures looking like serpents, scorpions and pumpkin-gourd shaped foetus, are born frequently from the womb as a consequence of sins committed.
- 51 When a pregnant woman's wishes are not respected due to a deranged condition of the Vāta, the child stands in danger of being born a humpback or (kūnipaṅgur) or dumb,
- 52 and when the parents are atheistic or due to the aggravation of Vāyu are under the effect of misdeeds in former lives, the newborn may develop malformations.
- 53 Due to the scantiness of bodily excretions, itself due to a disabling of Vāyu with respect to processing of food, the foetus, whilst in the womb, produces (almost)* no urine nor stools,
- 54 and because of this dwindling away of the Vāyu in mouth and throat, in the bowels and especially in the small intestine, these all get wrapped up in phlegm resulting in impediment of intestinal transit; moreover the foetus does not weep all

the time ...*

- 55 Furthermore, the ups-and-downs of the foetal respiratory movements during its sleep are coordinated with the ups-and-downs of the respiratory movements of the mother.
- 56 The adjustment of the limbs of the body to its bodily constraints, both the appearance and the falling out of teeth, the disappearance of hair from the palms of hands and soles, all of this follows intrinsic laws of nature.
- 57 Men who have uninterruptedly entered one previous existence after another and who have a vast understanding of the scriptures, do remember their own previous births.
- This was the second chapter of the śārīrasthāna.

Śārīrasthāna 3: On Conception and the Development of the Embryo

First draft, by Jan Gerris, 2023-12-19.

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002.¹⁷⁰ Das (2003: ch 8) also studied topics of this chapter.

Translation

- 1 We are now about to begin to explain how the embryo is conceived, nestles and develops* once it arrives in the body.
- 3 Sperm from the male absorbs heat whereas eggs from the female release heat. With respect to this aspect, the way the different basic elements of matter behave depends on how the elements specifically react with one another and how they form bonds with one another.
- 4 The wind aggravates the heat caused by the bodily frictions during sexual intercourse between husband and wife. Hence heat and wind colligate and displace the sperm towards the

¹⁷⁰ [HIML](#): IA, 247–247.

vagina. There it gets combined with the female element, thanks to the matrimonial fusion of agni and saumya, and is confined towards the uterus, its new realm where it is respectfully known by many names and synonymous descriptions such as he who touches, smells, looks and sees, hears, tastes, as the animating principle of all living beings, as he who wanders, observes and witnesses, the creator, he who remains incomprehensible even though eternal. So it claimed. Because of the connection with the divine, the conceptus subsequently makes its entry into the reproductive organs, where it remains exempt from decay, imperishable and to be meditated upon, the soul of all beings that exist, marked by the concomitance of the three states-of-mind, the sattvic, the rajasic and the tamasic, and of the different Devas and Asuras, enraptured as it is by Vāyu.

- 5 When there is an excess of male sperm, boys originate. When there is an excess of the female element, girls. And when there is a balance between both, the sex of the child remains unclear.*
- 6 A boy is conceived when on the first day of the period of twelve days of the cycle* the desire for sexual intercourse is not endlessly postponed. It should not be disregarded that a woman who is definitely pregnant may suffer a miscarriage; a second pregnancy can miscarry as well and even in a third gestation, the body can be incomplete either in form or in number of limbs, and both the strength and the life expectancy can be limited. This is the reason why one should avoid three-nightly intervals. There are also patients who do not exhibit produce menstrual periods or have no sperm production and who do not return to normality.* For that reason, if sperm production has to be observed, a man should avoid the habit of three-nightly advances. In such cases, even after having observed there periods of twelve nights, yet there is no ovulation proper.** Some state that these are amenorrhoeic.***
- 7 Here are some more verses.
- 8 Lacking
- 9 As surely as by rule of nature the night-lotus folds its

- leaves, so truly a woman's yoni by law of nature is also closing*.
- 9A The face of a woman becomes swollen, lively and because of transudation moist like that of an elephant, she longs for intimate contact with a man, talks sweetly, her belly drooping and her head let down/uncared for,...
- 9B ... her arms, breasts, hips, loins, thighs, her abdomen around the navel, her bottom and buttocks, all are trembling. And she experiences intense happiness and satisfaction, you can tell her a woman after her courses.
- 10 The Vāyu then guides the menstrual discharge that comes after being heaped up for a month through the two channels towards the opening of the yoni.
- 11 Menstruation becomes a regular feat from twelve years onwards and owing to the natural decay of functions it ends from about fifty years onwards.
- 12 So, if a man desires children, he should have intercourse with his wife during the fertile period of the cycle* and for that particular purpose he should visit her on even days in order to beget a boy and on uneven days for a girl.**
- 13 In this context, fatigue, lassitude, thirst, a feeling of exhaustion in the thighs, flatulence, an arrest of the menses - and of sperm from the yoni* - with a sensation of shaking heat all suggest that a pregnancy has been obtained very recently.
- 14 Here are some more verses. It is claimed that a typical early sign of pregnancy is the nipples turning darker*, the appearance, on the midline of the abdomen, of a coloured stripe, (resembling hair)** and sudden vomiting.
- 15 Lacking
- 16 From the very beginning of pregnancy the woman should avoid sexual intercourse, exertion, excessive exercise, sleeping by day and waking at night, being terrified, sitting for too long in one position, being all alone, Sneha-krama and other treatments as well as blood-letting at an inappropriate time.
- 17 Lacking
- 18 So then, in the first month a kalala arises. In the second

month a ghana develops that has arisen thanks to blood, ritual oblations and by wind and has become mature with the five essential elements. If there is a lump-like structure, it will be a male. If the structure is oblong or peśī, a girl; if there is a bud-shaped structure or arbuda, an individual with undifferentiated external sexual features.* In the third month five protrusions (of hands, feet and head) result from the process of development. All limbs and all minor body parts become distinguishable (though still) very minute. In the fourth month all limbs and minor body parts become manifest. In the fifth month all limbs and minor body parts become even more individualized. Owing to the formation of an individualized fetal heart, consciousness becomes a distinct separate constituent which is why during the fourth month, that foetus, from the appearance of that organ onwards, forms desires from (all five) objects of sense. Henceforth the lady becomes the double-hearted (or pregnant) one and she makes her desires known. The two-hearted/pregnant one, (if) disrespected, causes a child to be born who is
(kukukūṇiṣṇaṇṇm), dwarfish, with eye defects, blind, (vānārīsutam). That on which account she desires (something) is also that by means of which she can be gratified. Having obtained (to be) pregnant, she causes a son to be born who is really strong and has a long life expectancy.

- 19 And here are some more verses. Indeed that pregnant woman desires (bhoktum) the objects of the senses during the course (of her pregnancy); for fear of injury to the foetus a physician, after having fetched these things, should give any desired object.
- 20 She should give birth to a son endowed with virtues; if the pregnant woman does not obtain (what she desires), he (the foetus?) (or she, the woman?) also becomes equally insecure him-/her-self.
- 21 With respect to all those desires of the senses in which the pregnant mother was slighted, she will give birth to a son who is defective in each of all those same corresponding

- senses.
- 22 A king in an interview with whom a woman during her pregnancy wins and she gives birth to a son who is wealthy and is highly fortunate.*
 - 23 A pregnant woman, dressed in fine cloth, wearing silk and other things, gives birth to a charming son decorated (alaṅkā) reṣiṇaṃ
 - 24 If (she goes) to a hermitage, she brings forth someone who is self-restrained and a stone-pillar of religion, resembling a godhead and begotten in the utmost happiness. Upon seeing someone in a high position designed by birth, she gives birth to a stone-pillar of violence.
 - 25 If she feels like eating the flesh of an Iguana (she produces) a son who is drowsy and who has the nature of a killer; by means of beef meat a son who is wild and who is powerful because he is savage in everything.
 - 26 When from the pregnant woman (there is a wish for meat of) buffalo a son is produced who has fearful red-eyes and who looks shaggy.
 - 27 Lacking
 - 28 Hence, she who during her pregnancy considers what people eat, wishes for her offspring the same via the food habits of the body.
 - 29 And that which has yet to happen again when the child is growing up, should be such that through divine intervention the pregnant woman should produce it during her pregnancy.
 - 30 In the fifth (month of pregnancy) the mind becomes more and more awakened; in the sixth intelligence (becomes awakened); in the seventh all the limbs and smaller body parts (are in place); if in the eighth (month) the ojas is not stable in that case the child does not live* - he is provided with a share (of it) by the demons- so then strong excellent meat should be provided to him; if he is not yet caused to be born in the ninth, tenth, eleventh or twelfth (month), then there is something wrong.
 - 31 Furthermore, the umbilical cord is securely fastened to both juice-carrying vessels of the mother and carries the power (energy?) of the essential juice coming from the food of

the mother and what causes (the baby) to live is the distribution of the life juice,* over all the body parts of the not yet (existing) newborn, from the beginning of conception (?) (niḥṣekān), and over (all) the transportation channels, running in all directions because of that intimate connection of the vessels.

- 32 Mainly, the developments of the foetus are: śaunakasays says that the head develops first because it is at the basis of this (development). Kṛtavīryasaysit states is the heart (which is at the base) of both intellect and mind. Pārāsa's son maintains instead that (it is) (deraha?-) of the body. Mārkkandeya presumes that hands and feet are first because they are at the basis of movement in the body of the foetus. Subhūti Gautama claims all the limbs and their smaller subparts develop because of their development because the development of all the moving limbs is irretrievably connected, all turned into one and the same direction (of the thorax) together. At the time of early pregnancy, due to their extreme minuteness, they cannot be perceived, like sprouts of bamboo or seeds of mango. Thus, in the manner mango fruits becomes ripe, or as the shine of the hair of the head, or the way marrow appears in bones, step by step these things are seen more accurately, e.g. as an increase of black colour, and they become gradually apparent as the body (takes shape). Due to their feature of being so subtle, the minuteness of the hair of the head (and other examples) makes the black become apparent in this way; just so the growth of bamboo is also explained. Similarly in the beginning of a pregnancy, precisely because of the minuteness in all limbs and smaller body parts which are present, these are not well perceived (but) because of their increasing degree of blackness they become apparent.
- 33 It is claimed (that this) is not the consequence of any previous or any (bad or) excellent fate but solely because of the minuteness they* are not being observed. In that context we shall explain features in the body that are paternal, maternal, connected with rasa, related to the soul, linked to the quietude of mind and relative to the

essence of being.** Keeping this in mind, the hair of the head, tears, teeth, nails, the hair of beard and moustache, things made of hard substance (cartilage?)* are brought about as paternal (elements). Muscle, blood, fat, marrow, the heart, the umbilicus (= the placenta?)****, the liver, the spleen, the intestines, the anus are brought about as the soft maternal (elements). The increase in size of the body, the growth of the child and (its) outward appearance, the gain and loss of its erect attitude are caused by the *rasa*. The senses, consciousness, duration of life and the intensity of pleasure and pain are related to the spiritual element. We shall discuss later the *satva*-related things. Valour, healthfulness, strength, complexion and prudence depend on the existential disposition.**

- 34 In this context a woman in whose right breast milk appears first,* (whose) right flank is the larger one and leg shall be lifted first on the right side, and who is occupied for the largest part during pregnancy with things that are identified by male names, and in her sleep receives lotuses, blue lotus blossoms, Kumud-flowers, *āmṛāmrātaka*** -flowers and so on, or precisely with male names, and who has an enhanced facial complexion, it is proclaimed to be likely (*bhāvetām?*) (that) it will lead to the birth of that son. In case of the opposite of this (it will lead to) a girl. She whose both sides are bent down and (whose) aforementioned belly is bulging forward, the typical feature from this knowledge is a sexless individual. She whose abdomen is sunk in the middle will produce (prābhūtaṃ?) twins .
- 35 And here is (more). Women who sit down to the gods and Brahmins, have the advantage of a ceremonially pure offspring. They produce children with great qualities. In the opposite case however, they have no qualities.
- 36 The development of the limbs and the smaller anatomical parts progresses precisely all according to its own nature. The development of these limbs and the smaller anatomical parts is dependent upon the qualities and conditions which could not be known of the foetus by religion and could not

be caused by religion.*

This is the third chapter of the śarīra.

Cikitsāsthāna

Cikitsāsthāna 4: On the Treatment of Wind Diseases

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002.¹⁷¹

Translation

- 1 Now we shall describe the treatment of wind diseases.
- 2
- 3 When the wind enters the stomach and one vomits as a result, one should sequentially administer the six-bearing (षड्वरण) remedy with cool water for seven nights.¹⁷²
- 4 The remedy constituting of [leadwort](#), ??, [velvet-leaf](#), [kutki](#), [Himalayan monkshood](#), and [myrobalan](#) cures serious diseases and is called the six-bearing (षड्वरण).
- 5 When the wind has entered the abdomen (पक्काशय), one should treat it with evacuation of the bowels (विरेचन) using an unctuous substance. One should also treat it with cleansing enemas and excessively salty foods.¹⁷³

¹⁷¹ [HIML](#): IA, 265–266.

¹⁷² The vulgate has the reading छर्दयित्वा which means “after making [him] vomit”. Thus, vomiting is a part of the treatment. Whereas in the H manuscript, vomiting is the symptom of the ailment that needs to be cured.

¹⁷³ In H, the reading प्रासाः should be read as प्रासाः for it to mean “foods”. Otherwise, प्रासाः means “throwing/discharging” or “darts/spears”.

This is a change we should make in the edition.

You need not give all the grammatical details about śrotādi. Assume you are talking to knowledgeable Sanskrit scholars.

- 6 Once the wind has entered the lower belly, a cleansing enema is recommended. And, on the wind having entered the ears, etc., the wind-slayer sequence should be executed.¹⁷⁴
- 7 On the wind having entered the skin, flesh, and blood, one should rub oil on the body (अभ्यङ्ग), apply a poultice on the body (उपनाह), massage the body (मर्दन), smear ointments on the body (आलेपन), and do blood-letting (असृग्विमोक्षण).
- 8 On the wind having entered the ligaments, joints, and bones, the wise [physician] should employ the application of an unctuous poultice (स्नेहोपनाह), cauterization (अग्निकर्म), binding (बन्धन), and massage.
- 9 On the wind being concealed within the bones, it (wind) should be beaten by churning those body parts with hands. A strong physician should then insert a narrow tube within the bone and suck out the wind completely from the bone.¹⁷⁵
- 10 On the wind having entered the semen, one should perform the treatment for the defects of the semen.¹⁷⁶
- 11 The intelligent physician should conquer the wind situated within the whole body by immersion, *kuṭī*, *karṣa*, *prastara*, oil massage, enema, and blood-letting.¹⁷⁷ Or, in case of wind situated in one part of the body and

174 In the H manuscript reading "श्रोतादि...", there appears to be a double sandhi. See *Nidānasthāna* Ch. 1 verse 12 for another example of double sandhi. Furthermore, the syllable in H after "चानिल" is not clear. It could be "ह्व" or "हा" or perhaps something else. The reading in the vulgate for this syllable is "हा". Thus, the complete word becomes "अनिलहा" which means "the slayer of wind". This makes proper sense in this verse. We have considered this reading ("अनिलहा") for our translation.

175 The H manuscript has the reading अस्थिनि which is the accusative plural form of अस्थि. The accusative case does not make sense here. The vulgate has the reading अस्थि, the locative singular form of अस्थि. This reading makes proper sense in the verse. Therefore, we have accepted the vulgate reading अस्थि for translating this verse.

176 Ḍaḥaṇa comments (*Su* 1938: 421) that this treatment for the defects of the semen is mentioned [earlier] as the शुक्रशोणितशुद्धि, the purification of the semen and the blood. This is the *Śārīrasthāna* Ch. 2, शुक्रशोणितविशुद्धि. The second hemistich of this verse is not a part of this sentence but is a part of the sentence in the next verse. That is because the remedies described in this hemistich are appropriate for the disease described in the first hemistich of the next verse.

177 In H, the last syllable नि of the compound word does not make sense. The vulgate has the compound word ending with भि: which makes proper sense. For making a meaningful translation, we have accepted the vulgate reading here. Furthermore, Ḍaḥaṇa describes the treatments *kuṭī*, *karṣū*, and *prastara* in his commentary in (*Su* 1938: 421). Regarding blood-letting, he comments there that because the verse has the plural form

- contained within it, the intelligent physician should cure it with horns.
- 12 On the wind having mingled with phlegm, bile, and blood, the physician should treat it with non-hostile remedies. However, on the wind being inactive, the physician should perform blood-letting many times.
- 13 [On the wind being inactive], one should also lick the milk of the *pan-camūlī* accompanied with salt and ??¹⁷⁸ mixed with oil, and one should indeed consume meat soup made sour with fruit.¹⁷⁹
- 14-15 Or, one should consume cereal soup with a good amount of ghee, or the food that is beneficial and that curtails the wind. However, *cottony jujube*, etc.¹⁸⁰ with a wind-removing remedy combined with all sour substances and with the meat from a water body along with lots of unction, lukewarm¹⁸¹ and salty, is well known as *Sālvala*.
- 16ab For patients with diseases of the wind, one should always apply this (*sālvala*) as a poultice.
- 16cd-18ab Whether a body part has become contracted or bent, is troubled by a [wind] disease, or has become numb, one should tightly bind it with a long strap made of tree bark, cloth, or wool [after applying the *sālvala* poultice]. Or, after massaging the affected body part and applying the *sālvala*¹⁸² poultice on it, one should insert it into a sack made of the hide of a cat, mongoose, *udra*¹⁸³, or deer.
- 18cd-19 Vomiting and *nasya* done under the supervision of an expert physician alleviates the wind that has entered the chest, loins, shoulders, or the nape of the neck. *Śirobasti* and blood-letting alleviate the wind situated in the head.
- 20-21ab In that (*śirobasti*), the oil should be held carefully for a duration of one thousand *mātrās*. Enema (बस्ति) alone curtails the wind that is situated throughout the whole body or in one part. This is just as the wind [curtails] its force.¹⁸⁴

सिरामोक्षैः, five blood vessels have to be drained of blood if the wind is not pacified by oil massage, etc.

178 *Āgāradhūma* seems to be a plant as seen in Monier Williams' Sanskrit dictionary.

179 The vulgate reading दिह्यात् (should apply) totally changes the meaning.

180 For grammatical accuracy, there needs to be a *visarga* at the end of the word काकोल्यादि.

181 Perhaps सुखोष्णम् is an indeclinable. But, it could also be a grammatical inaccuracy where it should have a *visarga* at the end: सुखोष्णः.

182 This seems to be the correct spelling as against the unclarity in the earlier verses.

183 some aquatic animal

184 The last four words in H, तस्य वेगम् इवानिलः do not make sense in the context.

Perhaps
kalka here
could also
mean the
Terminalia
Bellerica
(विभीतक).

- 21cd-26 Oils, perspiration, oil massage, enema, unctuous purging of the bowels, *śirobasti*, oiling the head, unctuous smoke, gargling with lukewarm water, *nasya*, unctuous paste, milks, meats¹⁸⁵, soups, oils¹⁸⁶, any unctuous substance, unctuous and salty meals that are made sour by fruits, bathing with lukewarm water, massages, saffron, ??, *cassia cinnamon*, *costus*, *cardamom*, *crape jasmine*, garments made of silk, wool, and fur, soft cotton garments, inner rooms with sunlight, no wind flow, and a soft bed, taking the warmth of fire, and celibacy, etc. are to be collectively employed for patients with wind diseases.
- 27 One should take *akṣa* quantities of unguent pastes¹⁸⁷ of *turpeth*,¹⁸⁸ ??, ??, ??, ??, and *embelia*, a *Bengal quince* fruit equivalent measure of ??-root and ??, two *pātra* quantities of both *triphalā*-decoction¹⁸⁹ and yogurt, and one *pātra* measure of ghee.¹⁹⁰ One should mix these ingredients all at once and cook the mixture properly. This (resultant) is ??-ghee. Unctuous purging of bowels is prescribed for treating wind disorders.¹⁹¹ This procedure of making ??-ghee should also be referred for making *Asoka tree*-ghee and ??-ghee.¹⁹²
- 28 One should collect the wooden logs of the instruments that have been used for a long time for extracting oil from sesame seeds. One should then have them chopped into very tiny pieces and then pound those pieces. Next, one should put them in a big vessel, submerge them in water, and boil them. Thereafter, one should collect the oil from the surface of the water with a goblet or by hand. Thereafter, one should properly cook wind-alleviating herbs with this oil that was effectively

185 The plural indicates milk and meat from various animals.

186 This is the second occurrence of the word *सेहा*: in this sentence. This seems to be an anomaly.

187 कल्क also means an unguent paste. Refer to Apte's dictionary.

188 In H, perhaps it should have been त्रिवृद् instead of तृवृत्.

189 त्रिफलारस is here taken to mean a decoction of *triphalā*.

190 The exact measurements of *akṣa* and *pātra* are given in Ḍalhaṇa's commentary in *Su 1938*: 422.

191 It should be understood here that the unctuous substance to be used for purging the bowels is the ??-ghee.

192 अशोक and रम्यक are the Ashoka and Chinaberry respectively.

cooked.¹⁹³ This is the *anutaila* (अनुतैल)¹⁹⁴ that is mentioned in wind disorders. It is called *anutaila* because it is produced from tiny oily objects.¹⁹⁵

- 29 Alternatively, one should burn a great amount of ??-wood on the ground for one night. When the fire gets extinguished the ash should be removed. Then, the ground that is relieved of the fire should be soaked with a hundred pots of oil cooked with ??, ??, and other herbs, and left in that condition for one night. Thereafter, one should take all the earth that is oily¹⁹⁶ in a big vessel and totally cover it with water.¹⁹⁷ The oil that rises up in that vessel should be taken out with both hands and kept nicely covered. Thereafter, one should properly cook that oil for as long as possible¹⁹⁸ with one thousand parts of each of the following—a decoction of wind-alleviating herbs, meat soup, milk, and *kāñjika*¹⁹⁹—and thus prepare the *sahasra-pāka* (that which is cooked with thousands). The admixture added to the oil contains the *hemavata* herbs²⁰⁰, herbs of the southern region, *Withania*, and other wind-alleviating herbs.

While the oil is being cooked, conchshells should be blown loudly, umbrellas should be held, huge drums should be resounded, and whisk fans should be waved.²⁰¹ Thereafter, the perfectly cooked oil should be poured into a golden or silver pot and stored. This *sahasra-pāka* is the oil possessing undiminishing potency and is fit for

193 In H, the word दन्तप्रतीवायं in the compound word वातघ्नौषधदन्तप्रतीवायं does not appear to make sense. Perhaps the syllable य should be प, thus making the word प्रतीवापं that refers to an admixture of substances to medicines either during or after decoction. Refer to Monier-Williams's Sanskrit dictionary.

194 The न् should be read ण्.

195 The word अनु in the compound word अनुतैलद्रव्येभ्यः should be read अणु.

196 In H, the word यावन् should have been यावान्.

197 The reading in H, कटाहेभ्यः सिंचेत्, does not make sense here. Thus, we have accepted the vulgate reading कटाहे ऽभ्यासिंचेत् for the translation.

198 The phrase "यावता कालेन शक्नुयात् पक्नुम्" appears as a part of a new sentence in H. But, we should take it to be a part of the earlier sentence for it to make proper sense.

199 Ḍalhaṇa comments (Su 1938: 423) that the word अम्ल here means काञ्जिक which is the water drained after boiling rice and is a little fermented. Refer Monier Willams's Sanskrit Dictionary.

200 The word should be हैमवताः as in the vulgate. It means "the herbs of the snowy mountains". Ḍalhaṇa comments (Su 1938: 423) that हैमवताः refers to the herbs that grow in the northern region.

201 These activities are a symbolic way of showing reverence.

kings.

Thus, that which is cooked with a thousand parts is called *sahasra-pāka*.

- 30 One should collect fresh leaves of *castor oil tree*, ??, ??, *weaver's beam tree*, *Indian beech*, ??, and *leadwort*.²⁰² These leaves should be completely pounded along with salt in a mortar. This mixture should be put in a pot filled with oil²⁰³. It (pot) should be smeared²⁰⁴ with cow-dung. Thereafter, the pot should be heated.²⁰⁵ This (resultant) is the *patra-lavaṇa* (leaf-salt) that is mentioned in wind disorders.

- 31 In the same way, one should pound the stalks of ?? and eggplants smeared with salt and fill a pot with it.²⁰⁶ In that pot, one should add ghee, oil, fat, and marrow. Then, one should smear it²⁰⁷ and heat it as earlier. This (resultant) is the *sneha-lavaṇa* (fat-salt) that is mentioned in wind disorders.

- 32 One should collect the fresh fruits, roots, leaves, and branches of all the twenty [herbs]: ??, *flame-of-the-forest*, *Tellicherry bark*, *Bengal quince*, *purple calotropis*, ??, ??, ??, ??, ??, ??, ??, ??, ??, ??, *Indian beech*, ??, *poison berry*, ??, *marking-nut tree*, *Asoka tree*, ??. One should then mix them with salt and heat them as earlier.²⁰⁸ The oil on top should be poured out completely with the salty mixture intact [at the bottom]. This mixture should be cooked thoroughly. The admixture added to it consists of *long pepper*, etc. This (resultant) is the salt called *kalyāṇaka* that is mentioned in wind disorders and in meals and drinks for the patients troubled by *plīhāgnisaṃga*, indigestion, loss of appetite, and piles.

Thus ends the fourth chapter on the treatment of wind diseases.

202 In H, the ending नाम् should be णाम् due to sandhi.

203 सेहघट can also mean a pot filled with ghee

204 The H or vulgate do not specify with words that it is the pot to be smeared. But, it is to be understood.

205 The word दाहयेत् usually refers to burning, but sometimes it can refer to heating.

206 In H, there should be a *visarga* after लवणा.

207 As earlier, the pot should be smeared with cow-dung.

208 It is to be understood that all these fresh branches, leaves, fruits, and roots of the herbs should be completely pounded together with salt. The mixture should then be put into a pot filled with oil or ghee. The pot should be smeared with cow-dung and then heated.

Cikitsāsthāna 5: On the Treatment of Serious Wind Diseases

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002.²⁰⁹

Translation

- 1 Now we shall describe the treatment of serious wind diseases.
- 2
- 3 One group says that the blood afflicted by wind (wind-blood) (*vāta-rakta*) is of two types: spreading out over a surface (उत्तान) and deep (अवगाढ).²¹⁰ However, this is not correct.²¹¹ Why? Just as leprosy, after spreading over a surface it (afflicted blood) becomes deeply situated. Therefore, its being of two different types is refuted.
- 4 When the wind is aggravated by fighting a strong person, etc.²¹², one's corrupted blood caused by eating heavy or hot food before the last meal is digested blocks the path of the aggravated wind. It then combines with the wind and simultaneously creates pain due to the wind-blood.

²⁰⁹ [HIML](#): IA, 266.

²¹⁰ Ḍalhaṇa comments ([Su 1938](#): 424) that उत्तान refers to being situated in the skin and flesh, and अवगाढ refers to being situated internally.

²¹¹ In H, the word तन् should be तत्.

²¹² These factors that aggravate the wind are mentioned in *Nidānasthāna*, Ch. 12, text 6.

This [condition] is called wind-blood (*vāta-śoṇita*). At first, it is situated in the hands and feet.²¹³ Later, it spreads throughout the body. Its early forms are pricking pain, burning, itching, ulcer, trembling²¹⁴, roughness of the skin, pulsation in the blood vessels, tendons, and tubular vessels²¹⁵, weakness of the thighs, as well as the sudden appearance of dark brown, tawny, or red spots on the soles of the feet, fingers, ankles, and wrists. The disease becomes fully manifest in the person who does not undertake the means to revert the disease or applies a wrong treatment. Its symptoms have been mentioned. Among them, weakness occurs for the one who does not counter the disease.

- 5 Generally, wind-blood occurs in those who are very delicate, those who eat the wrong foods and enjoy improperly, those who are fat, and even in those who indulge in pleasure.
- 6 In that regard, one should treat the patient who is not degenerating due to wasting of life air, thirst, fever, unconsciousness, dyspnea, trembling, and loss of appetite, is not oppressed by the contraction [of limbs], is strong, composed, and has the means.
- 7 In the treatment, at the beginning itself one should do blood-letting of the wind-affected body part little by little and more than once. That (slow blood-letting) is because of the danger of further aggravation of wind. One should avoid doing blood-letting of the part hardened or weakened by excessive wind.²¹⁶ Thereafter, one should make the patient do the remedies of vomiting, etc. If the wind that is mixed [with blood] or separated is very aggravated then one should make him consume aged ghee or goat-milk. Or, [one can give him] half a measure of oil added with an *akṣa* of liquorice and cooked with hare foot uraria²¹⁷, or the oil that is sweetened by sugar and honey and cooked with dried ginger and bulrush. Or, one should boil milk with an eight times volume of the decoction of the following herbs: beautyberry, grey orchid, ??, hare foot uraria²¹⁸, ??, wild asparagus, ??, and ??. This milk should then be used to cook oil with the admixture of pastes of ??, ??,

213 In H, the word तन् should be तत्.

214 In H, there should not have been the स् after स्तम्भ.

215 In addition to blood vessels, it would also include the nerves.

216 In H, the reading अम्लान does not make sense given the context. Therefore, we have accepted the vulgate reading म्लान for the translation.

217 Ḍalhaṇa glosses (Su 1938: 425) *śṛgālavinnā* as *prśniparṇī*.

218 According to Ḍalhaṇa, *śṛgālavinnā* is *prśniparṇī*.

??, ??, deodar, sweet flag, and ??. This (resultant) should be utilised in drinks, etc. Or, one should use the oil that is cooked with a decoction of wild asparagus, prickly chaff-flower²¹⁹, ??, liquorice, giant potato, heart-leaf sida, country mallow, and ??²²⁰, with the admixture of cottony jujube, etc. Or, one should use the heart-leaf sida-oil that is cooked as *śatapāka*.²²¹ Or, [the affected body part] should be moistened with milk that is boiled with the roots of wind-alleviating herbs, or it should be moistened with sour things.²²² In that regard, five remedies prepared with milk are described. For preparing a poultice, milk should be cooked in ghee, oil, fat, marrow, and *dugdha*²²³ separately with each of these powdered grains or pulses—barley, wheat, sesame, mung beans, or green gram—that is mixed with unctuous pastes of cottony jujube, purple roscoe, ??, ??, heart-leaf sida, country mallow, hare foot uraria²²⁴, ??, ??, sugar, bulrush²²⁵, ??, and sweet flag. Or, the essence of unctuous fruits²²⁶ can be used as a poultice. Or, a *veśavāra*²²⁷ prepared from the flesh of a fat *cilicima* fish²²⁸ can be used instead. Or, [one

219 Ḍalhaṇa glosses (Su 1938: 425) *mayūraka* as *apāmārga*.

220 Ḍalhaṇa comments (Su 1938: 425) that *halfa grass*, ??, ??, ??, ??, and ?? are called *ṭṛṇa* (grass).

221 *Śatapāka* seems to be an oil that is prepared with a hundred parts of some things similar to *sahasrapāka* that is prepared with one thousand parts of some herbs. Refer *Cikitsāsthāna* Ch. 4 text 29 for the preparation of *sahasrapāka*.

222 Ḍalhaṇa comments (Su 1938: 425) that the sour things (*amla*) are ??, Indian jujube, ??-water, etc. *Surā* is some kind of liquor, *sauvīraka* is perhaps the fruit of the jujube tree, and *tuṣa* is perhaps *Terminalia Bellerica* (विभीतक).

223 In the *Suśrutasaṃhitā*, the word for milk is *kṣīra* or *payas* but not *dugdha*. Therefore, the word *dugdha* here can mean the sap of plants or something that is extracted.

224 *śṛgālavinnā*

225 For *kaśerukā*

226 Ḍalhaṇa comments (Su 1938: 425) that the unctuous fruits mentioned here are sesame, castor, flax, ??, etc.

227 In H, the reading वैशवारो does not make sense. It should have been वेशवारो, as shown in the vulgate, which is the reading we have accepted here.

Veśavāra is boneless meat minced, steamed, and added with spices, ghee, etc. Refer to 'Ayurveda Medical Dictionary' by Ranganayakulu Potturu.

Perhaps the word वैशवार is an earlier form of the word वेशवार.

228 H has the compound word नलपीनमत्स्य. नलमीन is a particular fish known as *cilicima* (चिलिचिमः). See *Amarakośa*. Also, if the name is नलमत्स्य then the word पीन (fat) within the name is not according to proper Sanskrit. But, it can be allowed because the word मत्स्य (fish), instead of being a part of the name, can be considered to mean fish in general and thus the word पीन becomes its modifier. Thus, नलपीनमत्स्य can mean "a

The webpage
https://hindi.shabd.in/vairagya-
shatakam-
bhag-
acharya-
arjun-
tiwari/post/117629
says that
this verse
belongs
to the
Nīlīratna. I
could not
find this
text.

can use] the poultice containing Bengal quince-rind²²⁹, crape jasmine, deodar, ??, grey orchid, peas, costus, ??, liquor, yogurt, and whey. Or, [one can use] the ointment prepared by mixing citron, amla²³⁰, salt, and ghee with honey and horseradish tree-root. Or else, [one can use] the unctuous sesame paste.

- 8 When the [condition of wind-blood] has a predominance of bile, the patient should be made to drink a decoction of grapes, ??-fruit, Indian ipecac, liquorice, sandalwood, and white teak. This decoction is sweetened with honey and sugar before consumption. Or, the decoction of wild asparagus, pointed gourd, cassia cinnamon, triphalā, ??, and heart-leaved moonseed should be given. [The patient should be administered] ghee that is prepared with sweet, bitter, and astringent [remedies].²³¹

[The patient] should be sprinkled with a decoction of ??, lotus stalk, ??, and ?? mixed with goat-milk²³², or with rice water that is mixed with milk, sugarcane juice, honey, and sugar, or with whey and sour rice gruel mixed with a decoction of grapes and sugarcane. Or else, [the patient] should be sprinkled with ghee that is prepared with jīvanīya²³³ or sprinkled with ghee that is purified for one hundred times. The poultice [to be applied] should be made of rice flour or of the paste of sour rice gruel mixed with ??, ??, scramberry²³⁴, ??, ??, turmeric, horned pondweed, sacred lotus, etc. The poultice should be mixed with ghee.

- 9 The [condition of wind-blood] with a predominance of blood should be

fat fish that is a नल (cilicima)".

Ḍalhaṇa says in his comment (Su 1938: 425) that नलमीन is a type of रोहित (rohita). Monier Williams says that rohita is a kind of fish: Cyprinus Rohitaka. Regarding the rohita fish, there is a subhāṣita: अगाधजलसञ्चारी न गर्व याति रोहितः | अङ्गुष्ठोदकमात्रेण शफरी फर्फरायते || This indicates that rohita is a deep water fish.

229 The word पेसिका in H should be read पेशिका.

230 Perhaps it could mean vinegar or sour curds. Refer to Monier Williams Sanskrit Dictionary.

231 Ḍalhaṇa comments (Su 1938: 425) that the sweet remedies are cottony jujube, etc., bitter remedies are pointed gourd, etc., and astringent remedies are triphalā, etc.

232 The compound word ending with कषायेण is taken to be a bahuvrīhi for अजाक्षीरेण (goat-milk).

233 Jīvanīya seems to be a group of medicinal herbs. There is an Ayurvedic preparation called jīvanīya-ghṛta. Refer to the Āyurvedīya Śabdakośa vol. 1.

234 तालीस should be read तालीश

- treated in the same way. Also, blood-letting should be done repeatedly.
- 10 However, when the [condition of wind-blood] has a predominance of phlegm, the patient should be made to consume a decoction of **emblic** and **turmeric** that is sweetened with honey, or a decoction of *triphalā*, or a paste of **liquorice**, ??, **chebulic myrobalan**, and ??. He should be made to drink **chebulic myrobalan** with water mixed with a little urine. He should be sprinkled with oil, urine, salty water, and liquor that are acidic²³⁵. Or, he should be sprinkled with a decoction of **golden shower tree**, etc.
- The patient should be massaged with ghee cooked with sour cream, urine, liquor, ??²³⁶, **liquorice**, ??²³⁷, and ??.
- The poultice should be made of either the paste of white mustard, or the paste of sesame and **Withania**, or the paste of ??²³⁸, **selu plum**, and **wood apple**, or the paste of honey, **horseradish tree**, and **hogweed**,²³⁹ or the paste of dry ginger, long pepper, black pepper,²⁴⁰ **hare foot uraria**, and **poison berry**.²⁴¹ These five poultices are prepared with salty water. Thus, they have been described.
- 11 In case of combined aggravation of two humours or simultaneous aggravation of all three humours, the stated methods of treating those aggravations should be combined.²⁴²
- 12 In all [aggravations], one should consume **chebulic myrobalan** with jaggery. Or, one should have a diet of rice cooked in milk for ten days and should drink a mixture of **long peppers** crushed in milk, with increasing by five **long peppers** each night. Then one should reduce them again by the order of five more [each night].²⁴³ In this way, one should [reduce] all the **long peppers**. This is called *Pippalīvarddhamānakam* (In-

The provisional edition should be modified accordingly.

235 Reading the word सुक्त in H as शुक्त

236 Monier Williams states Rumex Vesicarius for śuktā

237 DCS has this entry: Cryptolepsis buchananii Roem. et Schult. (Surapāla (1988), 453)
Decalepis hamiltonii Wight et Arn. (Surapāla (1988), 453)

238 According to V. S. Apte, दारु can mean देवदारु.

239 H has a short अ at the end instead of the long आ.

240 व्योषतिक्ता refers to the group of these three pungent spices. Also see *Sūtrasthāna* 14.35.

241 In H, the Sanskrit syntax does not match up with what the author is trying to say. The name of the fifth paste should also have been in the nominative case, as the other four pastes.

242 It means that the respective methods of treating the aggravation of individual humours should be combined.

243 In H, the letter अ् in भूयञ्च should have been श्.

creasing Long Peppers). It indeed cures wind-blood, intense fever,²⁴⁴ loss of appetite, jaundice, abdominal affection, piles, heavy breathing, cough, wasting disease, weak digestion, and heart disease.

The poultice is a paste of ??, sandalwood, ??, ??, wild asparagus, bul-rush,²⁴⁵ ??, ??, liquorice, ??, ??, ??, ??, heart-leaf sida, country mallow, and *Holostemma creeper* mixed with milk. Or it is a paste of white teak, liquorice, and ?? mixed with ghee and cream. Or it is olibanum cooked with milk that is mixed with ??, ??, ??, liquorice and the group of sweet herbs.

Old ghee that is cooked with emblic and chir pine and sweetened with sugar and honey is for drinking. Old ghee that is cooked with *jīvanīya* or that is cooked with a decoction of ?? is for sprinkling. Cooked heart-leaf sida oil is for sprinkling, bathing, enema, and eating²⁴⁶. One should eat food preparations made of rice, ??, barley and wheat accompanied with milk, meat soup, or mung beans soup that is not sour. Blood-letting also [should be done]. The treatments of vomiting, purging of bowels, enema, and oily enema should be conducted when the humours are highly aggravated.

13

14 There are verses in this regard.²⁴⁷

There is immediate relief by the application of remedies such as these by which the physicians cure the chronic condition of wind-blood.

15-16 *Poultice, sprinkling [oil], plaster, oil massage,²⁴⁸ spacious and comfortable rooms²⁴⁹ with no wind, soft pillows, comfortable beds, and soft massages are recommended in the condition of wind-blood.*

17 *Exercise, mating, anger, eating hot, sour, or salty foods, sleeping during the day, and food that is slimy or heavy should be avoided.*

244 Perhaps विषमज्वर could mean irregular fever.

245 H has कशेरुका.

246 Perhaps it means that one should eat foods cooked in that oil.

247 The word भवति in H should have been भवन्ति.

248 In H, the part व्यजनानिला: does not make proper sense in the verse. Emending it to व्यजनानि च could be a consideration, but fanning (व्यजन) a patient with wind-blood is not good, as understood from the recommendation that such a patient should stay in a non-windy room. Therefore, we have accepted the vulgate reading for the first half of this verse.

249 In H, read the स सरणानि as श.

- 18 One should treat the person who is affected with spasmodic contraction,²⁵⁰ who does not have droopy eyes and crooked eyebrows, whose fingers have not become rigid, who is not perspiring or trembling, who is not in a state of delirium, who is not bed-ridden,²⁵¹ and who is not restrained externally. There at the beginning itself,²⁵² after rubbing the patient with oil and making him perspire, one should treat him with a strong *avapīḍa*²⁵³ in order to clear his head. Then, the patient should be made to drink filtered ghee that is properly cooked with a decoction of *beggarweed* and other herbs, sugarcane juice, milk, and yogurt. In that way, the wind does not spread exceedingly.

Thereafter, one should gather wind-alleviating herbs such as *deodar*, etc. and other constituent parts, along with *barley*, ??, and *horse gram*, and the flesh of a freshwater aquatic creature all at one place and prepare a decoction of them. One should take this decoction and mix it properly with sour substances and milk, and then cook the *pratīvāpa*²⁵⁴ of *liquorice* in this mixture along with ghee, oil, body fat, and bone marrow. This is *trivṛt* that should be recommended in treatments of sprinkling, oil massage, applying a poultice, oral consumption, oily enema, and errhine for patients having spasmodic contractions.

The patient should then be made to sweat by the methods described earlier. If the wind is stronger then the patient should be immersed in [a vessel] filled with lukewarm fluid used for sprinkling (*trivṛt*). Or he should be kept in the hot fireplace of a blacksmith.²⁵⁵ Or else he should be made to sweat by [a mixture of] ??, *veśavāra*,²⁵⁶ and milk.

Oil cooked with the juice of *radish*, ??, ??, ??, and ?? should be used in

There, Dalhana comments that de-liberation on *avapīḍa* had been done earlier when it was mentioned. Find that description to know more details.

250 In H, the reading अपताकिनम् should have been अपतानकिनम्.

251 V. S. Apte has खट्वयति. The *Āyurvedīya Śabdakośa* has the entry खट्वापातिन् which means “one who is inclined to fall from bed.” Perhaps the reading in H has an error of the letter या which should have been पा.

252 In H, प्रागैव should have been प्रागेव.

253 The *Āyurvedīya Śabdakośa* has the entry अवपीड that means administering an oily paste through the nose. Refer *SS Cikitsāsthāna* Ch. 40 text 44 for a better understanding of *avapīḍa*.

254 It refers to an admixture of substances to medicines either during or after decoction. Refer to Monier-Williams’s Sanskrit dictionary.

255 H has the reading रथाकारचुल्लयाम् that means “fireplace shaped like a chariot”, but the vulgate reading रथकारचुल्लयाम् makes more sense here. Thus, we have accepted it.

256 Refer the above text no.7 for *veśavāra*. In H, the syllable वै should have been वे.

sprinkling, etc. for patients with spasmodic contractions.²⁵⁷ Sour yogurt mixed with **black pepper** and drunk on an empty stomach alleviates spasmodic contractions. Or else, ghee, oil, body fat, or bone marrow [can be consumed on an empty stomach].

This procedure of treatment thus described is for spasmodic contractions caused only by wind. When mixed humours cause it then the treatment should also be mixed. And when the spasms subside the patient should be given *avapīḍa*-s. One should also consider the fats of cock, crab, black fish, and porpoise.²⁵⁸ Milk prepared with wind-alleviating medicines. Gruel prepared with barley, ??, **horse gram**, **radish**, yogurt, ghee, and oil.

One should treat this recurring spasm for ten nights with oil massage, purging of bowels, enemas, and oily enemas. One should also look up the treatment of diseases caused by wind. One should also undertake preventive measures.

- 19 One should treat the paralytic (hemiplegic) patient whose limbs are not languid, who is in pain, and who is self-composed. There, at the beginning itself the patient should be massaged with oil and made to sweat. After cleansing the patient with a mild purifier,²⁵⁹ he should be administered with an oily enema and then a non-oily enema. Then at the appropriate time, he should be treated with special enemas of the brain and the head according to the method prescribed in the treatment of *ākṣepaka*.²⁶⁰ *Anutaila* should be used for massage.²⁶¹ *Sālvala* should be used for poultice.²⁶² **heart-leaf sida** oil should be used for oily enema. In this way, the unremitting patient should take the treatment for three to four months.

20

21

- 22 One should treat the patient with *ardita*²⁶³ who is strong and possesses

Search for the section where the treatment of *ākṣepaka* is described.

Make the first letter of sentence capital.

257 The word तैलम् is not present in H but is present in the vulgate. We have accepted it.

258 H has the reading रसान् which means “juices”. It seems unrealistic that juice would be extracted by crushing these whole animals. Vulgate has the reading वसाः instead of रसान् which appears to be the more probable reading. Thus, we have accepted it.

259 According to P. V. Sharma, this refers to mild evacuatives (purgatives).

260 Refer *Nidānasthāna* 1.50-51 for *ākṣepaka*.

261 For the procedure of preparing *anutaila*, refer *Cikitsāsthāna* 4.28.

262 For the procedure of preparing *sālvala*, refer *Cikitsāsthāna* 4.14-15.

263 Refer *Nidānasthāna* 1.71-72 for *ardita*.

the means with the method prescribed in treating wind diseases. The unique thing is the treatment with enemas of the brain and the head, errhine, smoke, poultice, and steam bath through tubes. Then, one should take the great five roots (*pañcamūlī*) with grass and prepare its decoction in milk mixed with twice the water. Then, the decoction with the milk remaining²⁶⁴ should be brought down [the stove] and filtered. It should then be mixed with a *prastha*²⁶⁵ of oil and again placed over fire and cooked thoroughly. Then, the oil mixed with milk should be brought down [the stove] and then churned after it cools down. This is called *kṣīrataila* that should be used in drinks, etc. for patients with *ardita*.

- 23 In the diseases of *gṛdhrasī*, *viścañcī*, *kroṣṭukaśīrṣa*, *paṅgukalāya*, lameness, *vātakāṇṭaka*, burning sensation in the foot, numbness of the foot, *avabāhuka*, deafness, and *dhamanīvāta*, one should pierce the blood vessel as described earlier and, barring the case of *avabāhuka*, one should look up the treatment for wind diseases.
- 24 However, in the case of *karṇamūla*,²⁶⁶ lukewarm juice of ??²⁶⁷ mixed with liquorice, oil, and salt should be put into the ears.²⁶⁸ Or else one can use goat urine, liquorice, and oil. Or else one can use oil that is cooked with citron, pomegranate, ?? juice, and urine.²⁶⁹ Or else one can use oil that is cooked with sour liquor, buttermilk, and urine. One should also make the patient sweat with a steam bath through tubes. One should also look up the treatment for wind diseases. More will be said later.
- 25 In the case of *tūnī* and *pratitūnī*, one should make the patient drink ghee and salt with hot water. Or else one should administer the powder of long pepper and other herbs with hot water. Or else one should make

264 It means that the water has evaporated.

265 Ḍalhana comments (Su 1938: 425) that a *prastha* is a measure of weight that is equal to 32 *pala*-s.

266 The vulgate has the reading कर्णशूले which appears to be a more credible reading according to the context.

267 शृङ्गवेर appears to be a name of ginger. Refer to the Sanskrit dictionary of Monier Williams.

268 In H, the reading रसैः does not seem to make sense here. Hence we have accepted the vulgate reading रसम्.

269 In H, the word तैल should have been तैलम् to make proper sense. The vulgate has this reading. Thus we have accepted it.

the patient drink ghee that is made thick with asafoetida and ??.²⁷⁰ One should also treat the patient with enemas.

- 26 In the case of *ādhmāna*,²⁷¹ however, one should do *avatarpaṇa*,²⁷² heating the hands, *phalavartikriyā*,²⁷³ stimulation of digestion, and [administer] digestives. One should also employ the purging of bowels and enemas. In the case of *pratyādhmāna*,²⁷⁴ one should employ vomiting, fasting, and stimulation of digestion.
- 27 In the case of *aṣṭhīlā* and *pratyāṣṭhīlā*,²⁷⁵ the procedure is that of *gulma* and internal abscess.
- 28 The beneficial asafoetida, the three pungent spices (long pepper, black pepper, and dry ginger), sweet flag, ?? grains, ??, pomegranate, ??, velvet-leaf, leadwort, ??, rock salt, ??, ??, ??, natron, long pepper root, ??, ??, ??, ?? (juniper berry), and ?? (cumin seeds) should be powdered. This powder should be mixed with a lot of citron juice. Then it should be made into pills each weighing one *akṣa*. Thereafter the patient of wind disease should consume one pill every morning. This medicine indeed cures *gulma*, rapid breathing, cough, loss of appetite, heart disease, *ādhmāna*, *pārsvodara*, *bastiśūla*, *anāhamūtra*, painful piles, *plīhodara*, and *pāṇḍuroga*. Also, this medicine is excessively used in cases of *tūnī* and *pratitūnī*.
- 29 There are verses in this regard.

The wind that has entered into the body tissues should be correctly understood as either pure or vitiated by humours²⁷⁶ and should be

270 यवक्षार is an alkali prepared from the ashes of burnt green barleycorns. Refer to the Sanskrit dictionary of Monier Williams.

271 Refer to *Nidānasthāna* 1.88. V. S. Apte explains it as “swelling of the belly”. P.V. Sharma has translated it as flatulence.

272 We are unclear about its meaning. The vulgate has the reading अपतर्पण that means fasting.

273 The entry फलवर्ति has the meaning “suppository” in the Sanskrit dictionary of Monier Williams. The Cambridge dictionary explains suppository as “a small, solid pill containing a drug that is put inside the anus, where it dissolves easily.” Refer to the link <https://dictionary.cambridge.org/dictionary/english/suppository>. Last accessed 30-Oct-2023.

274 Refer to *Nidānasthāna* 1.89. According to the Sanskrit dictionary of Monier Williams, it is a kind of tympanites or wind-dropsy.

275 Refer to *Nidānasthāna* 1.90 and 1.91.

276 In H, the reading लक्षणोन्यामैश्च does not make sense. Hence I cannot translate it. Perhaps the correct reading could be लक्षणाभ्याञ्च. This would connect with the two con-

- cured accordingly.
- 30 The wind that is accompanied by fat causes a swelling that is painful, hard, and cold. The physician should properly treat it like a treating a swelling.
- 31 When the wind accompanied by phlegm and fat enters the thighs, it causes pain in and immobility of the thighs due to numbness, pain, and fever.
- 32 Also, the thighs become pained, stiff, cold, and do not quiver due to sleep. They become heavy and as if belonging to someone else.²⁷⁷
- 33 That is called ūrūstambha. Others call it āḍhyavāta. In that case, one should drink the ṣaṇḍharana powder with cool water.
- 34 Similarly, consuming the powder of long pepper and other herbs with hot water is beneficial. Or else, one should consume the powder of triphalā with honey and kutki.
- 35-38 Or else, one should drink the best ?? or ?? with urine. Such a person cures the wind that is afflicted by phlegm and accompanied by fat, as well as heart disease, loss of appetite, gulma, and internal abscess.
- One should employ salty urine [therapy], sudation, and hard rubbing. One should also apply [the paste of] mustard and ?? fruits mixed with urine.²⁷⁸
- One should eat old ??s, ??, ??, etc. along with uncooked²⁷⁹ flesh of wild animals and unsalted vegetables that are beneficial.
- 39 When the phlegm and fat become amply reduced one should again employ the treatment of oil massage, etc. for the patient.

ditions of the wind as stated in the verse.

277 In H, the verb वर्तते should have been in the dual. Also, the word आस्थिरौ does not make sense. The vulgate has the sensible reading अस्थिरौ which we have accepted here.

278 The word दिहेत् in H is not a proper Sanskrit word. We have taken its proper form दिह्यात् as given in the vulgate.

279 The vulgate has the reading अघृतैः that means without ghee.

Cikitsāsthāna 15: On Difficult Delivery

Literature

Meulenbeld offered an annotated overview of this chapter on fetal malpresentation and a bibliography of earlier scholarship to 2002.²⁸⁰ Das made observations about the afterbirth (*aparā*) that is mentioned in 4.15.17 ([Su 1938](#): 432).²⁸¹ Selby has explored gynecological narratives in ayurveda.²⁸²

Translation

- 1 And now we shall explain the difficult delivery medically treated.
- 3 Nothing else is more difficult than the extraction of a foetus since it has to be performed in the region of vagina, liver, spleen, intestines and the uterus. Actions like pushing up, pulling down, cutting off, incising, removing, pressing and straightening must be done using one hand, without hurting the foetus or the pregnant woman, Therefore, having considered that and obtaining permission, one should proceed with care.
- 4 Eight types of the positions of difficult foetus have earlier been mentioned briefly. Even if, in the natural birth process also the large / wrong way of the head, shoulders or hips of a foetus / child cling firmly in the passage.

²⁸⁰ [HIML](#): IA, 271–272.

²⁸¹ Das [2003](#): 517.

²⁸² Selby [2005a,b](#).

- 5 In the case of a live foetus, the delivering ladies should attempt to deliver it. And, during this process, they should be made to hear the sacred verses repeatedly meant for expulsion of a foetus.



6 *O beautiful woman, may the divine nectar and the moon and the sun and Uccaiśravas reside icumbhalakan your house.*

7 *O lady, may this nectar extracted from the water release this tiny foetus of yours. May the fire, wind, sun and Indra together with the ocean bestow upon you the peace.*

- 9 And, as mentioned before (3.10.16-20) the medicine should be administered. In the case of a dead fetus, (the physician) having inserted (his) hand lubricated with the *dhanvaka*, *mṛttikā* – soil, the *śālmālī*- the *seemul* and ghee into the vagina of a woman lying on her back, whose thighs are bent with the elevated waist with the support of the cloth of *cumbhalaka* should take away the fetus. In the case, the fetus coming out with both the thighs, should be stretched out in a normal way. If the fetus has reached with only one thigh, spreading out its other thigh it should be taken out. If the fetus is coming out with its buttocks portion, squeezing the buttocks upward, spreading the thighs it should be taken out. A fetus having come in a transverse position like an oblique (तिर्यक्चीनस्य ?) iron club, lifting upward its half of the lower part from behind, straightening its half of the upper part, bringing it to the passage of vagina, it should be taken out. The last two positions of the dead fetus cannot be accomplished. Thus, in this state, instrument should be employed / surgery should be undertaken.

- 10 But, the live fetus should not be torn apart in any case. As, the live fetus may kill the mother and self soon.

- 12 Next, assuring safety to the lady, cutting the head of the fetus with the instrument that has disc on the top (मण्डलाग्र) or finger shaped instrument (अङ्गुलिशस्त्र); removing the skull, the fetus should be taken out holding the forceps at its chest and armpit. If the head of the fetus is not separated, the fetus should be drawn out from its orbital regions or cheek (with the forceps); if the shoulders are stuck up in the passage, the fetus should be taken out by cutting its arm / arms at the shoulder region; tearing the abdomen when bloated with wind just like a stretched leather bag used for holding water, casting off the intestine,



the loosened fetus should be taken out. Or else, if its thighs are adhered to the passage, the bones of the thighs should be cut and fetus is removed.

- 13 The fetus is adhered to the passage from whichever its body part, the physician by separating that part should remove the fetus carefully and by all means the woman should be protected.
 - 14 For, irritated wind causes different movements of the fetus. In this situation, the wise physician should act intelligently.
 - 15 And, the learned physician should not delay even for moment in removing the dead fetus as it kills mother in no time like a breathless animal.
- If impacted with hip, the hip bones should be cut and then delivered.

Kalpasthāna

Kalpasthāna 1: Protecting the King from Poison

Introduction

The first chapter of the Kalpasthāna of the *Suśrutasamhitā* addresses the topic of protecting a king from those who would assassinate him using poison. The king's kitchen is presented as the site of greatest vulnerability. The staff in the kitchen must be vetted carefully and watched for signs of dissimulation. The description of the body-language that tells a poisoner (verses 18–25) are engaging and vivid. These verses are closely parallel in sense to a passage in the *Arthaśāstra* that says,

The signs of a poisoner, on the other hand, are as follow: dry and dark look on the face, stuttering speech, excessive perspiration and yawning, trembling, stumbling, looking around while speaking, agitation while working, and not remaining in his place.²⁸³

Next, the text discusses the signs of poison in toothbrushes, in food, drink, massage oil and other items that are likely to come into physical contact with the king. In passages that are again paralleled in the *Arthaśāstra* the work describes how poisoned food kills insects and crackles in a fire, flashing blue and the reactions of various birds to poison are described.²⁸⁴

The work then moves on to the various symptoms experienced by the king after being poisoned, and remedies appropriate to each case. Poison

²⁸³ *Arthaśāstra* 1.21.8 (Kangle 1965a: 1, 30), translation by Olivelle (2013: 97).

²⁸⁴ Cf. *Arthaśāstra* 1.21.6, *ibid.*, Olivelle (2013: 96).

exhibits characteristic signs when added to milk and other drinks.²⁸⁵ Further forms of poisoning, their symptoms and treatments are described and finally the king is advised to live amongst trusted friends and to protect his heart by drinking various ghee compounds. He should eat the meat and soup made from various animals, including peacock, mongoose, alligator, deer. The chapter ends with the description of an emetic.

Literature

A brief survey of this chapter's contents and a detailed assessment of the existing research on it to 2002 was provided by Meulenbeld.²⁸⁶ Translations of this chapter since Meulenbeld's listing have appeared by Wujastyk (2003b: 131–139), P. V. Sharma (1999–2001: 3, 1–15), and Srikantha Murthy (2000–02).²⁸⁷

Manuscript notes

- MS Kathmandu NAK 5-333 has foliation letter numerals, for example on f. 323a, that are similar to MS Cambridge Add. 1693,²⁸⁸ dated to 1165 CE noted in Bendall's chart of Nepalese letter-numerals Bendall 1883: Lithograph V, after p. 225

²⁸⁵ Cf. *Arthaśāstra* 1.21.6 again.

²⁸⁶ HIML: IA, 289–290.

²⁸⁷ For a bibliography of translations to 2002, including Latin (1847), English (1877), Gujarati (1963) and Japanese (1971), see HIML: IB, 314–315.

²⁸⁸ Scan at cudl.lib.cam.ac.uk/view/MS-ADD-01693/1.

Translation

- 1–2 And now I shall explain the procedures for safeguarding food and drink, as were declared by the Venerable Dhanvantari.²⁸⁹
- 3 Divodāsa, the king of the earth, was the foremost supporter of religious discipline and virtue. With unblemished instruction he taught his students, of whom Suśruta was the leader.²⁹⁰

[Threats to the king]

- 4–5 Evil-hearted enemies who have plucked up their courage, may seek to harm the king, who knows nothing of it. He may be assailed with poisons by or by his own people who have been subverted, wishing to pour the poison of their anger into any vulnerability they can find.²⁹¹
- 6 Therefore, a king should always be protected from poison by a physician.
- 7 The racehorse-like fickleness of men's minds is well known. And for this reason, a king should never trust anyone.²⁹²

289 MS H adds in the margin अथ खलु वत्स सुश्रुतः “Now begins Vatsa Suśruta.” This phrase has been copied here by the scribe from the beginning of the *Suśrutasaṃhitā* chapter in the *sūtrasthāna* on the rules about food and drink (1.46.3 (Su 1938: 214)). The scribe presumably felt, not unreasonably, that this section had common subject matter with the present chapter. Further, SS 1.46.3 is the only place in the Nepalese transmission of the *Suśrutasaṃhitā* that names Dhanvantari and integrates him into the narrative of the *Suśrutasaṃhitā* as the teacher of Suśruta.

The mention of Dhanvantari here is the only other time in the Nepalese transmission that this authority is cited as the source of Ayurvedic teaching, and the unique occurrence of this actual phrase, “as was declared by the Venerable Dhanvantari.” See the discussion by Klebanov (2021a: 28–32), who concludes that the earliest recoverable recension of the *Suśrutasaṃhitā* may have had the phrase only at this point and not elsewhere in the work. See the further discussion by Birch, Wujastyk, Klebanov, Parameswaran, et al. (2021).

290 This is a quite different statement from the vulgate which has Dhanvantari as the teacher, and calls him the Lord of Kāśī (*kāśīpati*) (Su 1938: 559). Ḍalhaṇa followed the vulgate but explicitly noted the reading before us with small differences: दिवोदासः क्षितिपतिस्तपोधर्मश्रुताकरः “Divodāsa, the king of the earth, was a mine of traditions about discipline and virtue.”

291 Verses about the use of Venemous Virgins as a weapon do not appear in the Nepalese manuscripts. Cf. Wujastyk 2003b: 81 f., 132. This material is present in the commentary of Gayadāsa.

292 The verb √ śvas is conjugated as a first class root in the Nepalese manuscripts.

- 8–11 He should employ a doctor in his kitchen (*mahānasa*) who is respected by experts, who belongs to a good family, is orthodox, sympathetic, not emaciated, and always busy.
- 12–13 The kitchen should be constructed at a recommended location and orientation. It should have a lot of light,²⁹³ have clean utensils and be staffed by men and women who have been vetted.²⁹⁴
- 17–18ab The chefs, bearers (*voḍhāra*), and makers of boiled rice soups and cakes and whoever else might be there, must all be under the strict control of the doctor.²⁹⁵
- 18cd–19ab An expert knows people's body language (*iṅgita*) through abnormalities in voice, movement and facial expression. He should be able to identify a poisoner by the following signs.
- 19cd–23 Wanting to speak, he gets confused, when asked a question, he never arrives at an answer, and he talks a lot of confused nonsense, like a fool. He laughs for no reason, cracks his knuckles and scratches at the ground. He gets the shakes and glances nervously from one person to another. His face is drained of colour, he is grimy (*dhyāma*) and he cuts at things with his nails.²⁹⁶ A poisoner goes the wrong way and is absent-minded.
- 25–27 I shall explain the signs to look for in toothbrush twigs, in food and drink as well as in massage oil (*abhyāṅga*) and combs (*avalekhana*); in dry rubs (*utsādana*) and showers, in decoctions (*kaṣāya*) and massage ointment (*anulepana*); in garlands (*sraja*), clothes, beds, armour and ornaments; in slippers and footstools, and on the backs of elephants and horses; in nasya (*snuff*), inhaled smoke (*dhūma*), eye make-up (*añjana*), etc., and any other things which are commonly poisoned. Then, I shall also explain the remedy.
- 28 Flies or crows or other creatures that eat a poisonous morsel (*bali*)

Cf.
Arthashastra
1.21.8.

293 We read महच्छुचि: with the Nepalese manuscripts and against the vulgate's महच्छुचि. We understand शुचिस् as a neuter noun meaning "light" following Apte (Apte: 1050a).

294 Verses detailing the ideal staff are omitted in the Nepalese manuscripts. Cf. Su 1938: 560; Wujastyk 2003b: 132.

295 The word सौपोदनैकपूपिक "chefs for the boiled rice soups and cakes" is grammatically interesting. The term सूपोदन (as opposed to सूपौदन) is attested in the *Bodhāyanīya-gr̥hyasūtra* 2.10.54 (Shastri 1920: 68). More pertinently, perhaps, सूपोदन is attested in the Bower Manuscript, part II, leaf 11r, line 3 (Hoernle 1893–1912: vol. 1, p. 43).

296 The word ध्याम is glossed by Ḍalhaṇa (in a variant reading) as someone who is the colour of dirty clothes 5.1 (Su 1938: 560).

- served from the king's portion, die on the spot.
- 29 Such food makes a fire crackle violently, and gives it an overpowering colour like a peacock's throat.
- 30–33 After a chukar partridge looks at food which has poison mingled with it, its eyes are promptly drained of colour; a peacock pheasant drops dead. A koel changes its song and the common crane rises up excitedly.²⁹⁷ It will excite a peacock and the terrified parakeet and the hill myna screech. The swan trembles very much, and the racket-tailed drongo churrs.²⁹⁸ The chital deer sheds tears and the monkey releases excrement.²⁹⁹
- 34cd Vapour rising from tainted food gives rise to a pain in the heart, it makes the eyes roll, and it gives one a headache.³⁰⁰
- 35, 36cd In such a case, an errhine and a collyrium that are costus, ??, **spikenard** and honey (*madhus*) ;³⁰¹ a paste of sandalwood on the heart may also provide relief.³⁰²

297 The verb अर्च्छति “rises up” is a rare form best known from epic Sanskrit (see Oberlies 2003: 212, §7.6.1). The transmitted form क्रौञ्च is obviously a colloquial version of Sanskrit क्रौञ्च. Commenting on 1.7.10 (Su 1938: 31), Ḍalhaṇa interestingly gives the colloquial versions of several Sanskrit bird names, even singling out pronunciation in the specific location of Kānyakubja. For क्रौञ्च he says that people pronounce it कुरञ्च and कौचि. The form कोञ्च is found in Pāli (see Cone 2001: 731, who notes that Ardhamāgadhi has the same form). Elsewhere, Ḍalhaṇa calls the bird क्रौञ्चिर, क्रौञ्चि, and कैचर (1.46.105 (Su 1938: 223), 6.31.154 (Su 1938: 684) and (6.58.44 (Su 1938: 790) respectively).

298 Ḍalhaṇa seemed confused about the racket-tailed drongo (भृङ्गराज). He called it a generic drongo (भ्रमरक), a word that can also mean “bee,” (Dave 1985: 62), and then said that it is like the black drongo (धूम्याट) (for a nice explanation of this name, see Dave 1985: 62–63) and that people call it “the king of birds.”

299 MS Kathmandu KL 699 reads “bull (वृषभ)” for “Chital deer (पृषत).” The latter may perhaps be mistaken for the former in the Newa script, although the reading of MS Kathmandu KL 699 is hard to read at this point.

300 “Tainted” translates उपक्षिप्त. The word’s semantic field includes “to hurl, throw against,” and especially “to insult verbally, insinuate, accuse.” The commentator Ḍalhaṇa glossed the term as, “spoiled food given to be eaten” (विदूषितस्यान्नस्य भोक्तुं दत्तस्य), but he noted that some people read “उखाक्षिप्त” or “thrown into a pan.” Other translators have commonly translated it as “served,” perhaps influenced by Ḍalhaṇa’s “given (दत्त).”

301 The vulgate supplies another phrase and verb at this point that is not present in the Nepalese transmission, but that makes the text flow more easily.

302 sing-1972 discussed the difficulties in identifying लामज्ज, a plant cited more often in the *Suśrutasaṃhitā* than in the *Carakasamhitā*; Ḍalhaṇa adopted the common view that

- 37 Held in the hand, it makes the hand burn, and the nails fall out. In such a case, the ointment (*pralepa*) is **beautyberry**, **velvet-mite**, soma and **blue water-lily**.³⁰³
- 38–39 If he eats that food, through inattention or by mistake, then his tongue will feel like a pebble (*aṣṭhīlā*) and it will lose its sense of taste. It stings and burns, and his saliva (*śleṣman*) dribbles out.³⁰⁴ In such a case, he should apply the treatment recommended above for vapour (*bāṣpa*) , and what will be stated below under “toothbrush twigs”.³⁰⁵
- 40 On reaching his stomach, it causes stupor (*mūrcchā*) , vomiting, the hair stands on end, there is distension, a burning feeling and an impairment of the senses.³⁰⁶
- 41 In this case, vomiting must quickly be induced using the fruits of **emetic nut**, **gourd**, **red gourd**, and **luffa**, taken with milk and **watered butter-**

it is a type of *uśīra* or vetiver grass. The grammatical neuter form मधुस् “sweetness” of the Nepalese manuscripts is less common than neuter मधु “honey, sweetness, liquorice.”

- 303 “Beautyberry” (*Callicarpa macrophylla* Vahl.) is one identification of श्यामा, but vaidyas and commentators have different ideas about the plant’s identity (see glossary). On translating इन्द्रगोप as “velvet-mite,” see Lienhard 1978. Dalhaṇa’s remarks show that he had a reading इन्द्रगोपा before him, and he tries to explain इन्द्रा and गोपा as separate plants. But he also says that some people read इन्द्रगोप.

Dalhaṇa curiously parsed the name सोमा (f.) out of the compound; this feminine noun is almost unknown to Ayurvedic literature. Some dictionaries and commentators consider it a synonym for गुडूची, others for ब्राह्मी or चन्द्रतरु. Dalhaṇa also mentioned that some people think the word refers to the soma creeper (सोमलता), which might explain his choice to take the word as feminine. But the compounded word is far more likely to be सोम (m.), the well-known mystery plant (see Wujastyk 2003b: 76–78, 125). If this can be taken as rue (*Ruta graveolens*, L.), as some assert, one can point to a pleasing passage in Dioscorides where rue plays an antitoxic role: “...it is a counterpoison of serpents, the stinging of Scorpions, Bees, Hornets and Wasps; and it is reported that if a man be anointed with the juice of the Rue, these will not hurt him; and that the serpent is driven away at the smell thereof when it is burned; insomuch that when the weasel is to fight with the serpent she armeth herself by eating Rue, against the might of the serpent” (cited from Potter: 262; not found in Osbaldeston and Wood 2000).

- 304 The word अष्टील is normally feminine. The Nepalese manuscripts read it with a short अ- ending. Gayadāsa noticed that some manuscripts read अष्टील with a short -अ ending (MS Bikaner RORI 5157, f. 5v:7–8) and Dalhaṇa reproduced his observation. The vulgate reading “from his mouth (चास्यात्)” is more obvious (*lectio faciliior*), but is not attested in the Nepalese manuscripts.

- 305 Poisoned toothbrushes are discussed in verses 48 ff. below.

- 306 I translate मूर्च्छा in the light of the metaphors discussed by Meulenbeld (2011), that include thickening and losing consciousness.

- milk, or alternatively with rice-water.
- 42 Reaching the intestines (*pakvāśaya*) , it causes a burning feeling, stupor, diarrhoea, thirst, impairment of the senses, flatulence (*āṭopa*) and it makes him pallid and thin.
- 43 In such a case, purgation with the fruit of indigo (*nīlī*) , together with ghee, is best. And ‘slow-acting poison antidote (*dūṣīviṣāri*) ’ should be drunk with honey and curds (*dadhi*) .³⁰⁷
- 44 When poison is in any liquid substances such as milk, wine or water, there are various streaks, and foam and bubbles form.
- 45 And no reflections are visible or, however, if they can be seen once more, they are distorted, fractured, or tenuous and distorted too.³⁰⁸
- 46 Vegetables, soups, food and meat are soggy and tasteless. They seem to go stale suddenly, and they have no aroma.
- 47 All edibles lack aroma, colour or taste. Ripe fruits rapidly rot (*prā√kuth*) and unripe ones ripen.³⁰⁹
- 48 When a toothbrush twig has poison on it, the bristles are corroded and the flesh of the tongue, gums and lips swells up.³¹⁰
- 49 Then, once his swelling is lanced, one should rub (*pratisāraṇa*) it with fire-flame bush flowers jambul, mango stones and chebulic myrobalan fruit mixed with honey.³¹¹
- 50 Alternatively, the rubbing (*pratisāraṇa*) can be done with either the roots of sage-leaved alangium, the bark of blackboard tree or siris seeds.³¹²

I'm still unhappy about this verse.

Mention this in the introduction as an example of the scribe knowing the vulgate.

fn about sadyas+

307 The ‘slow-acting poison’ is discussed at 5.2.25 ff. (Su 1938: 565).

308 Both Nepalese witnesses read विकृत (distorted) twice, which is tautologous. In the first occurrence both read विकृता without proper termination. One might read the sandhi in the second occurrence as or not distorted (*vāvikṛtā*) , but this gives no better sense. The scribe of MS Kathmandu NAK 5-333, apparently the original hand, added in the margin the alternate reading “double (*yamalā*) ” as in the vulgate. Perhaps the scribe too was troubled by the tautology. It is also evidence that he was aware of a witness with variant readings similar to the vulgate. We emend for grammar but retain the *lectio difficilior*.

309 The root √कुथ् “stink, putrify, rot” is apparently known only from its few uses in the *Suśrutasaṃhitā*.

310 Gayadāsa and Ḍalhaṇa pointed out that “tooth socket (दन्तवेष्ट)” and “gum (दन्तमांस)” have the same meaning (2.16.14–26 (Su 1938: 331–332)).

311 This recipe is different from the vulgate.

312 The spelling of the name अङ्गोल्ल varies अङ्गोट, अङ्गोठ, अङ्गोल (GVDB: 5); Ḍalhaṇa noted that the form अङ्गोल्ल is a colloquialism (1.37.12 (Su 1938: 161)). The sentence is awkward and we have emended शिरीषमाषक to be a plural, as in the vulgate, rather than

- 51ab One should give advice about a poisoned tongue-scraper or mouth-wash (*kavala*) in the same way as for a toothbrush twig.
- 51cd Massage oil that has been laced with poison is slimy, thick and discoloured.
- 52 When the massage oil has been contaminated with poison, boils arise, pain, a discharge (*srāva*) , inflammation of the skin, and sweating.³¹³ And the flesh splits open.
- 53–54 In such a case, sandalwood, *crape jasmine*, *costus*, and *cuscuta grass*, *bamboo leaves*, *heart-leaved moonseed* and *heart-leaved moonseed*, *white clitoria*, *sacred lotus*, and *Indian barberry* should be made into an ointment (*anulepana*) for the patient, who has been sprinkled with cold water. That is also recommended as a drink with the juice and leaves of *wood apple*.³¹⁴
- 55 In the case of a dry rub (*utsādana*) , a shower (*parīṣeka*) , an infusion, a massage ointment (*anulepana*) , or in beds, clothes, or armour, the physician should understand that it is the same as for oil massage (*abhyāṅga*)³¹⁵
- 56–58 When a comb has poison in it, the hair falls out, the head aches and blood oozes from the follicles (*kha*) and lumps (*granthi*) appear on the head. In such a case, one should repeatedly apply an ointment of black earth soaked with bear's bile,³¹⁶ ghee, *beautyberry*,³¹⁷ *black creeper*, and *amaranth*. Good alternatives are either the fluid extract of cow-dung, or the juice of *jasmine*, the juice of *woodrose*, or household soot.³¹⁸

Bear's bile
instead of
deer's bile.

the ablative singular of the Nepalese witnesses. We follow Ḍalhana in interpreting the compound to refer to the distinctive bean-like sris seeds, rather than to *mung beans* (5.1.50 (Su 1938: 562)).

313 The feminine स्फोट for “boils” is unattested.

314 This compound could be interpreted as “wood apple juice and *cassia cinnamon*.” Note that this recipe is differs from that of the vulgate, which requires urine.

315 See verse 52 above.

316 Ḍalhana comments here that ‘bile is that fluid which goes along inside the tube attached to the liver’ (कालखण्डलग्नलिकामध्यगतजलं पित्तम्) 5.1.57 (Su 1938: 562).

317 See note 303.

318 The plant identifications in this passage follow Ḍalhana's glosses, although he noted a difference of opinion on the identity of *woodrose* (lit. “mouse-ear”).

The expression धूमो वागारसंज्ञितः ‘...or the smoke termed “house”’ is commonly interpreted by translators and in Ayurvedic dictionaries as ‘household soot,’ and this does seem to be the meaning, in context. The term was comprehensively discussed by Meulenbeld (2008b: 443). Cf. note 412, p. 143.

- 59 If either massage oil for the head, or a helmet for the head, in a wash, turban, or garlands that are contaminated with poison, then one should treat it in the same way as a comb.
- 60–61 When face make-up is poisoned, the face becomes dark and has the symptoms found with poisoned massage oil. It is covered with spots (*kaṇṭaka*) that are like lotus-spots (*padminīkaṇṭaka*).³¹⁹ In this case, the drink is honey and ghee, and the ointment (*pralepa*) is sandalwood with ghee, curds, honey, **verbena**, **scarlet mallow** and **hogweed**.³²⁰
- 62–63ab Elephants and the like become ill and they dribble saliva. And the rider gets spots (*sphoṭa*) and a discharge on his scrotum, penis, and rectum. In this case, one prescribes the same therapy as for poisoned massage oil for both the rider and the mount.
- 63cd–65ab When there is poison in snuff (*nasya*) or smoke, the symptom (*liṅga*) is blood coming out of the apertures of the head (*kha*), a headache, a flow of mucus (*kapha*) and impairment of the senses. In such a case, ghee of cows etc., boiled up with their milk and **Himalayan monkshood**, is prescribed, with **henna**, as a cold drink or er-rhine.
- 65cd–66 Flowers lose their fragrance and colour, and wilt. On smelling them, he gets a headache and his eyes fill with water. In this case, the treatment is what was proposed above for vapour (*bāṣpa*) and that which is traditional for face make-up.
- 67–68 When it is in ear-oil, there is degeneration in the ear, and painful swelling. There is also a discharge from the ear and in such a case it needs to be irrigated (*pratipūraṇa*) promptly with ghee and honey. Extracted juice (*svarasa*) of **wild asparagus** and very cold juice of **white cutch tree** are also recommended as something good.³²¹
- 69 When poison is mixed in with eye make-up (*añjana*), he gets tears and rheum (*upadeha*), with a burning feeling, pain, faulty vision (*dṛṣṭ-*

punarmavā
in the N &
K MSS

śrita for
śṛta

explain
more

³¹⁹ See the description of this condition at 2.13.40 (**Su 1938**: 323), where the skin on the face is characterized as having pale circular patches that are itchy and have spots.

³²⁰ The common plant-name पुनर्नवा is read as पुनर्णवा in both Nepalese witnesses. This unusual form is technically-speaking legal according to Pāṇini 8.4.3, but is not attested in published texts. पुनर्णवा is found rarely in some other Nepalese manuscripts such as the *Brahmayāmala* (a.k.a. *Picumata*, 44.81, transcription thanks to Shaman Hatley), and elsewhere (e.g., in Gaṇapatiśāstrī 1920–25: 20, where it is the name of a constellation).

³²¹ The syntax of the Nepalese version is slightly unclear, but the vulgate has smoothed out the difficulties.

ivibhrama) , and possibly even blindness.³²²

70–71 In this case, one must immediately drink ghee and have it also in an eyewash (*tarpaṇa*) with long pepper. One should have an eye ointment (*añjana*) of the juice of periploca of the woods and have the extract (*niryāsa*) of three-leaved caper, wood apple and periploca of the woods and the flower of marking-nut tree.

72–73 Because of poisoned slippers there will definitely be a swelling, numbness (*svāpa*) , a discharge (*srāva*) and an outbreak of spots (*sphoṭa*) on the feet. One should clean (*pra√ sādḥ*) footstools together with slippers.

74 Ornaments lose their lustre, and they do not shine as they used to. They damage their respective locations with burning, sepsis (*pāka*) , and fissuring (*avadāraṇa*) .³²³

75ab One should apply the stated procedure for massage oil (*abhyāṅga*) to poisoned slippers and ornaments.

75cd–76 In the case of the affliction (*upasarga*) by poison which has been described above, starting from ‘vapour’ and ending with ‘ornaments,’ the physician should observe the side-effects (*upadrava*) and then prescribe the therapy called the Great Fragrance (*mahāsugandha*) antidote, which I shall describe.³²⁴

77–78ab He should prescribe it in drinks, liniments (*ālepana*) , errhines (*nasya*) , and in eye ointment (*añjana*) . Also, he should use sharp purgatives and emetics. If bleeding is present, he should have the indicated veins pierced.

78cd–79ab If either purging nut or a fern is tied on to the King’s wrist, then all food that is mixed with poison will be rendered free of poison.³²⁵

322 The term translated as “faulty vision” could also mean “rolling eyes.” “Eye make-up” is normally made of Indian barberry.

323 The reading अवदारुण in MS Kathmandu KL 699 is not attested elsewhere in Sanskrit literature. On “sepsis” for पाक, see Wujastyk 2003b: xlv–xlvi.

324 This antidote is indeed described later, in dramatic terms, at 5.6.14–27 (Su 1938: 581). A recipe with eighty-five ingredients including cow’s bile, it is praised as chief of all antidotes, one that can drag the patient back from the very jaws of death, from even the poisonous fangs of Vāsuki.

325 In early Ayurvedic literature, the plant अजरुहा is mentioned only here and its identity is unknown. It may be a fern of the Nephrodium family, according to T. B. Singh and Chuneekar (GVDB:7). Ḍalhaṇa, on 5.1.78 (Su 1938: 563), cited a description of the two plants from the little-known authority Uśanas (HIML: IA, 660 et passim) who described अजरुहा as a white root with spots on it that looks like collyrium when it is

Medical difference from Sharma.

example where the vulgate clarifies that these should be used separately; appears to be a gloss inserted into the vulgate text.

The two uses of prāpta are hard to translate. prāptāḥ → kṣipram is an example of the vulgate banalizing the Sanskrit text to make sense of a difficult passage.

√ vyadh not √ vedh (also elsewhere and for the ears), causative optative.

- 79cd–80 He should always guard his heart when amongst people who are not his friends.³²⁶ Before eating, he should drink the kinds of ghee called “Invincible” and “Immortal”.³²⁷ He should drink ghee (*sarpiṣ*) , honey, curds (*dadhi*) , milk (*payas*) , or cold water.
- 81 He should consume monitor lizard, peacock, mongoose, chital deer, and blackbuck too, that destroy poison, and their juices.
- 82 As discerning person should add well-crushed black creeper,³²⁸ liquorice, and sugar to the meats of monitor lizard, mongoose and blackbuck too.
- 83 Add sugar and Himalayan monkshood to peacock flesh, together with ginger. And for meat from a chital deer, he should add long pepper, with ginger.
- 84ab A cold neem broth with honey and ghee is wholesome too.
- 84cd A discerning person should partake of hard and soft foods that counteract poison.³²⁹
- 85 If poison might have been drunk, a person who has protected his heart should make himself vomit using long pepper, liquorice, honey, sugar, sugar cane juice, and water.

The first chapter in the Kalpas.

split; when drunk with sandalwood it causes poison to be digested.

³²⁶ The *Carakasamhitā* described “protecting the heart” (हृदयावरण) as drinking several sweet, oily drinks to surround the heart and keep it safe (6.23.46 (Ca 1941: 574)). Ḍalhaṇa on 5.1.79–81 (Su 1938: 563) explained it as taking a number of anti-toxic medicines, including those listed in the present passage, in order to cover or hide (प्रच्छादन) the heart. Note that the Nepalese version reads the opposite of the vulgate: one should guard one’s heart when amongst enemies, not friends. This is far more logical; it is also the reading known to the 1.8.89a (As 1980: 79).

³²⁷ These ghee compounds are described in later chapters: see 5.2.47–49 (Su 1938: 566) and 5.6.13 (Su 1938: 581).

³²⁸ Ḍalhaṇa on 5.1.82 (Su 1938: 563) equated this with turpeth.

³²⁹ On this expression, see Yagi 1994.

Kalpasthāna 2: Poisonous Plants

Introduction

This section begins with several lists of poisonous plants. The Sanskrit names for these plants are mostly not standard or familiar from anywhere in Sanskrit or ethnobotanical literature. It remains a historical puzzle why these particular names are so difficult to interpret. However, we are not the first to encounter these difficulties. In the twelfth century, the learned commentator on the text, Ḍalhaṇa, remarked,

In spite of having made the greatest effort, it has been impossible to identify these plants. In the Himalayan regions, Kirātas and Śabarās are able to identify them.³³⁰

Ḍalhaṇa also recorded variant readings of these poison names from the manuscripts that he consulted of the lost commentary of Gayadāsa (fl. c. CE 1000). The identities of these poisons have been in doubt for at least a thousand years.³³¹ Identifications have in many cases been equally impossible for us today.

One path for exploration in this situation is to attempt to reverse-engineer some identifications by considering the known toxic plants of India.³³²

³³⁰ After *Suśrutasaṃhitā*, *kalpasthāna* 2.5 (Su 1938: 564). From the view of Sanskrit authors, Kirātas and Śabarās were tribal peoples. The eleventh-century author Bhikṣu Govinda, however, cast his treatise as a dialogue with a Kirāṭa king called Madana who was a master of the alchemical art (HIML: IIA, 620).

³³¹ See Wujastyk 2003b: 80–81.

³³² Valuable reference sources on Indian plant toxicology in general include Pillay 2013: chs. 10, 11 and Barceloux 2008: parts 1.II, 3 and 4.

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002.³³³

Translation

- 1 And now I shall explain what should be known about stationary poisons.³³⁴
- 3 It is said that there are two kinds of poisons, stationary (*sthāvara*) and mobile (*jaṅgama*). The former dwells in ten sites, the latter in sixteen places.
- 4 Traditionally, the ten are: root, leaf, fruit, flower, bark, milky sap (*kṣīra*), pith (*sāra*), resin (*niryāsa*), the elements (*dhātu*), and the tuber.
- 5 In that context,
 - the eight root-poisons are:³³⁵
 1. liquorice (?),³³⁶
 2. sweet-scented oleander,³³⁷
 3. jequirity,³³⁸
 4. false daisy,³³⁹

³³³ HIML: IA, 290–291.

³³⁴ No reference is made to Dhanvantari (see Birch, Wujastyk, Klebanov, Parameswaran, et al. 2021). “Stationary” here is a term contrasted with “moving,” and signifies plants as opposed to animals and insects.

³³⁵ Some South Asian plants with poisonous roots that we would have expected to see in this list include *Croton tiglium*, L., *Calotropis* spp., *Citrullus colocynthus* L. Schrad., and *Ricinus communis* L. (CIPP).

³³⁶ Liquorice eaten in excess can be poisonous, but it is unlikely to be the plant intended here. T. B. Singh and Chuneekar (GVDB: 124) noted that the poisonous root mentioned in this passage, “remains to be identified.”

³³⁷ The roots of sweet-scented oleander are highly toxic, as are most parts of the plant (Pillay and Sasidharan 2019).

³³⁸ Jequirity contains a dangerous toxin called Abrin in its seeds and to a lesser extent in its leaves, but apparently not in its roots or bulb. Abrin is not harmful if eaten, but an infusion of the bruised (not boiled) seeds injected or rubbed in the eyes can be fatal (NK: # 6). The dose can be quite small.

³³⁹ The plant is usually called just *bhaṅgurā* without the prefix *su-* “good.” However, there is no reported toxicity associated with *E. prostrata*. The vulgate reads सुगन्धा (snakeroot).

5. (?),³⁴⁰ and ending with
 6. leadwort,³⁴¹
 7. country sarsaparilla (?),³⁴² and
 8. medhshingi,³⁴³
- the leaf-poisons include:
 - aconite leaf (?),
 - drum-giver (?),
 - thorn apple, and
 - big thorn apple;
 - the fruits of items like: jequirity, marking-nut tree, and poison-altar (?) are
 - kumudavati (*kumadavati*)ⁱ,
 - reṇuka (?)ⁱⁱ,
 - kurūkaka (?)ⁱⁱⁱ,
 - ‘little bamboo’ (*veṇuka*)^{iv},³⁴⁴,

³⁴⁰ This poisonous root cannot at present be securely identified. Similar-sounding candidates include *karkaṭaka*, *karahāṭa* (emetic nut), and *karaghāṭa*, but since this is a prose passage, there would be no reason to alter the word to fit a metre. Monier-Williams et al. (MW: 255) cite an unknown lexical source that equates *karaṭa* (mn.) with safflower (*Carthamus tinctorius*, L.), but this plant does not have a poisonous root.

³⁴¹ The roots of both rose and white leadwort are very toxic.

³⁴² The text reads masculine *ananta*, which is not a plant name. Gayī’s commentary on 5.2.5 (Su 1938: 564) noted a variant reading of feminine *anantā* in place of *gargaraka*, earlier in the compound. But the feminine *anantā*, country sarsaparilla, is not a poisonous plant.

³⁴³ Meulenbeld (1989: 61, n. 3) argued that our text reads a masculine or neuter noun *vijaya*, which never signifies cannabis. However, unlike the vulgate, the unanimous readings of the Nepalese manuscripts give feminine *vijayā*. Nevertheless, even the feminine form only started to signify *Cannabis sativa* L. after the end of the first millennium (mchu-2021a; Meulenbeld 1989; Wujastyk 2002). The *Sauśrutaniḥṣaṇṭu* gives a number of synonyms for *vijayā*, almost none of which have any poisonous parts (Suvedī and Tivārī 2000: 5.77, 10.143). But one of them, *viṣāṇī* (also *meṣaśṛṅgi*), is sometimes equated with *Dolichandrone falcata* (DC.) Seemann (ADPS: 518), a plant used as an abortifacient and fish poison (nadk-1982). This identification is tenuous.

³⁴⁴ Not poisonous.

i unknown; see ?

ii ?; see *Piper aurantiacum* Wall. (NK: #1924) is not poisonous.

iii ?; see ?

iv *Bambusa bambos*, Druce?; see NK #307

- thorn apple (*karambha*)^v,
- 'big thorn apple' (*mahākarambha*)^{vi},
- 'pleaser' (*nandanā*)^{vii},
- 'crow' (*kāka*)^{viii},
- the flower-poisons include those of:
 - rattan (*vetra*)^{ix},
 - wild chinchona (*kādamba*)^x,
 - black pepper (*vallīja* → *marica*)^{xi},
 - thorn apple (*karambha*)^{xii}, and
 - big thorn apple (*mahākarambha*)^{xiii};
- the seven bark, pith (*sāra*) and resin (*niryāsa*) poisons are:
 - 'gutboiler' (*antrapācaka*)^{xiv},
 - 'blade' (*kartarīya*)^{xv},
 - wild mustard (*saurīyaka*)^{xvi},
 - emetic nut (*karaghāṭa* → *karahāṭa*? → *madana*)^{xvii},
 - thorn apple (*karambha*)^{xviii},
 - wild asparagus (*nandana* → *bahuputrā*?)^{xix}, and

v *Datura metel*, L.; see AVS 2.305 (cf. *Abhidhānamañjarī*), NK #796 ff., Potter 292 f., ADPS 132.

vi *Datura metel*, L.?; see AVS 2.305 (cf. *Abhidhānamañjarī*), NK #796 ff., Potter 292 f., ADPS 132.

vii ?; see ?

viii ?; see ?

ix *Calamus rotang*, L.; see AVS 1.330, NK #413

x *Anthocephalus cadamba*, Miq.; see NK #204

xi *Piper nigrum*, L.?; see NK #1929; Rā.6.115, Dha.4.85, Dha.2.88

xii *Datura metel*, L.; see AVS 2.305 (cf. *Abhidhānamañjarī*), NK #796 ff., Potter 292 f., ADPS 132.

xiii *Datura metel*, L.?; see AVS 2.305 (cf. *Abhidhānamañjarī*), NK #796 ff., Potter 292 f., ADPS 132.

xiv unknown; see ?

xv unknown; see ?

xvi *Cleome viscosa*, L.? (cf. Rā.4.144); see AVS 2.116, NK #615

xvii *Randia dumetorum*, Lamk.; see NK #2091

xviii *Datura metel*, L.; see AVS 2.305 (cf. *Abhidhānamañjarī*), NK #796 ff., Potter 292 f., ADPS 132.

xix *Asparagus racemosus*, Willd.; see ADPS 441, AVS 1.218, NK #264, IGP 103, IMP 4.2499ff., Dymock 482ff.

- munj grass (*nārācaka*)^{xx,345}
- the three milky sap (*kṣīra*) -poisons are:
 - purple calotropis (*kumudaghñī* → *arka*?)^{xxi,346}
 - oleander spurge (*snuhī*)^{xxii}, and
 - ‘web-milk’ (*jālakṣīri*)^{xxiii};
- the two element (*dhātu*) -poisons are:
 - ‘foam-stone’ (*phenāśma*)^{xxiv}, and
 - orpiment (*haritāla*)^{xxv,347}
- the thirteen tuber-poisons are:
 - jequirity (*kālakūṭa*)^{xxvi,348}
 - wolfsbane (*vatsanābha*)^{xxvii},

345 The bark of wild asparagus (*Asparagus racemosus*, Willd.) is toxic.

346 The name of this poison, *kumuda-ghñī*, means ‘lotus killer’. In Sanskrit literature, the *kumuda* lotus is associated with the moon, since it blossoms by night. Since the sun causes this lotus to close, it is therefore an ‘enemy’ of the lotus. One of the chief words for the sun, *arka*, is also the name of *Calotropis gigantea*, which indeed has a milky juice which is a violent purgative, poison and abortifacient.

347 Dutt (Dutt: 38–42) conjectured that ‘foam-stone’ may be impure white arsenic obtained by roasting orpiment.

348 The much later (perhaps sixteenth century) alchemical *Rasaratnasamuccaya* of pseudo-Vāgbhaṭa (21.14) says that the *kālakūṭa* poison, here translated as ‘jequirity’, is similar to ‘*kākacañcu*’ or ‘Crow’s Beak’, which is indeed a name for the plant jequirity or *Abrus precatorius*, L., more commonly called *guñjā* (not to be confused with *gañjā*). The black seed-pod is described as having a ‘sharp deflexed beak’ in botanical descriptions, so the Sanskrit name is quite graphic and appropriate. The poisonous scarlet seeds of *A. precatorius* can have a distinct black dot or tip, which could perhaps be translated ‘*kāla-kūṭa*’, or ‘Black Tip’.

The *Rājanighaṇṭupariśiṣṭa* (9.35) gives *kālakūṭaka* as a synonym for *kāraskara*, or *Strychnos nux-vomica*, L., whose seeds are notoriously poisonous.

xx Saccharum bengalense, Retz.?; see NK #2184

xxi *Calotropis gigantea*, (L.) R. Br.; see ADPS 52, AVS 1.341, NK #427, Potter 63

xxii *Euphorbia neriifolia*, L., or *E. antiquorum*, L.; see ADPS 448, AVS (2.388), 3.1, NK #988, IGP 457b

xxiii unknown; see ?

xxiv unknown; see ?

xxv *Arsenii trisulphidum*; see NK v. 2, p. 20 ff.

xxvi *Abrus precatorius*, L.? Cf. RRS 21.14.; see AVS 1.10, NK #6, Potter 168.

xxvii *Aconitum napellus*, L.; see AVS 1.47, NK #42, Potter 4 f.

- Indian mustard (*sarṣapa*)^{xxviii},
- leadwort (*pālaka* → *citraka*)^{xxix},
- ‘muddy’ (*kardama*)^{xxx}, the
- ‘Virāṭa’s plant’ (*vairāṭaka*)^{xxxi},
- nutgrass (*mustaka*)^{xxxii},
- atis root (*śṛṅgīviṣa*)^{xxxiii},
- sacred lotus (*prapuṇḍarīka*)^{xxxiv},
- radish (*mūlaka*)^{xxxv},
- ‘alas, alas’ (*hālāhala*)^{xxxvi},
- ‘big poison’ (*mahāviṣa*)^{xxxvii}, and
- galls (*karkaṭa*)^{xxxviii}.³⁴⁹

Thus, there are fifty-five stationary poisons.

- 6 There are believed to be four kinds of wolfsbane, two kinds of *mustaka*, and six kinds of Indian *sarṣapa*. But the rest are said to be unique types.

The effects of poisons

- 7–10 People should know that root-poisons cause writhing (*udveṣṭana*), ranting (*pralāpa*), and delirium (*moha*), and leaf-poisons cause yawning,

349 Leadwort root is a powerful poison. Nutgrass is tuberous, but non-toxic. Atis has highly toxic tuberous roots. Neither sacred lotus nor galls are toxic. The ‘alas, alas’ poison (*hālāhala*) is the mythical poison produced from the churning of the ocean at the time of creation: it occurs in medical texts such as the present one, and commentators identify it with one or other of the lethal poisons such as wolfsbane or jequirity. Agrawal (1963: 126) makes the intriguing suggestion that the word *hālāhala*, possibly to be identified with Pāṇini’s *hailihila* (P.6.2.38), may be of Semitic origin, although his evidence seems uncertain (Steingass (1930: 1506a) cites Persian *halāhil* ‘deadly (poison)’ as a loan from Sanskrit). KEWA: iii.585 also cites a claim for an Austro-Asiatic origin for the word.

xxvi *Brassica juncea*, Czern. & Coss.; see AVS 1.301, NK #378

xxix *Plumbago zeylanica* (indica? rosea?), L.; see Rā. 6.124, ADPS 119, NK #1966, 1967

xxx unknown; see ?

xxxi unknown; see ?

xxxii *Cyperus rotundus*, L.; see ADPS 316, AVS 2.296, NK #782

xxxiii *Conium heterophyllum*, Wall. ex Royle; see AVS 1.42, NK #39

xxxiv *Nelumbo nucifera*, Gaertn.; see Dutt 110, NK #1698

xxxv *Raphanus sativus*, L.; see NK #2098

xxxvi unknown; see Cf. Soḍhalanighantu p.43 (sub bola) = stomaka = vatsanābha

xxxvii unknown; see ?

xxxviii *Rhus succedanea*, L.; see NK #2136

writhing, and wheezing (*śvāsa*) .

Fruit-poisons cause swelling of the scrotum, a burning feeling and writhing. Flower-poisons will cause vomiting, distension (*ādhmāna*) and sleep (*svāpa*) .

The consumption of poisons from bark, pith (*sāra*) and resin (*niryāsa*) will cause foul breath, hoarseness (*pāruṣya*) , a headache, and a discharge of phlegm (*kapha*) .³⁵⁰

The milky sap (*kṣīra*) -poisons make one froth at the mouth, cause loose stool, and make the tongue feel heavy.³⁵¹ The element (*dhātu*) -poisons give one a crushing pain in the chest, make one faint and cause a burning feeling on the palate.

These poisons are classified as ones which are generally speaking lethal after a period of time.

11–17 Symptoms of tuber poisoning

The tuber-poisons, though, are severe. I shall talk about them in detail. With jequirity (*kālakūṭa*)^{xxxix}, there is numbness and very severe trembling. With wolfsbane (*vatsanābha*)^{xl}, there is rigidity of the neck, and the faeces, and urine become yellow.

With *sārṣapa* (*sārṣapa*) ,³⁵² the wind becomes defective (*vātavaiguṇya*), there is constipation (*ānāha*) , and lumps (*granthi*) start to appear. With leadwort (*pālaka* → *citraka*)^{xli}, there is weakness in the neck, and speech gets jumbled.³⁵³

350 At 1.2.6 (Su 1938: 11), Ḍalhaṇa glosses hoarseness (*pāruṣya*) as *vāgrūkṣatā*, “a rough, dry voice.”

351 At 6.54.10 (Su 1938: 773), Ḍalhaṇa glosses loose stool (*viḍbheda*) as *dravapurīṣatā*, “having liquid stool.”

352 *Sārṣapa* would normally mean “connected with mustard,” and excessive consumption of mustard oil can be harmful. However, the *Sauśrutaniḥṣaṇṭu* (156) gives *rakṣoghṇā* as a synonym for *sārṣapā*. This can be *Semecarpus anacardium*, L.f., which has some poisonous parts.

353 The verse in the Nepalese version ends with a plural verb that does not agree with the dual of the sentence subject.

xxxix *Abrus precatorius*, L.? Cf. RRS 21.14.; see AVS 1.10, NK #6, Potter 168.

xl *Aconitum napellus*, L.; see AVS 1.47, NK #38, Potter 4 f.

xli *Plumbago zeylanica* (indica? rosea?), L.; see Rā. 6.124, ADPS 119, NK #1966, 1967

With the one called ‘muddy’ (*kardama*)^{xlii}, there is a discharge (*praseka*) , the faeces pour out, and the eyes turn yellow. The ‘Virāṭa’s plant’ (*vairāṭaka*)^{xliii} causes pain in the body and illness in the head. Paralysis of one’s arms and legs and trembling are said to be caused by *mustaka* (*mustaka*) .³⁵⁴

- 15b With great aconite (*mahāviṣa*) one’s limbs grow weak, there is a burning feeling and swelling of the belly.³⁵⁵
- 16a With *puṇḍarīka* (*puṇḍarīka*) , one’s eyes go red, and one’s belly becomes distended.³⁵⁶
- 16b With *mūlaka* (*mūlaka*) , one’s body is drained of colour and the limbs are paralysed.³⁵⁷
- 17a With *hālāhala* (*Aconite*) , a man turns a dark colour (*dhyāma*) , and gasps.³⁵⁸
- 17b With atis root (*śṛṅgīviṣa*)^{xliv}, one gets violent knots (*granthi*) and stabbing pains in the heart.³⁵⁹
- 18a With *markaṭa* (*monkey*) , one leaps up, laughs, and bites.³⁶⁰

354 The substitution in MS NAK 5-333 affecting 15cd is caused by an eye-skip to the word *viṣeṇa* in 2.17. *Mustaka* commonly refers to *Cyperus rotundus*, L.; the root is used in āyurveda but is not poisonous. However other dictionaries list *mustaka* amongst serious poisons, for example *Rājanighaṇṭu* (22 v. 42) and *Rasaratnasamuccaya* 16, v. 80. However, its ancient identity is still doubtful.

355 The poisonous root great poison (*mahāviṣa*) is not clearly identifiable, although *viṣa* is commonly aconite. Verse 6 above notes that there are several kinds of aconite.

356 The word *puṇḍarīka* very commonly means sacred lotus, *Nelumbo nucifera*, Gaertn. The entire plant is edible and cannot be the poison intended here. T. B. Singh and Chuneekar (GVDB: 252) noted that this poison is unidentified and that it is also listed as a poison in *Carakasamhitā*ci.23.12.

357 The word *mūlaka* very commonly means the radish, *Raphanus sativus*, L. The root is edible and cannot be the poison intended here. T. B. Singh and Chuneekar (GVDB: 317) noted that this poison is unidentified.

358 Identification of *hālāhala* is uncertain. It may simply be a mythical poison, or its specific identity may have been lost over the centuries. Late *nighaṇṭu*s identify it as *stomaka* = *vatsanābha*, i.e., *Aconitum napellus*, L. (*Soḍhalanighaṇṭu* p.43). Ḍalhana on 5.2.17 (Su 1938: 564) interprets our “gasps” as “the man laughs and grinds his teeth.” But this gloss is probably displaced and intended to apply to verse 2.18.

359 T. B. Singh and Chuneekar (GVDB: 407) noted that *vatsanābha* and *śṛṅgīviṣa* are two different varieties of poisonous Aconites that are difficult to distinguish.

360 T. B. Singh and Chuneekar (GVDB: 299) said of *markaṭa*, “an unidentified vegetable

xlii unknown; see ?

xliii unknown; see ?

xliv *Aconitum heterophyllum*, Wall. ex Royle; see AVS 1.42, NK #39

-> ativiṣa

Look up
the ca. ref-
erence.

- 18b-19a Experts have said that one should know that the thirteen highly potent tuber-poisons, which are mentioned here, have ten qualities (*guṇa*) .
- 19b-20a The ten are:
- dry (*rūkṣa*) ,
 - hot,
 - sharp,
 - rarified (*sūkṣma*) ,
 - fast-acting,
 - pervasive (*vyavāyin*) ,
 - expansive (*vikāsin*) ,
 - limpid (*viśada*) ,
 - light, and
 - indigestible.
- 20b Because of dryness, it may cause inflammation of the wind; because of heat it inflames the choler and blood. Because of the sharpness it unhinges the mind, and it cuts through the connections with the sensitive points (*marman*). Because it is rarified it can infiltrate and distort the parts of the body.³⁶¹
- 22 Because it is fast-acting it kills quickly, and because of its pervasiveness it affects one's whole physical constitution (*prakṛti*).³⁶² Because of its expansiveness it enters into the humour (*doṣa*) s, bodily constituents (*dhātu*) s, and even the impurities. Because it is limpid it overflows, and because it is light it is difficult to treat. Because it is indigestible it is hard to eliminate. Therefore, it causes suffering for a long time.
- 24 Any poison that is instantly lethal, whether it be stationary, mobile, or artificial, will be known to have all ten of these qualities.

Slow-acting poison

- 25cd-26 A poison that is old or destroyed by anti-toxic medicines, or else dried up by blazing fire, wind, or sunshine, or which has just lost its qualities

poison.” Cf. Suvedī and Tivārī 2000: v.36 for synonyms that lead to the non-toxic jujube tree.

³⁶¹ We read the active *vikaroti* with Ḍalhaṇa against the transmitted passive *vikriyeta*, since it must be the parts of the body that are distorted, not the poison.

³⁶² Ḍalhaṇa on 5.2.22 (Su 1938: 565) explained this as “takes the form of pervading the whole body (*akhiladehavyāptirūpam*) .”

- by itself,³⁶³ becomes a slow-acting poison (*dūṣīviṣa*).³⁶⁴ Because it has lost its potency it is no longer perceived. Because it is surrounded by phlegm (*kapha*) it has an aftermath that lasts for a very long time.
- 27 If he is suffering from this, the colour of his stools changes, he gets sourness and a bad taste with great thirst. Stammering and close to death, wandering about, he may feel faint, giddy, and aroused.³⁶⁵
- 28 If it lodges in his stomach (*āmāśaya*) , he becomes sick because of wind and phlegm; if it lodges in his intestines (*pakvāśaya*) , he becomes sick because of wind and choler. A man's hair and limbs fall away and he looks like a bird whose wings have been chopped off.
- 29a–c If it lodges in one of the body tissues such as chyle (*rasa*) , it causes the diseases arising from the body tissues, that have been said to be wrong.³⁶⁶ and it rapidly becomes inflamed on days that are nasty because of cold and wind.
- 29d–31 Listen to its initial symptoms (*liṅga*) : it causes heaviness due to sleep, yawning, disjunction (*viśleṣa*) and horripilation (*harṣa*) and a bruising of the limbs (*aṅgamarda*) .³⁶⁷ Next, it causes intoxication from food (*annamada*) and indigestion, loss of appetite (*arocaka*) , the condition of having a skin disease (*koṭha*) with round blotches (*maṇḍala*) ,³⁶⁸ dwindling away (*kṣaya*) of flesh, swelling of the feet, hands, and face, the fever called *pralepaka*, vomiting and diarrhoea.³⁶⁹ The slow-acting poison might cause wheezing, thirst and fever, and it might also cause distension of the abdomen.
- 32 These various disorders are of many different types: one poison may produce madness, while another one may cause constipation (*ānāha*) , and yet another may ruin the semen. One may cause emaciation, while

363 Ḍalhaṇa specified that this refers to the ten qualities that are mentioned above (5.2.26 (Su 1938: 565)).

364 Ḍalhaṇa cited this verse at 1.46.83 (Su 1938: 222) while explaining *dūṣīviṣa*.

365 Similar symptoms of slow-acting poison are described at 2.7.11–13 (Su 1938: 296) in the context of contamination dropsy (*duṣyodara*) . This this may explain why the vulgate inserted reference to this disease at this point.

366 The expression *ayathāyathoktān* “stated to be unsuitable” is hard to understand here, but is clearly transmitted in the Nepalese version.

367 Ḍalhaṇa 5.2.30ab (Su 1938: 565) glossed “disjunction” as the loss of function of the joints in regard to movement.

368 The last ailment could perhaps be ringworm.

369 The *pralepaka* fever was described by Ḍalhaṇa, at 6.39.52 (Su 1938: 675), as an accumulation of phlegm in the joints. Its symptoms are described in 6.39.54

another pallid skin disease (*kuṣṭha*) .

- 33 Something is “corrupted” by repetitively keeping to bad locations, times, foods, and sleeping in the daytime. Or, traditionally, “corrupting poison” (slow-acting poison (*dūṣī-viṣa*)) is so called because it may corrupt (*dūṣayet*) the body tissue (*dhātu*) s.

34- The stages of toxic shock

In the first shock of having taken a stationary poison, a person’s tongue becomes dark brown and stiff, he grows faint, and panics.

- 35 In the second, he trembles, feels exhausted, has a burning feeling, as well as a sore throat. When the poison reaches the stomach (*āmāśaya*) , it causes pain in the chest (*hṛd*) .
- 36 In the third, his palate goes dry, he gets violent pain (*śūla*) in the stomach (*āmāśaya*) , and his eyes become weak, swollen and yellow.
- 37 In the fourth shock, it causes the intestines and stomach to be exhausted (*sāda*) , he gets hiccups, a cough, a rumbling in the gut (*antra*) , and his head becomes heavy too.
- 38 In the fifth he dribbles phlegm (*kapha*) , goes a bad colour, his ribs crack (*parśvabheda*) , all his humours are irritated, and he also has a pain in his intestines (*pakvādhāna*) .
- 39a In the sixth, he loses consciousness and he completely loses control of his bowels.
- 39b In the seventh, there are breaks in his shoulders, back and loins, and he stops breathing.³⁷⁰

Remedies for the stages of slow poisoning

- 40 In the first shock of the poison, the physician should make the man, who has vomited and been sprinkled with cold water, drink an antidote (*agada*) mixed with with honey and ghee.
- 41a In the second, he should make the man who has vomited and been purged drink as before;

³⁷⁰ Here at 5.2.24 ([Su 1938](#): 566) Ḍalhana glossed *sannirodha* as “complete cessation, i.e., of breath” (*sannirodhaḥ samyannirodhaḥ, ucchvāsasya iti śeṣaḥ*). The manuscripts all read *skanda* where *skandha* must be intended; this confusion is known from Buddhist Hybrid Sanskrit ([Edgerton 1953](#): 608).

- 41b on the third, drink an antidote and a beneficial nasal medicine (*nasya*) as well as an eye salve (*añjana*) .
- 42a In the fourth, the physician should make him drink an antidote that is salt with a little oil.³⁷¹
- 42b In the fifth, he should be prescribed the antidote together with a decoction (*kvātha*) of honey and **liquorice**.
- 43 In the sixth, the cure (*siddhi*) is the same as for diarrhoea. And in the seventh, he perishes.³⁷²
- 44 In between any one of these shocks, once the above treatment has been done, he should give the patient the following cold gruel (*yavāgū*) together with ghee and honey, that will take away the poison.
- 45–46 A gruel (*yavāgū*) made of the following items in a stewed juice (*niḥk-vātha*) destroys the two poisons: **luffa gourd**,³⁷³ **wild celery**,³⁷⁴ **velvet-leaf**, **sunflower**,³⁷⁵ **heart-leaved moonseed**, **myrobalan siris**, and **selu**

371 At 6.52.30 (Su 1938: 769) Ḍalhaṇa noted that *sindhu* can be interpreted as salt (*saind-hava*) .

372 The vulgate text here is quite different, recommending that the patient have medicated powder blown up his nose. It may be possible to detect the evolution of the Nepalese अवसीदेत् to the vulgate's अवपीडश्. The vulgate version is hard to construe, and we see Ḍalhaṇa struggling to interpret it in his commentary on 5.2.43ab (Su 1938: 566). This sternutatory is, however, recommended in the Nepalese version at 5.5.30ab (Su 1938: 576), for the seventh shock of poisoning by a striped snake (*rājimat*) . It is possible the text migrated from that location to this.

Another difference at this point is that the Nepalese version also does not support the vulgate's passage on the crow's foot (*kākapada*) therapy (Wujastyk 2003b: 145, n.106). The same is the case at 5.5.24 (Su 1938: 575) and the clear description at 5.5.45 (Su 1938: 577), in neither of which is the therapy supported in the Nepalese version. This therapy seems unknown to the Nepalese transmission. The therapy may have migrated into the vulgate *Suśrutasamhitā* from the *Carakasamhitā* 6.23.66–67 (Ca 1941: 574).

373 At 4.10.8 (Su 1938: 449) Ḍalhaṇa glossed कोशवती as देवदाली and at 4.18.20 (Su 1938: 472) as कटुकोशातकी, vocabulary pointing to *Cucumis cylindrica*, *Cucumis act-angula* or *Luffa echinata*. See glossary under **luffa**.

374 A plant often cited in *Suśrutasamhitā*, but rarely in *Carakasamhitā* (GVDB: 4). Ḍalhaṇa glossed it here, 5.2.45 (Su 1938: 566), as *ajamodā*, **wild celery**, but noted that others consider it to be *moraṭa*, **rajmahal hemp**. There is considerable complexity surrounding the identification of *moraṭa*/*mūrvā* and related synonyms (GVDB: 314–316). Taking *agnika* as a short reference to *agnimantha*, often identified as **migraine tree**, might be plausible, since that is antitoxic or anti-inflammatory, but such a short reference is not known elsewhere.

375 At 5.2.45 (Su 1938: 566) Ḍalhaṇa said that this plant has leaves like the *paṭola*, **pointed gourd**, T. B. Singh and Chuneekar (GVDB: 280, 443) argued plausibly that this is a syn-

plum, white siris, the two kinds of turmeric,³⁷⁶ and the two kinds of poison berry,³⁷⁷ hogweed, peas, the three heating spices, the two kinds of Indian sarsaparilla³⁷⁸ and blue water-lily.

onym for *arkapuṣpī*, *panacea twiner*, as Ḍalhaṇa also stated in 1.45.120 (Su 1938: 206), and the leaves of *Holostemma* and *Trichosanthes* are indeed strikingly similar. The appearance of the plant, a creeper with sun-like flowers, fits the name. But there remains much controversy about the identities of these candidates (e.g., ADPS: 195–198).

³⁷⁶ I.e., turmeric and Indian barberry.

³⁷⁷ I.e., poison berry and yellow-berried nightshade.

³⁷⁸ I.e., country sarsaparilla and black creeper.

The invincible ghee

- 47–49 There is a famous ghee called “Invincible” (*ajeya*) . It rapidly destroys all poisons but is itself unconquered. It is prepared with a mash (*kalka*) of the following plants: liquorice, crape jasmine, costus, deodar, peas, Indian madder, cardamom and cherry, cobra’s saffron, blue water-lily, sugar, embelia, sandalwood, cassia cinnamon, beautyberry, rosha grass, the two turmeric³⁷⁹ the two Indian nightshades,³⁸⁰ the two kinds of Indian sarsaparilla,³⁸¹ beggarweed, and heart-leaf sida.

Curing the ‘slow-acting’ poison

- 50–52 Someone suffering from “slow-acting poison (*dūṣīviṣa*) ” should be well sweated, and purged both top and bottom. Then he should be made to drink the following eminent antidote which removes “slow-acting poison:”
Take long pepper, rosha grass, spikenard, lodh tree, cardamom, natron, scented pavonia, red chalk, as well as gold, and pondweed.
This antitoxin, taken with honey, eliminates slow-acting poison. It is called the “enemy of slow-acting poison (*dūṣīviṣāri*) ,” and it is not prohibited in other situations.
- 53–54 If there are any other side-effects (*upadrava*) , such as fever, a burning feeling, hiccups, constipation (*ānāha*) , depletion of the semen, distension, diarrhoea, fainting, skin problems, bellyache (*jaṭhara*) , madness, trembling, then one should treat each one in its own terms, using anti-toxic medicines.
- 55 For a prudent person, the slow-acting poison can be cured (*sādhya*) immediately. It is treatable (*yāpya*) if it is of a year’s standing. Other than this, it should be avoided for the person who eats unwholesome things.

379 I.e., turmeric and Indian barberry.

380 I.e., poison berry and yellow-berried nightshade.

381 I.e., country sarsaparilla and black creeper.

Kalpasthāna 3: Poisonous Insects and Animals

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002.³⁸²

Translation

- 1 And now we shall explain the rule (*kalpa*) that is the required knowledge about mobile poisons.³⁸³
- 3 The full explanation about the sixteen carriers (*adhiṣṭhāna*) of the mobile poisons, that have been mentioned by me in brief, will be stated.³⁸⁴
- 4 In that context, they are:³⁸⁵
 - gaze and breath,
 - teeth, nails, and bites
 - urine and faeces,
 - menstrual blood,
 - semen,
 - tail,
 - contact with saliva,
 - nipping with the mouth

Come back to the issue of "kalpa". Look up passages in the Kośa.

³⁸² [HIML](#): IA, 291–292.

³⁸³ In contrast to stationary, plant poisons. No reference is made to Dhanvantari (see Birch, Wujastyk, Klebanov, Parameswaran, et al. [2021](#)).

³⁸⁴ "Carrier" for base, foundation (*adhiṣṭhāna*) aims to capture the idea that the author will describe the creatures in which poisons inhere.

³⁸⁵ The content of this section is presented as a table, for clarity for the contemporary reader and mindful of the theoretical issues surrounding notational variation, including the "symbolic rewriting" and the modification of "expressive capacities" discussed by Sarukkai ([2016](#): 321 ff). For further discussion, see Wujastyk [2021a](#): 81–83.

³⁸⁶ This interpretation comes from Ḍaḥaṇa on 5.3.4 ([Su 1938](#): 567), but he reads विशर्धित.

- (*mukhasaṃdaṃśā*) ,
- fart (*avaśardhita*) ,³⁸⁶
- anus,³⁸⁷
- bones,
- bile,
- bristles (*śūka*) , and
- corpses.

5 In that context,

<i>location of the poison</i>	<i>creatures</i> ³⁸⁸
in their breath and gaze	divine snakes
in their fangs	the ones on earth ³⁸⁹
in their nails, mouths and fangs	cats, dogs, monkeys, men (<i>nara</i>) , ³⁹⁰ crocodiles, frogs, ‘cook-fish’ (<i>pākamatsya</i>) , ³⁹¹ monitor lizards, cone snails (<i>śambūka</i>) , ‘poisonous snakes’ (<i>pracalāka</i>) , ³⁹² geckos (<i>grhagoḍikā</i>) , ³⁹³ four-footed insects and others
in their urine and faeces	lice (<i>kiṭīpa</i>) , ‘flat insects’ (<i>picciṭā</i>) , ‘orange-dwellers’ (<i>kaṣāyavāsika</i>) , ‘pepper snakes’ (<i>sarṣapaka</i>) , ‘angry beetles’ (<i>toṭaka</i>) , dung beetles (<i>varcaḥkīṭa</i>) , and ‘pot insects’ (<i>kaunḍinya</i>)
in their semen	mice

387 Ḍalhaṇa on 5.3.4 (Su 1938: 567) noted this reading.

388 Many of these names are mere dubious placeholders.

389 Ḍalhaṇa on 5.3.5 (Su 1938: 567) cited the otherwise unknown authority Sāvitra on the topic of poisonous snakes (HIML: ???, ???).

390 Probably dittography from the previous word, monkey (*vānara*) . But it is supported in both Nepalese witnesses, so it must go back to an earlier exemplar.

391 MS KL 699 separates the words पाक and मत्स्य with a daṇḍa, indicating that the scribe thought they were separate terms. Ḍalhaṇa thought this was a kind of fiery insect (5.3.5 (Su 1938: 567)).

392 *Arthaśāstra* 14.1.14, 23 (Olivelle 2013: 448), where it might also be a chameleon, but the latter are not venomous.

393 The scribe of MS NAK 5-333 noted in the margin that some of his sources read गल-गोडिका, which is the name of a snake known also in the *Carakasamhitā* and elsewhere in literature. Hemacandra’s *Abhidhānacintāmaṇi* (4.364) mentions that गृहगोडिका and गृहगोलिका are synonyms (Rādhākāntā Deva 1876: 691a, *sub māṇikyā*).

<i>location of the poison</i>	<i>creatures</i>
in their stings (<i>śūla</i>)	scorpions, 'earth scorpions' (<i>viśvambhara</i>) , wasps (<i>varaki</i>) , ³⁹⁴ fish, crabs (<i>uccīṭiṅga</i>) , and 'wing-scorpions' (<i>patravṛścika</i>)
in their saliva, nails, urine, feces, blood, semen and fangs	spiders
in the bites of their mouths	flies, wasps (<i>kaṇabha</i>) and leeches
in the bites of their mouths, in their fangs, faces, †, farts, anuses and feces	'speckle-heads' (<i>citraśīrṣa</i>) , 'lids' (<i>śārava</i>) , 'bellied' (<i>kukṣita</i>) , 'wood-enemies' (<i>dārukāri</i>) , 'liquors' (<i>medaka</i>) , and 'darts' (<i>śārikā</i>) .

Table 2: Passage 5, expressed in tabular format.

- 6 The enemies of the king pollute the waters, roads and foodstuffs in enemy territory. The experienced physician, who has learned how to purify things, should clean up those polluted things.
- 7 Polluted water is slimy and smells of tears.³⁹⁵ It is covered with froth and covered with streaks. The frogs and fish die, the birds are crazed and, along with the wetland creatures, they wander about aimlessly.
- 8 Men, horses and elephants who swim in it experience vomiting, delusion, fever, swelling and sharp pains.³⁹⁶ He should try to purify that

³⁹⁴ वरटी is a wasp; वरकि in the Nepalese MSS may be an alternant of this word. Ḍalhaṇa on 5.3.5 (Su 1938: 568) remarked that some interpreted वरकिमत्स्य as two items, "wasp and fish," others as a single one, "wasp-fish."

³⁹⁵ अस normally means "tears," but rarely means "blood."

³⁹⁶ On the polysemy of elephant/snake (*nāga*) , see Semeka-Pankratov 1979.

- polluted water, after curing their ailments.
- 9 And so, he should burn **axlewood** and **garjan oil tree**, as well as **corky coral tree**, with **crimson trumpet-flower tree** and **small-flowered crape myrtle** and **weaver's beam tree**, and with **golden shower tree** and **white catch tree**. Then he should sprinkle that ash, cold, on the waters.
- 10–11 And in the same way, putting a handful of the ash in a pot, one may also purify water that one wants.
- If any one of the limbs of cows, horses, elephants, men or women, touch a place on the ground that enemies have spoiled with poison, or a ford or rock or a flat surface, then it swells up and burns and its hair and nails fall out on that place.³⁹⁷
- 12 In that situation, he should grind up **country sarsaparilla** together with all the aromatic items, with alcoholic drinks. And then he should sprinkle the paths that need to be used with waters mixed with mud.³⁹⁸ And if there exists another path, he should go by that.³⁹⁹
- 13 When grasses and foods are polluted, people collapse, fall unconscious. And others vomit. They get loose stool (*vidbheda*) or they die. One should apply to them the therapy as described.
- 14–15 Alternatively, one should wipe various musical instruments with antidotes that remove poison and then play them. What is called the most excellent paste for a musical instrument is **certain minerals**⁴⁰⁰ together with **gold and sarsaparilla**, and a portion of of **nutgrass** equal to that,

397 “Swells up” translates an unclear reading that was probably शूयति, which may be an irregular form of √शू, श्वा, श्वि (see Whitney 1885: 175–176).

398 Our “alcoholic drinks” translates सुरा. For a discussion of this term at our period see mchu-2021a.

399 Ḍalhaṇa on 5.3.12 (Su 1938: 568) cited a similar reading for the fourth pāda, but with a negative particle, “and if there is no other way, one should go by that.”

400 “Certain minerals” translates तारावितार, the unanimous reading of the Nepalese witnesses. But the meaning of this expression is not clear and may even refer to plants, like the other ingredients. The vulgate reads तारः सुतारः, which is also not very clear. However, Ḍalhaṇa on 5.3.14 (Su 1938: 568) identified these as “silver” and “mercury.” This is highly unlikely to be a correct understanding of the passage. Historically, mercury is not naturally present in the South Asian peninsula (Watt_{Dict}: 5, 233) and the word पारद that Ḍalhaṇa used is probably a loan-word from Persian (sub *paranda*, *par-randa* Steingass 1930: 244b). Mercurial compounds are not reliably attested in South Asia until two or three centuries after the composition of the *Suśrutasaṃhitā* at the earliest. The currently available “sāstric” recension of the *Arthaśāstra* that is datable to 175–300 CE (Olivelle 2013: 29–31) does not mention mercury (*ibid*, 534). See further the study by Wujastyk (2013a: 17, *et passim*).

together with the bile called “brown cow”.⁴⁰¹ By the sound of the musical instrument, even terrible poisons that may be present at that place are destroyed.

- 16 If there is smoke or wind that is affected by poison then birds are dazed and fall to the ground. People get coughs, colds, and head illnesses, and acute eye diseases.⁴⁰²
- 17 The smoke and air can be purified by putting into the air: lac, turmeric, Himalayan monkshood, and myrobalan, with Himalayan mayapple, costus, cardamom,⁴⁰³ and peas, and beautyberry.

write footnote: don't repeat
ativisā; vulgate similar to H.

The origin of poison

- 18 As it is told, the arrogant demon called Kaiṭabha created an obstacle for lotus-born Brahmā, at the very time that he was creating these creatures.⁴⁰⁴
- 19 Pitiless Fury took a body and burst out of the mouth of furious Brahmā's store of fiery energy.⁴⁰⁵
- 20 He burned that great, thundering, apocalyptic demon. Then, after bringing about the annihilation of that demon, his amazing fiery energy increased.
- 21 And so, there was a sinking down (*viṣāda*) of the Daityas. Observing that, it was named “poison (*viṣa*)” because of its ability to produce a “sinking down.”
- 22 After that, the Lord created beings and subsequently made that fury enter into creatures still and moving.
- 23–24 Water that falls from the sky to the earth has no obvious flavour. The savour of the different places it lands on enters into it. In the same way,

⁴⁰¹ सुरेन्द्रगोप and कुरुविन्द are both uncertain, see index. Ḍalhaṇa's opinion has been followed here, but it seems fair to say that all commentators were guessing.

⁴⁰² The syntax of this verse is somewhat loose; the vulgate has regularized it, smoothing out the difficulties.

⁴⁰³

⁴⁰⁴ At this point, the text seems to make a new beginning to the topic of toxicology, as if starting a new chapter. It is notable that no reference is made here to the famous origin story of poison in the churning of the primal milk ocean; for discussion of the sources of this account, see Bedekar 1967. For reflections on this passage, connecting it with Rudra and the *Śatapathabrāhmaṇa*, see Mānasa-taraṅgiṇī 2019.

⁴⁰⁵ “Fury” is here anthropomorphised.

- whatever substance a poison reaches, it establishes itself there and by its nature it takes on that substance's savour.⁴⁰⁶
- 25 Generally speaking, in a poison, all the qualities are really sharp. For this reason, every poison is known to irritate all of the humours.
- 26 Irritated and afflicted by the poison, they leave their natural functions. Poison does not get digested, so it blocks the breaths.⁴⁰⁷
- 27 Breathing is obstructed because its pathway is blocked by phlegm. Even if life continues, a man remains without consciousness.
- 28 Similar to semen, the poison of all angry snakes pervades the whole body, and goes to the limbs like semen because of being stirred up.
- 29 The fang of snakes is like a hook. When it gets there, it sticks inside them. That is why the unagitated poison of a snake is not released.
- 30 Sprinkling with very cold water is traditional for all cases of poisoning, because poison is declared to be extremely hot and sharp.⁴⁰⁸
- 31 Poison in insects is slow and not very hot, having a lot of wind and phlegm. So in cases of insect poisoning, sweating is not forbidden.
- 32cd In cases of a strike or a bite, the poison may, of its own accord, stay there.
- 33–35ab †Having come upon a body,⁴⁰⁹ in the case of corpses that have been pierced by a poisoned arrow and bitten by a snake, someone who eats the poisoned flesh of a recent corpse out of carelessness will suffer with illness according to the poison, or even die. And therefore, the flesh of those should not be eaten when they have just died.
- It is admissible after three quarters of an hour, but without the poisoned arrow and the snakebite.
- 35.1 [At this point an Upajāti verse is added in the margin of K but is not fully legible; the version of the text in H is also incomplete and not fully comprehensible.]⁴¹⁰

406 The scribal emendation in MS Kathmandu NAK 5-333 of नियच्छति to निगच्छति suggests that the scribe had more than one manuscript before him, one of them representing the reading of the vulgate recension.

407 Probably a reference to the five breaths. Ḍalhaṇa referred to winds (वात), but this does not seem correct since it is a reference to humours rather than breaths.

408 The verb पठ् “is declared, read aloud” here could possibly suggest that the author is working within a written, not oral, tradition.

409 “Having come upon” translates प्रस्थाप्य, which is hard to interpret unless it is a rare form connected with the sense “to see.”

410 *Mādhavanidāna*, 69.20–21 (MN₁: 480) has verses that are directly parallel to this section:

darvīkarāṇāṃ viṣam āśughāti sarvāṇi coṣṇe dviguṇībhavanti ajīrṇapittātapapīḍiteṣu bāleṣu

- 35.3 †When, in a wound, the poison that is connected with these qualities runs, ...Therefore, not everything that is damaged by poison and eaten causes death.
411
- 35.1 [śloka in the MSS that aren't in the vulgate. The first line doesn't scan. Witness K adds a part of the start of this in the bottom margin. This material is repeated at 3.39.2 in MS H.]
- 35cd & 36cd One designates a person who has diarrhoea of feces looking like soot (*grhadhūma*) with wind,⁴¹² and who vomits foam, as “someone who has drunk poison.”
- 37 Therefore, fire burns a heart that is pervaded by poison. For, having pervaded of its own accord the location of consciousness, it abides.⁴¹³

Patients beyond help

- 38 Patients who should not be accepted include: those who have been bitten under a [peepul tree](#), in a temple, in a cemetery, at an ant-hill, at dawn or dusk, at a crossroads, under Yama's asterism,⁴¹⁴ under the Great Bear and people who have been bitten in lethal spots.
- 39 The poison of cobras kills rapidly. They all gain twice the intensity in those who have indigestion, those who are afflicted by bile or wind, old people, children and the hungry.
- 39.1 In those whose who are mad or intoxicated, or who suffer from anxiety, or who are unable to tolerate its various strengths, it becomes sharp. †...
- 39.2

vrddheṣu bubhuḥṣiteṣu 20

kṣīṇakṣate mohini kuṣṭhayukte rūkṣe 'bale garbhavatīṣu cāpi

śastrakṣate yasya na raktam eti rājyo latābhiś ca na saṁbhavanti 21. This passage is the only occurrence in the ayurvedic text corpus that relates to the Nepalese version of the *Suśrutasaṁhitā* at this point. This suggests that Mādhavakara (fl. ca. 700, Bengal) knew and used the Nepalese version.

411 At this point, witness H inserts a marginal Indravajrā verse about diseases that afflict immoral women.

412 गृहधूम is not a plant in this context *pace* MW: 362. See the discussion in note 318, p. 118.

413 Ḍalhaṇa said that someone who has died from drinking poison has a heart that cannot be burned because it is pervaded by poison (5.3.37 (*Su 1938*: 570)). But the sense of the Nepalese MSS is the opposite.

414 याम्ये means “southerly” but Ḍalhaṇa on 5.3.38 (*Su 1938*: 570) interpreted it as “ in Yama's direction” as “under the seventh asterism.”

material
corres-
ponds to
SS.1.45.205ab,
where it
describes
how alcohol
affects the
body.

- 3.40cd–3.41 One should reject someone overcome by poison who does not bleed when cut with a knife, where weals do not appear as a result of lashes,⁴¹⁵ or where there is no horripilation because of cold water, whose mouth is crooked, whose hair is falling out of his head. A man who is fatigued and those who stammer,⁴¹⁶
- 3.42 one who has a black and red swelling at the site of the bite, with lockjaw, should be avoided. The same goes for someone who has a solid plug emerge from their mouth and someone who has blood running from above and below and
- 3.43ab The physician should also avoid a person who has fangs that have not fallen out quickly.⁴¹⁷

415 Dalhana, on 5.3.40 (Su 1938: 570), glossed लताभिस् “by means of whips,” as “when the body is struck by whips.”

416 nāsāvasāda & plural sakaṇṭhabhaṅgāḥ

417 The grammatical verb-form परिवर्जयित “he should avoid,” opt., 3rd, sg., is unusual. Renou (1940: 10 ff) documented such forms from the *Aitareyabrāhmaṇa* onwards. Oberlies (2003: ¶6.3.3 “Peculiar optative endings”, pp. 176–177) showed that the form is well-documented in *manuscripts* of the *Mahābhārata*, but has been edited out of the printed critical edition in almost all cases. Cf. also Kulikov 2006.

The concern about a patient who “has fangs that have not fallen out” is hard to understand. The word दंष्ट्रा does not mean human teeth (दन्त). We therefore prefer to interpret this as a patient where the fangs of a venomous creature remain in the bite-wound. This requires construing the expression as a *bahuvrīhi* compound: दंष्ट्रा or दंष्ट्र + अनिपातः.

Kalpasthāna 4: Snakes and Invenomation

Introduction

The fourth chapter of the Kalpasthāna of the *Suśrutasaṃhitā* addresses the topic of snake bites and snake venom. Unusually for the Nepalese version of the *Suśrutasaṃhitā*, the discussion is framed as a question from Suśruta to the wise Dhanvantari. Suśruta's questions are about the number of snakes, how they are classified, the symptoms of their bites and the pulses or stages of toxic shock experienced by a victim of snakebite and related topics. The taxonomy of snakes is presented in tabular form in Figures 1 and 2.⁴¹⁸

Literature

A brief survey of this chapter's contents and a detailed assessment of the existing research on it to 2002 was provided by Meulenbeld.⁴¹⁹ There also exists an substantial herpetological literature from colonial India as well as more recent studies of snakes in the context of cultural and religious life.

The ophiological literature of the colonial period began in the late nineteenth century with the work of Fayrer, whose publication included striking colour paintings of snakes.⁴²⁰ Fayrer provided a biological taxonomy

⁴¹⁸ On the idea of notational variants in scientific translation, see Elshakry 2008; Sarukkai 2016; Wujastyk 2021a: 81–83.

⁴¹⁹ HIML: IA, 292–294. In addition to the translations mentioned by Meulenbeld (HIML: IB, 314–315), a translation of this chapter was included in P. V. Sharma 1999–2001: 3, 35–45. The classic work of Jolly (1951: ¶93) offered a short but accurate overview of Indian toxicology.

⁴²⁰ Fayrer 1874, first published in 1872.

of snakes as well as chapters on mortality statistics during the nineteenth century, treatment and effects of poison, and experimental data. Ewart (1878) included descriptions of appearance and behaviour of poisonous snakes and sometimes their local names and reproducing Fayrer's illustrations.⁴²¹ Wall (1913: 75–124) provided a useful analysis of the medical effects of snake envenomation in India arranged by the varied symptomatology of different snakes. He also discussed the difference between the symptoms of toxicity and fright (69–75) and also the difficulties arising out of uncertainty about the effects of snake-bite (124–126). The *Suśrutasamhitā* too recognized the emotional and somatic effects of fright (see note 437 below). Wall (1921) provided a wealth of detail of the snakes of Sri Lanka, including line drawings.

Doniger (2015) provided a good survey of snakes as protagonists in religious literature from the *Atharvaveda* through the epics, *Purāṇas* and Buddhist literature. Semeka-Pankratov (1979) traced semiotics of the term *nāga* through Vedic, Pali and Sanskrit literature. Slouber (2016a: 31–33 *et passim*) discussed the *Suśrutasamhitā*'s *Kalpasthāna* as a precursor and influence on later Tantric traditions of snake-bite interpretation and therapy. In particular, the Tantric *Kriyākālaguṇottara* text that Slouber presented divided snakes into two basic categories, divine and mundane, as the *Suśrutasamhitā* does.⁴²² But unlike the *Suśrutasamhitā*, in the *Kriyākālaguṇottara* the chief taxonomic principle for both groups is the four *varṇas*.

A discussion of this chapter specifically in the light of the Nepalese manuscripts was published by Harimoto.⁴²³ After a close comparative reading of lists of poisonous snakes, Harimoto concluded that, “the Nepalese version is internally consistent while the [vulgate] editions are not.” Harimoto showed how the vulgate editions had been adjusted textually to smooth over inconsistencies, and gave insights into these editorial processes.⁴²⁴

421 Calling his work a supplement to Fayrer (1874), but also being cited by Fayrer, Ewart 1878 evidently also collected local indigenous knowledge from his “snake-man” (p. 22).

422 Slouber 2016a: 144–145.

423 Harimoto 2011: 101–104.

424 The two editions that Harimoto noted, Su 1938 and Su 1889, present identical texts.

The Seven Stages of Toxic Shock

A prominent feature the *Suśrutasamhitā*'s interpretation of envenomation symptoms is the concept of seven successive stages or pulses (*vega*) of toxic shock after a bite. This is interestingly coordinated with the *Suśrutasamhitā*'s concept of the *kalās*, which are either seven layers of skin that come into existence during embryonic development or seven interstitial tissues that separate the various parts of the body.⁴²⁵

Contemporary clinical studies of snake envenomation and treatment do not show any awareness of such a seven-stage symptomology of traditional Indian medicine.⁴²⁶ Exceptionally, the studies by Barceloux and Özbulat et al., do identify and tabulate three stages of envenomation.⁴²⁷ The symptoms of these three stages are mainly characterized by increasing degrees of edema. This differs from the *Suśrutasamhitā*'s detailed characterization of changes in skin colour etc.⁴²⁸

Translation

- 1 Now we shall explain the procedure (*kalpa*) that is what should be known concerning the venom in those who have been bitten by snakes.⁴²⁹
- 3 Suśruta, grasping his feet, questions the wise Dhanvantari, the expert in all the sciences.

⁴²⁵ The system of the कला is described at 4.4.4–20 (Su 1938: 355–357). Cf. *Mahākośa*: 1, 183–184, *Śabdasaṁdhu*: 227–228, Kutumbiah 1962: 6, HIML: 1, 247–248 and notes. This system of dermal and interstitial कला was not known to the *Carakasamhitā* as such; rather, the *Carakasamhitā* mentioned six kinds of skin (त्वक्) (4.7.4 (Ca 1941: 337)), with different names and characteristics, a contradiction discussed by the commentator Cakrapāṇidatta (*idem*). It appears in later works such as the fourteenth-century *Śārṅgadharasamhitā* (1.1.60 (P. Śāstrī 1931: 15)).

⁴²⁶ E.g., Ellenhorn 1997; Weinstein et al. 2009; Pillay 2013: 1747–1749; WHO 2019: 19; Mehta and Sashindran 2002; Hamza et al. 2021; A. M. Deshpande et al. 2022.

⁴²⁷ Barceloux 2008: 1017, Table 176.3, and Özbulat et al. 2021: 7, and Table 1, broadly following Barceloux.

⁴²⁸ I am grateful to Prof. Jan Gerris (U. Ghent) and Prof. Jan Tytgat (KU Leuven) for assistance in finding relevant toxicological literature.

⁴²⁹ The *Sarvāṅgasundarī*, commenting on *Aṣṭāṅgahṛdayasamhitā* 1.16.17 (Ah 1939: 246), glossed कल्प as प्रयोग.




Figure 1: The taxonomy of snakes in the vulgate, 5.4.9–13ab (Su 1938: 571).

- 4 “My Lord, please speak about the number of snakes, and their divisions, the symptoms of someone who has been bitten, and the knowledge about the toxic reactions of poisoning”.⁴³⁰

[The Taxonomy of Snakes]

- 5 On hearing his query, that distinguished physician spoke.
 “The venerable snakes such as Vāsukī and Takṣaka are uncountable.
 6–9ab “They are snake-lords who support the earth, as bright as the ritual fire, ceaselessly roaring, raining and scorching. They hold up the earth, with its oceans, mountains and continents. If they are angered, they can destroy the whole world with a breath and a look. Honour to them. They have no role here in medicine.
 “The ones that I shall enumerate in due order are those mundane ones with poison in their fangs who bite humans.”⁴³¹

9cd–10 “There are eighty kinds of snakes and they are divided in five ways:

⁴³⁰ The expression “toxic reactions” translates वेग, which in other contexts may mean “(natural) urge.” Here, it is rather the discrete stages or phases of physiological reaction to envenomation. Cf. the symptoms of cobra poisoning described by Wall (1913: 80).

⁴³¹ The next few verses are discussed in detail by Harimoto (2011: 101–104), who shows that in the taxonomy of snakes, the Nepalese version of the *Suśrutasaṃhitā* has greater internal coherence than the vulgate recension.




Figure 2: The taxonomy of snakes in the Nepalese version.

Darvikaras, Maṇḍalins, Rājimats, and Nirviṣas. And Vaikarañjas that are traditionally of three kinds.⁴³²

- 11 “Of those, there are twenty and six hooded snakes, and the same number of Maṇḍalins are known. There are thirteen Rājimats.⁴³³
- 12 “There are said to be twelve Nirviṣas and, according to tradition, three Vaikarañjas.

[Behaviours]

- 13–14ef “If they are trodden on, ill-natured or provoked or even just looking for food, those very angry snakes will bite. And that is said to happen in three ways: serpented (*sarpita*) , torn (*darita*) and thirdly without venom (*nirviṣa*) . Some experts on this want to add “hurt by the snake’s body”.⁴³⁴
- 15–16 “The physician can recognize the following as “ophidian (*sarpita*) ”: Where a rearing snake makes one, two or more puncture-marks of its teeth, when they are deep and without much blood,⁴³⁵ accompanied

Or “There are 20 phanins and 6 mandalins. The same number are known. There are 13 Rājimats.” Or even, “there are 20 Phanins and six of them are Maṇḍalins.” Are phanins really the same as darvikaras?

432 Harimoto (2011) translated these names as “hooded,” “spotted,” “striped,” “harmless,” and “hybrid.” Figure 1 shows the taxonomy described in the vulgate text; Figure 2 shows the different and more logical division of the Nepalese version of the *Suśrutasamhitā*.

433 The phrasing of this śloka is awkward.

434 This might refer to constriction. The phrase reads like a commentarial addition rather than the main text of the *Suśrutasamhitā*.

435 The word उद्धृत “aroused” was glossed by Ḍalhaṇa at 5.4.15 (Su 1938: 571) as उन्मोद्य, a word not found as such in standard dictionaries (MW; KEWA; *Mahākośa*; Apte). Semantic considerations suggest that the word is not related to √mut “break” or mūta/mūṭa “woven basket.” Perhaps it is related to the Tamil மொட்டி (*mōṭṭi*), whose meanings include “arrogance, grandeur, display” (DED₂: #5133) or to faintly-documented forms like *mōṭyate* “is twisted” (CDIAL: #10186). Ḍalhaṇa’s उन्मोद्य may

- by a little ring of spots (*cuñcumālaka*) ,⁴³⁶ lead to degeneration, and are close together and swollen.
- 17 Where there are streaks with blood, whether it be blue or white, the physican should recognize that to be “torn (*darita*) ,” having a small amount of venom.
- 18 The physician can recognize the locations of the bites of a person in a normal state as being free from poison, when the location is not swollen, and there is little corrupted blood.
- 19 The wind of a timid person who has been touched by a snake can get irritated by fear. It causes swelling.⁴³⁷ That is “hurt by a snake’s body.”
- 20 Locations bitten by sick or frightened snakes are known to have little poison. Similarly, a site bitten by very young or old snakes has little poison.
- 21 Poison does not progress in a place frequented by eagles,⁴³⁸ gods, holy sages, spirits, and saints, or in places full of herbs that destroy poison.⁴³⁹

thus mean “twisting up” or “making an arrogant display.”

Note that पद “puncture-mark” (more literally, “footprint”) is being used in the same sense as in 1.13.19 (Su 1938: 57) when describing the marks on the body where a knife scarifies the skin before leeching. See footnote 49.

- 436 The usual dictionary lexeme is चञ्चु, not चुञ्चु as in the Nepalese witnesses. We translate “spots” following Ḍalhaṇa and Gayadāsa on 5.4.15 (Su 1938: 571), where they described a group of spots or swellings at the site of the bite. On the history of the word मालक, see Kieffer-Pülz 1996.

- 437 Wall (1913: 69) remarked on the difficulty of separating toxicity symptoms from the psychosomatic effects of terror:

The gravity of symptoms due to fright does not appear to me to be sufficiently recognised, though there is no doubt in my mind that fatal cases from this cause are abundant, especially among the timid natives of this country.

Wall went on to give several case studies in which patients experienced syncope or even died as a result of bites from toxicologically harmless creatures.

- 438 Ḍalhaṇa on 5.4.21 (Su 1938: 571) identified the सुपर्ण as a गरुड. On the bird called सुपर्ण, Dave (1985: 72 ff, 514) too noted that it may be a synonym for Garuḍa, and in some contexts may refer to the Golden Eagle, Golden Oriole, Lammergeyer, etc. Dave (1985: 199 ff, 492) noted again that the Garuḍa is a mythical bird but may refer to the Himalayan Golden Eagle and other species of eagle. He pointed out that historically, The original physical basis for गरुड as the नागाशी (snake-eater) was most probably the Sea-Eagle who picks up sea-snakes from the sea or sand-beach and devours them on a nearby tree... (Dave 1985: 201).

Dave continued with interesting reference to Śrīharṣa’s *Nāgānanda*.

- 439 For “spirits” the Nepalese version has भूत while the vulgate reads यक्ष.

[Characteristic Features of Snakes]

- 22 Darvīkara snakes are known to have hoods, to move rapidly, and to have rings, ploughs, umbrellas, crosses, and hooks on them.
- 23 Maṇḍalin snakes are known for being large and slow-moving. They are decorated with many kinds of circles. They are like a flaming fire because of their poisons.
- 24 Rājimat snakes are smooth and traditionally said to be, as it were, mottled with multicoloured streaks across and above.

[Classes of Snake]

- 25 Snakes that shine like pearls and silver, and that are amber and that shine like gold, and smell sweet are traditionally thought of as being of the Brāhmaṇa caste.
- 26 Warrior snakes, however, are those that look glossy and get very angry. They have the mark of the sun, the moon, the earth, an umbrella and bitumen.
- 27 Merchant snakes may traditionally be black, shine like diamond or have a red colour or be grey like pigeons.
- 28 Any snakes that are coloured like a buffalo and a tiger, with rough skin and different colours are known as servants.⁴⁴⁰
- 31 All snakes that are variegated (Rājīmats) move about during the first watch of the night. The rest, on the other hand, the Maṇḍalins and the Darvīkaras, are diurnal.⁴⁴¹
- 29 Wind is irritated by all hooded snakes; bile by Maṇḍalins and phlegm by those with many stripes.
- 30 Because of the two classes having greater, lesser or equal class, there is the characteristic of irritating two humours.
And he will explain the opposing view that is to be known as a result of the non-union of a male and female.⁴⁴²

⁴⁴⁰ Presumably “different” from the earlier-mentioned castes.

The sequence of the following three verses is slightly different from the vulgate (5.4.29–31 ([Su 1938](#): 572)).

⁴⁴¹ The readings of the vulgate, that Rājīmats are active in the early night, the Maṇḍalins in the later night, and Darvīkaras in the day, seem clearer.

⁴⁴² The sense of the last phrase here is quite different from the vulgate, which says only that “details” will be explained below.

[Enumeration of Snakes]

34.1 In that context, here are the Darvīkaras.

- | | |
|---|---|
| 1. The Black snake (<i>kṛṣṇasarpa</i>) ; | 15. The Great Lotus (<i>mahāpadma</i>) ; |
| 2. The Big Black (<i>mahākṛṣṇa</i>) ; | 16. The Grass Flower (<i>apuṣpa</i>) ; |
| 3. The Black Belly (<i>kṛṣṇodara</i>) ; | 17. The Curd Mouth (<i>dadhimukha</i>) ; |
| 4. The All Black (<i>sarvakṛṣṇa</i>) ; ⁴⁴³ | 18. The Lotus Mouth (<i>puṇḍarīkamukha</i>) ; |
| 5. The White Pigeon (<i>śvetakapota</i>) ; ⁴⁴⁴ | 19. The Brown Hut Mouth (<i>babhrūkuṭīmukha</i>) ; |
| 6. The Rain Cloud (<i>valāhako</i>) ; | 20. The Variegated (<i>vicitra</i>) ; |
| 7. The Great Snake (<i>mahāsarpa</i>) ; | 21. The Flower Sprinkle Beauty (<i>puṣpābhikīrṇnābha</i>) ; |
| 8. The Conch Keeper (<i>śaṃkhapāla</i>) ; | 22. The Mountain Snake (<i>girisarpa</i>) ; |
| 9. The Red Eye (<i>lohitākṣa</i>) ; | 23. The Straight Snake (<i>ṛjusarpa</i>) ; |
| 10. The Gavedhuka (<i>gavedhuka</i>) ; | 24. The White Rip (<i>śvetadara</i>) ; |
| 11. The Snake Around (<i>parisarpa</i>) ; | 25. The Big Head (<i>mahāśīrṣa</i>) ; |
| 12. The Break Hood (<i>khaṇḍaphaṇa</i>) ; | and |
| 13. The Kūkuṭa (<i>kūkuṭa</i>) ; | 26. The Hungry Sting (<i>alagarda</i>) ; |
| 14. The Lotus (<i>padma</i>) ; | ; |

34.2 Here are the Maṇḍalins

- | | |
|---|--|
| 1. The Mirror Ring (<i>ādarśamaṇḍala</i>) ; | 8. The Jackfruit (<i>panasaka</i>) ; |
| 2. The White Ring (<i>śvetamaṇḍala</i>) ; | 9. The Big Jackfruit (<i>mahāpanasaka</i>) ; |
| 3. The Red Ring (<i>raktamaṇḍala</i>) ; | 10. The Bamboo Leaf (<i>veṇupatraka</i>) ; |
| 4. The Speckled (<i>prṣata</i>) ; | 11. The Kid (<i>śīśuka</i>) ; |
| 5. The Gift of God (<i>devadinna</i>) ; | 12. The Intoxicator (<i>madanaka</i>) ; |
| 6. The Pilindaka (<i>pilindaka</i>) ; | 13. The Morning Glory (<i>pālindaka</i>) ; |
| 7. The Big Cow Snout | |

⁴⁴³ Not in vulgate.

⁴⁴⁴ The vulgate adds The Big Pigeon (*mahākapota*) .

- | | |
|---|--|
| 14. The Stretch (<i>tantuka</i>) ; | 20. The Khaluṣa (<i>khaluṣa</i>) ; |
| 15. The Pale as a Flower
(<i>puṣpapāṇḍu</i>) ; | 21. The Pigeon (<i>pārāvata</i>) ; |
| 16. The Six Part (<i>ṣaḍaṅga</i>) ; | 22. The Hand Decoration
(<i>hastābharanaka</i>) ; |
| 17. The Flame (<i>agnika</i>) ; | 23. The Tatra (<i>tatra</i>) ; ⁴⁴⁵ |
| 18. The Brown (<i>babhru</i>) ; | 24. The Mark (<i>citraka</i>) ; |
| 19. The Ochre (<i>kaṣāya</i>) ; | 25. The Deer Foot (<i>eṇīpada</i>) . ⁴⁴⁶ |

34.3 Here are the Rājīmats.⁴⁴⁷

- | | |
|--|--|
| 1. The Lotus (<i>puṇḍarīka</i>) ; | 7. The Grass Drier (<i>trṇaśoṣaka</i>) ; |
| 2. The Stripe Speckle (<i>rājicitra</i>) ; | 8. The White Jaw (<i>svetahanu</i>) ; |
| 3. The Finger Stripe (<i>aṅgulirāji</i>)
; | 9. The Grass Flower
(<i>darbhapuṣpa</i>) ; ⁴⁴⁸ |
| 4. The Two Finger Stripe
(<i>dvyāṅgulirāji</i>) ; | 10. The Red Eye (<i>lohitākṣa</i>) ; ⁴⁴⁹ |
| 5. The Drop Stripe (<i>bindurāji</i>) ; | 11. The Ringed (<i>cakraka</i>) ; |
| 6. The Mud (<i>kardama</i>) ; | 12. The Worm Eater (<i>kikkisāda</i>) ; |

34.4 Here are the Nirviṣas.

- | | |
|---|---|
| 1. The Rain Cloud (<i>valāhako</i>)
; ⁴⁵⁰ | 8. The Two-day (<i>dvyāhika</i>) ; |
| 2. Thei Snake Flag (<i>ahipatāka</i>) ; | 9. The Milk Flower
(<i>kṣīrikāpuṣpa</i>) ; |
| 3. The White Leaf (<i>śukapatra</i>) ; | 10. The Flower All (<i>puṣpasakalī</i>)
; |
| 4. The Goat Swallower
(<i>ajagara</i>) ; | 11. The Chariot of Light
(<i>jyotīratha</i>) ; |
| 5. The Stimulator (<i>dīpyaka</i>) ; | 12. The Little Tree (<i>vrkṣaka</i>) ; |
| 6. The Ilikinī (<i>ilikinī</i>) ; | |
| 7. The Year-Snake (<i>varṣāhika</i>) ; | |

⁴⁴⁵ This seems implausible, but otherwise the list of Maṇḍalins would be short.

⁴⁴⁶ The list is short by one item. Perhaps the one of the snakes named in the vulgate, *citramaṇḍala*, *gonasa* or *piṅgala*, should be considered here.

⁴⁴⁷ The following list is one item short. The vulgate text, however, has several names that do not appear in the Nepalese Rājīmat list, for example Sarṣapaka and Godhūmaka.

⁴⁴⁸ Also in the Darvīkara list.

⁴⁴⁹ Also in the Darvīkara list.

⁴⁵⁰ Also in the Darvīkara list.

[Breeding and Gender]

varṇa
means "col-
our" else-
where?

34.5 The Vaikarañjas originate out of contrary unions amongst the three colours.⁴⁵¹ Thus:

1. The Mākuli (*mākuli*) ;
2. The Poṭa Throat (*poṭagala*) ;
3. The Oil Stripe (*snigdharāji*) ;

Amongst those, the Mākuli (*mākuli*) ; is born when a male Black Snake mates with a female Cow Snout (*gonasa*) , or the reverse. The Poṭa Throat (*poṭagala*) is born when a male Rājila mates with a female Cow Snout (*gonasa*) or the reverse. The Oily Stripe (*snigdharāji*) is born when a male Black Snake mates with a female Rājimat, or the reverse. Their poison is like that of their father, because it is the superior one out of the two; but others say it is like the mother. Thus eighty of these snakes have been described.

- 35 Amongst them, males have large eyes, tongues and heads.⁴⁵² Females have small eyes, tongues and heads. Neuters have both characteristics, and are slow to exert themselves or be angry.⁴⁵³
- 36 In that context we shall give instruction in a general way about the sign of having been bitten by any of the snakes.

For what reason?

Because poison acts quickly, like a fire with an oblation, a honed sword, or a thunderbolt.⁴⁵⁴ And ignored for even a period of time, it can drag the patient away. There is not even an opportunity to follow the literature.⁴⁵⁵

And when the symptom of being bitten is stated, there will be three ways of treating it because there are three kinds of snake. Therefore

451 The word *varṇa* in this chapter normally means "colour" not "class." ("Class is expressed by "jāti.") While *kṛṣṇasarpa* is clearly a colour-type, it is less obvious that *gonasī* is a special colour, and *rājimat* is a group of snakes.

452 The vulgate includes the snake's mouth in this and the next list.

453 The reading मन्दचेष्टाक्रोधा is an awkward compound; possibly the original reading was मन्दचेष्टा: + अक्रोधा and sandhi was applied twice.

454 Perhaps the image suggested by "a fire with an oblation" is that of the Pravargya, in which a large flame rises suddenly from the ritual fire.

455 The idea seems to be that there is no time to consult the verbose āyurvedic teachings. The "extensive meaning of the collection of statements (वाक्समूहार्थविस्तार)" is singled out as one of Āyurveda's virtues in 5.8.142 (Su 1938: 594). Alternatively, perhaps the patient is unable to understand what the doctor is saying to him.

we shall explain it in three ways. “For this is good for people who are ill, and it removes confusion and in this very case it prevents all symptoms”.⁴⁵⁶

[Symptoms of snakebite]

- 37 In this context, the poison of a Darvīkara causes the skin, nails, eyes, mouth, urine, feces, and the bitemark to be black; there is driness, the joints hurt and the head feels heavy; the waist, back and neck feel weak; there is yawning, the voice becomes faint, there is gurgling, paralysis, dry throat, cough, wheezing, and hiccups; the wind goes upwards, the patient convulses with sharp pain, black saliva dribbles out, foam appears, the ducts (*srotas*) are blocked and every kind of pain that is due to wind.⁴⁵⁷

The poison of a Maṇḍalin causes the skin, nails, eyes, teeth, mouth, urine, feces, bitemark to be yellow; there is a desire for cold, a temperature, giving off fumes,⁴⁵⁸ a burning feeling, thirst, intoxication, fainting, fever, haemorrhaging (*śonitāgamana*) , and the degeneration of the flesh and fat above and below. There is swelling, suppuration of the bite, metamorphopsia (*viparītadarśana*) , anger caused by the suffering, and every kind of pain that is due to bile.⁴⁵⁹

The poison of a Rājīmat causes the skin, nails, eyes, teeth, mouth, urine, feces, and bitemark to be pale; there is a cold fever, the hair stands on end, there is stiffness and swelling of the limbs including the site of the bite. There is a discharge of viscous phlegm, vomiting, itchy eyes, and a

456 In the next passage, the symptoms of snake poisoning are indeed explained under three headings.

457 Cf. the similar symptoms of snake venom poisoning by the so-called Brahmin warriors of *Harmatelia* described by the classical author Diodorus Siculus (fl. ca. 30-60 BCE) (Eggermont 1975: 108).

458 The term “giving of fumes (परिधूपयन)” is not in MW: 596 as such, although परिधूपन, परिधूमन and परिधूमायन are cited and referred to the *Suśrutasaṃhitā*. “Giving off fumes (परिधूपन)” is listed at *Suśrutasaṃhitā* 2.6.13 (Su 1938: 291) amongst the symptoms of urinary disease caused by phlegm. The editors note a variant reading परिधूमायन but do not tell us in which manuscript (Su 1938: 291, n. 3). Ḍalhaṇa on 2.6.13 (Su 1938: 292) glossed परिधूपन as “hot all over (समन्ततस्तापः)” and in our current passage as “hot over the whole body (सर्वाङ्गसन्तापः)” (Su 1938: 573). See also *Mahākośa*: 1, 429: धूमायन “अङ्गानां धूमोद्धमनमिव” citing the *Suśrutasaṃhitā*.

459 Ghosh et al. (2023) describes visual disturbances due to snake envenomation.

rattling sound. The breath is obstructed and there is every kind of pain due to phlegm.

- 38 In that context, “someone bitten by a male gazes upwards, by a female horizontally, and by a neuter, downwards.” One bitten by a pregnant snake has a pale face and becomes swollen (*ādhmāta*) . One bitten by a recently-delivered snake is afflicted with abdominal pain and urinates with blood. One bitten by a hungry snake craves food. Those bitten by an old snake have delayed and slow reactions. And one bitten by a young snake is fast and keen. One bitten by a non-venomous snake has the characteristic mark of non-poisoning.⁴⁶⁰ Some that are bitten by a blind snake become blind. A constrictor (*ajagara*) is deadly because it swallows, not because of poison.

[toxic reactions]

- 39 In that context, all snake toxins have seven toxic reactions .⁴⁶¹

[**Darvīkaras**] Thus, at the first pulse of the Darvīkaras the poison corrupts the blood. That corrupted blood turns black. Because of that, blackness and a feeling of ants crawling about on the body develop.⁴⁶² In the second pulse, it corrupts the flesh. That causes extreme blackness and lumps.

In the third, it corrupts the fat. That causes a discharge at the bite, heaviness of the head and an eclipse of the vision.⁴⁶³

In the fourth, it penetrates the trunk of the body (*koṣṭha*) . From there, it irritates the humors, particularly phlegm. That causes exhaustion and oozing phlegm, and dislocation of the joints.

In the fifth pulse, it penetrates the bones. That causes breaking of the joints, hiccups and burning.

In the sixth pulse, it penetrates the marrow. That causes humours in the seat of fire in the gut (*grahaṇī*) , heaviness of the limbs, diarrhoea,

460 The grammar of अविषलिङ्गम् is not quite right; it should be a masculine or plural bahuvrīhi.

461 Cf. the same concept in the context of plants, at 133

462 Strictly, we would expect a dual verb here, instead of the plural of the witnesses.

463 Dalhaṇa on 5.4.39 (*Su* 1938: 574) glossed the last expression as “blockage of the vision (दृष्ट्यवरोध).”

pain in the heart and fainting.⁴⁶⁴

In the seventh, it penetrates the semen and greatly irritates the vyāna breath (*vyāna*) , and causes the phlegm (*kapha*) to run imperceptibly out of the tubes (*srotas*) . That causes the appearance of mucous (*śleṣ-man*) , breaking of the hips, back and shoulders, impediment to all movements and shortness of breath.

[Mandalins] Thus, at the first pulse of the Mandalins, the poison corrupts the blood. Corrupted by that, it turns yellow. That causes a yellow appearance and a feeling of heat all over (*paridāha*) .

In the second pulse, it corrupts the flesh. And that causes the limbs to be very yellow and an extreme feeling of heat all over (*paridāha*) , and swelling at the bite.

In the third, it corrupts the fat. That causes a discharge at the black bite and sweating.

In the fourth, it penetrates as before and brings on fever.

In the fifth, it causes heat in all the limbs.

In the sixth and seventh, it is the same as before.

[Rājīmats] Thus, in the first pulse of the Rājīmats, the poison corrupts the blood. Corrupted by that, it turns yellow. It causes a person to have hair standing on end and a pale appearance.

In the second pulse, it corrupts the flesh. That causes him to become pale and to become extremely benumbed (*jāḍya*) .

In the third, it corrupts the fat. That causes moistness of the bite and runny eyes and nose.

In the fourth, it is the same as before. After penetrating, it brings on manyāstambha (*stiffness of the neck*) and heaviness of the head.

In the fifth, speech is slurred and there is a cold fever.

In the sixth and seventh, it is the same as before.

[Summary Verses]

40 There are verses on this.

⁴⁶⁴ The “seat of fire in the gut (ग्रहणी)” is an ayurvedic organ in the digestive tract that does not correspond to any specific organ known to contemporary anatomy. For discussion, see *Mahākośa*: v. 1, 304; Meulenbeld 1974b: 619; Das 2003: 544–545.

It is well known that there are seven interstitial layers (kalā) in between the bodily tissues (dhātu) . Poison passing through these one by one produces the toxic reaction (vega) .⁴⁶⁵

41 *The interval taken by the deadly substance (kālakalpa) , propelled (√ūh) by air (samīraṇa) , to cut the layers of skin is known as the “pulse interval (vegāntara) ”.⁴⁶⁶*

42 *In the first pulse, an animal has a swollen body, is distressed and broods.⁴⁶⁷*

In the second, it dribbles somewhat,⁴⁶⁸ the hair stands up on its body, and it has pain (√pīḍ) in the heart.

43 *The third stage brings headache and it breaks the ears and necks.⁴⁶⁹ In the fourth, the bewildered creature trembles and gnashing its teeth, it gives up life.*

44–45 *Some experts say that elephants have three toxic reactions .⁴⁷⁰ So, at the first pulse, an bird becomes bewildered and is confused from that point on. At the second, the bird is distressed and, crying out, it dies.*

Some people claim that where birds are concerned, there is really just a single toxic reaction (vega) and that amongst animals like cats and mongooses, poison does not take much effect.⁴⁷¹

465 See note 425 above.

466 Ḍalhaṇa on 5.4.41 (Su 1938: 574) glossed कालकल्प as मृत्युसदृशं विषं “the poison resembles death.”

467 The verb √प्रध्वै “meditate, be thoughtful, brood” is unexpected here and in the second class, an epic form. Ḍalhaṇa on 5.4.42 (Su 1938: 574) noted that some manuscripts did not include the text about animals from this point on. The fact that these verses are present in the Nepales witnesses testifies to their antiquity.

468 The Nepalese witnesses use लालि-, not लाला-, for “saliva.”

469 The scribe of MS H emended the text to read कण्ठग्रीव with the vulgate. Intransitive use of pass. भञ्ज्.

470 On अन्तःस्वेद as “elephant,” cf. Arthaśāstra 9.1.46 (Kangle 1965a: v.1, 219; Olivelle 2013: 351): हस्तिनो ह्यन्तःस्वेदाः कुष्ठिनो भवन्ति ॥ ४६ ॥.

471 See on this subject: T. L. Brunton and Fayrer 1909: 39-40; S. A. Minton and M. R. Minton 1969: 88-89 (references taken from HIML: 1B, 399, n. 124).

Kalpasthāna 5: Therapy for those Bitten by Snakes

Introduction

Literature

A brief survey of this chapter's contents and a detailed assessment of the existing research on it to 2002 was provided by Meulenbeld.⁴⁷²

⁴⁷² [HIML](#): IA, 294–295. In addition to the translations mentioned by Meulenbeld ([HIML](#): IB, 314–315), a translation of this chapter was included in P. V. Sharma [1999–2001](#): 3, 35–45.

Translation

Passage numbers refer to the canonical numbering of the vulgate edition (*Su* 1938).

- 1 Now we shall explain the procedure (*kalpa*) that is the therapy for someone bitten by a snake.⁴⁷³
- 3 For a person bitten on a limb by any snake, one should first of all make a strong binding, at four fingers measure above the bite.⁴⁷⁴
- 4 Poison does not move around into the body if it is prevented by bandages (*ariṣṭā*) or by any other soft items of cloth (*plota*), leather (*car-mānta*) or bark.⁴⁷⁵
- 5 Where a bandage (*bandha*) is not suitable, one should raise the bite up and then cauterize it.⁴⁷⁶ Suction, cutting and cauterizing are recommended in all cases.
- 6 Suction will be good after filling the mouth with earth (*pāṃśu*).⁴⁷⁷ Alternatively, the snake should be bitten by the person who knows that they have just been bitten.⁴⁷⁸

473 On कल्प, see note 429.

474 Application of a tourniquet is deprecated by modern establishment medicine, which relies on antivenom medications (e.g., Pillay 2013: 150–151 et passim in the literature). The vulgate introduces the word अरिष्टा at this point. This may be a borrowing from Ci.23.251cd (*Ca* 1941: 582).

475 It is hard to translate the word अरिष्टा otherwise than “bandage,” as referred to by बन्धियात् in the previous verse, and apparently similar to items of cloth etc., and called a बन्ध in the next verse. But in general Sanskrit literature, including medical literature, the word (in masc. gender) means either “an alcoholic tonic” or “an omen of death,” (1.30.3 (*Su* 1938: 137)), or is a plant name. This raises a question mark over its unique meaning in the present context. The *Aṣṭāṅgahṛdayasaṃhitā* (Utt.36.42cd (*Ah* 1939: 910)) seems to be a gloss on अरिष्टा, saying “An expert in mantras may bind using a braid made of silk etc., empowered with mantras” (see also 5.5.8 (*Su* 1938: 575)).

476 The vulgate reads उत्कृत्य “having excised” rather than translate उद्धृत्य “having raised up.”

477 The vulgate recommends cloth, not earth (5.5.6 (*Su* 1938: 574)).

478 The syntax is odd here, and the vulgate has removed the difficulties. Ḍalhaṇa on 5.5.6 (*Su* 1938: 574) noted that one should hold the snake firmly and give a good bite to its head and tail (हस्ताभ्यामुपसंगृह्य पुच्छे वक्रे च सर्पः सम्यग् दष्टव्यः). Our colleague Dr Madhu K. Paramesvaran reports that this procedure is known in Malayalam *viṣavaidya* treatises and is practiced in Kerala, though rarely: “this practice has been described as one of the first-response cares for snakebite in most of the Malayalam texts of Vishavaidya.

- 7 Now, one should in no way cauterize someone bitten by a Maṇḍalin. Because of the over-abundance of poison in the bile (*pittaviṣa*) , that bite will be lethal as a result of cauterization.⁴⁷⁹

The application of mantras

- 8 An expert in mantras should tie on a bandage (*ariṣṭā*) too, with mantras. But they say that a bandage that is tied on with cords and so on causes the poison to be purified.⁴⁸⁰
- 9 Mantrās prescribed by gods and holy sages (*brahmarṣi*) , that are imbued with truth and religious power (*tapas*) are inexorable and they rapidly destroy intractable poison.
- 10 Drugs cannot eliminate poison as quickly as the application of mantras imbued with religious power (*tapas*) and imbued with truth, holiness (*brahma*) and religious power.⁴⁸¹
- 11 The mantras should be received by a person who is abstaining from women, meat and mead (*madhu*) , who has a restricted diet, and who is pure and lying on a bed of *halfa* grass.
- 12 For the mantras to be successful, one should diligently worship the deity (*devatā*) with perfume, garlands, and oblations (*upahāra*) , as well as sacrificial offerings (*bali*) , and with mantra repetition (*japa*) and rituals.⁴⁸²

I have never seen this happening in real life and my teachers used to consider it to be a method (albeit a bit outrageously dangerous) for self-reassurance by the patient.” (Paramesvaran 2023). Cf. the Viṣavaidya text edited by Mahādeva Śāstrī (1958).

479 Verses 5.4.29, and 37 above note that the venom of Maṇḍalins particularly irritates the bile.

480 Ḍalhaṇa on 5.5.8 (Su 1938: 575) clarified that on the one hand the bandage must be accompanied with mantras, but on the other hand, it may also be used without mantras. The verse seems to put two points of view.

481 Ḍalhaṇa on 5.5.10 (Su 1938: 575) noted that mantras like “kurukullā” and “bheruṇḍā” are explained in other treatises and therefore not explained further in his commentary. These two mantras are the names of tantric Śaiva and Buddhist goddesses. For a study on this specific subject see Slouber (2016b). HIML: IIB, 151, n. 344 provides a bibliography to 2002 of studies on Kurukullā, who is mentioned in Māhuka’s *Hara-mekhalā*, and Meulenbeld 2008a: 30–34 includes discussion of Bheruṇḍa as a bird, with related terms.

482 Ḍalhaṇa on 5.5.12 (Su 1938: 575) noted that उपहार includes incense, while बलि refers to sacrifice with an animal (सपशुनैवेद्य).

- 13 But mantras pronounced illicitly or that are deficient in accents (*svara*) and letters do not give success. So antitoxic (*agada*) procedures need to be employed.

Blood letting

- 14 A skilled physician should puncture a duct (*sirā*) which is located on the limb (*śākhāśrayā*), and comes from the bite and the general area. If the poison has spread, one on the forehead should be pierced.
- 15 The blood being drawn out draws away all the poison.⁴⁸³ Therefore one should cause blood to flow, for that is his very best procedure.
- 16 After incising (*pracchāna*) the area around the bite, one should smear it with antidotes and sprinkle it with water infused with sandalwood and cuscus grass.⁴⁸⁴

Internal medications

- 17 One should make him drink various antidotes together with milk, honey and ghee. If they are unavailable, the earth of black ants can be good.⁴⁸⁵
- 18 Alternatively, he should consume orchid tree, siris and purple calotropis or white siris too. He should not drink sesame oil or horse gram, nor wine or Indian jujube.
- 19 But after drinking any other liquid at all, he should throw up after drinking it. For on the whole, poison is easily removed by means of vomiting.

⁴⁸³ The Nepalese version uses a present passive participle construction here, that is less common than the vulgate's locative absolute. The Nepalese version states that it is the blood coming out of the patient that carries away the venom; the vulgate text says merely that the venom emerges while the blood comes out.

⁴⁸⁴ प्रच्छान is the second of the two methods of blood letting described in the vulgate text of the *Suśrutasaṃhitā* at 1.14.25 (Su 1938: 64); this verse does not appear in the Nepalese version of the *Suśrutasaṃhitā*.

⁴⁸⁵ This refers to earth taken from an anthill. In South Asia, there is a long tradition of considering such earth to be beneficial and even holy (e.g., Irwin 1982).

Therapies at each pulse of toxic reaction

- 20 In the case of hooded snakes, when there is a toxic reaction (*vega*) first one should let blood. At the second, one should make him drink an antidote (*agada*) together with honey and ghee.⁴⁸⁶
- 21 At the third one should use errhines and collyrium (*añjana*) that destroy poison.⁴⁸⁷ At the fourth, when he has vomited, the physician should make him drink a gruel (*yavāgū*) that destroys poison.
- 22 At the fifth and sixth toxic reactions one should make the person drink something that aids cooling, that is cleansing and *tīkṣṇa* (*sharp*), and a well-regarded gruel too.
- 23 But at the seventh, one should purge (*śodh*) his head with a sharp sternutatory.⁴⁸⁸

In the case of Maṇḍalins

- 24 Amongst Maṇḍalins, the earliest toxic reaction (*vega*) should be treated in the same way as with Darvīkaras.⁴⁸⁹
- 25 At the second, one should make him drink ghee and honey and then make him vomit.⁴⁹⁰
- 26 At the third, one should give the purged patient healthy gruel. At the fourth and the fifth too, one should do the same as for the Darvīkara.

⁴⁸⁶ This section reproduces some of the therapies from *Suśrutasamhitā* 5.2.40–43 (*Su* 1938: 566) on the stages of slow poisoning (*dūṣṭviṣa*) by plant poisons; see translation on p. 133 above.

⁴⁸⁷ The rare word नस्तः “from or into the nose” in नस्तःकर्म “errhine” is supported by both Nepalese manuscripts. The term is more common in the *Carakasamhitā*, occurring eleven times, e.g., at 1.20.13 (*Ca* 1941: 114), 2.1.36 (*Ca* 1941: 203), *et passim*.

The *Carakasamhitā* describes how collyriums, especially रसाञ्जन, cause phlegm to flow, thus clearing the eyes (1.5.14–19 (*Ca* 1941: 38–39)). This could be appropriate in expelling poisons.

⁴⁸⁸ The vulgate adds a half-verse here recommending the application of a collyrium (*añjana*) to a cut made on the patient’s head.

⁴⁸⁹ The vulgate again adds a half-verse here, recommending the “crow’s foot” incision on the patient’s head. On this procedure, described in the *Carakasamhitā* (*Carakasamhitā* 6.23.66–67.74), see Wujastyk 2003b: 145. This text is not supported here, as it was not in 5.2.43 (*Su* 1938: 566) either. See footnote 372, p. 134 above. As stated there, it appears that this procedure was known in the tradition of the *Carakasamhitā*, but not in the earliest text of the *Suśrutasamhitā*.

⁴⁹⁰ Again, the vulgate text differs substantively, adding another half-verse. But the general idea of the treatment is the similar.

- 27 At the sixth, wholesome things from the group of plants starting with **cottony jujube** should be drunk and a sweet antidote.⁴⁹¹ And at the seventh, a wholesome antidote that destroys poison in a sternutatory (*avapīḍa*) .⁴⁹²

In the case of Rājimats

- 28 Now, Amongst Rājimats, one should let blood at the first toxic shock.⁴⁹³
 29 At the second, a patient who has vomited should be made to drink an antidote that destroys poison. At the third, fourth and fifth, the rule that applies to the Darvīkara is suitable.
 30 At the sixth, use a very sharp collyrium (*añjana*) , and at the seventh a sternutatory (*avapīḍa*) . There is a prohibition on using blood-letting for pregnant women, children and the elderly.
 31 In those who are in pain because of poison, it is taught that the prescribed procedures should be applied gently.
 In goats and sheep, bleeding and collyriums are the same as for people.
 32 In cows and horses, that is twice as much; three times as much for buffaloes and camels, four times for elephants and just once for all birds.
 One should undertake therapy after careful consideration with one's intellect.⁴⁹⁴

491 The "group of 17 plants beginning with **cottony jujube**" (काकोल्यादि गण) is described at *Suśrutasamhitā* 1.38.35–36 (Su 1938: 167). These plants pacify the bile, blood and wind and increase phlegm, body-weight, semen and breastmilk.

492 The अवपीड is described at *Suśrutasamhitā* 4.40.44–45 (Su 1938: 556), where it is also recommended for victims of snakebite. It is a type of head-evacuant. Commenting on that passage, Ḍalhaṇa cited "other treatises" as saying that अवपीड treatment was suitable for restoring the consciousness of those who have been poisoned. He also quoted a text by an authority called Videha, that says the same. Videha was an author known to Dṛḍhabala (according to Cakrapāṇidatta) and often cited in the *Madhukośa* on the topic of eye diseases (HIML: IA, 132 *et passim*). See also *Mahākośa*: 1, 62–63.

493 The vulgate text says that the blood-letting should be done with a **gourd**. It also has an extra half-verse here, prescribing an antitoxin to be drunk together with honey and ghee.

494 The vulgate includes several verses before this sentence that give a recipe and also a list of specific items like place and constitution that should be given careful consideration.

34 ⁴⁹⁵
78 ⁴⁹⁶

⁴⁹⁵ After this verse, the vulgate text adds twelve verses, 35–46, that do not appear in the Nepalese version.

⁴⁹⁶ After this verse, the vulgate text adds five verses, 79–83, that do not appear in the Nepalese version.

Uttaratantra

Uttaratantra 17: Preventing Diseases of the Pupil

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002.⁴⁹⁷

The history of couching in India has been discussed since the nineteenth century,⁴⁹⁸

The therapies in this chapter make frequent use of collyrium (*añjana*) . This substance and its uses and variants are described in *Carakasamhitā* 1.5.14–19 ([Ca 1941](#): 38–39). In the *Suśrutasamhitā*, they are included in the “group starting with *añjana*” (*añjanādigāṇa*), that is listed at 1.38.41–42 ([Su 1938](#): 167). They are described as valuable for counteracting blood-bile (*raktapitta*) , poison and overheating (*dāha*) .

Translation

- 1 Now I shall explain the counteraction (*pratiṣedha*) of diseases located in the pupil (*dṛṣṭi*) .
- 2 There are three curable (*sādhya*) , three incurable (*asādhya*) , and six mitigatable (*yāpya*) diseases located in peoples eyes. Among these, three are curable (*sādhya*) . Amongst these three, the remedy (*pratīkāra*) has been stated for the one called “seeing smoke (*dhūmadarśin*) ”.⁴⁹⁹

⁴⁹⁷ [HIML](#): IA, 305–306.

⁴⁹⁸ Scott 1817; Breton 1826; Jack 1884; Hendley 1895; Elliot 1918; V. P. Śāstrī 1940; V. Deshpande 1999; 2000; Wujastyk 2003b; Fan 2005; Leffler et al. 2020.

⁴⁹⁹ This disease and its cure are described earlier (SS.6.7.39 and SS.6.10.16 ([Su 1938](#): 609

3–5ab When the eye is inflamed (*vidagdha*) by bile and when it is inflamed by phlegm, one should apply the method for removing bile and phlegm, using nasal medicines (*nasya*) , irrigation (*seka*) , application of collyrium (*añjana*) , liniment (*ālepa*) , and medicines cooked in a crucible (*puṭapāka*) , together with an eyewash (*tarpana*) ,⁵⁰⁰ but not cutting with a blade (*śastrakṣata*) .⁵⁰¹

where is cutting with a knife related to removing bile or phlegm.

One should drink ghee (*sarpis*) prepared with the three fruits (*triphalā*) and in the first [case where the problem is bile], and prepared with turpeth (*traivṛta*) in the latter [case, of phlegm].

And ghee prepared with tilvaka (*tailvaka*) is wholesome in both cases, or else aged ghee on its own.

5cd–7ab In a collyrium (*añjana*) , these four compounds (*yoga*) are beneficial in both cases:

- ochre (*gairika*) , Sind salt (*saindhava*) , long pepper (*kṛṣṇā*) and the black soot (*maṣī*) from cow's teeth;
- Cow's flesh (*gomāṃsa*) , black pepper, siris and red arsenic (*man-aḥśilā*) ;
- stalk (*vṛnta*) from a wood apple with honey (*madhu*) ;⁵⁰²
- or the the fruits of the ??.

maṣī
burned
charcoal.
Find refs.

8 The physician should make a collyrium (*añjana*) with ground up metal (*kupyaka*) ,⁵⁰³ Asoka tree, sal tree, mango, beautyberry, lotus, blue water-lily, together with peas, emblic, myrobalans, long pepper. It should be combined with ghee and honey (*kṣaudra*) .

9–10 Also, when bile and phlegm have developed, the physician should apply peas with the expressed juice (*svarasa*) of the flowers from mango and jambul trees.

and 614) respectively). The latter part of this verse is hard to construe and the text here may have been altered at an early period.

500 These therapies are described in SS.6.18 (Su 1938: 633–640).

501 Dalhaṇa interpreted this as blood-letting (*sirāvedha*) , which is discussed in SS.1.14 (Su 1938).

502 Wood apple (कपित्थ) in this verse is ablative singular or accusative plural, neither of which construe obviously.

503 A metal other than gold or silver, according to V. Jośi and N. H. Jośi (*Mahākośa*: 1, 217) (on कूप्य). The Nepalese witnesses have the rare कूप्यक rather than the vulgate's कुब्जक, which makes no real sense. Perhaps lead, which is used in making contemporary collyrium.

- Then this collyrium (*añjana*) , matured (*vipakva*) with ghee and honey (*kṣaudra*) , should then be applied.
- 10–11ab Filaments (*kiñjalka*) of **lotus** and **blue water-lily**, with ochre (*gairika*) , and the juice of cow-dung (*gośakṛt*) are a collyrium (*añjana*) in the form of a pill (*guḍikā*) . This is good for both day and night blindness.
- 11cd–12ab Elixir-salve (*rasañjana*) , honey (*kṣaudra*) , ghee, **scramberry**, together with gold and ochre, with the juice of cow-dung (*gośakṛt*) are for an eye afflicted with bile.
- 12cd–13 Alternatively, wise physician should first grind together elixir-salve (*śīta*) and stibnite (*sauvīraka*) , infused (*bhāvita*) with the blood of birds and animals (*rasa*) .⁵⁰⁴ Then he mixes it with the bile of a tortoise or with extract of rohu carp (*rauhita*) . It should always be used with powdered collyrium (*añjana*) to quell the bile.
- 14 Thus, a collyrium (*añjana*) of **white teak** flowers, **liquorice**, **Indian barberry**, **lodh tree** and elixir salve (*rasañjana*) is always good as a collyrium in this case.
- 15 Alternatively, for those who cannot see during the day, this pill (*guḍikā*) , with sandalwood, is recommended: salt (*nadīja*) , conch shell and the three spices, collyrium (*añjana*) , realgar (*manaḥśilā*) , the two turmeric (*rajana*) ⁵⁰⁵ and liver extract (*yakṛdrasa*) .⁵⁰⁶
- 16 One should grind up kohl (*srotoja*) ,⁵⁰⁷ and Sind salt (*saindhava*) and long pepper and also hareṇu (*hareṇu*) . Such wicks with goats urine are good in a collyrium (*añjana*) for night blindness (*kṣaṇadāndhya*) .
- 17–18ab Alternatively, in such a case, grind together Indian sarsaparilla (*kālānusāriva*) ⁵⁰⁸ long pepper, dried ginger (*nāgara*) and honey, the leaf of the scramberry (*tālīśapatra*) , the two turmeric (*rajana*) , a conch shell and liver extract (*yakṛdrasa*) . Then shade-dried wicks take away illness (*ruj*) .

⁵⁰⁴ This was Ḍalhaṇa's preferred interpretation of *rasa* "juice" in this context. He also noted that some take elixir-salve (*śīta*) to be camphor.

⁵⁰⁵ Turmeric (*Curcuma longa* Linn.) and tree turmeric (*Berberis aristata* DC). The term *rajana* is unusual; the normal term is *rajanī*. *Rajana* occurs in *Suśrutanighaṇṭu* 158 in the sense of *Ferula asafoetida*, Linn.

⁵⁰⁶ This verse appears as no. 27 in the vulgate.

⁵⁰⁷ Glossed by Ḍalhaṇa as a kind of collyrium (*añjana*) . Cf. **nadk-1954** and P. V. Sharma **1982**: 197–198

⁵⁰⁸ There are two forms of *sārivā* mentioned widely in Āyurvedic literature, the white and the black. Ideas on the identity of the black form are particularly fluid. See Sivarajan and Balachandran (**ADPS**: 434–438) for a clear discussion.

- 18cd–19ab Wicks made of red arsenic (*manahśilā*) , chebulic myrobalan (*abhayā*) , the three spices (*vyoṣa*) . Indian sarsaparilla (*sāriva*) , cuttlefish bone (*samudraphena*) , combined with goat’s milk are good.
- 19cd–21ab One should cook a honey collyrium (*kṣaudrāñjana*) either in the juices of cow’s urine (*gomūtra*) , and bile, spirits (*madirā*) , liver (*yakṛt*) , and emblic (*dhātrī*) or else in the juice of the liver (*yakṛt*) of something different, or else with the extract of the three fruits (*triphalā*) . One of these should be mixed with cow urine, ghee and cuttle fish (*aṇṇavamala*)⁵⁰⁹ with long pepper, honey and box myrtle (*kaṭphala*) . It is placed in sea salt and stored in a bamboo tube.
- 21cd–22 One should cook the liver of a sheep, the ghee of a goat, with long pepper and Sindh salt, honey and the juice of emblics. Then one should store it properly in a catechu box. Prepared thus, the honey collyrium (*añjana*) is good.
- 23 Alternatively, a collyrium (*añjana*) that is hareṇu (*hareṇu*) mixed with long pepper (*māgadhi*) , the bone and the marrow of a goat, cardamom (*elā*) and liver, together with liver extract, is good for eyes afflicted by phlegm.⁵¹⁰
- 24 Over a fire, one should cook the liver (*yakṛt*) of a monitor lizard (*godhā*) prepared with entrails (*antra*) and stuffed with long pepper (*māgadhi*) . As is well known, liver (*yakṛt*) which is used (*niṣevita*) with collyrium (*añjana*) certainly destroys night blindness.
- 25 After preparing both a spleen (*plīhan*) and a liver on a spit, one should eat them both with ghee and oil.⁵¹¹
- 25cd–26ab As is well known, there are six diseases that can be alleviated (*yāpya*) ;

509 At SS 6.12.31, Ḍalhaṇa glossed *aṇṇavamala* as cuttlefish bone (*samudraphena*) . It may be worth considering whether the unusual term *aṇṇavamala* “ocean-filth” might refer to ambergris.

510 On the identities of *elā* and *hareṇu*, Watt ([WattComm](#): 511 ff) described the former as “true” or “lesser” or “Malabar” cardamom, *Elettaria cardamomum*, Maton & White. In contrast, the “greater” cardamom is *Amomum subulatum* (that Watt discussed on p. 65) that is commonly used as an inferior substitute for *E. cardamomum*. T. B. Singh and Chuneekar ([GVDB](#): 467 f) provided an interesting discussion of *hareṇu*, noting that the term refers to two substances, first the *saṭīna* pulse (*Pisum sativum*, Linn.), and second an unknown fruit such as perhaps a *Vitex*. They noted, “None of the text commentators have attempted to disclose the nature of its source plant,” although Ḍalhaṇa described it as aromatic and identical to *reṇukā* (SS.ci.2.75).

511 We read the locative as if an instrumental; if the locative were intended then it would be the spit that would be coated with oil and ghee.

in those cases (*tatra*) one should release the blood by bloodletting.

And for the sake of wellbeing one should also purge using aged ghee combined (*upahita*) with purgative aids (*aṅga*) .

26cd–27 When an eye-disease is caused by wind (*pavanodbhava*) they say that castor oil (*pañcāṅgulataila*) mixed with milk is good.⁵¹² In the case of diseases of blood (*śonita*) and bile (*pitta*) , one should drink ghee with the three fruits; it is particularly cleansing.⁵¹³ In the case of phlegm, a purgative by means of turpeth (*trivṛt*) is recommended. In the case of all three humours, sandal (*sugandhi*) in oil is prepared with it (turpeth).⁵¹⁴

28 In cases of partial blindness (*timira*) , aged ghee is recommended. It is good if it is kept in an iron vessel.

28cd–29ab One should know that ghee with the three mylobalans is always good, and it is made with what is called periploca of the woods (*meṣaviṣāṇa*) .

A man who is suffering from partial blindness should lick the finely-ground three fruits mixed with ghee off his hand (*sapāṇa*) .⁵¹⁵

29cd Alternatively, someone afflicted by phlegm should apply them (the three fruits) mixed with oil and steeped (*pragāḍha*) in honey.

30 The very best oil, well-cooked with a decoction of cow-dung, is good in cases of partial blindness, taken as an errhine.

In cases caused by bile, ghee by itself is good, as is oil when it arises from wind and blood.

31 And in the case of wind one should apply turpeth (*trivṛt*) based on strong mallow (*atibalā*) , and country mallow (*balā*) in an errhine (*nasya*) .⁵¹⁶

⁵¹² Ḍalhaṇa said that the unexpressed topic of this recipe is partial blindness (*timira*) .

⁵¹³ Blood-bile (*śonita-pitta*, *rakta-pitta*) is a widely-recognized disease in ayurveda, but the compound here is definitely dual, which rules out that interpretation. One would expect blood-bile because the previous verse

⁵¹⁴ The expression “the fragrant one in oil (*tailasugandhi*) ” is puzzling. The word *sugandhi* has different referents in the *Nighaṇṭu* literature but is not common as a noun in the extant literature. “Sandal” is just one of its possible meanings.

⁵¹⁵ “Off his hand” translates the adverbial *sapāṇam*, an unusual word. Ḍalhaṇa reproduced a reading close to the Nepalese recension but says that Jejjāta rejects it and so he also does (*Su* 1938: 627).

⁵¹⁶ “Based on” translates *-āśrita* “depending on” which does not construe easily here. The vulgate has *śṛta* “cooked” which makes easier sense but is not supported by the Nepalese MSS.

Ghee which has been extracted from milk cooked with the meat of aquatic creatures and those from marshlands should be prescribed.

- 32 †An enclosed roasting (*puṭākhyā*) with Sindh salt and the product of the meat of a carnivore (*kravyabhuj*) and a deer (*eṇa*), is combined with honey and ghee.⁵¹⁷

Fat (*vasā*) from a horse, a vulture, a snake, and a cock (*tāmracūḍa*), combined with mahua (*madhūka*) is always good in a collyrium (*añjana*).⁵¹⁸

- 33 Having prepared (*niṣevita*) a collyrium (*añjana*) made of kohl (*srotas*) and gradually combine it with juices (*rasa*), milk and ghee.⁵¹⁹

For thirty days, this collyrium (*añjana*) is put in the mouth of a black snake that is covered with kuśa grass (*kuśa*).

- 34 Next, a collyrium (*añjana*) that is milk containing long pepper (*māgadhī*), lye (*kṣāraka*) and Sindh salt (*saindhava*) that has been repeatedly prepared with the mouth of a black snake, is good in the case of bloodshot blindness (*rāgin timira*).⁵²⁰

- 35 They say that ghee may be produced from that and combined with sweet herbs is good as an errhine for eye-diseases caused by bile.

And here, an eyewash (*tarpaṇa*) is good that is a combination that is the flesh of wild animals taken hot (*puṭāhvaya*).⁵²¹

- 36 And realgar (*manahśilā*) mixed with elixir salve (*rasañjana*) and honey

⁵¹⁷ Ḍalhaṇa noted (Su 1938: 628a) that *puṭāhvaya* (see verse 35 below) is a synonym for *puṭapāka*, and that the process is described in the *Kriyākālpa* chapter, i.e., SS.6.18.33–38 (Su 1938: 635). On the *puṭa* process in the *Suśrutasamhitā*, which is earlier and different than that of *rasaśāstra* literature, see the discussion by Wujastyk (2019: 83):

The term ‘enclosed roasting’ (*puṭapāka*) does occur in the *Suśrutasamhitā* in the context of eye treatments, but designates a method of obtaining juice from substances by wrapping them in leaves pasted with earth and cooking the bolus on charcoal to finally extract a juice.

⁵¹⁸ This verse contain irresolvable difficulties. There are no significant variants in the Nepalese MS transmission, but the text is ungrammatical. The vulgate reads substantially differently but we have nevertheless made some emendations in line with it and read the verse as two sentences.

⁵¹⁹ Ḍalhaṇa specified that the juices are meat soups of various animals (Su 1938: 628).

⁵²⁰ Ḍalhaṇa described this blindness as a type of *kāca* disease caused by wind (Su 1938: 628). The expression “bloodshot blindness” is an attempt to capture the idea of a blind eye that is dyed or coloured (not colour-blindness). This verse is quite different from the vulgate and also syntactically challenging.

⁵²¹ The expression taken hot (*puṭāhvaya*) is a guess.

- is a liquid collyrium (*dravāñjana*) which is, in this case, combined with mahua (*madhūka*).⁵²²
- Alternatively, experts on this say that finely ground blue vitriol (*tuttha*) extracted from a gold mine is the “same collyrium (*samāñjana*) ”.⁵²³
- 37 Conch mixed with equal parts of sheep’s horn and stibnite (*añjana*) removes the impurity of the glassy opacity (*kāca*) because of the application of collyrium (*añjana*).⁵²⁴
- The extracts (*rasa*) produced from aflame of the forest (*palāśa*) , Rohīta tree (*rohīta*) ,⁵²⁵ mahua (*madhūka*) , ground with the supernatant layer (*agra*) of the spirits (*madira*) is applied.
- 38 Alternatively, one should cook an errhine with cuscus grass (*uśīra*) , lodh tree (*lodhra*) , the three fruits (*triphalā*) , beauty berry (*priyaṅgu*) to pacify eye diseases caused by phlegm.⁵²⁶
- One should apply smoke of the bark of embelia (*vidaṅga*) , velvet leaf (*pāthā*) , white siris (*kinihī*) , and desert date (*iṅgudī*) ; and cuscus grass (*uśīra*) alone.
- 39 A ghee that is cooked (*bhāvita*) from a decoction of a non-flowering tree (*vanaspati*)⁵²⁷ as well as turmeric (*haridrā*) and spikenard (*nalada*) is good in a eyewash (*tarpaṇa*) .
- Alternatively, one may have an enclosed roasting (*puṭapāka*) done with arid-land animals (*jāṅgala*)⁵²⁸ and a plentiful amount of long pepper (*māgadha*) , Sindh salt and honey.
- 40 A treatment (*kriyā*) with realgar (*manaḥśilā*) , the three spices, conch,

522 The expression liquid collyrium (*dravāñjana*) is only known from Ḍalhaṇa’s comments on 6.17.11ab (Su 1938: 626). The recipe in the present collyrium is different from that discussed by Ḍalhaṇa.

523 On *tuttha*, which may also be identified with zinc oxide or as crushed sea-urchin shells, see Falk (1991: 112 ff.); zinc oxide is a component of skin-balms but is not recommended for application in the eyes themselves. The expression “same collyrium (*samāñjana*) ” is a hapax legomenon glossed inexplicably by Ḍalhaṇa as “a collyrium with an equal amount of fermented barley” (*tulyasauvīrāñjana*) (Su 1938: 628).

524 The ablative “from collyrium” is hard to construe, but Ḍalhaṇa used this term and phrase in his commentary on 6.17.41ab (Su 1938: 629).

525 Probably *Soyimida febrifuga* A. Juss.

526 Ḍalhaṇa invoked a general rule (*paribhāṣā*) to indicate that this mixture should be cooked with sesame oil.

527 These are fig trees. The *Sauśrutaniḡhaṇṭu* (252) specifies the Uḍumbara. Cf. the classification in CS.1.1.71–72, 1.8, et passim.

528 On this term, see SS.1.35.42 (Su 1938: 157) and the discussion by Zimmermann (1999: 25–31).

honey, along with Sindh salt, green vitriol (*kāsīsa*) and elixir salve (*rasāñjana*).⁵²⁹

They say that an elixir salve (*rasāñjana*) combined with myrobalans, treacle and dried ginger is good.⁵³⁰

- 41 Alternatively, a collyrium (*añjana*) that has been prepared many times in the eight types of urine⁵³¹ is put into water with the three fruits. Having stored it in the mouth of a nocturnal creature (*niśācara*)⁵³² one should place it in a conch (*salilotthita*) for two months.⁵³³

- 42 One should apply that collyrium (*añjana*) together with the flowers of mahua (*madhūka*) and horseradish tree (*śigru*) when [the disease] is caused by all [the humours].

But alternatively, all treatments apply when blood is the cause. The procedure that removes bile is good when there is blue dot cataract (*mlāyin*).⁵³⁴

- 43 For one who has a humour, the physician should consider the rule in all humoral cases and then smear the ointment on the face.⁵³⁵

The treatment that is good for removing watery eye (*syanda*) should be properly applied in all these humoral cases, according to the individual.⁵³⁶

- 44 The physician should not employ substances in errhines etc., when the humours intensify, and also when disease spreads. And further, in the *Kalpa*, there is a good deal more said about collyriums, and that should be considered and then applied.⁵³⁷

- 45 Someone who uses matured ghee, the three fruits, **wild asparagus**, as

529 Ḍalhaṇa glossed treatment (*kriyā*) specifically as inspissation (*rasakriyā*) (Su 1938: 629).

530 We emend हिते to हितम् against the MSS.

531 See *Suśrutasamhitā* mūtravarga

532 Ḍalhaṇa glossed nocturnal creature (*niśācara*) as “vulture,” although elsewhere in the *Suśrutasamhitā* it is more commonly interpreted as a spirit or demon. In the present context, following verses 33 and 34, it is probably a snake.

533 We interpret “water-born (*salilotthita*) ” as “conch” in line with *jalodbhava*, but the term is uncertain.

534 The vulgate follows Ḍalhaṇa in glossing *mlāyin* as *parimlāya*. The description of this condition at SS.6.7.27–28 appears to refer to “blue dot” or “cerulean” cataract. √*mlai* derivatives can mean “dark” or “black.”, which is normally a different ailment.

535 The vulgate edition omits part of this verse (ab) combining earlier and later passages.

536 The term watery eye (*syanda*) refers to the specific disease *abhiṣyanda*. See SS.6.6.5, 1.46.51, etc.

537 Ḍalhaṇa noted that *Kalpa* means the Uttaratantra adhyāya 18 (Su 1938: 633 ff).

find ref.

Check out these refs.

meaning of kalpa

- well as **mung beans**, emblic and barley has nothing to fear from cases of severe blindness (*timira*) .
- 46 Blindness is dispelled by milk prepared with wild asparagus or in emblics, or again cooked barley (*yavaudana*) followed by the water of three fruits with plenty of ghee.
- 47 When there is bloodshot blindness (*rāgiṇi timire*) , the wise physician should not cut a vein. A humour injured (*utpīḍita*) by the instrument rapidly destroys vision.
- 48 Non-bloodshot blindness (*araga timira*) in the first layer (*paṭala*) is treatable. And bloodshot blindness (*rāgiṇi timire*) in the second layer, with difficulty. And in the third layer it can be mitigated (*yāpya*) .⁵³⁸
- 49 I shall explain the therapy for success when there is a cataract (*liṅganāśa*) caused by phlegm. It may be white, like a full moon, an umbrella, a pearl (*muktā*) or a spiral (*āvarta*) .
- 50 Or it may be uneven, thin in the middle, streaked or have excessive shine (*prabha*) . A humour (*doṣa*) in the pupil may be characterized as being painful or having blood.⁵³⁹
- 51–52 At a time that is neither too hot or too cold, the patient who has been oiled and sweated is restrained and seated, looking symmetrically at his own nose.
- The wise physician should separate (*muktvā*) two white sections from the black part (*kṛṣṇa*) and from the outer corner of the eye (*apāṅga*) . Then he should press (*pīḍ-*) properly into the eye,⁵⁴⁰ at the naturally-occurring (*daivakṛte*) opening (*chidra*) with a probe (*śalākā*) made of copper or iron, with a tip like a barley-corn, held by a steady hand with the middle finger, forefinger and thumb, the left one with the right hand and the other one contrariwise.
- When the piercing is done properly, there is the issue of a drop of liquid and a sound.⁵⁴¹

⁵³⁸ Although the text says with difficulty (*kṛcchra*) , the implication is that it is untreatable (*asādhya*) (cf. 6.17.2 (Su 1938: 625) above). The three categories, treatable, untreatable and possibly mitigated are standard categories of triage.

⁵³⁹ In the vulgate, and in parallel passages in the AS, the reading “it may be (*bhavet*) ” is replaced with the negative “if, then not (*na ced*) ” (cf. utt.17.1–3a (As 1980: 712)). These characteristics are then read as conditions that preclude surgery; for the Nepalese recension, they are simply descriptions of the appearance of a cataract.

⁵⁴⁰ We understand the locative *nayane* as the place of pressing; other interpreters take it as an accusative dual. The idea is that the eye is held steady by the surgeon.

⁵⁴¹ Ḍalhaṇa remarked on 6.17.61ab (Su 1938: 630) that when the piercing is not correctly

- 55 The expert should moisten the exact place of piercing with a woman's breast-milk. Then he should scratch the circuit of the pupil (*dr̥ṣṭimaṇḍala*) with the tip of the probe (*śalākā*).⁵⁴²
- 56 Without injuring, gently pushing the phlegm in the circuit of the pupil against the nose, he should remove it by means of sniffing (*ucchiṅgana*).⁵⁴³
- 57 Whether the humour is solid (*styāna*) or liquid (*cala*), one should apply sweating to the eye externally, with leaves (*bhaṅga*) that remove wind, after fixing the needle (*sūcī*) properly.⁵⁴⁴
- 58 But if the humour cannot be destroyed or if it comes back, one should apply the piercing (*vyadha*) once again, with appropriate oils and so on.
- 59 Now the pupil (*dr̥ṣṭi*) shines like the sun (*hari*) in a cloudless sky; then, when objects become visible, one may slowly remove the probe (*śalākā*).⁵⁴⁵
- 60 Having smeared ghee on the eye, one should cover it with a bandage. Then, he must lie down supine in a house free from disturbances.⁵⁴⁶
- 61 At that time, he should not belch, cough, sneeze, spit or shiver. Afterwards there should be restrictions (*yantraṇā*) as in the case of someone who has drunk oil.⁵⁴⁷
- 62 Every three days one should wash it with decoctions (*kaṣāya*) that re-

done, blood issues and there is no sound.

542 The anatomy of the eye is described in 6.1.14–16 (Su 1938: 596). The disks or *maṇḍalas* are the circuits or disks of the eye.

543 Ḍalhaṇa described sniffing (*ucchiṅgana*) at 6.19.8 (Su 1938: 641), clearly intending inward sniffing.

544 We interpret *bhaṅga* as leaves, following the usage elsewhere in this sthāna 4.32.9, 6.11.5 (Su 1938: 513, 614) where *bhaṅga* means shoots (*pallava*). A similar procedure is described at 6.17.25a (As 1980: 716a), where sweating of the eye is done by means of the leaves of a castor-oil plant.

545 There are many problems with the MS readings and interpretation of this half-verse. We have inferred "sky" and emended from "free from the point (*agramukta*)" to "free from clouds (*abhramukta*)". The latter meaning is supported (in different words) by the vulgate and occurs elsewhere in Sanskrit literature.

546 Ḍalhaṇa explained disturbances specifically as dust, smoke, drafts and sunlight 6.17.67 (Su 1938: 631a).

547 Ḍalhaṇa glossed "restrictions (*yantraṇā*)" as having a controlled diet and the other restrictions appropriate to someone who is taking oil as a preparation before further therapy (6.17.68 (Su 1938: 631)). These restrictions are also described at 6.18.28 (Su 1938: 635) and 1.16.25cd (Ah 1939: 249).

- move wind. After three days, one should sweat the eye externally because of the danger of wind.
- 63 Having restrained himself in this way for ten days he should thereafter take a beneficial regimen (*karma*) that clears the pupil (*dr̥ṣṭi*) and also he should take light food in measure.

[Complications]

- 64 When there is a misshapen eyeball (*vilocana*) , the eye may fill because of the release of blood from a vein.⁵⁴⁸
A hard probe leads to shooting pain (*śūla*) , a thin to unsteadiness of the humours (*doṣapariplava*) ,⁵⁴⁹
- 65 a thick-tipped probe leads to a large wound, and a sharp one may cause harm in many ways; a very irregular one may cause a discharge of water, a rigid (*sthirā*) one brings about a loss of function (*kriyāsaṅga*) .⁵⁵⁰
- 66 Therefore, one should make a good probe that is free from these defects.

[Characteristics of the probe]

- The probe should be eight finger-breadths long and in the middle it is wrapped with thread and is as thick as a thumb joint. It is shaped like a bud at both ends (*vaktra*) .
- 67 A commendable probe should be made of silver, iron or gold (*śātakumbhī*) .⁵⁵¹

⁵⁴⁸ The condition of “misshapen eye” is referred to briefly in 6.61.9 (Su 1938: 800), where Ḍalhaṇa glossed it as “bent brow and eye (*vakrabhrūnetra*) .” The vulgate’s reading of “with blood (*śonitena*) ” is easier to construe.

⁵⁴⁹ There is a medically significant difference here from the vulgate, which reads “a rough (*khara*) probe” not a “thin” probe.

⁵⁵⁰ This translation of loss of function (*kriyāsaṅga*) is given on the basis of Ḍalhaṇa’s gloss of *kriyāsaṅgakarī* at 3.8.19 (Su 1938: 382) as “causing the destruction of actions such as moving (*gamanādikriyāvīnāśakarī*) .”

⁵⁵¹ The vulgate reads “copper (*tāmra*) ” in place of “silver.”

[Complications]

- Redness, swelling, lumps, driness (*coṣa*) , bubbling (*budbuda*) ,⁵⁵² pigs' eye (*sūkarākṣitā*) ,⁵⁵³ irritation (*adhimantha*) , etc. and other diseases arise from faults in the piercing,
- 69–70 or even from bad behaviour. One should treat them each accordingly. Listen to me once again about compounds for painful red eyes. Red chalk (*gairikaḥ*) , Indian sarsaparilla (*śārivā*) , panic grass (*dūrvā*) , and ghee ground with barley.
- 71 This face ointment is to be used for quelling pain and redness. Or else it may be taken combined with the juice of citron (*mātuluṅga*) with sesame gently fried, mixed with white mustard (*siddhārthaka*) .⁵⁵⁴ This is immediately beneficial when someone is looking for relief.
- 72 A paste with *Holostemma* (*payasyā*) ,⁵⁵⁵ Indian sarsaparilla (*śārivā*) , cassia cinnamon (*patra*) , Indian madder (*mañjiṣṭhā*) , and liquorice (*madhukair*) stirred with goat's milk, pleasantly warmed, is said to be healthy.⁵⁵⁶
- 73 Alternatively, it can be made in this way with Himalayan cedar, Himalayan cherry (*padmaka*) and dried ginger. Or, in the same way, with grapes, liquorice and the Lodh tree mixed with Sindh salt.
- 74 Alternatively, goats' milk with the Lodh tree, Sindh salt, red grapes and liquorice, cooked, should be used in irrigation because it removes pain and redness.
- 75 Having cooked it with liquorice, water-lily, and costus, mixed with grapes (*drākṣā*) , lac (*lākṣā*) , white sugar (*sitā*) , with wild asparagus, Hare Foot *Uraria* (*pr̥thakparṇī*) ,⁵⁵⁷ nutgrass (*mustā*) , liquorice,

552 Ḍalhaṇa glossed "bubbling (*budbuda*) " as "prolapse (*māṃsanirgama*) that looks like bubbles."

553 The expression "pigs' eye" appears to be a *hapax*. It was glossed as "downward vision (*adhodṛṣṭitva*) " by Ḍalhaṇa.

554 On the adverbial use of gently (*mṛdu*) , see Gombrich 1979.

555 The identity of *payasyā* is debated (GVDB: 538), and was already in doubt at the time of Ḍalhaṇa but likely candidates may be those suggested by Ḍalhaṇa, who suggests either *arkapuṣpī* or *kṣīrakākolī*, that may be *Holostemma adakodien* Schult. and *Leptadenia reticulata* (Retz.) Wight & Arn. (ADPS: 195-196). The *Sauśrutaniḥṣṇu* glosses it as *kṣīrikā* or *arkapuṣpikā* (Suvedī and Tivārī 2000: v. 307).

556 The expression "stirred with goat's milk (*ajākṣīrārdita*) " is difficult. It may be connected with the rare root *ard* documented by Whitney (1885: 15). Cf. *√ard gatau* (*Dhātupāṭha* 1.56).

557 Suvedī and Tivārī 2000: 18.

- Himalayan cherry (*padmaka*) , and Sindh salts, one should apply it [irrigation] gently warm.
- 76cd–77ab Ghee that has been cooked in four times the amount of milk that has itself been cooked with drugs that destroy wind.⁵⁵⁸ This has an admixture of cottony jujube (*kākolī*) etc., should be prescribed in all treatments.⁵⁵⁹
- 77cd–78ab If pain does not end in this way, one should administer blood-letting to the vein of someone who has previously been oiled and sweated. Then the wise physician should apply cauterization in the advised manner.⁵⁶⁰
- 78cd–80ab Now listen to two excellent collyriums for making the pupils clear. After grinding the flowers of perploca of the woods (*meṣaśṛṅga*) , siris (*śirīṣa*) , axelwood (*dhava*) royal jasmine (*jātī*) , pearl and beryl (*vaiḍūrya*) with goat's milk, one should put it in a copper pot for seven days.
- 80cd–81 Having made it into wicks (*vartti*) , the physician should apply it as a collyrium (*añjana*) . Alternatively, one should make kohl (*srotoja*) , coral (*vidruma*) , cuttlefish bone (*phena*) , and realgar (*manaḥśilā*) and peppers into wicks as before. One should apply these wicks, which are good in a collyrium, to steady the pupil.
- 82 I shall again discuss the foremost collyriums at length in the *Kriyākālpa* section. Those various methods may be applied here too.


 or a dual?

⁵⁵⁸ Ḍalhaṇa mentioned that these drugs include Deodar (*bhadradāru*) and other wind-destroying drugs. The *vātaśamāmana* group is listed in *Suśrutasamhitā sūtrasthāna* 1.39.7.

⁵⁵⁹ Ḍalhaṇa noted that this would include errhines, ointments, etc.

⁵⁶⁰ The vulgate reads *vāpi* for *cāpi*, so Ḍalhaṇa saw blood-letting and cautery as alternatives, not a sequence of treatments. Ḍalhaṇa listed the places that cauterization may be applied, such as the brow, forehead, etc.

Uttaratantra 38: Diseases of the Female Reproductive System

Introduction

The chapter talks about various diseases of the female reproductive system and, in doing so, combines both aspects that go into a representation of diseases in āyurvedic literature: signs, symptoms and pathogenesis (*nīdāna*), on the one hand, and medical treatment (*cikitsā*), on the other. In chapters of the *Uttaratantra*, these two aspects are sometime dealt with in two different chapters *X-vijñānīya* and *X-pratiṣedha*. There are, however, many examples where this distinction is not made.

Literature

The chapter is summarized, with notes on vocabulary and references to further research literature, in [HIML: IA, 313](#). ([Tivārī 1990](#)) dedicated a monograph to this topic, and Selby ([2005a,b](#)) has explored gynecological narratives in ayurveda.

Placement of the Chapter

In the vulgate text ([Su 1938](#)) the current chapter, 6.38, is found after the *Uttaratantra*'s subsection on paediatrics, the *Kumāratantra*, see Table 3.⁵⁶¹ But in the Nepalese version, this is chapter 6.58 of the *Uttaratantra*. And it is also counted as chapter 23 of the subsection *Kāyācikitsā*.

⁵⁶¹ Or *Kumārabhṛtya* as this section is named in MS Kathmandu KL 699.

Table 3: Subdivisions of the Uttaratantra, in the vulgate.

Section	Chapters	Internal count
Śālakyatantra	1–26	1–26
Kumāratantra	27–38	1–12
Kāyacikitsātantra	39–59	1–21
Bhūtavidyātantra	60–62	1–3
Tantrabhūṣaṇādhyāya	63–66	1–4

Several things are noteworthy in this regard:

- In the placement of the vulgate, this chapter follows upon 6.37 *Grahotpatti* (6.35 in the Nepalese version), a chapter that talks about the origination of nine demons (*graha*) that are responsible for all children's diseases described in previous chapters of the *Kumāratantra*. In this way, the current chapter retains the general focus on the child bearing (*kaumārabhṛtya*), but, at the same time, marks a change to a distinct, less mystical approach to the topic at hand (that could originate in a cultural milieu different from that of the preceding eleven chapters). Ḍalhana explained how the chapter fits its context in the following way:

It is appropriate that, for the sake of treating the disorders of the female reproductive system, the chapter called “Countermeasures Against Disorders of the Female Reproductive System” is taught immediately after the chapter called “The Origination of Demons (*graha*).” It is because (1) there is an explicit mention of the word “*yonī*” in the statement “born in the womb (*yonī*) of animal and human” [in 6.37.13bc (Su 1938: 667)] and because (2) the disorders of the female reproductive system are the causes for the inborn disorders of children.⁵⁶²

- In the placement of the Nepalese version,
 - 6.*Yonivyāpatpratiṣedha* is preceded by

⁵⁶² Ḍalhana on 6.38.1 (Su 1938: 668): ग्रहोत्पत्त्यध्यायानन्तरं ‘तिर्यग्योनिं मानुषं च’ इति वचनेन योने-
र्नामसंकीर्तनात् कुमारजन्मविकारकारणत्वाच्च योनेर्व्यापञ्चिकित्सितार्थं योनिव्यापत्प्रतिषेधाध्यायारम्भो यु-
ज्यत [...].

- 6.56 *Mūtrāghātapraṭiṣedha* (6.58 in [Su 1938](#)) and
- 6.57 *Mūtrakṛcchrapraṭiṣedha* (6.59 in [Su 1938](#)), two chapters dealing with the diseases of the urinary tract.

The current chapter carries on with the topic of diseases that affect genitalia. In its Nepalese version, the chapter opens with two verses that explain the reasons for treating the particular set of diseases. These lack any reference to the inborn disorders of children, mentioned by Ḍalhaṇa, and instead highlight the importance of curing female diseases for the satisfaction of male partner.

- SS.1.3 in both [Su 1938](#) and the Nepalese version lists the chapter at the place where it is found in the vulgate.⁵⁶³
- Parallel chapters in the *Aṣṭāṅgasamgraha* and the *Aṣṭāṅgahṛdayasamhitā* form a part of the *Śalyatantra* section of each text.

Parallels

The current chapter is parallel in its content to *Aṣṭāṅgasamgraha* 6.38 and 6.39 as well as *Aṣṭāṅgahṛdayasamhitā* 6.33 and 6.34 (*Guhyarogavijñāna* and *Guhyarogapraṭiṣedha* respectively).

A close literary parallel to the first part of the chapter is found in *Mādhavanidāna* ([MN₃](#)) 62, or at least its version printed in Y. T. Ācārya ([MN₃](#): 361). The readings of the [MN₃](#) as it stands now usually side with the vulgate version rather than with the Nepalese. In addition to the basic text, there are several valuable pointers made in the *Madhukośa*, an early commentary on the [MN₃](#). This part of the text is authored by Śrīkaṇṭhadatta, who was most like a direct student of Vijarakṣita. The latter wrote the first part of the *Madhukośa*, up to chapter 32, and, what is more, can be dated to the late eleventh or early twelfth centuries.⁵⁶⁴

Another most interesting parallel is found in *Carakasamhitā* 6(Ci).30.

⁵⁶³ See 1.3.37ab ([Su 1938](#): 15): नैगमेषचिकित्सा च ग्रहोत्पत्तिः सयोनिजा ॥.

⁵⁶⁴ Meulenbeld [1974b](#): 22–26.

Philological notes

Metrical alterations

The first two verses in the Nepalese version, 6.38.2.1 and 6.38.4.1, are written in a classical variety of the *upajāti* metre: $\underline{\text{U}} \text{ } \underline{\text{U}} \text{ } \underline{\text{U}} \text{ } \underline{\text{U}} \text{ } \underline{\text{U}} \text{ } \underline{\text{U}} \text{ } \underline{\text{U}} \text{ } \underline{\text{U}}$. In content, they are only approximately parallel to three hemistichs in *anuṣṭubh* metre found in the vulgate.⁵⁶⁵ The latter verses lack the apologetic explanation concerning the reasons for this chapter being taught.

The original opening verses

From verse *Suśrutasamhitā* 6.38.5.1 onwards, the Nepalese version of the text continues with three hemistichs in the same classical *upajāti* metre (the syllabic pattern above).⁵⁶⁶ By contrast, the vulgate contains two complete verses (four hemistichs) in the *anuṣṭubh* metre, again with only loosely-related content.⁵⁶⁷ The three final hemistichs of this group are borrowed verbatim from the *Carakasamhitā*.⁵⁶⁸ We can be sure of the direction of borrowing because one of these shared verses says that the twenty kinds of diseases of the female reproductive system “have already been indicated in the *Compendium of Diseases* (rogasamgraha)”.⁵⁶⁹ This statement does not make any sense in the context of the *Suśrutasamhitā*, where no such Compendium exists.⁵⁷⁰ By contrast, in the *Carakasamhitā* this reference points back to chapter 1.19 (*Ca* 1941: 109–112), which calls itself “The Compendium of Diseases”.⁵⁷¹ This Compendium lists all the diseases dealt with in later sections of the text, and specifically mentions the twenty diseases of female reproductive system.⁵⁷² Even the vocabulary and wording of this

⁵⁶⁵ *Suśrutasamhitā* 6.38.3–4ab (*Su* 1938: 668).

⁵⁶⁶ The metre of these verses is not perfect.

⁵⁶⁷ *Suśrutasamhitā* 6.38.4cd–6ab (*Su* 1938: 668).

⁵⁶⁸ *Carakasamhitā* 6.30.7cd–8 (*Ca* 1941: 634).

⁵⁶⁹ *Suśrutasamhitā* 6.38.5ab (*Su* 1938: 668): विंशतिर्व्यापदो योनेर्निर्दिष्टा रोगसंग्रहे ॥ ← *Carakasamhitā* 6.30.7cd (*Ca* 1941: 634).

⁵⁷⁰ The remark was not commented on by Ḍalhana.

⁵⁷¹ *Carakasamhitā* 1.19.9cd (*Ca* 1941: 112): रोगाध्याये प्रकाशिताः.

⁵⁷² *Carakasamhitā* 1.19.3 (*Ca* 1941: 110): विंशतिर्योनिव्यापदः ।

passage is identical to the later verses. It is beyond doubt that this passage originated in the *Carakasamhitā* and was borrowed by the editors of the vulgate text of the *Suśrutasamhitā*.⁵⁷³

⁵⁷³ The above three hemistichs in *anuṣṭubh* are also repeated in the *MN*₃ 62.1–2ab. Given that the subsequent verses in the *MN*₃ stem from the *Suśrutasamhitā*, it is likely that *MN*₃ 62.1–2ab too was borrowed from the *Suśrutasamhitā* and not from its original location in the *Carakasamhitā*).

Translation

- 1 And now I shall explain the countermeasures against disorders of the female reproductive system (*yonivyāpat*) .⁵⁷⁴
- *3 Since for good men, a woman is the most pleasurable thing, therefore a physician should diligently attend to the diseases located in the female reproductive system (*yonī*) , because he is entirely devoted to it (that is, to curing these diseases) for the sake of (people's) happiness.⁵⁷⁵
- *4 A corrupted female reproductive system (*yonī*) cannot consume semen (*bīja*) , and therefore, the woman cannot take a fetus (that is, become pregnant). She gets severe prolapses (*arśas*) , abdominal lump (*gulma*) and similarly many other diseases (*roga*) .
- *5 Humours (*doṣa*) , wind (*vāta*) , etc., corrupted due to faulty medical treatment (*mithyopacāra*) ,⁵⁷⁶ sexual activity, fate, and also defects (*doṣa*) of menstrual blood (*ārtava*) and semen (*bīja*) , produce various diseases in the female reproductive organ (*yonī*) . These 20 diseases are taught here distinctly and one by one along with their treatment (*bheṣaja*) ,

574 On this broad understanding of the term *yonī* as “female reproductive system” see Das 2003: pp. 572–5.

575 As our translation indicates, the sentence construction does not allow an unambiguous identification of who or what is the referent of the pronoun *tad* in the compound form *tadadhīna* ‘devoted to it.’ Our current understanding is that *tad* refers to the ‘most pleasurable thing’ mentioned in pāda a. It could, however, also refer to ‘them,’ that is, the ‘good men.’

576 In our translation of the compound मिथ्योपचार, we decided for the technical meaning of the term उपचार, that is, “medical application” or “treatment.” The combination मिथ्या+उप-√चर् is attested several times in medical literature. At least once, at *Carakasamhitā* 3.3.38 (Ca 1941: 245), it is given an explicit gloss by Cakrapāṇidatta: मिथ्योपचरितानिति असम्यक् चिकित्सितान् “... given improper therapy”. In the *Suśrutasaṃhitā* (Su 1938), it is used once in a passage (6.18.30 (Su 1938: 635)) where it refers specifically to the wrong application of irrigation (*tarpaṇa*) and roasting (*puṭapāka*) , both of which are mentioned in the previous verse. Another use of the compound in a similar meaning is found in a citation from Bhoja’s work quoted by Gayadāsa at *Suśrutasaṃhitā* 2.5.17 (Su 1938: 287): श्वित्रं तु द्विविधं प्रोक्तं दोषजं व्रणजं तथा । तत्र मिथ्योपचाराद्धि व्रणस्य व्रणजं स्मृतम् ॥ “... arises from wrong treatment of the wound.” In contrast to this, the parallel verse in *Suśrutasaṃhitā* 6.38.5ab (Su 1938: 668) = *Carakasamhitā* 6.30.8 (Ca 1941: 634) = MN₃ 62.1 reads मिथ्याचार “wrong conduct.” All commentators (Cakrapāṇidatta on the *Carakasamhitā*, Śrīkaṇṭhadatta on the MN₃, and Ḍalhaṇa on the *Suśrutasaṃhitā*) explain that the wrong conduct stands here specifically for unwholesome diet. The parallel in *Aṣṭāṅgahṛdayasaṃhitā* 6.33.27 (Ah 1939: 895) = *Aṣṭāṅgasaṃgraha* 6.38.34a (As 1980: 829) plainly reads दुष्टभोजन “corrupted food” instead.

causes (*hetu*) and signs (*cihna*) .

*6.1 Because of wind (*vāta*) , female reproductive organ (*yoni*) becomes:

1. udāvartā (*udāvartā*) ,
2. called Infertile (*vandhyā*) , and
3. Sprung (*plutā*) ,
4. Flooded (*pariplutā*) , and
5. Windy (*vātalā*) .

*6.2 And because of choler (*pitta*) , occur:

1. With bloodloss (*raktakṣayā*) ,
2. Vomiting (*vāmini*) , and
3. Causing a Fall (*sraṃsanī*) ,
4. Child-murderess (*putraghnī*) , and also
5. Bilious / Choleric (*pittalā*) .

*7.1 And because of phlegm (*kapha*) occur:

1. Extremely Excited (*atyānandā*) ,
2. Protuberant (*karṇinī*) , and
3. & 4. two Caraṇī (*caraṇī*) , and
5. other Phlegmatic (*śleṣmalā*) .

*7.2 And similarly there are other (kinds of morbid female reproductive system) involving all *doṣas*:

1. Impotent (*śaṇḍhī*) ,
2. With testicles (*aṇḍīnī*) ,
3. two Huge (*mahatī*) ,
4. With a needle-like opening (*sūcīvākrā*) ,
5. Sarvātmikā (*sarvātmikā*) .

Uttaratantra 65: Rules of Interpretation

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002.⁴⁵¹ Other explorations of this topic include Nārāyaṇa 1949; Dasgupta 1952; Oberhammer 1968; Muthuswami 1976; Lele 1981; Scharfe 1993; Mejer 2000; A. Singh 2003.

Frauwallner 1958 discussed the influence of the *tantrayuktis* in the Sāṅkhya tradition. Preisendanz (2013: 105–106, fn. 109) provided further references to the discussion of *yukti* in Buddhist literatures. Manevskaia (2008) gave examples of the use of *tantrayuktis* in Buddhist commentarial literature. Chevillard (2009) discusses the translation of the *tantrayuktis* in Tamil literary tradition, with a specific focus on *Tolkāppiyam* and its commentaries.

Early Sources

An ancient tradition of enumerating the *tantrayuktis* served as a foundational source not only for medical texts but also for works in various other disciplines, including Arthaśāstra, philosophy, and even grammar. The *Suśrutasamhitā* stands as the earliest Āyurvedic text that presents a compilation of a list of *tantrayuktis* followed by their definitions and usage. Mentions to *Tantrayuktis* are also found in the *Carakasamhitā* 8.12 (Ca 1941) which introduce four additional *tantrayuktis*. However, the *tantrayuktis* remain undefined in the *Carakasamhitā*.

⁴⁵¹ [HIML](#): IA, 331.

The *Arthaśāstra*

The enumeration and definitions of the *tantrayuktis* in the *Suśrutasamhitā* closely parallel their treatment in the *Arthaśāstra*. *Tantrayuktis* are discussed in the fifteenth and final chapter of the *Arthaśāstra*, called the *Tantrayukti*.⁴⁵² For a side-by-side comparison of the *tantrayuktis* in the *Suśrutasamhitā* and the *Arthaśāstra*, please refer to Table 4.

The *Yuktidīpikā*

Yuktidīpikā (circa late sixth to early eighth century), an anonymous commentary on Īśvarakṛṣṇa's *Sāṅkhyakārikā*, initiates its discourse with a detailed discussion of the characteristics of a scientific treatise, some of which align with the *tantrayuktis*.⁴⁵³ In the *Yuktidīpikā*, these terms are referred to as *tantraguṇa* or *tantrasampat*. They are: (1) *sūtropapatti* (2) *pramāṇopapatti* (3) *avayavopapatti* (4) *anyūnatā* (5) *saṁśayokti* (6) *nirṇayokti* (7) *uddeśa* (8) *nirdeśa* (9) *anukrama* (10) *saṁjñā* and (11) *upadeśa*.⁴⁵⁴ Apart from these, the *Yuktidīpikā* also exemplifies *utsarga* (general rule), *apavāda* (exception), and *atideśa* (extended application). However, *utsarga* and *apavāda* are not considered *tantrayuktis* in other comprehensive lists. The *Yuktidīpikā* further states that while other *tantrayuktis* can be demonstrated in a similar manner, since they are peripheral topics, the text does not delve into their discussion.⁴⁵⁵

Tamil literature

Discussions on the *tantrayuktis* are also found in Tamil technical literature, the earliest of which is the *Tolkāppiyam*.⁴⁵⁶ A list of 32 *tantrayuktis*, called

⁴⁵² *Arthaśāstra*: 280–283

⁴⁵³ See Oberhammer 1968: 605–614 for a detailed discussion of the use of the *tantrayuktis* in the *Yuktidīpikā*.

⁴⁵⁴ सूत्रप्रमाणावयवोपपत्तिरन्यूनता संशयनिर्णयोक्तिः ।
उद्देशनिर्देशमनुक्रमश्च संज्ञोपदेशाविह तन्त्रसम्पत् ॥

Yuktidīpikā: 3

⁴⁵⁵ एवमप्रकारा अन्येऽपि द्रष्टव्याह । तद्यथोत्सर्गोऽपवादोऽतिदेश इत्यादि ।...इत्येवमन्या अपि तन्त्रयुक्तयः शक्या इह प्रदर्शयितुम् । अतिप्रसङ्गस्तु प्रकृतं तिरोदधातीति निवर्त्यते । सिद्धं तन्त्रयुक्तीनां सम्बन्धोपपत्तेस्तन्त्रम् इदम् इति । *Yuktidīpikā*: 8

⁴⁵⁶ For a detailed discussion of the treatment of the *tantrayuktis* in the *Tolkāppiyam* see Chevillard 2009.

utti or *tantiravutti* in Tamil, are given in the 27th (the final) chapter titled *Marapiyal* “Chapter on conventions” of the last book called *Poruḷ* “Matters” of the *Tolkāppiyam*. There is no consensus regarding the dating of the *Tolkāppiyam*. However, if we endorse Zvelebil’s view, which posits that the final redaction of the *Tolkāppiyam* occurred around the fifth century AD, it follows that this section of the *Tolkāppiyam* cannot postdate the fifth century. If we follow the dating of Zvelebil, we can safely argue that by that time, Sanskrit *tantrayuktis* had already been translated into Tamil. Nevertheless, determining the correspondence between specific *tantrayuktis* and Tamil *uttis* poses a challenge. A major factor contributing to this challenge is the disagreement between two commentators of the *Tolkāppiyam*, namely Ḹampūraṇar (11th or 12th century) and Pērācīriyar (possibly 13th century), regarding the interpretation of the list of *uttis*. It is still not clear which list of 32 *tantrayuktis* was before the author of the *Tolkāppiyam*.

After the *Tolkāppiyam*, several other Tamil texts refer to the *tantrayuktis*. Among them the *Yāpparuṅkalam* (possibly 10th century), the *Vīracolīyam* (11th century), *Naṇṇūl* (late 12th or early 13th century), and their commentaries hold significant importance in this context.

The Viṣṇudharmottarapurāṇa

The third book of the *Viṣṇudharmattarapurāṇa*, believed to have been composed between the fifth and seventh centuries, includes a chapter dedicated to the *tantrayuktis*.⁴⁵⁷ Unlike the *Arthaśāstra* and the *Suśrutasaṃhitā*, this chapter lacks illustrative examples of the *tantrayuktis*. The chapter lists 32 *tantrayuktis* followed by definitions. Notably, the list and definitions given here – we are using the critical edition by Priyabala Shah – in most cases bear a striking resemblance to those found in the *Suśrutasaṃhitā*. Given the striking alignment between the list and definitions of *tantrayuktis*, one could suggest that the *Viṣṇudharmottarapurāṇa*’s chapter on *tantrayuktis* likely draws directly or indirectly from the *Suśrutasaṃhitā* or from a common source. The designations and the order of the *tantrayuktis* in the *Viṣṇudharmottarapurāṇa* are almost identical. The only differences in the order are as follows:

1. *Viparyaya* is placed after *vidhāna* whereas in the *Suśrutasaṃhitā* it follows *arthāpatti*.

⁴⁵⁷ Adhyāya 6, *Viṣṇudh* 3: 13–14.

2. *Anumata* is placed after *vyākhyāna* whereas in the *Suśrutasamhitā* follows *niṣṇaya*.
3. *Anāgatāvekṣaṇa* (*anāgatāpekṣaṇa* in the Nepalese version) occurs after *atīkrāntāvekṣaṇa* (*atīkrāntāpekṣaṇa* in the Nepalese version) whereas the order is reverse in the *Suśrutasamhitā*.

For a side-by-side comparison of the *tantrayuktis* in the *Suśrutasamhitā* and the *Viṣṇudharmottarapurāṇa*, please refer to Table 4.

The *Saddanīti*

A list of the 32 *tantrayuktis* accompanied by definitions also appear in the final chapter (*Pariccheda* 28) of the final book (book 3: *Suttamālā*) of the renowned Pali grammar *Saddanīti* composed by Aggavaṃsa in Arimaddanapura (modern Bagan, Burma) in the twelfth-century.⁴⁵⁸ Just as the *Viṣṇudharmottarapurāṇa*, this list also does not provide examples of the *tantrayuktis*. Although written in Pali, the order and the definition of the *tantrayuktis* (*tantiyutti* in Pali) closely resemble those of the *Suśrutasamhitā*. There are, however, a few differences:

1. The *tantrayukti pradeśa* is referred to as *paṭidesa* (Sanskrit *pratideśa*) and is positioned after *atidesa* (Sanskrit *atideśa*) whereas in the *Suśrutasamhitā* it follows *apadeśa*.
2. *Atīkrāntāpekṣaṇa* is designated as *atītāpekṣhana* (Sanskrit *atītāpekṣaṇa*).
3. *Svasaṃjñā* is designated as *anaññā sakasaṃjñā* (Sanskrit *ananyā svasaṃjñā*) and is defined with subtle variations.
4. *Ūhya* is designated as *upānīya*.

For a side-by-side comparison of the *tantrayuktis* in the *Suśruta Samhitā* and the *Saddanīti*, please refer to Table 4.

⁴⁵⁸ *Saddanīti* 3: 920–921.

Table 4: Tantrayuktis in *Suśrutasamhitā* (S), *Viṣṇu-dharmottarapurāṇa* (V), *Arthaśāstra* (A), and *Saddanīti* (N)

Sequence	Terms	Definitions
(S) 1.	<i>adhikaraṇa</i>	तत्र यमर्थमधिकृत्योच्यते तदधिकरणम् । यथा व्यत्यासेनोक्तानां सन्निकृष्टविप्रकृष्टानां पदार्थानाम् एकीकरणम् ।
(V) 1.	<i>adhikaraṇa</i>	तत्र यमर्थमधिकृत्योच्यते तदधिकरणम् ।
(A) 1.	<i>adhikaraṇa</i>	यमर्थमधिकृत्योच्यते तदधिकरणम् ।
(N) 1.	<i>adhikaraṇa</i>	तत्थ यं अधिकिञ्च वुञ्चति, तं अधिकरणम् ।
(S) 2.	<i>yoga</i>	येन वाक्यं युज्यते स योगः ।
(V) 2.	<i>yoga</i>	येन वाक्यार्थो युज्यते स योगः ।
(A) 3.	<i>yoga</i>	वाक्ययोजना योगः ।
(N) 2.	<i>yoga</i>	पुब्बापरवसेन वुत्तानं सन्निहितासन्निहितानं पदानं एकीकरणं योगोः ।
(S) 3.	<i>padārtha</i>	योऽर्थोऽभिहितः सूत्रे पदे वा स पदार्थः । पदस्य पदयोः पदानां वा योऽर्थः स पदार्थः । अपरिमिताश्च पदार्थाः ।
(V) 3.	<i>padārtha</i>	योऽर्थो विधिकृतः सूत्रपदे स पदार्थः ।
(A) 4.	<i>padārtha</i>	पदावधिकः पदार्थः ।
(N) 3.	<i>padattha</i>	सुत्तपदेसु पुब्बापरयोगतो यो अत्यो विहितो, सो पदत्यो ।
(S) 4.	<i>hetvartha</i>	यदुक्तं साधनं भवति स हेत्वर्थः ।
(V) 4.	<i>hetvartha</i>	यदन्यद्युक्तिमदर्थस्य साधनं स हेत्वर्थः ।
(A) 5.	<i>hetvartha</i>	हेतुरर्थसाधको हेत्वर्थः ।
(N) 4.	<i>hetuattha</i>	यं वुत्तत्थसाधकं, सो हेतुअत्यो ।
(S) 5.	<i>uddeśa / samuddeśa</i>	समासवचनं समुद्देशः ।
(V) 5.	<i>uddeśa</i>	समासवचनमुद्देशः ।
(A) 6.	<i>uddeśa</i>	समासवाक्यमुद्देशः ।
(N) 5.	<i>uddesa</i>	समासवचनं उद्देशो ।
(S) 6.	<i>nirdeśa</i>	विस्तरवचनं निर्देशः ।
(V) 6.	<i>nirdeśa</i>	विस्तरवचनं निर्देशः ।
(A) 7.	<i>nirdeśa</i>	व्यासवाक्यं निर्देशः ।
(N) 6.	<i>niddesa</i>	वित्थारवचनं निद्देशो ।

Sequence	Terms	Definitions
(S) 7.	<i>upadeśa</i>	एवमित्युपदेशः ।
(V) 7.	<i>upadeśa</i>	एवमेवेत्युपदेशः ।
(A) 8.	<i>upadeśa</i>	एवं वर्तितव्यमित्युपदेशः ।
(N) 7.	<i>upadesa</i>	एवन् ति उपदेशो ।
(S) 8.	<i>apadeśa</i>	अनेन कारणेनेत्यपदेशः ।
(V) 8.	<i>apadeśa</i>	अनेन कारणेनेत्यपदेशः ।
(A) 9.	<i>apadeśa</i>	एवमसावाहेत्यपदेशः ।
(N) 8.	<i>apadesa</i>	अनेन कारणेना ति अपदेशो ।
(S) 9.	<i>pradeśa</i>	प्रकृतस्यातिक्रान्तेन साधनं प्रदेशः ।
(V) 9.	<i>pradeśa</i>	प्रकृतस्यानागतेन साधनं प्रदेशः ।
(A) 11.	<i>predeśa</i>	वक्तव्येन साधनं प्रदेशः ।
(N) 10.	<i>paṭidesa</i>	पकतस्स अनागतेन अत्यसाधनं पटिदेशो ।
(S) 10.	<i>atideśa</i>	प्रकृतस्यानागतेन साधनम् अतिदेशः ।
(V) 10.	<i>atideśa</i>	अतिक्रमणेन अतिदेशः ।
(A) 10.	<i>atideśa</i>	उक्तेन साधनमतिदेशः ।
(N) 9.	<i>atidesa</i>	पकतस्स अतिक्रान्तेन साधनं अतिदेशो ।
(S) 11.	<i>apavarga</i>	अभिप्रमृज्यापकर्षणमपवर्गः ।
(V) 11.	<i>apavarga</i>	अभिप्रायानुकर्षणमपवर्गः ।
(A) 22.	<i>apavarga</i>	अभिप्लुतव्यपकर्षणमपवर्गः ।
(N) 11.	<i>apavagga</i>	अतिव्यापेत्वा अपनयनं अपवर्गो ।
(S) 12.	<i>vākyaśeṣa</i>	येन पदेनानुक्तेन वाक्यं समाप्यते स वाक्य- शेषः ।
(V) 12.	<i>vākyaśeṣa</i>	येनार्थः परिसमाप्यते पदेनाहार्येण स वाक्य- शेषः ।
(A) 17.	<i>vākyaśeṣa</i>	येन वाक्यं समाप्यते स वाक्यशेषः ।
(N) 12.	<i>vākyadosa</i>	येन पदेन अवुक्तेन वाक्यपरिसमापनं भवति, सो वाक्यदोषो ।
(S)		
(V)		
(A) 12.	<i>upamāna</i>	दृष्टेनादृष्टस्य साधनमुपमानम् ।
(N)		
(S) 13.	<i>arthāpatti</i>	यदकीर्तितमर्थादापद्यते सार्थापत्तिः ।
(V) 13.	<i>arthāpatti</i>	यदकीर्तितमर्थादापद्यते सार्थापत्तिः ।

Sequence	Terms	Definitions
(A) 13.	<i>arthāpatti</i>	यदनुक्तमर्थादापद्यते सार्थापत्तिः ।
(N) 13.	<i>atthāpatti</i>	यद् अकित्तितं अत्थतो आपज्जति, सा अत्थापत्ति ।
(S) 14.	<i>viparyaya</i>	यद्यस्य प्रातिलोम्यं तद्विपर्ययः ।
(V) 20.	<i>viparyaya</i>	तस्य प्रातिलोम्यं विपर्ययः ।
(A) 16.	<i>viparyaya</i>	प्रतिलोमेन साधनं विपर्ययः ।
(N) 14.	<i>vipariyaya</i>	यं यत्थ विहितं, तत्र यं तस्स पटिलोमं, सो विपरिययो ।
(S) 15.	<i>prasaṅga</i>	प्रकरणान्तरेण समानः प्रसङ्गः ।
(V) 14.	<i>prasaṅga</i>	प्रकरणाभिहितोऽर्थः केनचिदुपोद्धातेन पुनरुच्यमानः प्रसङ्गः ।
(A) 15.	<i>prasaṅga</i>	प्रकरणान्तरेण समानोऽर्थः प्रसङ्गः ।
(N) 15.	<i>pasaṅga</i>	पकरणन्तरेण समानो अत्थो पसङ्गो ।
(S) 16.	<i>ekānta</i>	यदवधारणेनोच्यते स एकान्तः ।
(V) 15.	<i>ekānta</i>	यथा तथा स एकान्तः ।
(A) 26.	<i>ekānta</i>	सर्वत्रायत्तमेकान्तः ।
(N) 16.	<i>ekānta</i>	सब्बथा यं तथा, सो एकान्तो ।
(S) 17.	<i>anekānta</i>	क्वचित्तथा क्वचिदन्यथा सोऽनेकान्तः ।
(V) 16.	<i>anekānta</i>	क्वचित्तथा क्वचिदन्यथाऽसावनेकान्तः ।
(A)		
(N) 17.	<i>anekānta</i>	यो पन कत्थचि अञ्जथा सो अनेकान्तो ।
(S) 18.	<i>pūrvapakṣa</i>	यस्तु निःसंशयमभिधीयते स पूर्वपक्षः । ⁴⁵⁹
(V) 17.	<i>pūrvapakṣa</i>	प्रतिषेधवचनं पूर्वपक्षः ।
(A) 24.	<i>pūrvapakṣa</i>	प्रतिषेद्धव्यं वाक्यं पूर्वपक्षः ।
(N) 18.	<i>pubbapakṣa</i>	[यो] तु निस्सन्देहम् अभिधीयते, सो पुब्बपक्खो ।
(S) 19.	<i>nirṇaya</i>	तस्योत्तरं निर्णयः ।
(V) 18.	<i>nirṇaya</i>	उत्तरवचनं निर्णयः ।
(A) 25.	<i>uttarapakṣa</i>	निर्णयवाक्यमुत्तरपक्षः ।
(N) 19.	<i>niṇṇaya</i>	तस्स यं उत्तरं, सो निण्णयो ।
(S) 20.	<i>anumata</i>	परमतमप्रतिषिद्धमनुमतम् ।

459 This definition of *pūrvapakṣa* in the Nepalese version is problematic.

Sequence	Terms	Definitions
(V) 25.	<i>anumata</i>	परमतमप्रतिषिद्धमनुमतम् ।
(A) 18.	<i>anumata</i>	परवाक्यमप्रतिषिद्धमनुमतम् ।
(N) 20.	<i>anumata</i>	परमतम् अप्पटिसिद्धं अनुमतं ।
(S) 21.	<i>vidhāna</i>	प्रकरणानुपूर्व्यादभिहितं विधानम् ।
(V) 19.	<i>vidhāna</i>	प्रकरणानुपूर्वं विधानम् ।
(A) 2.	<i>vidhāna</i>	शास्त्रस्य प्रकरणानुपूर्वी विधानम् ।
(N) 21.	<i>vidhāna</i>	प्रकरणानुपुब्बं विधानं ।
(S) 22.	<i>anāgatāpekṣaṇa</i>	एवं वक्ष्यतीत्यनागतापेक्षणम् ।
(V) 22.	<i>anāgatāpekṣaṇa</i>	परत्र वक्षामीत्यनागतावेक्षणम् ।
(A) 27.	<i>anāgatāvekṣaṇa</i>	पश्चादेवं विहितमित्यनागतावेक्षणम् ।
(N) 22.	<i>anāgatāpekkhana</i>	एवं वक्खामि ति अनागतापेक्खनं ।
(S) 23.	<i>atīkrāntāpekṣaṇa</i>	इत्युक्तमित्यतिक्रान्तापेक्षणम् ।
(V) 21.	<i>atīkrāntāpekṣaṇa</i>	इत्युक्तमतिक्रान्तावेक्षणम् ।
(A) 28.	<i>atīkrāntāvekṣaṇa</i>	पुरस्तादेवं विहितमित्यतिक्रान्तावेक्षणम् ।
(N) 23.	<i>atītāpekkhana</i>	इति वुत्तन् ति अतीतापेक्खनं ।
(S) 24.	<i>saṃśaya</i>	उभयहेतुनिर्दर्शनं संशयः ।
(V) 23.	<i>saṃśaya</i>	उभयतो हेतुदर्शनं संशयः ।
(A) 14.	<i>saṃśaya</i>	उभयतो हेतुमानर्थः संशयः ।
(N) 24.	<i>saṃśaya</i>	उभयहेतुदस्सनं संसयो ।
(S) 25.	<i>vyākhyāna</i>	तत्रातिशयोपवर्णनं व्याख्यानम् ।
(V) 24.	<i>vyākhyāna</i>	तत्रातिशयवर्णनातिव्याख्यानम् ।
(A) 19.	<i>vyākhyāna</i>	अतिशयवर्णना व्याख्यानम् ।
(N) 25.	<i>vyākhyāna</i>	संवण्णना व्याख्यानम् ।
(S) 26.	<i>svasaṃjñā</i>	अन्यशास्त्रासामान्या स्वसंज्ञा ।
(V) 26.	<i>svasaṃjñā</i>	परैरसम्मतः शब्दः स्वसंज्ञा ।
(A) 23.	<i>svasaṃjñā</i>	परैरसमितः शब्दः स्वसंज्ञा ।
(N) 26.	<i>anaññā sakasaññā</i>	भूतानं पवत्ता आरम्भचिन्ता अनञ्जा, सस्स सा- धारणा सकसञ्जा ।
(S) 27.	<i>nirvācana</i>	लोकप्रथितमुदाहरणं निर्वचनम् ।
(V) 27.	<i>nirvācana</i>	लोके प्रतीतमुदाहरणं निर्वचनम् ।
(A) 20.	<i>nirvācana</i>	गुणतः शब्दनिष्पत्तिर्निर्वचनम् ।
(N) 27.	<i>nibbacana</i>	लोकप्पतीतम् उदाहरणं निब्बचनं ।

Sequence	Terms	Definitions
(S) 28.	<i>nidarśana</i>	दृष्टान्तव्यक्तिर्निदर्शनम् ।
(V) 28.	<i>nidarśana</i>	तद्युक्तिनिदर्शनं दृष्टान्तः ।
(A) 21.	<i>nidarśana</i>	दृष्टान्तो दृष्टान्तयुक्तो निदर्शनम् ।
(N) 28.	<i>nidassana</i>	दिट्ठन्तसंयोगो निदस्सनं ।
(S) 29.	<i>niyoga</i>	इदमेवेति नियोगः ।
(V) 29.	<i>niyoga</i>	एवेति नियोगः ।
(A) 29.	<i>niyoga</i>	एवं नान्यथेति नियोगः ।
(N) 29.	<i>niyoga</i>	इदम् एवा ति नियोगो ।
(S) 30.	<i>vikalpa</i>	।
(V) 30.	<i>vikalpa</i>	इदं वेदं वेति विकल्पः ।
(A) 30.	<i>vikalpa</i>	अनेन वानेन वेति विकल्पः ।
(N) 30.	<i>vikappa</i>	इदं वा ति विकप्पो ।
(S) 31.	<i>samuccaya</i>	।
(V) 31.	<i>samuccaya</i>	इदं चेदं चेति समुच्चयः ।
(A) 31.	<i>samuccaya</i>	अनेन चानेन चेति समुच्चयः ।
(N) 31.	<i>samuccaya</i>	संखेपवचनं समुच्चयो ।
(S) 32.	<i>ūhya</i>	यदनिर्दिष्टं बुद्धिगम्यं तदूह्यम् ।
(V) 32.	<i>ūhya</i>	अत्र यदनिर्दिष्टं युक्तिगम्यं तदूह्यम् ।
(A)	<i>ūhya</i>	अनुक्तकरणमूह्यम् ।
(N) 32.	<i>upānīya</i>	यद् अनिर्दिष्टं बुद्धिया अवगमनीयं, तद् उपानी- यन् ति ।

Āyurvedic literature

Primary texts

While references to *tantrayuktis* can be found across various disciplines, Āyurveda places a particular emphasis on their discussion, especially evident in key texts of Āyurveda, such as the *Caraka-* and the *Suśruta- saṃhitās*, as well as the *Aṣṭāṅgasāṅgraha*. The *Carakasamhitā* and *Aṣṭāṅgasāṅgraha* present an identical list of *tantrayuktis*.⁴⁶⁰ However, unlike the *Suśru-*

⁴⁶⁰ तत्राधिकरणं योगो हेत्वर्थोऽर्थः पदस्य च ।
प्रदेशोद्देशनिर्देशवाक्यशेषाः प्रयोजनम् ॥

tasamhitā they lack explicit definitions and examples. This list of the *tantrayuktis* appear in the final chapter of the last book in both *Carakasamhitā* (41b–45a, chapter 12, *Siddhisthāna*) and *Aṣṭāṅgasaṅgraha* (150–153, chapter 50, *Uttarasthāna*). The same has been quoted by Aruṇadatta in his commentary on the *Aṣṭāṅgahṛdaya* while elucidating the concept of *tantraguṇa* (qualities of the system).⁴⁶¹ Notably, this list consists of 36 *tantrayuktis* instead of 32 found in the *Suśrutasaṃhitā* and other texts. The additional four are: *prayojana* (objective), *pratyutsāra* (rebuttal), *uddhāra*, and *sambhava* (origin).

Commentaries

The commentators who extensively delved into the discussion of the *tantrayuktis* are Bhaṭṭāraka Hariścandra, also known as Bhaṭṭāra Haricandra, who composed the *Carakanyāsa* on the *Carakasamhitā* around the mid-sixth century, and Aruṇadatta, who authored his commentary *Sarvāṅgasundarī* on the *Aṣṭāṅgahṛdaya* of Vāgbhaṭa. Hariścandra meticulously defined and analyzed 40 *tantrayuktis* at the beginning of his work. The four additional *tantrayuktis* are: *paripraśna* (question), *vyākaraṇa* (grammatical clarification), *vyutkrāntābhidhāna* (overpassing statement) and *hetu* (means of knowledge).⁴⁶²

उपदेशापदेशातिदेशार्थापत्तिर्निर्णयः ।
प्रसङ्गैकान्तनैकान्ताः सापवर्गो विपर्ययः ॥
पूर्वपक्षविधानानुमतव्याख्यानसंशयाः ।
अतीतानागतापेक्षास्वसंज्ञोह्यसमुच्चयाः ॥
निदर्शनं निर्वचनं नियोगोऽथ विकल्पनम् ।
प्रत्युत्सारस्तथोद्धारः सम्भवस्तन्त्रयुक्तयः ॥

Aṣṭāṅgasaṅgraha 6.50.150–153a (As 1980: 959). *Carakasamhitā* 8.12.41b–45a (Ca 1941: 736) reads almost the same. The only two variants are (1) अतीतानागतावेक्षा... and (2) निर्वचनं संनियोगो विकल्पनम्.

⁴⁶¹ Aruṇadatta on the *Aṣṭāṅgahṛdayasaṃhitā* 6.40.78 (Ah 1939: 946).

⁴⁶² This text has only been published once (only until the third chapter of *Sūtrasthāna*) by Masta Ram Shastri from Lahore in 1932/33. (HIML: IB, 290) Unfortunately, it is currently inaccessible to us. Although some fragmented manuscripts of the *Carakanyāsa* exist, for this section (Chapter 1, *Sūtrasthāna*), we were able to consult only MS MS Jamnagar GAU 114. This is a recent apograph with several lacunae and corruptions. The list of the *tantrayuktis* provided in the *Carakanyāsa* is as follows (with some emendations made in the reading): तन्त्रस्य युक्तयोऽधिकरणाद्याश्चत्वारिंशत् ।... युक्तयस्तावदधिकरणं योगो हेत्वर्थ उद्देश उपदेशोऽपदेशोऽतिदेशः प्रदेशो निर्णयोऽर्थापत्तिर्वाक्यशेषः प्रयोजनं प्रसङ्ग एकान्तोऽनेकान्तो विपर्ययोऽपवर्गः पूर्वपक्षो विधानमनुमतं व्याख्यानं परिप्रश्नो व्याकरणमतीतापेक्षण-

Aruṇadatta, while discussing the concept of *tantraguṇa* at the end of the *Aṣṭāṅgaḥṛdaya*, provided an elaborate description of *tantrayuktis*, considering them as part of a system of ninety-five *tantraguṇas*. Śrīdāsapaṇḍita (14th century), a commentator on the *Aṣṭāṅgaḥṛdaya*, echoed Aruṇadatta's exploration of *tantrayuktis* in the beginning of his commentary, *Hṛdayabodhikā*.⁴⁶³ Thus, both Hariścandra and Śrīdāsapaṇḍita engage with this topic right at the beginning, underscoring the significance they attribute to the subject. Other noteworthy commentators who discussed the topic of *tantrayukti* are Cakrapāṇi (11th century) and Indu (sometime between 8th and 12th century). Cakrapāṇi and Indu defined and illustrated the *tantrayuktis* mentioned in the *Carakasamhitā* and the *Aṣṭāṅgasāṅgraha*, respectively. They affirm the inclusion of the four additional *tantrayuktis* in Hariścandra's list. Cakrapāṇi, aligning them with existing concepts, incorporates *paripraśna*, *vyākaraṇa*, and *vyutkrāntābhidhāna* under the *tantrayuktis uddeśa*, *vyākhyāna*, and *nirdeśa*, respectively. According to him, *hetu* serves as an overarching term encompassing all *pramāṇas* (means of knowledge) such as *pratyakṣa* (perception) and others. Indu, however, outlines three possible reasons for not incorporating these *tantrayuktis* into the list: (1) they lack direct mention in the main text, (2) they could be considered as falling within the scopes of already enumerated *tantrayuktis*, or (3) they are not recognized as *tantrayuktis*. *Jalpakaḥpataṛu*, a nineteenth-century commentary on the *Carakasamhitā* by Gaṅgādhara Kavirāja from Bengal also discusses the *tantrayuktis*.

Monographs

two texts authored by Āyurvedic scholars exclusively delve into the topic of *tantrayukti*. The first is the *Tantrayuktivicāra* by a physician named Nīlamegha (also known as Vaidyanātha), while the second is called the *Tantrayukti*, which is a sort of recast of the former by an anonymous author. The anonymous author describes himself as being from the same lineage as Nīlamegha and asserts that Nīlamegha belongs to the same lineage of Bhiṣagārya (also known as Nārāyaṇa Bhiṣaj). Both Nīlamegha and the author of *Tantrayukti* are likely from Kerala or coastal

मनागतापेक्षणं संशयः स्वसंज्ञोह्यः समुच्चयो निदर्शनं निर्वचनं नियोगो विकल्पः प्रत्युत्सार उद्धारः सम्भवो व्युत्क्रान्ताभिधानं हेतुरिति ।

463 [HIML](#): IA, 680.

Karnataka.⁴⁶⁴ According to Kolatteri Śaṅkaramenon and Meulenbeld, Nīlamegha flourished in the first half of ninth century.⁴⁶⁵ The *Tantrayukti* was very likely composed after the sixteenth century.⁴⁶⁶

Nīlamegha's *Tantrayuktivīcāra* is a versified text accompanied by an autocommentary. The text comprises eighteen verses plus a hemistich, resulting in a total of 37 hemistichs. Each hemistich serves as a definition for a *tantrayukti*. Nīlamegha enumerates a total of 36 *tantrayuktis*, as mentioned in the *Aṣṭāṅgasaṅgraha* and *Carakasamhitā*. The additional hemistich defines *aviparyaya*, which, according to Nīlamegha, is sometimes considered instead of *viparyaya*. This substitution occurs when one understands that the negative prefix *a-* is deleted due to a *pūrvavāṇī sandhi*—*sāpavargaḥ + aviparyayaḥ → sāpavargo viparyayaḥ* (See footnote 460.).

The text of the *Tantrayukti* includes some verses at the beginning and end, where the author discusses the lineage of Nīlamegha. The author explicitly states that his text is a revised version of Nīlamegha's *Tantrayuktivīcāra* because the available manuscripts were mostly corrupt.⁴⁶⁷ It is

464 Kolatteri Śaṅkaramenon, the first editor of the *Tantrayuktivīcāra*, believes that Nīlamegha hails from Kerala. This conclusion is drawn from Nīlamegha's reference to his guru as Sundara, whom Śaṅkaramenon identifies as the same individual credited with composing the *Lakṣaṇāmṛta*, a treatise on toxicology. This assertion is plausible because the only known manuscript of *Tantrayuktivīcāra* belongs to a member of one of the Aṣṭavaidyā families of Kerala, aligning with the Vāgbhaṭa school, to which Nīlamegha also belongs. (HIML: IIA, 143)) On the other hand, the anonymous author of the *Tantrayukti* associates Nīlamegha with the lineage of Bhiṣagārya, who hails from Uṇṭuru, a village located 3 kilometers from Gokarṇa which is in coastal Karnataka. (Nārāyaṇa 1949: 30).

465 Nīlamegha mentions Vāhaṭa (Vāgbhaṭa), Indu, and Jejjaṭa in his work. This places him definitively after the seventh century. The Buddhist influence in the *Tantrayukti* indicates a date not much later than 800 AD. (Muthuswami 1976: अवतारिका ५-६, (HIML: IIA, 143).)

466 From the explicit mention of Nīlamegha and Bhiṣagārya in the work *Tantrayukti*, we can say that the author flourished after them. Determining the date of Bhiṣagārya is problematic. However, since the Kairālī commentary on the *Aṣṭāṅgahṛdayasaṃhitā* frequently quotes from Bhiṣagārya's *Abhidhānamāñjarī*, it indicates that Bhiṣagārya predates the composition of this commentary. Meulenbeld suggests the end of the seventeenth century as the terminus post quem for the Kairālī (HIML: IA, 675)). Moreover, he views *Abhidhānamāñjarī* as a work composed after the sixteenth century, citing details within it that affirm its posteriority to the *Rājanighaṇṭu* and *Bhāvaprakāśa* (HIML: IIA, 442)).

467 वैद्यनाथोपसृष्टानां लक्ष्यलक्षणवासुषाम् ॥

evident that there are substantial reproductions of parts of the *Tantrayuktivīcāra* and its autocommentary. The total number of *tantrayuktis* and their enumeration remains identical to that of the *Tantrayuktivīcāra*. What distinguishes it from the *Tantrayuktivīcāra* is the incorporation of a list of other *tantraguṇas* and 14 *tantradoṣas*. This list of *tantraguṇas* includes 15 types of *vyākhyā*, 7 types of *kalpanā*, 20 types of *āśraya*, and 17 types of metaphoric and metonymic devices, such as *tācchīlya* and so on.

Terminology

The definitions of *tantrayuktis* exhibit numerous variations across different texts. Here we will discuss each of the *tantrayuktis* that occur in the *Suśruta Saṃhitā* in comparison with their definitions in other texts. As indicated in Table 4, the definitions of *tantrayuktis* in the *Suśrutasaṃhitā* are frequently either identical or nearly identical to those found in the *Arthaśāstra*, *Viṣṇudharmottarapurāṇa* and *Saddanīti*. Therefore, unless the definitions in these two texts notably deviate from those in the *Suśrutasaṃhitā*, we will not make explicit references to them in the subsequent elucidation of the terms.

The terms have been translated into English in numerous books and articles. English renditions of the terms can be found in English translations of the *Suśrutasaṃhitā* such as in Singhal and Mitra 1980: 171–172, and⁴⁶⁸; in translations of the *Carakasaṃhitā* such as in R. K. Sharma and B. Dash 2006: 436–444 and in Shree Gulabkunverba Ayurvedic Society 1949: 1050, in the translation of the *Arthaśāstra* such as in Shamasastri 1951: 459, Kangle 1965a: 593, Unni 2006: 1103 and Olivelle 2013, and in the appendix of the edition of the *Tantrayuktivīcāra* by K. Srikanta Moorthy Muthuswami 1976: Appendix xi–xxxiv. They are also found in various books and articles dedicated to discussing the *tantrayuktis* such as in Oberhammer 1968: 601–602, Lele 1981: 34–155, 2006: 36–150 and so on. German translations of the terms can be found in Meyer 1926: 663–664 (German translation of the *Arthaśāstra*) and in Prets and Prandstetter 1991–2006.

तासां प्रायः प्रकाशानां दुर्लेखापङ्कदूषणात् ।
क्रियते साम्प्रतं कृच्छ्रादुद्धृत्य परिमार्जनम् ॥
Nārāyaṇa 1949: 1

468 P. V. Sharma 1999–2001: 3, 631–639.

1. *adhikaraṇa*

Adhikaraṇa appears as the first *tantrayukti* in all traditional enumerations. It is among those *tantrayuktis* for which there is little disagreement concerning its definition. The *Suśrutasamhitā* defines *adhikaraṇa* as an object, with reference to which statements are made. While defining *adhikaraṇa*, the text employs the same verb, *adhi- kṛ-* (to refer), whence the noun *adhikaraṇa* has been derived. This definition suggests that the word *adhikaraṇa* formed by the *-ana* suffix has a patient-like semantic meaning as opposed to the more common referents of the *-ana* suffix, such as action nouns, locations, or instruments.⁴⁶⁹ The text supplies examples of *rasa* (taste) and *doṣa* (humour), for which two chapters of the *Uttaratantra*, namely chapter 62 (*Kāyacikitsā* 27) and chapter 65 (*Kāyacikitsā* 30) are dedicated.⁴⁷⁰ Clearly, *adhikaraṇa* is the topic or theme.

Cakrapāṇi defines *adhikaraṇa* in almost the same fashion.⁴⁷¹ Aruṇadatta's definition is similar but he specifies that *adhikaraṇa* can be of a entire discipline (*śāstra*), or a book (*sthāna*) of it, or a chapter (*adhyāya*), or a section (*prakaraṇa*), or even of a sentence (*vākya*).⁴⁷² However, in the commentaries of Hariścandra and Indu, we explore two more aspects of the concept of *adhikaraṇa*. According to Hariścandra, *adhikaraṇa* is the reason or ground referring to which the authors direct their discourse. For example, diseases create misery and the authors of Āyurveda began their discussion addressing them.⁴⁷³ Thus disease is the *adhikaraṇa* or theme of their discussion. Indu identifies *adhikaraṇa* as a binding force that links ideas. According to him, *adhikaraṇa* as an introductory reference and paraphrases it as something that exposes a general statement to a specific context.⁴⁷⁴

In the *Tolkāppiyam*, however, the equivalent expression for this *tantrayukti* remains unclear, as commentators, namely Ṭampūraṇar and Pērācīriyar, list the item differently. In Sastri's translation of the *Tolkāp-*

469 Cf. Aṣṭādhyāyī 3.3.115–117.

470 They are chapters 63 and 66 in the **vulgate**.

471 यमर्थमधिकृत्य प्रवर्तते कर्ता । यथा “विघ्नभूता यदा रोगा” इत्यादि । अत्र रोगादिकमधिकृत्यायुर्वेदो महर्षिभिः कृत इति ‘रोगाः’ इत्यधिकरणम् । (Ca 1941: 736).

472 तत्र अधिकरणं नाम, यदधिकृत्य प्रवर्तते शास्त्रं स्थानमध्यायं प्रकरणं वाक्यं वा ।... (Ah 1939: 947).

473 तत्राधिकरणं नाम यन्निमित्तमधिकृत्य प्रवर्तते कर्ता ।... उत वा विघ्नभूता यदा रोगाः प्रादुर्भूताः तदिदं निमित्तमधिकृत्य जगदनुकम्पया महर्षिभिरयमायुर्वेद आगमः । एवमधिकरणव्याख्या वर्णयितव्या । MS Jamnagar GAU 114, p.4–5.

474 अधिकरणं प्रस्तावः सामान्येनोक्तमप्यर्थजातम् यद्वलाद्विशेषेऽवस्थाप्यते तदधिकरणम् । (As 1980: 959).

piyam, *adhikaraṇa* was identified with *atikāra murai*, the second element in Ṭampūraṇar's list. Sastri translates this expression as "deciding the extent where one serves as *adhikāra sūtra* or a word or words in a *sūtra* taken along with the *sūtra*-s that follow."⁴⁷⁵ However, Dikshitar, in his brief article on the *tantrayuktis*, equates *adhikaraṇa* with *nutaliyatu arītal*, the first element in Pērācīriyar's list, and translates it as "that division of a book which centers around a chief topic and deals wholly with that topic."⁴⁷⁶ Clearly, Dikshitar's interpretation stands close to our definition of *adhikaraṇa*. Sastri's interpretation, on the other hand, corresponds to the concept of *adhikāra* "heading" and *anuvṛtti* "recurrence" in the *sūtra* literature, especially in Pāṇini's *Aṣṭādhyāyī*.⁴⁷⁷

Oberhammer and Meulenbeld translate *adhikaraṇa* as "topic," and we have adopted the same translation.⁴⁷⁸ Sharma translates the term as the "scope of the topic."⁴⁷⁹

Characteristics of the Manuscript Transmission

⁴⁷⁵ P. S. Sastri 2002: 233.

⁴⁷⁶ Dikshitar 1930: 85

⁴⁷⁷ See Chevillard 2009: 111.

⁴⁷⁸ Oberhammer 1968: 601, (HIML: IB, 431).

⁴⁷⁹ (P. V. Sharma 1999–2001: 3, 631).

Translation

- 1 Now we shall explain the chapter called, “the enunciation of the logical methods of the system (*tantrayukti*) .”
- 3 There are thirty-two logical methods of the system. They are as follows:

- | | |
|--|---|
| 1. topic (<i>adhikaraṇa</i>) | 18. objection (<i>pūrvapakṣa</i>) |
| 2. construing (<i>yoga</i>) | 19. determination (<i>nirṇaya</i>) |
| 3. word meaning (<i>padārtha</i>) | 20. consent (<i>anumata</i>) |
| 4. premise (<i>hetvartha</i>) | 21. itemization (<i>vidhāna</i>) |
| 5. mention (<i>samuddeśa</i>) | 22. future reference
(<i>anāgatāpekṣaṇa</i>) |
| 6. description (<i>nirdeśa</i>) | 23. past reference
(<i>atīkrāntāpekṣaṇa</i>) |
| 7. prescription (<i>upadeśa</i>) | 24. doubt (<i>saṁśaya</i>) |
| 8. statement of reason (<i>apadeśa</i>) | 25. explication (<i>vyākhyāna</i>) |
| 9. indication (<i>pradeśa</i>) | 26. field-specific term
(<i>svasaṁjñā</i>) |
| 10. prediction (<i>atideśa</i>) | 27. interpretation (<i>nirvacana</i>) |
| 11. exception (<i>apavarga</i>) | 28. illustration (<i>nidarśana</i>) |
| 12. ellipsis (<i>vākyaśeṣa</i>) | 29. compulsion (<i>niyoga</i>) |
| 13. implication (<i>arthāpatti</i>) | 30. option (<i>vikalpa</i>) |
| 14. contraposition (<i>viparyaya</i>) | 31. aggregation (<i>samuccaya</i>) |
| 15. recontextualization
(<i>prasaṅga</i>) | 32. deducible (<i>ūhya</i>) |
| 16. invariable statement (<i>ekānta</i>) | |
| 17. variable statement (<i>anekānta</i>) | |

- 4 It is said about this, “what is the purpose of these methods?” The answer is, “construing sentences and construing meanings”.⁴⁸⁰

- 5-6 There are two verses about this:

The logical methods of the system prohibit statements employed by people who do not speak the truth. They also bring about the validity of one’s own statements. And they also clarify meanings that are stated back to front, that are implicit, unclear and any that are partially stated.

⁴⁸⁰ Dalhaṇa on 6.65.4 (Su 1938: 815) explained “construing a sentence” as “connecting up a sentence that is not connected,” and “construing a meaning” as “clarifying or making appropriate a meaning that is implied or inappropriate.”

- 8 Among them, “topic (*adhikaraṇa*) ” refers to the object, with reference to which statements are made, such as flavour (*rasa*) or humour (*doṣa*)⁴⁸¹
- 9 “Construing (*yoga*) ” is that by which a sentence is construed, as when words that are in a reversed order, whether placed close or apart, have their meanings unified.

Sesame oil he should drink, with heart-leaved moonseed creeper, neem tree, maidenhair fern, Indrajao, and long pepper

that is cooked with heart-leaf sida and country mallow, and deodar, always for a benefit in the case of the disease goitre.

In this verse, one ought to say, first, “one should drink cooked....” However, the word “cooked” is used in the second line.⁴⁸² Unifying the meanings of words in this way, even though they are far apart, is construing.

- 10 The meaning that is conveyed in an aphorism (*sūtra*) or a word is called word-meaning (*padārtha*) . In other words, word-meaning is the meaning of one or more words. Word-meanings are unlimited. Where two or three meanings such as ‘fat,’ ‘sweat’ or ‘anointment’ appear to be possible, the valid meaning is the one that construes with prior and subsequent elements.⁴⁸³ For example, when it is said that, “We are going to explain the chapter on the *veda*-origin” the mind may be confused about which “*veda*” will be spoken about. *Sāmaveda* and so on are the Vedas. Taking note of the prior and subsequent elements, the two roots *vind* “find” and *vid* “know” have a single meaning. Subsequently, the understanding takes place that there is a wish to talk about the origin of āyurveda. So that is the meaning of the word.⁴⁸⁴

481 The idea here is that “*rasa*” may be the topic of a chapter, and statements in that chapter are all understood to be about that topic

482 The Nepalese version reads द्वितीये पादे which would properly mean the second quarter of the first line; the vulgate reads “third quarter” which seems more correct.

483 There is a dangling relative clause, यो ऽर्थः, in the Nepalese version that is avoided in the vulgate recension by the addition of स ग्रहीतव्यः.

484 The Nepalese text here is hard to follow, and the vulgate has a significantly different reading. But the problem situation seems to be as follows. The *Suśrutasamhitā* opens with a statement saying that it will describe the “origin of the *veda*” (*vedotpatti*). The problem is, what does this word “*veda*” refer to? Is it the Veda, as in *Sāmaveda*? Or

See also
Dalhana
at 1.1.1
(Su 1938:1)

- 11 The sense of the cause (*hetvartha*) is a statement that is a premiss (*sādhana*) . For example, just as a lump of earth is moistened by water, so a wound is moistened by substances like milk with **green gram**.⁴⁸⁵
- 12 A mention (*samuddēśa*) is a brief statement such as “spike (*śalya*) ”.⁴⁸⁶
- 13 A description (*nirdeśa*) is a detailed statement. For example, “in the body or exogenous”.⁴⁸⁷
- 14 “Prescription (*upadeśa*) ” refers to statements like “it should be this way.” For example, one should not stay awake at night; one should not sleep during the day.
- 15 “Statement of reason” refers to statements like “this happens because of this.” For example, in the sentence “Sweet substances increase phlegm,” the reason is stated.⁴⁸⁸
- 16 Substantiation of the subject matter through past evidence is “indication (*pradeśa*) .” For example, he pulled out Devadatta’s splinter (*śalya*) , therefore he will pull out Yajñadatta’s.
- 17 Substantiation of the subject matter through a future event is “prediction (*atideśa*) .” For example, if his wind moves upwards, that will cause him to have colic.”⁴⁸⁹
- 18 A deviation after generalization is exception (*apavarga*) . For example, those afflicted by poison should not go through sudorific treatment

something derived from the roots √vind or √vid? Context (“prior and subsequent elements”) can help us to know that “*veda*” means only “*āyurveda*” and that the *Suśrutasamhitā* is talking about the origin of ayurveda, specifically. This same issue is also addressed by Dalhana at 1.1.1 (Su 1938:1).

485 The way this principle is expressed here seems to be describing the application of a general principle (water makes things wet) to a specific context. We can know the moistening of a wound because we know the more general case of moistening earth. However, etymologically, हेत्वर्थ does not mean “analogy,” but rather, something like “purpose of the reason.” The phrase “the sense of cause” that we have used leans on the use of the term in commentaries on the *Aṣṭādhyāyī* (*Kaumudī* on 2.3.23). The vulgate of the *Suśrutasamhitā* rewrites the principle, making it clearer that the principle means “clarification by analogy.” Cf. also Cakrapāṇi’s discussion at Si.12.41 (Ca 1941: 736), where he explained the principle as using an explanation from one situation to clarify another situation. Cf. *Arthaśāstra* 5.1.13 (Olivelle 2013: 436), which is also unclear.

486 Generally, शल्य refers to any painful foreign body embedded in the flesh that requires surgical removal.

487 This is a reference to 1.26.4 (Su 1938: 121) where शल्य is described in more detail as being of two kinds.

488 A technical term also in Nyāyaśāstra (Jhalakīkar 1978: 54).

489 A technical term also in Nyāyaśāstra (Jhalakīkar 1978: 6–7).

- other than the cases of poisoning by urinary worms.
- 19 Ellipsis (*vākyaśeṣa*) refers to an unstated word that completes a sentence. For example, despite not mentioning the word 'person', when mentioning someone as 'the one having a head, hands, feet, flanks, and abdomen,' it's apparent that the reference is to a person.
 - 20 arthāpatti (*Implication*) refers to an unstated idea that becomes evident through context. For example, when one said, "We will eat rice" it becomes evident from the context that he did not wish to drink gruel.
 - 21 When there is the reversal of it it is contraposition (*viparyaya*) . For example, when it is said, "Weak, dyspneic, and fearful people are difficult to treat," the converse holds true: "Those who are strong and so on are easily treatable."
 - 22 Recontextualization (*prasaṅga*) refers to a concept common to another section. For example, a concept belonging to another section is brought up by mentioning it repeatedly throughout.
 - 23 Invariable statement (*ekānta*) is one that is stated with certainty. For example, **turpeth** causes purgation; **emetic nut** induces vomiting.
 - 24 Variable statement (*anekānta*) is one that is true in one way in some cases and in another way elsewhere. For example, some teachers identify the main element as substance, others as fluid, some as semen, and some as digestion.
 - 25 A first point of view (*pūrvapakṣa*) is something stated with certainty. For example, how are the four types of diabetes caused by wind incurable?⁴⁹⁰
 - 26 Its answer is determination. For example, afflicting the body and trickling downwards, it creates urine mixed with fat, fatty tissues, and marrow. Thus, those caused by wind are incurable.
 - 28 Consent refers to others' opinion that is not rejected. For example, when the assertor says that there are six flavours and that somehow gets accepted with affirmation, it is termed consent.
 - 29 Itemization (*vidhāna*) refers to sequentially ordered statements within a chapter. For example, the eleven lethal points of thigh are mentioned sequentially in a chapter.
 - 30 A statement like "Thus will be stated" is future reference (*anāg-*

See chapter
40 of Sūtra-
sthāna.

vasā / me-
das / maj-
jan

⁴⁹⁰ The adverb निःसंशयम् is problematic: the example expresses a query or doubt, the opposite of certainty, which is answered in the next passage. It would seem to make more sense to read something like यस् तु संशयम् अभिधीयते स पूर्वपक्षः, but our manuscripts are unanimous in their reading.

atāpekṣaṇa) such as when he says in the *Sūtrasthāna*, “I will mention it in the *Cikitsāsthāna*.”

- 31 A statement like “Thus has been stated” is past reference (*atīkrāntāpekṣaṇa*) such as when one says in the *Cikitsāsthāna*, “As mentioned in the *Sūtrasthāna*....”
- 32 An indication pointing to causes on both sides is doubt (*saṁśaya*) . For example, a blow to ⁴⁹¹ is fatal, whereas cutting hands and feet is not fatal.
- 33 An elaborate description is explication (*vyākhyāna*) . For example, the twenty-fifth entity, , is being explicated here. Thus, no other Āyurvedic texts discuss entities beginning with matters.
- 34 Field-specific term (*svasaṁjñā*) is uncommon in other field of studies. The term used in one’s own systems is called field-specific term, such as in this system, denotes honey and ghee, and denotes ghee, sesame oil and fat.
- 35 A customary portrayal is interpretation (*nirvacana*) . For example, one goes along the shade fearing heat.
- 36 Providing examples is illustration (*nidarśana*) . For example, just as fire spreads rapidly in a dry forest when accompanied by wind, a wound intensifies affected by wind, bile, and phlegm.
- 37 A statement like “This is the only way...” ...compulsion (*niyoga*) . For example, one should consume only a healthy diet.
- 39 A statement like “This and this...” is option (*vikalpa*) . For example, in the section on meat, the major ones are blackbuck, deer, quail and partridge.⁴⁹²
- 38 A summarized statement is aggregation (*samuccaya*) .⁴⁹³ For example, let there be rice with meat broth, rice with milk, or burley with ghee.

Does
bhūtādi a
compound
or it means
ahankāra or
ego?

A meaningful reading of these two rules would be

39 idaṁ vedaṁ veti vikalpaḥ / yathā rasodanaḥ kṣīrodanaḥ
saghr̥tā vā yavāgūr bhavatv iti //

491 तलहृदय is one of the muscle-group of lethal points mentioned in 3.6.7 (*Su* 1938: 370).

492 The example here matches समुच्चय (next text), not विकल्प. There seems to have been a metathesis of terms. Y. T. Ācārya and N. R. Ācārya (*Su* 1945: 1005, footnote 6) notes that this text and the next have been swapped in the Calcutta edition that includes Hārānacandra’s commentary Bhaṭṭācārya 1910–17: 2, in the same way as in the Nepalese version.

493 As stated in the previous footnote, the example here is of विकल्प, not समुच्चय.

38 saṃkṣepavacanam samuccayaḥ / yathā māṃsavarge eṇa-
hariṇalāvatittirāḥ pradhānā iti

- 40 What is not explicitly stated but can be understood through discernment is deducible (*ūhya*) . For example, in the section on rules of foods and drinks, four types of foods and drinks are mentioned— masticable (*bhakṣya*) , edible (*bhojya*) , suckable (*lehya*) , and drinkable (*peya*) . Thus, while four types are needed to be stated, two types are actually mentioned. Here it is deducible that in the section on foods and drinks, by specifically mentioning two types, the four types are also mentioned. Furthermore, a masticable item is not excluded from the category of food because it shares the same characteristic of solidity. A suckable item is not excluded from being classified as a drink because it shares the same characteristic of liquidity. Four types of aliments are rare. They are usually just twofold. Therefore, lord Dhanvantari says “Twofold is popular”.

Editions and Abbreviations

Ah 1939	Kuṇṭe, Anṇā Moreśvara, Navare, Kṛṣṇaśāstrī, and Parādkar, Hariśāstrī (1939) (eds.), <i>श्रीमद्वाग्भटविरचितम् अष्टाङ्गहृदयम्, श्रीमदरुणदत्तविरचितया सर्वाङ्गसुन्दराख्यया व्याख्यया, हेमाद्रिप्रणीतया आयुर्वेदरसायनाह्वया टीकया च समुल्लसितम्</i> = <i>The Astāṅgahṛidaya</i> (6th edn., Mumbayyām: Nirṇayasāgara Press), ark:/13960/t3tt6967d .
Anup	<i>Anup Sanskrit Library</i> .
Apte	Apte, Vaman Shivaram (1992), <i>The Practical Sanskrit-English Dictionary</i> (Kyoto: Rinsen Book Company), ISBN: 4-653-00038-7; Reprinted from Gode and Karve 1957–59.
Arthaśāstra	Kangle, R. P. (1960), <i>The Kauṭīliya Arthaśāstra</i> (University of Bombay Studies Sanskrit, Prakrit and Pali, 1; Bombay: University of Bombay), accessed 23/09/2021.
AS	<i>Asiatic Society</i> .
As 1980	Āṭhavale, Ananta Dāmodara (1980) (ed.), <i>अष्टाङ्गसङ्ग्रहः श्रीमद्वृद्धवाग्भटविरचितः इन्दुव्याख्यासहितः</i> [= <i>Vāgbhaṭa's Aṣṭāṅgasāṅgraha with Indu's Commentary</i>] (Pune: M. A. Āṭhavale, Śrīmad Ātreya Prakāśanam), ark:/13960/s25bwqsd0n7 .
Bhela 1921	Mookerjee, Ashutosh, and Ananta Krishna Shastri, Ved-antabisharad (1921) (eds.), <i>The Bhela Samhita. Sanskrit Text</i> (Calcutta: University of Calcutta), ark:/13960/t3sv3157j ; Based on two copies made of the Thanjavur codex unicus (MS Thanjavur TMSSML 10773, Burnell 1880: 63–4, P. P. S. Sastri 1933: #11085).

- Bhela 2000 Krishnamurthy, K. H. (2000), *Bhela-saṃhitā. Text with English Translation, Commentary and Critical Notes* (Haridas Ayurveda Series, 8; Varanasi: Chaukhambha Visvabharati).
- BL *British Library.*
- Ca 1941 Ācārya, Yādavaśarma Trivikrama (1941) (ed.), *महर्षिणा पुनर्वसुनोपदिष्टा, तच्छिष्येणाग्रिवेशेन प्रणीता, चरकदृढबलाभ्यां प्रतिसंस्कृता चरकसंहिता, श्रीचक्रपाणिदत्तविरचितया आयुर्वेददीपिकाव्याख्यया संवल्लिता* (3rd edn., Mumbayyām: Nirnaya Sagara Press), [ark:/13960/t48q2f20n](https://nirnayagangotri.org/ark:/13960/t48q2f20n).
- CDIAL Turner, R. L. (1966–85), *A Comparative Dictionary of the Indo-Aryan Languages* (London, New York, Toronto: Oxford University Press), ISBN: 0197135501, [URL](https://www.oxfordjournals.org/lookup/doi/10.1093/acref/9780197135501); With *Indexes* compiled by Dorothy Rivers Turner (OUP, London, 1969), *Phonetic Analysis* by R. L. and D. R. Turner (OUP, London, 1971), and *Addenda and Corrigenda* edited by J. C. Wright (School of Oriental and African Studies, London, 1985).
- DED₂ Burrow, Thomas, and Emeneau, Murray B. (1984), *A Dravidian Etymological Dictionary* (2nd edn., Oxford: Clarendon Press), [ark:/13960/t4wj06g26](https://www.oxfordjournals.org/lookup/doi/10.1093/acref/9780197135501), [URL](https://www.oxfordjournals.org/lookup/doi/10.1093/acref/9780197135501).
- EWA Mayrhofer, Manfred (1986–2001), *Etymologisches Wörterbuch des Altindoarischen* (Heidelberg: Carl Winter, Universitätsverlag), ISBN: 3-533-03826-2.
- Garuḍapurāṇa* Pāṇḍeya, Rāmateja (1963) (ed.), *श्रीकृष्णद्वैपायनव्यासप्रणीतं गरुडपुराणम्* (Vidyabhawan Prachyavidya Granthamala, 3; reprint, Caukhambā Vidyābhavana, Paṇḍita-Pustakālaya: Kāśī), [ark:/13960/t6pz7tg7j](https://nirnayagangotri.org/ark:/13960/t6pz7tg7j).
- HIML Meulenbeld, Gerrit Jan (1999–2002), *A History of Indian Medical Literature*, 5 vols. (Groningen: E. Forsten), ISBN: 9069801248.
- IOLR Eggeling, Julius, et al. (1887–1935), *Catalogue of the Sanskrit Manuscripts in the Library of the India Office* (London: Secretary of State for India), [ark:/13960/s2kbbk5zcrg9](https://nirnayagangotri.org/ark:/13960/s2kbbk5zcrg9).

- KEWA Mayrhofer, Manfred (1953–72), *Kurzgefaßtes etymologisches Wörterbuch des Altindoarischen; a Concise Etymological Sanskrit Dictionary* (Heidelberg: Carl Winter, Universitätsverlag).
- KL *Kaiser Library.*
- Mahākośa Jośī, Veṇīmādhavaśāstrī, and Jośī, Nārāyaṇa Harī (1968), *आयुर्वेदीय महाकोशः अर्थात् आयुर्वेदीय शब्दकोशः संस्कृत-संस्कृत* (Mumbai: Mahārāṣṭra Rājya Sāhitya āṇi Saṃskṛti Maṇḍala), ark:/13960/t22c41g8t.
- Mānasollāsa Shrigondekar, Gajanan K. (1925–61) (ed.), *मानसोल्लासः = Mānasollāsa [or Abhilaṣitārthacintāmaṇi] of King Someśvara* (Gaekwad's Oriental Series; Baroda: Oriental Institute), ark:/13960/t87h8tn95; v. 2: ark:/13960/t3gz41v8m.
- MN₁ Ācārya, Yādavaśarma Trivikrama (1920) (ed.), *महामति-श्रीमाधवकरप्रणीतं माधवनिदानम् श्रीविजयरक्षित-श्रीकण्ठदत्ताभ्यां विरचितया मधुकोशाख्यव्याख्या, श्रीवाचस्पतिवैद्यविरचितया आतङ्कदर्पणव्याख्याया विशिष्टांशेन च समुल्लसितम् = Mādhavanidāna by Mādhavakara with the Two Commentaries, Madhukosha by Vijayarakshita & Shrikanthadatta and Ātankadarpaṇa by Vāchaspati Vaidya* (1st edn., Bombay: Nirnaya Sagara Press), ark:/13960/t9z08jn5j.
- MN₃ Ācārya, Yādavaśarma Trivikrama (1932) (ed.), *महामति-श्रीमाधवकरप्रणीतं माधवनिदानम् श्रीविजयरक्षित-श्रीकण्ठदत्ताभ्यां विरचितया मधुकोशाख्यव्याख्या, श्रीवाचस्पतिवैद्यविरचितया आतङ्कदर्पणव्याख्याया विशिष्टांशेन च समुल्लसितम् = Mādhavanidāna by Mādhavakara with the Two Commentaries, Madhukosha by Vijayarakshita & Shrikanthadatta and Ātankadarpaṇa by Vāchaspati Vaidya* (3rd edn., Bombay: Nirnaya Sagara Press), [ark : / 13960 / t66452x0h](http://ark:/13960/t66452x0h); Reprinted Varanasi: Chowkhambha, 1986.
- MW Monier-Williams, Monier, Leumann, E., Cappeller, C., et al. (1899), *A Sanskrit–English Dictionary Etymologically and Philologically Arranged, New Edition* (Oxford: Clarendon Press); 1970 reprint.
- NAK *National Archives of Kathmandu.*

- NCC Raghavan, V., et al. (1949–), *New Catalogus Catalogorum, an Alphabetical Register of Sanskrit and Allied Works and Authors*, 39 vols. (Madras University Sanskrit Series; Madras: University of Madras); v.1: revised edition, 1968. Searchable at <https://vmlt.in/ncc/>.
- NGMCP NGMCP (2014), “Nepal-german Manuscript Cataloguing Project. Online Title List and Descriptive Catalogue,” Universität Hamburg and Deutsche Forschungsgemeinschaft, [URL](#).
- PW Böhrtlingk, Otto, and Roth, Rudolph (1855–75), *Sanskrit-Wörterbuch* (St. Petersburg: Kaiserlichen Akademie der Wissenschaften), [URL](#), accessed 18/05/2023.
- PWK Böhrtlingk, Otto (1879), *Sanskrit-wörterbuch in kürzerer fassung* (St. Petersburg: Kaiserlichen Akademie der Wissenschaften), [URL](#), accessed 18/05/2023.
- RORI *Rajasthan Oriental Research Institute*.
- Śabdasindhu Gupta, Umeśachandra, and Sena, Nagendra Nātha (1983), *वैद्यक-शब्दसिन्धुः = Vaidyaka-Śabdasindhuḥ* (3rd edn., Varanasi & Delhi: Chaukhambha Orientalia); 3rd ed. first published in 1914.
- Saddanīti 3 Smith, Helmer (1930) (ed.), *Saddanīti la grammaire Palie d’Aggavaṃsa: III Sūttamālā (Pariccheda XX–XXVIII)* (Skrifter utgivna av Kungl. Humanistiska Vetenskaps-samfundet i Lund, XII:3; Lund: C. W. K. Gleerup), [ark:/13960/t1jh9w87b](https://nbn-resolving.org/urn:nbn:se:hb:ark:/13960/t1jh9w87b).
- Su 1889 Bhaṭṭācāryya, Jīvānanda Vidyāsāgara (1889) (ed.), *सुश्रुतः. सूत्र-निदान-शारीर-चिकित्सा-कल्पोत्तर-तन्त्र-कल्पित आयुर्वेद. भगवता धन्वन्तरिणोपदिष्टः सुश्रुतनामधेयेन तच्छिष्येण विरचितः* (3rd edn., Calcutta: Saratī Press), [ark:/13960/t1nh6j09c](https://nbn-resolving.org/urn:nbn:se:hb:ark:/13960/t1nh6j09c); HIMAL: IB, 311, edition b.
- Su 1915 Ācārya, Yādavaśarma Trivikrama (1915) (ed.), *सुश्रुतसंहिता, सुश्रुतेन विरचिता, वैद्यवरश्रीडल्हणाचार्यविरचितया निबन्धसंग्रहाख्य-व्याख्यया समुल्लसिता, आचार्योपाह्वेन त्रिविक्रमात्मजेन यादवशर्मणा संशोधिता = The Sushrutasaṃhita of Sushruta, the Nibandha-sangraha Commentary of Shri Dalhaṇāchārya* (Mumbayyām:

- Nirṇayasāgaramudrāyantrālaye), [ark:/13960/t3sv0mt50](http://13960/t3sv0mt50), accessed 29/07/2020; [HIML](#): IB, 312 edition *v.
- Su 1931 Ācārya, Yādavaśarma Trivikrama (1931) (ed.), *सुश्रुत-संहिता, वैद्यवरश्रीडल्हणाचार्यविरचितया निबन्धसंग्रहाख्यव्याख्यया समुल्लसिता, महर्षिणा सुश्रुतेन विरचिता, सूत्र-निदान-शरीर-चिकित्सा-कल्पस्थानोत्तरतन्त्रात्मकः. आचार्योपाह्वेन त्रिविक्रमात्मजेन यादवशर्मणा संशोधिता* = *The Sushrutasaṃhitā of Sushruta with the Nibandhasangraha Commentary of Shree Dalhanāchārya* (2nd edn., Mumbayyām: Pāṇḍuraṅga Jāvajī at the Nirṇayasāgaramudrāyantrālaye), [ark :/ 13960 / t9j41sg94](http://13960/t9j41sg94), accessed 09/06/2020; [HIML](#): IB, 312 edition *v.
- Su 1938 Ācārya, Yādavaśarma Trivikrama, and Ācārya, Nārāyaṇa Rāma (1938) (eds.), *श्रीडल्हणाचार्यविरचितया निबन्धसंग्रहाख्यव्याख्यया निदानस्थानस्य श्रीगयदासाचार्यविरचितया न्यायचन्द्रिकाख्यपञ्जिकाव्याख्यया च समुल्लसिता महर्षिणा सुश्रुतेन विरचिता सुश्रुतसंहिता* (3rd edn., Bombay: Nirṇayasāgara Press), [ark :/ 13960 / t09x0sk1h](http://13960/t09x0sk1h); [HIML](#): IB, 313, edition cc ('the vulgate').
- Su 1938² Ācārya, Yādavaśarma Trivikrama, and Ācārya, Nārāyaṇa Rāma (2004) (eds.), *महर्षिणा सुश्रुतेन विरचिता सुश्रुतसंहिता, श्री-डल्हणाचार्यविरचितया निबन्धसंग्रहाख्यव्याख्यया निदानस्थानस्य श्रीगयदासाचार्यविरचितया न्यायचन्द्रिकाख्यपञ्जिकाव्याख्यया च समुल्लसिता* (Vārāṇasī: Caukhambhā Kṛṣṇadāsa Akādamī); Reprint of the third, 1938 edition (Su 1938).
- Su 1939 Ācārya, Yādavaśarma Trivikrama, and Śarman, Nandakiśora (1939) (eds.), *सुश्रुतसंहितायाः सूत्रस्थानम्. श्रीचक्रपाणिदत्तविरचितया भानुमतीव्याख्याया समेतम्* = *Sushrut-saṃhitā (sūtra Sthān) with Bhānumatī Commentary by Chakrapāṇi Datta with Introduction by Gaṇanāth Sen* (Śrīsvāmi Lakṣmīrāma Nidhi Granthamālā = Shri Swāmī Lakshmī Rām Trust Series, 1; [Jaipur]: Śyāmasundara Śarman), [ark:/13960/t54g0d12m](http://13960/t54g0d12m); Printed at the Nirṇayasāgara Press, Bombay.
- Su 1945 Ācārya, Yādavaśarma Trivikramācārya, and Ācārya, Nārāyaṇa Rāma (1945) (eds.), *महर्षिणा सुश्रुतेन विरचिता सुश्रुतसंहिता (मूलमात्रा). पाठान्तर-परिशिष्टादिभिः संबलिता* = *the Suśrutasaṃhitā of Suśruta with Various Readings, Notes and*

- Appendix etc.* (Mumbāi: Nirṇayasāgarākhyamudraṇālaye), [ark:/13960/t8kd4jh7n](https://nirayam.org/ark:/13960/t8kd4jh7n).
- TMSSML *Tanjore Maharaja Serfoji Saraswati Mahal Library.*
- Viṣṇudh 3 Shah, Priyabala (1958) (ed.), *Viṣṇudharmottara-Purāṇa. Third Khaṇḍa* (Gaekwad's Oriental Series, 130; Baroda: Oriental Institute), [ark:/13960/t52g33q88](https://nirayam.org/ark:/13960/t52g33q88).
- Viṣṇudh. Śarman, Madhusūdana, and Śarman, Mādhavaprasāda (1912) (eds.), *विष्णुधर्मोत्तरपुराणम्* = [*Viṣṇudharmottara-purāṇa*] (Mumbai: Khemarāja Śrīkrṣṇadāsa at the Śrīveṅkaṭeśvara Steam Press), [ark:/13960/t6qz6fr23](https://nirayam.org/ark:/13960/t6qz6fr23); Lithograph format. Edited on the basis of a manuscript belonging to the astrologer Śudhākaraśarman of the Varanasi Sanskrit Pāṭhaśālā.
- Yuktidīpikā Wezler, Albrecht, and Motegi, Shujun (1998) (eds.), *Yuktidīpikā : the most significant commentary on the Sāṃkhyakārikā* (Alt- und Neu-Indische Studien herausgegeben vom Institut für Kultur und Geschichte Indiens und Tibets an der Universität Hamburg, 44; Stuttgart: Franz Steiner Verlag).

Index of Manuscripts

Numbers after the final colon refer to pages in this book.

Bikaner RORI 5157: 116

Cambridge Add. 1693: 112

Hyderabad Osmania 137-3(b): 45

Kathmandu KL 699: 40, 46, 115, 183

Kathmandu NAK 1-1079: 13, 41, 46

Kathmandu NAK 5-333: 13, 41, 46, 112, 117, 142

MS Jamnagar GAU 114: 166

NAK 5-333: 130

Thanjavur TMSSML 10773: 179

Bibliography

- Ācārya, Yādavaśarma Trivikrama (1941) (ed.), *महर्षिणा पुनर्वसुनोपदिष्टा, तच्छिष्येणाग्निवेशेन प्रणीता, चरकदृढबलाभ्यां प्रतिसंस्कृता चरकसंहिता, श्रीचक्रपाणिदत्तविरचितया आयुर्वेददीपिकाव्याख्यया संवलिता* (3rd edn., Mumbayyām: Nirṇaya Sagara Press), [ark:/13960/t48q2f20n](https://nirṇaya.org/ark:/13960/t48q2f20n).
- Ācārya, Yādavaśarma Trivikramācārya, and Ācārya, Nārāyaṇa Rāma (1945) (eds.), *महर्षिणा सुश्रुतेन विरचिता सुश्रुतसंहिता (मूलमात्रा). पाठान्तर-परिशिष्टादिभिः संवलिता = the Suśrutasaṃhitā of Suśruta with Various Readings, Notes and Appendix etc.* (Mumbāi: Nirṇayasāgarākhyamudraṇālaye), [ark:/13960/t8kd4jh7n](https://nirṇaya.org/ark:/13960/t8kd4jh7n).
- Acharya, Diwakar (2012), “Description of Microfilm A 45/5,” NGMCP, [URL](https://ngmcp.org/), accessed 27/02/2023.
- Achaya, K. T. (1994), *Indian Food: A Historical Companion* (Delhi: Oxford University Press), ISBN: 0195628454.
- (1998), *A Historical Dictionary of Indian Food* (Delhi: Oxford University Press), ISBN: 0195642546.
- Adriaensen, Rob, Barkhuis, Roelf, and Ruijters, Jean-Louis (1984), “An English Translation of Suśrutasaṃhitā, Nidānasthāna 1, 1–39, Together with Gayadāsa’s Nyāyacandrikā,” in Gerrit Jan Meulenbeld (ed.), *Proceedings of the International Workshop on Priorities in the Study of Indian Medicine* (Groningen: Forsten), 277–310. DOI: [10.5281/zenodo.8201537](https://doi.org/10.5281/zenodo.8201537).
- Āgāṣe, Ve. Śā. Rā. Rā. Kāśīnātha Śāstrī, and Āpaṭe, Hari Nārāyaṇa (1904) (eds.), *वाचस्पतिमिश्रविरचितटीकासंवलितव्यासभाष्यसमेतानि पातञ्जल-योगसूत्राणि तथा भोजदेवविरचितराजमार्तण्डाभिधवृत्तिसमेतानि पातञ्जलयोगसूत्राणि* (Ānandāśramasamskṛtagranthāvaliḥ, 47; Puṇyākhyā-pattana: Ānandāśramamudraṇālaya), [ark:/13960/t40s27g36](https://nirṇaya.org/ark:/13960/t40s27g36).

- Agrawal, V. S. (1963), *India As Known to Pāṇini: A Study of the Cultural Material in the Aṣṭādhyāyī* (2nd edn., Varanasi: Prthvi Prakashan); First published in 1953.
- Angermeier, Vitus (2020), *Regenzeiten, Feuchtgebiete, Körpersäfte. Das Wasser in der klassischen indischen Medizin* (Wien: Österreichische Akademie der Wissenschaften).
- (2021), “Agni and Soma Revisited: A Primordial Āyurvedic Concept?,” in Toke Lindegaard Knudsen, Jacob Schmidt-Madsen, and Sara Speyer (eds.), *Body and Cosmos* (Leiden: Brill), chap. 3, 15–32. doi: [10.1163/9789004438224_004](https://doi.org/10.1163/9789004438224_004).
- Azeez Pasha, M. (1971), “English Translation of Madan-ul-Shifa, Tibbe Sikandar Shahi (Sikandar Shah’s Mine of Medicine),” *Bulletin of the Department of History of Medicine (Osmania University, Hyderabad)*, 2/4: 227–2324; continued in BDHM 3(1) 29–38; BIHM 1(3/4) 127–134; & BIHM 2(1), 17–22.
- Baber, Zaheer (1996), *The Science of Empire: Scientific Knowledge, Civilization, and Colonial Rule in India* (Albany: State University of New York Press).
- Bakker, Hans T. (2019), “Some Methodological Considerations with Respect to the Critical Edition of Puranic Literature,” in *Holy Ground: Where Art and Text Meet* (Leiden: Brill), 175–84. doi: [10.1163/9789004412071_010](https://doi.org/10.1163/9789004412071_010).
- Barceloux, Donald G. (2008), *Medical Toxicology of Natural Substances. Foods, Fungi, Medicinal Herbs, Plants, and Venomous Animals* (Hoboken, NJ, etc.: John Wiley & Sons), ISBN: 047172761X.
- Bausi, Alessandro, et al. (2015), *Comparative Oriental Manuscript Studies. An Introduction* (Hamburg: Tredition). doi: [10.5281/ZENODO.46784](https://doi.org/10.5281/ZENODO.46784).
- Bedekar, V. M. (1967), “The Legend of the Churning of the Ocean in the Epics and the Purāṇas: A Comparative Study,” *Purāṇa*, 9/1: 7–61, [ark:/13960/t57d2r97r](https://doi.org/10.1163/13960/t57d2r97r).
- Bendall, Cecil (1883), *Catalogue of the Buddhist Sanskrit Manuscripts in The University Library, Cambridge: With Introductory Notices and Illustrations of the Palaeography and Chronology of Nepal and Bengal* (Cambridge: University Press), [ark:/13960/t03x8vz7b](https://doi.org/10.1163/13960/t03x8vz7b).

- Bhaṭṭācārya, Candrakānta (1910–17) (ed.), *सुश्रुतसंहिता प्रथमखण्डम् सूत्रस्थानात्मकम् हाराणचन्द्रचक्रवर्तिकविराजविरचितसुश्रुतार्थसन्दीपनभाष्य-समेतम्...चन्द्रकान्त भट्टाचार्य-प्रमुखैः संशोधितम्* = [The *Suśrutasaṃhitā* with the Commentary *Suśrutārthasandīpanabhāṣya* by Hārāṇacandra Cakravartī] (Kalikātā: Satya Press); Edition "t" in [HIML](#): IB, 312.
- Bhattarai, Bidur (2020), *Dividing Texts. Conventions of Visual Text-Organisation in Nepalese and North Indian Manuscripts* (Studies in Manuscript Cultures; Berlin/Boston: de Gruyter), 388.
- Biardeau, Madeleine (1964), *Théorie de la connaissance et la philosophie de la parole dans la brahmanisme classique* (Paris & La Haye: Mouton & Co.), [ark:/13960/t42r7g950](#).
- Birch, Jason, Wujastyk, Dominik, Klebanov, Andrey, Parameswaran, Madhu K., et al. (2021), "Further Insight into the Role of Dhanvantari, the Physician to the Gods, in the *Suśrutasaṃhitā*," *Academia Letters*. DOI: [10.20935/AL2992](#).
- Birch, Jason, Wujastyk, Dominik, Klebanov, Andrey, Rimal, Madhusudan, et al. (2021), "Ḍalhaṇa and the Early 'Nepalese' Version of the *Suśrutasaṃhitā*." DOI: [10.20935/a13733](#).
- Böhtlingk, Otto (1879), *Sanskrit-wörterbuch in kürzerer fassung* (St. Petersburg: Kaiserlichen Akademie der Wissenschaften), [URL](#), accessed 18/05/2023.
- Böhtlingk, Otto, and Roth, Rudolph (1855–75), *Sanskrit-Wörterbuch* (St. Petersburg: Kaiserlichen Akademie der Wissenschaften), [URL](#), accessed 18/05/2023.
- Bollée, Willem (2010), "Remarks on the Cultural History of the Ear in India," in Nalini Balbir (ed.), *Svasti: Essays in Honour of Professor Hampa Nagarajaiah for His 75th Birthday* (Bangalore: K. S. Mudappa Smaraka Trust), 141–67, [URL](#), accessed 23/01/2022.
- Breton, P. (1826), "On the Native Mode of Couching," *Transactions of the Medical and Physical Society of Calcutta*, 2: 341–82, [ark:/13960/t3dz8nn5t](#), [URL](#), accessed 02/06/2021.
- Bronkhorst, Johannes (2016), *How the Brahmins Won: From Alexander to the Guptas* (Leiden: Brill). DOI: [10.1163/9789004315518](#).
- (2021), "Patañjali's Āryāvarta = Śuṅga realm?," *Academia Letters*. DOI: [10.20935/a1291](#); Article 291.

- Bronner, Yigal (2021) (ed.), "The Pandit Project" (30 Sept.), [URL](#).
- Brooks, Lisa Allette (2018), "Epistemology and Embodiment: Diagnosis and the Senses in Classical Ayurvedic Medicine," *Asian Review of World Histories*, 6: 98–135. doi: [10.1163/22879811-12340027](#).
- (2020a), "A Surgeon's Hand: Reflections on Surgical Tactility in Early Ayurveda," *Asian Medicine*, 15/1: 30–62. doi: [10.1163/15734218-12341460](#).
- (2020b), "Whose Life is Water, Whose Food is Blood: Fluid Bodies in Āyurvedic Leech Therapy," in Natalie Köhle and Shigehisa Kuriyama (eds.), *Fluid Matter(s): Flow and Transformation in the History of the Body* (Asian Studies Monograph Series, 14; Canberra: ANU Press). doi: [10.22459/fm.2020](#).
- (2021a), "The Vascularity of Ayurvedic Leech Therapy: Sensory Translations and Emergent Agencies in Interspecies Medicine," *Medical Anthropology Quarterly*, 35/1: 82–101. doi: [10.1111/maq.12595](#).
- (2021b), "Translating Touch in Āyurveda: Medicine, Sense, and Subjectivity in Early south Asia and Contemporary Kerala," PhD thesis (University of California, Berkeley).
- (forthcoming), "Leech Logic," in An Editor (ed.), *A Book*.
- Brunton, Lauder (1909) (ed.), *On the Poison of Venomous Snakes and the Methods of Preventing Death from their Bite: Reprinted Papers of Joseph Fayrer and T. Lauder Brunton and Leonard Rogers* (London: Macmillan and Co.), 1–22, 23–110, [ark:/13960/t0bv7ts2c](#).
- Brunton, T. Lauder, and Fayrer, J. (1909), "On the Nature and Physiological Action of the Poison of Naja tripudians and other Indian Venomous Snakes, parts I and II," in *On the Poison of Venomous Snakes and the Methods of Preventing Death from their Bite* (London: Macmillan and Co.), 1–22, 23–110, [ark:/13960/t0bv7ts2c](#).
- Burghart, Marjorie (2016), "The TEI Critical Apparatus Toolbox: Empowering Textual Scholars through Display, Control, and Comparison Features," *Journal of the Text Encoding Initiative*, 10/Issue 10. doi: [10.4000/jtei.1520](#).
- (2017), "Textual Variants," in Marjorie Burghart, James Cummings, and Elena Pierazzo (eds.), *Digital Editing of Medieval Texts: A Textbook* (DEMM), [URL](#), accessed 04/07/2021.

- Burnell, Arthur Coke (1880), *A Classified Index to the Sanskrit Mss. in the Palace at Tanjore* (London: Trübner), [ark:/13960/t4xh86j61](https://nbn-resolving.org/urn:nbn:de:hbz:5:1-63862-p0061-9); Bhelasamhitā described on pp. 67 ff.
- Carpue, J. C. (1816), *An Account of Two Successful Operations for Restoring a Lost Nose from the Integuments of the Forehead...Including Descriptions of the Indian and Italian Methods* (London: Longman et al.), [ark:/13960/t2q57fn42](https://nbn-resolving.org/urn:nbn:de:hbz:5:1-63862-p0061-9), accessed 20/03/2019.
- Chadha, Gita, and Thomas, Renny (2022) (eds.), *Mapping Scientific Method: Disciplinary Narrations* (Science and Technology Studies; Abingdon and New York: Routledge). doi: [10.4324/9781003298908](https://doi.org/10.4324/9781003298908).
- Chevillard, Jean-Luc (2009), "The Metagrammatical Vocabulary inside the Lists of 32 Tantrayukti-s and its Adaptation to Tamil: Towards a Sanskrit-Tamil Dictionary," in Eva Wilden (ed.), *Between Preservation and Recreation: Tamil Traditions of Commentary. Proceedings of a Workshop in honour of T.V. Gopal Iyer* (École Française d'Extrême-Orient Collection Indologie, 109; Pondichéry: Institut français de Pondichéry / École Française d'extrême-Orient), 71–132, [URL](https://www.orientalxavier.com/revue/109/chevillard), accessed 15/11/2023.
- Cone, Margaret (2001), *A Dictionary of Pāli* (Oxford: The Pali Text Society), ISBN: 0 86013 394 x.
- Cordier, P. (1903), "Récents découvertes de mss. médicaux sanscrits dans l'Inde (1898–1902)," *Muséon, Nouvelle Série*, 4: 321–52, [ark:/13960/t26b2j457](https://nbn-resolving.org/urn:nbn:de:hbz:5:1-63862-p0061-9), accessed 02/01/2020; Reprinted in Roṣu 1989: 539–70.
- Coult, Ro. (1731), "An Account of the Diseases of Bengall," in *Indian Science and Technology in the Eighteenth Century* (Impex India), 141 f., 276.
- Crawford, D. G. (1930), *Roll of the Indian Medical Service, 1615–1930* (London, Calcutta, Simla: Thacker).
- Das, Rahul Peter (2003), *The Origin of the Life of a Human Being. Conception and the Female According to Ancient Indian Medical and Sexological Literature* (Indian Medical Tradition; Delhi: Motilal Banarsidas), ISBN: 81-208-1998-5.
- Dasgupta, S. N. (1952), "Speculations in the Medical Schools," in *A History of Indian Philosophy*, ii (Reprint of 1932 edition, Cambridge: Cambridge University Press), chap. 13, 273–436, [URL](https://www.orientalxavier.com/revue/109/chevillard), accessed 26/01/2018.
- Dave, K. N. (1985), *Birds in Sanskrit Literature* (Delhi: Motilal Banarsidass), ISBN: 0-89581-676-8, [ark:/13960/t2c94cv80](https://nbn-resolving.org/urn:nbn:de:hbz:5:1-63862-p0061-9).

- Deshpande, Adwait M., Sastry, K. Venkata, and Bhise, Satish B. (2022), "A Contemporary Exploration of Traditional Indian Snake Envenomation Therapies," *Tropical Medicine and Infectious Disease*, 7/6: 108, ISSN: 2414-6366. DOI: [10.3390/tropicalmed7060108](https://doi.org/10.3390/tropicalmed7060108).
- Deshpande, Madhav (1988), "Pāṇini and the Northwestern Dialect: Some Suggestions on Sūtra 3.3.10," in Mohammad Ali Jazayery and Werner Winter (eds.), *Languages and Cultures: Studies in Honor of Edgar C. Polomé*, xxxvi (Trends in linguistics. Studies and monographs; Berlin, New York: Mouton de Gruyter), 111–23.
- Deshpande, Madhav M. (2010), "Pañca Gauḍa and Pañca Drāviḍa: Contested Borders of a Traditional Classification," in Klaus Karttunen (ed.), *Anantaṃ Śāstram. Indological and Linguistic Studies in Honour of Bertil Tikkani* (Studia Orientalia, 108; Helsinki: Finnish Oriental Society), 29–58, ISBN: 9789519380742.
- Deshpande, Vijaya (1999), "Indian Influences on Early Chinese Ophthalmology: Glaucoma As a Case Study," *Bulletin of the School of Oriental and African Studies*, 62: 306–22. DOI: [10.1017/S0041977X00016724](https://doi.org/10.1017/S0041977X00016724).
- (2000), "Ophthalmic Surgery: A Chapter in the History of Sino-indian Medical Contacts," *Bulletin of the School of Oriental and African Studies*, 63/3: 370–88, ISSN: 0041-977X. DOI: [10.1017/s0041977x00008454](https://doi.org/10.1017/s0041977x00008454).
- Deshpande, Vijaya Jayant (2019), "An Investigation into Ancient Greco-Indian Medical Exchanges: Sostratus vs Suśruta," *Indian Journal of History of Science*, 54/2: 144–61. DOI: [10.16943/ijhs/2019/v54i2/49659](https://doi.org/10.16943/ijhs/2019/v54i2/49659).
- Dikshitar, V. R. Ramachandra (1930), "Tantrayukti," *Journal of Oriental Research*, 4: 82–9, [ark:/13960/t3b04m19g](https://doi.org/10.13960/t3b04m19g).
- Dimitrov, Dragomir, and Tamot, Kashinath (2007), "Kaiser Shamsher, His Library and His Manuscript Collection," *Kaiser Shamsher, His Library and His Manuscript Collection*, 3 (Jan.): 26–36, [URL](#).
- Dixit, U., and Deole, Y. S. (2020), "Tantrayukti," in Basisht G. (ed.), *Charak Samhita New Edition* (Charak Samhita Research, Training and Skill Development Centre (CSRTSDC)), 151–1. DOI: [10.47468/csne.2020.e01.s09.022](https://doi.org/10.47468/csne.2020.e01.s09.022).

- Doniger, Wendy (2015), "Introduction: Sympathy for the Devi: Snakes and Snake Goddesses in Hinduism," in Kaiser Haq, *The Triumph of the Snake Goddess* (Cambridge, MA: Harvard University Press), 1–28. DOI: [10.4159/9780674089136-intro](https://doi.org/10.4159/9780674089136-intro).
- Eaton, Richard M. (1993), *The Rise of Islam and the Bengal Frontier, 1204–1760* (Berkeley: University of California Press), [ark:/13030/ft067n99v9/](https://doi.org/10.13030/ft067n99v9/).
- Edgerton, Franklin (1939), "The Epic Triṣṭubh and Its Hypermetric Varieties," *Journal of the American Oriental Society*, 59/2: 159–74. DOI: [10.2307/594060](https://doi.org/10.2307/594060).
- (1953), *Buddhist Hybrid Sanskrit Grammar and Dictionary. Vol. 2: Dictionary* (William Dwight Whitney Linguistic Series; New Haven: Yale University Press).
- Eggeling, Julius, et al. (1887–1935), *Catalogue of the Sanskrit Manuscripts in the Library of the India Office* (London: Secretary of State for India), [ark:/13960/s2kbb5zcrg9](https://doi.org/10.13960/s2kbb5zcrg9).
- Eggermont, Pierre Herman Leonard (1975), *Alexander's Campaigns in Sind and Baluchistan and the Siege of the Brahmin Town of Harmatelia* (Louvain: Leuven University Press), ISBN: 9061860377, [ark:/13960/s2bf83pchw](https://doi.org/10.13960/s2bf83pchw).
- Ellenhorn, Matthew J. (1997), *Ellenhorn's Medical Toxicology. Diagnosis and Treatment of Human Poisoning* (2. ed., Baltimore, MD: Williams & Wilkins), ISBN: 0683300318, [ark:/13960/s21qsb3jff1v](https://doi.org/10.13960/s21qsb3jff1v); Previous ed.: London: Elsevier, 1988.
- Elliot, Robert Henry (1918), *The Indian Operation of Couching for Cataract: Incorporating the Hunterian Lectures Delivered before the Royal College of Surgeons of England on February 19 and 21, 1917* (London: H. K. Lewis).
- Elshakry, Marwa S. (2008), "Knowledge in Motion: The Cultural Politics of Modern Science Translations in Arabic," *Isis*, 99/4: 701–30. DOI: [10.1086/595767](https://doi.org/10.1086/595767), URL, accessed 24/02/2019.
- Emeneau, M. B. (1969), "Sanskrit Syntactic Particles – "kila, khalu, nūnam"," *Indo-Iranian Journal*, 11/4: 241–68.
- Ewart, Joseph (1878), *The Poisonous Snakes of India: For the Use of the Officials and Others Residing in the Indian Empire* (London: J & A Churchill), ISBN: 81-7002-011-5, [ark:/13960/t9z07w72g](https://doi.org/10.13960/t9z07w72g); Reprinted Delhi: Himalayan Books, 1985.

- Falk, Harry (1991), "Silver, Lead and Zinc in Early Indian Literature," *South Asian Studies*, 7/1: 111–7. DOI: [10.1080/02666030.1991.9628430](https://doi.org/10.1080/02666030.1991.9628430).
- Fan, Ka Wai (2005), "Couching for Cataract and Sino-Indian Medical Exchange From the Sixth to the Twelfth Century AD," *Clinical and Experimental Ophthalmology*, 33/2: 188–90. DOI: [10.1111/j.1442-9071.2005.00978.x](https://doi.org/10.1111/j.1442-9071.2005.00978.x); unaware of V. Deshpande 1999; 2000.
- Fayrer, Joseph (1874), *The Thanatophidia of India, Being a Description of the Venomous Snakes of the Indian Peninsula with and Account of the Influence of their Poison on Life and a Series of Experiments* (2nd edn., London: Churchill), [ark:/13960/t9h49dg5c](https://nbn-resolving.org/urn:nbn:de:bsz:55-13960-t9h49dg5c); First edition 1872.
- Fitzgerald, James L. (2009), "A Preliminary Study of the 681 Triṣṭubh Passages of the Mahābhārata," in Robert P. Goldman and Muneo Tokunaga (eds.), *Epic Undertakings* (Papers of the 12th World Sanskrit Conference; Delhi: Motilal Banarsidass Publishe), 95–117.
- Flood, Gavin D. (2022) (ed.), *Wiley Blackwell Companion to Hinduism* (2nd edn., Hoboken, NJ: Wiley & Sons, Limited), ISBN: 9781119144861.
- Frauwallner, Erich (1958), "Die Erkenntnislehre des klassischen Sāṃkhya-Systems," *Wiener Zeitschrift für die Kunde Süd- und Ostasiens und Archiv für indische Philosophie*, 2: 84–139, [ark:/13960/s2sdmmt8nf8](https://nbn-resolving.org/urn:nbn:de:bsz:55-13960-s2sdmmt8nf8).
- Froese, R., and Pauly, D. (2022) (eds.), "Fishbase: The Global Encyclopedia about Fish," [URL](https://www.fishbase.org/).
- Gaṇapatiśāstrī, T. (1920–25), *Āryamañjuśrīmūlakalpaḥ* (Trivandrum Sanskrit Series, 70; Anantaśayane: Rājākīyamudraṇayantrālaye), [ark:/13960/t4pk5sj0j](https://nbn-resolving.org/urn:nbn:de:bsz:55-13960-t4pk5sj0j).
- Ghosh, Ritwik, et al. (2023), "Snakebite Envenomation-Induced Posterior Reversible Encephalopathy Syndrome Presenting with Bálint Syndrome," *Neurología (English Edition)*, 38/6 (July): 440–2, ISSN: 2173-5808. DOI: [10.1016/j.nrleng.2022.06.001](https://doi.org/10.1016/j.nrleng.2022.06.001).
- Giesche, Alena, et al. (2023), "Recurring Summer and Winter Droughts from 4.2–3.97 Thousand Years Ago in North India," *Nature: Communications Earth & Environment*, 4/1: 1–10. DOI: [10.1038/s43247-023-00763-z](https://doi.org/10.1038/s43247-023-00763-z).
- Gode, P. K., and Karve, C. G. (1957–59) (eds.), *Revised and Enlarged Edition of Prin. V. S. Apte's the Practical Sanskrit-English Dictionary* (Poona: Prasad Prakashan), [ark:/13960/t3gx47212](https://nbn-resolving.org/urn:nbn:de:bsz:55-13960-t3gx47212), accessed 20/10/2017.

- Gombrich, Richard (1979), "'He Cooks Softly': Adverbs in Sanskrit Grammar," *Bulletin of the School of Oriental and African Studies*, 42/2: 244–56. DOI: [10.1017/s0041977x0014580x](https://doi.org/10.1017/s0041977x0014580x).
- Goswami, Pradip Kumar (2011), "Comparative Studies of Bhanumati and Nibandha Samgraha with Special Reference to Arista Vijnana (prognostic Science)," *AYU (An International Quarterly Journal of Research in Ayurveda)*, 32/2: 147. DOI: [10.4103/0974-8520.92540](https://doi.org/10.4103/0974-8520.92540).
- Gupta, Parmanand (1973), *Geography In Ancient Indian Inscriptions (Up to 650 A.D.)* (Delhi: D. K. Publishing House), [ark:/13960/t3907cf2d](https://nbn-resolving.org/urn:nbn:in:dn:dn-13960-t3907cf2d).
- (1989), *Geography from Ancient Indian Coins & Seals* (New Delhi: Concept Publishing Company), ISBN: 9788170222484.
- Gupta, Sri Madhusudana (1835–36) (ed.), *Āyur-veda-prakāśa [also Called Suśruta-saṃhitā] by Suśruta. the Suśruta, or System of Medicine, Taught by Dhanwantari, and Composed by His Disciple Suśruta*, 2 vols. (Calcutta: Education Press and Baptist Mission Press), [ark:/13960/t6841qw6x](https://nbn-resolving.org/urn:nbn:in:dn:dn-13960-t6841qw6x).
- Haas, E. (1876), "Über die Ursprünge der Indischen Medizin, mit besonderem Bezug auf Suśruta," *Zeitschrift der Deutschen Morgenländischen Gesellschaft*, 30/4: 617–70, [URL](#).
- Hamza, Muhammad, et al. (2021), "Clinical Management of Snakebite Envenoming: Future Perspectives," *Toxicon: X* 11/100079: 1–12, ISSN: 2590-1710. DOI: [10.1016/j.toxcx.2021.100079](https://doi.org/10.1016/j.toxcx.2021.100079).
- Harimoto, Kengo (2010), "[Preliminary Edition of the Nepalese MSS of the Suśrutasaṃhitā, adhyāyas 1.1–3, 6.4]" (prepublished).
- (2011), "In Search of the Oldest Nepalese Manuscript," *Rivista degli Studi Orientali*, 84/1–4: 85–106, ISSN: 0392-4866, [URL](#), accessed 08/09/2019.
- (2013), "Description of microfilm C 80/7," NGMCP, [URL](#), accessed 27/02/2023.
- (2014), "Nepalese Manuscripts of the Suśrutasaṃhitā," *Journal of Indian and Buddhist Studies (Indogaku Bukkyogaku Kenkyu)*, 62/3: 23–29 (1087–1093). DOI: [10.4259/ibk.62.3_1087](https://doi.org/10.4259/ibk.62.3_1087), [URL](#), accessed 08/09/2019.
- Hayashi, Takao (2017), "The Units of Time in Ancient and Medieval India," *History of Science in South Asia*, 5/1: 1–116. DOI: [10.18732/h2ht0h](https://doi.org/10.18732/h2ht0h).

- Hemarāja Śarman (1938) (ed.), *काश्यपसंहिता (वृद्धजीवकीयं तन्त्रं वा) महर्षिणा मारीचकश्यपेनोपदिष्टा ... हेमराजशर्मणा लिखितेन विस्तृतेन उपोद्धातेन सहिता ... सत्यपाल भिषगा कृतया विद्योतिनी हिन्दीव्याख्यया ... समुल्लसिता* (1st edn., Mumba: Nirṇayasāgara Press), [ark:/13960/t3mw5gb9p](https://nirṇayasāgara.org/ark:/13960/t3mw5gb9p).
- Hendley, T. Holbein (1895), *A Medico-topographical Account of Jeypore, Based on the Experience of Twenty Years' Service As a Residency Surgeon and Thirteen As Superintendent of Dispensaries at Jeypore, Rajputana* (Calcutta: Calcutta Central Press Company).
- Hessler, Franciscus (1844–55), *Suśrutas Ayurvēdas: id est Medicinae Systema a Venerabili D'hanvantare Demonstratum a Susruta Discipulo Compositum; Nunc Primum Ex Sanskrita in Latinum Sermonem Vertit, Introductionem, Annotationes Et Rerum Indice Franciscus Hessler* (Erlangen: Ferdinandum Enke), [ark:/13960/t17m45r97](https://nirṇayasāgara.org/ark:/13960/t17m45r97).
- Hoernle, A. F. Rudolf (1893–1912) (ed.), *The Bower Manuscript: Facsimile Leaves, Nagari Transcript, Romanised Transliteration and English Translation with Notes* (New Imperial Series, 22; Calcutta: Government of India and under the patronage of the Bengali Government, Archaeological Survey of India), [ark:/13960/t05z1bg4q](https://nirṇayasāgara.org/ark:/13960/t05z1bg4q).
- (1897), *सुश्रुतसंहिता = The Suśruta-Saṃhitā or the Hindū System of Medicine According to Suśruta Translated from the Original Sanskrit* (Bibliotheca Indica, 911; Calcutta: Asiatic Society), [ark:/13960/t8pd1kw9r](https://nirṇayasāgara.org/ark:/13960/t8pd1kw9r), accessed 03/01/2018; No more published; Hoernle does not state which edition he is translating, but it includes the "Dhanvantari phrase".
- (1906a), "Studies in Ancient Indian Medicine I: The Commentaries on Suśruta," *Journal of the Royal Asiatic Society of Great Britain and Ireland*: 283–302, [URL](https://nirṇayasāgara.org/ark:/13960/t8pd1kw9r), accessed 26/06/2019.
- (1906b), "Studies in Ancient Indian Medicine II: On Some Obscure Anatomical Terms," *Journal of the Royal Asiatic Society of Great Britain and Ireland*, 4: 915–41, [URL](https://nirṇayasāgara.org/ark:/13960/t8pd1kw9r), accessed 25/06/2019.
- (1907a), "Studies in Ancient Indian Medicine II: On Some Obscure Anatomical Terms (Continued from the the Journal, 1906, p. 941)," *Journal of the Royal Asiatic Society of Great Britain and Ireland*: 1–18, [URL](https://nirṇayasāgara.org/ark:/13960/t8pd1kw9r), accessed 25/06/2019.
- (1907b), *Studies in the Medicine of Ancient India: Osteology or the Bones of the Human Body* (Oxford: Clarendon Press), [ark:/13960/t1pg9cq8b](https://nirṇayasāgara.org/ark:/13960/t1pg9cq8b).

- Hofer, Theresia (2007), "Swami Laxmi Ram's Ayurvedic Pharmacy in Jaipur, India," *Wellcome History*, 34: 2–3, [URL](#), accessed 16/03/2022.
- Holwell, J. Z. (1767), *An Account of the Manner of Inoculating for the Small Pox in the East Indies With...Observations on The...Mode of Treating That Disease in Those Parts* (London: T. Becket & P. A. de Hondt), [ark:/13960/t3ws9h63c](#).
- Irwin, John C. (1982), "The Sacred Anthill and the Cult of the Primordial Mound," *History of Religions*, 21/4: 339–60, ISSN: 00182710, 15456935, [URL](#), accessed 24/01/2024.
- Jack, David Morton (1884), "A Thesis on Cataract in India: Its Pathology and Treatment," Wellcome Library, London, MS 3007, [URL](#), accessed 02/06/2021.
- Jamison, Stephanie W., and Brereton, Joel P. (2014), *The Rigveda* (South Asia Research; New York: Oxford University Press), ISBN: 9780199370184; With commentary at <http://rigvedacommentary.alc.ucla.edu/>.
- Jhalakīkar, Bhīmācārya (1978), *न्यायकोशः (सकलशास्त्रोपकारकन्यायादिशास्त्रीयपदार्थप्रकाशकः) = Nyāyakośa or Dictionary of Technical Terms of Indian Philosophy* (Poona: Bhandarkar Oriental Research Institute), [ark:/13960/t4cp7242f](#).
- Jolly, Julius (1951), *Indian Medicine, Translated from the German...by C. G. Kashikar* (Poona: C. G. Kashikar), [URL](#), accessed 08/11/2017; 2nd edition Delhi: Munshiram Manoharlal, 1977, 1994 etc.
- Kangle, R. P. (1965a), *The Kauṭīliya Arthaśāstra*, 3 vols. (2nd edn., Delhi: Motilal Banarsidass), ISBN: 978-81-208-0042-7, [ark:/13960/t3gz6qh1s](#); reprint of 2010, i: *The Kauṭīliya Arthaśāstra: Part I, Sanskrit Text with a Glossary* (1969), ii: *The Kauṭīliya Arthaśāstra: Part II, Translation with Critical and Explanatory Notes* (1972), iii: *The Kauṭīliya Arthaśāstra: Part III A Study* (1965).
- (1965b), *The Kauṭīliya Arthaśāstra: Part III A Study* (2nd edn., Delhi: Motilal Banarsidass), [ark:/13960/t3gz6qh1s](#); reprint of 2010.
- (1969), *The Kauṭīliya Arthaśāstra: Part I, Sanskrit Text with a Glossary* (2nd edn., Delhi: Motilal Banarsidass), ISBN: 978-81-208-0039-7, [ark:/13960/t3gz6qh1s](#); reprint of 2010.

- Kangle, R. P. (1972), *The Kauṭīliya Arthaśāstra: Part II, Translation with Critical and Explanatory Notes* (2nd edn., Delhi: Motilal Banarsidass), ISBN: 978-81-208-0040-3, [ark:/13960/t3gz6qh1s](https://nbn-resolving.org/urn:nbn:de:hbz:5:1-63868-p0083-9); reprint of 2010.
- Karttunen, Klaus (2015), *Yonas and Yavanas in Indian Literature* (Studia Orientalia, 116; Helsinki: Finnish Oriental Society), 454, ISBN: 978-951-9380-88-9, [URL](https://www.finland.fi/en/publications/9789519380889); Published electronically in 2016 as a back issue of *Studia Orientalia*.
- Keith, Arthur Berriedale (1908), review of A. F. Rudolf Hoernle (1907), "Studies in Ancient Indian Medicine II: On Some Obscure Anatomical Terms (Continued from the the Journal, 1906, p. 941)," *Journal of the Royal Asiatic Society of Great Britain and Ireland*: 1–18, [URL](https://www.jstor.org/stable/2519999), accessed 25/06/2019, in *Zeitschrift Der Deutschen Morgenländischen Gesellschaft*, 1/62: 134–9, [URL](https://www.jstor.org/stable/2519999), accessed 17/04/2021.
- Khosroheidari, Mahdiah (2008), "Antimicrobial activity of *C. cordifolius*," *Journal of Young Investigators*, 11/6 (1 Aug.), [URL](https://www.jyi.org/article/antimicrobial-activity-of-cordifolius).
- Kieffer-Pülz, Petra (1996), "The Meaning of Māḷa(ka)/māla(ka) in Pāli," in N. Balbir, G.-J. Pinault, and J. Fezas (eds.), *Langue, style et structure dans le monde indien, Centenaire de Louis Renou. Actes du Colloque international* (Paris, 25–27 janvier 1996 (Paris), 285–325, [URL](https://www.jstor.org/stable/2519999), accessed 17/05/2023.
- Klebanov, Andrey (2010), "The *Nepalese Version of the Suśrutasaṃhitā and Its Interrelation with Buddhism and the Buddhists," MA thesis (Hamburg: Hamburg University, Sept.), [URL](https://www.jstor.org/stable/2519999), accessed 08/09/2019.
- (2012), "Description of microfilm B 29/19," NGMCP, [URL](https://www.jstor.org/stable/2519999), accessed 27/02/2023.
- (2021a), "On the Textual History of the Suśrutasaṃhitā (1): A Study of Three Nepalese Manuscripts," *eJIM: Electronic Journal of Indian Medicine*, 12/1: 1–64. DOI: [10.21827/ejim.12.1.37385](https://doi.org/10.21827/ejim.12.1.37385).
- (2021b), "On the Textual History of the Suśrutasaṃhitā, (2): An Anonymous Commentary and its Identified Citations," in Toke Lindegaard Knudsen, Jacob Schmidt-Madsen, and Sara Speyer (eds.), *Body and Cosmos: Studies in Early Indian Medical and Astral Sciences in Honor of Kenneth G. Zysk* (Leiden, Boston: Brill), 110–39. DOI: [10.1163/9789004438224_008](https://doi.org/10.1163/9789004438224_008).

- Kuist, James M. (1982), *The Nichols File of The Gentleman's Magazine* (Madison: University of Wisconsin Press), ISBN: 0-299-08480-9, [ark:/13960/t53g2ct2z](https://nbn-resolving.org/urn:nbn:de:hbz:5:1-30000-p0011-7).
- Kulikov, Leonid (2006), "The Sanskrit -yet- Optative: A Formation Not Yet Recorded in Sanskrit Grammars," *Wiener Zeitschrift für die Kunde Südasiens*, 50: 27–68. DOI: [10.1553/wzksls27](https://doi.org/10.1553/wzksls27), URL.
- Kutumbiah, P. (1962), *Ancient Indian Medicine* (Bombay, etc.: Orient Longmans), [ark:/13960/t6r01v93g](https://nbn-resolving.org/urn:nbn:de:hbz:5:1-30000-p0011-7); Often reprinted.
- Lariviere, Richard W. (2003), *The Nāradaśmṛti. Critically Edited with an Introduction, annotated Translation, and Appendices* (2nd edn., Delhi: Motilal Banarsidass), ISBN: 8120818040; First edition: Philadelphia, 1989.
- Law, Bimala Churn (1984), *Historical Geography of Ancient India* (New Delhi: Orient Books Reprint), [ark:/13960/t3d01t737](https://nbn-resolving.org/urn:nbn:de:hbz:5:1-30000-p0011-7); Reprint of 1954 Paris edition.
- Leffler, Christopher T., et al. (2020), "The History of Cataract Surgery: From Couching to Phacoemulsification," *Annals of Translational Medicine*, 8/22: 1551–97, ISSN: 2305-5847. DOI: [10.21037/atm-2019-rs-04](https://doi.org/10.21037/atm-2019-rs-04), URL, accessed 02/11/2020.
- Lele, W. K. (1981), *The Doctrine of the Tantrayukti-s: Methodology of Theoretico-scientific Treatises in Sanskrit* (Chaukhamba Surabharati Studies, 3; Varanasi: Chaukhamba Surabharati Prakashan), [ark:/13960/s28vqzhkdjq](https://nbn-resolving.org/urn:nbn:de:hbz:5:1-30000-p0011-7).
- (2006), *Methodology of Ancient Indian Sciences* (The Chaukhamba Surbharati Studies, 3; Varanasi: Chaukhamba Surbharati Prakashan), [ark:/13960/s2dc7zd8hf1](https://nbn-resolving.org/urn:nbn:de:hbz:5:1-30000-p0011-7).
- Li, Charles (2017), "Critical Diplomatic Editing: Applying Text-critical Principles As Algorithms," in Peter Boot et al. (eds.), *Advances in Digital Scholarly Editing. Papers Presented at the Dixit Conferences in the Hague, Cologne, and Antwerp* (Leiden: Sidestone Press), 305–10, ISBN: 978-90-8890-485-1, URL, accessed 10/11/2020.
- (2017–), "Saktumiva," URL, accessed 21/01/2023.
- (2018), "Limits of the Real: A Hypertext Critical Edition of Bhartṛhari's *Dravyasamuddeśa*, with the Commentary of Helārāja," en, PhD thesis (Cambridge: University of Cambridge). doi: [10.17863/CAM.31454](https://doi.org/10.17863/CAM.31454).

- Li, Charles (2022a), "Helayo: Reconstructing Sanskrit Texts from Manuscript Witnesses," *Journal of Open Source Software*, 7/71: 4022. DOI: [10.21105/joss.04022](https://doi.org/10.21105/joss.04022).
- (2022b), "Reconstructing a Sanskrit Text" (19 Nov.), [URL](#), accessed 20/01/2023.
- Lienhard, Siegfried (1978), "On the Meaning and Use of the Word Indragopa," *Indologica taurinensia*, 6: 177–88, [URL](#), accessed 06/02/2021; The indragopa is a 'red velvet mite'.
- Longmate, Barak (1794), "A Curious Chirurgical Operation," *The Gentleman's Magazine and Historical Chronicle*, 64.4 (Oct.): 883, 891, 892; I am grateful to the late John Symons of the Wellcome Library who identified the author 'B. L.' as the journalist Barak Longmate. See also Kuist 1982: 87.
- Maas, Philipp André (2013), "A Concise Historiography of Classical Yoga Philosophy: leslie," in Eli Franco (ed.), *Historiography and Periodization of Indian Philosophy* (Vienna: Sammlung de Nobili), 53–90, [URL](#), accessed 27/05/2016.
- Mahādeva Śāstrī, K. (1958) (ed.), ജ്യോതസ്നിക: വിഷവൈദ്യം *Jyotsnika (Viṣa Vaidya)* [*The Jyotsnikā of Kārāṭṭu Nārāyaṇan Nampūtir*] (Srī Vañci Setu Lakṣmī series, 9; 3rd edn., Trivandrum: The Government of His Highness The Maharaja of Travancore); First published in 1927.
- Mairs, Rachel (2013), "Greek Settler Communities in Central and South Asia, 323 BCE to 10 CE," in Ato Quayson (ed.), *A Companion To Diaspora And Transnationalism* (Oxford: John Wiley and Sons Ltd), 443–54, ISBN: 9781405188265.
- (2014), *The Hellenistic Far East: Archaeology, Language, and Identity in Greek Central Asia: Archaeology, Language, and Identity in Greek Central Asia* (Berkeley: University of California Press), 250, ISBN: 9780520292468. DOI: [10.1525/9780520959545](https://doi.org/10.1525/9780520959545).
- Majno, Guido (1975), *The Healing Hand. Man and Wound in the Ancient World* (Cambridge, MA: Harvard University Press), [ark:/13960/t4hm7xf2c](https://nbn-resolving.org/urn:nbn:de:hbz:5:1-3960-t4hm7xf2c).
- Malamoud, Charles (1996), "Paths of the Knife: Carving up the Victim in Vedic Sacrifice," in *Cooking the World: Ritual and Thought in Ancient India. Translated from the French by David White* (Delhi, Bombay, etc.: Oxford University Press), 169–80.

- Mānasa-taraṅgiṇī (2019), “Kaiṭabha, Poison and Death: Meanderings through Tradition,” mAnasa-taraMgiNI Blog (1 Sept.), [URL](#), accessed 31/01/2023.
- Manevskaia, Ilona (2008), “Preliminary Observations on Compositional Methods in Haribhadra’s Ālokā,” in Richard Gombrich and Cristina Scherrer-Schaub (eds.), *Buddhist Studies* (Papers of the 12th World Sanskrit Conference, 8; Delhi: Motilal Banarsidass), 97–117.
- Manucci, Niccolò (1907–08), *Storia Do Mogor or, Mogul India, 1653–1708 by Niccolao Manucci, Venetian; Translated with Introduction and Notes, by William Irvine* (The Indian Texts Series; London: J. Murray), [URL](#), accessed 04/10/2021.
- Masai, François (1950), “Principes et conventions de l’édition diplomatique,” *Scriptorium*, 4: 177–93. DOI: [10.3406/scrip.1950.2294](#).
- McHugh, James (2021), *An Unholy Brew: Alcohol in Indian History and Religions* (New York: Oxford University Press), 416 pp., ISBN: 9780199375936.
- Mehta, S. R., and Sashindran, V. K. (2002), “Clinical Features And Management Of Snake Bite,” *Medical Journal Armed Forces India*, 58/3: 247–9, ISSN: 0377-1237. DOI: [10.1016/s0377-1237\(02\)80140-x](#).
- Mejor, Marek (2000), “Some Observations on the Date of the *Yukti-dīpikā* (apropos of a New Edition),” in Piotr Błecrowicz and Marek Mejor (eds.), *On the Understanding of Other Cultures*, vii (Studia Indologiczne; Warszawa: Instytut Orientalistyczny, Uniwersytet Warszawski), 255–89.
- Meulenbeld, Gerrit Jan (1974b), *The Mādhavanidāna and Its Chief Commentary: Chapters 1–10. Introduction, Translation, and Notes* (Leiden: Brill), ISBN: 978-90-04-03892-9, [ark:/13960/t25b8q97g](#).
- (1984), “The Surveying of Sanskrit Medical Literature,” in id. (ed.), *Proceedings of the International Workshop on Priorities in the Study of Indian Medicine* (Groningen: Forsten), 37–56.
- (1989), “The Search for Clues to the Chronology of Sanskrit Medical Texts As Illustrated by the History of Bhaṅgā (cannabis Sativa Linn.),” *Studien zur Indologie und Iranistik*, 15: 59–70.

- Meulenbeld, Gerrit Jan (1990), "Conformities and Divergences of Basic Ayurvedic Concepts in Veterinary Texts," *Journal of the European Ayurvedic Society*, 1: 1–6, [URL](#), accessed 16/02/2022.
- (1991), "The Constraints of Theory in the Evolution of Nosological Classifications: A Study on the Position of Blood in Indian Medicine (Āyurveda)," in *Medical Literature from India, Sri Lanka, and Tibet*, 91–106, ISBN: 90-04-09522-5, [URL](#).
- (1992), "The Characteristics of a Doṣa," *Journal of the European Āyurvedic Society*, 2/1: 1–5, [ark:/13960/t8hf69z8j](#).
- (2008a), "A Quest for Poison Trees in Indian Literature, Along with Notes on Some Plants and Animals of the Kauṭīliya Arthaśāstra," *Wiener Zeitschrift für die Kunde Südasiens / Vienna Journal of South Asian Studies*, 51 (2007–2008): 5–75, [URL](#).
- (2008b), *The Mādhavanidāna with "Madhukośa," the Commentary by Vijayarakṣita and Śrīkaṇṭhadatta (Ch. 1-10). Introduction, Translation, and Notes* (Delhi: Motilal Banarsidass).
- (2011), "The Relationships between Doṣas and Dūṣyas: A Study on the Meaning(s) of the Root Murch-/murch," *eJournal of Indian Medicine*, 4/2: 35–135, [URL](#), accessed 13/10/2017.
- Meyer, Johann Jakob (1926), *Das altindische Buch vom Welt- und Staatsleben. Das Arthaśāstra des Kauṭīliya* (Leipzig: Otto Harrassowitz), [ark:/13960/s21gb96bcxv](#).
- Miles, M. (1999), "Personal Communication," Mar.; Letter of 4 March.
- Minton, Sherman A., and Minton, Madge Rutherford (1969), *Venomous Reptiles* (New York: Charles Scribners' Sons), [ark:/13960/t9k423s9k](#).
- Moureau, Sébastien. (2015), "The Apparatus Criticus," in Alessandro Bausi et al. (eds.), *Comparative Oriental Manuscript Studies: An Introduction* (Hamburg: Tredition), 348–52, ISBN: 978-3-7323-1768-4, [URL](#), accessed 04/07/2021.
- Mukhopādhyāya, Girindranāth (1913), *The Surgical Instruments of the Hindus, with a Comparative Study of the Surgical Instruments of the Greek, Roman, Arab, and the Modern European (sic) Surgeons* (Calcutta: Calcutta University), [ark:13960/t1zd2pq29](#), accessed 29/01/2018; Vol.2: [ark:/13960/t9r25qd8m](#). Reprinted as a single volume, New Delhi, 1987.

- Muthuswami, Nūrani Easwara (1976) (ed.), *Tantrayuktivīcārah* [by Nīlameghabhisaj] (Kerala Praśāsanāyurveda Granthāvaliḥ, 1; 2nd edn., Trivandrum: Publications Division, Govt. Ayurveda College), [ark:/13960/s2j1p7k0526](https://nbn-resolving.org/urn:nbn:de:bsz:55-13960-s2j1p7k0526).
- Narayana, Ala, and Thrigulla, Saketh Ram (2011), "Tangible Evidences of Surgical Practice in Ancient India," *Journal of Indian Medical Heritage*, 16: 1–18, [URL](https://doi.org/10.1007/bf01463136), accessed 02/06/2021.
- Nārāyaṇa, Śaṃkaraśarman (1949), *Tantrayuktiḥ*, ed. Vayaskara N. S. Mooss (Vaidyasārathigranthāvaliḥ, 6; Koṭṭayanagaryām: Vaidyasārathi Press), [ark:/13960/t2d85pc4v](https://nbn-resolving.org/urn:nbn:de:bsz:55-13960-t2d85pc4v).
- NGMCP (2014), "Nepal-german Manuscript Cataloguing Project. Online Title List and Descriptive Catalogue," Universität Hamburg and Deutsche Forschungsgemeinschaft, [URL](https://nbn-resolving.org/urn:nbn:de:bsz:55-13960-t2d85pc4v).
- Oberhammer, Gerhard (1968), "Notes on the Tantrayukti-s," *The Adyar Library Bulletin*, 31–32 (1967–1968): 600–16. DOI: [10.5281/zenodo.10440052](https://doi.org/10.5281/zenodo.10440052).
- Oberhammer, Gerhard, Prets, Ernst, and Prandstetter, Joachim (1991), *Terminologie der frühen philosophischen Scholastik in Indien: Ein Begriffswörterbuch zur altindischen Dialektik, Erkenntnislehre und Methodologie* (Österreichische Akademie der Wissenschaften, Philosophisch-Historische Klasse, Denkschriften, 223; Wien: Verlag der Österreichischen Akademie der Wissenschaften); Beiträage zur Kultur- und Geistesgeschichte Asiens; Nr. 9.
- Oberlies, Thomas (2003), *A Grammar of Epic Sanskrit* (Indian Philology and South Asian Studies, 5; Berlin: De Gruyter), ISBN: 9783110144482. DOI: [10.1515/9783110899344](https://doi.org/10.1515/9783110899344).
- Olivelle, Patrick (1995), "Food in India," *Journal of Indian Philosophy*, 23/3: 367–80. DOI: [10.1007/bf01463136](https://doi.org/10.1007/bf01463136).
- (2001), *Food for Thought. Dietary Rules and Social Organization in Ancient India* (Gonda Lectures, 9; Amsterdam: Royal Netherlands Academy of Arts and Sciences), [URL](https://nbn-resolving.org/urn:nbn:de:bsz:55-13960-t2d85pc4v), accessed 28/06/2023.
- (2005), *Manu's Code of Law: A Critical Edition and Translation of the Manava-dharmasastra*, With the editorial assistance of Suman Olivelle (South Asia research; New York: Oxford University Press), ISBN: 0195171462.

- Olivelle, Patrick (2013), *King, Governance, and Law in Ancient India: Kauṭilya's Arthaśāstra. a New Annotated Translation* (New York: Oxford University Press), ISBN: 9780199891825. DOI: [10.1093/acprof:osobl/9780199891825.003.0001](https://doi.org/10.1093/acprof:osobl/9780199891825.003.0001).
- Osbaldeston, Tess Anne, and Wood, R. P. A. (2000), *Dioscorides. De Materia Medica. Being an Herbal with Many Other Medicinal Materials Written in Greek in the First Century of the Common Era. a New Indexed Version in Modern English* [Introductory Notes by R. P. Wood] (Johannesburg: IBIDIS Press), ISBN: 0-620-23435-0, [URL](#).
- Özbulat, Mehmet, et al. (2021), "Factors Affecting Prognosis in Patients with Snakebite," *Eurasian Journal of Emergency Medicine*, 20/1 (Mar.): 6–11, ISSN: 2149-6048. DOI: [10.4274/eajem.galenos.2020.69885](https://doi.org/10.4274/eajem.galenos.2020.69885).
- Pandey, Anshuman (2012), "Proposal to Encode the Newar Script in ISO/IEC 10646," [URL](#).
- Pāṇḍeya, Rāmateja (1963) (ed.), *श्रीकृष्णद्वैपायनव्यासप्रणीतं गरुडपुराणम्* (Vidyabhawan Prachyavidya Granthamala, 3; reprint, Caukhambā Vidyābhavana, Paṇḍita-Pustakālaya: Kāśī), [ark:/13960/t6pz7tg7j](https://nbn-resolving.org/urn:nbn:in:hpq:13960-t6pz7tg7j).
- Paramesvaran, Madhu K. (2023), "Personal email communication," 26 Dec.
- Pass, Gregory (2003), *Descriptive Cataloging of Ancient, Medieval, Renaissance, and Early Modern Manuscripts* (Chicago: American Library Association), ISBN: 0-8389-8218-2, [URL](#).
- PBS (2020), "Modern Day Blood-letting in North Africa," PBS (11 Dec.), [URL](#); Filmed in Farchana, Chad, amongst Sudanese refugees from Darfur, for the series *Our Human Planet*.
- Pillay, V. V. (2013), *Modern Medical Toxicology* (New Delhi: Jaypee Brothers Pvt. Ltd), ISBN: 9789350259658.
- Pillay, Vijay V., and Sasidharan, Anu (2019), "Oleander and Datura Poisoning: An Update," *Indian Journal of Critical Care Medicine*, 23/Supplement 4: 5250–5. DOI: [10.5005/jp-journals-10071-23302](https://doi.org/10.5005/jp-journals-10071-23302).

- Preisendanz, Karin (2007), "The Initiation of the Medical Student in Early Classical Āyurveda: Caraka's Treatment in Context," in Birgit Kellner et al. (eds.), *Pramāṇakīrtiḥ. Papers Dedicated to Ernst Steinkellner on the Occasion of His 70th Birthday. Part 2*, ii, 2 vols. (Wiener Studien zur Tibetologie und Buddhismuskunde, 70.2; Wien: Arbeitskreis für Tibetische Und Buddhistische Studien Universität Wien), 629–68, ISBN: 9783902501097, [URL](#).
- (2013), "Logic, Debate and Epistemology in Ancient Indian Medical Science: An Investigation Into the History and Historiography of Indian Philosophy. Part I," in Dominik Wujastyk, Anthony Cerulli, and Karin Preisendanz (eds.), *Medical Texts and Manuscripts in Indian Cultural History* (Delhi: Manohar Publishers and Distributors), 63–139, ISBN: 978-9350980194.
- Prets, Ernst, and Prandstetter, Joachim (1991–2006), *Terminologie der frühen philosophischen Scholastik in Indien: Ein Begriffswörterbuch zur altindischen Dialektik, Erkenntnislehre und Methodologie*, ed. Gerhard Oberhammer (Österreichische Akademie der Wissenschaften, Philosophisch-Historische Klasse, Denkschriften, 223, 248, 343; Wien: Verlag der Österreichischen Akademie der Wissenschaften); Beiträge zur Kultur- und Geistesgeschichte Asiens; Nr. 9, 17, 49.
- Price, Kenneth M. (2013), "Electronic Scholarly Editions," in Ray Siemens and Susan Schreibman (eds.), *A Companion to Digital Literary Studies* (Chichester, UK: John Wiley & Sons, Ltd), 434–50. DOI: [10.1002/9781405177504.ch24](#), [URL](#), accessed 04/07/2021.
- Rādhākāntā Deva, Rājā (1876), *शब्दकल्पद्रुमः = Shabda Kalpadrumah, Or, the Tree Bearing All the Words That May Be Wished For* (Calcutta: Baradākānta Mitra & Co. at the New Bengal Press), [ark:/13960/t9x10x61b](#).
- Rai, Saurav Kumar (2019), "Invoking 'Hindu' Ayurveda: Communalisation of the Late Colonial Ayurvedic Discourse," *The Indian Economic & Social History Review*, 56/4: 411–26. DOI: [10.1177/0019464619873820](#); Online first.
- Rama Rao, B., et al. (2005), *Sanskrit Medical Manuscripts in India* (New Delhi: Central Council for Research in Ayurveda & Siddha), [ark:/13960/t88h7763b](#).

- Rama Sastri and Krishnamurthi Sastri, S. R. (1952) (eds.), *पातञ्जलयोगसूत्रभाष्यविवरणम् । (शङ्करभगवत्पादप्रणीतम्) = Pātnjala[sic]-yogasūtra-bhāṣya Vivaraṇam of Śaṅkara-Bhagavatpāda. Critically Edited with Introduction* (Madras Government Oriental Series, 94; Madras: Government Oriental Manuscripts Library), [ark : / 13960 / t7jq3m14w](https://nopr.scribd.com/document/13960/t7jq3m14w), accessed 20/10/2017.
- Rây, Priyadarajan, Gupta, Hirendra Nath, and Roy, Mira (1980), *Suśruta Saṃhita (a Scientific Synopsis)* (New Delhi: Indian National Science Academy), [ark:/13960/t64511t6v](https://nopr.scribd.com/document/13960/t64511t6v), accessed 13/09/2019.
- Raychaudhuri, Hemachandra (1953), *Political History of Ancient India* (Calcutta: University of Calcutta), [ark:/13960/s25hz0hz29p](https://nopr.scribd.com/document/13960/s25hz0hz29p).
- Renou, Louis (1940), "Sur certaines anomalies de l'optatif Sanskrit," *Bulletin de la Société de Linguistique de Paris*, 41: 5-17, [ark : / 12148 / bpt6k121049](https://nopr.scribd.com/document/12148/bpt6k121049).
- Rhys Davids, Thomas William, and Stede, William (1921-25), *The Pali Text Society's Pali-English Dictionary* (London: The Pali Text Society), [ark:/13960/t4nk3nc12](https://nopr.scribd.com/document/13960/t4nk3nc12).
- Rimal, Madhusudana, and Wujastyk, Dominik (2022), "MS Kathmandu NAK 1/1146," Pandit Project (18 May), [URL](https://panditproject.org/).
- Roelli, Philipp (2020) (ed.), *Handbook of Stemmatology* (Berlin: De Gruyter). DOI: [10.1515/9783110684384](https://doi.org/10.1515/9783110684384).
- Roelli, Philipp, and Macé, Caroline (2015), "Parvum Lexicon Stemmatalogicum. A Brief Lexicon of Stemmatology." DOI: [10.5167/uzh-121539](https://doi.org/10.5167/uzh-121539).
- Roşu, Arion (1989), *Un demi-siècle de recherches āyurvédiques. Gustave Liétard et Palmyr Cordier: Travaux sur l'histoire de la médecine indienne* (Paris: Institut de Civilisation Indienne).
- Roşu, Arion (1978), *Les conception psychologiques dans les textes médicaux indiens* (Publication de l'institut de civilisation indienne, In-8 fascicule 43; Paris: Institut de civilisation indienne), [ark:/13960/t5p85ds09](https://nopr.scribd.com/document/13960/t5p85ds09).
- Ruben, Walter (1926), "Zur Frühgeschichte der indischen Philosophie," in W. Kirfel (ed.), *Beiträge zur Literaturwissenschaft und Geistesgeschichte Indiens – Festgabe Hermann Jacobi zum 75. Geburtstag <11. Februar 1925> dargebracht von Freunden, Kollegen und Schülern* (Bonn: Kommissionsverlag Fritz Klopp), 346-57.

- (1954a), *Geschichte der indischen Philosophie* [collected articles] (Berlin: Deutscher Verlag), [ark:/13960/t9v18cc78](https://nbn-resolving.org/urn:nbn:de:hbz:5:1-3960-t9v18cc78).
- (1954b), “Medizin (Caraka) und Logik (Nyāya) (um 100 u. Z.),” in id., *Geschichte der indischen Philosophie* [collected articles] (Berlin: Deutscher Verlag), chap. 21, 212–22, [ark:/13960/t9v18cc78](https://nbn-resolving.org/urn:nbn:de:hbz:5:1-3960-t9v18cc78).
- Saha, Mridula (2015), *The History of Indian Medicine Based on the Vedic Literature Satapatha Brahmana* (Kolkata: The Asiatic Society), ISBN: 978-9381574294.
- Sarukkai, Sundar (2016), “Translation As Method: Implications for History of Science,” in Bernard Lightman, Gordon McOuat, and Larry Stewart (eds.), *The Circulation of Knowledge Between Britain, India and China* (Leiden: BRILL), 309–29. doi: [10.1163/9789004251410_014](https://doi.org/10.1163/9789004251410_014).
- Sastri, Hrishikesh, and Gui, Siva Chandra (1895–1917), *A Descriptive Catalogue of Sanskrit Manuscripts in the Library of Calcutta Sanskrit College* (Calcutta: Baptist Mission Press).
- Sastri, P. P. S. (1933), *A Descriptive Catalogue of the Sanskrit Manuscripts in the Tanjore Maharaja Serfoji's Sarasvati Mahal Library Tanjore: Natya, Sangita, Kamasastra, Vaidya & Jyotisa, nos. 10650–11737* (Srirangam: Sri Vani Vilas Press), [ark:/13960/t3nw8bc12](https://nbn-resolving.org/urn:nbn:de:hbz:5:1-3960-t3nw8bc12).
- Sastri, P. S. Subrahmanya (2002), *Tolkāppiyam. The Earliest Extant Tamil Grammar, with a Short Commentary in English: Volume II. Poruḷatikāram* (2nd edn., Chennai: The Kuppuswami Sastri Research Institute), ISBN: 81-85170-27-4, [ark:/13960/t7jq8k19s](https://nbn-resolving.org/urn:nbn:de:hbz:5:1-3960-t7jq8k19s); reprint of 1936 edition.
- Śāstrī, Paraśurāma (1931) (ed.), *DāmodarasūnuŚārṅgadharācāryaviracitā Śārṅgadharasamhitā. BhiṣagvarĀḍhamallaviracitadīpikāKāśīrāmavaidyaviracitagūḍhārthadīpikābhyāṃ, ṭīkābhyāṃ, samvalitā* (2nd edn., Mumbai: Nirṇayasāgara Press), [ark:/13960/t7wn11g9r](https://nbn-resolving.org/urn:nbn:de:hbz:5:1-3960-t7wn11g9r); 1st ed. 1920.
- Śāstrī, Vardhamāna Pārśvanātha (1940) (ed.), *उग्रादित्याचार्यकृत कल्याणकारक (राष्ट्रभाषानुवादसहित) = The Kalyāṇa-kāraṇam of Ugrādityacharya, Edited with Introduction, Translation, Notes, Indexes and Dictionary* (Sakhārāma Nemacanda Gramthamālā, 129; Solāpura: Seṭha Govindajī Rāvājī Dośī), [ark:/13960/t2q617g4d](https://nbn-resolving.org/urn:nbn:de:hbz:5:1-3960-t2q617g4d).
- Scharfe, Hartmut (1993), *Investigations in Kauṭalya's Manual of Political Science* (2nd edn., Oxford: Harrassowitz), ISBN: 3447033304, [URL](https://nbn-resolving.org/urn:nbn:de:hbz:5:1-3960-t2q617g4d); 2nd. rev. ed. of Untersuchungen zur Staatsrechtslehre des Kauṭalya.

- Schwartzberg, Joseph E., Bajpai, Shiva G., et al. (1978) (eds.), *A Historical Atlas of South Asia* (Chicago: University of Chicago Press), [URL](#).
- Scott, H. (1817), "Some Remarks on the Arts of India, with Miscellaneous Observations on Various Subjects," *Journal of Science and the Arts*, 2: 67–72, ill. after 133, [ark:/13960/t9870jt4g](#); Breton 1826: 358–363 cites Scott's description of cataract couching.
- Selby, Martha Ann (2005a), "Narratives of Conception, Gestation, and Labour in Sanskrit Ayurvedic Texts," *Asian Medicine*, 1/2: 254–75, ISSN: 1573-420X. doi: [10.1163/15734210577996638](#).
- (2005b), "Sanskrit Gynecologies in Postmodernity: The Commoditization of Indian Medicine in Alternative Medical and New-age Discourses on Women's Health," in *Asian Medicine and Globalization*, chap. 8, 120–31, [URL](#), accessed 22/03/2018.
- Semeka-Pankratov, Elena (1979), "A Semiotic Approach to the Polysemy of the Symbol *nāga* in Indian Mythology," in Irene Portis Winner and Jean Umiker-Sebeok (eds.), *Semiotics of Culture* (Approaches to Semiotics, 53; The Hague, Paris, NY: Mouton), 237–90. doi: [10.1515/9783110823134-009](#); The contents of this volume were published simultaneously in *Semiotica* (1/3) 1979.
- Sen, Sailendra Nath (1988), *Ancient Indian History and Civilization* (Delhi: New Age International), [ark:/13960/t8gf8pz34](#).
- Sena, Gaṅgāprasād, et al. (1886–93) (eds.), *सुश्रुतसंहिता...दल्लनाचार्य-कृत-निबन्ध-संग्रह, चक्रपाणिदत्त-कृत-भानुमती-टीका...वङ्गानुवाद...इरेजि प्रतिशब्द* (Calcutta: Manirāma Press); Edition "g" in [HIML](#): IB, 311.
- Shamasastri, R. (1951), *Kauṭilya's Arthaśāstra* (4th edn., Mysore: Sri Raghuvēer Printing Press), [ark:/13960/t04z1mp6c](#).
- Sharma, Har Dutt (1939), *Descriptive Catalogue of the Government Collections of Manuscripts Deposited at the Bhandarkar Oriental Research Institute, Vol. XVI, Part I, Vaidyaka* (Descriptive Catalogue of Manuscripts in the Government Manuscripts Library, XVI.I; Pune: Bhandarkar Oriental Research Institute), [ark:/13960/t0ms6rc70](#), accessed 23/10/2019.
- Sharma, Priya Vrat (1972), *Indian Medicine in the Classical Age* (Varanasi: Chowkhamba Sanskrit Series Office).
- (1975), *Āyurved Kā Vaijñānik Itihās* (Jayakṛṣṇadāsa Āyurveda Grantha-mālā; Vārāṇasī: Caukhambā Orientalia).

- (1982), *Ḍalhaṇa and his Comments on Drugs* (Delhi: Munshiram Manoharlal).
- (1999–2001), *Suśruta-Saṃhitā, with English Translation of Text and Ḍalhaṇa's Commentary Alongwith (sic) Critical Notes*, 3 vols. (Haridas Ayurveda Series, 9; Varanasi: Chaukhambha Visvabharati).
- Sharma, Priyavrat (1994), *Caraka-saṃhitā. Critical Notes (Incorporating the commentaries of Jejjāṭa, Cakrapāṇi, Gaṅgādhara and Yogīndranātha)* (Jaikrishnadas Ayurveda Series, 36; 1st edn., Varanasi, Delhi: Chaukhambha Orientalia).
- Sharma, Ram Karan, and Dash, Bhagwan (2006), *Agniveśa's Caraka Saṃhitā. Text with English translation & Critical Exposition Based on Cakrapāṇi Datta's Āyurvedadīpikā* (Chowkhamba Sanskrit Studies, 94; repr. Varanasi: Chowkhamba Sanskrit Series Office).
- Shastri, R. Shama (1920) (ed.), *बोधयनगृह्यसूत्रम् The Bodhāyana Grihyasutra* (Mysore: University of Mysore), [ark:/13960/t2t492622](https://nopr.scribd.org/handle/123456789/13960/t2t492622).
- Shaw, Miranda Eberle (2006), *Buddhist Goddesses of India* (Princeton, NJ: Princeton University Press), 571 pp., ISBN: 9789780691127; Includes bibliographical references and index.
- Shiffman, Melvin A. (2013), "History of Otoplasty: Review of Literature," in id. (ed.), *Advanced Cosmetic Otoplasty: Art, Science, and New Clinical Techniques* (Berlin, Heidelberg: Springer), chap. 5, 43–64. doi: [10.1007/978-3-642-35431-1_5](https://doi.org/10.1007/978-3-642-35431-1_5).
- Shree Gulabkunverba Ayurvedic Society (1949), *The Caraka Saṃhitā. Expounded by the Worshipful Ātreya Punarvasu Compiled by the Great Sage Agniveśa and Redacted by Caraka & Dridhabala. Edited and Published in Six Volumes with Translations in Hindi, Gujarati and English* (First Impression, Jamnagar: Shree Gulabkunverba Ayurvedic Society), [ark:/13960/t5m95n971](https://nopr.scribd.org/handle/123456789/13960/t5m95n971).
- Siddiqi, Muhammad Zubayr (1959), *Studies in Arabic and Persian Medical Literature*, [ark:/13960/s25bxqt84xm](https://nopr.scribd.org/handle/123456789/13960/s25bxqt84xm).
- Sieler, Roman (2015), *Lethal Spots, Vital Secrets. Medicine and Martial Arts in South India* (New York: Oxford University Press), ISBN: 9780190243869.
- Singh, A. (2003), "Tantra Yukti: Method of Theorization in Ayurveda," *Ancient Science Of Life*, 22/3: 64–74.

- Singhal, G. D., et al. (1972–82), *Diagnostic [and Other] Considerations in Ancient Indian Surgery* (Varanasi: Singhal Publications); A translation of the *Suśrutasaṃhitā* in 10v.
- Singhal, G. D., and Mitra, Jyotir (1980), *Paediatric & Gynaecological Considerations and Aphorisms in Ancient Indian Surgery* (Varanasi: Singhal Publications); Based on *Suśruta Samhitā*, Uttara-tantra Chapters 27–38 & 63–66.
- Sircar, Dinesh Chandra (1971), *Studies in the Geography of Ancient and Medieval India* (2nd edn., Delhi: Motilal Banarsidass), [ark : / 13960 / t72w2zd8w](https://n2t.net/ark:/13960/t72w2zd8w).
- (1987), “6. Rākshashkhāli (Sundarban) Plate; Śaka 1118,” *Epigraphia Indica* (1953–54), 30: 42–3, [ark : / 13960 / t80m25q3w](https://n2t.net/ark:/13960/t80m25q3w).
- Śiromaṇi, Bharatacandra (1873) (ed.), *चतुर्वर्गचिन्तामणि-दानखण्डम्* (Calcutta: Asiatic Society of Bengal), [ark : / 13960 / t1rf9jd94](https://n2t.net/ark:/13960/t1rf9jd94).
- Sleeman, W. H. (1893), *Rambles and Recollections of an Indian Official* (London: Constable), [ark : / 13960 / t22c4bx7w](https://n2t.net/ark:/13960/t22c4bx7w); v. 2 at [http : // n2t . net / ark : / 13960 / t2s52bq7w](http://n2t.net/ark:/13960/t2s52bq7w).
- Slouber, Michael (2016a), *Early Tantric Medicine: Snakebite, Mantras, and Healing in the Garuda Tantras* (New York: OUP), 392 pp., ISBN: 9780190461812.
- (2016b), “Snakebite Goddesses in the Śākta Traditions: Roots and Incorporations of Tvaritā, Kurukullā and Bheruṇḍā: History, practice and doctrine,” in Bjarne Wernicke Olesen (ed.), *Goddess Traditions in Tantric Hinduism* (Routledge studies in tantric traditions; London: Routledge), chap. 4, ISBN: 9781317585213.
- Smith, Brian K. (1994), *Classifying the Universe: The Ancient Indian Varna System and the Origins of Caste* (New York, Oxford: Oxford University Press), ISBN: 0-19-508498-5.
- Spencer, Walter George (1935–38), *Celsus: De Medicina. with an English Translation by W. G. Spencer*, 3 vols. (Loeb Classical Library, 292, 304, 336; Cambridge, MA; London: Harvard University Press; William Heinemann), [URL](https://n2t.net/URL), accessed 02/06/2021.
- Speziale, Fabrizio (2019), “Rasāyana and Rasaśāstra in the Persian Medical Culture of South Asia,” *History of Science in South Asia*, 7: 1–41. DOI: [10 . 18732 / hssa . v7i0 . 40](https://doi.org/10.18732/hssa.v7i0.40).

- Spink, M. S., and Lewis, G. L. (1973) (eds.), *Albucasis on Surgery and Instruments: A Definitive Edition of the Arabic Text with English Translation and Commentary* (London: Wellcome Institute of the History of Medicine), [ark:/13960/t95823n1k](https://nbn-resolving.org/urn:nbn:de:hbz:5:1-395823-n1k).
- Srikantha Murthy, K. R. (2000–02), *Illustrated Suśruta Saṃhitā: Text, English Translation, Notes, Appendices and Index* (Jaikrishnadas Ayurveda Series, 102; 1st edn., Varanasi: Chaukhambha Orientalia).
- Steingass, F. (1930), *A Comprehensive Persian-English Dictionary Including the Arabic Words and Phrases to Be Met with in Persian Literature* (London: Kegan Paul, Trench, Trubner), [ark:/13960/s25bwz0337d](https://nbn-resolving.org/urn:nbn:de:hbz:5:1-395823-s25bwz0337d); Reprint, Delhi: Oriental Reprint, 1973.
- Storey, C. A. (1971), *Persian Literature, a Bio-bibliographical Survey*. Vol. II.2: Medicine (London: Royal Asiatic Society of Great Britain and Ireland), [ark:/13960/t9v18bf68](https://nbn-resolving.org/urn:nbn:de:hbz:5:1-395823-t9v18bf68).
- Strauss, Bettina (1934), “Das Giftbuch des Šānāq: eine Literaturgeschichtliche Untersuchung,” *Quellen und Studien zur Geschichte der Naturwissenschaften und der Medizin*, 4/2: [89]–[152] followed by Arabic text, [ark:/13960/s2hb5j66s95](https://nbn-resolving.org/urn:nbn:de:hbz:5:1-395823-s2hb5j66s95).
- Suvedī, K. S., and Tivārī, N. (2000) (eds.), *सौश्रुतनिघण्टुः ग्रन्थादौ विस्तृतेन ग्रन्थ-वैशिष्ट्यप्रकाशकेनोपोद्धातेन अवसाने च द्रव्याणामनेकभाषानामावली-पर्यायसङ्ग्रहाभ्यां समलङ्कृतः सुश्रुतसंहितायां प्रयुक्तानामौषधद्रव्याणां पर्याय-गुणकर्मवर्णात्मको ऽपूर्वग्रन्थः* (Belajhunḍī, Ḍāṇ: Mahendrasaṃskṛtaviśvavidyalayaḥ).
- Talwar, P. K., and Kacker, R. K. (1984), *Commercial Sea Fishes of India* (Calcutt: Zoological Survey of India), [ark:/13960/t5s841v5m](https://nbn-resolving.org/urn:nbn:de:hbz:5:1-395823-t5s841v5m).
- Tavernier, Jean-Baptiste (1684), *Collections of Travels through Turkey (sic), into Persia, and the East-Indies* (London: M. Pitt), [ark:/13960/t9g45vn74](https://nbn-resolving.org/urn:nbn:de:hbz:5:1-395823-t9g45vn74).
- TEI Consortium (2010), *TEI P5: Guidelines for Electronic Text Encoding and Interchange*, ed. C. M. Sperberg-McQueen et al. (Oxford, Providence, Charlottesville, Nancy: TEI Consortium), [URL](https://nbn-resolving.org/urn:nbn:de:hbz:5:1-395823-url).
- Thorburn, S. S. (1876), *Bannu; or Our Afghan Frontier* (London: Trübner & Co.), [ark:/13960/t39z96g7m](https://nbn-resolving.org/urn:nbn:de:hbz:5:1-395823-t39z96g7m); Reprinted Lahore: Niaz Ahmad, 1978.
- Tivārī, Premvatī (1990), *Āyurvedīya prasūti-tantra evaṃ strī-roḡ; pratham bhāḡ: Prasūti-tantra, dvitīya bhāḡ: Strī-roḡ* (Jayakṛṣṇadāsa Āyurvedīya Granthamālā, 41; Varanas: Caukhamba Orientalia).

- UNESCO (2013), "International Memory of the World Register Susruta Samhita (Nepal)," UNESCO, [URL](#), accessed 11/09/2019.
- Unicode Consortium (1991), "The Unicode Standard 15.0, Newa Range," url: <https://unicode.org/charts/PDF/U11400.pdf>.
- Unni, N. P. (2006), *The Arthaśāstra of Kauṭalya with the Commentary "Śrīmūlā" of Mahāmahopādhyāya T. Gaṇapati Śāstrī: Part III—8, 9, 10, 11, 12, 13, 14 & 15 Adhikaraṇas* (Delhi: New Bharatiya Corporation), [ark:/13960/t41s58879](#).
- Unschuld, Paul Ulrich (1984), *Medicine in China: A History of Ideas* (Berkeley: University of California Press), ISBN: 0520050231.
- Valiathan, M. S. (2007), *The Legacy of Suśruta* (Hyderabad, Chennai, etc.: Orient Longman).
- Velankar, H. D (1925–30), *Descriptive Catalogue of the Sanskrit and Prākṛta Manuscripts in the Library of the Bombay Branch of the Royal Asiatic Society* (Bombay: Royal Asiatic Society, Bombay), [ark:/13960/t53g00h0n](#); Biswas #0115.
- Wall, Frank (1913), *The Poisonous Terrestrial Snakes of Our British Indian Dominions (Including Ceylon) and How to Recognize Them; With Symptoms of Snake Poisoning and Treatment* (3rd edn., Bombay: Bombay Natural History Society), [ark:/13960/t1zc8g94b](#).
- (1921), *Ophidia Taprobanica or the Snakes of Ceylon* (Colombo: Cottle, Government Printer), [ark:/13960/t39z9q93n](#).
- Weinstein, Scott, et al. (2009), "Envenomations: An Overview of Clinical Toxinology for the Primary Care Physician.," *American family physician*, 80 (8): 793–802, ISSN: 1532-0650 (ppublish).
- Whitney, William Dwight (1885), *The Roots, Verb-forms, and Primary Derivatives of the Sanskrit Language. A Supplement to his Sanskrit Grammar* (Leipzig: Breitkopf and Härtel), [ark:/13960/t3qv3p906](#).
- WHO (2019), *Snakebite Envenoming: A Strategy for Prevention and Control* (Geneva: WHO), ISBN: 978-92-4-151564-1.
- Wilson, H. H. (1823), "On the Medical and Surgical Sciences of the Hindus," *The Oriental Magazine and Calcutta Review*, 1: 207–12, 349–56, [URL](#).

- Woodcock, Martin W. (1980), *Collins Handguide to the Birds of the Indian Sub-continent, Including India, Pakistan, Bangladesh, Sri Lanka and Nepal* (Collins), ISBN: 0-00-219712-X; Reprinted 1990.
- Wujastyk, Dagmar (2012), *Well-mannered Medicine: Medical Ethics and Etiquette in Classical Ayurveda* (New York: Oxford University Press). DOI: [10.1093/acprof:oso/9780199856268.001.0001](https://doi.org/10.1093/acprof:oso/9780199856268.001.0001).
- (2013a), “Perfect Medicine. Mercury in Sanskrit Medical Literature,” *Asian Medicine: Tradition & Modernity*, 8/1 (Sept.): 15–40, ISSN: 1573-4218. DOI: [10.1163/15734218-12341278](https://doi.org/10.1163/15734218-12341278).
- (2019), “Iron Tonics: Tracing the Development from Classical to Iatrochemical Formulations in Ayurveda,” *HIMALAYA: The Journal of the Association for Nepal and Himalayan Studies*, 39/1. DOI: [10.5281/zenodo.7746874](https://doi.org/10.5281/zenodo.7746874).
- Wujastyk, Dominik (1993), “Indian Medicine,” in W. F. Bynum and Roy Porter (eds.), *Companion Encyclopedia of the History of Medicine*, i (London: Routledge), chap. 33, 755–78, ISBN: 0-415-04771-4, [URL](#).
- (2000), “The Combinatorics of Tastes and Humours in Classical Indian Medicine and Mathematics,” *Journal of Indian Philosophy*, 28: 479–95. DOI: [10.1023/a:1017514013759](https://doi.org/10.1023/a:1017514013759).
- (2002), “Cannabis in Traditional Indian Herbal Medicine,” in Ana Salema (ed.), *Āyurveda at the Crossroads of Care and Cure. Proceedings of the Indo-European Seminar on Ayurveda held at Arrábida, Portugal, in November 2001* (Lisbon: Centro de História de Além-Mar, Universidade Nova de Lisboa), 45–73, ISBN: 972-98672-5-9, [URL](#), accessed 27/05/2019.
- (2003a), “Black Plum Island,” in *2nd International Conference on Indian Studies. Proceedings* (Kraków: Jagiellonian University, Institute of Oriental Philology and Księgarnia Akademicka), 637–49.
- (2003b), *The Roots of Ayurveda: Selections from Sanskrit Medical Writings* (Penguin Classics; 3rd edn., London, New York, etc.: Penguin Group), ISBN: 0-140-44824-1.
- (2004), “Agni and Soma: A Universal Classification,” *Studia Asiatica: International Journal for Asian Studies*, IV–V, ed. Eugen Ciurtin: 347–70. DOI: [10.5281/zenodo.7742068](https://doi.org/10.5281/zenodo.7742068).

- Wujastyk, Dominik (2013*b*), “New Manuscript Evidence for the Textual and Cultural History of Early Classical Indian Medicine,” in *Medical Texts and Manuscripts in Indian Cultural History*, ed. Dominik Wujastyk, Anthony Cerulli, and Karin Preisendanz (New Delhi: Manohar), 141–57, [URL](#).
- (2016), “Models of Disease in Ayurvedic Medicine,” in Mark Jackson (ed.), *The Routledge History of Disease* (Abingdon: Routledge), chap. 3, 38–53, ISBN: 9780415720014. DOI: [10.4324/9781315543420-4](#).
- Wujastyk, Dominik, et al. (2020), “Suśrutasamhitā,” PanditProject (6 Oct.), [URL](#), accessed 14/09/2022.
- Wujastyk, Dominik (2021*a*), “A New Translation of Carakasamhitā, Vimānasthāna, Chapter 1, Based on the Vienna Critical Edition,” in Toke Lindegaard Knudsen, Jacob Schmidt-Madsen, and Sara Speyer (eds.), *Body and Cosmos. Studies in Early Indian Medical and Astral Sciences in Honor of Kenneth G. Zysk* (Leiden, Boston: Brill), chap. 6, 77–109. DOI: [10.1163/9789004438224_007](#).
- (2021*b*), “MS London BL H. T. Colebrooke 908,” [URL](#), accessed 03/07/2021.
- (2021–), “Sushrutaproject: Version Control for Suśruta Text TEI Transcriptions: Suśruta Project Manuscript Transcriptions,” University of Alberta, [URL](#), accessed 21/01/2023; archived at DOI: [10.5281/zenodo.6471655](#).
- Wujastyk, Dominik, et al. (2021–), “The Suśruta Project: The Textual and Cultural History of Medicine in South Asia Based on Newly-Discovered Manuscript Evidenc,” ed. Dominik Wujastyk, Jason Birch, Andrey Klebanov, et al., [URL](#), accessed 21/01/2023.
- Wujastyk, Dominik (2022), “The Science of Medicine,” in Gavin D. Flood (ed.), *The Wiley Blackwell Companion to Hinduism* (2nd edn., Hoboken, NJ: Wiley and Sons, Ltd.), chap. 23, 399–413, ISBN: 9781119144861. DOI: [10.1002/9781119144892.ch23](#).
- Wujastyk, Dominik, Birch, Jason, Klebanov, Andrey, et al. (2021–) (eds.), “New Digital Edition of the Suśrutasamhitā: The Suśruta Project at Sak-tumiva,” University of Alberta, [URL](#).

- Wujastyk, Dominik, Birch, Jason, Klebanov, Andrey, et al. (2023), *On the Plastic Surgery of the Ears and Nose. The Nepalese Version of the Suśruta-saṃhitā* (Heidelberg: Heidelberg Asian Studies Publishing), ISBN: 978-3-948791-63-6. DOI: [10.11588/hasp.1203](https://doi.org/10.11588/hasp.1203).
- Wujastyk, Dominik, Pollock, Sheldon, et al. (2008–), “SARIT: Search and Retrieval of Indic Texts,” [URL](#), accessed 21/01/2023.
- Yagi, Toru (1994), “A Note on bhojya- and bhakṣya-,” in Yasuke Ikari (ed.), *A Study of the Nīlamata. Aspects of Hinduism in Ancient Kashmir* (Kyoto: Kyoto Institute for Research in Humanities, Kyoto University).
- Yano, Michio (1986), “A Comparative Study of *Sūtrasthānas*: Caraka, Suśruta, and Vāgbhaṭa,” in Teizo Ogawa (ed.), *History of Traditional Medicine: Proceedings of the 1st and 2nd International Symposia on the Comparative History of Medicine—East and West* (Osaka: Division of Medical History, the Taniguchi Foundation), 325–44.
- Zimmermann, Francis (1983), “Suśrutasamhita,” review of G. D. Singhal et al. (1972–82), *Diagnostic [and Other] Considerations in Ancient Indian Surgery* (Varanasi: Singhal Publications); A translation of the *Suśruta-saṃhitā* in 10v. In *Bulletin of the History of Medicine*, 57/2: 291–3, ISSN: 00075140, eprint: [44441590](https://eprints.bhojpur.org/44441590), [URL](#).
- (1999), *The Jungle and the Aroma of Meats* (2nd edn., Delhi: Motilal Banarsidass), ISBN: 8120816188.
- Zysk, Kenneth G. (1984), “An Annotated Bibliography of Translations into Western Languages of Principle Sanskrit Medical Treatises,” *Clio Medica*, 19/3–4: 281–91.
- (1985), *Religious Healing in the Veda: With Translations and Annotations of Medical Hymns from the Rgveda and the Atharvaveda and Renderings from the Corresponding Ritual Texts* (Transactions of the American Philosophical Society; Philadelphia: American Philosophical Society), ISBN: 0871697572.
- (1986), “The Evolution of Anatomical Knowledge in Ancient India with Special Reference to Cross-cultural Influences,” *Journal of the American Oriental Society*, 106: 687–705. DOI: [10.2307/603532](https://doi.org/10.2307/603532).
- (2000), *Asceticism and Healing in Ancient India: Medicine in the Buddhist Monastery* (Indian Medical Tradition; 2nd edn., Delhi: Motilal Banarsidass); First published 1991. Reprint of 1998 edition.

Materia Medica Reference Works

- ADPS Sivarajan, V. V., and Balachandran, Indira (1994), *Ayurvedic Drugs and Their Plant Sources* (New Delhi, Bombay, Calcutta: Oxford & IBH Publishing).
- AVS Warriar, P. K., Nambiar, V. P. K., and Ramankutty, C. (1994–96) (eds.), *Indian Medicinal Plants: A Compendium of 500 Species. Vaidyaratnam P. S. Varier's Arya Vaidya Sala, Kottakal* (Madras: Orient Longman).
- BIA Prater, S. H. (1993), *The Book of Indian Animals* (3rd edn., Bombay, Delhi, etc.: Oxford University Press), [ark : / 13960 / t6356w32f](#); 4th impression of 3rd corrected 1980 edition.
- Chopra Chopra, R. N., Nayar, S. L., and Chopra, I. C. (1956), *Glossary of Indian Medicinal Plants* (3rd reprint, 1992, New Delhi: Council of Scientific and Industrial Research); vol. 2: R. N. Chopra, I. C. Chopra, and Varma ([Chopra_{sup}](#)).
- Chopra IDG Chopra, R. N., Chopra, I. C., Handa, K. L., et al. (1958), *Chopra's Indigenous Drugs of India* (2nd edn., Calcutta: Dhur & Sons), [ark : / 13960 / t9673t140](#).
- Chopra_{sup} Chopra, R. N., Chopra, I. C., and Varma, B. S. (1969), *Supplement to Glossary of Indian Medicinal Plants* (Reprint 1986, New Delhi: National Institute of Science Communication), ISBN: 8185038872.
- CIPP Pillay, V. V. (2010), "Common Indian Poisonous Plants," in D. A. Warrell, T. M. Cox, and J. D. Firth (eds.), *Oxford Textbook of Medicine* (5th edn., Oxford University Press), 1371–5. DOI: [10.1093/med/9780199204854.003.090302](#).

- Dutt Dutt, Uday Chand (1922), *The Materia Medica of the Hindus...with a Glossary of Indian Plants by George King. Revised Edition...by Binod Lall Sen and Ashutosh Sen and Pulin Krishna Sen* (Krishnadas Sanskrit Studies; 3rd edn., Calcutta: Madan Gopal Dass for the Adi-Ayurveda Machine Press), [ark:/13960/t59c7tg9z](https://nopr.sri-ganga.ac.in/handle/123456789/13960/t59c7tg9z); Reprinted Varanasi: Chowkhamba Saraswatibhavan, 1980.
- Dymock Dymock, William, Warden, C. J. H., and Hooper, David (1890), *Pharmacographia Indica: A History of the Principal Drugs of Vegetable Origin Met with in British India* (London, Bombay, Calcutta: Kegan Paul), [URL](#), accessed 16/03/2023.
- GJM₁ Meulenbeld, Gerrit Jan (1974a), "Sanskrit Names of Plants and their Botanical Equivalents," in id., *The Mādhavanidāna and Its Chief Commentary: Chapters 1–10. Introduction, Translation, and Notes* (Leiden: Brill), chap. Appendix Four, 520–611, [ark:/13960/t25b8q97g](https://nopr.sri-ganga.ac.in/handle/123456789/13960/t25b8q97g).
- GJM₂ Meulenbeld, Gerrit Jan (1988), "G. J. Meulenbeld's Additions to his "Sanskrit Names of Plants and their Botanical Equivalents"," in Rahul Peter Das, *Das Wissen von der Lebensspanne der Bäume: Surapālas Vṛkṣāyurveda* (Stuttgart: Franz Steiner Verlag), chap. Appendix 1, 425–65, ISBN: 9783515046633; Supplement to [GJM₁](#).
- GVDB Singh, Thakur Balwant, and Chuneekar, K. C. (1972), *Glossary of Vegetable Drugs in Brhatrayi* (Varanasi: Chowkhamba Sanskrit Series Office), [ark:/13960/s2cvp72x58j](https://nopr.sri-ganga.ac.in/handle/123456789/13960/s2cvp72x58j).
- HK Hilgenberg, Luise, and Kirfel, Willibald (1941), *Vāgbhaṭa's Aṣṭāṅgaḥṛdayasaṃhitā, ein altindisches Lehrbuch der Heilkunde, aus dem Sanskrit ins Deutsche übertragen mit Einleitung, Anmerkungen und Indices* (Leiden: Brill), [ark:/13960/t52h05616](https://nopr.sri-ganga.ac.in/handle/123456789/13960/t52h05616).
- IGP Griffiths, Mark (1994), *The New Horticultural Society Index of Garden Plants* (London: Macmillan).
- Issar Issar, T. P. (1994), *Blossoms of Bangalore* (Bangalore: T. P. Issar).

- IW Israel, Samuel, et al. (1988), *Indian Wildlife: Sri Lanka Nepal* (Insight Guides; Singapore etc.: APA Publications), ISBN: 9780245545238, [ark:/13960/s2p9d5pqd1w](https://nbn-resolving.org/urn:nbn:de:bsz:5-pqd1w).
- K&B Kirtikar, K. R., Basu, B. D., and an I.C.S (1987), *Indian Medicinal Plants*, ed. E. Blatter, J. F. Caius, and K. S. Mhaskar, 8 vols. (2nd edn., Dehradun: International Book Distributors); First published in Allahabad, 1918.
- Kew Kew Gardens (2024), "Plants of the World," Royal Botanic Gardens, [URL](#).
- MBG Missouri Botanical Garden (2024), "Missouri Botanical Garden: Plant Finder," Missouri Botanical Garden, [URL](#).
- NK Nadkarni, K. M. (1982), *Dr. K. M. Nadkarni's Indian Materia Medica, with Ayurvedic, Unani-tibbi, Siddha, Allopathic, Homeopathic, Naturopathic & Home Remedies, Appendices & Indexes ... in Two Volumes*, ed. A. K. Nadkarni, 2 vols. (3 ed., revised and enlarged by A. K. Nadkarni, Bombay: Popular Prakashan), ISBN: 8171541429, [URL](#); First published in 1954.
- Peter Peter, K. V. (2012) (ed.), *Handbook of Herbs and Spices* (Food Science, Technology and Nutrition, 228; 2nd edn., Oxford, Cambridge, Philadelphia, New Delhi: Woodhead Publishing), ISBN: 9780857090393.
- Potter Wren, R. C. (1956), *Potter's New Cyclopaedia of Botanical Drugs and Preparations*, ed. R. W. Wren (7th edn., Rustington, Sussex: Health Science Press), [ark:/13960/t14n65c9g](https://nbn-resolving.org/urn:nbn:de:bsz:5-pqd1w).
- Potter_{rev} Wren, R. C., Williamson, Elizabeth M., and Evans, Fred J. (1994), *Potter's New Cyclopaedia of Botanical Drugs and Preparations* (Saffron Walden: C. W. Daniel Company Ltd.); Reprint of revised 1988 edition.
- Reptiles Daniel, J. C. (1983), *The Book of Indian Reptiles* (Bombay: Oxford University Press).
- Trees Bole, P. V., and Vaghani, Yogini (1986), *Field Guide to the Common Trees of India* (Bombay, Delhi, Oxford, etc.: World Wildlife Fund – India and Oxford University Press), ISBN: 0-19-561595-6; 4th reprint.

- Watt_{Comm} Watt, George (1908), *The Commercial Products of India, Being an Abridgement of "the Dictionary of the Economic Products of India"* (London: John Murray), [ark:/13960/t8cg7dm79](https://nbn-resolving.org/urn:nbn:uk:103-gnd-13960-t8cg7dm79).
- Watt_{Dict} Watt, George (1889–96), *A Dictionary of the Economic Products of India* (Calcutta: Dept. Revenue and Agriculture, Government of India), [URL](#), accessed 28/04/2021.

Materia Medica

Numbers after the final colon refer to pages in this book.

aconite leaf (?) (*viṣapatrikā*) Unknown. Cf. perhaps, *vatsanābha* (wolfsbane). Cf.

GVDB: 373 : 125

‘alas, alas’ (*hālāhala*) unknown. See Cf. *Soḍhalanighantu* p.43 (sub bola) = *stomaka* = *vatsanābha* :

Alexandrian laurel (*punnāga*)

Calophyllum inophyllum, L. See

AVS: 1, 338, NK: 1, #425 :

amaranth (*tanḍulīyaka*) *Amaranthus hypochondriacus*, L. See King 321, NK: 1, #144, Potter_{rev}: 15. Cf.

AVS: 1, 121 : 118

arjun (*arjuna*) *Terminalia arjuna*, Bedd.

See HK: 738 : 36, 67

ash gourd (*kūṣmāṇḍa*) → *puṣpaphala*.

Beninkasa hispida, (Thunb.) Cogn. See

AVS: 2, 1127; cf. AVS: 1, 261 :

Asoka tree (*aśoka*) *Saraca indica* Linn.,

GVDB: 26 : 90, 92, 168

atis root (*śṛṅgīviṣa*) *Aconitum*

heterophyllum, Wall. ex Royle. See

AVS: 1, 42, NK: 1, #39 :

axlewood (*dhava*) *Anogeissus latifolia* (Roxb. ex DC.) Wall. ex Guill & Perr.

See AVS: 1, 163 f, Chopra: 20 : 36,

67, 140

bamboo leaves (*veṇupatrikā*) *Bambusa*

bambos, Druce. See NK: 1, #307 : 118

banyan (*nyagrodha*) *Ficus bengalensis*, L.

See HK: 748 :

banyan (*vaṭa*) *Ficus bengalensis* Linn.,

GVDB: 356 : 68

barley (*yava*) *Hordeum vulgare*, L. See

HK: 752 : 99

bearded premna (*vasuka*) *Premna barbata*

Wall. (← *vasuhaṭṭa*), according to

Cakrapāṇidatta. See the discussion by

T. B. Singh and Chuneekar

(GVDB: 362–363), where other

candidate species such as *Osmanthus*, *Calotropis*, and *Trianthema* are

discussed. T. B. Singh and Chuneekar

(GVDB: 363) note that when *vasuka* is

mentioned with *vasira*, two varieties of salt are often meant (see *vasukavasirā*).

See also NK: #1299 who identifies it

with *Indigofera enneaphylla*, Linn.

(Birdsville Indigo), apparently without controversy : 67

beautyberry (*priyaṅgu*) → *śyāmā*.

Callicarpa macrophylla, Vahl. See

AVS: 1, 334, NK: 1, #420. Some say also

Setaria italica Beauv. GVDB: 263–264.

See also GVDB: 413 : 36, 136, 141, 168

beautyberry (*śyāmā*) *Callicarpa*

macrophylla, Vahl. See AVS: 1, 334,

NK: 1, #420 : 94, 116, 118

beggarweed (*aṁśumatī*) *Desmodium*

gangeticum (L.) DC (Dymock: 1, 428,

GJM1: 602, NK: 1, #1192; ADPS: 382,

414 and AVS: 2, 319, 4.366 are

confusing) : 136

beggarweed (*vidārigandhā*) → *śālaparṇī*.

- Desmodium gangeticum (L.) DC. See [Dymock](#): 1, 428, [GJM1](#): 602, cf. [NK](#): 1, #1192; [ADPS](#): 382, 414 and [AVS](#): 2, 319, 4.366 are confusing: [45](#), [99](#), [228](#)
- beggarweed (*śālaparnī*) → *sthirā*.
Desmodium gangeticum (L.) DC. See [Dymock](#): 1, 428, [GJM1](#): 602, [NK](#): 1, #1192; [ADPS](#): 382, 414 and [AVS](#): 2, 319, 4.366 are confusing:
- Bengal quince (*bilva*) Aegle marmelos (L.)
Corr. See [AVS](#): 1, 62, Chevallier 159, [NK](#): 1, #62, ([MW](#): 732a): [67](#), [90](#), [92](#), [96](#), [225](#)
- 'big poison' (*mahāviṣa*) unknown. See ?:
- 'big thorn apple' (*mahākarambha*) Datura metel, L.?. See [thorn apple](#) (*karambha*):
- bitumen (*adrija*) → *śilājī*. A tar-like, black, resinous rock exudate. See [Mahākośa](#): 1, 21: [151](#)
- black cardamom (*Khareṇu*) Amomum subulatum, Roxb.?. See [PVS Caraka](#) 2.734, [AVS](#): 1, 128, [NK](#): 1, #154, [pace](#) [GVDB](#): 467–468:
- black creeper (*pālindī*) Ichnocarpus frutescens, (L.) R.Br. or Cryptolepis buchanani, Roemer & Schultes. See [AVS](#): 3, 141, 145, 203, [NK](#): 1, #1283, 1210, [ADPS](#): 434. Ḍalhaṇa on SS 5.1.82 identified *pālindī* with *trivṛt* ([turpeth](#)) and T. B. Singh and Chuneekar ([GVDB](#): 246) supported this as a usual identification: [118](#), [121](#), [135](#), [136](#)
- black pepper (*marica*) Piper nigrum, L. See [ADPS](#): 294, [NK](#): 1, #1929: [100](#), [168](#)
- black pepper (*vallīja*) → marica. Piper nigrum, L.?. See [NK](#): 1, #1929; [Rā.6.115](#), [Dha.4.85](#), [Dha.2.88](#):
- blackboard tree (*saptachada*) Alstonia scholaris R. Br. [GVDB](#): 420: [117](#)
- blackbuck (*hariṇa*) Antelope cervicapra, L. See [BIA](#): 270 [IW](#): 95, 165, *et passim*: [121](#)
- 'blade' (*kartariya*) unknown. See ?:
- blue water-lily (*utpala*) Nymphaea stellata, Willd. See [GJM1](#): 528, [IGP](#) 790; [Dutt](#): 110, [NK](#): 1, #1726: [27](#), [116](#), [135](#), [136](#), [168](#), [169](#)
- bottle gourd (*ālābūka*) Lagenaria siceria (Molina) Standl. See [IGP](#) 645, [NK](#): 1, #1419:
- bull's head (*gokṣura*) Tribulus terrestris L. [GVDB](#): 144–145, 193. A component of [lesser five roots](#): [222](#)
- bull's head (*trikaṇṭaka*) → [bull's head](#) (*gokṣura*) [GVDB](#): 193. A component of [lesser five roots](#): [228](#)
- bulrush (*kaṣeru*) "Two species, Scirpus kysoor Roxb., and S. grossus Linn. f. are used" [GVDB](#): 85. Also kaṣeruka and kaseru: [94](#), [95](#), [98](#)
- calamine lotion (*amṛtāsaṅga*) → amṛtāsaṅga. Zinc carbonate. See [NK](#): 2, #56:
- camphor (*karpūra*) → *śītaśiva*.
Cinnamomum camphora, (L.) Sieb. See [IGP](#) 253:
- cannabis (*vijayā*) Cannabis sativa, L. See [AVS](#): 1, 356, [NK](#): 1, #442:
- caper (*karīra*) Capparis decidua (Forsk.) Edgew. See [AVS](#): 1, 368, ([MW](#): 255b):
- cardamom (*elā*) Elettaria cardamomum, Maton. See [AVS](#): 2, 360, [NK](#): 1, #924, [Potter_{rev}](#): 66: [90](#), [136](#), [141](#)
- carmarī (*carmarī*) unknown. See ?:
- carray cheddie (*gāṇgerukī*) → viśvadevā.
Canthium parviflorum, Lam. See [AVS](#): 1, 366 f:
- cassia cinnamon (*patra*) Cinnamomum tamala, (Buch.-Ham.) Nees. See [AVS](#): 2, 84, [NK](#): 1, #589: [90](#), [96](#), [118](#), [136](#)
- castor oil tree (*gandharvahasta*) → *eraṇḍa*. [GVDB](#): 135, [K&B](#): 3, 2277: [41](#), [92](#)
- castor-oil (*eraṇḍa*) Ricinus communis, L. See [NK](#): 1, #2145, [Chopra](#): 214: [46](#)
- catechu (*khadira*) Senegalia catechu (L.f.) P. J. Hurter & Mabb = Acacia catechu Willd. [GVDB](#): 129–130: [67](#)
- certain minerals (*tārāvitāra*) Unknown. It is not even certain that these are minerals. The variant reading in the vulgate, *tārāḥ sutārāḥ* was glossed by Ḍalhaṇa on

- 5.3.14 (Su 1938: 568) as follows *tāro rūpyam, sutāraḥ pāradah*, “tāra means silver; sutāra means mercury.” : 140
- Ceylon iron wood (*kṣīrikā*) *Mimusops hexandra*, Roxb. (GVDB: 126–127) :
- chaff (*kāṇḍana*) The word *kāṇḍana* is not found in dictionaries; *kaṇḍana* is threshing, separating the chaff from the grain in a mortar. Cf. Hemādri’s *Caturvargacintāmaṇi* (PWK: 2, 8) (*Śiromaṇi* 1873: 1, 138: 21, citing the *Vāyupurāṇa*) : 28, 231
- chebulic myrobalan (*haritakī*) *Terminalia chebula* Retz. GVDB: 466 : 97, 117
- cherry (*elavālu*) *Prunus cerasus*, L.?. See BVDB 58, NK: 1, #2037, GVDB: 58 : 136
- chir pine (*sarala*) *Pinus roxburghii*, Sarg. GVDB: 423 : 67, 98
- chital deer (*prṣata*) *Axis axis*, Erxleben. See BIA: 292, IW: 93 : 121
- ‘choice tree’ (*varadāru*) unknown. See ? :
- chukar partridge (*cakora*) *Alectoris chukar*. See Woodcock 1980: 45 :
- cinnamon (*tvac*) *Cinnamomum cassia*, Blume. See NK: 1, #579 :
- citron (*mātuluṅga*) *Citrus medica*, Linn. GVDB: 276, 306. Also spelled *mātuliṅga*, *mātulaṅga*, *mātulāṅga* : 67, 96, 101, 102
- cluster fig (*udumbara*) *Ficus racemosa*, L. See ADPS: 487 :
- cobra’s saffron (*nāgapuṣpa*) → *nāgakeśara*. *Mesua ferrea*, L. See NK: 1, #1595, GVDB: 220 : 136
- common crane (*krauñca*) *Grus grus*. See Woodcock 1980: 47 :
- common mallow (*suvarcalā*) perhaps *Malva sylvestris*, L. A difficult plant to identify, see T. B. Singh and Chuneekar (GVDB: 280, 440–441) :
- common mallow (*sūryāvarta*) *Malva sylvestris*, L. *Cakrapāṇidatta* and *Ḍalhaṇa* identify it with *suvarcalā*, itself a difficult plant to identify. Perhaps *Helianthus*, see T. B. Singh and Chuneekar (GVDB: 280) :
- common smilax (*śvadamśtra*) *Smilax aspera* L., GVDB: 414 : 67
- corky coral tree (*pāribhadra*) *Erythrina suberosa* Roxb. See GVDB 245 : 140
- costus (*kuṣṭha*) *Saussurea costus*, Clarke. See NK: 1, #2239 : 90, 96, 118, 136, 141
- cottony jujube (*kākolī*) *Ziziphus mauritanica*, Lam. See IGP: 1233, NK: 1, #2663; IGP 1233. Cf. NK: 1, #1170 : 89, 95, 96, 164
- country mallow (*atibalā*) *Abutilon indicum*, (L.) Sweet, but may be other kinds of mallow, e.g., *Sida rhombifolia*, L.. See NK: 1, #11, IGP: 1080, NK: 1, #2300, ADPS: 71, 77 : 45, 95, 98, 173
- country sarsaparilla (*anantā*) *Hemidesmus indicus*, (L.) R. Br. See ADPS: 434, AVS: 3, 141–5, NK: 1, #1210. But see GVDB: 13 for complications that may suggest that it is to be equated with *sārivā*, which may sometimes be *Cryptolepis* or *Ichnocarpus frutescens* R. Rr. (GVDB: 429–431) : 45, 125, 135, 136, 140
- crape jasmine (*nata*) → crape jasmine GVDB: 215 : 223, 226
- crape jasmine (*tagara*) *Tabernaemontana divaricata* (L.) R.Br. ex Roem. & Schultes. See GJM1: 557, AVS: 5, 232. Synonym of crape jasmine. But some say *Valeriana jatamansi*, Jones See GVDB: 173–174 for discussion (and charming comments on brain liquid testing). Some say *tagara* is Indian rose-bay or Indian valerian, but there remain many historical questions about the ancient and regional identities of this plant See, e.g., AVS: 5, 334 : 90, 96, 118, 136, 223, 226
- crimson trumpet-flower tree (*pāṭalā*) *Stereospermum chelonides*, (L. f.) A. DC. See GJM1: 573, AVS: 5, 192 ff, ADPS: 362 f, AVS: 3, 1848 f, IGP 1120, Dymock: 3, 20 ff : 140, 225

- cucumber (*trapusa*) *Cucumis sativus*, L.
See [AVS](#): 2, 231, [NK](#): 1, #731:
- cuscus grass (*uśīra*) *Andropogon murcatus*, Retz. Also “vetiver grass.”
See [NK](#): 1, #180: 68, 118, 162
- datura (*dhattūra*) *Datura metel*, L. See
[AVS](#): 2, 305 (cf. *Abhidhānamañjarī*),
[NK](#): 1, #796 ff. [Potter_{rev}](#): 292 f,
[ADPS](#): 132: 42
- deodar (*bhadradāru*) *Cedrus deodara*,
(Roxb.ex D.Don) G. Don. See [AVS](#) 41,
[NK](#): 1, #516: 36, 95, 99, 136
- deodar (*devadāru*) *Cedrus deodara* (Roxb.)
Loud. [GVDB](#): 206–207: 67, 96, 173
- devil’s dung (*hiṅgu*) *Ferula foetida* Regel.,
[GVDB](#): 471–472: 68
- dhaman tree (*dhanvaṅga*) → dhammaṇa?
Grewia tiliifolia, Vahl. See
[AVS](#): 3, 104, [IK](#), [AVS](#): 1, 386, [IGP](#) 529
(*tiliifolia*):
- dried ginger (*śuṅṭhī*) *Zingiber officinale*,
Roscoe. See [ADPS](#): 50, [NK](#): 1, #2658,
[AVS](#): 5, 435, [IGP](#): 1232: 94
- dried meat (*vallūra*) [MW](#): 929,
[Mahākośa](#): 1, 730. The term is used,
rarely, in both the CS (1.5.10) and SS
(1.13. 16, 6.42.75–76). It is a Dravidian
loanword and occurs in the *Arthaśāstra*
etc. ([KEWA](#): 3, 167): 27
- drum-giver (?) (*lambaradā*) Unknown; cf.
[GVDB](#): 348: 125
- elixir salve (*rasāñjana*) → *añjana*. See
[Indian barberry](#): 36, 46
- embelia (*viḍaṅga*) *Embelia ribes*, Burm. f.
See [ADPS](#): 507, [AVS](#): 2, 368, [NK](#): 1,
#929, [Potter_{rev}](#): 113: 36, 67, 90, 136
- emblic (*āmalaka*) *Phyllanthus emblica*, L.
See [AVS](#): 4, 256: 67, 97, 98, 168
- emetic nut (*karaghāṭa*) Probably a synonym
for *karahāṭa* (*emetic nut*), q.v.,
[GVDB](#): 74: 224
- emetic nut (*karahāṭa*) *Randia dumetorum*,
Lamk. See [GVDB](#): 291–292 and [NK](#): 1,
#2091. T. B. Singh and Chuneekar
([GVDB](#): 74, 77–78) noted that it may be
a synonym for *karaghāṭa*, *emetic nut*,
and pointed rather to *Gardenia turgida*
Roxb. on the basis of local knowledge
in U. P.: 224, 228
- emetic nut (*madana*) *Randia dumetorum*,
Lamk. See [NK](#): 1, #2091: 116, 175
- false daisy (*bhṛṅga*) *Eclipta prostrata* (L.)
L. See [GVDB](#): 288: 67
- false daisy (*subhaṅgurā*) (*su*)*bhaṅgura* =
bhṛṅga? *Eclipta prostrata* (L.) L. See
[GVDB](#): 288: 124
- fermented rice-water (*dhānyāmla*) → *kāñjī*,
kāñjikā, *sauvīra*. [GVDB](#): 458, [NK](#): 2,
appendix VI, #18: 43, 44
- fern (*ajaruhā*) *Nephrodium* species
[GVDB](#): 7, uncertain. Perhaps
Christella dentata (Forssk.) Brownsey
& Jermy, which is reported to have folk
applications against skin diseases in
India: 120
- fire-flame bush (*dhātakī*) *Woodfordia*
fruticosa (L.) Kurz. See [AVS](#): 5, 412,
[NK](#): 1, #2626: 67, 117
- five roots (*pañcamūla*) Described at
Suśrutasaṃhitā 1.38.66–69
([Su](#) 1938: 169). There are two
pañcamūlas, the *laghupañcamūla* (the
lesser five roots) and *bṛhatpañcamūla*
(greater five roots), with differing
properties. Combined they are called
daśamūla (ten roots). See also
[Mahākośa](#): 1, 468: 67
- five-leaved chaste tree (*śephālikā*) *Vitex*
negundo, L. See [NK](#): 1, #2603 (cf. use
of leaves), [IGP](#): 1210a, [MW](#): 1088b:
- flame-of-the-forest (*palāśa*) *Butea*
monosperma (Lam.) Taub. [GVDB](#): 241.
pālāśa in some sources: 67, 92, 224
- flame-of-the-forest (*pālāśa*) See
[flame-of-the-forest](#) (*palāśa*). The variant
name with long initial vowel appears in
Nepalese manuscripts:
- flax (*atasī*) *Linum usitatissimum*, L. See
[NK](#)#1495: 95
- ‘foam-stone’ (*phenāśma*) unknown. See ?:

- fragrant lotus (*saugandhika*) A type of *kumuda* or *utpala* (GVDB: 457) : 27
- galangal (*galaṅgala*) *Alpinia galanga* (L.) Sw. Identified with **grey orchid** in Kerala (ADPS: 398). The name is borrowed from Chinese, perhaps via Persian or Arabic (Peter: 2, 304), and the name does not occur in early āyurvedic literature (GVDB) : 225
- galls (*karkaṭa*) *Rhus succedanea*, L. See NK: 1, #2136 :
- garden pea (*kalāya*) *Pisum sativum*, L. See AVS: 4, 308, IGP 901; cf. NK: 1, #1940 :
- garjan oil tree (*aśvakaṛṇa*) *Dipterocarpus turbinatus* Gaertn. f. See GVDB: 28, Chopra: 100 : 140
- 'gentle' (*somā*) *Ruta graveolens*, L., or *Sarcostemma brevistigma*, W & A, etc. See NK: 1, #2179, 2228; Potter_{rev}: 262 :
- giant potato (*kṣīravidārī*) possibly → *kṣīraśukla*. *Ipomoea mauritiana*, Jacq. See ADPS: 510, AVS: 3, 222, AVS: 3, 1717 ff: 95, 227, 229–231
- ginger (*mahaśadha*) *Zingiber officinale*, Roscoe. See ADPS: 50, NK: 1, #2658, IGP: 1232 : 121
- 'gladdener' (*nandana*) unknown. See ? :
- gold (*hema*) gold : 136
- gold and sarsaparilla (*surendragopa*) Unknown. Ḍalhaṇa on 5.3.15 (Su 1938: 568) glossed *surendra* as "gold" and *gopā* as "Indian sarsaparilla." He also noted other opinions that *surendra* was "Tellicherry bark" : 140
- golden shower tree (*rājadruma*) *rājadruma* = *āragvadha*. *Cassia fistula* L. See GVDB 37 : 140
- golden shower tree (*rājavarṇka*) → *rājadruma* = *āragvadha*. *Cassia fistula* L. See GVDB: 37 : 67
- golden shower tree (*āragvadha*) *Cassia fistula* L. See GVDB 37 : 97
- gourd (*alābu*) *Lagenaria siceraria* Standl. GVDB: 25. Some say *Lagenaria vulgaris*, Seringe (NK: 1, #1419) but this is not appropriate for blood-letting : 23, 24, 116
- greater five roots (*br̥hatpañcamūla*) Described at *Suśrutasaṃhitā* 1.38.68–69 (Su 1938: 169). Consists of **Bengal quince**, **migraine tree**, **Indian trumpet tree**, **crimson trumpet-flower tree**, and **white teak** : 224, 227, 233
- green gram (*māṣa*) *Vigna radiata* (L.) R. Wilcz. See ADPS: 296, IGP 1204 : 36, 95, 174
- grey orchid (*rāsnā*) *Vanda tessellata* (Roxb.) Hook. ex G.Don, usually. But *Pluchea lanceolata*, Oliver & Hiern, is a more common identification in Punjab and Gujarat (GVDB: 337–338); *Alpinia galanga* (L.) Sw. is more common in Kerala (ADPS: 398; Peter: 2, 303–318), though this is usually identified with **galangal**. As all authorities note, the identification of this plant is debated. Sivarajan and Balachandran (ADPS: 398–401) note that sources describe it as having leaves like cardamom and sweet-smelling roots and that "there is great confusion with regard to the identity of the drug." : 67, 94, 96, 225
- 'gutboiler' (*antrapācaka*) unknown. See ? :
- hairy bergenia (*pāṣāṇabheda*) *Bergenia ligulata* (Wall.) Engl. GVDB: 246–247 : 67
- halfa grass (*kuśa*) *Desmostachya bipinnata*, (L.) Stapf. GVDB: 111, AVS: 2, 326 : 95, 161
- hare foot uraria (*pr̥thakparṇī*) → **hare foot uraria** (*pr̥śniparṇī*) and ?? (*mūrvā*) GVDB: 257. A component of **lesser five roots** : 97, 228
- hare foot uraria (*pr̥śniparṇī*) → *sahā*? *Uraría lagopoides*, DC. and *U. picta* Desv. See GVDB: 257–258, GJM1: 577, Dymock: 1, 426, AVS: 1, 750 ff, NK: 1, #2542; ADPS: 382, AVS: 2, 319 and

- AVS: 4, 366 are confusing. Also called *pr̥thakparṇī*. A component of **lesser five roots**: 94, 95, 225
- heart-leaf sida (*balā*) *Sida cordifolia*, Linn. See ADPS: 71, NK: 1, #2297: 45, 95, 98, 100, 136, 173
- heart-leaved moonseed (*amṛtā*) → *guḍūcī*. *Tinospora cordifolia*, (Willd.) Hook.f. & Thoms.? See ADPS: 38, NK: 1, #2472, 624, Dastur #229: 118, 134
- heart-leaved moonseed (*guḍūcī*) *Tinospora cordifolia*, (Thunb.) Miers. ADPS: 38, NK: 1, #2472 & #624, Dastur #229, GVDB: 141–142. Also identified as *Cocculus cordifolius* DC. by Nadkarni (NK) and others (see also the **Tropicos botanical database**): 67, 96
- heart-leaved moonseed (*somavallī*) *Tinospora cordifolia* (Thunb.) Miers. GVDB: 456. Likely, but uncertain: 118
- heart-leaved moonseed creeper (*amṛtavallī*) See *amṛtā*: 173
- heliotrope (*hastisūṇḍa*) → *ibhagandhā*? *Heliotropium indicum*, L. See AVS: 3, 136, NK: 1, #1203:
- henna (*madayantikā*) *Lawsonia inermis*, L. See AVS: 3, 303, NK: 1, #1448, Potter_{rev}: 151: 119
- hill myna (*sārikā*) *Acridotheres tristis*, L., etc. See Ali #1006, Dave (1985: 28 ff.), Woodcock (1980: 119):
- Himalayan mayapple (*vakra*) *Podophyllum emodi*, Wall. (NK: #1971). But perhaps a synonym of **crape jasmine** and **crape jasmine** (GVDB: 354): 141
- Himalayan monkshood (*ativiṣā*) → *viṣā* *Aconitum heterophyllum* Wall. GVDB: 12, NK: 1, #39. Also “atis roots”: 87, 119, 121, 141
- Himalayan monkshood (*viṣā*) → *ativiṣā* GVDB: 12, 373: 230
- hogweed (*punarnavā*) *Boerhaavia diffusa*, L. See ADPS: 387, AVS: 1, 281, NK: 1, #363: 97, 119, 135
- Holostemma creeper (*jīvantī*) → *sūryavallī*? *Holostemma ada-kodien*, Schultes. See ADPS: 195, AVS: 3, 167, 169, NK: 1, #1242: 98, 230
- honey (*kṣaudra*) Eight varieties of honey are described in the SS (NK: 2, Appendix 192). *Kṣaudra* is the product of a small bee of tawny colour, called *kṣudra*: 103, 121
- horned pondweed (*śaivāla*) also *śaivāla*, *śevāra*. *Zannichellia palustris* L. The uncertainties of this identification are discussed by T. B. Singh and Chuneekar (GVDB: 409). Sometimes identified with **scutch grass** (*dūrvā*) (GVDB: 409). Identified as *Ceratophyllum demersum* Linn. (“hornwort”) by AVS: 2, 56–57x: 96, 226, 230
- hornwort (*jalanīlikā*) *Ceratophyllum demersum*, L. See AVS: 2, 56, IGP 232:
- hornwort (*jalaśūka*) → *jalanīlikā*. *Ceratophyllum demersum*, L. See AVS: 2, 56, IGP: 232. T. B. Singh and Chuneekar (GVDB: 166) suggest **horned pondweed**. Ḍalhaṇa noted on 1.16.19 (Su 1938: 79) that some people interpret it as a poisonous, hairy, air-breathing, underwater creature: 45
- horse gram (*kaulattha*) See **horse gram** (*kulattha*): 162
- horse gram (*kulattha*) *Macrotyloma uniflorum* (Lam.) Verdcourt, syn. *Dolichos biflorus*, L., D. *uniflorus*, Lam., GVDB: 109, Kew: sub *Macrotyloma uniflorum*: 99, 100, 226
- horseradish tree (*śigru*) *Moringa oleifera* Lam. See IGP 759, GJM1: 603, Dymock: 1, 396: 96, 97
- hyacinth bean (*śimbī*) *Dolichos lablab*, L. See NK: 1, #870:
- Indian antelope (*eṇa*) *Antelope cervicapra*, L. See BIA: 70:
- Indian barberry (*añjana*) → *rasāñjana*, *dāruharidrā*. *Berberis aristata*, DC. Dymock: 1, 65, NK: 1, #335, GJM1: 562, IGP: 141: 46, 120, 224

- Indian barberry (*dāruharidrā*) *Berberis aristata*, DC. See [Dymock](#): 1, 65, [NK](#): 1, #685, [GJM1](#): 562, [IGP](#) 141 : 135, 136, 227
- Indian barberry (*dārvi*) → [Indian barberry](#) (*dāruharidrā*) [GVDB](#): 203 : 169
- Indian barberry (*kālīyaka*) → *dāruharidrā*, *añjana*. *Berberis aristata*, DC. See [Dymock](#): 1, 65, [NK](#): 1, #685, [GJM1](#): 562, [IGP](#): 141 : 118
- Indian beech (*naktamāla*) *Pongamia pinnata*, (L.) Pierre. See [AVS](#): 4, 339, [NK](#): 1, #2003 : 36, 92
- Indian ipecac (*payasyā*) Uncertain. Possibly *Tylophora indica* (Burm.f.) Merr. Perhaps a synonym of [panacea twiner](#), [giant potato](#), [purple roscoe](#), and [plants like asthma plant and Gulf sandmat](#) ([GVDB](#): 237–238). Also “curds” when not a plant : 45, 96, 230
- Indian jujube (*sauvīra*) *Zizphus jujuba* Mill., [GVDB](#): 458, [MBG](#): sub jujuba :
- Indian jujube (*sauvīraka*) *Zizphus jujuba* Mill., [GVDB](#): 458, [MBG](#): sub jujuba : 95, 162
- Indian kudzu (*vidārī*) → *payasyā*. *Pueraria tuberosa* (Willd.) DC. See [ADPS](#): 510, [AVS](#): 1, 792 f, [AVS](#): 4, 391; not [Dymock](#): 1, 424 f. See [GJM2](#): 444, 451, [AVS](#): 1, 187, but [AVS](#): 3, 1719 = *Ipomoea mauritiana*, Jacq : 45, 67
- Indian laburnum (*śampāka*) *Cassia fistula*, L. See [ADPS](#): 48, [AVS](#): 2, 11 ff, [AVS](#): 2, 854, [IGP](#) 215 :
- Indian laurel (*plakṣa*) *Ficus microcarpa*, L. f. See [ADPS](#): 377 :
- Indian madder (*mañjiṣṭhā*) *Rubia cordifolia*, L. See [IGP](#), [Chopra](#): 215, [GVDB](#): 289 : 41, 136
- Indian mottled eel (*varmimatsya*) Almost certainly the mottled eel. [MW](#): 962c noted that the *varmi* fish “is commonly called *vāmi*.” The “vam fish,” or “বান মাই (*bān māch*)” in Bengal, is a marine and freshwater eel, *Anguilla bengalensis*. It is the most common eel in Indian inland waters and a prized food fish ([Froese and Pauly 2022](#)). However, some NIA languages identify the “vam” fish with the Indian Pike Conger, *Congresox talabonides* (Bleeker) (Talwar and Kacker 1984: 235, 236) : 25
- Indian mustard (*sarṣapa*) *Brassica juncea*, Czern. & Coss. See [AVS](#): 1, 301, [NK](#): 1, #378 : 28
- Indian pennywort (*maṇḍūkapaṇī*) *Centella asiatica* (L.) Urban. See [GVDB](#): 290, [ADPS](#): 289–291 :
- Indian sarsaparilla (*sārivā*) → *anantā*. *Hemidesmus indicus*, (L.) R. Br. [ADPS](#): 434, [AVS](#): 3, 141–5, [NK](#): 1, #1210; and black creeper, *pāṇḍī*. *Ichnocarpus frutescens*, (L.) R.Br. or *Cryptolepis buehneri*, Roemer & Schultes [AVS](#): 3, 141, 3.145, 3.203, [NK](#): 1, #1283, 1210, [ADPS](#): 434 : 135, 136, 225
- Indian snakeroot (*sarpagandhā*) *Rauvolfia serpentina*, (L.) Benth. ex Kurz. See [NK](#): 1, #2099, [ADPS](#): 439, [GVDB](#): 425; cf. SS 5.5.76–78 :
- Indian spinach (*pūtīkā*) *Basella alba*, L. See [NK](#): 1, #318 (*rubra*), [ADPS](#): 489, [AVS](#): 1, 253, [IGP](#) 129b :
- Indian trumpet tree (*śyonāka*) *Oroxylum indicum* (L.) Benth. ex Kurz. [GVDB](#): 172–173. A component of [greater five roots](#) : 227
- Indian trumpet tree (*tiṇṭuka*) → [Indian trumpet tree](#) (*śyonāka*). *Oroxylum indicum* (L.) Benth. ex Kurz. [GVDB](#): 172–173. A component of [greater five roots](#) : 225
- indigo (*nīlīmī*) *Indigofera tinctoria*, L. See [NK](#): 1, #1309 :
- Indrajao (*vṛkṣaka*) → *indrayava*, *indrabīja*, *kaliṅga*, and *kuṭaja*. *Holarrhena antidysenterica* Wall. [GVDB](#): 376, 45 and 84 : 173
- jackfruit (*panasa*) *Artocarpus heterophyllus*, Lam. See [NK](#): 1, #249, [IGP](#) 99 :

- jambul (*jambū*) *Syzygium cumini*, (L.) Skeels. See [ADPS](#): 188, [NK](#): 1, #967, [Potter_{rev}](#): 168, Wujastyk 2003a : 117, 168
- jasmine (*mālatī*) *Jasminium grandiflorum*, L. See [NK](#): 1, #1364 : 118
- jequirity (*guñjā*) *Abrus precatorius*, L. See [AVS](#): 1, 10, [NK](#): 1, #6, [Potter_{rev}](#): 168 : 124, 125
- jequirity (*kālakūṭa*) *Abrus precatorius*, L.? Cf. [RRS](#) 21.14. See [AVS](#): 1, 10, [NK](#): 1, #6, [Potter_{rev}](#): 168 :
- ‘juice-cooker’ (*sārapāka*) unknown. See ? : (?) (*karatā*) Not in [GVDB](#). Cf. perhaps *karahāṭa* (emetic nut) : 125
- khesari pea (*tripuṭa*) *tripuṭa* (kalāya). *Lathyrus sativus*, L. See [IGP](#) 651, [NK](#): 1, #1439 :
- koel (*kokila*) *Eudynamis scolopacea*. See Woodcock 1980: 66 :
- kumudvatī (*kumudvatī*) unknown. See ? :
- kutki (*ariṣṭā*) *Picrorhiza kurroa* Royle ex Benth. → *kaṭukā* (kutki) q.v. ([GVDB](#): 22–23) :
- kutki (*kaṭukā*) *Picrorhiza kurroa* Royle ex Benth. ([GVDB](#): 64–65) : 87, 103, 228
- lac (*jatu*) *Kerria lacca* (Kerr.). See <http://www.icar.org.in/ilri/default.htm> : ■
- lac (*lākṣā*) *Kerria lacca* (Kerr.). See [GJM1](#): 445, [NK](#): 2, #32. Watt ([WattComm](#): 1053–1066) is characteristically informative, and is definite about the antiquity of lac in India : 141
- lāmajja grass (*lāmajj*) *Andropogon iwarancusa*, Roxb. See [NK](#): 1, #176 :
- lāmajja grass (*uśīrabheda*) → *lāmajja*. *Andropogon iwarancusa*, Roxb. See [NK](#): 1, #176 :
- leadwort (*agniśikhā*) *Plumbago zeylanica* (or *rosea*?), L. See [NK](#): 1, #1966, 1967 : 228
- leadwort (*citraka*) *Plumbago zeylanica* (or *indica*?), L. See [RĀ](#). 6.124, [ADPS](#): 119, [NK](#): 1, #1966, 1967 : 36, 68, 87, 92, 102
- leadwort (*pālaka*) → *citraka*. *Plumbago zeylanica* (*indica*? *rosea*?), L. See [RĀ](#). 6.124, [ADPS](#): 1, 119, [NK](#): 1, #1966, 1967 :
- leadwort (*vidyutsikhā*) Synonym of *agniśikhā* (leadwort), q.v. : 125
- lesser five roots (*laghupañcamūla*) Described at *Suśrutasamhitā* 1.38.66–67 ([Su](#) 1938: 169). Consists of bull’s head, poison berry, yellow-fruit nightshade, hare foot *uraria*, and beggarweed : 222, 224–226, 233, 235
- liquorice (?) (*klītaka*) *Glycyrrhiza glabra*, L.? [GVDB](#): 123–124 discuss the many difficulties in identifying this plant : 124
- liquorice (*madhuka*) see *yaṣṭīmadhuka* : 45, 67, 94–99, 101, 121, 134, 136, 169
- liquorice (*yaṣṭīmadhuka*) *Glycyrrhiza glabra*, L. [AVS](#): 3, 84, [NK](#): 1, #1136, [GVDB](#): 329 f. : 46
- ‘little bamboo’ (*veṇukā*) *Bambusa bambos*, Druce?. See [NK](#): 1, #307 :
- lodh tree (*lodhra*) *Symplocos racemosa*, Roxb. See [GJM1](#): 597, [ADPS](#): 279 f, [NK](#): 1, #2420. T. B. Singh and Chuneekar ([GVDB](#): 351–352) notes that there are two varieties, *S. racemosa*, qualified as *sāvāra*, and *S. crataegoides* Buch.-Ham. for *paṭṭikā lodhra* : 36, 136, 169
- lodh tree (*rodhra*) *Symplocos racemosa*, Roxb. See [ADPS](#): 279, [NK](#): 1, #2420 :
- lodh tree (*śāvāra*) → *lodhra*. *Symplocos racemosa*, Roxb. See [ADPS](#): 279, [NK](#): 1, #2420 :
- long pepper (*māgadha*) *Piper longum*, L. See [NK](#): 1, #1928; but cf. [AVS](#): 3, 245 : 120
- long pepper (*pippalī*) *Piper longum*, L. See [ADPS](#): 374, [NK](#): 1, #1928 : 67, 92, 97, 101–103, 121, 136, 168, 173
- lotus (*nalina*) → sacred lotus (*kamala*) [GVDB](#): 218 : 168, 169
- lotus stalk (*mṛṇāla*) “Leaf stalk of sacred lotus” [GVDB](#): 318 : 96
- luffa (*garāgarī*) → gargaraka? *Luffa echinata*, Roxb. See [NK](#): 1, #1517 :

- luffa (*koṣātaka*) = *koṣītakī*, *luffa* :
 luffa (*koṣātakya*) *Luffa cylindrica*, (L.) M. J. Roem. or *L. acutangula*, (L.) Roxb. See [ADPS](#): 252, [NK](#): 1, #1514 etc :
 luffa (*koṣītakī*) = *koṣātakī*. *Luffa cylindrica*, (L.) M. J. Roem. or *L. acutangula*, (L.) Roxb. [ADPS](#): 252–253, [NK](#): 1, #1514 etc. [GVDB](#): 121 : [116](#), [134](#), [229](#)
 luffa gourd (*koṣavatī*) = *koṣītakī*, *luffa* : [134](#)
 mahua (*madhūka*) *Madhuca longifolia*, (Koenig) Macbride. See [AVS](#): 3, 362 f : [67](#)
 maidenhair fern (*haṃsāhvayā*) *Adiantum lunulatum* Burm f. [GVDB](#): 463 : [173](#)
 Malay beechwood (*śrīparṇī*) → *kāśmarī*. *Gmelina arborea* Linn., [GVDB](#): 412, 96–97 : [67](#)
 mango (*āmra*) *Mangifera indica* Linn. [GVDB](#): 37 : [117](#), [168](#)
 marking-nut tree (*aruṣkara*) *Semecarpus anacardium* L. See *bhallātaka* ([marking-nut tree](#)) : [125](#)
 marking-nut tree (*bhallātaka*) *Semecarpus anacardium*, L. See [NK](#): 1, #2269, [AVS](#): 5, 98 : [92](#), [120](#), [229](#)
 medhshingi (*viṣayā2*) *Dolichandrone falcata* (DC.) The *Sauśrutaniḥaṇṭu* gives a number of synonyms for *viṣayā* (Suvedī and Tīvārī 2000: 5.77, 10.143). But one of them, *viṣāṇī* (also *meṣaśṛṅgī*), is sometimes equated with *Dolichandrone falcata* (DC.) Seemann ([ADPS](#): 518; [GVDB](#): 373 f, a plant used as an abortifacient and fish poison ([NK](#): #862) : [125](#)
 Midday flower (*bandhūka*) *Pentapetes phoenicea*, L. See [NK](#): 1, #1836, [GVDB](#): 268 :
 migraine tree (*agnimantha*) *Premna corymbosa*, Rottl. See [AVS](#) 1927, [ADPS](#): 21, [NK](#): 1, #2025, [AVS](#): 4, 348; [GJM1](#): 523 : = *P. integrifolia/serratifolia*, L : [134](#), [225](#)
 milk-white (*kṣīraśuklā*) An unidentified plant. [GVDB](#): 126: see [purple roscoe](#)a
 and [giant potato](#) : [45](#), [231](#)
 mongoose (*nakula*) *Urva edwardsii* or the often sympatric *U. auropunctatus* (small Indian mongoose, usually an eater of smaller creatures than snakes) ([BIA](#): ch. 5), On mongooses and snakes, see [BIA](#): 98–99; [IW](#): 112 : [121](#)
 monitor lizard (*godhā*) *Varanus bengalensis*, Schneider. See [Reptiles](#): 58 : [45](#), [121](#)
 monkey jack (*lakuca*) *Artocarpus lakoocha*, Roxb. ex Buch.-Ham. See [GJM1](#): 597, [IGP](#) 99, [IPM](#) 3.2338f., pace [AVS](#): 1, 215 : ‘muddy’ (*kardama*) unknown. See ? :
 mung beans (*mudga*) *Phaseolus radiatus* L. [GVDB](#): 310–311 : [95](#), [98](#), [175](#)
 mung beans (*māṣaka*) *Phaseolus mungo* Linn. [GVDB](#): 308 : [118](#)
 munj grass (*nārācaka*) *Saccharum bengalense*, Retz.?. See [NK](#): 1, #2184 :
 myrobalan (*abhayā*) *Terminalia chebula*, Retz. See [ADPS](#): 172, [NK](#): 1, #2451, [Potter_{rev}](#): 214 : [87](#), [134](#), [141](#)
 myrobalans (*pathyā*) *Terminalia chebula* Retz. See [NK](#): 1, #2451 : [168](#)
 natron (*suvarcikā*) Sodium carbonate. [NK](#): 2, #45. Ḍalhaṇa identifies *suvarcikā* with svarjikṣāra 4.8.50 ([Su 1938](#): 441) : [102](#), [136](#)
 neem tree (*nimba*) *Azadirachta indica* A. Juss. [GVDB](#): 226 : [42](#), [173](#)
 nutgrass (*kuruvinda*) Unknown. Ḍalhaṇa on 5.3.15 ([Su 1938](#): 568) glossed the term as *nutgrass*, but noted other opinions that it was a whetstone or a very special metallic gem. T. B. Singh and Chuneekar ([GVDB](#): 108) added that it could be a variety of rice, *ṣaṣṭika dhānya* : [140](#)
 nutgrass (*mustaka*) *Cyperus rotundus*, L. See [ADPS](#): 316, [AVS](#): 2, 296, [NK](#): 1, #782 :
 nutgrass (*mustā*) *Cyperus rotundus*, L. See [ADPS](#): 316, [AVS](#): 2, 296, [NK](#): 1, #782 :

- 229
oleander spurge (*snuhī*) Euphorbia neriifolia, L., or E. antiquorum, L. See ADPS: 448, AVS: 2, 388, AVS: 3, 1, NK: 1, #988, IGP 457b:
orchid tree (*kovidāra*) Bauhinia purpurea Linn. or B. variegata Linn. (probably the former), GVDB: 120, AVS: 1, 256–260: 162
orpiment (*haritāla*) Arsenii trisulphidum. See NK v. 2, p. 20 ff:
panacea twiner (*arkaparnī*) See *arkapuspi*, panacea twiner:
panacea twiner (*arkapuspi*) → *arkaparnī*, Tylophora indica (Burm. f.) Merr. GVDB: 23–24. Maybe identical to Indian ipecac, giant potato and similar sweet, milky plants. See GVDB: 24, 127, 238, 441, 443 for discussion. For discussion in the context of Holostemma creeper, see ADPS: 195 and AVS: 3, 171. The etymology of the name suggests Helianthus annuus Linn., but this plant is native to the Americas: 135, 227, 230
parakeet (*śuka*) Psittacula krameri/eupatria/cyanocephala. See Woodcock 1980: 64:
peacock (*mayūra*) Pavo cristatus. See Woodcock 1980: 39:
peas (*hareṇu*) hareṇu = satīna. Pisum sativum, L. T. B. Singh and Chuneekar (GVDB: 419–420, 467–468) notes that two plants are usually meant under this name, but there is no agreement on the identity of the second: 96, 135, 136, 141, 168
peepul tree (*aśvattha*) Ficus religiosa, L. See ADPS: 63: 143
'pendent' (*lambā*) unknown. GVDB: 348. Known only from *Suśrutasaṃhitā* 5.2.5. Identified by Monier-Williams et al. (MW: 897) on no sound basis as "a kind of bitter gourd or cucumber":
periploca of the woods (*meṣaśṛṅga*) Gymnema sylvestre (Retz.) R. Br. See AVS: 3, 107, NK: 1, #1173: 120
phalsa (*parūṣaka*) Grewia asiatica Linn., GVDB: 238: 68
pheasant peacock (*jīvajīvaka*) jīvajīvaka. ?. See ?:
plants like asthma plant and Gulf sandmat (*kṣīrīṇī*) various milky plants, perhaps including Euphorbia hirta Linn. (asthma plant) and E. microphylla Heyne (Gulf sandmat) (GVDB: 127): 227
plumed cockscomb (*indīvara*) Uncertain; possibly Celosia argentea Linn. But see the useful discussion in GVDB: 44–45. Possibly another name for thorn apple (*karambha*), q.v.: 233
pointed gourd (*paṭola*) Trichosanthes dioica, Roxb. GVDB: 232–233: 96, 134
poison berry (*brhatī*) Solanum violaceum, Ortega. See ADPS: 100, NK: 1, #2329, AVS: 5, 151: 92, 97, 135, 136, 228
poison-altar (?) (*viṣavedikā*) Unknown. Possibly, at a guess, *viṣamuṣṭika* (strychnine tree)? GVDB: 373 Or *viṣā* (Himalayan monkshood): 125
pomegranate (*dāḍima*) Punica granatum Linn. GVDB: 201–202: 67, 101, 102
pondweed (*paripelavā*) Normally a neuter noun. T. B. Singh and Chuneekar (GVDB: 238, 264–265, 409) argued that *plava* and *śaivāla* are the same thing, and may be either Zannichellia palustris, L., or Potamogeton pectinatus, L.: 136
pondweed (*śevāla*) Zannichellia palustris L. See horned pondweed: 27
portia tree (*pārīṣa*) Thespesia populnea (L.) Sol. ex. Corr. See ADPS: 352:
prickly chaff-flower (*apāmārga*) Achyranthes aspera, L. See GJM1: 524 f, AVS: 1, 39, ADPS: 44 f, AVS: 3, 2066 f, Dymock: 3, 135: 41, 45, 95, 231
prickly chaff-flower (*vasira*) also *vaśira*. Perhaps Achyranthes aspera, L. GVDB: 362 describes several possible

- identities, including *sūryāvarta*, [prickly chaff-flower](#) and *markaṭaṭṛṇa*. See also *vasukavasira* (GVDB: 363) : [67](#), [231](#)
- prickly chaff-flower (*vaśira*) See [prickly chaff-flower](#) :
- prickly-leaved elephant's foot (*gojihvā*) → *gojī*. Elephantopus scaber, L. See [AVS](#): 2, 357 :
- purging nut (*dravantī*) → *mūṣikaparnī*. *Jatropha curcas*, L. See [AVS](#): 3, 261, [NK](#): 1, #1374 :
- purging nut (*mūṣikā*) *Jatropha curcas*, L. See [AVS](#): 3, 261, [NK](#): 1, #1374 : [120](#)
- purple calotropis (*arka*) *Calotropis gigantea*, (L.) R. Br. See [ADPS](#): 52, [AVS](#): 1, 341, [NK](#): 1, #427, [Potter_{rev}](#): 57, [Chopra IDG](#): 305–308 : [36](#), [45](#), [92](#), [162](#)
- purple calotropis (*khadyotaka*) → *arka*? *Calotropis gigantea*, (L.) R. Br. See [ADPS](#): 52, [AVS](#): 1, 341, [NK](#): 1, #427, [Potter_{rev}](#): 63 :
- purple roscoeia (*kṣīrakākolī*) [GVDB](#): 89 notes that many physicians use *Roscoeia procera* Wall. in this context. But the identification is uncertain. Possibly connected to [milk-white](#) or [giant potato](#) : [95](#), [227](#), [229](#)
- racket-tailed drongo (*bhṛṅgarāja*) *Dicrurus paradiseus*. See Woodcock [1980](#): 123 :
- radish (*mūlaka*) *Raphanus sativus*, L. See [NK](#): 1, #2098 : [99](#), [100](#)
- rajmahal hemp (*morāṭa*) → *mūrvī*, *Marsdenia tenacissima* (Roxb.) Wight et Arn. Good discussion at [GVDB](#): 314–316, 324 : [134](#)
- rajmahal hemp (*mūrvī*) → *morāṭa*, *Marsdenia tenacissima* (Roxb.) Wight et Arn. Good discussion at [GVDB](#): 314–316, 324 :
- rattan (*vetra*) *Calamus rotang*, L. See [AVS](#): 1, 330, [NK](#): 1, #413 :
- red chalk (*gairika*) *gairika* : [136](#)
- red gourd (*bimbī*) *Coccinia indica*, W. & A. See PVS 1994.4.715; [NK](#): 1, #534 : [116](#)
- ribbed gourd (*karkoṭaka*) *Luffa acutangula*, (L.) Roxb.? (*Mormodica cochinchinensis*, Spreng.? Cf. *Luffa tuberosa*). See [AVS](#): 3, 347 ([NK](#): 1, #1640 1643; [NK](#): 1, #1520) :
- rice grains (*taṇḍula*) *Oriza sativa*, Linn. Same as [unhusked rice](#) (*śālī*) [GVDB](#): 174; or just "grains" : [28](#)
- rice-grain chaff (*śālitaṇḍulakāṇḍana*) See [chaff](#) : [28](#)
- rock salt (*saindhava*) See [NK](#): 2, M#48, [Watt_{Comm}](#): 963–971 : [28](#), [67](#), [102](#)
- rosha grass (*dhyāmaka*) *Cymbopogon martinii* (Roxb.) Wats. See [AVS](#): 2, 285, [NK](#): 1, #177 : [136](#)
- sacred lotus (*kamala*) *Nelumbo nucifera* Gaertn., [GVDB](#): 73–74 : [228](#)
- sacred lotus (*padma*) *Nelumbo nucifera*, Gaertn. See [NK](#): 1, #1698 : [27](#), [96](#), [118](#)
- sacred lotus (*prapuṇḍarīka*) *Nelumbo nucifera*, Gaertn. See Dutt 110, [NK](#): 1, #1698 :
- sage-leaved alangium (*aikolla*) *Alangium salvifolium* (Linn. f.) Wang. [GVDB](#): 5–6 : [117](#)
- sage-leaved alangium (*aikoṭa*) *Alangium salvifolium*, (L. f.) Wang. See [AVS](#): 1, 77; cf. [NK](#): 1, #88 :
- sal (*śālasāra*) → ?? (*śāla*) :
- sal group of trees (*śālasārādi*) *śālasārādi* is a group (*gaṇa*) of twenty-three trees listed at 1.38.8–9 ([Su 1938](#): 165), [Mahākośa](#): 1, 898 : [67](#)
- sal tree (*śālā*) *Shorea robusta*, Gaertn.f. See [AVS](#): 5, 124 : [168](#)
- sandalwood (*candana*) *Santalum album*, L. See [ADPS](#): 111, [NK](#): 1, #2217 : [96](#), [98](#), [136](#), [162](#)
- sappan wood (*pataṅga*) *Caesalpinia sappan*, L. See [AVS](#): 1, 323, [AVS](#): 2, 847 f :
- sappanwood (*pattāṅga*) Also *pattāṅga*. *Caesalpinia sappan*, L. [AVS](#): 1, 323, [K&B](#): 2, 847 f, [GVDB](#): 234 : [46](#)
- scaly, red-streaked fish (*cilicima*) An unidentified fish that is absolutely not

- to be eaten with milk. Described in Bhela (1.12.7), Caraka (1.26.83) and Suśruta (1.20.8, 13). Circular, red streaks, round eyes and prominent scales, and "normally goes on land." : scarlet mallow (*bandhujīva*) *Pentapetes phoenicea*, L. NK: #1836, GVDB: 268 : 119
- scented pavonia (*bālaka*) *Pavonia odorata*, Willd. See ADPS: 498, NK: 1, #1822 : 136
- scented pavonia (*toya*) → *bālaka*? *Pavonia odorata*, Willd. ADPS: 498, NK: 1, #1822 :
- scramberry (*tālīśa*) T. B. Singh and Chunekar (GVDB: 179, 458–459) discusses the several identifications and regional differences in identifying this plant. *Taxus baccata* Linn. is a common candidate, as is *Flacourtia jangomas* (Lour.) Raeusch. (scramberry) : 96, 169
- scutch grass (*dūrvā*) *Cynodon dactylon* (Linn.) Pers. (GVDB: 205) : 226
- selu plum (*śelu*) *Cordia myxa*, L. non Forssk. See GJM1: 529 (2), IGP: 291b, cf. AVS: 3, 1677 f; cf. AVS: 2, 180 (C. *dichotoma*, Forst.f.), NK: 1, #672 (C. *latifolia*, Roxb.) : 97, 134
- sesame (*tila*) *Sesamum indicum* L. GVDB: 183 :
- sesame oil (*taila*) *Sesamum indicum* L. GVDB: 183 : 45, 162
- sheep (*urabhra*) *Ovis orientalis*, Gmelin?. See BIA 249 :
- silk-cotton tree (*śālmālī*) *Bombax malabarica*. See Issar: 152 :
- siris (*śirīśa*) *Albizia lebbeck*, Benth. See AVS: 1, 81, NK: 1, #91, GVDB: 399–400. Cf. white siris : 134, 162, 168, 234
- siris seeds (*śirīśamāśaka*) *Albizia lebbeck*, Benth. See AVS: 1, 81, NK: 1, #91 : 117
- small-flowered crape myrtle (*sidhraka*) *Lagerstroemia parviflora* Roxb. See GVDB: 432 : 140
- 'snake mallow' (*mahābalā*) → *sahadevā*. *Sida spinosa*, L. See NK: 1, #2301, ADPS: 74, Index Kewensis :
- 'snake-killer' (*sarpaghātī*) unknown. See ? :
- snakeroot (*sugandhā*) → *sarpagandhā* *Rauvolfia serpentina* Benth. ex. Kurz. See *sarpagandhā*. But may be *Aristolochia indica* Linn. Has been identified with *nākulī*, or *gandhanākulī*. See (GVDB: 219, 436) : 124
- soda crystals (*suvarjikā*) Sodium carbonate. See NK: 2, #45 :
- spiked ginger lily (*śaṭī*) *Hedychium spicatum* Sm. in A. Rees, GVDB: 386–387. Also sometimes *śaṭhī* :
- spikenard (*jaṭāmāmsī*) *Nardostachys jatamansi* DC GVDB: 163, etc :
- spikenard (*māmsī*) *Nardostachys grandiflora*, DC. See NK: 1, #1691 : 136
- spikenard (*nalada*) → *māmsī*. *Nardostachys grandiflora*, DC. See NK: 1, #1691 : 115
- spiny bitter cucumber (*karkārūka*) *Momordica cochinchinensis* (Lour.) Spreng., (Thunb.) Cogn. See AVS: 2, 1135, IGP 754 (or Beninkasa *hispida*? AVS: 2, 1127; cf. AVS: 1, 261) :
- strychnine tree (*viśamuṣṭika*) *Strychnos nux vomica* Linn. GVDB: 373 : 230
- sugar (*sitā*) Ḍalhaṇa makes this equation at 1.37.25 (Su 1938: 162) : 136
- sugar (*śarkara*) *Saccharum officinarum*, Linn. NK: #2182 : 121
- sugar cane (*ikṣu*) *Saccharum officinarum*, Linn. NK: #2182 : 121
- sunflower (*sūryavallī*) → *ādityavallī*, *sūryamukhī*, *Helianthus annuus* Linn. GVDB: 35, 443 : 134
- swan (*haṃsa*) *haṃsa* ?. See ? :
- sweet flag (*vacā*) *Acorus calamus* Linn. See GVDB: 352–355 : 95, 102
- sweet melon (*ervārūka*) *Cucumis melo*, L. See AVS: 2, 227; AVS: 2, 1140–3, IGP 325–6, NK: 1, #729 (C. *momordica*) :
- sweet plants (*madhuravarga*) The sweet plants are enumerated at

- Suśrutasaṃhitā* 1.42.11. See also
GVDB: 127 : 45
- sweet-scented oleander (*aśvamāra*) Nerium
oleander, L. See ADPS: 223, NK: 1,
#1709 :
- sweet-scented oleander (*aśvamāraka*)
Nerium oleander, L. See ADPS: 223,
NK: 1, #1709 : 124
- teak (*śāka*) Tectona grandis, L.f. See
AVS: 5, 245, (MW: 1061) :
- Tellicherry bark (*kuṭāja*) Holarrhena
pubescens Wall. ex G.Don, with
Wrightia tinctoria and W. arborea
considered GVDB: 101–102,
ADPS: 267–270 : 92, 225
- ten roots (*daśamūla*) Described at
Suśrutasaṃhitā 1.38.70–71 (Su 1938: 169)
as a combination of the lesser five roots
and the greater five roots : 224
- thorn apple (*karambha*) Datura metel, L.
See GVDB: 76 for useful discussion.
Also, AVS: 2, 305 (cf.
Abhidhānamāñjarī), NK: 1, #796 ff.
Potter_{rev.}: 292 f, ADPS: 132. Possibly the
same plant as plumed cockscomb
(*indīvara*) (GVDB: 76, 44–45) : 125,
222, 230
- three heating spices (*tryūṣaṇa*) śuṇṭhī
(Dried ginger) Zingiber officinale,
Roscoe. ADPS: 50, NK: 1, #2658,
AVS: 5, 435, IGP 1232, pippalī (long
pepper) Piper longum, L. ADPS: 374,
NK: 1, #1928, and marica (black
pepper) Piper nigrum, L. ADPS: 294,
NK: 1, #1929 : 135
- three-leaf soapberry (*ariṣṭaka*) Sapindus
trifoliatus L. (GVDB: 22) :
- three-leaved caper (*varuṇa*) Crataeva
magna (Lour.) DC. See AVS: 2, 202; cf.
NK: 1, #696 : 120
- top layer of fermented liquor (*surāmaṇḍa*)
K&B: 2, 502, NK: 2, appendix VI, #49,
McHugh 2021: 39 : 43, 44
- tree cotton (*kārpāsa*) G. arboreum L.
ADPS: 231. Pace the identifications of
T. B. Singh and Chuneekar (GVDB: 92,
247), since G. barbadense L. is native to
South America and G. herbaceum L.
which is native to Africa : 42, 233
- tree cotton (*picu*) See tree cotton (*kārpāsa*) :
44, 46
- turmeric (*gaūrī*) Curcuma longa, L. See
ADPS: 169, AVS: 2, 259, NK: 1, #750 : 96
- turmeric (*haridrā*) Curcuma longa Linn.
GVDB: 465 : 97, 135, 141
- turmeric (*rajanī*) Curcuma longa, L.
ADPS: 169, AVS: 2, 259, NK: 1, #750 :
28, 136
- turpeth (*trivṛt*) → *trvṛtā*. Operculina
turpethum (Linn.) Silva Manso =
Ipomoea turpethum R. Br. GVDB: 197 :
90, 121, 175, 222
- two kinds of salt (*vasukavasira*) See the
discussion by T. B. Singh and Chuneekar
(GVDB: 362–363), who note that when
vasuka is mentioned together with
vasira, two varieties of salt are often
meant (see *vasukavasirā*) : 67
- unhusked rice (*śālī*) Oriza sativa, Linn.
GVDB: 395–396 : 28, 231
- various kinds of honey (*madhuvarga*)
Suśrutasaṃhitā's eight categories of
honey. See *Suśrutasaṃhitā* 1.45.132 and
Dutt: 278–279 :
- velvet bean (*svayaṃguptā*) Mucuna
pruriens DC., GVDB: 461 :
- velvet-leaf (*pāṭhā*) Cissampelos pariera, L.
See ADPS: 366, NK: 1, #592, GJM1: 573,
AVS: 1, 95; cf. AVS: 2, 277 : 36, 87,
102, 134
- velvet-mite (*indragopa*) Kerria lacca
(Kerr.). Lienhard 1978 : 116
- verbena (*bhārīgī*) → *phañjī*.
Clerodendrum serratum, L. See
AVS: 2, 121, ADPS: 87 :
- verbena (*phañjī*) Clerodendrum serratum,
L. See AVS: 2, 121, ADPS: 87 : 119
- 'Virāṭa's plant' (*vairāṭaka*) unknown. See ? :
watered buttermilk (*udaśvit*) MW: 183 : 116
- watermelon (*kāṇḍaka*) Citrullus lanatus

- (Thumnb.) Matsum & Nak. See [IGP](#) 257, [NK](#): 1, #596, [AVS](#): 2, 1149:
- weaver's beam tree (*muṣkaka*) Schrebera swietenoides, Roxb. See [AVS](#): 5, 88, Lord, [NK](#): 1, #2246: [92](#), [140](#)
- 'web-milk' (*jālakṣīri*) unknown. See ?:
- wheat (*godhūma*) Triticum vulgare, L. See [HK](#): 744:
- white babool (*arimeda*) Acacia leucophloea, (Roxb.) Willd. See [AVS](#): 1, 23: [36](#)
- white calotropis (*alarka*) Calotropis procera, (Ait.) R. Br. See [NK](#): 1, #428, [Chopra](#): 46b, [Chopra IDG](#): 305–308: [45](#)
- white clitoria (*Xsitā*) Possibly → [white clitoria](#)? Clitoria ternatea, L. See [AVS](#): 2, 129, [NK](#): 1, #621:
- white clitoria (*giryāhvā*) → *śvetā*. Clitoria ternatea, L. See [AVS](#): 2, 129, [NK](#): 1, #621:
- white clitoria (*śvetā*) → *giryāhvā*. Clitoria ternatea, L. See [AVS](#): 2, 129, [NK](#): 1, #621: [118](#), [234](#)
- white cutch tree (*somavalka*) Acacia polyacantha, Willd. See [AVS](#): 1, 30, [IGP](#) 7, [GJM1](#): 602, [AVS](#): 2, 935; *pace* [NK](#): 1, #1038: [119](#), [140](#)
- white dammer tree (*sarja*) Vateria indica, L. See [NK](#): 1, #2571, [AVS](#): 5, 349 f, [AVS](#): 1, 292 f, [Chopra](#): 253a: [36](#), [67](#)
- white siris (*kaṭabhī*) Albizia procera (Roxb.) Benth. or A. lebbeck (Linn.) Benth. [GVDB](#): 63–64, [AVS](#): 1, 81–84. Cf. *siris*: [162](#), [232](#)
- white siris (*kiṇihī*) Albizia procera, (Roxb.) Benth. See [GVDB](#) 98, [NK](#): 1, #93: [135](#)
- white teak (*kārśmarī*) → *kāśmarī*: [169](#)
- white teak (*kāśmaryā*) → *kāśmarī*: [67](#)
- white teak (*kāśmarī*) → *kāśmarya*, *kārśmarī*, *madhuparṇī*. Gmelina arborea, Roxb. See [GJM1](#): 543, [Trees](#): 51, [ADPS](#): 240: [96](#), [98](#), [225](#)
- white teak (*madhuparṇī*) → *kāśmarī*: [67](#)
- white water-lily (*kumuda*) Nymphaea alba, Linn. [GVDB](#): 105: [27](#)
- wild asparagus (*bahuputrā*) → *nandana*? Asparagus racemosus, Willd. See further [wild asparagus](#) (*śatāvarī*): [119](#)
- wild asparagus (*śatāvarī*) Asparagus racemosus, Willd. See [ADPS](#): 441, [AVS](#): 1, 218, [NK](#): 1, #264, [IGP](#): 103, [AVS](#): 4, 249 ff, [Dymock](#): 3, 482 ff: [94–96](#), [98](#), [174](#), [234](#)
- wild celery (*agnika*) → may be *bhallātaka*, *lāṅgalī*, *ajamodā*, *moraṭa*, or *agnimantha*, [GVDB](#): 4. Uncertain: [134](#)
- wild celery (*ajamodā*) Apium graveolens, L.: [134](#)
- wild chinchona (*kādamba*) Anthocephalus cadamba, Miq. See [NK](#): 1, #204:
- wild mustard (*saurīyaka*) Cleome viscosa, L.? (cf. *Rā.4.144*). See [AVS](#): 2, 116, [NK](#): 1, #615:
- wild sugar cane (*kāṇḍekṣu*) Saccharum spontaneum L., [GVDB](#): 90: [67](#)
- Withania (*aśvagandhā*) Withania somnifera (L.) Dunal. See [AVS](#): 5, 409 f, [Dymock](#): 2, 566 f., Chevallier 150: [45](#), [91](#), [97](#)
- wolfsbane (*vatsanābha*) Aconitum napellus, L. See [AVS](#): 1, 47, [NK](#): 1, #42, [Potter_{rev}](#): 4 f. Or Aconitum chasmanthum Stapf ex Holmes, [GVDB](#): 357: [221](#)
- wood apple (*kapittha*) Limonia acidissima, L. See [AVS](#): 3, 327, [NK](#): 1, #1021: [97](#), [118](#), [120](#), [168](#)
- woodrose (*mūṣikakarṇī*) Jatopha curcas, L. [AVS](#): 3, 261, [NK](#): 1, #1374. [GVDB](#): 317; [ADPS](#): 23–25 discuss this issue well: [118](#)
- woodworm (*ghuṇa*) See [note to Atharvaveda](#) 4.16:
- yellow-berried nightshade (*kṣudrā*) Solanum virginianum, L. See [ADPS](#): 100, [NK](#): 1, #2329, [AVS](#): 5, 164: [135](#), [136](#)
- yellow-fruit nightshade (*kaṇṭakārī*) Solanum virginianum L. (also called Solanthum xanthocarpum, Schrad. & Wendl.) [GVDB](#): 68–69. A component of [lesser five roots](#): [228](#)

Glossary

- √*pīḍ* - pain: 158
 √*śodh* - purge: 163
 √*ūh* - propelled: 158
 'angry beetles' - *toṭaka*: 138
 'bellied' - *kukṣita*: 139
 'cook-fish' - *pākamatsya*: 138
 'darts' - *śārikā*: 139
 'earth scorpions' - *viśvambhara*: 139
 'flat insects' - *piccitā*: 138
 'lids' - *śārava*: 139
 'liquors' - *medaka*: 139
 'orange-dwellers' - *kaṣāyavāsika*: 138
 'pepper snakes' - *saṣapaka*: 138
 'poisonous snakes' - *pracalāka*: 138
 'pot insects' - *kaunḍinya*: 138
 'speckle-heads' - *citraśīrṣa*: 139
 'wing-scorpions' - *patravṛścika*: 139
 'wood-enemies' - *dārukāri*: 139

 abdominal lump - *gulma*: 188
abhayā - chebulic myrobalan: 172
abhramukta - free from clouds: 178
abhyaṅga - massage oil: 114, 120 - oil
 massage: 118
abīja - seedless: 66
ācamana - lavagas: 68
ācāra - regimen: 15
ācārika - medical advice: 44
 accents - *svara*: 162
 accumulation - *samudāya*: 41 - *sañcaya*: 16
Aconite - *hālāhala*: 130
ādarśamaṇḍala - the mirror ring: 152
adhikaraṇa - topic: 172f
adhimantha - irritation: 180
adhiṣṭhāna - base, foundation: 137
 - carriers: 137 - located: 15
ādhmāna - distension: 129 - tympanites:
 62
ādhmāta - swollen: 156
adhodṛṣṭitva - downward vision: 180
adhyāya - sections: 18
 afflicted - *upasṛṣṭa*: 66
 affliction - *upasarga*: 120
 afterbirth - *aparā*: 105

agada - antidote: 133, 162f - antitoxic: 162
āgantū - external factors: 17
 aggregation - *samuccaya*: 172, 176
agnika - the flame: 153
agra - supernatant layer: 175
agramukta - free from the point: 178
āhāra - diet: 15
āhārya - take away: 42
ahipatāka - the snake flag: 153
ahorātra - day and night: 16
 aids - *aṅga*: 173
 air - *saṁīraṇa*: 158
ajagara - constrictor: 156 - the goat
 swallower: 153
ajākṣīrārdita - stirred with goat's milk:
 180
ajeya - invincible: 121 - "invincible": 136
akhiladehavyāptirūpam - takes the form of
 pervading the whole body: 131
akriya - inactive: 62
ākṣepa - contractions: 59
ākṣepaka - convulsion: 60 - convulsions:
 59
alagarda - the hungry sting: 152
ālepa - liniment: 170
ālepana - liniments: 120
 alleviated - *yāpya*: 172
 alleviation - *pratīkāra*: 16
 along these lines - *evam*: 17
āmāśaya - stomach: 132f
amṛta - immortal: 121
anāgatāpekṣaṇa - future reference: 172,
 176
ānāha - constipation: 129, 132, 136
aṇḍaja - born from eggs: 16
aṇḍīnī - with testicles: 189
anekānta - variable statement: 175
 - variable statement: 172
aṅga - aids: 173 - parts: 17
aṅgamarda - bruising of the limbs: 132
 anger - *krodha*: 15
aṅgulirāji - the finger stripe: 153
 animals - *paśu*: 16

- añjana* - application of collyrium: 170, 175 - collyrium: 163f, 169–172, 174ff, 181 - eye make-up: 114, 119 - eye ointment: 120 - eye salve: 134 - stibnite: 175
annamada - intoxication from food: 132
antarāyāma - emprosthotonos: 60
antidote - *agada*: 133, 162f
antitoxic - *agada*: 162
antra - entrails: 172 - gut: 133
ants - *pipīlika*: 16
anulepana - massage ointment: 114, 118 - ointment: 118
anumata - consent: 172, 175
anuvāsana - oily enema: 67
apadeśa - statement of reason: 172, 174
apakṣāghāta - paralysis: 60
apāṅga - outer corner of the eye: 177
aparā - afterbirth: 105
apatānaka - spasmodic contraction: 59
āpatantraka - spasmodic contradiction: 60
apavarga - exception: 172, 174
apertures of the head - *kha*: 119
aphorism - *sūtra*: 173
application of collyrium - *añjana*: 170, 175
apuṣpa - the grass flower: 152
araga timira - non-bloodshot blindness: 177
ardhakapāṭasandhika - half door-hinge: 42
ardita - spasm of the jaw-bones: 61
arid-land animals - *jāṅgala*: 175
ariṣṭā - bandage: 160f
ariṣṭa - omens: 49
arṇavamala - cuttle fish: 172
arocaka - loss of appetite: 132
arśas - prolapses: 188
ārtava - menstrual blood: 188 - seasonal blood: 66
arthāpatti - implication: 172
arthāpatti - *Implication*: 175
asādhya - incurable: 66, 169 - untreatable: 177
āsaṅgima - fastening: 42
āśoka - grief: 15
āśrayin - substrate: 15
āsthāpana - tisane: 67
asthi - bones: 17
aṣṭhīlā - pebble: 116
asūyā - jealousy: 15
atibalā - strong mallow: 173
atideśa - prediction: 172, 174
atikrāntāpekṣaṇa - past reference: 172, 176
ātmaka - nature: 14
āṭopa - flatulence: 117
atyānandā - extremely excited: 189
avadāraṇa - fissuring: 120
avalekhana - combs: 114
avapīḍa - sternutatory: 164
āvarta - spiral: 177
avaśardhita - fart: 138
axelwood - *dhava*: 181
ayana - half-year: 16
āyatta - depends on: 15
āyur - life, longevity: 11
āyurveda - the science of life: 12
babhru - the brown: 153
babhrūkuṭīmukha - the brown hut mouth: 152
baddham - bound, connected: 46
balā - country mallow: 173
bala - strength: 15
bali - morsel: 114 - sacrificial offerings: 161
bandage - *ariṣṭā*: 160f - *bandha*: 160
bandha - bandage: 160
base, foundation - *adhiṣṭhāna*: 137
bāṣpa - vapour: 115f, 119
basti - instillation: 66
be exhausted - *sāda*: 133
bearers - *voḍhāra*: 114
beauty berry - *priyaṅgu*: 175
bellyache - *jaṭhara*: 136
bent brow and eye - *vakrabhrūnetra*: 179
benumbed - *jāḍya*: 157
beryl - *vaiḍūrya*: 181
bhadradāru - deodar: 181
bhakṣya - masticable: 177
bhaṅga - leaves: 178

- bhavet* - it may be: 177
bhāvita - cooked: 175 - infused: 171
bheṣaja - treatment: 188
bhojya - edible: 177
bhramaraka (drongo): 115
bhr̥ṅgarāja (racket-tailed drongo): 115
bīja - semen: 188
bile - *pitta*: 173
bilious / *choleric* - *pittalā*: 189
bindurāji - the drop stripe: 153
black drongo (*dhūmyāṭa*): 115
black part - *kṛṣṇa*: 177
black soot - *maṣī*: 170
blindness - *timira*: 177
blink of the eye - *nimeṣa*: 16
blockage of the vision (*dr̥ṣṭyavarodha*): 156
blood - *rakta*: 66 - *rudhira*: 16 - *śonita*: 65f
 - *śonita*: 173 - *śonita*: 65f
blood-bile - *raktapitta*: 169
blood-bile - *śonita-pitta*, *rakta-pitta*: 173
blood-letting - *sirāvedha*: 170
bloodshot blindness - *rāgin timira*: 174
 - *rāgiṇi timire*: 177
blue dot cataract - *mlāyīn*: 176
blue vitriol - *tuttha*: 175
bodily constituents - *dhātu*: 131
bodily tissues - *dhātu*: 158
body language - *iṅgita*: 114
body tissue - *dhātu*: 133
bones - *asthi*: 17
born from eggs - *aṇḍaja*: 16
born in in a caul - *jarāyuja*: 16
born of sweat - *svedaaja*: 16
bound, connected - *baddham*: 46
box myrtle - *kaṭphala*: 172
brahma - holiness: 161
brahmar̥ṣi - holy sages: 161
bristles - *śūka*: 138
br̥ṃhana - nourishment: 15
bruising of the limbs - *aṅgamarda*: 132
bubbling - *budbuda*: 180
budbuda - bubbling: 180
bulbs - *kanda*: 16
bull (*vṛṣabha*): 115
burning sensation in feet - *pādadāha*: 62
cakradhārā - rim of a wheel: 43
cakraka - the ringed: 153
cala - liquid: 178
can be mitigated - *yāpya*: 177
caraṇī - *caraṇī*: 189
caraṇī - *caraṇī*: 189
cardamom - *elā*: 172
carman - pelt: 16
carmānta - leather: 160
carnivore - *kravyabhuj*: 174
carriers - *adhiṣṭhāna*: 137
cassia cinnamon - *patra*: 180
castor oil - *pañcāṅgulataila*: 173
cāsyāt (from his mouth): 116
cataract - *liṅganāśa*: 177
caturvarga - fourfold grouping: 17
catuṣṭaya - four factors: 17
caused by wind - *pavanodbhava*: 173
causes - *hetu*: 189
causing a fall - *sraṃsanī*: 189
causing the destruction of actions such as moving - *gamanādikriyāvināśakārī*: 179
caustic - *kṣāra*: 67
chebulic myrobalan - *abhayā*: 172
chedya - excision: 17
cheek-ear - *gaṇḍakarna*: 42
chest - *hr̥d*: 133
chidra - opening: 177
child bearing - *kaumārabhṛtya*: 184
child-murderess - *putraghnī*: 189
chital deer (*pr̥ṣata*): 115
cholera - *pitta*: 189
chyle - *rasa*: 31
chyle - *rasa*: 132
cihna - signs: 189
circuit of the pupil - *dr̥ṣṭimaṇḍala*: 178
citraka - the mark: 153
citraśīrṣa - 'speckle-heads': 139
citron - *mātuluṅga*: 180
clean - *pra√sādh*: 120
cloth - *plota*: 160
clusters - *samlava*: 16
cock - *tāmracūḍa*: 174

- collection - *varga*: 17
 collyrium - *añjana*: 163f, 169–172, 174ff, 181
 combined - *upahita*: 173
 combs - *avalekhana*: 114
 comfort - *sukha*: 17
 compendium of diseases - *rogasaṃgraha*: 186
 complexion - *varṇa*: 15, 49
 compounds - *yoga*: 170
 compressed - *saṃkṣipta*: 42
 compressed - *saṃkṣipta*: 43
 compulsion - *niyoga*: 172, 176
 conch - *salilotthita*: 176
 cone snails - *śambūka*: 138
 congested humours - *sannipāta*: 17
 consent - *anumata*: 172, 175
 constipation - *ānāha*: 129, 132, 136
 constrictor - *ajagara*: 156
 construing - *yoga*: 172
 construing - *yoga*: 173
 contamination dropsy - *duṣyodara*: 132
 contractions - *ākṣepa*: 59
 contraposition - *viparyaya*: 172, 175
 convulsion - *ākṣepaka*: 60
 convulsions - *ākṣepaka*: 59
 cooked barley - *yavaudana*: 177
 cooked - *bhāvita*: 175
 copper - *tāmra*: 179
 coral - *vidruma*: 181
 coṣa - driness: 180
 cottony jujube - *kākolī*: 181
 counteraction - *pratishedha*: 169
 country mallow - *balā*: 173
 cow snout - *gonasa*: 154
 cow's flesh - *gomāṃsa*: 170
 cow's urine - *gomūtra*: 172
 cow-dung - *gośakṛt*: 171
 crabs - *uccītiṅga*: 139
 creeper-ear - *vallīkārṇa*: 42
 creepy-crawlies - *sarīrpa*: 13, 16
 crow's foot - *kākapada*: 134
 crow's lip - *kākauṣṭha*: 42
cuñcumālaka - little ring of spots: 150
 curable - *sādhya*: 66, 169
 curds - *dadhi*: 117, 121
 cure - *siddhi*: 134
 cured - *sādhya*: 136
 cuscus grass - *uśīra*: 175
 cutting with a blade - *śastrakṣata*: 170
 cuttle fish - *aṇṇavamala*: 172
 cuttlefish bone - *phena*: 181
 - *samudraphena*: 172

dadhi - curds: 117, 121
dadhimukha - the curd mouth: 152
dāha - overheating: 169
dainya - misery: 15
dais - *pīṭha*: 42
daivakṛte - naturally-occurring: 177
dantamāṃsa (gum): 117
dantaveṣṭa (tooth socket): 117
darbhapuṣpa - the grass flower: 153
darita - torn: 149f
 dark colour - *dhyāma*: 130
dārukāri - 'wood-enemies': 139
datta (given): 115
 day and night - *ahorātra*: 16
 deadly substance - *kālakaṇṭha*: 158
 decoction - *kaṣāya*: 67 - *kvātha*: 134
 decoctions - *kaṣāya*: 114, 178
 decomposition - *kuṇapa*: 65f
 deducible - *ūhya*: 172, 177
 deer - *eṇa*: 174
 defects - *doṣa*: 188
 deity - *devatā*: 161
 delirium - *moha*: 128
 demons - *graha*: 184
 demons - *graha*: 184
 deodar - *bhadradāru*: 181
 depends on - *āyatta*: 15
 depression - *viṣāda*: 15
 description - *nirdeśa*: 172, 174
 desert date - *iṅgudī*: 175
 desire - *icchā*: 15
 determination - *nirṇaya*: 172
devadinna - the gift of god: 152
devatā - deity: 161
dhātṛī - emblic: 172

dhātu - bodily constituents: 131 - bodily tissues: 158 - body tissue: 133
 - element: 124, 127, 129
dhava - axelwood: 181
dhūma - inhaled smoke: 114
dhūmadarśin - seeing smoke: 169
dhūmyāṭa (black drongo): 115
dhyāma - dark colour: 130 - grimy: 114
 diet - *āhāra*: 15
 dilator - *pravardhanaka*: 41
dīpyaka - the stimulator: 153
 discharge - *praseka*: 130 - *srāva*: 118, 120
 disease - *vyadhi*: 17
 diseases - *roga*: 188
 disjunction - *viśleṣa*: 132
 disorders of the female reproductive system - *yonivyāpat*: 188
 distension - *ādhmāna*: 129
 door-hinge - *kapāṭasandhika*: 42
doṣa - defects: 188 - humour: 131, 173, 177 - humours: 16 - humours: 188
 - pathology: 66
doṣapariplava - unsteadiness of the humours: 179
 double - *yamalā*: 117
 doubt - *saṁśaya*: 172, 176
 downward vision - *adhodrṣṭitva*: 180
drākṣā - grapes: 180
dravāñjana - liquid collyrium: 175
dravya - substance: 49
 dried flesh - *vallūraka*: 42
 dried ginger - *nāgara*: 171
 driness - *coṣa*: 180
 drinkable - *peya*: 177
 drongo (*bhramaraka*): 115
drṣṭi - pupil: 169, 178f
drṣṭimaṇḍala - circuit of the pupil: 178
drṣṭivibhrama - faulty vision: 120
drṣṭyavarodha (blockage of the vision): 156
 dry rub - *utsādana*: 118
 dry rubs - *utsādana*: 114
 dry - *rūkṣa*: 131
 duct - *sirā*: 162
 ducts - *sirā*: 17 - *srotas*: 155

duḥkha - suffering: 15
 dumb - *mūka*: 62
 dung beetles - *varcaḥkṛta*: 138
dūrva - panic grass: 180
dūṣī-viṣa - slow-acting poison: 133
dūṣīviṣa - slow poisoning: 163
 - slow-acting poison: 136
dūṣīviṣāri - enemy of slow-acting poison: 136 - slow-acting poison antidote: 117
duṣyodara - contamination dropsy: 132
dveṣa - hatred: 15
dvyāhika - the two-day: 153
dvyāṅgulirāji - the two finger stripe: 153
 dwindling away - *kṣaya*: 132
 ear-ache - *karṇaśūla*: 62
 earth - *pāṁṣu*: 160
 earth products - *pārthiva*: 16
 earthen products - *pārthiva*: 17
 edible - *bhojya*: 177
ekāṅgaroga - monoplegia: 60
ekānta - invariable statement: 172
 - invariable statement: 175
elā - cardamom: 172
 element - *dhātu*: 124, 127, 129
 elephant/snake - *nāga*: 139
 elixir salve - *rasāñjana*: 171, 174, 176
 elixir-salve - *rasāñjana*: 171
 elixir-salve - *śīta*: 171
 ellipsis - *vākyāśeṣa*: 172
 ellipsis - *vākyāśeṣa*: 175
 embelia - *vidāṅga*: 175
 emblic - *dhātrī*: 172
 emprosthotonos - *antarāyāma*: 60
eṇa - deer: 174
 enclosed roasting - *puṭākhyā*: 174
 - *puṭapāka*: 175
 ends - *vaktra*: 179
 enemy of slow-acting poison - *dūṣīviṣāri*: 136
 energy - *ojas*: 49
eṇipada - the deer foot: 153
 entrails - *antra*: 172
 envy - *īrṣyā*: 15
 errhine - *nasya*: 173

- errhines - *nasya*: 120
 essence - *sāra*: 16
evam - along these lines: 17
 exception - *apavarga*: 172, 174
 excision - *chedya*: 17
 expansive - *vikāśin*: 131
 explication - *vyākhyāna*: 172, 176
 expressed juice - *svarasa*: 170
 extensive meaning of the collection of statements (*vāksamūhārthavistāra*): 154
 external factors - *āgantū*: 17
 extract - *niryāsa*: 120
 extract of rohu carp - *rauḥita*: 171
 extracted juice - *svarasa*: 119
 extracts - *rasa*: 175
 extremely excited - *atyānandā*: 189
 eye make-up - *añjana*: 114, 119
 eye ointment - *añjana*: 120
 eye salve - *añjana*: 134
 eyewash - *tarpaṇa*: 120, 170, 174f

 fart - *avaśardhita*: 138
 fastening - *āsaṅgima*: 42
 fat - *vasā*: 174
 faulty medical treatment - *mithyopacāra*: 188
 faulty vision - *dṛṣṭivibhrama*: 120
 feeling of heat all over - *paridāha*: 157
 female reproductive organ - *yonī*: 188f
 female reproductive system - *yonī*: 188
 field-specific term - *svasaṃjñā*: 172
 field-specific term - *svasaṃjñā*: 176
 filaments - *kiñjalka*: 171
 first point of view - *pūrvapakṣa*: 175
 fissuring - *avadāraṇa*: 120
 flame of the forest - *palāśa*: 175
 flatulence - *āṭopa*: 117
 flavour - *rasa*: 173
 flavours - *rasa*: 15, 49
 flesh - *māṃsa*: 17
 flooded - *pariplutā*: 189
 flowering trees - *vṛkṣa*: 15
 flowers - *puṣpa*: 16
 follicles - *kha*: 118
 fortnight - *pakṣa*: 16

 foul-smelling pus - *pūtipūya*: 66
 four factors - *catuṣṭaya*: 17
 fourfold grouping - *caturvarga*: 17
 free from clouds - *abhramukta*: 178
 free from the point - *agramukta*: 178
 frogs - *maṇḍūka*: 16
 from his mouth (*cāsyāt*): 116
 fruit trees - *vanaspati*: 15
 fruits - *phala*: 16
 future reference - *anāgatāpekṣaṇa*: 172, 176

gadgad - stammers: 62
gāḍha - pinched: 44
gairika - ochre: 170f
gairikaḥ - red chalk: 180
gamanādikriyāvīnāśakarī - causing the destruction of actions such as moving: 179
gaṇḍakarna - cheek-ear: 42
 garlands - *sraja*: 114
 gauze - *plota*: 44
gavedhuka - the gavedhuka: 152
 geckos - *grhagoḍikā*: 138
 general rule - *paribhāṣā*: 175
 gently - *mṛdu*: 180
 ghee - *sarpiṣ*: 121 - *sarpis*: 170
girisarpa - the mountain snake: 152
 given (*datta*): 115
 giving of fumes (*paridhūpāyana*): 155
 giving off fumes (*paridhūpana*): 155
 glassy opacity - *kāca*: 175
godhā - monitor lizard: 172
 gold - *śātakumbhī*: 179
gomāṃsa - cow's flesh: 170
gomūtra - cow's urine: 172
gonasa - cow snout: 154
gośakṛt - cow-dung: 171 - juice of cow-dung: 171
graha - demons: 184 - demons: 184
grahaṇī (seat of fire in the gut): 157
grahaṇī - seat of fire in the gut: 156
granthi - knots: 130 - lumps: 65, 118, 129
 grapes - *drākṣā*: 180
gr̥dhrasī - sciatica: 61
 great aconite - *mahāviṣa*: 130

great fragrance - *mahāsugandha*: 120
 great poison - *mahāviṣa*: 130
 greed - *lobha*: 15
 green vitriol - *kāsīsa*: 176
gṛhadhūma - soot: 143
gṛhagoḍikā - geckos: 138
 grief - *āśoka*: 15
 grimy - *dhyāma*: 114
 gruel - *yavāgū*: 134, 163
guḍikā - pill: 171
gulma - abdominal lump: 188
 gum (*dantamāmsa*): 117
guṇa - qualities: 131
 gut - *antra*: 133
 haemorrhaging - *śonitāgamana*: 155
 hālāhala - Aconite: 130
 half door-hinge - *ardhakapāṭasandhika*: 42
 half-year - *ayana*: 16
 hare foot uraria - *pr̥thakparṇī*: 180
hareṇu - hareṇu: 171
hareṇu - hareṇu: 172
hareṇu - hareṇu: 172
hareṇu - hareṇu: 171
hari - sun: 178
haridrā - turmeric: 175
harṣa - horripilation: 132
 - overexcitement: 15
hastābharaṇaka - the hand decoration: 153
 hatred - *dveṣa*: 15
 herbs - *oṣadhi*: 15
hetu - causes: 189
hetvartha - premise: 172 - the sense of the cause: 174
 himalayan cherry - *padmaka*: 180f
hīnakarṇa - reduced-ear: 42
 hoarseness - *pāruṣya*: 129
 holiness - *brahma*: 161
 holostemma - *payasyā*: 180
 holy sages - *brahmaṛṣi*: 161
 honey collyrium - *kṣaudrāñjana*: 172
 honey - *kṣaudra*: 170f - *madhu*: 170
 - *madhus*: 115
 horripilation - *harṣa*: 132
 horseradish tree - *śigru*: 176

hot all over (*samantatastāpaḥ*): 155
 hot over the whole body
 (*sarvāṅgasantāpaḥ*): 155
hṛd - chest: 133
 huge - *mahatī*: 189
 human being - *puruṣa*: 14f, 17
 humoral colligation - *sannipāta*: 66
 humour - *doṣa*: 131, 173, 177
 humours - *doṣa*: 16
 humours - *doṣa*: 188
icchā - desire: 15
 if, then not - *na ced*: 177
ilikinī - the ilikinī: 153
 illness - *ruj*: 171
 illustration - *nidarśana*: 172, 176
 immortal - *amṛta*: 121
 implication - *arthāpatti*: 172
Implication - *arthāpatti*: 175
 impotent - *śaṇḍhī*: 189
 in those cases - *tatra*: 173
 in yama's direction - *yāmya*: 143
 inactive - *akriya*: 62
 incising - *pracchāna*: 162
 incurable - *asādhya*: 66, 169
 indian madder - *mañjiṣṭhā*: 180
 indian sarsaparilla - *kālānusāriva*: 171
 - *śārīvā*: 180 - *sāriva*: 172 - *śārīvā*: 180
 indication - *pradeśa*: 172, 174
 indigo - *nīlī*: 117
indragopa - red velvet mites: 16
 infertile - *vandhyā*: 189
 inflamed - *saṃrambha*: 45 - *vidagdha*: 170
 infused - *bhāvita*: 171
īṅgita - body language: 114
īṅgudī - desert date: 175
 inhaled smoke - *dhūma*: 114
 inherent factors - *svabhāva*: 17
 inherent - *svābhāvika*: 15
 injured - *utpīḍita*: 177
 inspissation - *rasakriyā*: 176
 instillation - *basti*: 66
 intended - *vyākhyāta*: 17
 interpretation - *nīrvacana*: 172, 176
 interstitial layers - *kalā*: 158

intestines - *pakvādhāna*: 133 - *pakvāśaya*: 117, 132
 intoxication from food - *annamada*: 132
 invariable statement - *ekānta*: 175
 invariable statement - *ekānta*: 172
 invincible - *ajeya*: 121
 irregularities - *vaiṣamya*: 15
 irrigated - *pratipūraṇa*: 119
 irrigation - *seka*: 170 - *tarpaṇa*: 188
 irritation - *adhimantha*: 180 - *prakopa*: 16
īrṣyā - envy: 15
 it may be - *bhavet*: 177
 itemization - *vidhāna*: 172
 itemization - *vidhāna*: 175
 items created by time - *kālakṛta*: 16f

jāḍya - benumbed: 157
jāṅgala - arid-land animals: 175
jaṅgama - mobile: 124 - moving: 15, 17
japa - mantra repetition: 161
jarāyujā - born in in a caul: 16
jaṭhara - bellyache: 136
jātī - royal jasmine: 181
 jealousy - *asūyā*: 15
 joints - *sandhi*: 17
 juice extract - *svarasa*: 16
 juice of cow-dung - *gośakṛt*: 171
 juices - *rasa*: 174
jyotīratha - the chariot of light: 153

kāca - glassy opacity: 175
kākapada - crow's foot: 134
kākauṣṭha - crow's lip: 42
kākolī - cottony jujube: 181
kalā - interstitial layers: 158 - layer: 147
 - layers of skin: 158 - minutes: 16
kālakalpa - deadly substance: 158
kālakṛta - items created by time: 16f
kālānusāriṇa - indian sarsaparilla: 171
kalāyakhāṇja - lathyrism: 61
kalka - mash: 136 - paste: 67f
kalpa - procedure: 147, 160 - rule: 137
kāma - lust: 15
kaṇabha - wasps: 139
kanda - bulbs: 16
kaṇṭaka - spots: 119

kapālacūrṇa - powdered earthenware
 crockery: 43
kapāṭasandhika - door-hinge: 42
kapha - mucus: 119 - phlegm: 129, 132f, 157, 189
kapittha (wood apple): 170
kardama - the mud: 153
karma - regimen: 179
karman - therapies: 17
karṇaśūla - ear-ache: 62
karṇavyadha - piercing the ear: 39
karṇinī - protuberant: 189
kaṣāya - decoction: 67 - decoctions: 114, 178 - the ochre: 153
kaṣāyavāsika - 'orange-dwellers': 138
kāśīpati - lord of kāśī: 113
kāśisa - green vitriol: 176
kāṣṭhā - trice: 16
kaṭphala - box myrtle: 172
kaumārabhṛtya - child bearing: 184
kaunḍinya - 'pot insects': 138
kavala - mouthwash: 118
kha - apertures of the head: 119
 - follicles: 118
khaluṣa - the khaluṣa: 153
khaṇḍaphaṇa - the break hood: 152
khañja - limpness: 61
khara - rough: 179
kikkisāda - the worm eater: 153
kinihī - white siris: 175
kiñjalka - filaments: 171
 kitchen - *mahānasa*: 114
kiṭīpa - lice: 138
 knots - *granthi*: 130
 knowledge - *veda*: 11
 kohl - *srotas*: 174 - *srotoja*: 171, 181
koṣṭha - trunk of the body: 156
koṣṭukaśīrṣa - synovitis of knee joint: 61
koṭha - skin disease: 132
kravyabhuj - carnivore: 174
kṛcchra - with difficulty: 177
kriyā - procedures: 14, 17 - treatment: 17, 66, 175f
kriyākāla - the time for therapies: 17
kriyāsaṅga - loss of function: 179

kṛmi - worms: 16
krodha - anger: 15
kṛṣṇa - black part: 177
kṛṣṇā - long pepper: 170
kṛṣṇasarpa - the black snake: 152
kṛṣṇodara - the black belly: 152
kṣaṇadāndhya - night blindness: 171
kṣāra - caustic: 67
kṣāraka - lye: 174
kṣaudra - honey: 170f
kṣaudrāñjana - honey collyrium: 172
kṣaya - dwindling away: 132
kṣīṇa - low volume: 65 - wasted: 44
kṣīra - milky sap: 124, 127, 129 - sap: 16
kṣīrikāpuṣpa - the milk flower: 153
kukṣita - 'bellied': 139
kūkuṭa - the kūkuṭa: 152
kūṇapa - decomposition: 65f - smell of decomposition: 66
kunta - small insects: 16
kupyaka - metal: 170
kuśa grass - *kuśa*: 174
kuśa - kuśa grass: 174
kuṣṭha - pallid skin disease: 133
kvātha - decoction: 134

lac - *lākṣā*: 180
lākṣā - lac: 180
lame - *paṅgu*: 61
lathyrism - *kalāyakhañja*: 61
lavagas - *ācamana*: 68
layer - *kalā*: 147 - *paṭala*: 177
layers of skin - *kalā*: 158
leather - *carmānta*: 160
leaves - *bhaṅga*: 178 - *patra*: 16
lehya - suckable: 177
lekhana - scarification: 15
lice - *kiṭīpa*: 138
life, longevity - *āyur*: 11
limpid - *viśada*: 131
limpness - *khañja*: 61
liṅga - symptom: 119 - symptoms: 132
liṅganāśa - cataract: 177
liniment - *ālepa*: 170
liniments - *ālepana*: 120
liquid - *cala*: 178

liquid collyrium - *dravāñjana*: 175
liquorice - *madhukair*: 180
little ring of spots - *cuñcumālaka*: 150
liver extract - *yakṛdrasa*: 171
liver - *yakṛt*: 172
lobha - greed: 15
located - *adhiṣṭhāna*: 15
located on the limb - *śākhāśrayā*: 162
lodh tree - *lodhra*: 175
lodhra - lodh tree: 175
logical methods of the system
 - *tantrayukti*: 172
lohitākṣa - the red eye: 152f
long pepper - *kṛṣṇā*: 170 - *māgadha*: 175
 - *māgadhi*: 172 - *māgadhi*: 172, 174
loose stool - *viḍbheda*: 129, 140
lord of kāsī - *kāśipati*: 113
loss of appetite - *arocaka*: 132
loss of function - *kriyāsaṅga*: 179
lotus-splittable - *utpalabhedyaka*: 42
lotus-spots - *padminīkaṇṭhaka*: 119
low volume - *kṣīṇa*: 65
lumps - *granthi*: 65, 118, 129
lust - *kāma*: 15
lūtā - spiders: 13
lye - *kṣāraka*: 174

madanaka - the intoxicator: 152
madhu - honey: 170 - mead: 161
madhūka - mahua: 174ff
madhukair - liquorice: 180
madhus - honey: 115
madira - spirits: 175
madirā - spirits: 172
māgadha - long pepper: 175
māgadhi - long pepper: 172
māgadhi - long pepper: 172
māgadhi - long pepper: 174
mahākapota - the big pigeon: 152
mahākṛṣṇa - the big black: 152
mahānasa - kitchen: 114
mahāpadma - the great lotus: 152
mahāpanasaka - the big jackfruit: 152
mahāsarpa - the great snake: 152
mahāśīrṣa - the big head: 152
mahāsugandha - great fragrance: 120

- mahatī* - huge: 189
mahāviṣa - great aconite: 130 - great
 poison: 130
mahua - *madhūka*: 174ff
mākuli - *mākuli*: 154
mākuli - *mākuli*: 154
mākuli - *mākuli*: 154
mākuli - *mākuli*: 154
malice - *mātsarya*: 15
māṃsa - flesh: 17
māṃsanirgama - prolapse: 180
manaḥśilā - realgar: 171, 174f, 181 - red
 arsenic: 170, 172
mānasa - mental: 15
maṇḍala - round blotches: 132
maṇḍūka - frogs: 16
mañjiṣṭhā - indian madder: 180
mantra repetition - *japa*: 161
manyāstambha - stiffness of the neck: 157
manyāsthambha - rigidity of neck: 61
markaṭa - monkey: 130
māruta - wind: 66
māsa - month: 16
mash - *kalka*: 136
maṣī - black soot: 170
massage oil - *abhyāṅga*: 114, 120
massage ointment - *anulepana*: 114, 118
masticable - *bhakṣya*: 177
mātsarya - malice: 15
mātuluṅga - citron: 180
matured - *vipakva*: 171
mead - *madhu*: 161
medaka - 'liquors': 139
medical advice - *ācārika*: 44
medicines cooked in a crucible
 - *puṭapāka*: 170
men - *nara*: 138
menstrual blood - *ārtava*: 188
mental - *mānasa*: 15
mention - *samuddēśa*: 172, 174
meṣaśṛṅga - periploca of the woods: 181
meṣaviṣāṇa - periploca of the woods: 173
metal - *kupyaka*: 170
metamorphopsia - *viparītadarśana*: 155
milk - *payas*: 121
milky sap - *kṣīra*: 124, 127, 129
mimmira - mumbles: 62
minutes - *kalā*: 16
misery - *dainya*: 15
miśrakacikitsa - various treatments: 46
misshapen eyeball - *vilocana*: 179
mithuna - pair: 176 - triad: 176
mithyopacāra - faulty medical treatment:
 188
mitigatable - *yāpya*: 169
mlāyin - blue dot cataract: 176
mobile - *jaṅgama*: 124
moha - delirium: 128
monitor lizard - *godhā*: 172
monkey - *markaṭa*: 130
monkey - *vānara*: 138
monoplegia - *ekāṅgaroga*: 60
month - *māsa*: 16
morsel - *bali*: 114
mouthwash - *kavala*: 118
moving - *jaṅgama*: 15, 17
mṛdu - gently: 180
mucous - *śleṣman*: 157
mucus - *kapha*: 119
muhūrta - three-quarters of an hour: 16
mūka - dumb: 62
mukhasaṃdamśā - nipping with the
 mouth: 138
muktā - pearl: 177
muktvā - separate: 177
mūla - root: 15 - roots: 16
mūlaka - *mūlaka*: 130
mūlaka - *mūlaka*: 130
multi-joins - *vyāyojima*: 42
mumbles - *mimmira*: 62
mūrcchā - stupor: 116
mūṣika - rodents: 13
mustā - nutgrass: 180
mustaka - *mustaka*: 130
mustaka - *mustaka*: 130
na ced - if, then not: 177
nadīja - salt: 171
nāga - elephant/snake: 139
nāgara - dried ginger: 171
nalada - spikenard: 175

nara - men: 138
 nasal medicine - *nasya*: 134
 nasal medicines - *nasya*: 170
nasya - errhine: 173 - errhines: 120 - nasal medicine: 134 - nasal medicines: 170 - snuff: 119
nasya - snuff: 114
 naturally-occurring - *daivakṛte*: 177
 nature - *ātmaka*: 14
 needle - *sūcī*: 178
nemīsandhānaka - rim-join: 43 - rim-join: 42
nidarśana - illustration: 172, 176
 night blindness - *kṣaṇadāndhya*: 171
niḥkvātha - stewed juice: 134
nīlī - indigo: 117
nimeṣa - blink of the eye: 16
 nipping with the mouth - *mukhasaṃdamśā*: 138
nirdeśa - description: 172, 174
nirṇaya - determination: 172
nirvacana - interpretation: 172, 176
nirvedhima - ready-split: 42
nirviṣa - without venom: 149
niryāsa - extract: 120 - resin: 16, 124, 126, 129
niśācara - nocturnal creature: 176
niṣevita - prepared: 174 - used: 172
nivāta - no wind: 16
niyoga - compulsion: 172, 176
 no wind - *nivāta*: 16
 nocturnal creature - *niśācara*: 176
 non-bloodshot blindness - *araga timira*: 177
 non-flowering tree - *vanaspati*: 175
 nourishment - *bṛmhaṇa*: 15
 numbness - *svāpa*: 120
 nutgrass - *mustā*: 180
 objection - *pūrvapakṣa*: 172
 oblations - *upahāra*: 161
 ochre - *gairika*: 170f
 off his hand - *sapāṇa*: 173
 oil massage - *abhyāṅga*: 118
 oil - *sneha*: 16
 oil stripe - *snigdharāji*: 154

oily enema - *anuvāsana*: 67
 oily stripe - *snigdharāji*: 154
 ointment - *anulepana*: 118 - *pralepa*: 116, 119
ojas - energy: 49 - vital energy: 15
 omens - *ariṣṭa*: 49
 opening - *chidra*: 177
 ophidian - *sarpita*: 149
 option - *vikalpa*: 172, 176
 or not distorted - *vāvikṛtā*: 117
oṣadhi - herbs: 15 - remedies: 17
oṣadhī - remedies: 15
 outer corner of the eye - *apāṅga*: 177
 overexcitement - *harṣa*: 15
 overheating - *dāha*: 169
 pacification - *saṃśamana*: 15 - *upaśama*: 16
pādadaḥa - burning sensation in feet: 62
padārtha - word meaning: 172 - word-meaning: 173
padma - the lotus: 152
padmaka - himalayan cherry: 180f
padminīkaṇṭaka - lotus-spots: 119
 pain - *√pīḍ*: 158
 pain and injury - *vedanābhighāta*: 12
 pain - *śūla*: 133
 pair - *mithuna*: 176
pāka - sepsis: 120
pākamatsya - 'cook-fish': 138
pakṣa - fortnight: 16
pakṣāghāta - paralysis: 60
pakvādhāna - intestines: 133
pakvāśaya - intestines: 117, 132
palāśa - flame of the forest: 175
pālindaka - the morning glory: 152
pallava - shoots: 178
 pallid skin disease - *kuṣṭha*: 133
pāṃśu - earth: 160
panasaka - the jackfruit: 152
pañcāṅgulataila - castor oil: 173
pañgu - lame: 61
 panic grass - *dūrvā*: 180
 paralysis - *apakṣāghāta*: 60
 paralysis of arms and back - *viśvañci*: 61
 paralysis - *pakṣāghāta*: 60

- pārāvata* - the pigeon: 153
paribhāṣā - general rule: 175
paridāha - feeling of heat all over: 157
paridhūpana (giving off fumes): 155
paridhūpāyana (giving of fumes): 155
pariplutā - flooded: 189
parisarpa - the snake around: 152
parīṣeka - shower: 118
parśvabheda - ribs crack: 133
pārthiva - earth products: 16 - earthen products: 17
 partial blindness - *timira*: 173
 particulars - *vikalpa*: 17
 parts - *aṅga*: 17
pāruṣya - hoarseness: 129
 past reference - *atīkrāntāpekṣaṇa*: 172, 176
 paste - *kalka*: 67f
paśu - animals: 16
paṭala - layer: 177
pāthā - velvet leaf: 175
 pathology - *doṣa*: 66
patra - cassia cinnamon: 180 - leaves: 16
patravṛścika - 'wing-scorpions': 139
pavanodbhava - caused by wind: 173
payas - milk: 121
payasyā - holostemma: 180
 pearl - *muktā*: 177
 pebble - *aṣṭhīlā*: 116
 pelt - *carman*: 16
 periploca of the woods - *meṣaviṣāṇa*: 173
 periploca of the woods - *meṣaśṛṅga*: 181
 person - *puruṣa*: 176
 pervasive - *vyavāyin*: 131
peya - drinkable: 177
phala - fruits: 16
phena - cuttlefish bone: 181
 phlegm - *kapha*: 129, 132f, 157, 189
 phlegmatic - *śleṣmalā*: 189
 physical - *śārīravat*: 17
picciṭā - 'flat insects': 138
pīḍ- - press: 177
 piercing the ear - *kaṇavyadha*: 39
 piercing - *vyadha*: 178
 pigs' eye - *sūkarākṣitā*: 180
pilindaka - the pilindaka: 152
 pill - *guḍikā*: 171
 pinched - *gāḍha*: 44
pipīlika - ants: 16
 pith - *sāra*: 124, 126, 129
pīṭha - dais: 42
pitta - bile: 173 - choler: 189
pittalā - bilious / choleric: 189
pittaviṣa - poison in the bile: 161
plīhan - spleen: 172
plota - cloth: 160 - gauze: 44
plutā - sprung: 189
 poison in the bile - *pittaviṣa*: 161
 poṭa throat - *poṭagala*: 154
poṭagala - poṭa throat: 154
 powdered earthenware crockery
 - *kapālacūrṇa*: 43
pra√sādh - clean: 120
pra√kuth - rot: 117
prabha - shine: 177
pracalāka - 'poisonous snakes': 138
pracchāna - incising: 162
 practical purposes - *prayojanavat*: 16
pradeśa - indication: 172, 174
pragāḍha - steeped: 173
prakopa - irritation: 16
prakṛti - temperament: 15
pralāpa - ranting: 128
pralepa - ointment: 116, 119
prasaṅga - recontextualization: 172
 - recontextualization: 175
praseka - discharge: 130
pratīkāra - alleviation: 16 - remedy: 169
pratipūraṇa - irrigated: 119
pratisāraṇa - rub: 117 - rubbing: 117
pratiśedha - counteraction: 169
pravardhanaka - dilator: 41
prayojanavat - practical purposes: 16
 prediction - *atideśa*: 172, 174
 premise - *hetvartha*: 172
 premiss - *sādhana*: 174
 prepared - *niṣevita*: 174
 prepared with tilvaka - *tailvaka*: 170
 prepared with turpeth - *traivṛta*: 170
 prescription - *upadeśa*: 172
 prescription - *upadeśa*: 174

- press - *pīḍ-*: 177
priyaṅgu - beauty berry: 175
 probe - *śālākā*: 177f
 procedure - *kalpa*: 147, 160
 procedures - *kriyā*: 14, 17
 prolapse - *māṃsanirgama*: 180
 prolapses - *arśas*: 188
 propelled - *√ūh*: 158
 protuberant - *karṇinī*: 189
prṣata (chital deer): 115
prṣata - the speckled: 152
prthakparṇī - hare foot uraria: 180
 pulse interval - *vegāntara*: 158
puṇḍarika - *puṇḍarika*: 130
puṇḍarika - *puṇḍarika*: 130 - the lotus: 153
puṇḍarikamukha - the lotus mouth: 152
 pupil - *drṣṭi*: 169, 178f
 purge - *√śodh*: 163
 purification - *saṃśodhana*: 15
puruṣa - human being: 14f, 17 - person: 176
pūrvapakṣa - first point of view: 175
 - objection: 172
puṣpa - flowers: 16
puṣpābhikīrṇnābha - the flower sprinkle beauty: 152
puṣpapāṇḍu - the pale as a flower: 153
puṣpasakalī - the flower all: 153
puṭāhvaya - taken hot: 174
puṭākhyā - enclosed roasting: 174
puṭapāka - enclosed roasting: 175
 - medicines cooked in a crucible: 170
 - roasting: 188
pūtipūya - foul-smelling pus: 66
 - stinking pus: 65
putraghnī - child-murderess: 189

 qualities - *guṇa*: 131

 racket-tailed drongo (*bhṛṅgarāja*): 115
rāgin timira - bloodshot blindness: 174
rāgiṇi timire - bloodshot blindness: 177
 rainy seasons - *varṣā*: 16
rajana - turmeric: 171
rājicitra - the stripe speckle: 153

rājimat - striped snake: 134
rakta - blood: 66
raktakṣayā - with bloodloss: 189
raktamaṇḍala - the red ring: 152
raktapitta - blood-bile: 169
 ranting - *pralāpa*: 128
 rarified - *sūkṣma*: 131
rasa - chyle: 31 - chyle: 132 - extracts: 175
 - flavour: 173 - flavours: 15, 49
 - juices: 174 - the blood of birds and animals: 171
rasakriyā - inspissation: 176
rasāñjana - elixir salve: 171, 174, 176
 - elixir-salve: 171
rauḥita - extract of rohu carp: 171
 ready-split - *nirvedhima*: 42
 realgar - *manaḥśilā*: 171, 174f, 181
 recontextualization - *prasaṅga*: 172
 recontextualization - *prasaṅga*: 175
 red arsenic - *manaḥśilā*: 170, 172
 red chalk - *gairikaḥ*: 180
 red velvet mites - *indragopa*: 16
 reduced-ear - *hīnakarṇa*: 42
 regimen - *ācāra*: 15 - karma: 179
 religious power - *tapas*: 161
 remedies - *oṣadhi*: 17 - *oṣadhī*: 15
 remedy - *pratikāra*: 169
 resin - *niryāsa*: 16, 124, 126, 129
 restrictions - *yantrañā*: 178
retas - semen: 65
 rheum - *upadeha*: 119
 ribs crack - *parśvabheda*: 133
 rigid - *sthirā*: 179
 rigidity of neck - *manyāsthambha*: 61
 rim of a wheel - *cakradhārā*: 43
 rim-join - *nemīsandhānaka*: 42
 rim-join - *nemīsandhānaka*: 43
ṛjusarpa - the straight snake: 152
 roasting - *puṭapāka*: 188
 rodents - *mūṣika*: 13
roga - diseases: 188
rogasaṃgraha - compendium of diseases: 186
rohita - rohita tree: 175
 rohita tree - *rohita*: 175

- root - *mūla*: 15
 roots - *mūla*: 16
 rot - *pra√kuth*: 117
 rough - *khara*: 179
 round blotches - *maṇḍala*: 132
 royal jasmine - *jātī*: 181
ṛtu - season: 16
 rub - *pratisāraṇa*: 117
 rubbing - *pratisāraṇa*: 117
rudhira - blood: 16
ruj - illness: 171
rūkṣa - dry: 131
 rule - *kalpa*: 137

 sacrificial offerings - *bali*: 161
sāda - be exhausted: 133
ṣaḍaṅga - the six part: 153
sādhana - premiss: 174
sādhya - curable: 66, 169 - cured: 136
saindhava - salt: 134 - sind salt: 170f
 - sindh salt: 174
śākhāśrayā - located on the limb: 162
śalākā - probe: 177f
salilotthita - conch: 176 - water-born: 176
saliva - *śleṣman*: 116
 salt - *nadīja*: 171 - *saindhava*: 134
śalya - spike: 174 - splinter: 174
samāñjana - same collyrium: 175
samantatastāpaḥ (hot all over): 155
śambūka - cone snails: 138
 same collyrium - *samāñjana*: 175
samīraṇa - air: 158
saṃkḥapāla - the conch keeper: 152
saṃkṣipta - compressed: 43
 - compressed: 42
samplava - clusters: 16
saṃrambha - inflamed: 45
saṃśamana - pacification: 15
saṃśaya - doubt: 172, 176
saṃśodhana - purification: 15
samuccaya - aggregation: 172, 176
samudāya - accumulation: 41
samuddeśa - mention: 172, 174
samudraphena - cuttlefish bone: 172
saṃvatsara - year: 16
sañcaya - accumulation: 16

sandal - *sugandhi*: 173
śaṇḍhī - impotent: 189
sandhi - joints: 17
sannipāta - congested humours: 17
 - humoral colligation: 66
sap - *kṣīra*: 16
sapāṇa - off his hand: 173
sāra - essence: 16 - pith: 124, 126, 129
śārava - 'lids': 139
śārikā - 'darts': 139
śārīravad - physical: 17
sarīṣpa - creepy-crawlies: 13, 16
śārīvā - indian sarsaparilla: 180
sāriva - indian sarsaparilla: 172
sarpis - ghee: 170
sarpiṣ - ghee: 121
sarpita - ophidian: 149 - serpented: 149
sārṣapa - *sārṣapa*: 129
sārṣapa - *sārṣapa*: 129
sarṣapaka - 'pepper snakes': 138
sarvakṣṇa - the all black: 152
sarvāṅgasantāpaḥ (hot over the whole body): 155
sarvātmikā - *sarvātmikā*: 189
sarvātmikā - *sarvātmikā*: 189
śastrakṣata - cutting with a blade: 170
śātakumbhī - gold: 179
sauvīraka - stibnite: 171
 scarification - *lekhana*: 15
 sciatica - *gṛdhrasī*: 61
 scrambling - *tālīśapatra*: 171
 season - *ṛtu*: 16
 seasonal blood - *ārtava*: 66
 seat of fire in the gut (*grahaṇī*): 157
 seat of fire in the gut - *grahaṇī*: 156
 sections - *adhyāya*: 18
 seedless - *abīja*: 66
 seeing smoke - *dhūmadarśin*: 169
seka - irrigation: 170
 semen - *bīja*: 188
 semen - *retas*: 65
 separate - *muktavā*: 177
 sepsis - *pāka*: 120
 serpented - *sarpita*: 149
sharp - *tikṣṇa*: 163

shine - *prabha*: 177
 shooting pain - *śūla*: 179
 shoots - *pallava*: 178 - *udbhid*: 16
 shower - *parīṣeka*: 118
 shrubs - *vīrudh*: 15
siddhārthaka - white mustard: 180
siddhi - cure: 134
 side-effects - *upadrava*: 120, 136
 signs - *cihna*: 189
śigru - horseradish tree: 176
 sind salt - *saindhava*: 170f
 sindh salt - *saindhava*: 174
 sinews - *snāyu*: 17
sirā - duct: 162 - ducts: 17
sirāvedha - blood-letting: 170
 siris - *śirīṣa*: 181
śirīṣa - siris: 181
śīśuka - the kid: 152
śīta - elixir-salve: 171
sitā - white sugar: 180
 skin (*tvac*): 147
 skin disease - *koṭha*: 132
 skin - *tvak*: 16f
 sleep - *svāpa*: 129
śleṣmalā - phlegmatic: 189
śleṣman - mucous: 157 - saliva: 116
 slice of flesh - *vadhra*: 46f
 slow poisoning - *dūṣīviṣa*: 163
 slow-acting poison antidote - *dūṣīviṣāri*:
 117
 slow-acting poison - *dūṣī-viṣa*: 133
 - *dūṣīviṣa*: 136
 small insects - *kunta*: 16
 smell of decomposition - *kuṇapa*: 66
snāyu - sinews: 17
sneha - oil: 16
 sniffing - *ucchiṅgana*: 178
snigdharāji - oil stripe: 154 - oily stripe:
 154
 snuff - *nasya*: 119
 snuff - *nasya*: 114
 sole-heart - *talahr̥daya*: 176
 solid - *styāna*: 178
 soma creeper (*somalatā*): 116
somalatā (soma creeper): 116

śonita - blood: 65f
śonita - blood: 173
śonita-pitta, *rakta-pitta* - blood-bile: 173
śonitāgamana - haemorrhaging: 155
śonitena - with blood: 179
 soot - *gr̥hadhūma*: 143
 spasm of the jaw-bones - *ardita*: 61
 spasmodic contraction - *apatānaka*: 59
 spasmodic contradiction - *āpatantraka*:
 60
 sperm - *śukra*: 65
sphoṭa - spots: 119f
 spiders - *lūtā*: 13
 spike - *śālya*: 174
 spikenard - *nalada*: 175
 spiral - *āvarta*: 177
 spirits - *madira*: 175 - *madirā*: 172
 spleen - *plīhan*: 172
 splinter - *śālya*: 174
 spots - *kaṇṭaka*: 119 - *sphoṭa*: 119f
 sprung - *plutā*: 189
sraja - garlands: 114
sraṃsanī - causing a fall: 189
srāva - discharge: 118, 120
śreyas - welfare: 12
srotas - ducts: 155 - kohl: 174 - tubes: 157
srotoja - kohl: 171, 181
 stalk - *vr̥nta*: 170
 stammers - *gadgad*: 62
 statement of reason - *apadeśa*: 172, 174
 stationary - *sthāvara*: 15, 17, 124
 steeped - *pragādhā*: 173
 sternutatory - *avapīḍa*: 164
 stewed juice - *niḥkvātha*: 134
sthāvara - stationary: 15, 17, 124
sthirā - rigid: 179
 stibnite - *añjana*: 175 - *sauvīraka*: 171
 stick-ear - *yaṣṭīkarṇa*: 42
 stiffness of the neck - *manyāstambha*: 157
 stings - *śūla*: 139
 stinking pus - *pūtipūya*: 65
 stirred with goat's milk - *ajākṣīrārdita*:
 180
 stomach - *āmāśaya*: 132f
 strength - *bala*: 15

- striped snake - *rājimat*: 134
 strong mallow - *atibalā*: 173
 stupor - *mūrcchā*: 116
styāna - solid: 178
 substance - *dravya*: 49
 substrate - *āśrayin*: 15
sūcī - needle: 178
sūcīvaktrā - with a needle-like opening: 189
 suckable - *lehya*: 177
 suffering - *duḥkha*: 15
sugandhi - sandal: 173
śūka - bristles: 138
śukapatra - the white leaf: 153
sūkarākṣitā - pigs' eye: 180
sukha - comfort: 17
śukra - sperm: 65
sūkṣma - rarified: 131
śūla - pain: 133 - shooting pain: 179
 - stings: 139
 sun - *hari*: 178
 supernatant layer - *agra*: 175
sūtra - aphorism: 173
svabhāva - inherent factors: 17
svābhāvika - inherent: 15
svāpa - numbness: 120 - sleep: 129
svara - accents: 162
svarasa - expressed juice: 170 - extracted juice: 119 - juice extract: 16
śvāsa - wheezing: 129
svasaṃjñā - field-specific term: 172
 - field-specific term: 176
svedaja - born of sweat: 16
śvetadara - the white rip: 152
svetahanu - the white jaw: 153
śvetakapota - the white pigeon: 152
śvetamaṇḍala - the white ring: 152
 swollen - *ādhmāta*: 156
syanda - watery eye: 176
 symptom - *liṅga*: 119
 symptoms - *liṅga*: 132
 synovitis of knee join - *koṣṭukaśīrṣa*: 61
tailasugandhi - the fragrant one in oil: 173
tailvaka - prepared with tilvaka: 170
 take away - *āhārya*: 42
 taken hot - *puṭāhvaya*: 174
 takes the form of pervading the whole body - *akhiladehavyāptirūpam*: 131
talahrdaya - sole-heart: 176
tālīśapatra - scrambling: 171
tāmra - copper: 179
tāmracūḍa - cock: 174
tantrayukti - logical methods of the system: 172
tantuka - the stretch: 153
tapas - religious power: 161
tarpaṇa - eyewash: 120, 170, 174f
 - irrigation: 188
tatra - in those cases: 173 - the tatra: 153
 temperament - *prakṛti*: 15
 the all black - *sarvakṛṣṇa*: 152
 the bamboo leaf - *veṇupatraka*: 152
 the big black - *mahākṛṣṇa*: 152
 the big cow snout - *vṛddhagonasa*: 152
 the big head - *mahāśīrṣa*: 152
 the big jackfruit - *mahāpanasaka*: 152
 the big pigeon - *mahākapota*: 152
 the black belly - *kṛṣṇodara*: 152
 the black snake - *kṛṣṇasarpa*: 152
 the blood of birds and animals - *rasa*: 171
 the break hood - *khaṇḍaphaṇa*: 152
 the brown - *babhru*: 153
 the brown hut mouth - *babhrūkuṭīmukha*: 152
 the chariot of light - *jyotīratha*: 153
 the conch keeper - *śaṃkhapāla*: 152
 the curd mouth - *dadhimukha*: 152
 the deer foot - *eṇīpada*: 153
 the drop stripe - *bindurāji*: 153
 the finger stripe - *aṅgulirāji*: 153
 the flame - *agnika*: 153
 the flower all - *puṣpasakalī*: 153
 the flower sprinkle beauty - *puṣpābhikīrṇābha*: 152
 the fragrant one in oil - *tailasugandhi*: 173
 the gavedhuka - *gavedhuka*: 152
 the gift of god - *devadinna*: 152
 the goat swallower - *ajāgara*: 153
 the grass drier - *tṛṇaśoṣaka*: 153

- the grass flower - *apuṣpa*: 152
 - *darbhapuṣpa*: 153
 the great lotus - *mahāpadma*: 152
 the great snake - *mahāsarpa*: 152
 the hand decoration - *hastābharaṇaka*: 153
 the hungry sting - *alagarda*: 152
 the ilikinī - *īlikinī*: 153
 the intoxicator - *madanaka*: 152
 the jackfruit - *panasaka*: 152
 the khaluṣa - *khaluṣa*: 153
 the kid - *śīṣuka*: 152
 the kūkuṭa - *kūkuṭa*: 152
 the little tree - *vṛkṣaka*: 153
 the lotus mouth - *puṇḍarikamukha*: 152
 the lotus - *padma*: 152 - *puṇḍarīka*: 153
 the mark - *citraka*: 153
 the milk flower - *kṣīrikāpuṣpa*: 153
 the mirror ring - *ādarśamaṇḍala*: 152
 the morning glory - *pālindaka*: 152
 the mountain snake - *girisarpa*: 152
 the mud - *kardama*: 153
 the ochre - *kaṣāya*: 153
 the pale as a flower - *puṣpapāṇḍu*: 153
 the pigeon - *pārāvata*: 153
 the pilindaka - *pilindaka*: 152
 the rain cloud - *valāhako*: 152f
 the red eye - *lohitākṣa*: 152f
 the red ring - *raktamaṇḍala*: 152
 the ringed - *cakraka*: 153
 the science of life - *āyurveda*: 12
 the sense of the cause - *hetvartha*: 174
 the six part - *ṣaḍaṅga*: 153
 the snake around - *parisarpa*: 152
 the speckled - *prṣata*: 152
 the stimulator - *dīpyaka*: 153
 the straight snake - *rjusarpa*: 152
 the stretch - *tantuka*: 153
 the stripe speckle - *rājicitra*: 153
 the tatra - *tatra*: 153
 the three fruits - *triphalā*: 175
 the three spices - *vyoṣa*: 172
 the time for therapies - *kriyākāla*: 17
 the two finger stripe - *dvaṅgulirāji*: 153
 the two-day - *dvyāhika*: 153
 the variegated - *vicitra*: 152
 the white jaw - *svetahanu*: 153
 the white leaf - *śukapatra*: 153
 the white pigeon - *śvetakapota*: 152
 the white ring - *śvetamaṇḍala*: 152
 the white rip - *śvetadara*: 152
 the worm eater - *kikkisāda*: 153
 the year-snake - *varṣāhika*: 153
 thei snake flag - *ahipatāka*: 153
 therapies - *karman*: 17
 three fruits - *triphalā*: 170, 172
 three-quarters of an hour - *muḥūrta*: 16
 tīkṣṇa - *sharp*: 163
 timira - blindness: 177 - partial
 blindness: 173
 tisane - *āsthāpana*: 67
 tooth socket (*dantaveṣṭa*): 117
 topic - *adhikaraṇa*: 172f
 torn - *darita*: 149f
 toṭaka - 'angry beetles': 138
 toxic reaction - *vega*: 148, 158, 163
 - *viṣavega*: 156
 traivṛta - prepared with turpeth: 170
 treatable - *yāpya*: 136
 treatment - *bheṣaja*: 188 - *kriyā*: 17, 66, 175f
 triad - *mithuna*: 176
 trice - *kāṣṭhā*: 16
 triphalā - the three fruits: 175 - three
 fruits: 170, 172
 trivṛt - turpeth: 173
 tṛṇaśoṣaka - the grass drier: 153
 trunk of the body - *koṣṭha*: 156
 tubes - *srotas*: 157
 turmeric - *haridrā*: 175
 turmeric - *rajana*: 171
 turpeth - *trivṛt*: 173
 tuttha - blue vitriol: 175
 tvac (skin): 147
 tvak - skin: 16f
 tympanites - *ādhmāna*: 62
 ucchiṅgana - sniffing: 178
 uccīṭiṅga - crabs: 139
 udāvartā - udāvartā: 189
 udāvartā - udāvartā: 189

- udbhid* - shoots: 16
udveṣṭana - writhing: 128
ūhya - deducible: 172, 177
 unsteadiness of the humours
 - *doṣapariplava*: 179
 untreatable - *asādhya*: 177
upadeha - rheum: 119
upadeśa - prescription: 174 - prescription:
 172
upadrava - side-effects: 120, 136
upahāra - oblations: 161
upahita - combined: 173
upaśama - pacification: 16
upasarga - affliction: 120
upasṛṣṭa - afflicted: 66
 urethral instillation - *uttarabasti*: 66, 68
 used - *niṣevita*: 172
uśīra - cuscus grass: 175
utpalabhedyaka - lotus-splittable: 42
utpīḍita - injured: 177
utsādana - dry rub: 118 - dry rubs: 114
uttarabasti - urethral instillation: 66, 68

vadhra - slice of flesh: 46f
vaiḍūrya - beryl: 181
vaiṣamya - irregularities: 15
vakrabhrūnetra - bent brow and eye: 179
vāksamūhārthavistāra (extensive meaning
 of the collection of statements): 154
vaktra - ends: 179
vākyasheṣa - ellipsis: 172 - ellipsis: 175
valāhako - the rain cloud: 152f
vallikarṇa - creeper-ear: 42
vallūraka - dried flesh: 42
vāminī - vomiting: 189
vānara - monkey: 138
vanaspati - fruit trees: 15 - non-flowering
 tree: 175
vandhyā - infertile: 189
vapour - *bāṣpa*: 115f, 119
varaki - wasps: 139
varcaḥkīṭa - dung beetles: 138
varga - collection: 17
 variable statement - *anekānta*: 175
 variable statement - *anekānta*: 172
 various treatments - *miśrakacikitsa*: 46

varṇa - complexion: 15, 49
varṣā - rainy seasons: 16
varṣāhika - the year-snake: 153
vartti - wick: 41 - wicks: 181
vasā - fat: 174
vāta - wind: 188f
vātālā - windy: 189
vāvīkṛtā - or not distorted: 117
veda - knowledge: 11
vedanābhighāta - pain and injury: 12
vega - toxic reaction: 148, 158, 163
vegāntara - pulse interval: 158
 velvet leaf - *pāthā*: 175
veṇupatraka - the bamboo leaf: 152
vicitra - the variegated: 152
vidagdha - inflamed: 170
vidaṅga - embelia: 175
viḍbheda - loose stool: 129, 140
vidhāna - itemization: 172 - itemization:
 175
vidruma - coral: 181
vikalpa - option: 172, 176 - particulars: 17
vikāsin - expansive: 131
vilocana - misshapen eyeball: 179
vipakva - matured: 171
viparītadarśana - metamorphopsia: 155
viparyaya - contraposition: 172, 175
vīrudh - shrubs: 15
viśāda - depression: 15
viśada - limpid: 131
viśavega - toxic reaction: 156
viśleṣa - disjunction: 132
viśvambhara - 'earth scorpions': 139
viśvañci - paralysis of arms and back: 61
 vital energy - *ojas*: 15
voḍhāra - bearers: 114
 vomiting - *vāminī*: 189
vṛddhagonasa - the big cow snout: 152
vṛkṣa - flowering trees: 15
vṛkṣaka - the little tree: 153
vṛnta - stalk: 170
vṛṣabha (bull): 115
vyadha - piercing: 178
vyadhi - disease: 17
vyākhyāna - explication: 172, 176

vyākhyāta - intended: 17
vyāla - wild animals: 16
vyāna breath - *vyāna*: 157
vyāna - *vyāna* breath: 157
vyavāyin - pervasive: 131
vyāyojima - multi-joins: 42
vyoṣa - the three spices: 172

wasps - *kaṇabha*: 139 - *varaki*: 139
wasted - *kṣīṇa*: 44
water-born - *salilotthita*: 176
watery eye - *syanda*: 176
welfare - *śreyas*: 12
wheezing - *śvāsa*: 129
white mustard - *siddhārthaka*: 180
white siris - *kinihī*: 175
white sugar - *sītā*: 180
wick - *vartti*: 41
wicks - *vartti*: 181
wild animals - *vyāla*: 16
wind - *māruta*: 66 - *vāta*: 188f
windy - *vātalā*: 189
with a needle-like opening - *sūcīvākrā*:
189
with blood - *śonitena*: 179
with bloodloss - *raktakṣayā*: 189
with difficulty - *kṛcchra*: 177
with testicles - *aṇḍīnī*: 189
without venom - *nirviṣa*: 149

womb - *yonī*: 184
wood apple (*kapittha*): 170
word meaning - *padārtha*: 172
word-meaning - *padārtha*: 173
worms - *kṛmi*: 16
writhing - *udveṣṭana*: 128

yakṛdrasa - liver extract: 171
yakṛt - liver: 172
yamalā - double: 117
yāmya - in yama's direction: 143
yantranā - restrictions: 178
yāpya - alleviated: 172 - can be mitigated:
177 - mitigatable: 169 - treatable: 136
yaṣṭikarṇa - stick-ear: 42
yavāgū - gruel: 134, 163
yavaudana - cooked barley: 177
year - *saṃvatsara*: 16
yoga - compounds: 170 - construing: 173
- construing: 172
yonī - female reproductive organ: 188f
- female reproductive system: 188
- womb: 184
yonivyāpat - disorders of the female
reproductive system: 188
yuga - *yuga*: 16
yuga - *yuga*: 16
"invincible" - *ajeya*: 136

Todo list

■ Can't be "sedation"	37
■ JG could you provide a standard citation reference for this information?	65
■ find out about <i>uttarabasti</i>	66
■ This is a change we should make in the edition.	87
■ You need not give all the grammatical details about <i>śrotādi</i> . Assume you are talking to knowledgeable Sanskrit scholars.	88
■ Perhaps <i>kalka</i> here could also mean the <i>Terminalia Bellerica</i> (विभीतक).	90
■ Euphorbia Antiquorum (Antique spurge)	92
■ The webpage https://hindi.shabd.in/vairagya-shatakam-bhagacharya-arjun-tiwari/post/117629 says that this verse belongs to the <i>Nītiratna</i> . I could not find this text.	95
■ The provisional edition should be modified accordingly.	97
■ There, Ḍalhaṇa comments that deliberation on <i>avapīḍa</i> had been done earlier when it was mentioned. Find that description to know more details.	99
■ Search for the section where the treatment of <i>ākṣepaka</i> is described.	100
■ Make the first letter of sentence capital.	100
■ ?	106
■ ?	106
■ ?	106
■ (?)	106
■ Cf. Arthaśāstra 1.21.8.	114
■ I'm still unhappy about this verse.	117
■ Mention this in the introduction as an example of the scribe knowing the vulgate.	117
■ fn about <i>sadyas+</i>	117
■ Bear's bile instead of deer's bile.	118

■ punarṇavā in the N & K MSS	119
■ śrita for śṛta	119
■ explain more	119
■ Medical difference from Sharma.	120
■ example where the vulgate clarifies that these should be used separately; appears to be a gloss inserted into the vulgate text.	120
■ The two uses of prāpta are hard to translate. prāptāḥ → kṣipraṃ is an example of the vulgate banalizing the Sanskrit text to make sense of a difficult passage.	120
■ √ vyadh not √ vedh (also elsewhere and for the ears), causative optative.	120
■ -> ativiṣa	130
■ Look up the ca. reference.	130
■ Come back to the issue of "kalpa". Look up passages in the Kośa.	137
■ write footnote: don't repeat ativiṣā; vulgate similar to H.	141
■ material corresponds to SS.1.45.205ab, where it describes how alcohol affects the body.	143
■ Or "There are 20 phaṇins and 6 maṇḍalins. The same number are known. There are 13 Rājīmats." Or even, "there are 20 Phaṇins and six of them are Maṇḍalins." Are phaṇins really the same as darvīkaras?	149
■ grammar	150
■ ri- ṛ-?	152
■ varṇa means "colour" elsewhere?	154
■ where is cutting with a knife related to removing bile or phlegm.	168
■ maṣī burned charcoal. Find refs.	168
■ find ref.	174
■ Check out these refs.	174
■ meaning of kalpa	174
■ or a dual?	179
■ Footnote here about who is speaking to whom.	143
■ a kind of asthma?	149
■ Not happy with the last part.	149
■ connecting with the previous pāda?	149
■ (atyartha? excessive?)	150
■ for...dvādaśādhikāḥ? not clear to me, is it dvādaśādhikāḥ?	150
■ (any better medical terms for them?)	150
■ (since the word lagha is not clear to me)	151

■ (Not too happy with it.)	151
■ (not sure about it)	151
■ (Not in vulgate)	151
■ (I am looking for a better translation)	151
■ (I'd need to rework on it).	152
■ (I'd need to rework on it and think about the sequencing of the number).	152
■ (āmadoṣa? Not too sure)	152
■ (2nd hemistich is incomplete)	152
■ (not too sure about the meaning of vyapada)	152
■ not so sure about sodāvarte	152
■ not so sure about it, MW mentions others like <i>Cordia Myxa</i> and <i>Alangium hexapetalum</i>	153
■ not sure about it	153
■ (sāmāhāya- any better word?)	153
■ Not so happy with this translation	154
■ (Not happy with it)	155
■ (the second hemistich is incomplete)	155
■ can śṛta mean here boiled milk? Not happy with the last part . . .	155
■ the rest of the text is unclear to me	155
■ (not so sure about it). [ghṛtābhyaṅgonavasthāsu should it be like ghṛtābhyaṅgo 'navasthāsu?, svedā lepaḥ ghṛtābhyaṅgonavas- thāsu ca yojayet] (Not so happy with the translation)	156
■ See also <i>Ḍalhaṇa</i> at 1.1.1 (<i>Su</i> 1938: 1)	174
■ See chapter 40 of <i>Sūtrasthāna</i>	175
■ <i>vasā</i> / <i>medas</i> / <i>majjan</i>	175
■ Does <i>bhūtādi</i> a compound or it means <i>ahaṅkāra</i> or <i>ego</i> ?	176

